

UNITED STATES DEPARTMENT OF COMMERCE

JESSE H. JONES, Secretary

BUREAU OF THE CENSUS

J. C. CAPT, Director (Appointed May 22, 1941)

WILLIAM LANE AUSTIN, Director (Retired January 31, 1941)

PHILIP M. HAUSER, Assistant Director



SIXTEENTH CENSUS OF THE UNITED STATES : 1940

VITAL STATISTICS RATES

IN THE

UNITED STATES

1900-1940

By

FORREST E. LINDER

Assistant Chief Statistician for Vital Statistics

and

ROBERT D. GROVE

Racial Science Analyst

Prepared under the direction of

HALBERT L. DUNN, M. D.

Chief Statistician for Vital Statistics

UNITED STATES

GOVERNMENT PRINTING OFFICE

WASHINGTON : 1943

CONTENTS

Chapter	Page
I. Introduction.....	1
II. Classification and tabulation of vital statistics data.....	5
The problem of classification.....	5
Classification of age, race, and sex.....	9
Geographic classification.....	13
Cause-of-death classification.....	18
III. Definition and interpretation of vital statistics rates.....	27
Analysis of mortality and natality data.....	27
Definition of rates and ratios.....	28
Interpretation of vital statistics rates.....	32
Crude death rate.....	37
Specific death rates.....	41
Infant mortality rate.....	43
Neonatal mortality rate.....	46
Under 5-year death rate.....	47
Maternal mortality rate.....	48
Death ratios.....	50
Case-fatality rate.....	51
Morbidity rates.....	53
Crude birth rate.....	54
Fertility rates.....	55
Specific birth rates.....	56
Crude stillbirth ratio.....	57
Birth-death ratio.....	58
IV. Adjusted death rates and other indices of mortality.....	60
Need for indices of mortality.....	60
Publication of standardized rates.....	66
The direct method.....	66
The indirect method.....	69
Makeshifts for intercensal years.....	71
Comparison of the direct and indirect methods.....	74
The life table death rate.....	75
Standard population.....	78
The method of equivalent average death rates.....	81
The relative mortality index.....	83
Specific objectives and criteria for mortality indices.....	86
Conclusion.....	90
V. Description and explanation of tables.....	92
Selection of tables.....	92
Arrangement of tables.....	92
Description of tables.....	93
Methods of computing rates.....	94
Explanation of tables.....	95
Tabular indexes to rate and population tables.....	108
General mortality.....	111
Infant mortality.....	114
Maternal mortality.....	116
Stillbirths.....	116
Natality.....	117
Population.....	118
Cross-reference of population and rate tables.....	119

MORTALITY TABLES
General Mortality Rates

Table	Page
1. Crude death rates: Death-registration States and each State, 1900-1940.....	122
2. Crude death rates by month: Death-registration States, 1900-1940; States of 1900 for 1900-1940; States of 1910 for 1910-1940; and States of 1920 for 1920-1940.....	125
3. Specific death rates by race and sex: Death-registration States and each State, 1900-1940.....	127
4. Specific death rates by age and race: Death-registration States and each State, 1900, 1910, 1920, 1930, and 1940.....	150
5. Specific death rates by age and sex: Death-registration States and each State, 1900, 1910, 1920, 1930, and 1940.....	161
6. Specific death rates by age, race, and sex: Death-registration States, 1900-1940.....	169
7. Specific death rates by age, race, and sex: Death-registration States of 1900 for 1900-1940.....	175
8. Specific death rates by age, race, and sex: Death-registration States of 1910 for 1910-1940.....	181
9. Specific death rates by age, race, nativity of white, and sex: Death-registration States and States of 1900 for 1900, 1910, 1920, 1930, and 1940; and States of 1910 for 1910, 1920, 1930, and 1940.....	186
10. Specific death rates by month, race, and sex: United States and each State, 1940.....	190
11. Specific death rates by age, race, and population-size groups: United States and each State, 1940.....	198
12. Crude death rates for each cause: Death-registration States, 1900-1940.....	210
Section A—1900-1909.....	210
Section B—1910-1920.....	216
Section C—1921-1929.....	222
Section D—1930-1938.....	229
Section E—1939 and 1940.....	238
13. Crude death rates for selected causes, by month: United States, 1933-1940.....	243
14. Specific death rates for 10 selected causes, by age: Death-registration States, 1900-1940.....	248
15. Specific death rates for selected causes, by sex: Death-registration States, 1900-1940.....	258
16. Specific death rates for selected causes, by race: Death-registration States, 1900-1940.....	274
17. Specific death rates for selected causes, by race: Death-registration States of 1900 for 1900-1940.....	290
18. Specific death rates for selected causes, by race: Death-registration States of 1910 for 1910-1940.....	306
19. Specific death rates for selected causes, by race: Death-registration States of 1920 for 1920-1940.....	322
20. Specific death rates for selected causes, by race: Death-registration States and each State, 1900-1940, every fifth year.....	330
21. Crude death rates for each cause: United States and each State, 1940.....	402
22. Crude death rates for selected causes, by month: United States, 1940.....	432
23. Specific death rates for eight leading causes, by age, race, and sex: United States and each State, 1940.....	434
24. Specific death rates for selected causes, by age, race, sex, and population-size groups: United States, 1940.....	534
25. Crude death rates for selected causes, by month: United States and each State, 1940.....	554

CONTENTS

v

Table	Infant Mortality Rates	Page
26.	Infant mortality rates: Birth-registration States and each State, 1915-1940.....	572
27.	Infant mortality rates by age and race: Birth-registration States and States of 1915 for 1915-1940.....	574
28.	Infant mortality rates by race and population-size groups: Birth-registration States and each State, 1915-1940.....	578
29.	Infant mortality rates by month: United States and each State, 1940.....	606
30.	Infant mortality rates by month: Birth-registration States, 1918-1940.....	607
31.	Infant mortality rates by age and month: United States, 1940.....	607
32.	Infant mortality rates for selected causes, by race: Birth-registration States, 1916-1940.....	608
33.	Infant mortality rates for selected causes: United States and each State, 1940.....	612
34.	Infant mortality rates for selected causes, by month: United States, 1940.....	616
35.	Infant mortality rates for selected causes, by age: Birth-registration States, 1930 and 1940.....	618

Maternal Mortality Rates

36.	Maternal mortality rates: Birth-registration States and each State, 1915-1940.....	620
37.	Maternal mortality rates by race and population-size groups: Birth-registration States and each State, 1915-1940.....	622
38.	Maternal mortality rates by age and race: Birth-registration States, 1918-1940.....	650
39.	Maternal mortality rates for detailed causes, by age and race: United States, 1940.....	651
40.	Maternal mortality rates for detailed causes: United States and each State, 1940.....	652

Stillbirth Ratios

41.	Stillbirth ratios: Birth-registration States and each State, 1922-1940.....	654
42.	Stillbirth ratios by race: Birth-registration States and each State, 1922-1940.....	656
43.	Stillbirth ratios by month: United States and each State, 1940.....	663

NATALITY TABLES

44.	Crude birth rates: Birth-registration States and each State, 1915-1940.....	666
45.	Crude birth rates by month: Birth-registration States, 1915-1940; States of 1915 for 1915-1940; and States of 1920 for 1920-1940.....	668
46.	Specific birth rates by age of mother and race: Birth-registration States and States of 1915 for 1918-1940; and States of 1920 for 1920-1940.....	669
47.	Specific birth rates by age of mother and race: Birth-registration States and each State, 1920, 1930, and 1940.....	672
48.	Specific birth rates by birth order of child, age of mother, and race, and for white by nativity of mother: Birth-registration States, 1920, 1930, and 1940.....	681
49.	Specific birth rates by age of mother and race, and for white by nativity of mother: Birth-registration States, 1920, 1930, and 1940.....	683
50.	Crude birth rates by month: United States and each State, 1940.....	684
51.	Specific birth rates by age of mother, race, and population-size groups: United States and each State, 1940.....	685
52.	Specific birth rates by age of mother and race, and for white by nativity of mother: United States and each State, 1940.....	698

GENERAL SUMMARY TABLES

53.	Population, births, deaths, and infant mortality, by race: United States and each State, by counties, 1940.....	704
54.	Population, births, deaths, and infant mortality, by race: Cities of 10,000 or more, 1940.....	796

POPULATION TABLES

United States		Page
Table		
I.	Population by race and sex: United States and each State, 1900-1940.....	824
II.	Population by age, race, and sex: United States and each State, 1900, 1910, 1920, 1930, and 1940.....	872
III.	Population by age, race, sex, and population-size groups: United States, 1940.....	934
IV.	Population by age, race, and population-size groups: United States and each State, 1940.....	936
V.	Female population (ages 10-54) by age and race: United States and each State, 1920, 1930, and 1940.....	952
VI.	Female population (ages 10-54) by age, race, and population-size groups: United States and each State, 1940.....	968
VII.	Female population (ages 10-54) by age, race, and nativity of white: United States and each State, 1940.....	988
Death-registration States		
VIII.	Population by race and sex: Death-registration States, 1900-1940; States of 1900 for 1900-1940; States of 1910 for 1910-1940; and States of 1920 for 1920-1940.....	998
IX.	Population by age, race, nativity of white, and sex: Death-registration States and States of 1900 for 1900, 1910, 1920, 1930, and 1940; and States of 1910 for 1910, 1920, 1930, and 1940.....	1002
X.	Population by age, race, and sex: Death-registration States, 1900-1940.....	1008
XI.	Population by age, race, and sex: Death-registration States of 1900 for 1900-1940.....	1017
XII.	Population by age, race, and sex: Death-registration States of 1910 for 1910-1940.....	1026
Birth-registration States		
XIII.	Population by race and sex: Birth-registration States, 1915-1940; States of 1915 for 1915-1940; and States of 1920 for 1920-1940.....	1036
XIV-A.	Female population (ages 10-54) by age, race, and nativity of white: Birth-registration States, 1920, 1930, and 1940.....	1038
XIV-B.	Female population (ages 10-54) by age, race, and nativity of white: Birth-registration States, 1920, 1930, and 1940.....	1089
XV.	Female population (ages 10-54) by age and race: Birth-registration States, 1918-1940.....	1040
XVI.	Female population (ages 10-54) by age and race: Birth-registration States of 1915 for 1918-1940.....	1042
XVII.	Female population (ages 10-54) by age and race: Birth-registration States of 1920 for 1920-1940.....	1044
Index.....		1047

The following symbols are used in the tables:

Class or item not applicable (three dots).....	.
Data not available (leaders).....	—
Quantity is zero, in frequency tables.....	0
Quantity is zero, in rate tables.....	0.0
If rate is more than 0 but less than 0.05.....	0.0

INDEX

- Absolute numbers (frequencies), value of, 27, 28**
- Accidents, classification of deaths from, 6, 7**
- Accuracy of original data, 8**
- Adjusted death rates, 3, 60-91 (See also Mortality Indices.)**
 early use and development of, 66
 local, for intercensal years, 71-74
 formulas for, 72, 73
 nomenclature used in, 63, 69
- Adjustment factors:**
 areal comparability, 72
 for indirect method, 69-73, 85
 time comparability, 72
- Age:**
 classification by, 9, 10, 103
 differences, effect on comparability of crude rates, 61, 62, 65
 errors in statement of, 10, 11
 groups used in tabulations, 10, 11
 unknown, treatment of, 11, 103, 104
- Age-adjusted death rate(s), 60-91**
 and standard populations, 67, 68, 78-81
 comparison of direct and indirect methods, 74, 75, 85-88
 direct method, 66-69
 computation of, 67
 criticism of, 77-79
 formulas for, 68
 indirect method, 69-71
 computation of, 70, 71
 formulas for, 69-71
- Age-limited death rates, 85 (footnote)**
- Age-sex-adjusted death rate formulas:**
 direct method, 68
 indirect method, 71
- Age-specific death rates, 41, 43, 44, 46-49, 61, 81**
 and equivalent average death rate method, 81-83
 and life table death rate, 76
 and unstated age, 103, 104
 use recommended, 65
- American Public Health Association, statistical practices recommended by, 33, 65, 69, 85 (footnote)**
- Analysis of vital statistics data:**
 need for absolute numbers (frequencies), 27
 need for relative numbers, 28
- Annual death rate, 40**
- Arrangement of tables in volume, 82, 93**
- Attack rate, 53**
- Automobile-accident death rates, methods of computing, 35, 36**
- Basics of tabulation (occurrence or residence):**
 for birth rates, 54
 for death rates, 37-39
- Birth(s):**
 and deaths, organization for registration of, 13
 plural, effect on maternal mortality rate, 48, 49
 rate(s)—
 corrected for underregistration, 100, 101
 crude, formula for, 54, 55
 influence on infant mortality rate, 44, 45
 influence on maternal mortality rate, 49
 specific, formula for, 56
 tables, reference to, 90, 92, 117
- Birth-death ratio, formula for, 58**
- Birth-registration:**
 States—
 expanding, 95, 97
 of 1915, 95, 98
 of 1923, 98
 system, year each State entered, 97
 test of completeness, 40, 99, 100 (See also Under-registration.)
- Case-fatality rate, 51, 52**
 errors affecting value of, 52
 formula for, 51
- Case-mortality rate, 52**
- Cases of disease, method for estimating total, 52 (footnote)**
- Cause(s)-of-death:**
 classification, 18-23
 need for standard, 19
 comparable list of, for trend tables, 104-106
 ill-defined and unknown, 24, 25
 International List of—
 basis of major subdivisions, 7
 development of, 19
 revisions of, 19, 20, 104-106
 multiple, 21-24
 selection of primary, 21-23
 statistics, problems of comparability, 20-25, 104
- Cause-specific death rate, 42, 43**
 formula for, 42
 tables, reference to, 104, 111
- Censuses of the United States, dates of, 107**
- Central death rate, 40, 41**
- Childhood mortality (See Under 5-year death rate.)**
- Classification, 5-25**
 basis of, 7
 by age, 9-11
 by cause of death, 7, 18-25 (See also International List of Causes of Death.)
 by nativity, 103
 by place of occurrence, 15
 by place of residence, 15
 by race, 12, 103

- Classification—Continued**
 by sex, 12
 by time (calendar periods), 13 (footnote)
 comparability of schemes for, 8
 concealed, fallacy of, 33
 correctness of schemes, 6, 7
de facto, 15
de jure, 15
 double, 7, 8
 geographic, 13-18
 mixed, 7
 multiple, 8, 9
 problems of, 5, 6
- Codes:**
 geographic, 14
 standard diagnosis, for morbidity, 53 (footnote)
- Comparability of rates:**
 factors affecting, 20-25, 32, 33, 102-106
 international, 22, 79, 82
- Completeness of birth registration, 45, 46, 98-100**
 (See also Underregistration.)
 method of estimating, 99, 100
 test of, 46, 96, 100
- Completeness of death registration, 46, 49, 98, 99**
- Concealed classification, fallacy of, 33**
- Corrected death rates, 40, 66, 68 (See also Age-adjusted death rate, direct method.)**
- Criteria for mortality indices, 86-90**
- Cross-reference index to tables, 119**
 description and explanation of, 109, 110
- Crude birth rate(s), 54, 55**
 corrected for underregistration, 100, 101
 formula for, 54
- Crude death rate(s), 37-41**
 as a probability number, 37-40
 criticism of, 39, 41, 60
 effect of population composition on, 61-65
 formula for, 37
 interpretation of, 37-40, 60
- Crude stillbirth ratio, 57, 58**
 errors affecting value of, 57
 formula for, 57
- Data, classification and tabulation of, 5-26**
 limited by accuracy of original material, 8, 9, 22
- Dates:**
 of editions of Joint Cause Manual, 20
 of population censuses, 107
 of revisions of International List of Causes of Death, 19, 20
- Death(s):**
 and births, organization for registration of, 13
 International List of Causes of—
 basis of major subdivisions, 7
 development of, 19
 revisions of, 19, 20, 104-106
 rate(s)—
 adjusted, 8, 60-61 (See also Mortality indices.)
 central, 40, 41
 crude, 37-41
 for time periods shorter than 1 year, 41, 64, 95
 life table, 75-78
 local, 38
 puerperal, 49
 recorded, 38
 resident, 38, 39
- Death(s)—Continued**
 rate(s)—Continued
 specific, 41-43
 tables, reference to, 95-97, 102, 111
 under 5-year, 47
 under 1-month, 46, 47
 ratio(s), 50, 51
 formula for, 50
 possible misinterpretations of, 50, 51
- Death-registration:**
 completeness of, 46, 98, 99
 States—
 expanding, 95, 96
 of 1900, 95, 96
 of 1910, 96
 of 1920, 97
 system, year each State entered, 96
- De facto classification, 15 (See also Place of occurrence.)**
- De jure classification, 15 (See also Place of residence)**
- Definition of rates and ratios, 29-32**
- Description of tables in volume, 93-119**
- Direct method of adjusting death rates, 66-69**
 computation of, 67
 criticism of, 77-79
 formulae for, 68
- Double classification, 7, 8**
- Equivalent average death rates, method of, 81-83,**
 advantage of, 82
 computation of, 83
 formula for, 81
- Errors:**
 in statement of age, 10, 11
 sampling, of rates, 94
- Exposed-to-risk class, possible fallacies involved**
 determination of, 33-35, 37, 42-44, 48, 49
- Fallacy:**
 of concealed classification, 33
 of "exposed-to-risk" interpretation, 33-35,
 42-44, 48, 49
 of overcriticism, 66
- Fatality rate, 52**
- Fertility:**
 and fecundity, difference between, 64, 66
 rates, 53, 56
- Frequencies (absolute numbers):**
 rates based on small, 93, 94
 value of, 27, 28
- General death rate, 40**
- Geographic classification, 13-18**
 by place of occurrence (*de facto*), 13
 by place of residence (*de jure*), 15
 importance of, 13
 problems of, 13, 14
 sobame, 14
- Geographic code of Bureau of Census, 14**
- Gross death rate, 40**
- History of vital statistics system, 1, 95-97**
- Ill-defined causes of death, 24, 25**
- Incidence rate, morbidity, 53**
- Index(es):**
 cross-reference, to tables, 109, 110, 119
 relative mortality, 83-86

- Index(es)**--Continued
- tabular, 111-119
 - description of, 108
 - examples of use, 93, 108-110
 - to population tables, 118
 - to rate tables, 111-117
 - vital, 31, 58
 - Indices of mortality, 60-91**
 - adjusted rates--
 - direct method, 66-69, 77-79
 - indirect method, 69-71
 - comparison of, 85, 86
 - criteria for use of, 86-90
 - early use and development of, 86
 - equivalent average death rates, 81-83, 89
 - factors requiring "adjustment," 89, 90
 - life table death rate, 75-78
 - need for, 60-65
 - relative mortality index, 83-85
 - types of, 63, 66, 85, 86
 - Indirect method of adjusting death rates, 69-71
 - computation of, 70, 71
 - formulae for, 69-71
 - Infant mortality rate, 43-46
 - effect of birth rate on, 44, 45
 - errors affecting value of, 44-46
 - formula for, 43, 94
 - importance of, 43
 - monthly, 94, 95
 - tables, reference to, 94, 98, 102, 114
 - Intercensal population, method of estimation, 107, 108
 - International comparability, problems of, 22, 79, 82
 - International List of Causes of Death:
 - basis of major subdivisions, 7
 - development of, 19
 - revisions of, 19, 30, 104-106
 - International Statistical Institute:
 - and cause-of-death classification, 19
 - standard million, 79, 80
 - stillbirth definition, 57
 - Interpretation of vital statistics rates, problems involved in, 32-36
 - concealed classification, 33
 - "exposed-to-risk" question, 33-35
 - "noncomparable" data, 32, 33
 - Joint Cause Manual, and primary cause selection, 22
 - League of Nations, stillbirth definition recommended by, 57
 - Lethality rate, 52
 - Life table death rate, 75-78
 - and age-specific death rate, 76
 - formulae for, 76, 78
 - Life table population, characteristics of, 75, 76
 - Limited death rate, 43
 - Local death rate, 33
 - Manual of Joint Causes of Death and primary cause selection, 23
 - Master table, defined, 8, 9
 - Maternal mortality rate, 48, 49
 - and "exposed-to-risk" class, 33, 48, 49
 - and puerperal death rate, 49
 - as a probability number, 48
 - formula for, 48
 - tables, reference to, 98, 102, 116
 - Mexicans, treatment of, in racial break-down, 103
 - Mixed classification, 7
 - Monthly rates and ratios, method of computing, 41, 94, 95
 - Morbidity:
 - incidence rate defined, 53
 - prevalence rate defined, 53
 - rates, 53, 54
 - errors of interpretation, 54
 - formula for, 53
 - standard diagnosis code, 53 (footnote)
 - Mortality:
 - analysis of raw data, 27, 28
 - index, defined, 62 (footnote)
 - indices, 60-91
 - adjusted rates--
 - direct method, 66-69, 77-79
 - indirect method, 69-71
 - comparison of, 85, 86
 - criteria for use of, 86-90
 - early use and development of, 86
 - equivalent average death rates, 81-83, 89
 - factors requiring "adjustment," 89, 90
 - life table death rate, 75-78
 - need for, 60-65
 - relative mortality index, 83-85
 - types of, 63, 66, 85, 86
 - proportionate, 50, 51
 - rate, 40
 - infant, 43-46
 - maternal, 48, 49
 - neonatal, 46, 47
 - statistics, problems of comparability, 20-25, 32, 33, 102-106
 - Multiple causes of death, 21-24
 - Multiple classification, 8, 9
 - Natality, analysis of raw data, 27, 28 (*See also* Birth rates.)
 - Nativity classification, 103
 - Neonatal mortality rate, 46, 47
 - formula for, 46
 - Nonresidents (*See* Place of residence.)
 - Numbers, absolute (*See* Frequencies.)
 - Objectives and criteria for mortality indices, 86-90
 - Occurrence (*See* Place of occurrence.)
 - Particular death rate, 43
 - Place-of-occurrence:
 - and place of residence, comparability of data compiled by, 102
 - as a basis of classification, 15
 - as a basis of tabulation, 13, 33, 102
 - Place-of-residence:
 - as a basis of classification, 15
 - as a basis of tabulation, 15-18, 37-39, 102
 - development of, 15, 33
 - rules for, 16
 - reallocation of births and deaths to, 17, 18
 - Plural births, effect on maternal mortality rate, 48, 49
 - Population:
 - census dates, 107
 - composition of, effect on crude rates, 61-65
 - future estimates by age, 63-65
 - intercensal, method of estimation, 107, 108
 - life table, characteristics of, 75-77

- Classification—Continued
 by sex, 12
 by time (calendar periods), 13 (footnote)
 comparability of schemes for, 8
 concealed, fallacy of, 33
 correctness of schemes, 6, 7
de facto, 15
de jure, 15
 double, 7, 8
 geographic, 13-18
 mixed, 7
 multiples, 8, 9
 problems of, 5, 6
- Codes:
 geographic, 14
 standard diagnosis, for morbidity, 53 (footnote)
- Comparability of rates:
 factors affecting, 20-25, 32, 33, 109-106
 international, 22, 79, 82
- Completeness of birth registration, 45, 46, 98-100
 (See also Underregistration.)
 method of estimating, 99, 100
 test of, 45, 99, 100
- Completeness of death registration, 46, 49, 98, 99
- Concealed classification, fallacy of, 33
- Corrected death rates, 40, 66, 68 (See also Age-adjusted death rate, direct method.)
- Criteria for mortality indices, 86-90
- Cross-reference index to tables, 119
 description and explanation of, 109, 110
- Crude birth rate(s), 54, 55
 corrected for underregistration, 100, 101
 formula for, 54
- Crude death rate(s), 37-41
 as a probability number, 37-40
 criticism of, 39, 41, 60
 effect of population composition on, 61-65
 formula for, 37
 interpretation of, 37-40, 60
- Crude stillbirth ratio, 57, 58
 errors affecting value of, 57
 formula for, 57
- Data, classification and tabulation of, 5-26
 limited by accuracy of original material, 8, 9, 22
- Dates:
 of editions of Joint Cause Manual, 20
 of population censuses, 107
 of revisions of International List of Causes of Death, 19, 20
- Death(s):
 and births, organization for registration of, 13
 International List of Causes of—
 basis of major subdivisions, 7
 development of, 19
 revisions of, 19, 20, 104-106
 rate(s)—
 adjusted, 3, 60-61 (See also Mortality indices.)
 central, 40, 41
 crude, 37-41
 for time periods shorter than 1 year, 41, 94, 95
 life table, 75-78
 local, 38
 puerperal, 49
 recorded, 38
 resident, 38, 39
- Death(s)—Continued
 rate(s)—Continued
 specific, 41-43
 tables, reference to, 95-97, 102, 111
 under 5-year, 47
 under 1-month, 46, 47
 ratio(s), 50, 51
 formula for, 50
 possible misinterpretations of, 50, 51
- Death-registration:
 completeness of, 46, 98, 99
 States—
 expanding, 95, 96
 of 1900, 95, 96
 of 1910, 96
 of 1920, 97
 system, year each State entered, 96
- De facto* classification, 15 (See also Place of occurrence.)
- De jure* classification, 15 (See also Place of residence.)
- Definition of rates and ratios, 28-32
- Description of tables in volume, 98-119
- Direct method of adjusting death rates, 66-69
 computation of, 67
 criticism of, 77-79
 formulae for, 68
- Double classification, 7, 8
- Equivalent average death rates, method of, 81-83, 89
 advantage of, 82
 computation of, 83
 formula for, 81
- Errors:
 in statement of age, 10, 11
 sampling, of rates, 94
- Exposed-to-risk class, possible fallacies involved in determination of, 33-35, 37, 42-44, 48, 49
- Fallacy:
 of concealed classification, 33
 of "exposed-to-risk" interpretation, 32-35, 37, 42-44, 48, 49
 of overcriticism, 86
- Fatality rate, 52
- Fertility:
 and fecundity, difference between, 94, 95
 rates, 55, 56
- Frequencies (absolute numbers):
 rates based on small, 63, 94
 value of, 27, 28
- General death rate, 40
- Geographic classification, 13-18
 by place of occurrence (*de facto*), 15
 by place of residence (*de jure*), 15
 importance of, 13
 problems of, 13, 14
 scheme, 14
- Geographic code of Bureau of Census, 24
- Gross death rate, 40
- History of vital statistics system, 1, 95-97
- Ill-defined causes of death, 24, 25
- Incidence rate, morbidity, 68
- Index(es):
 cross-reference, to tables, 109, 110, 119
 relative mortality, 83-86

- Index(es)—Continued**
- tabular, 111-119
 - description of, 108
 - examples of use, 93, 108-110
 - to population tables, 118
 - to rate tables, 111-117
 - vital, 31, 68
 - Indices of mortality, 60-91**
 - adjusted rates—
 - direct method, 66-69, 77-79
 - indirect method, 69-71
 - comparison of, 85, 86
 - criteria for use of, 86-90
 - early use and development of, 66
 - equivalent average death rates, 81-83, 89
 - factors requiring "adjustment," 89, 90
 - life table death rate, 75-78
 - need for, 60-65
 - relative mortality index, 83-85
 - types of, 63, 66, 85, 86
 - Indirect method of adjusting death rates, 69-71
 - computation of, 70, 71
 - formulae for, 69-71
 - Infant mortality rate, 43-46
 - effect of birth rate on, 44, 45
 - errors affecting value of, 44-46
 - formula for, 43, 94
 - importance of, 43
 - monthly, 94, 95
 - tables, reference to, 94, 98, 102, 114
 - Intercensal population, method of estimation, 107, 108
 - International comparability, problems of, 22, 79, 82
 - International List of Causes of Death:
 - basis of major subdivisions, 7
 - development of, 19
 - revisions of, 19, 20, 104-106
 - International Statistical Institute:
 - and cause-of-death classification, 19
 - standard million, 79, 80
 - stillbirth definition, 57
 - Interpretation of vital statistics rates, problems involved in, 32-36
 - concealed classification, 33
 - "exposed-to-risk" question, 33-35
 - "noncomparable" data, 33, 33
 - Joint Cause Manual, and primary cause selection, 22
 - League of Nations, stillbirth definition recommended by, 57
 - Letality rate, 52
 - Life table death rate, 75-78
 - and age-specific death rate, 76
 - formulae for, 76, 78
 - Life table population, characteristics of, 75, 76
 - Limited death rate, 43
 - Local death rate, 38
 - Manual of Joint Causes of Death and primary cause selection, 23
 - Master table, defined, 8, 9
 - Maternal mortality rate, 48, 49
 - and "exposed-to-risk" class, 35, 48, 49
 - and puerperal death rate, 49
 - as a probability number, 48
 - formula for, 48
 - tables, reference to, 98, 102, 116
 - Mexicans, treatment of, in racial break-down, 103
 - Mixed classification, 7
 - Monthly rates and ratios, method of computing, 41, 94, 95
 - Morbidity:
 - incidence rate defined, 53
 - prevalence rate defined, 53
 - rates, 53, 54
 - errors of interpretation, 54
 - formula for, 53
 - standard diagnosis code, 53 (footnote)
 - Mortality:
 - analysis of raw data, 27, 28
 - index, defined, 62 (footnote)
 - indices, 60-91
 - adjusted rates—
 - direct method, 66-69, 77-79
 - indirect method, 69-71
 - comparison of, 85, 86
 - criteria for use of, 86-90
 - early use and development of, 66
 - equivalent average death rates, 81-83, 89
 - factors requiring "adjustment," 89, 90
 - life table death rate, 75-78
 - need for, 60-65
 - relative mortality index, 83-85
 - types of, 63, 66, 85, 86
 - proportionate, 60, 61
 - rate, 40
 - infant, 43-46
 - maternal, 48, 49
 - neonatal, 46, 47
 - statistics, problems of comparability, 20-25, 32, 33, 102-106
 - Multiple causes of death, 21-24
 - Multiple classification, 8, 9
 - Natality, analysis of raw data, 27, 28 (*See also* Birth rates.)
 - Nativity classification, 103
 - Neonatal mortality rate, 46, 47
 - formula for, 46
 - Nonresidents (*See* Place of residence.)
 - Numbers, absolute (*See* Frequencies.)
 - Objectives and criteria for mortality indices, 86-90
 - Occurrence (*See* Place of occurrence.)
 - Particular death rate, 43
 - Place-of-occurrence:
 - and place of residence, comparability of data compiled by, 102
 - as a basis of classification, 15
 - as a basis of tabulation, 13, 38, 102
 - Place-of-residence:
 - as a basis of classification, 15
 - as a basis of tabulation, 15-18, 37-39, 102
 - development of, 15, 38
 - rules for, 16
 - reallocation of births and deaths to, 17, 18
 - Plural births, effect on maternal mortality rate, 48, 49
 - Population:
 - census dates, 107
 - composition of, effect on crude rates, 61-65
 - future estimates by age, 63-65
 - intercensal, method of estimation, 107, 108
 - life table, characteristics of, 75-77

- Population—Continued**
 standard, in adjusting death rates, 78-83
 used in computing rates, 37-41, 106-108
- Population-size groups:**
 classification by, 14
 tabulations by, 102, 103
- Prevalence rate, morbidity, 53**
- Primary cause of death, selection of, 21-23**
- Probability, 28-30**
a posteriori, definition of, 29, 30
a priori, definition of, 28, 29
- Proportionate mortality, 50, 51**
- Puerperal death rate, 49**
- Race:**
 classification by, 12, 103
 unknown, treatment of, in vital statistics, 12
- Race-specific rates, 41, 90, 103**
- Rate(s), 28-58, 60-91**
 adjusted, 60-91
 case-fatality, 51, 52
 cause-specific death, 42, 43
 crude birth, 54, 55
 corrected for underregistration, 100, 101
 crude death, 37-41
 for time periods shorter than 1 year, 41, 94, 95
 defined, 28-22
 as a probability number, 28, 30, 31, 42, 46, 48
 as a ratio, 30, 31
 (fertility, 55, 56
 infant mortality, 43-46
 maternal mortality, 48-49
 methods of computing, 41, 94, 95
 morbidity, 53, 54
 neonatal mortality, 46, 47
 of mortality, defined, 40
 populations used in computing, 37-41, 106-108
 puerperal death, 49
 specific birth, 56
 specific death, 41-43
 standard specific, 83-85
 standardized, 68, 68, 69, 86 (*See also* Adjusted rates.)
 statistical reliability of, 93, 94
 stillbirth, 57, 58
 tables, description and explanation of, 92-119
 vital statistics—
 comparability of, 20-25, 32, 33, 102-106
 interpretation of, 32-36
- Ratio(s):**
 birth-death, formula for, 58
 crude stillbirth, 57
 defined, 30, 31
 death, 50, 51
 reallocation, 17, 18
 standardized, 72
- Reallocation ratio (R-ratio):**
 defined, 17
 values of, 17, 18
- Recorded death rate, 38**
- Refined death rate, 40**
- Registration:**
 areas and registration States, development of, 95, 96
 of births and deaths—
 completeness of, 45, 46, 49, 98-100
 organization for, 13
 States (*See* Birth- and death-registration States.)
- Relative mortality index, 83-86**
 advantages of, 84
 computation of, 84
 formula for, 83, 84
- Relative numbers, 28 (*See also* Indices, Rates, and Ratios.)**
- Residence:**
 as a basis of classification, 15
 as a basis of tabulation, 15-18, 37-39, 102
 development of, 15, 38
 rules for, 16
 reallocation ratio, 17, 18
- Resident death rates, defined, 38**
- Restricted death rate, 43**
- Revised death rate, 40**
- Revisions of International List of Causes of Death, 19, 20, 104-106**
- Risk, class exposed to, 33-35, 37, 42-44, 48, 49**
- Sampling error of rates, 94**
- Schemes for classification of data (*See* Classification.)**
- Selection of rate and population tables, factors influencing, 92**
- Sex, classification by, 12**
- Sex-specific rates, 41**
- Special death rates, 43**
- Specific rates, 41-43, 60-65, 83-85**
 and relative mortality index, 83-85
 as probability numbers, 42, 43
 birth rates, formula for, 56
 death rates, 41-43
 formulae for, 41, 42
 fertility rates, 66
 standard, 83-85
- Standard classification of causes of death, 19-21 (*See also* International List of Causes of Death.)**
- Standard million, 66-68, 72-74, 78-83**
 England and Wales (1901), 79, 80
 International Statistical Institute, 79, 80
 life table population as, 80
 United States (1930), 80
 United States (1940), 67, 80
- Standard specific rates and the relative mortality index, 83-85**
- Standardized death rates, 68, 68, 69, 86 (*See also* Adjusted death rates.)**
- Standardized ratio, 72**
- States:**
 in birth-registration system from 1915 to 1933, 97, 98
 in death-registration system from 1880 to 1933, 95-97
 variations in completeness of registration, 98, 99
- Stationary population, 75**
- Statistical Institute, International:**
 and cause-of-death classification, 19
 standard million, 78, 79
 stillbirth definition, 57
- Statistical practice, recommendations by American Public Health Association, 38, 65, 69, 85 (footnote)**
- Stillbirth:**
 defined, 57
 rate, method of computing, 57, 58
 ratio, 57, 58
 tables, reference to, 93, 116
- Symbols, use of, in rate tables, 94**

- Table(s):
 birth rate, reference to, 98, 102, 117
 death rate, reference to, 95-97, 102, 111
 included in volume—
 arrangement of, 92, 93
 description of, 93-119
 selection of, 92
 master, defined, 8, 9
 rate, populations used in computing, 37-41, 106-108
- Tabular indexes:
 description of, 108
 examples of use, 93, 108-110
 to population tables, 118
 to rate tables, 111-117
- Tabulation of vital statistics data, 5-26
- Test of the completeness of birth registration, 46, 99, 100
- Time, classification by, 13 (footnote)
- Under 5-year death rate, 47
- Underregistration of births, 45, 99, 100 (*See also* Completeness of birth registration.)
 effect on infant mortality, 45, 46
 effect on maternal mortality, 49
 method of estimating, 100
- Unknowns, proportion and treatment of, 8, 11, 12
 in age classification, 11, 103, 104
 in cause-of-death classification, 24, 25
- Vital index, defined, 31, 58
- Vital statistics:
 data—
 analysis of, 27, 28
 classification of, 5-26
 tabulation of, 5-26
 rates—
 comparability of, 20-25, 32, 33, 102-106
 definition of, 28-32
 interpretation of, 32-36
 registration system—
 history of, 1, 95-97
 organization of, 13



- Population—Continued**
 standard, in adjusting death rates, 78-83
 used in computing rates, 37-41, 106-108
- Population-size groups:**
 classification by, 14
 tabulations by, 102, 103
- Prevalence rate, morbidity, 53**
- Primary cause of death, selection of, 21-23**
- Probability, 28-30**
a posteriori, definition of, 29, 30
a priori, definition of, 28, 29
- Proportionate mortality, 50, 51**
- Puerperal death rate, 49**
- Race:**
 classification by, 12, 103
 unknown, treatment of, in vital statistics, 12
- Race-specific rates, 41, 60, 103**
- Rate(s), 28-53, 60-91**
 adjusted, 60-91
 case-fatality, 51, 52
 cause-specific death, 42, 43
 crude birth, 54, 55
 corrected for underregistration, 100, 101
 crude death, 37-41
 for time periods shorter than 1 year, 41, 94, 95
 defined, 28-32
 as a probability number, 28, 30, 31, 42, 46, 48
 as a ratio, 30, 31
 fertility, 55, 56
 infant mortality, 43-46
 maternal mortality, 48-49
 methods of computing, 41, 94, 95
 morbidity, 53, 54
 neonatal mortality, 46, 47
 of mortality, defined, 40
 populations used in computing, 37-41, 106-108
 puerperal death, 49
 specific birth, 56
 specific death, 41-43
 standard specific, 83-85
 standardized, 66, 68, 69, 86 (*See also* Adjusted rates.)
 statistical reliability of, 93, 94
 stillbirth, 57, 58
 tables, description and explanation of, 92-119
 vital statistics—
 comparability of, 20-25, 32, 33, 102-106
 interpretation of, 82-86
- Ratio(s):**
 birth-death, formula for, 58
 crude stillbirth, 57
 defined, 30, 31
 death, 50, 51
 reallocation, 17, 18
 standardized, 72
- Reallocation ratio (R-ratio):**
 defined, 17
 values of, 17, 18
- Recorded death rate, 38**
- Refined death rate, 40**
- Registration:**
 areas and registration States, development of, 95, 96
 of births and deaths—
 completeness of, 46, 46, 49, 98-100
 organization for, 13
 States (*See* Birth- and death-registration States.)
- Relative mortality index, 83-86**
 advantages of, 84
 computation of, 84
 formula for, 83, 84
- Relative numbers, 28 (*See also* Indices, Rates, and Ratios.)**
- Residence:**
 as a basis of classification, 15
 as a basis of tabulation, 15-18, 37-39, 102
 development of, 15, 38
 rules for, 16
 reallocation ratio, 17, 18
- Resident death rates, defined, 38**
- Restricted death rate, 43**
- Revised death rate, 40**
- Revisions of International List of Causes of Death, 19, 20, 104-100**
- Risk, class exposed to, 33-35, 37, 42-44, 48, 49**
- Sampling error of rates, 94**
- Schemes for classification of data (*See* Classification.)**
- Selection of rate and population tables, factors influencing, 92**
- Sex, classification by, 13**
- Sex-specific rates, 41**
- Special death rates, 43**
- Specific rates, 41-43, 60-65, 83-85**
 and relative mortality index, 83-85
 as probability numbers, 42, 43
 birth rates, formula for, 56
 death rates, 41-43
 formulas for, 41, 42
 fertility rates, 56
 standard, 83-85
- Standard classification of causes of death, 19-21 (*See also* International List of Causes of Death.)**
- Standard million, 66-68, 72-74, 78-88**
 England and Wales (1901), 79, 80
 International Statistical Institute, 79, 80
 like table population as, 80
 United States (1930), 80
 United States (1940), 67, 80
- Standard specific rates and the relative mortality index, 83-85**
- Standardized death rates, 66, 68, 69, 86 (*See also* Adjusted death rates.)**
- Standardized ratio, 72**
- States:**
 in birth-registration system from 1915 to 1933, 97, 98
 in death-registration system from 1880 to 1933, 95-97
 variations in completeness of registration, 98, 99
- Stationary population, 75**
- Statistical Institute, International:**
 and cause-of-death classification, 19
 standard million, 78, 79
 stillbirth definition, 57
- Statistical practice, recommendations by American Public Health Association, 38, 65, 69, 85 (footnote)**
- Stillbirth:**
 defined, 57
 rate, method of computing, 57, 58
 ratio, 57, 58
 tables, reference to, 98, 116
- Symbols, use of, in rate tables, 94**

- Table(s):
 birth rate, reference to, 98, 102, 117
 death rate, reference to, 95-97, 102, 111
 included in volume—
 arrangement of, 92, 93
 description of, 93-119
 selection of, 92
 master, defined, 8, 9
 rate, populations used in computing, 37-41, 106-108
- Tabular indexes:
 description of, 108
 examples of use, 93, 108-110
 to population tables, 118
 to rate tables, 111-117
- Tabulation of vital statistics data, 5-26
- Test of the completeness of birth registration, 46, 99, 100
- Time, classification by, 13 (footnote)
- Under 5-year death rate, 47
- Underregistration of births, 45, 99, 100 (*See also*
 Completeness of birth registration.)
 effect on infant mortality, 45, 46
 effect on maternal mortality, 49
 method of estimating, 100
- Unknowns, proportion and treatment of, 8, 11, 12
 in age classification, 11, 103, 104
 in cause-of-death classification, 24, 25
- Vital index, defined, 31, 58
- Vital statistics:
 data—
 analysis of, 27, 28
 classification of, 5-26
 tabulation of, 5-26
 rates—
 comparability of, 20-25, 32, 33, 102-106
 definition of, 28-32
 interpretation of, 32-36
 registration system—
 history of, 1, 95-97
 organization of, 13

