

# **REPORT**

Dhananjayaro Gadgi Library  
  
GIPE-PUNE-047690

of a

## **SURVEY OF TRANSPORTATION**

on the

### **STATE HIGHWAYS OF NEW HAMPSHIRE**

*by*

**THE BUREAU OF PUBLIC ROADS  
U. S. DEPARTMENT OF AGRICULTURE**

**and**

**THE NEW HAMPSHIRE STATE HIGHWAY  
DEPARTMENT**

**1927**

X-711.1000-1174-1

H7690 F7

## TABLE OF CONTENTS

	PAGE
Foreword.....	3
The New Hampshire Highway Transportation Survey (Introduction) .....	5
The Results of the Survey.....	6
The Forecast of Future Traffic.....	8
The Influence of Geographical Features Upon Highways and Traffic.....	9
Development of State Control Over Highway Improvement.....	11
Trunk-line Highway System and State-aid Roads.....	11
Control by State Highway Department Over Trunk-line and State-aid Roads.....	14
Highway Revenues and Expenditures.....	17
Organization of the State Highway Department.....	19
The Transportation Survey.....	21
Methods of the Survey.....	22
Density of Highway Traffic.....	24
Distribution of Traffic.....	25
Principal Traffic Routes.....	26
State Divided Into Five Traffic Sections.....	29
Foreign Traffic Large in Volume.....	31
Motor Truck Traffic.....	33
Distribution of Motor Truck Traffic.....	33
Important Trucking Routes.....	34
Truck Capacities and Loading.....	34
Motor Bus Traffic.....	40
Highway Utilization.....	41
Traffic Importance of the Three Systems.....	41
Motor Vehicle Utilization in the Five Traffic Sections.....	43
Composition of Highway Traffic.....	47
Passenger Cars.....	47
Motor Trucks.....	48
Highway Traffic and Population.....	51
Forecast of Highway Traffic.....	54
Traffic Classification of the Trunk-line Highways.....	57
The Plan of Highway Improvement.....	62
APPENDICES	
I. Motor Truck Transportation of Commodities.....	65
II. Motor Vehicle Traffic at New Hampshire Traffic Survey Stations.....	67
III. Foreign Motor Vehicle Traffic at New Hampshire Traffic Survey Stations.....	71
IV. Motor Truck Traffic at New Hampshire Traffic Survey Stations.....	73
V. Average Gross Weight of Loaded Motor Trucks by Capacity Classes at New Hampshire Traffic Survey Weight Stations.....	77
VI. Traffic Classification of the New Hampshire Trunk Line Highway System.....	78

## Foreword

THIS report contains the results of highway traffic studies of the trunk-line, State-aid and town-road systems of New Hampshire conducted during 1926 under a cooperative research agreement between the Bureau of Public Roads, United States Department of Agriculture, and the New Hampshire State Highway Department.

The investigation was undertaken in order to obtain essential facts concerning traffic on New Hampshire highways, and the condition of present highway improvements as a basis for planning the development of the State highway system to serve present and future traffic.

The conclusions are based upon the present density, type, loading and distribution of traffic, traffic units, and traffic classification of State highways, upon present population and population trends, upon predicted future traffic, and upon an economic and physical analysis of other factors influencing the planning of a program of highway improvement.

The first part of the report contains a summary of the principal conclusions, the second the detailed data of the survey upon which the findings of the report are based and the third the proposed plan of State highway improvement.

The researches were conducted under the joint supervision of Thos. H. MacDonald, Chief of the Bureau of Public Roads, and F. E. Everett, New Hampshire State Highway Commissioner. J. Gordon McKay, Chief of the Division of Highway Economics, Bureau of Public Roads, directed the work of the survey and preparation of the report, assisted by O. M. Elvehjem, Highway Economist, E. T. Stein, J. F. Hehir, and L. E. Peabody, Associate Highway Economists, all of the Division of Highway Economics, and C. P. Riford, Construction Engineer, J. W. Childs, Bridge Engineer, J. H. Johnson, Office Engineer and F. A. Gardner, Public Relations Engineer of the New Hampshire State Highway Department.

X411.7386.N267A

H7690 F7

## TABLE OF CONTENTS

	PAGE
Foreword.....	3
The New Hampshire Highway Transportation Survey (Introduction) .....	5
The Results of the Survey.....	6
The Forecast of Future Traffic.....	8
The Influence of Geographical Features Upon Highways and Traffic.....	9
Development of State Control Over Highway Improvement.....	11
Trunk-line Highway System and State-aid Roads.....	11
Control by State Highway Department Over Trunk-line and State-aid Roads.....	14
Highway Revenues and Expenditures.....	17
Organization of the State Highway Department.....	19
The Transportation Survey.....	21
Methods of the Survey.....	22
Density of Highway Traffic.....	24
Distribution of Traffic.....	25
Principal Traffic Routes.....	26
State Divided Into Five Traffic Sections.....	29
Foreign Traffic Large in Volume.....	31
Motor Truck Traffic.....	33
Distribution of Motor Truck Traffic.....	33
Important Trucking Routes.....	34
Truck Capacities and Loading.....	34
Motor Bus Traffic.....	40
Highway Utilization.....	41
Traffic Importance of the Three Systems.....	41
Motor Vehicle Utilization in the Five Traffic Sections.....	43
Composition of Highway Traffic.....	47
Passenger Cars.....	47
Motor Trucks.....	48
Highway Traffic and Population.....	51
Forecast of Highway Traffic.....	54
Traffic Classification of the Trunk-line Highways.....	57
The Plan of Highway Improvement.....	62
APPENDICES .	
I. Motor Truck Transportation of Commodities.....	65
II. Motor Vehicle Traffic at New Hampshire Traffic Survey Stations.....	67
III. Foreign Motor Vehicle Traffic at New Hampshire Traffic Survey Stations.	71
IV. Motor Truck Traffic at New Hampshire Traffic Survey Stations.....	73
V. Average Gross Weight of Loaded Motor Trucks by Capacity Classes at New Hampshire Traffic Survey Weight Stations.....	77
VI. Traffic Classification of the New Hampshire Trunk Line Highway System.....	78

## Foreword

**T**HIS report contains the results of highway traffic studies of the trunk-line, State-aid and town-road systems of New Hampshire conducted during 1926 under a cooperative research agreement between the Bureau of Public Roads, United States Department of Agriculture, and the New Hampshire State Highway Department.

The investigation was undertaken in order to obtain essential facts concerning traffic on New Hampshire highways, and the condition of present highway improvements as a basis for planning the development of the State highway system to serve present and future traffic.

The conclusions are based upon the present density, type, loading and distribution of traffic, traffic units, and traffic classification of State highways, upon present population and population trends, upon predicted future traffic, and upon an economic and physical analysis of other factors influencing the planning of a program of highway improvement.

The first part of the report contains a summary of the principal conclusions, the second the detailed data of the survey upon which the findings of the report are based and the third the proposed plan of State highway improvement.

The researches were conducted under the joint supervision of Thos. H. MacDonald, Chief of the Bureau of Public Roads, and F. E. Everett, New Hampshire State Highway Commissioner. J. Gordon McKay, Chief of the Division of Highway Economics, Bureau of Public Roads, directed the work of the survey and preparation of the report, assisted by O. M. Elvehjem, Highway Economist, E. T. Stein, J. F. Hehir, and L. E. Peabody, Associate Highway Economists, all of the Division of Highway Economics, and C. P. Riford, Construction Engineer, J. W. Childs, Bridge Engineer, J. H. Johnson, Office Engineer and F. A. Gardner, Public Relations Engineer of the New Hampshire State Highway Department.

## APPENDIX I

### MOTOR TRUCK TRANSPORTATION OF COMMODITIES

**M**ANUFACTURED products constitute the principal class of commodities hauled by motor trucks on the main trucking routes of the State. Of the loaded trucks recorded, 58.6 per cent were engaged in the transportation of manufactured products and these trucks hauled 52.1 per cent of the total net tonnage transported, with an average length of haul of 35 miles.

A comparison of the several classes of commodities with respect to the number of trucks involved, tonnage of commodities transported and average length of haul is shown in Table 1.

Table 1.—Classes of commodities transported over the principal highways of the State.<sup>1</sup>

Commodity class	Loaded trucks	Commodity tonnage	Average length of haul
	Per cent	Per cent	Miles
Products of manufactures	58.6	52.1	35
Products of forests	17.7	15.4	18
Products of agriculture	9.3	9.0	38
Products of animals	7.6	5.6	34
Products of mines	4.6	11.6	10
Miscellaneous	7.2	6.8	40
Total	100.0	100.0	32

<sup>1</sup> Based upon 3,906 commodity loads.

Products of manufactures, the most important class, includes a great number of different commodities. Among the most important are bread and bakery goods, gasoline, mixed groceries, and used household goods. These four items constituted the cargo on 38 per cent of the trucks hauling products of manufactures.

Products of forests are the second most important class. Twelve and seven-tenths per cent of the loaded trucks observed were engaged in the movement of this class of commodities. Cord and kindling wood, rough lumber, and dressed lumber were the principal commodities in this class and accounted for 94 per cent of the trucks transporting products of forests. The average length of haul for this class of commodities was 18 miles.

Products of agriculture make up 9.0 per cent

of the total tonnage transported by motor trucks, with fresh fruits and vegetables as the principal commodities.

Products of animals were hauled by 7.6 per cent of the loaded trucks. Milk, meat and packing house products were the principal loads recorded in this class, amounting to 51 per cent of the number of trucks observed.

Products of mines, although hauled by only 4.6 per cent of the loaded trucks, constitute 11.6 per cent of the total commodity tonnage. Trucks engaged in this movement are, for the most part, large-capacity trucks hauling heavy loads. They are engaged principally in the movement of gravel, sand and stone to construction jobs, with an average haul of 10 miles. On any particular route the movement varies with fluctuations in the construction industry such as the construction of buildings, roads and bridges. A reduction in the capacity of trucks hauling materials to construction jobs would, except on a small mileage of heavy-traffic routes, largely eliminate the large-capacity and heavy gross loads from the highways.

The miscellaneous class of commodities shown in Table 1 and comprising 7.2 per cent of the loaded trucks consists mainly of general freight

Table 2.—Principal commodities transported by motor truck over New Hampshire highways.<sup>1</sup>

Commodity	Loaded trucks	Commodity tonnage	Average length of haul
	Per cent	Per cent	Miles
Bread and bakery goods	6.6	1.8	26
Gasoline	3.9	8.8	16
Mixed groceries	5.6	9.3	39
Fresh fruits	5.0	6.4	51
Lumber (rough)	5.0	7.0	18
Furniture (used)	4.3	3.2	24
Wood, cord, and kindling	4.1	4.3	14
Gravel, sand, and stone	3.6	9.9	9
General freight	3.5	4.1	40
Lumber (dressed)	2.8	3.2	22
Bottles	2.8	1.7	19
Fresh vegetables	2.2	1.5	27
Miscellaneous	48.6	38.2	33
Total	100.0	100.0	32

<sup>1</sup> Based upon 3,906 commodity loads.

and laundry. These two items are hauled by 66 per cent of the loaded trucks in this class.

A summary of the principal individual commodities transported by motor truck is shown in Table 2.

Considering the number of loaded trucks and the tonnage of each commodity, groceries, gasoline, gravel, sand and stone, lumber, and fresh fruits are the most important commodities transported on New Hampshire highways.

Wholesale establishments and manufacturing companies are the principal types of origin and retail establishments the principal types of destination of loaded trucks using the rural highways. As shown in Table 3, 55.8 per cent of the loaded trucks originate at manufacturing companies and wholesale and retail establishments while 53.3 per cent are destined to them.

Consumers, including residences, institutions, hotels and restaurants, are the origin of 8.3 per cent of the loads and the destination of 18.3 per cent. Approximately one-half of the loads originating with consumers are loads of used furniture and household goods being moved from one place of residence to another.

Table 3.—Type of origin and destination of loaded trucks<sup>1</sup>

Type of origin or destination	Loaded trucks from types of origin	Loaded trucks to types of destination
Wholesale establishments.....	20.9	6.5
Manufacturing companies.....	20.8	12.6
Retail establishments.....	14.1	34.2
Consumers.....	8.3	18.3
Original sources of supply.....	7.5	0.1
Farms.....	5.5	5.4
Terminals.....	4.5	2.3
Storage.....	3.8	2.2
Construction and repair jobs.....	1.7	11.9
Miscellaneous.....	12.9	6.5
Total.....	100.0	100.0

<sup>1</sup> Based upon 3,906 loaded trucks.

Original sources of supply, which include mines, quarries, pits and forests, are the origin of 7.5 per cent and the destination of 0.1 per cent of the loaded trucks.

Miscellaneous types account for the origin of 12.9 per cent of the trucks and the destination of 6.5 per cent as shown in Table 3. These include such items as garages, dumps, supply yards and the movement of trucks picking up and delivering freight at a series of two or more types of origin and destination.

47690

## APPENDIX II

### Motor Vehicle Traffic at New Hampshire Traffic Survey Stations (Average Daily,<sup>a</sup> 1926, Normal Maximum, 1926, and Average Daily, 1931)

Station <sup>b</sup>	Direction <sup>c</sup>	Route number <sup>d</sup>	Average daily traffic in 1926			Maximum daily traffic, total vehicles	Average daily traffic in 1931, total vehicles	Station <sup>b</sup>	Direction <sup>c</sup>	Route number <sup>d</sup>	Average daily traffic in 1926			Maximum daily traffic, total vehicles	Average daily traffic in 1931, total vehicles
			Trucks	Passenger cars	Total vehicles						Trucks	Passenger cars	Total vehicles		
1....	N	U. S. 1	208	5,792	6,000	10,460	9,470	19....	N	S. A.	15	132	147	240	220
	SW	U. S. 1	182	5,067	5,249	9,150	8,190	20....	NS	105	10	462	472	830	720
2....	WN	Mass. 110	27	788	815	1,420	1,270	10....	NS	U. S. 3	9	1,050	1,050	1,940	1,650
	SE	U. S. 1	138	5,856	5,694	10,026	8,390	11....	NS	U. S. 3	5	588	593	1,140	1,030
	SW	U. S. 1	138	5,856	5,694	10,026	8,390	10....	NS	U. S. 3	5	514	530	1,170	1,060
	SE	T. R.	18	514	514	96	80	21....	NS	U. S. 4	20	752	772	1,360	1,150
	SW	T. R.	3	51	51	90	80		SW	U. S. 4	17	522	539	940	800
3....	WN	J. A.	94	2,895	2,989	5,230	4,670	22....	SW	U. S. 4	21	808	829	1,460	1,250
	SE	T. R.	85	1,194	1,240	2,170	1,918		SW	U. S. 4	18	803	824	1,450	1,240
	NE	T. R.	11	48	49	90	80	23....	SW	U. S. 4	5	11	20	20	20
4....	NE	U. S. 2	26	466	492	840	730		SW	U. S. 3	38	821	870	1,310	1,300
	WW	U. S. 2	18	453	471	820	700		SW	U. S. 3	40	831	871	1,300	1,300
5....	WW	U. S. 16	99	1,359	1,409	2,240	2,240	24....	SW	U. S. 3	17	821	903	1,350	1,350
	SW	U. S. 2	42	1,133	1,609	2,740	2,130		SW	U. S. 3	45	53	80	80	80
6....	WN	U. S. 2	614	616	1,120	880		SW	S. A.	12	141	153	260	230	
	NE	S. A.	6	70	76	130	110		SW	U. S. 3	43	758	801	1,370	1,190
7....	WN	U. S. 2	25	484	509	880	760	25....	SW	U. S. 3	35	415	447	810	730
	SW	U. S. 2	29	528	557	880	820		SW	U. S. 3	48	489	523	890	730
8....	WW	U. S. 3	317	3,518	4,181	7,700	6,610		SW	T. R.	23	187	210	340	310
	WW	U. S. 3	317	3,811	4,181	7,050	6,540	26....	SW	S. A.	113	1,378	1,491	2,510	2,220
	WW	T. R.	*	*	*				SW	S. A.	115	1,485	1,598	2,700	2,380
9....	WW	U. S. 3	216	3,177	3,593	5,770	5,300	27....	SW	S. A.	18	1,121	1,121	1,660	1,660
	WW	U. S. 3	216	3,177	3,593	5,770	5,300		SW	S. A.	8	681	689	1,220	1,030
10....	WW	U. S. 3	310	5,516	5,846	6,450	5,900	28....	SW	S. A.	25	900	918	1,620	1,370
	WW	U. S. 3	303	5,484	5,787	6,350	5,910		SW	S. A.	25	531	567	990	790
11....	WW	T. R.	8	100	108	180	160	28....	SW	T. R.	14	201	215	370	340
	WW	U. S. 3	213	3,562	3,575	6,100	5,380		SW	U. S. 4	28	1,514	1,609	2,760	2,380
12....	WW	U. S. 3	223	3,416	3,642	6,100	5,380		SW	U. S. 4	28	1,514	1,609	2,760	2,380
	WW	U. S. 3	16	2,147	2,147	3,110	1,110	29....	SW	S. A.	21	524	545	950	810
13....	WW	U. S. 3	244	4,116	4,360	7,470	6,810		SW	S. A.	78	870	948	1,590	1,410
	WW	U. S. 3	244	4,116	4,360	7,470	6,810		SW	U. S. 4	94	1,260	1,354	2,190	2,110
14....	WW	U. S. 3	218	3,986	4,204	7,120	6,360	30....	SW	U. S. 4	17	353	355	530	530
	WW	U. S. 3	125	5,030	5,030	7,720	6,720		SW	U. S. 4	17	338	335	610	590
15....	WW	U. S. 3	140	2,530	2,679	4,800	4,180	31....	SW	U. S. 4	16	249	265	450	390
	WW	S. A.	20	214	234	390	350		SW	U. S. 4	33	692	725	1,250	1,080
16....	WW	T. R.	15	98	115	180	180	32....	SW	U. S. 4	29	576	585	920	830
	WW	U. S. 3	132	2,411	2,400	4,000	3,800		SW	U. S. 4	105	1,156	1,264	2,110	1,970
17....	WW	U. S. 3	143	2,523	2,606	4,090	3,740	33....	SW	U. S. 4	106	1,558	1,664	2,110	1,970
	WW	U. S. 3	109	1,891	2,000	3,430	5,120		SW	S. A.	31	392	343	540	480
18....	WW	U. S. 3	118	1,980	2,098	3,590	3,270	34....	SW	U. S. 4	59	949	1,008	1,720	1,370
	WW	S. A.	18	1,228	1,446	2,460	2,260		SW	U. S. 4	109	1,234	1,343	2,120	2,000
19....	WW	U. S. 3	84	2,467	2,467	4,360	3,930	34....	SW	S. A.	24	375	375	500	400
	WW	U. S. 3	108	2,467	2,575	4,460	4,020		SW	U. S. 4	35	436	471	700	700
20....	WW	T. R.	27	714	741	1,390	1,100	35....	SW	U. S. 4	36	582	618	1,000	920
	WW	U. S. 3	38	962	1,000	1,740	1,560		SW	T. R.	29	207	236	380	370
21....	WW	U. S. 3	39	948	1,000	1,716	1,540	36....	SW	U. S. 4	83	957	1,040	1,740	1,620
	WW	U. S. 3	109	1,000	1,000	2,100	1,800		SW	U. S. 4	56	81	90	1,000	1,060
22....	WW	U. S. 3	52	1,081	1,133	1,560	1,770	36....	SW	U. S. 4	113	1,610	1,723	2,930	2,690
	WW	U. S. 3	51	1,049	1,100	1,900	1,720		SW	S. A.	4	184	188	330	280
23....	WW	T. R.	1	45	46	80	70	37....	SW	S. A.	28	540	568	920	850
	WW	U. S. 3	22	1,416	1,435	2,350	2,140		SW	T. R.	10	1	1	10	10
24....	WW	U. S. 3	26	1,423	1,451	2,370	2,160		SW	T. R.	5	17	22	30	30

<sup>a</sup> The average daily traffic reported is the average for the period July 16 to Oct. 15.

<sup>b</sup> For location of stations see Figure 5.

<sup>c</sup> Direction of route from station.

<sup>d</sup> All numbered routes are trunk-line highways. The United States routes are designated by the initials U. S., State-aid routes by S. A., and town roads by T. R.

<sup>e</sup> Less than one vehicle per day.

STATE HIGHWAY SYSTEM OF NEW HAMPSHIRE

## Motor Vehicle Traffic at New Hampshire Traffic Survey Stations—Continued

Station <sup>1</sup>	Direction <sup>2</sup>	Route number <sup>3</sup>	Average daily traffic in 1926			Maximum daily traffic, total vehicles	Average daily traffic in 1931, total vehicles	Station <sup>1</sup>	Direction <sup>2</sup>	Route number <sup>3</sup>	Average daily traffic in 1926			Maximum daily traffic, total vehicles	Average daily traffic in 1931, total vehicles
			Trucks	Passenger cars	Total vehicles						Trucks	Passenger cars	Total vehicles		
37....	W	9	36	609	645	1,100	960	60....	N	11	113	1,256	1,369	2,200	1,900
38....	W E & 12	12	66	819	885	1,490	1,380	26....	26	175	1,223	1,302	2,300	1,600	
39....	W	138	1,374	1,517	2,520	2,370	950	104....	104	52	326	3,728	3,150	2,830	
39....	W	10	72	24	646	1,050	1,050	61....	12	36	762	798	1,380	1,190	
39....	W S & 10	128	1,133	1,261	2,670	1,840	1,840	61....	12	37	780	813	1,390	1,200	
40....	S A.	26	359	385	650	570	62....	T. R.	2	4	6	10	0	0	
40....	S E	40	56	106	170	150	150	62....	11 & 104	175	1,723	1,808	2,380	1,600	
40....	S E	40	673	1,212	1,885	1,720	1,720	62....	104	52	326	3,728	3,150	2,830	
41....	S E & 32	9	15	316	331	570	590	63....	T. R.	38	488	545	890	890	810
41....	S E & 32	37	534	571	970	850	850	63....	12 & 101	12	1,223	1,745	2,960	2,600	
42....	S W	10	48	573	621	1,040	920	66....	101	56	357	413	560	470	
42....	S W	10	54	66	100	100	100	66....	T. R.	19	284	303	520	520	470
42....	S W & 103	218	2,208	2,426	4,630	3,790	3,790	66....	12	52	1,107	1,159	2,000	1,730	
43....	S W & 103	218	2,208	2,426	4,630	3,790	3,790	66....	12	35	760	795	1,380	1,180	
43....	S W	36	918	954	1,660	1,420	65....	16	122	1,518	2,010	3,500	3,220		
44....	S E	52	776	828	1,410	1,230	1,230	66....	16	20	108	128	200	180	
45....	S W	10	51	776	828	1,410	1,230	66....	T. R.	1	11	12	20	20	20
45....	S W	10	78	1,346	1,424	2,440	2,110	66....	16	46	874	920	1,580	1,370	
45....	S W	75	1,351	1,426	2,450	2,120	66....	16	48	892	930	1,590	1,380		
46....	T. R.	7	28	35	50	50	50	S. A.	24	218	242	300	300	260	
46....	N	18	541	559	980	830	67....	16	13	607	623	1,090	930		
46....	N	10 & 101	21	594	613	1,070	920	67....	16	16	604	620	1,090	920	
47....	N	101	127	125	225	190	190	T. R.	2	18	20	30	30	30	
47....	N	10	36	639	673	1,160	1,010	68....	T. R.	1	1	1	1	1	1
47....	N	51	738	809	1,380	1,200	68....	16 & 25	44	136	780	840	1,160	1,160	
48....	T. R.	17	126	163	230	210	210	68....	16 & 28	39	780	819	1,410	1,220	
48....	T. R.	70	1,041	1,111	1,890	1,650	1,650	68....	S. A.	36	316	352	580	580	
49....	T. R.	10	70	1,041	1,111	1,890	1,650	69....	16 & 28	15	881	906	1,590	1,340	
49....	T. R.	37	546	583	1,170	1,020	1,020	69....	16 & 28	15	881	906	1,590	1,340	
50....	T. R.	45	670	715	1,220	1,060	1,060	T. R.	3	101	104	150	150		
50....	T. R.	30	41	60	60	60	60	T. R.	16	25	870	895	1,570	1,330	
50....	T. R.	27	673	656	1,130	970	970	T. R.	16	38	1,347	1,385	2,430	2,060	
51....	T. R.	111	10	126	136	230	190	71....	T. R.	15	33	914	967	1,690	1,440
51....	T. R.	10 & 25	33	834	867	1,510	1,290	71....	T. R.	16	23	482	505	910	730
51....	T. R.	27	564	591	1,020	880	880	T. R.	1	67	68	120	90	90	
52....	S E	25	17	401	424	730	580	72....	T. R.	42	614	656	1,120	910	
52....	S E	25	704	729	1,170	1,040	1,040	T. R.	45	690	739	1,250	1,030		
53....	S. A.	17	109	126	200	180	180	T. R.	4	103	110	190	150		
53....	S. A.	32	713	745	1,200	1,110	1,110	T. R.	12	97	109	150	150		
53....	S. A.	10	64	609	653	1,110	970	73....	T. R.	17	362	379	600	510	
54....	S. A.	10	68	865	930	1,370	1,360	S. A.	20	295	315	540	440		
54....	S. A.	21	320	341	561	510	510	S. A.	26	13	430	443	780	620	
54....	S. A.	103	19	458	477	830	710	74....	T. R.	2	10	10	10	10	
54....	T. R.	47	963	1,010	1,740	1,500	1,500	T. R.	18	34	640	680	1,120	1,010	
55....	T. R.	63	1,203	1,354	2,340	2,020	2,020	T. R.	18	32	651	683	1,180	1,020	
55....	T. R.	131	1,351	1,503	2,795	2,490	2,490	T. R.	20	1,202	1,222	2,100	1,820		
55....	T. R.	36	804	862	1,340	1,240	1,240	T. R.	20	1,202	1,222	2,100	1,820		
56....	T. R.	116	726	842	1,340	1,210	1,210	T. R.	21	295	312	900	720		
56....	T. R.	19	195	214	360	320	320	T. R.	23	111	95	160	130		
57....	T. R.	11	76	1,316	1,390	2,380	2,070	77....	T. R.	2	23	75	40	40	
57....	T. R.	11	80	1,316	1,380	2,050	1,770	77....	T. R.	25	938	1,036	1,710	1,620	
57....	T. R.	77	1,217	1,244	2,100	1,770	1,770	T. R.	25	95	1,036	1,160	1,680	1,500	
58....	S E	53	614	567	1,120	900	900	T. R.	25	10	500	510	900	710	
58....	S E	53	1,316	1,360	2,380	2,040	2,040	T. R.	25	17	531	548	900	700	
58....	S E	102 A	108	123	200	180	180	T. R.	107	11	234	245	420	340	
58....	S E	25	583	620	1,030	910	910	T. R.	26	20	64	574	640	1,050	
59....	S E	11	39	690	729	1,150	1,060	79....	T. R.	26	64	574	640	950	950
59....	S E	11 & 26	32	801	833	1,450	1,160	79....	T. R.	28	142	2,161	2,303	3,920	3,500
59....	S E	28	233	238	420	330	300	S E	28	141	2,166	2,307	3,930	3,600	

## STATE HIGHWAY SYSTEM OF NEW HAMPSHIRE

Station*	Direction <sup>a</sup>	Route number <sup>b</sup>	Average daily traffic in 1926			Maximum daily traffic, total vehicles	Average daily traffic, total vehicles	Station*	Direction <sup>a</sup>	Route number <sup>b</sup>	Average daily traffic in 1926			Maximum daily traffic, total vehicles	Average daily traffic, total vehicles		
			Trucks	Pasenger cars	Total vehicles						Trucks	Pasenger cars	Total vehicles				
60.....	E	T. R.	5	51	56	90	90	100.....	W	102	33	282	315	520	470		
		T. R.	11	54	100	100	100		N	109	32	305	427	720	590		
61.....	W	N S E	21	1,897	1,958	3,430	3,070	101.....	N	102	28	326	354	590	490		
		T. R.	4	60	64	110	100		S	103	3	76	101	160	110		
62.....	W	N S E	28	72	1,862	1,934	3,370	3,020	102.....	N	104	61	878	1,490	1,310	1,310	
		T. R.	4	61	65	110	100		S	103	61	878	1,490	1,310	1,310		
63.....	W	N S E	13	150	185	2,089	2,950	103.....	N	105	49	467	516	850	720		
		S. A.	17	1,784	1,899	3,190	2,950		S	106	20	309	320	340	450		
64.....	W	S. A.	26	109	1,607	1,716	2,920	2,680		N	107	33	216	254	400	370	
			28	525	556	960	840		S	108	34	1,160	1,244	2,130	1,850		
65.....	W	S. A.	28	40	517	949	1,040	840	104.....	N	108	84	1,160	1,244	2,110	1,830	
			28	28	30	50	40		S	108	64	614	678	1,120	1,010		
66.....	W	T. R.	2	215	259	400	360	105.....	N	108	42	455	497	830	740		
			28	44	215	259	400		S	108	23	156	170	300	260		
67.....	W	S. A.	28	15	323	560	480	400	106.....	N	108	95	1,078	1,170	3,040	2,760	
			28	3	68	110	110		S	108	91	1,078	1,170	2,950	2,680		
68.....	W	T. R.	14	248	262	450	390	107.....	N	108	3	39	42	70	70		
			28	16	444	460	800	680		S	109	34	34	60	60	600	
69.....	W	S. A.	28	28	610	638	1,100	950	107.....	N	109	81	420	450	650	600	
			28	32	376	656	930	840		S	109	61	318	429	650	600	
70.....	W	T. R.	14	362	376	656	590	108.....	N	109	65	2,263	2,328	4,080	3,630		
			32	14	305	415	720	620		S	109	67	2,207	2,274	3,980	3,350	
71.....	W	S. A.	32	20	393	413	710	610	108.....	N	109	292	310	330	340		
			32	20	393	413	710	610		S	109	60	1,049	1,109	1,900	1,650	
72.....	W	T. R.	*	4	6	10	10	109.....	N	109	817	845	1,490	1,260	1,260		
			32	19	263	268	580	500		S	109	80	980	1,013	1,770	1,510	
73.....	W	S. A.	32	47	511	870	1,100	1,100	110.....	N	109	387	406	700	600	600	
			32	24	247	264	450	390		S	109	10	144	160	300	260	
74.....	W	T. R.	12	265	265	480	400	111.....	N	109	194	205	320	320	320		
			32	49	492	541	900	750		S	109	2	43	45	80	80	
75.....	W	S. A.	29	231	260	400	370	111.....	N	109	20	151	171	280	240		
			32	22	317	359	580	500		S	109	20	151	171	280	240	
76.....	W	S. A.	103	50	570	598	1,030	800	112.....	N	109	12	100	120	170	140	
			32 & 103	50	852	932	1,500	1,300		S	109	7	71	80	130	110	
77.....	W	S. A.	25	273	298	500	440	113.....	N	109	40	44	72	120	100		
			101	54	762	790	1,300	1,100		S	109	65	44	49	80	80	
78.....	W	T. R.	101	75	993	1,010	1,810	1,500	114.....	N	109	5	214	244	380	320	
			101	53	57	100	80		S	109	20	100	120	190	170		
79.....	W	T. R.	13	103	116	190	170	115.....	N	109	24	216	238	390	330		
			101	36	640	676	1,160	1,010		S	109	5	55	60	100	80	
80.....	W	T. R.	101	46	711	757	1,200	1,000	116.....	N	109	10	127	137	230	190	
			101	91	1,243	1,334	2,260	1,990		S	109	6	51	56	120	110	
81.....	W	S. A.	101	75	724	790	1,320	1,100	117.....	N	109	1	13	14	20	20	
			101	84	754	788	1,380	1,250		S	109	1	18	19	30	30	
82.....	W	T. R.	101	68	80	120	100	116.....	N	109	3	38	41	70	60		
			101	17	39	80	60		S	109	3	39	42	70	60		
83.....	W	S. A.	101	36	395	432	720	640	117.....	N	109	14	124	128	240	180	
			101	142	1,239	1,381	2,270	2,160		S	109	14	52	54	90	130	
84.....	W	T. R.	101	168	1,573	1,741	2,880	2,720	117.....	N	109	4	52	54	90	80	
			101	1	1	1	1		S	109	4	28	34	80	80		
85.....	W	T. R.	101	92	1,047	1,800	1,630	-	118.....	N	109	15	41	56	80	80	
			101	54	989	1,043	1,790	1,630		S	109	11	20	21	40	40	
86.....	W	T. R.	101	47	569	616	1,040	920	118.....	N	109	3	5	6	10	10	10
			101 & 108	72	995	1,067	1,810	1,590		S	109	12	81	93	150	140	
87.....	W	T. R.	101	51	696	747	1,100	1,100	119.....	N	109	81	96	100	150	140	
			101	48	47	80	70		S	109	4	4	4	10	10	10	
88.....	W	T. R.	101	1	7	10	10	119.....	N	109	32	326	354	590	580		
			101 A	132	1,450	1,582	2,640	2,470		S	109	161	161	168	290	250	
89.....	W	S. A.	101 A	132	1,424	1,556	2,600	2,430	120.....	N	109	5	253	258	460	380	
			101 C	27	273	273	700	600		S	109	17	134	151	250	210	
90.....	W	S. A.	101 C	87	1,011	1,178	2,000	1,840	121.....	N	109	20	276	296	500	310	
			101 C	87	1,369	1,456	2,490	2,270		S	109	9	172	181	250	250	
91.....	W	T. R.	102	34	284	318	520	470		N	109	1	1	1	10	10	10

SURVEY OF TRANSPORTATION

**Motor Vehicle Traffic at New Hampshire Traffic Survey Stations—Continued**

### APPENDIX III

#### Foreign Motor Vehicle Traffic at New Hampshire Traffic Survey Stations<sup>1</sup> Average Daily Passenger Cars and Trucks, July 16 to October 15, 1926

Station <sup>2</sup>	Passenger cars				Motor trucks			
	Total <sup>3</sup>	Average daily New Hampshire traffic	Average daily foreign traffic	Per cent foreign traffic	Total <sup>3</sup>	Average daily New Hampshire traffic	Average daily foreign traffic	Per cent foreign traffic
1.	5,824	1,532	4,792	73.7	205	162	46	22.4
2.	5,506	1,166	4,440	79.2	141	111	30	21.1
3.	2,948	1,253	1,695	57.5	101	97	4	4.0
4.	484	312	182	35.3	28	27	1	2.6
5.	1,730	1,284	446	25.8	121	110	11	8.7
6.	1,443	1,035	350	25.6	50	44	8	21.6
7.	3,871	1,243	2,628	67.9	317	242	72	23.8
8.	3,177	1,439	1,738	54.7	216	178	38	17.7
9.	3,560	1,876	1,684	47.3	310	268	42	13.6
10.	3,470	1,830	1,590	46.5	228	201	27	11.7
11.	4,116	1,416	2,140	52.0	244	216	28	11.8
12.	3,986	2,304	1,682	52.2	218	180	30	16.8
13.	2,550	1,204	1,346	52.8	142	131	11	7.6
14.	2,278	1,360	918	40.3	147	140	7	4.5
15.	2,000	1,134	866	43.5	122	117	5	4.0
16.	2,186	1,026	1,160	45.4	110	103	2	2.1
17.	1,054	499	555	52.7	44	43	3	7.0
18.	1,088	512	576	52.9	52	49	2	3.2
19.	1,486	463	1,021	68.7	32	30	2	5.6
20.	1,114	243	869	78.0	12	12	-	2.0
21.	74	250	546	65.2	26	25	-	3.0
22.	810	310	500	61.7	21	19	-	10.1
23.	838	446	392	46.8	40	37	-	6.6
24.	898	377	321	35.7	60	58	-	3.4
25.	580	275	285	50.9	46	41	-	11.3
26.	654	435	219	49.0	123	118	-	9.6
27.	1,066	581	485	45.5	21	18	-	12.8
28.	1,550	925	625	40.3	92	71	-	22.4
29.	1,327	782	545	41.1	96	82	-	14.6
30.	338	217	121	35.7	17	16	-	3.0
31.	734	211	522	57.0	39	35	-	9.7
32.	1,153	706	447	38.8	106	103	-	9.4
33.	1,238	973	265	21.4	110	103	-	4.5
34.	598	405	193	32.2	48	46	-	4.8
35.	991	719	273	27.7	84	82	-	2.4
36.	1,224	767	500	32.5	15	10	-	12.5
37.	586	244	342	38.4	34	22	-	34.1
38.	1,386	815	571	41.2	135	126	-	8.7
39.	1,148	673	475	41.4	128	123	-	4.2
40.	722	518	204	28.2	63	43	-	0.2
41.	530	401	217	30.0	40	37	-	1.6
42.	2,208	1,550	558	39.8	218	211	-	1.6
43.	918	235	683	74.4	36	14	-	62.0
44.	776	304	472	60.3	52	38	-	27.5
45.	1,362	788	576	42.8	80	69	-	13.3
46.	1,251	253	573	59.3	24	18	-	24.5
47.	762	381	360	49.9	52	48	-	5.6
48.	1,041	458	583	56.0	52	54	-	23.0
49.	673	291	382	56.8	46	42	-	8.9
50.	930	113	443	57.6	29	25	-	15.5
51.	600	435	464	49.3	39	35	-	7.9
52.	763	348	615	54.4	37	31	-	6.1
53.	898	477	421	65.9	64	60	-	5.5
54.	1,356	488	568	64.0	64	60	-	4.8
55.	1,531	841	317	33.8	156	147	-	5.9
56.	860	210	349	34.8	75	71	-	5.9
57.	1,374	801	713	49.1	92	86	-	5.6
58.	690	240	450	65.2	40	37	-	7.1
59.	878	544	326	37.5	34	33	-	2.9
60.	1,765	1,000	587	31.2	135	174	-	3.0
61.	766	205	511	73.1	38	7	-	36.1
62.	1,300	918	442	32.5	116	112	-	3.2
63.	1,632	493	1,139	69.8	125	101	-	19.0
64.	1,076	553	523	48.6	53	40	-	23.7
65.	1,962	967	947	50.7	123	112	-	8.7
66.	774	392	521	50.8	52	32	-	12.4
67.	615	189	426	60.2	16	14	-	12.1
68.	916	295	627	68.5	50	53	-	11.6
69.	894	209	686	76.4	18	16	-	2.2
70.	1,076	650	1,094	63.4	65	65	-	11.3
71.	527	214	313	53.4	24	22	-	4.7
72.	752	358	194	25.8	54	51	-	7.5
73.	544	282	262	48.2	25	23	-	7.2
74.	652	155	497	76.2	34	30	-	10.7
75.	1,203	215	937	81.9	20	19	-	5.6
76.	504	283	281	42.8	28	27	-	3.6
77.	940	449	491	52.2	101	98	-	3.5
78.	632	324	308	48.8	19	19	-	2.6

<sup>1</sup> Foreign traffic includes traffic of all motor vehicles not registered in New Hampshire.

<sup>2</sup> For location of stations see Figure 6.

<sup>3</sup> Total represents average daily passenger cars and average daily motor trucks passing station on all routes.

## Foreign Motor Vehicle Traffic at New Hampshire Traffic Survey Stations—Continued

Station <sup>a</sup>	Passenger cars			Motor trucks		
	Total <sup>b</sup>	Average daily New Hampshire traffic	Percent foreign traffic	Total <sup>b</sup>	Average daily New Hampshire traffic	Percent foreign traffic
79	574	334	41.8	66	62	4.4
80	2,216	438	57.3	150	90	40.0
81	1,933	825	51.7	130	55	21.6
82	1,773	856	52.5	130	55	21.6
83	535	925	57.7	114	41	3.6
84	212	625	35.0	44	16	35.1
85	186	126	40.4	30	29	1.1
86	428	267	75.8	32	31	3.1
87	715	493	27.1	30	16	52.0
88	390	359	10.4	27	22	3.6
89	493	323	37.4	31	25	4.0
90	884	535	53.5	47	32	3.2
91	754	405	35.6	46	35	4.3
92	1,243	675	50.8	50	46	12.0
93	1,612	920	21.2	174	113	1.8
94	992	595	40.0	55	32	5.7
95	1,130	547	59.3	85	68	8.0
96	1,464	743	72.2	132	98	6.4
97	1,372	714	48.2	34	32	6.0
98	217	121	46.5	32	28	1.1
99	398	458	45.9	61	55	8.2
100	102	817	21.7	12	11	1.1
101	103	492	44.8	51	50	2.0
102	1,110	626	59.4	51	50	2.0
103	1,290	520	53.2	64	58	8.8
104	1,698	1,242	26.4	95	91	4.3
105	1,698	1,242	26.4	95	91	4.3
106	348	333	4.4	81	81	0.0
107	381	317	4.4	73	51	2.6
108	106	106	60.7	60	52	3.3
109	106	106	60.7	60	52	3.3
110	1,040	358	48.9	32	32	0.0
111	1,040	351	48.9	32	32	0.0
112	200	160	20.0	12	12	0.0
113	151	138	11.3	20	20	0.0
114	1,156	134	14.2	18	18	0.0
115	1,264	150	24.8	35	35	2.9
116	1,264	150	24.8	35	35	2.9
117	1,553	316	32.9	10	14	2.9
118	123	118	37.8	16	14	2.1
119	47	43	46	16	16	1.6
120	394	344	24.5	14	14	1.4
121	394	344	24.5	14	14	1.4
122	291	168	47.3	10	10	0.0
123	84	70	16.1	7	7	0.0
124	1,073	337	22.3	31	27	1.4
125	1,100	337	22.3	31	27	1.4
126	114	124	16.6	10	10	0.0
127	90	124	20.0	11	10	0.0
128	84	39	46.0	10	10	0.0
129	428	130	28.6	10	10	0.0
130	428	130	28.6	10	10	0.0
131	596	238	37.1	7	7	0.0
132	460	238	37.1	7	7	0.0
133	778	608	11.2	73	73	0.0
134	110	91	17.3	13	14	0.8
135	259	214	15.5	22	21	0.0
136	259	214	15.5	22	21	0.0
137	359	260	13.6	10	10	0.0
138	792	430	27.7	39	37	5.1
139	306	216	26.8	32	30	6.2
140	119	65	21.0	11	10	0.0
141	119	65	21.0	11	10	0.0
142	119	65	21.0	11	10	0.0
143	114	20	14.8	16	16	0.0
144	598	906	0.2.5	16	16	0.0
145	879	421	47.9	16	16	0.0
146	120	53	26.4	23	23	0.0
147	267	267	26.4	23	23	0.0
148	264	264	26.4	23	23	0.0

## APPENDIX IV

### Motor Truck Traffic at New Hampshire Traffic Survey Stations

(Average Daily Traffic, July 16 to October 15, 1926 and Distribution of Loaded Trucks by Capacity Classes)

Station <sup>a</sup>	Direction <sup>b</sup>	Route number <sup>c</sup>	Average daily motor trucks								Station <sup>a</sup>	Direction <sup>b</sup>	Route number <sup>c</sup>	Average daily motor trucks								
			Loaded trucks				Loaded trucks							Loaded trucks				Loaded trucks				
			Total	Empty	Total	14-156 tons capacity	Total	14-156 tons capacity	Total	14-156 tons capacity	Total	Empty	Total	14-156 tons capacity	Total	14-156 tons capacity	Total	Empty	Total	14-156 tons capacity		
1. ....	N	U.S. 1	205	84	124	77	31	10	6	5	19	20	R	S.A.	15	8	7	4	4	1	.....	
		U.S. 1	182	72	110	68	28	9	5	5	20	10	N	105	9	5	5	5	2	.....		
2. ....	SW	Mass. 110	27	12	15	9	4	1	1	1	21	11	N	U.S. 3	9	5	5	5	5	1	.....	
		U.S. 1	138	69	99	35	22	5	6	6	16	16	N	U.S. 3	15	10	10	10	10	1	.....	
		U.S. 1	138	69	99	35	22	5	6	6	20	11	N	U.S. 3	20	11	11	11	11	1	.....	
		T.R.	3	2	1	1	1	1	1	1	22	11	N	U.S. 3	21	11	11	11	11	1	.....	
3. ....	I-A	94	48	46	34	8	3	1	1	1	23	11	N	U.S. 3	18	10	10	10	10	1	.....	
		T.R.	86	42	44	34	6	2	1	1	23	11	N	U.S. 3	18	10	10	10	10	1	.....	
4. ....	I-A	22	12	10	8	2	1	1	1	1	24	11	N	U.S. 3	38	21	17	15	15	1	.....	
		T.R.	11	6	10	4	1	1	1	1	24	11	N	U.S. 3	40	22	18	16	16	1	.....	
5. ....	U.S. 2	26	11	15	14	1	1	1	1	1	24	11	N	U.S. 3	51	26	31	28	28	1	.....	
		U.S. 2	18	7	11	10	1	1	1	1	24	11	N	U.S. 3	51	26	31	28	28	1	.....	
6. ....	U.S. 2	101	57	42	37	5	2	1	1	1	25	12	N	S.A.	12	7	7	7	7	1	.....	
		U.S. 2	42	25	17	16	4	2	1	1	25	12	N	S.A.	43	21	22	19	19	1	.....	
7. ....	S.A.	6	4	2	2	2	1	1	1	1	25	12	N	U.S. 3	35	18	17	15	15	1	.....	
		U.S. 2	25	11	14	13	1	1	1	1	25	12	N	U.S. 3	35	18	17	15	15	1	.....	
8. ....	U.S. 2	29	14	15	15	1	1	1	1	1	25	12	N	T.R.	23	12	11	9	9	1	.....	
		U.S. 2	31	12	105	98	55	17	15	15	26	13	N	S.A.	113	66	47	43	43	1	.....	
		T.R.	317	124	198	98	66	17	15	15	26	13	N	S.A.	115	68	47	41	41	1	.....	
9. ....	N	U.S. 3	216	81	135	63	39	23	10	10	27	27	N	4-B	18	12	12	12	12	1	.....	
		U.S. 3	310	111	199	123	52	23	8	8	27	27	N	4-A	18	12	12	12	12	1	.....	
		U.S. 3	303	107	194	120	55	23	8	8	27	27	N	25	18	10	8	8	1	.....		
10. ....	W	T.R.	8	4	4	3	2	1	1	1	28	16	N	25	16	9	7	7	1	.....		
		U.S. 3	213	92	121	88	24	7	2	2	28	16	N	T.R.	14	8	6	4	4	1	.....	
		U.S. 3	216	97	129	94	25	8	2	2	28	16	N	U.S. 4	39	35	35	27	27	1	.....	
11. ....	I-B	101-B	16	7	123	83	26	15	4	4	29	27	N	U.S. 4	50	50	31	31	31	1	.....	
		U.S. 2	244	116	218	83	20	15	4	4	29	27	N	U.S. 4	21	9	12	12	12	1	.....	
12. ....	N	U.S. 3	218	98	120	93	20	6	1	1	30	27	N	U.S. 4	78	35	43	38	38	1	.....	
13. ....	N	U.S. 3	125	59	66	47	12	7	1	1	30	27	N	U.S. 4	94	40	54	46	46	1	.....	
		U.S. 3	140	66	74	53	13	7	1	1	30	27	N	U.S. 4	17	16	16	16	16	1	.....	
14. ....	T.R.	20	11	9	7	2	1	1	1	1	31	27	N	U.S. 4	33	12	10	9	9	1	.....	
		T.R.	15	10	9	5	5	2	1	1	31	27	N	U.S. 4	33	12	21	20	20	1	.....	
		U.S. 3	136	69	67	48	12	6	1	1	32	27	N	E-W	11	13	16	14	14	1	.....	
		U.S. 3	143	71	72	53	12	6	1	1	32	27	N	U.S. 4	106	55	51	42	42	1	.....	
15. ....	W	U.S. 3	109	47	62	50	9	3	3	3	33	27	N	E-W	51	23	26	19	19	1	.....	
		U.S. 3	118	51	67	55	9	3	3	3	33	27	N	U.S. 4	29	28	31	27	27	1	.....	
		U.S. 3	108	9	40	44	34	0	1	1	34	27	N	U.S. 4	24	14	10	9	9	1	.....	
16. ....	SW	U.S. 3	84	40	44	34	0	1	1	1	34	27	N	U.S. 4	35	17	18	14	14	1	.....	
		U.S. 3	111	27	15	12	10	2	1	1	35	27	N	U.S. 4	35	17	18	14	14	1	.....	
17. ....	SW	U.S. 3	38	16	21	17	4	3	1	1	35	27	N	E-W	29	15	14	13	13	1	.....	
		U.S. 3	109	18	21	16	4	3	1	1	35	27	N	U.S. 4	83	40	43	40	40	1	.....	
		U.S. 3	12	6	6	6	6	6	1	1	36	27	N	U.S. 4	56	27	29	27	27	1	.....	
18. ....	N	U.S. 3	52	22	30	25	4	1	1	1	36	27	N	U.S. 4	115	49	66	40	40	1	.....	
		U.S. 3	31	22	29	24	4	1	1	1	36	27	N	U.S. 4	115	49	66	40	40	1	.....	
		U.S. 3	1	1	1	1	1	1	1	1	37	27	N	S.A.	4	2	2	1	1	1	.....	
19. ....	W	U.S. 3	22	10	12	9	2	1	1	1	37	27	N	T.R.	*	11	17	15	15	15	2	.....

<sup>a</sup> For location of stations see Figure 8.

<sup>b</sup> Direction of route from station.

<sup>c</sup> All numbered routes are trunk-line highways. The United States routes are designated by the initials U. S., and town roads by T. R.

\* Less than one truck per day.

STATE HIGHWAY SYSTEM OF NEW HAMPSHIRE

## Motor Truck Traffic at New Hampshire Traffic Survey Stations—Continued

Station <sup>1</sup>	Direction <sup>2</sup>	Route number <sup>3</sup>	Average daily motor trucks					Station <sup>1</sup>	Direction <sup>2</sup>	Route number <sup>3</sup>	Average daily motor trucks								
			Loaded trucks								Loaded trucks								
			Total	Empty	Total	1/4-1 1/2 tons capacity	2-2 1/2 tons capacity	3-4 tons capacity	5-7 1/2 tons capacity	Total	Empty	Total	1/4-1 1/2 tons capacity	2-2 1/2 tons capacity	3-4 tons capacity	5-7 1/2 tons capacity			
37....	E-W	T. R.	5	2	3	3				59....	N	11 & 28	32	14	18	15	2	1	
38....	W	12	24	24	22	20	5	10	1	60....	S	11	28	3	5	5	2	2	
NEW	9 & 12	36	39	39	35	39	18	2		60....	S	11	28	16	15	2	2	2	
39....	N	9	72	33	39	31	8			60....	S	11	113	63	30	31	16	2	
NN	10	88	34	34	27	17	10			60....	S	11 & 104	175	99	76	52	17	7	
NN	9 & 10	128	55	75	43	21	11			61....	S	11	104	52	31	21	16	4	
NN	9	41	21	20	16	4				61....	S	11	36	15	11	11	1	4	
NN	S.A.	26	9	17	13	3	1			61....	S	11	37	13	22	11	9	2	
SE	T. R.	5	2	3	3					62....	S	12	112	57	53	46	8	1	
SW	9	40	15	25	19	4	2			62....	S	12	61	31	30	23	1	1	
SW	9	23	15	10	8	1				62....	S	12	36	31	22	12	2	1	
SW	9 & 32	57	13	20	13	3	1			63....	S	12	72	21	51	32	13	5	
SW	S & 32	48	18	30	26	3	1			63....	S	12	40	22	32	23	6	1	
E-W	T. R.	12	5	7	7					64....	S	101	55	10	9	8	1	1	
E-W	9 & 103	218	97	121	92	19	10			64....	S	101	19	10	9	8	1	1	
E-W	10	36	15	15	15	5	2	1		64....	S	12	22	25	25	4	1	1	
E-W	10	52	18	24	25	5	2	1		65....	S	12	35	12	11	18	2	1	
E-W	N	10	78	33	45	35	8	2	1	65....	S	12	46	16-A	20	39	12	5	
SW	T. R.	7	4	3	3					65....	S	16-A	20	9	11	5	3	1	
NN	10 & 101	18	6	5	4	1				66....	S	16	103	37	66	51	11	6	
SW	101	21	8	3	3					66....	S	16	46	16	38	18	2	1	
NN	10	36	14	22	15	6	1			66....	S	16	48	17	31	29	2	1	
NN	10	51	24	27	24	5	3			66....	S	16	24	10	14	13	2	1	
NN	T. R.	17	10	35	35	7	1			67....	S	16	15	5	10	7	2	1	
NN	N-S	10	37	24	13	11	2			67....	S	16	2	1	11	8	2	1	
NN	S-B	10	45	27	18	15	3			68....	S	16 & 25	44	25	19	15	5	1	1
NN	T. R.	11	7	6	4					68....	S	16 & 25	39	17	22	18	4	4	1
NN	S-B	10	27	13	14	10	2			68....	S	16 & 25	20	16	12	6	4	1	1
NN	S-B	10	11	13	15	5	2			69....	S	16 & 28	19	11	6	5	2	1	1
NN	S-B	10	35	15	18	15	2	1		69....	S	16 & 28	15	9	1	1	1	1	1
NN	S-B	10	27	12	15	13	2	1		70....	S	16	23	12	13	12	1	1	
NN	S-B	10	25	17	10	7	1			70....	S	16	38	17	21	18	3	1	
NN	S-B	10	32	17	10	7	2			71....	S	16	23	16	17	15	4	1	
NN	S-B	10	44	28	16	15	1			71....	S	16	23	16	7	6	1	1	
NN	S-A	11	64	35	20	27	1			72....	S	16	1	1	1	1	1	1	
NN	S-A	11	19	10	11	11				72....	S	16	42	17	25	25	3	1	
NN	10 & 18	47	27	20	17	2	1			72....	S	16	49	20	29	25	2	1	
NN	10 & 18	63	54	29	26	2	1			72....	S	16	49	2	2	2	1	1	
NN	11 & 12	157	75	52	57	3	1			73....	S	16	12	5	7	6	1	1	
NN	T. R.	116	73	63	42	4	2			73....	S	16	17	9	8	7	2	1	
NN	S-A	19	6	13	12	1				74....	S	16	13	5	5	5	1	1	
NN	S-A	11	76	31	45	37				74....	S	16	34	21	13	9	4	1	
NN	S-A	11	50	26	30	29	10			75....	S	16	32	20	12	9	3	1	
NN	S-A & 103	53	23	30	24	6				75....	S	16	25	21	10	6	2	1	
NN	S-A & 103	53	16	37	28	2				76....	S	16	25	23	13	10	9	1	
NN	103-A	15	6	9	8	1				77....	S	16	11	5	1	1	1	1	
NN	11	25	8	17	15	2	3			77....	S	16	46	1	52	47	4	1	

STATE HIGHWAY SYSTEM OF NEW HAMPSHIRE

Station <sup>1</sup>	Direction <sup>2</sup>	Route <sup>3</sup>	Average daily motor trucks							Station <sup>1</sup>	Direction <sup>2</sup>	Route <sup>3</sup>	Average daily motor trucks									
			Total	Empty	Loaded trucks								Total	Empty	Loaded trucks							
					Total	1/4-1 1/2 tons capacity	2-2 1/2 tons capacity	3-4 tons capacity	5-7 1/2 tons capacity						Total	Empty	1/4-1 1/2 tons capacity	2-2 1/2 tons capacity	3-4 tons capacity	5-7 1/2 tons capacity		
77....	N S	25	102	48	54	49	3	6	1	98....	S N	T. R.	101-A	152	64	48	15	10	3			
78....		25	17	11	5	5	1			99....	S N	T. R.	101-B	132	68	45	10	10	3	1		
79....	E-W	17	11	9	2					100....	S N	S.A.	24	11	13	10						
80....	N S E B W	28	66	29	27	35	2			101-C	T. R.	77	46	51	28	11	1	2				
		28	142	65	77	53	14	8	2	102....	S N	T. R.	57	50	52	32						
		28	141	64	77	53	14	8	2	103....	S N	T. R.	102	19	15	13						
81....	T. R.	5	3	2	2	2				104....	S N	S.A.	33	19	16	12						
	T. R.	11	10	5	2	2				105....	S N	T. R.	32	14	14	13						
	T. R.	26	26	45	22	11	10	2		106....	S N	S.A.	25	8	13	9						
	T. R.	4	1	3	1	1	1	2		107....	S N	T. R.	61	28	33	26						
82....	T. R.	4	2	2	2	2				108....	S N	S.A.	60	22	16	10						
	S A.	17	55	55	55	16	5	1		109....	S N	T. R.	40	10	10	10						
	S A.	24	109	44	65	43	16	5	1	110....	S N	S.A.	33	12	10	10						
83....	N S	28	41	24	17	14	3			111....	S N	T. R.	68	37	27	21						
	S A.	28	40	24	16	13				112....	S N	S.A.	23	14	18	13						
84....	T. R.	28	44	19	25	22	3			113....	S N	T. R.	51	24	24	18						
85....	N S	28	15	7	8	8				114....	S N	S.A.	40	26	30	26						
	T. R.	3	1	2	2	2				115....	S N	T. R.	42	1	1	1						
	T. R.	28	14	9	9	9				116....	S N	S.A.	81	32	18	12						
86....	N S E B W	28	28	12	16	13	8	1		117....	S N	T. R.	37	22	19	12						
	S A.	14	5	5	8	8	1			118....	S N	S.A.	18	10	7	7						
87....	T. R.	1								119....	S N	T. R.	60	34	28	18						
	T. R.	20	20	9	11	9	1	1		120....	S N	S.A.	55	18	18	14						
	T. R.	32	20	9	9	9	1	1		121....	S N	T. R.	18	11	11	9						
88....	T. R.	32	19	9	10	9	1	1		122....	S N	S.A.	10	4	4	4						
	T. R.	32	35	16	18	17	1	1		123....	S N	T. R.	10	4	4	4						
89....	T. R.	17	17	10	14	14	10	1		124....	S N	S.A.	15	11	11	11						
	T. R.	32	24	10	14	14	10	1		125....	S N	T. R.	10	6	6	6						
	T. R.	32	49	23	26	21	4	1		126....	S N	S.A.	11	1	1	1						
90....	S A.	29	14	14	15	14	1			127....	S N	S.A.	2	1	1	1						
	S A.	32	22	9	11	11	2			128....	S N	T. R.	9	5	5	5						
	T. R.	10	10	10	10	10	1			129....	S N	S.A.	12	5	5	5						
	T. R.	32	50	19	31	26	4	1		130....	S N	T. R.	9	4	4	4						
91....	S A.	25	12	13	9					131....	S N	S.A.	7	3	3	3						
	T. R.	101	54	19	35	29	3	3	4	132....	S N	T. R.	30	20	21	12						
	T. R.	75	29	48	35	35	5	4		133....	S N	S.A.	24	15	15	11						
92....	T. R.	4	3	1	1	1				134....	S N	S.A.	24	9	9	9						
	T. R.	13	8	8	5	3	2	1		135....	S N	T. R.	10	5	5	5						
	T. R.	36	18	18	18	15	15	1		136....	S N	S.A.	15	6	6	6						
93....	E-W	46	22	24	24	19	19	1		137....	S N	T. R.	10	5	5	5						
94....	E-W	46	46	46	45	38	32	4		138....	S N	S.A.	15	6	6	6						
	T. R.	75	37	37	38	30	30	4		139....	S N	T. R.	10	5	5	5						
	T. R.	84	40	44	30	30	5			140....	S N	S.A.	14	6	6	6						
95....	T. R.	16	10	6	6	6				141....	S N	T. R.	16	6	6	6						
	T. R.	2	1	1	1	1				142....	S N	S.A.	15	1	1	1						
	S A.	16	19	17	18	15	17	3		143....	S N	T. R.	15	6	6	6						
	T. R.	142	64	77	91	70	17	4		144....	S N	S.A.	15	1	1	1						
96....	T. R.	1	1							145....	S N	T. R.	15	6	6	6						
	T. R.	35	28	27	23					146....	S N	S.A.	15	1	1	1						
97....	E-W	54	27	27	23					147....	S N	T. R.	15	7	7	7						
	T. R.	47	26	21	15					148....	S N	S.A.	15	1	1	1						
98....	101 & 103	72	36	36	36	35	18	1		149....	S N	T. R.	15	1	1	1						
	T. R.	51	24	27	27	18	1			150....	S N	S.A.	15	1	1	1						

## Motor Truck Traffic at New Hampshire Traffic Survey Stations—Continued

Station <sup>1</sup>	Direction <sup>2</sup>	Route number <sup>3</sup>	Average daily motor trucks					Station <sup>1</sup>	Direction <sup>2</sup>	Route number <sup>3</sup>	Average daily motor trucks										
			Loaded trucks		Empty						Loaded trucks		Empty								
			Total	Empty	Total	1/2-1½ tons capacity	2-2½ tons capacity	3-4 tons capacity	5-7½ tons capacity	Total	Empty	Total	1/2-1½ tons capacity	2-2½ tons capacity	3-4 tons capacity	5-7½ tons capacity					
37....	E	T. R.	5	2	3	3	1	1	1	59....	N	11 & 28	32	14	18	15	2	1			
38....	W	T. R.	36	16	22	20	10	1	1	59....	S	28	5	5	5	2	1	1			
38....	E	T. R.	12	6	26	20	10	2	1	60....	E	11	113	63	15	2	1	2			
38....	W	T. R.	9	72	33	39	18	2	1	60....	S	50	31	18	1	1	2	1			
39....	N	T. R.	9	72	33	39	31	10	1	60....	E	11	176	99	76	17	7	1	1		
39....	W	T. R.	10	88	34	54	27	17	10	61....	N	104 & 104	104	52	52	17	7	1	1		
39....	N	T. R.	9 & 10	128	53	75	43	21	11	61....	S	12	36	13	21	16	4	4	4		
40....	S	T. R.	41	21	16	16	4	3	1	61....	E	12	37	13	22	11	9	2	2		
40....	N	S. A.	26	9	17	13	1	1	1	61....	S	T. R.	1	1	1	1	1	1	1	1	
40....	E	T. R.	5	2	9	3	3	1	1	62....	N	12	112	57	55	46	8	1	1		
41....	W	T. R.	9	40	15	25	19	4	2	62....	S	12	61	31	30	23	6	1	1		
41....	N	T. R.	9 & 32	37	12	24	20	8	3	62....	E	12	30	13	23	2	2	1	1		
41....	S	T. R.	9 & 32	46	18	30	26	3	1	63....	S	12 & 101	101	56	21	35	22	11	2	1	
42....	R-W	T. R.	12	3	7	7	1	1	1	63....	N	T. R.	19	10	9	9	8	4	1	1	
42....	N-S	T. R.	218	97	121	92	19	10	1	64....	S	T. R.	12	52	22	20	25	4	1	1	
43....	R-W	T. R.	10	36	13	23	16	5	2	64....	N	T. R.	12	35	15	21	18	2	1	1	
44....	N-S	T. R.	10	36	13	23	16	5	2	65....	S	T. R.	16	122	46	76	59	12	5	1	
45....	R-W	T. R.	10	78	33	65	23	8	2	65....	N	T. R.	16-A	20	9	11	8	3	1	1	
45....	N-S	T. R.	10	75	31	44	33	8	2	65....	S	T. R.	16	103	37	66	51	11	4	1	
46....	R-W	T. R.	7	4	3	3	1	1	1	66....	N	T. R.	16	46	16	18	18	2	1	1	
46....	N-S	T. R.	18	21	8	9	4	4	1	66....	S	T. R.	16	48	17	31	29	2	2	1	
46....	R-W	T. R.	10 & 101	21	8	3	3	1	1	66....	E	S. A.	24	10	14	13	1	1	1	1	
47....	N-S	T. R.	10	36	14	22	15	6	3	67....	N	T. R.	16	15	5	10	7	2	1	1	
47....	R-W	T. R.	10	51	24	27	28	8	7	67....	S	T. R.	16	12	5	8	8	1	1	1	
48....	N-S	T. R.	17	9	8	8	7	1	1	68....	N	T. R.	16	2	1	1	1	1	1	1	
49....	R-W	T. R.	10	70	35	35	24	10	1	68....	S	T. R.	16 & 25	44	25	19	15	3	1	1	
49....	N-S	T. R.	10	37	24	13	11	2	3	68....	E	S. A.	36	17	22	18	12	4	4	2	
50....	R-W	T. R.	10	45	27	18	13	3	3	68....	N	T. R.	16 & 28	15	9	6	5	1	1	1	
50....	N-S	T. R.	11	7	4	4	4	1	1	68....	S	T. R.	16 & 28	15	3	2	1	1	1	1	
50....	R-W	T. R.	10	27	13	14	10	2	2	69....	N	T. R.	16 & 28	39	17	22	18	12	4	4	
51....	N-S	T. R.	11	10	10	11	1	1	1	69....	S	T. R.	16 & 28	15	9	6	5	1	1	1	
51....	R-W	T. R.	10 & 23	33	15	18	15	4	2	70....	N	T. R.	16	25	12	13	12	1	1	1	
51....	N-S	T. R.	10	27	12	15	13	2	2	70....	S	T. R.	16	38	17	21	17	3	3	2	
52....	R-W	T. R.	23	17	10	10	7	6	1	71....	N	T. R.	16	18	13	16	15	2	1	1	
52....	N-S	T. R.	10	25	12	13	12	1	1	71....	S	T. R.	16	23	7	7	6	1	1	1	
53....	R-W	S. A.	17	7	10	10	7	1	1	71....	N	T. R.	16	23	7	7	6	1	1	1	
53....	N-S	T. R.	10	32	15	17	12	2	2	71....	S	T. R.	16	23	7	7	6	1	1	1	
53....	R-W	T. R.	10	44	28	16	15	5	1	72....	N	T. R.	16	29	1	1	1	1	1	1	
54....	N-S	T. R.	11	64	35	29	21	1	1	72....	S	T. R.	16	45	11	22	21	3	4	1	
54....	R-W	T. R.	103	19	10	11	11	1	1	72....	E	T. R.	16	49	20	29	25	2	1	1	
54....	N-S	T. R.	10 & 15	47	27	20	17	2	1	73....	N	T. R.	16	4	2	7	7	1	1	1	
55....	R-W	T. R.	63	34	29	26	2	1	1	73....	S	T. R.	16	12	5	6	7	1	1	1	
55....	N-S	T. R.	11 & 12	137	75	62	37	3	2	73....	E	S. A.	16	17	9	8	7	2	2	1	
55....	R-W	T. R.	11 & 12	36	26	30	23	3	2	74....	N	T. R.	16	20	11	9	7	2	2	1	
56....	N-S	T. R.	116	23	43	42	4	1	1	74....	S	T. R.	16	13	7	2	1	1	1	1	
56....	R-W	S. A.	19	6	13	12	1	1	1	74....	E	T. R.	16	34	21	13	9	4	3	1	
57....	N-S	T. R.	11	76	31	45	37	8	5	75....	N	T. R.	16	42	20	12	9	3	2	1	
57....	R-W	T. R.	11	60	27	34	26	9	6	75....	S	T. R.	16	21	11	10	9	2	2	1	
57....	N-S	T. R.	32 & 103	53	23	30	27	6	5	76....	E	T. R.	16	25	23	13	10	6	4	1	
58....	R-W	T. R.	11 & 103	53	16	37	28	9	1	77....	N	T. R.	16	111	11	1	1	1	1	1	1
58....	N-S	T. R.	103-A	13	6	9	8	1	1	77....	S	T. R.	16	98	46	52	47	4	4	1	1
58....	R-W	T. R.	11	23	8	17	15	2	3	77....	E	T. R.	16	25	11	10	9	2	2	1	
58....	N-S	T. R.	11	39	13	26	23	3	2	77....	S	T. R.	16	98	46	52	47	4	4	1	1

## STATE HIGHWAY SYSTEM OF NEW HAMPSHIRE

Station <sup>1</sup>	Direction <sup>2</sup>	Route number <sup>3</sup>	Average daily motor trucks							Station <sup>1</sup>	Direction <sup>2</sup>	Route number <sup>3</sup>	Average daily motor trucks							
			Loaded trucks											Loaded trucks						
			Total	Empty	Total	14-1½ tons capacity	2-2½ tons capacity	3-4 tons capacity	5-7½ tons capacity	Total	Empty	Total	14-1½ tons capacity	2-2½ tons capacity	3-4 tons capacity	5-7½ tons capacity				
					Total	14-1½ tons capacity	2-2½ tons capacity	3-4 tons capacity	5-7½ tons capacity				Total	14-1½ tons capacity	2-2½ tons capacity	3-4 tons capacity	5-7½ tons capacity			
77.	E	25	102	48	56	40	6	1		98.	T, R.	101-A	68	55	10	3				
78.	E	10	4	6	5	5	1			99.	S	101-A	64	53	10	3				
	S	25	17	11	6	5	1				S	101-C	54	51	11	2				
79.	E-W	107	11	9	9	3	2				T, R.	101-C	77	50	11	1				
	S	26	26	25	37	35	14	2			T, R.	101-C	87	50	11	1				
80.	E	142	55	55	33	14	8	2			T, R.	102	2	2	2	1				
	S	28	28	141	64	77	14	2			T, R.	102	34	19	15	1				
	T, R.	5	3	3	2	2					T, R.	102	32	14	13	1				
81.	E	12	10	26	26	45	22	2			T, R.	102	33	16	13	1				
	S	71	26	1	1	3	1				T, R.	102	28	14	14	1				
82.	E	2	2	29	43	22	11	2			T, R.	102	5	2	2	1				
	S	4	2	2	2	2	2				T, R.	102	61	28	33	1				
83.	E	28	135	53	60	56	18	5	1		T, R.	102	49	22	16	5				
	S	A.	17	9	9	9	5	1			T, R.	102	10	10	8	6				
84.	E	109	44	65	43	16	5	1			T, R.	102	15	10	10	4				
	S	28	41	24	17	14	3				T, R.	102	40	32	8	4				
85.	E	20	40	24	16	13	3				T, R.	102	64	27	21	2				
	S	2	1	1	1	1					T, R.	102	5	3	3	2				
86.	N-S	28	19	25	22	8	3				S	A.	95	51	39	5				
	S	3	7	2	2	2					T, R.	102	91	49	28	5				
87.	E	14	15	9	7	9	2				T, R.	102	5	1	1					
	S	28	16	9	9	9	2				T, R.	102	1	1	1					
88.	E	14	15	12	16	13	8	1			T, R.	102	81	49	32	3				
	S	32	20	9	11	9	1				T, R.	102	65	37	28	2				
89.	E	32	20	9	11	9	1				T, R.	102	67	36	31	2				
	S	32	19	10	10	9	2				S	A.	18	10	7	2				
90.	E	32	35	16	19	17	2				T, R.	102	59	35	28	1				
	S	32	17	9	8	7	1				T, R.	102	16	17	14	3				
91.	E	32	24	10	14	10	3	1			T, R.	102	9	8	8	2				
	S	32	23	23	26	21	4	1			T, R.	102	10	6	6	1				
92.	E	32	24	15	15	14	2	1			T, R.	102	11	2	1	1				
	S	32	22	9	13	11	2	1			T, R.	102	12	11	9	2				
93.	E	32	28	10	18	15	1				T, R.	102	4	2	2	1				
	S	32	28	19	31	26	2	1			T, R.	102	5	3	3	2				
94.	E	32	50	19	31	26	4	1			T, R.	102	30	21	17	2				
	S	A.	25	12	13	9	3				T, R.	102	24	12	11	1				
95.	E	32	50	19	35	29	10	3			T, R.	102	3	3	3	1				
	S	A.	32	50	29	46	16	4			T, R.	102	10	6	6	4				
96.	E	4	3	1	1	1	1				T, R.	102	1	1	1	1				
	S	13	8	15	18	15	2				T, R.	102	3	2	2	1				
97.	E	36	15	24	24	19	4	1			T, R.	102	5	3	3	1				
	S	46	24	45	45	32	4	4			T, R.	102	3	1	1	1				
98.	E	75	37	38	25	9	5				T, R.	102	1	1	1	1				
	S	84	40	44	30	9	5				T, R.	102	13	13	13	1				
99.	E	16	10	6	6	5	5				T, R.	102	14	6	6	1				
	S	A.	36	19	17	15	1				T, R.	102	10	6	6	4				
100.	E	132	68	78	58	17	3				T, R.	102	6	4	4	1				
	S	168	77	91	70	17	4				T, R.	102	11	4	4	1				
101.	E	1	1	1	1						T, R.	102	1	1	1	1				
	S	52	27	27	23	3	1				T, R.	102	1	1	1	1				
102.	E	67	26	21	15	3	2				T, R.	102	1	1	1	1				
	S	72	36	36	25	5	1				T, R.	102	12	5	5	2				
103.	E	51	24	27	18	5	3				T, R.	102	15	1	1	1				
	S	1	1	1	1						T, R.	102	1	1	1	1				

## SURVEY OF TRANSPORTATION

Motor Truck Traffic at New Hampshire Traffic Survey Stations—Continued

Station <sup>1</sup>	Direction <sup>2</sup>	Route number <sup>3</sup>	Average daily motor trucks							Station <sup>1</sup>	Direction <sup>2</sup>	Route number <sup>3</sup>	Average daily motor trucks									
			Loaded trucks					Empty					Loaded trucks					Empty				
			Total	Empty	Total	$\frac{1}{2}$ - $1\frac{1}{2}$ tons capacity	2- $2\frac{1}{2}$ tons capacity	3-4 tons capacity	5- $7\frac{1}{2}$ tons capacity				Total	Empty	Total	$\frac{1}{2}$ - $1\frac{1}{2}$ tons capacity	2- $2\frac{1}{2}$ tons capacity	3-4 tons capacity	5- $7\frac{1}{2}$ tons capacity			
120...	N	S.A.	9	4	5	4	3	1			134...	E	T.R.	5	2	3	2	1				
	SW	T.R.	7	4	5	2	2				135...	W	S.T.R.	5	4	4	3	1				
	N	T.R.	5	3	3	2	1				136...	SW	S.S.A.	50	21	29	17	12				
121...	S	T.R.	17	7	10	9	2	1			137...	E	S.T.R.	29	16	13	5	1				
	SEN	T.R.	20	10	10	9	1				138...	SW	S.S.A.	80	38	22	17	2				
122...	N	T.R.	9	4	5	3	2	1			139...	SE	S.T.R.	45	38	28	5	4				
	SEN	S.A.	5	3	3	2	1				140...	SW	S.S.A.	57	35	24	17	2				
123...	E	T.R.	2	2	4	3	2	1			141...	N	S.S.A.	16	10	9	6	3				
	W	T.R.	2	1	1	2	1				142...	S	S.T.R.	5	3	3	2	1				
124...	W	T.R.	3	1	2	2					143...	W	S.S.A.	32	16	16	15	1				
	N	T.R.	22	7	15	13	2				144...	N	S.S.A.	10	13	6	5	1				
125...	SW	S.A.	70	27	43	39	4				145...	SE	S.T.R.	5	3	4	4	1				
	SE	S.A.	97	36	51	50	0				146...	W	S.S.A.	12	7	5	3	1				
126...	N	T.R.	9	4	5	4	1				147...	N	S.S.A.	36	19	19	15	4				
	SE	S.A.	5	3	3	2	1				148...	S	S.T.R.	16	10	9	6	3				
127...	W	T.R.	3	2	2	1					149...	W	S.S.A.	85	45	38	32	2				
	SE	T.R.	10	6	6	4	3				150...	N	S.S.A.	132	51	71	52	2				
128...	E	S.A.	10	4	5	3	3				151...	SE	S.T.R.	55	20	35	22	1				
129...	W	T.R.	13	7	3	3	7				152...	W	S.S.A.	72	35	37	29	1				
130...	N	S.A.	96	35	31	26					153...	N	S.S.A.	12	5	3	3	1				
	SE	S.A.	77	42	35	30					154...	SE	S.T.R.	36	19	19	15	4				
131...	N	S.A.	36	20	16	8	6	2			155...	S	S.T.R.	45	22	23	15	4				
	W	T.R.	1	1	1	1					156...	N	S.S.A.	8	5	5	3	2				
132...	SE	S.A.	1	1	1	1					157...	SE	S.T.R.	17	10	9	7	6				
	SE	T.R.	5	2	5	3	1				158...	N	S.S.A.	17	17	8	8	6				
133...	N	S.A.	13	29	45	39					159...	SE	S.T.R.	26	10	17	12	4				
	SE	S.A.	74	29	45	39					160...	N	S.S.A.	4	2	2	2	1				
134...	S	T.R.	61	24	37	31					161...	S	S.T.R.	10	11	8	8	0				
	SE	S.A.	55	25	10	8	2				162...	N	S.S.A.	11	4	3	3	1				
135...	S	T.R.	11	3	3	2	1				163...	S	S.T.R.	11	2	2	2	1				
	S	S.A.	16	6	10	9	1				164...	N	S.S.A.	8	3	3	3	1				

APPENDIX V

Average Gross Weight of Loaded Motor Trucks by Capacity Classes at New Hampshire  
Traffic Survey Weight Stations

**CHECKED**

Station <sup>1</sup>	Direction <sup>2</sup>	Route number <sup>3</sup>	1½-2½ ton trucks		2-2½ ton trucks		3-4 ton trucks		5-7½ ton trucks	
			Number of loaded trucks weighed <sup>4</sup>	Average gross weight	Number of loaded trucks weighed <sup>4</sup>	Average gross weight	Number of loaded trucks weighed <sup>4</sup>	Average gross weight	Number of loaded trucks weighed <sup>4</sup>	Average gross weight
1.....	N	U. S. 1	145	Pounds	82	Pounds	8	Pounds	6	Pounds
		U. S. 1	136	5,040	79	13,870	8	16,580	6	19,230
	W	Mass. 110	11	5,240	3	11,030	2	16,380	6	19,230
7.....	N	U. S. 3	181	5,430	143	13,840	16	16,180	20	20,180
	S	U. S. 3	181	5,430	143	13,840	16	16,180	20	20,180
	T. R.									
9.....	N	U. S. 3	265	5,111	126	13,470	19	15,440	18	18,390
	SW	U. S. 3	265	5,110	129	13,470	19	15,440	18	18,390
	T. R.	5	6,460	1	14,600					
10.....	N	U. S. 3	116	5,120	34	12,960	7	19,000	1	21,800
	U. S. 3	118	5,170	36	13,120	7	19,000	1	21,800	
	T. R.	10	5,170	1	15,900					
12.....	N	U. S. 3	196	5,150	45	12,120	12	16,260	1	16,260
13.....	N	U. S. 3	111	4,740	19	12,340	4	15,950		
	SW	U. S. 3	136	4,720	20	12,340	4	15,950		
	S.A.	13	5,110	1	17,800					
18.....	N	U. S. 3	47	5,110	1	17,800	2	12,800		
	SW	U. S. 3	46	5,030	10	11,960	1	12,800		
	T. R.	1	4,300							
29.....	SSE	10	16	5,140	5	15,320	2	20,950		
	EN	U. S. 4	81	4,870	7	12,560	1	15,500	1	19,900
	EN	U. S. 4	93	5,110	12	13,710	3	19,130	1	19,900
31.....	N	U. S. 4	10	4,160						
	NEW	U. S. 4	44	4,410						
	SW	11	34	5,490	2	9,800	1	16,100		
	T. R.	15	3,970	3	9,970	1	16,100			
	EN	U. S. 4	77	4,430	4	10,420	1	14,700		
35.....	SW	U. S. 4	62	4,630	5	11,420				
	N	U. S. 4	69	4,710	36	12,470	19	19,150	3	18,270
	SW	U. S. 4	64	4,810	33	12,500	19	19,150	3	18,270
42.....	EN	S. A.	3	4,370	1	18,500				
45.....	N	9 & 103	193	4,110	47	15,260	21	17,950		
	N	10	72	5,100	16	13,070	3	16,020		21,900
	SW	10	72	5,100	16	13,070	3	17,200	3	17,130
46.....	T. R.	10	5,190	8	9,620	1	14,500	1	16,500	
	N	10 & 101	15	4,090	6	11,350	2	14,500	1	16,500
	SW	101	7	4,090	2	11,350				
62.....	12	81	4,480	18	10,430					
	12	42	4,180	16	10,860	3				
64.....	T. R.	37	4,730	4	9,680					
	T. R.	8	4,730	3	11,120					
	12	55	4,470	5	11,440					
65.....	SW	12	47	5,950	5	11,560				
	SW	16	108	5,090	30	13,490	6	19,350		
	S. A.	16	4,730	3	13,740	3	19,230			
	EN	16	99	5,130	23	13,440	3	19,470		
66.....	T. R.	59	5,340	2	9,450					
	16	53	4,980	1	12,000					
	S. A.	26	5,120	3	10,100					
68.....	16 & 25	21	5,120	3	10,100					
	16 & 28	21	4,530	4	9,980	2	15,000			
77.....	S. A.	10	4,590	1	15,600					
	T. R.	1	3,700							
	T. R.	104	4,110	11	14,320	3	15,500	1	20,100	
	25	107	4,550	11	14,320	3	15,500	1	20,100	
82.....	28	107	4,640	33	11,320	8	15,380	1	28,100	
	S. A.	17	5,790							
92.....	29	92	4,520	33	11,320	8	15,380	1	28,100	
	T. R.	2	3,100							
	T. R.	101	27	5,190	6	12,800	2	14,200		
95.....	101	32	5,140	9	14,710	2	14,200			
	T. R.	1	3,500	2	12,000					
	S. A.	18	4,200	1	15,900					
	101	140	5,370	41	11,800	10	14,200			
97.....	101	157	5,260	40	11,890	10	14,940	1	9,300	
	108	26	4,070	9	14,140	6	19,050			
101 & 103	49	3,960	14	14,250	15	19,420				
98.....	101	35	3,960	7	13,370	13	19,500			
	T. R.	61	4,620							
	T. R.	57	5,650	12	13,160	7	18,800	2	22,350	
143.....	101 A	114	4,740	18	13,120	7	18,800	2	22,350	
	W	110	4,740	5	13,120	3	17,720	1	24,600	
	S. A.	117	4,300	25	10,080	3	17,720	2	16,950	

<sup>1</sup> For location of stations see Figure 8.

<sup>2</sup> Direction of route from station.

<sup>3</sup> All numbered routes are trunk-line highways. The United States routes are shown by the initials U. S., State-aid routes by S. A., and town roads by T. R.

<sup>4</sup> Total number of loaded trucks on each route during three 10-hour observations.

~~CHECKED~~  
SOL 3-04

SURVEY OF TRANSPORTATION

APPENDIX VI

Traffic Classification of the New Hampshire Trunk-line Highway System

Highway section	Highway route number <sup>a</sup>	Miles	Average daily traffic 1926 <sup>b</sup>			Average daily traffic 1931 <sup>c</sup>			Average daily traffic 1936 <sup>d</sup>		
			Total motor vehicles	Total motor trucks	Total vehicles of 3 to 7½-ton capacity <sup>e</sup>	Total motor vehicles	Total motor trucks	Total vehicles of 3 to 7½-ton capacity <sup>e</sup>	Total motor vehicles	Total motor trucks	
Portsmouth to Massachusetts line.	U. S. 1 (F)	14.7	5,800	162	26	9,100	210	43	12,700	360	
Nashua to Massachusetts line.	U. S. 3 (F)	3.5	4,188	317	48	6,500	500	76	9,200	700	
Manchester to Concord.	U. S. 3 (F)	16.2	3,906	228	22	6,100	360	33	8,600	500	
Nashua to Manchester.	U. S. 3 (F)	16.4	3,333	246	33	5,500	280	48	7,700	540	
Concord to Lebanon.	U. S. 3 (F)	10.2	2,500	142	4	4,000	220	13	5,100	310	
Franklin to Lebanon.	U. S. 3-11 (F)	10.4	2,188	118	11	3,400	180	12	4,400	260	
Dover to Rochester.	16 (F)	9.8	2,021	113	11	3,200	180	17	4,300	250	
Manchester to Massachusetts line.	28 (F)	23.1	1,951	108	12	3,000	170	18	4,300	240	
Laconia to Meredith.	9.8 (F)	1,932	73	—	—	3,000	110	—	4,200	100	
Hampton to Merrimack.	10.1 (F)	16.5	2,255	125	7	3,000	110	10	3,800	100	
Durham to Dover.	4-108 (F)	1.9	1,447	93	9	2,000	150	14	3,800	700	
Manchester to Manchester east city line.	101 (F)	2.5	1,741	168	6	2,700	260	9	3,800	370	
Hopkinton to Concord.	9-103 (F)	6.6	1,697	132	14	2,600	240	22	3,700	330	
Portsmouth to Dover.	U. S. 4 (F)	9.3	1,685	114	19	2,600	180	31	3,600	250	
Nashua to Milford.	101 (A) (F)	5.5	1,554	134	8	2,000	130	13	3,600	220	
Bristol to East Lebanon.	3 (F)	9.0	1,491	113	—	2,000	170	—	3,000	230	
Lebanon to West Lebanon.	U. S. 4-10 (F)	2.6	1,459	75	—	2,300	120	—	3,200	160	
Berlin to Gorham.	16 (F)	5.9	1,457	99	—	2,300	160	—	3,200	220	
Winchester to Keene.	10 (F)	12.7	1,425	76	—	2,100	110	—	2,800	150	
Glen to Swanzey north town line.	12 (F)	1.1	1,418	112	—	2,100	170	—	2,800	210	
Glen to Jct. with town line west of Conway.	16-18 (F)	8.4	1,385	38	—	2,100	60	—	2,800	80	
Franklin to Bristol.	3 A (F)	12.0	1,370	91	—	2,000	140	—	2,700	180	
Lebanon to Jct. E. of Lebanon.	U. S. 4-10 (F)	1.5	1,354	94	—	2,100	150	—	3,000	210	
Milford to Whitefield.	10 (F)	3.0	1,354	94	9	2,000	150	13	2,700	150	
Plymouth to Profile House.	U. S. 3 (F)	3.1	1,331	91	—	2,000	30	—	2,700	40	
Franklin to Franklin town line.	U. S. 4-11 (F)	2.6	1,324	106	—	2,000	160	—	2,800	230	
E. Kingston to Massachusetts line.	108 (F)	9.0	1,244	84	5	1,900	120	7	2,500	170	
Exeter to Hampton.	101 C	5.8	1,219	78	6	1,900	120	—	2,700	170	
Sunapee Harbor to Vermont line.	11 (F)	17.3	1,213	98	—	1,800	90	—	2,400	120	
East Lebanon to Lebanon city line.	101 (F)	21.7	1,213	98	—	1,800	110	—	2,400	120	
Franklin town line to Potier Place.	U. S. 4-11 (F)	9.3	1,135	89	—	1,700	130	—	2,300	180	
Hanover to West Lebanon.	10 (F)	4.2	1,111	70	—	1,700	100	—	2,200	140	
Concord to jct. with W. U. S. 4.	U. S. 9-10 (F)	1.0	1,097	72	6	1,700	110	10	2,400	160	
Keene to jct. with A. Cheshire.	10 (F)	1.0	1,070	75	7	1,600	110	9	2,100	150	
Littleton to Twin Mountain.	10-18 (F)	12.8	1,069	50	—	1,600	100	—	2,000	100	
Exeter to Stratham.	101-108 (F)	3.2	1,067	72	12	1,600	110	17	2,100	140	
Glen to Twin Mountain.	18	20.9	1,046	29	—	1,600	40	—	2,100	60	
Meredith to Plymouth.	U. S. 3-25 (F)	16.9	1,043	43	—	1,600	70	—	2,300	90	
Dover to W. M. W.	U. S. 9-10 (F)	0.0	1,040	82	—	1,600	120	—	2,300	100	
Concord to W. M. W.	12 (F)	1.0	1,030	99	—	1,600	120	—	2,300	120	
Carman to jct. E. of Lebanon.	U. S. 4 (F)	12.0	948	78	—	1,400	120	—	1,900	160	
Jct. to jct. of 101 and 12 west.	12 (F)	18.2	948	67	—	1,500	100	—	2,100	150	
Claremont to jct. with 101.	11-12 (F)	19.0	948	64	—	1,400	100	—	1,900	140	
Littleton to jct. A. Cheshire.	10 (F)	1.0	930	64	—	1,400	100	—	1,900	140	
Plymouth to West Plymouth.	3 A-25 (F)	3.0	918	64	—	1,400	70	—	1,800	40	
Rochester to Sanbornew.	16 (F)	18.5	910	47	—	1,400	70	—	1,800	90	
Jct. 16 Conway to jct. with T. R.	28 (F)	2.6	900	19	—	1,300	30	—	1,500	40	
Glen to Jackson.	16 (F)	2.6	879	25	—	1,300	40	—	1,800	80	
Massachusetts line to Newbury N. town line.	104 (F)	1.6	879	41	—	1,300	70	—	1,800	90	
Hopkinton to Lower Village.	10 (F)	0.9	876	41	—	1,300	70	—	1,700	90	
Winchester to Massachusetts line.	10 (F)	10.8	869	47	5	1,300	70	10	1,700	90	
Woodsville to jct. with 25 S. Haverhill.	10-25 (F)	7.8	867	33	—	1,300	50	—	1,700	70	
Whitefield to Lancaster in Grafton.	U. S. 3 (F)	17.1	834	30	—	1,200	40	—	1,700	60	
Gilmanton line to jct. with 9 N. Keene.	101 (F)	11.0	832	85	19	1,200	130	30	1,800	170	
Peterborough to S. A. Cheshire.	101 (F)	1.6	828	54	—	1,200	30	—	1,600	110	
Newport to jct. with T. R. to Northville.	101	1.6	809	51	—	1,200	80	—	1,600	100	
Manchester to Milford.	101	13.6	799	75	6	1,200	110	10	1,600	150	
Maine line to jct. 18 and T. R.	18-28 (F)	4.6	799	28	—	1,200	40	—	1,600	60	

<sup>a</sup> The United States routes are shown by the initials U. S. (F) indicates Federal-aid system.

<sup>b</sup> Average daily motor vehicle traffic for the period July 16 to October 15 of each year.

<sup>c</sup> Total daily motor trucks of 3 to 7½ ton capacity not shown where less than 5 per day.

<sup>d</sup> Classification based on following class limits except as indicated in footnote 5.

Classification	Average daily motor vehicles
A—Major 1.	over 1,500
B—Major 2.	500-1,500
C—Major 3.	500-1,500
D—Medium 1.	500-1,200
E—Medium 2.	200-500
F—Minor L.	less than 500
G—Minor Z.	less than 500
	less than 500
	500-1,500

<sup>e</sup> Classification of these sections on which traffic as shown is lower than or in excess of classification limits is based upon consideration of traffic, total motor truck traffic, number of large-capacity trucks, connections with other routes, and abnormality of 1926 traffic due to construction delays or condition of highway.

<sup>f</sup> Estimated traffic.

<sup>g</sup> Federal-aid route from junction of 12 and 101 to Vermont line at Bellows Falls.