# U.S. DEPARTMENT OF COMMERCE

Daniel C. Roper, Secretary


BUREAU OF FOREIGN AND DOMESTIC COMMERCE Prederick M. Feiker, Director

# IRON AND STEEL INDUSTRY AND TRADE OF INDIA



Trade Information Bulletin No. 816

UNITED STATES GOVERNMENT PRINTING OFFICE **WASHINGTON: 1983** 



#### **FOREWORD**

Although iron has been produced in India since time immemorial, the Indian iron and steel industry of today is in no wise the outgrowth or development of this early production. While the present four major iron and/or steel companies were organized and commenced operations at various dates over the past 50 years, it was not until just prior to the World War that the development of the industry made any appreciable progress. At the present time the local industry, it is estimated, supplies 40 percent of domestic requirements—the balance being drawn from a variety of sources, of which the United Kingdom is the chief, total consumption being in the neighborhood of 2,500,000 tons per annum. Per capita consumption, however, is very low, an approximate figure of only 14 pounds being frequently stated, but with India's growing industrialization this may be expected to increase in coming years.

Except for pig iron, India is not a factor in the world export trade in iron and steel. Pig iron exports amounted to 568,000 tons in 1929-30, a record performance up to and since that time—the 1931-32 exports being only 350,000 tons. The United States annually purchases a considerable proportion of this exportation—in 1931-32 this

country took 14.6 percent of the total exported.

The Iron and Steel Division of the Bureau of Foreign and Domestic Commerce keeps in close touch with developments in the iron and steel trade and industry of all counties, including India, and invites inquiries from interested parties relative to these industries.

FREDERICK M. FEIKER, Director, Bureau of Foreign and Domestic Commerce.

**JUNE 1933** 

# IRON AND STEEL INDUSTRY AND TRADE OF INDIA

By George C. Howard, American Thuds Commissioner, Calcutte

The production of iron is one of India's oldest industries, and even today there are hundreds of small foundries producing iron by old native methods and supplying certain local requirements. Early attempts to introduce European methods of iron production proved abortive, and it was not until 1881 that the pioneer plant, of what is now the Bengal Iron & Steel Co., was (after its failure) taken over temporarily by the Government and put on an operating basis, thereby establishing the first unit of India's expanding iron and steel industry of today.

The modern Indian industry is truly indigenous. Capital, raw materials, all but highly skilled labor, and both present and potential markets are Indian. The Government of India recognizes the great possibilities for the future expansion of the industry and its value to the country and have accorded it a full measure of assistance, so that in a rapidly developing industrial India the future of the iron and steel

industry should be bright.

India's present per capita consumption of iron and steel is very low, the approximate figure of 14 pounds (0.007 short ton) per annum being cited as the lowest of any country except China. Despite this, India, with an enormous population of 350,000,000, 42,000 miles of railroads, growing manufacturing industries which have already put it sixth in the rank of modern industrial countries, large engineering projects, and the spread of modernized building methods, consumes nearly 2,500,000 tons of iron and steel a year, and annually exports large quantities of pig iron—these exports in 1929–30 reaching the very considerable total of 568,000 tons.

# RAW MATERIALS

The modern Indian iron and steel industry occupies a fortunate position—both economically and geographically—with respect to its Iron ore sufficient to last the industry for supplies of raw materials. an indefinite period, coking coal in quantities to satisfy anticipated requirements for 100 years, and numerous large deposits of limestone are all to be had within a relatively restricted area. It is estimated that within this area is centered 98 to 99 percent of the pig-iron production and virtually all of the steel making facilities of the country the result being a raw material assembly cost which is extremely low as compared to that of other less fortunate industries. Fortunately, too, these raw materials and this productive equipment is well located with respect to several of the principal consuming markets of India and the plants have been erected at points giving ready access to railtransportation facilities. The one unit of the industry—the Mysore Iron & Steel Works at Bhadravati, Mysore—not enjoying this most favored situation lacks only coking coal, and in place thereof uses

charcoal made from the forests of that State, adequate iron ore and flux being at hand to satisfy the present moderate requirements of this company.

IRON ORE

Deposits of high-grade ore exist in many parts of India, exceptionally accessible locations being in Bihar and Orissa. It is here that the center of the iron and steel industry is situated and these deposits are known as the "Iron Belt." Present workings are from 120 to 200 miles west of Calcutta and from 20 to 50 miles south the main line of the Bengal Nagpur Railway between Calcutta and Nagpur. Practically all supplies are at present being taken from hillside workings and no expensive deep mining operations are likely to be necessary for many years.

According to the Geological Survey of India, the deposits in the

Singhbhum District, Keonjhar State, Bonai State, and Mayurbhanj State are remarkable for enormous quantities of extremely high grade ore, and will prove to be among the largest and richest in the world.

Practically the whole of the ore is hematite and no quantity of magnetite has been located in the ore-bodies. The hematite is rather variable in character and the varieties are grouped as follows: (1) Massive hematite, (2) laminated hematite, (3) micaceous hematite, (4) laterite hematite, and (5) hematite breccia.

The Kolhan hematites usually contain about 64 percent of iron, with phosphorus ranging from 0.03 to 0.08 percent or, in some cases, as high as 0.15 percent. The sulphur content is usually below 0.03 percent. Titanium in very small quantities is also said to be found occasionally in the ore. Samples from the better parts of the ore deposits contain as much as 68 or 69 percent iron. Numerous other analyses of these ores also show high iron content, a relatively low percentage of sulphur and titanium, and variable phosphorus content. Manganese in any quantity seems to occur only in the lateritic variety of the ore.

The major part of the iron ore seems to be divided between the Singhbhum District, Keonjhar State, and Bonai State. The minimum quantities of ore averaging not less than 60 percent of iron

estimated to date are shown in the following statement:

	Tons
Singhbhum District	1, 074, 000, 000
Keonjhar State	
Bonaí State	656, 000, 000
Bonai State or Keonjhar State (doubtful)	280, 000, 000
Mayurbhanj State	16, 000, 000
Total	2, 832, 000, 000

The estimate concerning ore beds in Mayurbhani State has not yet been verified, but recent discoveries seem to indicate that the present estimate may be considerably increased. However, prospecting work and mining operations, carried out by the various companies, indicate that the solid hematite often gives place to an unconsolidated micaceous powdery variety at depths beteeen 80 and 100 feet below the surface.

Over the last 7 years the iron-ore production of India has been as

shown in the following table:

PRODUCTION AND VALUE OF IRON ORE MINED IN INDIA DURING THE YEARS 1924 то 1930

District	Quantity	Value	District	Quantity	Value
1924			1927—Continued		
Bihar and Orissa:	Tons	Rupees		Tons	Rupees
Singhbhum	305, 238		Burma	61, 062	244, 248
Sambalpur			Central Provinces	918	3,846
Mayurbhanj	996, 920		Mysore	48, 465	128, 695
•			Other Provinces and States	230	1, 410
_ Total		3, 236, 497	1		
Burma	59, 014	236, 056	Total	1, 846, 735	5, 101, 861
Central Provinces		1 373, 702	1000		
Mysore	14, 958	39, 324	1928		
Other Provinces and States	168	1,001	7/1		ĺ
m 1	1 445 010	0.000 100	Bihar and Orissa: Singhbhum	1 101 740	ł
Total	1, 445, 313	3, 886, 580	Sambalpur		
1925			Mayurbhanj		
1920	l		Keonihar		
Bihar and Orissa:	1		reonjust	141, 301	
Singhbhum	477 590		Total	1, 956, 621	5, 172, 547
Sambalpur	703		Burma	74, 813	299, 352
Mayurbhani	957, 275		Central Provinces	934	3, 972
and an annual	001, 210		Mysore	23, 624	58, 841
Total	1, 435, 558	4, 113, 585			
Burma		206, 468	Total	2, 055, 992	5, 534, 607
Central Provinces	1,037	1 4, 182			
Mysore		<sup>2</sup> 154, 000	1929		ł
Other Provinces and States	148	866			1
	i <del></del>	<del></del> -	Bihar and Orissa:		ļ
Total	1, 544, 578	4, 479, 101	Singhbhum		
			Sambalpur		
1926	i		Mayurbhanj	759, 875	
<b>5</b> 0. 10.			Keonjhar	187, 203	
Bihar and Orissa:			Total	0.007.044	4 101 000
Singhbhum	552,079				6, 191, 309
Sambalpur Mayurbhanj	569		Burma Central Provinces	1 46, 140 715	184, 560
Mayuronauj	1, 041, 920		Mysore	44, 356	2, 145 113, 222
Total	1, 594, 577	4, 414, 639	144 your 6	27, 330	110, 222
Burma		192, 356	Total	2, 428, 555	6, 491, 236
Central Provinces		1 3, 987		_, 100, 000	U, 101, 200
Mysore		73, 278	1930		
Other Provinces and States	230	1,406	1.555		
			Bihar and Orissa:		
Total	1, 659, 295	4, 685, 666	Singhbhum	1, 099, 435	
		= == =	Sambalpur	6	l
1927	ļ		Mayurbhanj		
			Keonjhar	24, 909	
Bihar and Orissa:					<del></del>
Singhbhum	1,007,037		Total		4, 629, 600
Sambalpur	561		Burma	1 33, 458	133, 832
Mayurbhanj	692, 137		Central Provinces	925	2,775
Keonjhar	36, 325		Mysore	31, 500	106, 320
Total	1 700 000	4 700 000	Total	1 040 00-	4 000 500
1 0081	1,780,060	4, 723, 662	10081	1, 849, 625	4, 872, 527

# COAL

It has been stated that, according to present knowledge of deposits, India has insufficient good coking coal to smelt the principal ore deposits by present methods, but there is probably sufficient within a reasonable distance of the ore to last for 100 years at the present and probable near-future rate of consumption.

The principal source of coking coal is at present the Jharia coal field in Bihar and Orissa, which field has an estimated reserve of 2,300,000,000 long tons of coal suitable for making metallurgical coke. The most recently published estimates of total coal reserves show 2,632,000,000 long tons of coking coal, after allowing one third for losses out of a grand total of 36,311,000,000 tons of coal of all kinds

Estimated.
 Excludes 1,909 tons of hematite quartzite.

and usable grades. The details of all presently known resources are shown in the following table:

RESERVES OF COAL OF ALL KINDS IN INDIA (MILLIONS OF GROSS TONS)

Coal fields	Total, all kinds of coal	Total coals of coking qual- ity 1	All coals other than coking coal	Coal fields		Total coals of coking qual- ity !	All coals other than coking coal
Giridih Raniganj Jharia Bokaro Ramgarh Karanpura, South Karanpura, North Aurunga Hutar Daltonganj Korea, Rewa Sirguja, Korba, Sambalpur.	50 22, 000 20, 500 1, 000 75 8, 900 20 9 9 200 200	40 408 2,300 600 } (³)	20 21, 592 18, 200 2 400 8, 975 20 9 200	Talchir Wardha and Godavari Satpura region Assam Rajmahal area Other fields Total Allowing one third for losses	44 400 150 600 200 100 54, 467	(4) 600 (3) 3, 948 2, 632	44 400 150 (*) 200 100 50, 519 33, 679

<sup>&</sup>lt;sup>1</sup> Coal which might be suitable for the manufacture of metallurgical coke.

Much of this coal is high in ash and would hardly be considered first-class coal in America. Mixtures of coals from various seams are used, and the following analysis is that of such a mixture from Jharia seams used by one of the iron works.

Percent of—	Coal	Coke (pro- duced from fore- going coal)	Percent of—	Coal	Coke (pro- duced from fore- going coal)	
Moisture Volatile matter Fixed carbon	1. 98 25. 74 62. 20	2. 58 1. 32 76. 45	Ash Sulphur Phosphorus	11. 58 . 50 . 10	19. 37	

The ash of the coke above described on analysis revealed silica to constitute 9.40 percent of the total coke; alumina, 5.59 percent; ferric oxide, 2.44 percent; lime, 0.89 percent; magnesia, 0.12 percent; phosphoric oxide, 0.41 percent; and sulphur 0.52 percent—or a total of 19.37 percent.

The cost of coking coal to the furnace quite naturally depends on the distance from the mines to consuming centers, but, generally speaking, an average of 3 rupees per ton for coking coal, f.o.r. col-

liery, may be taken as the price obtaining in March 1933.

At present a large quantity of coal suitable for the production of metallurgic coke is being used by steam-raising plants. Owing to the comparative scarcity of good coking coal a number of efforts have been made to stop this practice, but no workable solution has as yet been arrived at and the practice continues.

# CHARCOAL

The Mysore Iron Works operate the only charcoal blast furnace in the country, and their charcoal supplies are obtained from Mysore State forests.

At least this amount.

Not fully tested.
Said to be some.

#### **FLUXES**

The most important flux is limestone, of which India has innumerable large deposits of first quality within reasonable distances of existing iron and steel plants. The average analysis of limestone from sources drawn upon is as follows:

	Percent
Calcium carbonate	95. 80
Silica	2. 70
Ferric oxide and alumina	. 80
Magnesium carbonate	2. 25

Indian production of limestone from 1924 to 1928 averaged over 3,000,000 tons per annum. This quantity includes an average annual output of 165,000 tons of dolomite in Bihar and Orissa for use as flux and furnace linings.

# MANGANESE ORE

India is one of the principal sources of the world's supply of manganese ore, and exports over the 5 fiscal years ending with 1930-31 averaged 645,000 tons per annum. The Indian iron and steel industry uses manganese in extremely small quantities, when compared with India's output and resources in this mineral. Deposits in Bihar and Orissa are conveniently situated for the iron and steel industry, which consumes not more than 20,000 to 25,000 tons per year. An average analysis of two types of high-grade manganese ore from Bihar and Orissa fields is shown in the following statement:

•	Percent
Manganese	47. 66
Iron	2. 90
Silica	4. 63
Phosphorus	. 34
Moisture	
Manganese plus iron	<b>50. 56</b>

# SCRAP, FIRE BRICK, AND REFRACTORY BRICK

India imports an average of 3,000 tons of iron and/or steel scrap for remanufacture, the bulk of which comes from the United Kingdom and Ceylon.

Deposits of quartzite and fire clay occur near the coal fields, and from these materials good quality fire brick and silica brick is made, and quartzite lining for Bessemer converters secured. Magnesite brick for furnace linings is mainly imported at present, owing to the inaccessibility of magnesite deposits and lack of a proper brick-making plant, but it is probable that the latter condition will be remedied in the near future.

# LOCATION OF THE INDUSTRY

The location of the bulk of the Indian iron and steel industry in the immediate vicinity of the Bihar and Orissa ore beds is dictated by the exceptionally fortunate situation existing there as regards supplies of raw materials, which are not only available in ample quantity to carry the industry for an indefinite time, but the coal and ore fields now being worked are located so close together that raw material transportation costs are extremely small as compared with those in the iron and steel industries of other countries. The three large plants, which together constitute nearly 99 percent of the pig-iron production capacity of the country—the plant of the Tata Iron & Steel Co., Ltd., at Jamshedpur, the Indian Iron & Steel Co.'s plant at Burnpore (near Asansol), and the works of the Bengal Iron Co., Ltd., at Kulti, Bengal—together with the ore fields and the coal mines from which their materials are obtained are all situated within a small area, and are well within 200 miles of Calcutta on the main line railroads. The railroads serving them likewise serve the great Gangetic plain which constitutes one of the principal iron and steel markets in the country.

As previously stated, the industry is based entirely on materials produced within the country, including iron ore, coking and gas coal, limestone, manganese ore, and dolomite, plus practically all of the necessary refractory materials. In Mysore, where there is no available coal, the Mysore Iron Works use charcoal from the forests of

the State.

#### DEVELOPMENT OF THE INDUSTRY

With the building of railways in India and the growing use of iron and steel in construction, imports of these materials increased heavily, and attempts to start an Indian iron and steel industry were almost immediately made. Four such attempts between 1830 and 1874 came to naught, but in the latter year the present Bengal Iron & Steel Co. was started as the Barakar Iron Works, and in 1911, the now largest unit of the industry—the Tata Iron & Steel Co.—began on a moderate scale what is now one of the large steel works in the British Empire, and the center around which revolves the Government of India's tariff and other protective activity.

It cannot be said that the present steel industry in India has gone through a true "development" stage, for the reason that the processes by which steel is at present manufactured are the same as those in vogue at the time of the inception of the industry on a really modern basis just before the World War. No significance attaches to the production accomplished with the primitive methods employed for

centuries before within the country.

Improvements in equipment and efficiency have, of course, been continuously made and today the smaller blast funaces find it impossible to operate in competition with the large modern furnaces installed within the past few years. In general, handling methods, both for raw materials and manufactured products, compare favorably with those in vogue in the modern plants in America and elsewhere, and although a great deal more manual labor is employed to accomplish a given task than in other countries this situation is being rapidly For example, the incidence of labor in the cost per ton of finished steel in 1925 was 46 rupees 4 annas or 37 percent, and in 1932 31 rupees or 29 percent. In 1924 the total works' cost of a ton of tinplate, made from purchased tinplate bar, was 458 rupees 9 annas of which 90 rupees or 19 percent was labor as compared with 22.5 percent in Britain during the same year. In 1926 this figure had been reduced to 312 rupees 7 annas, of which 45 rupees 1 anna, or 14 percent, was labor. Later figures in this connection are not available, but the incidence of labor in the total cost has been further appreciably reduced in the intervening years. The approximate labor cost per ton of pig iron in 1920 was 2 rupees 5 annas which had been reduced by 1932 to 1 rupee. Similar figures for ingots were 6 rupees 5 annas and 2 rupees 5 annas. This improvement in labor cost is due to the installation of more modern machinery, the "Indianization" of the plants with the subsequent releasing of may highly paid foreigners, and also the greater efficiency of the Indian workmen as they become

familiar with steel-works practice.

At the end of 1932 the four leading producing units (with a combined rated pig-iron capacity of 1,750,000 tons) were the Tata Iron & Steel Co., Ltd., the Indian Iron & Steel Co., Ltd., the Mysore Iron Works, and the Bengal Iron Co., Ltd. Of these works, the Tata Iron & Steel Co., Ltd., is the only one producing steel on a large scale—neither the Indian Iron & Steel Co., Ltd., nor the Bengal Iron Co., Ltd., produce steel, although the Bengal Iron Co., Ltd., did so 25 years ago. The Mysore Iron Works currently produce alloy and special steels on a small scale, in addition to making charcoal pig iron.

#### THE TATA IRON & STEEL COMPANY, LTD.

The Tata Iron & Steel Co., Ltd., was organized in 1907, the erection of the works begun in 1908, and the first pig iron made on December 2, 1911. The plant is situated at Jamshedpur, about 155 miles west of Calcutta, and is connected with the Bengal-Nagpur Railway (running

between Bombay and Calcutta) by a 3-mile branch line.

Practically unlimited supplies of raw materials—iron ore, coal, and limestone—are available within a radius of 100 miles from the plant. The ore, which contains an average of 60 percent of iron, is mined in the most modern manner in open pits by steam shovels and is conveyed to the plant in 50-ton hopper cars especially provided by the railway to take care of this traffic. Coal is from several modernly equipped mines and is used for coking purposes as well as for steam

generation and metallurgical heating.

The original blast-furnace plant consisted of two 200-ton furnaces which have since been enlarged on two occasions. The present plant consists of—"A" furnace, which is now making approximately 400 tons of pig iron per day; "B" furnace, which has been enlarged on two occasions so that it now has a bosh diameter of 23 feet 3 inches and a hearth diameter of 22 feet, and therefore may be classified as a 1,000-ton furnace; "C" and "D" furnaces, which were erected during the war and had an original rated capacity of 500 tons each per day, have since had their hearth diameters increased from 17 feet to 19 feet and to 24 feet 6 inches, respectively, thus placing them in the 1,000-ton class with "D" furnace possibly to be rated at 1,200 tons. The fifth furnace, "E," is by comparison small, and although it has been enlarged it is now producing only about 300 tons daily.

The coke plant comprises 150 Wilputte by-product ovens of 13 tons capacity, 50 Koppers ovens (with by-product recovery) of 7 tons capacity, and 180 Coppee nonrecovery ovens. Supplementing these are two sulphuric acid plants with a capacity of 10,000 tons yearly.

The steel plant consists of 7 basic open-hearth furnaces of which 2 are of 60 tons capacity and 5 of 100 tons capacity. In addition the duplex plant embraces three 25-ton acid Bessemer converters, one 200-ton and two 250-ton basic tilting open hearth furnaces, and one 1,300-ton mixer.

The original steel mill set-up consisted of one 40-inch, 2-high reversing blooming mill; one 28-inch combination rail and structural mill, 2-high and 3 stands; and one 16-inch and one 10-inch bar mill, the original bar mill now being employed to manufacture fishplates for the Indian Government Railways. In connection with the so-called "greater extensions" at 40-inch electrically operated reversing blooming mill, a continuous sheet bar and billet mill consisting of six 18-inch and six 24-inch mills, and one 28-inch combination rail and structural mill consisting of two 3-high and one 2-high finishing stands preceded by a 35-inch 2-high reversing roughing mill were installed. Beyond the sheet bar and billet mills is a sheet mill originally consisting of 7 finishing mills and 5 roughing mills, but to which have been added 2 roughing mills and an additional finishing mill with automatic tables and continuous pair and pack-heating furnaces.

Other equipment installed and available includes a 12-inch Morgan merchant mill with 4 continuous 14-inch roughing stands and 2 auxiliary 8-inch mill stands; a plate mill consisting of 2 tandem three-high 96-inch electrically operated mills—these mills being equipped with heating furnaces and the necessary cranes and finishing department; and a plant for the manufacture of steel sleepers consisting of two

hydraulic presses.

The works generates its own power and is well supplied as to engineering shops, laboratories, and other auxiliary equipment. To provide housing for employees a town of approximately 100,000 inhabitants has been set up. All buildings are modern in character, supplied with electric lights, ice, fans, waterborne sewage, and filtered water. There are farms as well as a dairy attached to the town's organization, and there are also a number of clubs, schools, and playgrounds, as well as a large hospital at which about 600,000 cases are treated annually—a large part of the service being rendered free of charge. The company also maintains a technical school where employees are trained to become more efficient operatives.

# THE INDIAN IRON AND STEEL COMPANY, LTD.

This company was incorporated in 1918, began operations in 1923, and at present produces only pig iron. The company has its own iron ore, coal, and limestone mines. The works located about 142 miles from Calcutta, are connected with the main line of the East Indian Railway and with the Bengal Nagpur Railway by broad-gage sidings. The plant proper consists of two blast furnaces of the most modern design, each furnace having a capacity of 850 tons of pig iron daily. Coke ovens, for the production of coke necessary for the furnaces together with a by-products plant, have been installed.

Like the Tata Iron & Steel Co., Ltd., the Indian Iron & Steel Co.,

Like the Tata Iron & Steel Co., Ltd., the Indian Iron & Steel Co., Ltd., has established its own town of Burnpur, where the company owns over 4,000 acres of land. An extensive layout of water works, hospitals, bungalows, quarters, etc., have been built to accommodate

the staff and the labor required.

The company produces basic pig iron for steel making and foundry iron for castings.

#### MYSORE IRON WORKS

The Mysore Iron Works is owned by the Government of Mysore. Situated at Bhadravati, the plant occupies an area of about 50 acres and comprises a modern charcoal blast furnace (of about 80 tons capacity per day) with a supporting wood-distillation and by-products recovery plant. A modern plant for the manufacture of cast-iron pipes has also been installed. The construction of the works commenced in 1918, operation being started in 1923.

The Mysore Iron Works produce charcoal iron which is especially suitable for the manufacture of chilled castings, malleable castings,

and special steels.

#### THE BENGAL IRON CO., LTD.

This company (formerly the Bengal Iron & Steel Co., Ltd.) took over the old Barakar Iron Works Co. in 1889, when the whole plant was remodeled and the production of pig iron was commenced. Its furnaces have been out of blast since early in 1931.

The works of the company, occupying an area of 2,300 acres of land, are situated at Kulti, Bengal, about 144 miles from Calcutta on the East Indian Railway with a siding connecting the works with

the Bengal-Nagpur Railway.

The present blast-furnace plant comprises five furnaces. Two are modern mechanically charged furnaces, capable of a combined output of 800 tons of pig iron per day. The works have their own coke ovens and by-product plant. The Bengal Iron Co. specializes in the manufacture of cast-iron pipes and cast-iron sleepers.

As with the other iron companies the town of Kulti is self-contained and equipped with its own power plant, water works, hospitals, and

bungalows.

In addition to the foregoing there are a number of individual mills doing remelting and/or rerolling. Some are operated in connection with engineering plants manufacturing castings and shapes for their own construction work, some are operated by the Government arsenals, 1 is run by the Tinplate Co. of India, Ltd., 1 by the Indian Steel Wire Products Co., while 2 make castings and merchant shapes for resale. In addition to these some workshops of the railways and larger mills also operate small melting furnaces.

#### PIG IRON

The total rated capacity of India's blast furnaces is 1,750,000 gross tons of pig iron per year. On January 1, 1933, there were 13 blast furnaces in India, but owing to the depressed condition of the industry and the obsolescence of 3 smaller units, only 5 were in blast throughout the year. The following table shows the number of blast furnaces in operation, tons of ore smelted, and tons of pig iron made between 1920 and 1932:

Years	Average number of furnaces in blast	Gross tons of pig iron made	Gross tons of iron ore smelted	Years	Average number of furnaces in blast	Gross tons of pig iron made	Gross tons of iron ore smelted
1920. 1921 1922. 1923. 1924. 1925. 1926.	6 7 9 10 11 8 7	311, 257 369, 260 340, 422 623, 967 872, 547 830, 975 902, 404	505, 240 590, 119 553, 982 990, 918 1, 395, 196 1, 394, 788 1, 447, 950	1927 1928 1929 1930 1931 1931	9 9 9 7 6 5	1, 140, 050 1, 051, 885 1, 391, 537 1, 174, 957 1, 058, 234 913, 535	1, 816, 701 1, 723, 996 2, 315, 031 1, 918, 878 1, 710, 275 1, 472, 413

Pig iron is produced in India only in blast furnaces using coke and/or charcoal, and in 1932 of the 913,535 tons of pig iron produced only 1.6 percent was produced with charcoal. The grades of pig iron currently produced in India include basic pig—sand or machine cast, special and hot—for basic steel production in the open hearth; foundry iron; and acid Bessemer pig for the manufacture of basic steel by the duplex method. Special materials such as ferrosilicon, ferromanganese, spiegeleisen, etc., can be made to order, but the limited regular demand for these ferro-alloys is met by importation.

A tabular presentation of the analysis of a number of standard

grades of Indian pig iron follows:

Analyses of Various Grades of Indian Pig Iron <sup>1</sup>
[All figures in percent]

	Carl	bon				Sulphur	
Producer and grade	Graphitic	Com- bined	Silicon	Phosphorus	Manganese		
Bengal Iron Co.: Grades 1, 2, and 3. Grades 3 and 4. Tata Iron & Steel Co., Ltd.: Grade 1	3. 13 2. 98	0. 23 . 32	2. 25 2. 00	1. 20 1. 21	1. 40 1. 13 1. 25–1. 50	0. 22 . 04 . 025	
Grade 2 Grade 3 Grade 4 Basic			2.00-2.50 1.50-2.00 1.00-1.50 Under 1.00	.3540 .3540 .3540 .3540	1, 25-1, 50 1, 25-1, 50 1, 25-1, 50 1, 25-1, 50 1, 25-1, 50	.03035 .03505 Under .04 Under .04	
Mysore Iron Works: Charcoal pig	3.5 to	o 4.8	. 2 to 3. 5	.06 to .15	. 2 to 2. 5	. 02	

<sup>&</sup>lt;sup>1</sup> These analyses are given in as complete detail as is possible from available information. The omission of a figure should be interpreted as conclusive evidence, therefore, that the pig iron described did not contain any of the element in question.

<sup>2</sup> And over.

Also contains 0.02 to 0.13 percent chromium and 92 to 94 percent iron.

There is no electric smelting of ore done in India. While this subject has been discussed from time to time, in a more or less academic way, there is no immediate likelihood of the replacement of coal by electricity for this purpose, although India has large water-power resources, both developed and undeveloped.

resources, both developed and undeveloped.

Bengal has never attempted to develop hydroelectric schemes, probably due to the availability of cheap coal, but the snow-fed Testa River, with a minimum cold-weather flow of 10,000 cubic feet per second, offers a first-class source of possibly 200,000 kilowatts some

200 miles from the center of the iron and steel industry.

The annual consumption of iron as such in India is estimated at approximately 100,000 tons. Probably the largest single use to which this is put is the manufacture of cast-iron railway sleepers, with the manufacture of cast-iron pipe of various diameters next. Little or no iron is used by the individual Indian in his domestic life, and his requirements in this regard are commonly considered satisfied by the familiar iron rice bowl—other cooking utensils, sanitary equipment, etc., such as is common in America and other western countries not finding any widespread employment.

# STEEL PRODUCTION

The trend of steel production in India has been generally upward from 1920, when the total was 156,240 tons, to 1931, when 628,115 tons were made—exceptions to this general movement being indicated in 1922 and 1928, when production was below that of the preceding year. The year 1932 showed a reduction to 572,187 tons, and the coming 2 years will probably not see this figure exceeded, for the newly acquired tariff advantage and the resulting additional market for sheet bars thus created will probably be offset by the curtailed railway program, further Government retrenchments, and the absence of any new engineering projects of large size such as have been underway during the past few years.

The following table analyzes Indian steel production during the

past 13 years:

PRODUCTION OF STEEL IN INDIA SINCE 1920, BY METHODS OF PRODUCTION
[In gross tous]

Year	In duplex and tilting furnaces	In open- hearth furnaces		ap in elec- rnaces	Other castings made in	Total
1920. 1921. 1922. 1923. 1924. 1925. 1928.	27, 491 129, 575 235, 050 288, 695 330, 564	158, 240 182, 689 150, 475 187, 974 205, 867 213, 603 233, 058 243, 532	20 56 7 20 279 471	30 309 574 679 450 694	906 1, 386 1, 610 1, 132 2, 807 2, 789 2, 787	156, 240 183, 595 151, 911 217, 440 337, 155 452, 159 525, 271 578, 058
1928 1929 1930 1931 1932	227, 100 320, 598	182, 610 254, 712 237, 351 219, 841 189, 339	383 103 15 20 2	637 1, 047 1, 998 938 723	2,002 3,246 2,792 2,009 1,652	412, 732 579, 706 623, 727 628, 115 572, 187

The only steel produced in India from native materials is basic open-hearth steel made in stationary open-hearth furnaces and by the duplex method and tilting furnaces. There is no direct production from iron in electric furnaces, the few electric furnaces in operation only remelt scrap steel.

The Tata Co. is the only steel producer (save for a limited tonnage made by the Mysore Iron Works in electric furnaces), and their present capacity is about 600,000 tons a year. On their present basis of operations, between 65 and 70 percent of their pig-iron production goes into steel, and their steel production averaged 560,000

tons per annum over the past 5 years.

The following tabulation of finished steel production does not represent the total Indian output, for the reason that no figures are available from private engineering works, Government arsenals, railway and tramway workshops, and numerous other establishments operating small remelting furnaces for making their own requirements for construction and repair work. It is believed, however, that the figures represent the total output of the items listed.

# INDIAN OUTPUT OF FINISHED STEEL PRODUCTS

#### [In gross tons]

Item	1921	1922	1923	1924	1925	1926
Rails, heavy, 50 pounds and over	73, 561	61, 497	76, 945	92, 375	113, 493	144, 003
Rails, light, under 50 pounds	9, 508	2, 089	2.350	4, 671	6, 510	5, 317
Beams.		15, 218	14.411	19. 309	17.044	13, 581
Bars	15, 464	17, 621	25, 241	27, 489	52, 336	60. 483
Channels	3, 266	4, 469	1, 520	5, 609	7, 530	9, 035
Angles	4, 770	5, 412	6, 646	12, 651	15, 271	16, 339
Tees		1, 374	2, 476	2, 787	4.415	3, 957
Fishplates	4, 126	2, 762	3, 240	5, 196	4, 685	6, 186
Steel sleepers.	3, 120		3, 240	3, 190	1, 579	
Tin-plate bars				18, 968		586 49, 166
Sheet bars				18, 908	40, 067	
The her				9, 971	34, 796	33, 265
Hoe bars						
Tie bars						
Plates			17, 909	20, 588	20, 047	25, 890
Black sheets				1, 071	27, 090	23, 194
Plain galvanized sheets		- <b></b>	••••	346	10, 659	13, 327
Corrugated sheets				346	8, 809	10, 458
Tin plate			9, 100	20, 763	29, 477	35, 625
Item	1927					
Ivom	1924	1928	1929	1930	1931	1932
Rails, heavy, 50 pounds and over	169, 856	100, 443	141, 805	114, 523	70, 471	27, 703
Rails, heavy, 50 pounds and overRails, light, under 50 pounds	169, 856 4, 078	100, 443 3, 051	141, 805 1, 893	114, 523 2, 409	70, <b>47</b> 1 187	27, 703 462
Rails, heavy, 50 pounds and over Rails, light, under 50 poundsBeams	169, 856 4, 078 20, 128	100, 443 3, 051 10, 205	141, 805 1, 893 17, 985	114, 523 2, 409 26, 809	70, 471 187 65, 252	27, 703 462 55, 754
Rails, heavy, 50 pounds and over Rails, light, under 50 pounds Beams	169, 856 4, 078 20, 126 63, 477	100, 443 3, 051 10, 205 41, 135	141, 805 1, 893 17, 985 73, 519	114, 523 2, 409 26, 809 68, 069	70, 471 187 65, 252 75, 868	27, 703 462 55, 754 77, 436
Rails, heavy, 50 pounds and over Rails, light, under 50 pounds Beams Bars Channels	169, 856 4, 078 20, 126 63, 477 7, 381	100, 443 3, 051 10, 205 41, 135 2, 602	141, 805 1, 893 17, 985 73, 519 7, 932	114, 523 2, 409 26, 809 68, 069 10, 949	70, 471 187 65, 252 75, 868 5, 937	27, 703 462 55, 754 77, 436 4, 376
Rails, heavy, 50 pounds and over Rails, light, under 50 pounds. Beams Bars Channels	169, 856 4, 078 20, 126 63, 477 7, 381 17, 568	100, 443 3, 051 10, 205 41, 135 2, 602 20, 427	141, 805 1, 893 17, 985 73, 519 7, 932 24, 366	114, 523 2, 409 26, 809 68, 069 10, 949 29, 870	70, 471 187 65, 252 75, 868 5, 937 22, 701	27, 703 462 55, 754 77, 436 4, 376 20, 327
Rails, heavy, 50 pounds and over Rails, light, under 50 pounds Beams. Bars Channels. Angles.	169, 856 4, 078 20, 126 63, 477 7, 381 17, 568 5, 056	100, 443 3, 051 10, 205 41, 135 2, 602 20, 427 5, 550	141, 805 1, 893 17, 985 73, 519 7, 932 24, 366 6, 901	114, 523 2, 409 26, 809 68, 069 10, 949 29, 870 9, 995	70, 471 187 65, 252 75, 868 5, 937 22, 701 11, 854	27, 703 462 55, 754 77, 436 4, 376 20, 327 10, 493
Rails, heavy, 50 pounds and over Rails, light, under 50 pounds Bearus Bars Channels Angles Tees Fishplates	169, 856 4, 078 20, 128 63, 477 7, 381 17, 568 5, 056 5, 875	100, 443 3, 051 10, 205 41, 135 2, 602 20, 427 5, 550 5, 085	141, 805 1, 893 17, 985 73, 519 7, 932 24, 366 6, 901 4, 026	114, 523 2, 409 26, 809 68, 069 10, 949 29, 870 9, 995 5, 499	70, 471 187 65, 252 75, 868 5, 937 22, 701	27, 703 462 55, 754 77, 436 4, 376 20, 327 10, 493 2, 336
Rails, heavy, 50 pounds and over	169, 856 4, 078 20, 126 63, 477 7, 381 17, 568 5, 056 5, 875 2, 711	100, 443 3, 051 10, 205 41, 135 2, 602 20, 427 5, 550 5, 585 2, 319	141, 805 1, 893 17, 985 73, 519 7, 932 24, 366 6, 901 4, 026 6, 713	114, 523 2, 409 26, 809 68, 069 10, 949 29, 870 9, 995 5, 499 3, 985	70, 471 187 65, 252 75, 868 5, 937 22, 701 11, 854 2, 327	27, 703 462 55, 754 77, 436 4, 376 20, 327 10, 493 2, 336 4, 474
Rails, heavy, 50 pounds and over Rails, light, under 50 pounds. Beams. Bars. Channels. Angles. Tees Fishplates. Steel sleepers. Tin plate bars.	169, 856 4, 078 20, 126 63, 477 7, 381 17, 568 5, 056 5, 875 2, 711 61, 352	100, 443 3, 051 10, 205 41, 135 2, 602 20, 427 5, 550 5, 085 2, 319 46, 534	141, 805 1, 893 17, 985 73, 519 7, 932 24, 366 6, 901 4, 026 6, 713 53, 052	114, 523 2, 409 26, 809 68, 069 10, 949 29, 870 9, 995 5, 499 3, 985 62, 424	70, 471 187 65, 252 75, 868 5, 937 22, 701 11, 854 2, 327	27, 703 462 55, 754 77, 436 4, 376 20, 327 10, 493 2, 336 4, 474 77, 555
Rails, heavy, 50 pounds and over Rails, light, under 50 pounds.  Beams Bars Channels Angles Tees Fishplates Steel sleepers Tin plate bars Sheet bars	169, 856 4, 078 20, 126 63, 477 7, 381 17, 568 5, 056 5, 875 2, 711 61, 352 34, 469	100, 443 3, 051 10, 205 41, 135 2, 602 20, 427 5, 550 5, 585 2, 319	141, 805 1, 893 17, 985 73, 519 7, 932 24, 366 6, 901 4, 026 6, 713	114, 523 2, 409 26, 809 68, 069 10, 949 29, 870 9, 995 5, 499 3, 985	70, 471 187 65, 252 75, 868 5, 937 22, 701 11, 854 2, 327 40, 336 100, 292	27, 703 462 55, 754 77, 436 4, 376 20, 327 10, 493 2, 336 4, 474 77, 555 77, 323
Rails, heavy, 50 pounds and over	169, 856 4, 078 20, 126 63, 477 7, 381 17, 568 5, 056 5, 875 2, 711 61, 352 34, 469	100, 443 3, 051 10, 205 41, 135 2, 602 20, 427 5, 550 5, 085 2, 319 46, 534 19, 912	141, 805 1, 893 17, 985 73, 519 7, 932 24, 366 6, 901 4, 026 6, 713 53, 052	114, 523 2, 409 26, 809 68, 069 10, 949 29, 870 9, 995 5, 499 3, 985 62, 424 67, 482	70, 471 187 65, 252 75, 868 5, 937 22, 701 11, 854 2, 327 40, 336 100, 292 771	27, 703 462 55, 754 77, 436 4, 376 20, 327 10, 493 2, 336 4, 474
Rails, heavy, 50 pounds and over	169, 856 4, 078 20, 126 63, 477 7, 381 17, 568 5, 875 2, 711 61, 352 34, 469 2, 803	100, 443 3, 051 10, 205 41, 135 2, 602 20, 427 5, 550 5, 085 2, 319 46, 534 19, 912	141, 805 1, 883 17, 985 73, 519 7, 932 24, 366 6, 901 4, 026 6, 713 53, 052 48, 915	114, 523 2, 409 26, 809 68, 069 10, 949 29, 870 9, 995 5, 499 3, 985 62, 424 67, 482	70, 471 187 65, 252 75, 868 5, 937 22, 701 11, 854 2, 327 40, 336 100, 292 771 2, 068	27, 703 462 55, 754 77, 436 4, 376 20, 327 10, 493 2, 336 4, 474 77, 555 77, 323 2, 771
Rails, heavy, 50 pounds and over Rails, light, under 50 pounds. Beams Bears Channels Angles Tees Fishplates Steel sleepers Tin plate bars Sheet bars Hoe bars Hoe bars	169, 856 4, 078 20, 126 63, 477 7, 381 17, 568 5, 056 5, 875 2, 711 61, 352 34, 469	100, 443 3, 051 10, 205 41, 135 2, 602 20, 427 5, 550 5, 085 2, 319 46, 534 19, 912	141, 805 1, 893 17, 895 73, 519 7, 932 24, 366 6, 901 4, 026 6, 713 53, 052 48, 915	114, 523 2, 409 26, 809 68, 069 10, 949 29, 870 9, 995 5, 499 3, 985 62, 424 67, 482	70, 471 187 65, 252 75, 868 5, 937 22, 701 11, 854 2, 327 40, 336 100, 292 771 2, 068 27, 509	27, 703 462 55, 754 77, 436 4, 376 20, 327 10, 493 2, 336 4, 474 77, 555 77, 323 2, 771 28, 751
Rails, heavy, 50 pounds and over Rails, light, under 50 pounds. Beams Bars Channels. Angles Tees Fishplates. Steel sleepers Tin plate bars Sheet bars. Hoe bars. Tie bars. Plates Black sheets	169, 856 4, 078 20, 126 63, 477 7, 381 17, 568 5, 056 5, 875 2, 711 61, 352 34, 469 2, 803 24, 854 24, 562	100, 443 3, 051 10, 205 41, 135 2, 602 20, 427 5, 550 5, 085 2, 319 46, 534 19, 912	141, 805 1, 893 17, 895 73, 519 7, 932 24, 366 6, 901 4, 026 6, 713 53, 052 48, 915	114, 523 2, 409 26, 809 68, 069 10, 949 29, 870 9, 995 5, 499 3, 985 62, 424 67, 482	70, 471 187 65, 252 75, 868 5, 937 22, 701 11, 854 2, 327 40, 336 100, 292 27, 509 47, 669	27, 703 462 55, 754 77, 436 4, 376 20, 327 10, 493 2, 336 4, 474 77, 555 77, 323 2, 771 28, 751 59, 519
Rails, heavy, 50 pounds and over Rails, light, under 50 pounds. Beams Bars Channels Angles Tees Fishplates Steel sleepers Tin plate bars Hoe bars Tie bars Plates	169, 856 4, 078 20, 126 63, 477 7, 381 17, 568 5, 056 5, 875 2, 711 61, 352 34, 469 2, 803 24, 854 24, 562 9, 106	100, 443 3, 051 10, 205 41, 135 2, 602 20, 427 5, 550 5, 085 2, 319 46, 534 19, 912	141, 805 1, 893 17, 895 73, 519 7, 932 24, 366 6, 901 4, 026 6, 713 53, 052 48, 915	114, 523 2, 409 26, 809 68, 069 10, 949 29, 870 9, 995 5, 499 3, 985 62, 424 67, 482 1, 283 33, 654 47, 387 24, 575	70, 471 187 65, 252 75, 868 5, 937 22, 701 11, 854 2, 327 40, 336 100, 292 771 2, 068 27, 509 47, 669 27, 680	27, 703 462 55, 754 77, 436 4, 376 20, 327 10, 493 2, 336 4, 474 77, 555 77, 323
Rails, heavy, 50 pounds and over Rails, light, under 50 pounds. Beams Bars Channels. Angles Tees Fishplates. Steel sleepers Tin plate bars Sheet bars. Hoe bars. Tie bars. Plates Black sheets	169, 856 4, 078 20, 126 63, 477 7, 381 17, 568 5, 056 5, 875 2, 711 61, 352 34, 469 24, 854 24, 562 9, 106 6, 142	100, 443 3, 051 10, 205 41, 135 2, 602 20, 427 5, 550 5, 085 2, 319 46, 534 19, 912 265 18, 395 18, 395 17, 313	141, 805 1, 893 17, 895 73, 519 7, 932 24, 366 6, 901 4, 026 6, 713 53, 052 48, 915	114, 523 2, 409 26, 809 68, 069 10, 949 29, 870 9, 995 5, 499 3, 985 62, 424 67, 482 1, 283 33, 654 47, 387	70, 471 187 65, 252 75, 868 5, 937 22, 701 11, 854 2, 327 40, 336 100, 292 27, 509 47, 669	27, 703 462 55, 754 77, 436 4, 376 20, 327 10, 493 2, 336 4, 474 77, 555 77, 323 2, 771 28, 751 59, 519

# **EMPLOYMENT**

Steel-mill labor in India is drawn, like practically all industrial labor, from agricultural classes. The problem of the industry, therefore, has been to create a steadily available supply of trained labor from entirely inexperienced and wholly agricultural-minded people from practically every part of India. The resultant supply is considered satisfactory after long and careful training, and with capable supervision. It is not cheap, for although individual daily or monthly earnings are far lower than in the United States and Europe, it takes double or more than double the number of hands to do a given job, or to attend a given machine. Highly skilled Indian labor working with automatic or semiautomatic machinery is very efficient, but due to local conditions many operations such as loading are performed manually, and these operations are inefficient and costly. It is believed that approximately 90 percent of the present labor in the iron and steel industry is illiterate.

It cannot be said that industrial labor is subject to unemployment in India to the same extent as in more advanced industrial countries as, due to the close family system and the fact that practically all labor is primarily agricultural, steel-mill laborers during a lay-off for any reason are able to return to their family farms, of which in most cases they are part owners. However, only once in the modern history of the industry has there been what could be called unemployment on any large scale, and this was in 1928, when the Tata Iron & Steel Co., on the recommendation of the Tariff Board, who had emphasized the necessity for the reduction of the number of laborers, thinned out their ranks. This resulted in a strike which tied up the works for the best part of a year. The Tata Iron & Steel Co., in the fiscal year 1925–26, employed over 32,000 laborers and in 1926–27 employed 32,500. In the next year this was reduced by more than a thousand, and in 1928–29 it was cut down to 28,840. Since that time the number of employees, as mentioned elsewhere, has been reduced to about 25,000 through improved equipment and increased efficiency.

According to the investigations of the Royal Commission on Labor in India the average working hours in the iron and steel industry is a 48-hour week divided into 8-hour shifts. They found that the average hours of labor per week including overtime were between 51 and 52 while in some continuous processes it increased to as high as 56.

The Tata Co., employing 25,000 laborers gives 1 month holiday a year at full pay to its monthly paid staff, while its daily paid hands are allowed 2 weeks. Two additional days on full pay each year are granted for religious festivals. At the end of 7 years' continuous service, employees drawing 30 rupees 'per month or more are allowed 6 months leave on half-pay. Also 5 days per year on full pay is allowed for sickness and urgent private affairs. Accident pay at full rates up to 6 months may be allowed, and in case of death through unavoidable accident 1 year's full pay is allowed the family. A works' provident fund has been in effect since 1920 whereunder employees drawing 15 rupees per month or over may deposit one twenty-fourth of their wages, to which the company will add one twelfth or double the amount. The fund bears interest at 6 percent.

It is impossible to obtain detailed and up-to-date wage figures, and while the following statement shows mere approximations they are near enough to actual rates to provide an excellent indication of the present wage levels:

		wage	Daily w	7ago
Diast fulliaces.	₹8.	a.	Merchant mills—Continued. Rs.	a.
Stove tenders	2	4	Heaters4	9
Assistant stove tenders	1	8	Pusher operators1	12
Keppers	2	8	Door operators1	4
Slag firemen	1	4	Chargers 1	6
		12	Furnace-control drivers 1	10
Fitters	2	8	Billet recorders2	10
Fitter helpers		4	112	0
Blacksmiths	<b>2</b>	2	Rollersto	
Riggers.	1	8	21	0
Skip operators	1	12	Assistant rollers6	0
Truck drivers	1	8	Roughers4	9
Merchant mills:			Tongsman2	7
Billet-yard foreman	2	10	General utility man 4	4
Steam-hammer operator	2	2	Roll fitters 3	$\bar{2}$
Straightener laborers	0	12	Control drivers1	$1\overline{3}$
Heaters in charge	5	10		

<sup>&</sup>lt;sup>1</sup> The par value of the rupee is \$0.3650 United States currency.

The average rate per day, including those given above and other

labor in merchant mills, is around 1.88 rupees per day.

There is only one labor union worthy of the name in the industry and that is at the Tata plant and is the relic of the strike of 1928 mentioned above. It cannot be said that this union is an effective force, and efforts to form unions at other mills have proved unsuccessful On the whole, very little trouble is experienced from labor disputes in the industry.

#### **ECONOMIC CONDITIONS**

The Indian iron and steel industry depends to a great extent upon Government purchases, particularly in connection with railway, engineering, and other materials, for a large part of its orders, and the fairly heavy railway construction programs carried through from 1920 to 1930 proved a decided boon to the industry. During this period the Government of India's policy of discriminating protection for indigenous industries likewise became effective and the steel industry has been tremendously benefited through repeatedly enhanced tariff protection as well as bounties. However, Government construction programs, both as regards railways and engineering projects, have been tapering off rapidly since the end of 1930 and the Indian industry might have found itself in a very unfortunate position had it not been for the enactment of compensating tariff increases which discouraged the importation of foreign iron and steel.

Comparative Calcutta wholesale-price figures, using July 1914 as 100, are given below for 1922, 1928, and 1931, also for December 1932, from which it will be noted that important items protected by tariffs have held up extremely well (metals, cotton manufactures, and sugar), while the raw products of the country have shown tremendous declines.

#### CALCUTTA WHOLESALE PRICE INDEXES

[July 1914 equals 100]

Commodity	1922	1928	1931	Dec. 1932
Cereals.		133	78	64
Pulses		157	89	L 92
Sugar.		165	135	139
Tea		154	86	57
Other food articles.		157	111	95
Oilseeds		142	82	77
Mustard oil		110	68	62
Jute, raw.		100	49	38
Jute manufactures		150	76	70
Cotton, raw	191	167	83	89
Cotton manufactures		159	123	112
Other textiles (wool and silk)		139	68	. 58
Hides and skins		134	67	59
Metals	175	125	109	104
Other raw and manufactured articles	235	138	101	96
Building materials (teakwood)	131	150	150	124
All commodities		145	96	88

The item of metals in this comparison includes iron hoops, Tata no. 1 foundry pig, Tata no. 4 foundry pig, galvanized corrugated sheets 24 B.W.G., tin block, and copper braziers. The price comparisons in the following table are of interest in this connection:

DECLARED VALUE PER UNIT OF CERTAIN IMPORTED IRON AND STEEL ITEMS

Articles				e-wa erag		192 <del>9-3</del> 0		1930-31		1931-32		
Iron, bars and channel	Rs. 118 115 205 150 3 192 236 139 231	a. 4 5 1 10 11 0 15 6 8 7	p. 2 6 6 9 6 1 1 0 4 7	Rs. 178 125 289 265 6 215 320 132 296 113	a. 10 12 6 15 13 12 6 11 7	p. 11 4 4 11 3 9 2 0 11 9	Rs. 155 120 273 340 7 196 317 134 304 104	a. 11 14 2 10 5 2 6 12 9 5	p. 4 1 6 11 2 10 11 5 7 5	Rs. 216 109 289 281 10 197 261 129 299 89	a. 8 15 6 13 11 6 8 2 12	p. 3 7 10 11 11 10 10 10 10 10 10 10 10 10 10

# FINANCIAL RESULTS

Owing to the favorable factors above outlined, the various companies have done very well in comparison to the performance of other companies comprising the Indian industries, and probably as compared with iron and steel manufacturers elsewhere as the following statements of profits from 1922 to 1931, inclusive, show.

PROFITS OF THE INDIAN IRON AND STEEL INDUSTRY

Year		Indian Iron & Steel Co.	Bengal Iron Co.	Year		Indian Iron & Steel Co.	Bengal Iron Co.
1922	Rs. 8, 386, 004 2, 059, 226 3, 132, 007 6, 471, 013 9, 572, 685	Rs. 478, 905 213, 825 402, 187 -206, 098 463, 357	£ 102, 210 194, 571 240, 601 75, 825 —43, 022	1927 1928 1929 1930 1931	Rs. 14, 834, 316 10, 980, 541 4, 605, 712 8, 226, 100 9, 912, 938	Ra. 1, 728, 976 3, 473, 545 3, 367, 729 1, 977, 803 1, 363, 584	£ 209, 161 314, 381 261, 413 203, 702 -22, 764

The Mysore Iron Works is a Government concern and no figures are available. It will be noted that the Bengal Iron Co. showed a loss in 1926 and in 1931, the Indian Iron & Steel Co. in 1925; and while the Tata Iron & Steel Co. had a loss during 1929 (their strike in 1928 cost them around 20,000,000 rupees), they showed an actual book-keeping profit by transferring 5,000,000 rupees from reserves.

It is difficult to determine the exact amount of investment in the industry. Detailed statements are not available and the companies own mines and quarries which are carried in their general accounts. However, in their balance sheet of March 31, 1931, the Tata Iron & Steel Co. carried a gross block account of 234,000,000 rupees from which had been written off 82,000,000 rupees in depreciation. The Bengal Iron Co. carried a block expenditure of £2,494,000, which is approximately 31,170,000 rupees, and the Indian Iron & Steel Co. estimate their gross block at 27,000,000 rupees less some 5,000,000 rupees for depreciation. Taking these figures as a basis we arrive at a total investment in the industry of approximately 295,000,000 rupees, excluding the Mysore Iron Works for which comparable data are not available.

# ORGANIZATION WITHIN THE INDUSTRY

The Indian industry has no organization through which it presents a united front in the case of tariff proposals, etc., although the Indian Metallurgical Association is a body which could be utilized in this connection if the industry desired and, in fact, on several occasions the testimony of the Indian Metallurgical Association has been called in for tariff studies.

From time to time it has been alleged, and it is common rumor throughout the trade, that the three principal pig-iron producers operate what is known as the "pig-iron pool" to control prices at around import levels, divide sales territories, and otherwise mutually protect the interests of the pig-iron industry. During the course of their study of the industry in 1929, the efforts on the part of the Indian Tariff Board to substantiate this resulted in a statement by that body, to the effect that the results of the tender called for by one of the railways, at the instigation of the Tariff Board, for certain quantities of pig iron of comparable quality f.o.r. a given point in India failed to prove these statements. The result of the bids they received showed that imported pig iron was quoted at 81 rupees, 9 annas, 8 pies, producer A quoted 68 rupees, 13 annas, producer B, 65 rupees, 15 annas, 9 pies, producer C, 70 rupees, 15 annas, 9 pies, and producer D, 65 rupees.

The Indian industry is party to no international agreements, with the exception of the agreement, recently entered into between the Indian manufacturers of sheet bars and the British galvanized-sheet makers, in connection with the supplementary agreement on galvanized sheets arrived at between Great Britain and India as a result of the Ottawa Conference. This agreement in effect provides that Indian producers will be permitted to dispose of their full output of galvanized sheets (which will soon be 80,000 tons per annum) before British sheets will come into the market. Indian manufacturers of sheet bars will sell about 84,000 tons annually to British sheet makers and the resulting, say, 70,000 tons of sheets will enter India at a preferential rate of 30 rupees per ton and will be sold by the Indian sheet The rate on sheets rolled in the United Kingdom bar producers. from other than Indian sheet bar is 53 rupees per ton, and sheets from foreign countries will have to pay 83 rupees per ton.

#### FOREIGN TRADE IN IRON AND STEEL

Although India's productive capacity for iron and steel has been greatly increased in recent years, the demand for iron and steel products is still, and will probably continue to be, far ahead of domestic supply, and India will undoubtedly remain a good buyer, particularly from the British industry under the tariff preference now in force.

In 1923 the Government of India adopted a tariff policy of "discriminating protection", and created the Indian Tariff Board as a body to study applications for tariff protection, the steel and allied manufacturing industries being one of the earliest studies of the board. Tariff protection and bounties were granted the steel industry in 1924 as a result of the board's findings, and in 1927 there was a wholesale revision of duties and of bounties, and preferential rates were granted to certain British iron and steel products to help overcome continental competition in the Indian market. The provisions

of the 1927 act were to operate until 1934, when a statutory inquiry

into the iron and steel industry is scheduled.

The steel industry protection act of 1928 introduced a duty of 2 rupees per hundredweight on iron and steel bolts. Additional protective duties were imposed on imported galvanized sheets from 1930 at the rate of 37 rupees per ton. By the steel industry protection act of 1931 the Government imposed a duty of 2 rupees, 4 annas per hundredweight on imported bolts and nuts and a further bounty of 20 rupees for each ton of rails delivered under the contract for 1930–31, was given to Messrs. Tata & Sons. In 1931 a duty of 45 rupees per ton was placed on imported wire and wire nails. Out of the Ottawa Conference in 1932 came a esparate agreement on galvanized sheets between Great Britain and India which provides for the following preferences:

(1) Sheets made in the United Kingdom from Indian sheet bars, 30 rupees a ton; (2) sheets made in the United Kingdom from other sheet bars, 53 rupees a ton, as compared with (3) sheets not made in

the United Kingdom, 83 rupees, 12 annas a ton.

In addition to this special treatment of Empire sheets, the general Ottawa agreement gave a preference of 10 percent to certain iron and steel products of Great Britain not previously receiving preferences.

#### IMPORT TRADE

The development of the local industry since 1913 has just about kept pace with the growth of demand within the country; and if figures of the past 2 years of abnormally low purchasing are eliminated, the average imports for the 3-year period 1926-29 is 1,070,000 tons against the 1913 figure of 1,018,000 tons.

Imports during the 5 years 1926-27 to 1930-31 (April-March)

are shown in the following table:

IMPORTS OF IRON AND STEEL PRODUCTS INTO INDIA [In gross tons]

Commodity	1926-27	1927-28	1928-29	1929-30	1930-31
Crude or semifinished material:  fron: Pig. Angle, tee, bolt, and rod. Bars and channels. Rice bowls. Steel: Angle and tee. Spring.	1, 627 306 10, 457 750 46, 637 5, 672	5, 104 597 4, 949 431 65, 892 2, 200	3, 160 1, 424 5, 346 265 66, 773 583	3, 282 325 4, 798 257 55, 501 90	3, 063 1, 216 4, 198 152 27, 606 492
Bars (other than cast steel) Cast: Tool steel: High speed Carbon Cast steel bars. Other cast steel Ingots, blooms, billets, and slabs.	586 1,449 329 171 410	299 418 355 547 28, 369	169, 846 415 315 469 687 9, 469	169, 304 422 521 329 477 8, 815	87, 370 316 254 312 229 1, 527
Total crude or semifinished material	219, 490	290, 236	258, 752	244, 101	126, 845

IMPORTS OF IRON AND STEEL PRODUCTS INTO INDIA—Continued
[In gross tons]

Commodity	1926-27	1927-28	1928-29	1929-30	1930-31
Finished material:					
Iron or steel:		1	1		
Anchors and cables	1.381	1,847	1,099	1.346	864
Beams, channels, pillars, girders, and bridge-	.,	.,	-,	_,	
work	71, 652	144, 368	135, 801	104, 861	86, 773
Bolts and nuts	11, 330	10, 265	15, 857	12, 551	8, 917
Fencing materials including fencing wire	7, 051	9, 378	9, 825	10, 048	7, 407
Hoops and strips	<b>35</b> , 351	33, 011	38, 583	<b>39, 2</b> 18	<b>3</b> 3, 349
Nails, rivets, and washers (excluding wire					
nails)Old for remanufacture	17, 322	18, 562	18, 671	16, 682	13, 938
Old for remanufacture	5, 954	2, 172	1,901	1,669	3, 414
Pipes and fittings	9,080	15, 672	10, 305	5, 760	3,001
for railways	22, 637	113, 190	48, 135	26, 065	10, 586
Screws:	22,001	113, 190	20, 100	20, 000	10, 300
Wood screws		1,730	1,093	1,460	1, 321
Metal thread screws		988	1, 389	621	298
Total screws.		1 500	1,000	021	200
Sheets and plates:	_,,				
Galvanized:		ľ	1		
Corrugated	254, 185	301, 521	298, 127	230, 429	127, 051
Plain	20, 634	29, 983	28, 110	27, 123	20, 381
Tinned:	-	İ		,	
Tin plates	<b>22</b> , 188	23, 857	26, 974	31,087	17, 229
Other sorts	56	1,092	203	78	22
Not galvanized or tinned:					
Sheets up to 1/2 inch thick	28, 402	33, 605	34, 746	24, 151	19, 423
Plates over 1/8 inch thick	31, 208	44, 206	44, 118	36, 908	19, 093
Other sorts	2, 357	1, 927	1, 135	674	815
Sleepers and keys of steel or iron for railways.			85, 036	65, 759	16, 534
Tubes, pipes, and fittings, wrought	29, 942 14, 498	46, 980	35, 488	34,072	37, 757
Wire nails	14, 498	13, 433	17, 911	12, 505	12, 409
Black	1,603	2, 155	2, 316	1, 879	1, 932
Galvanized.	1, 424	2, 133	1, 954	1, 456	1, 355
Wire other than fencing wire.	5, 713	8,003	9, 982	8, 732	12, 345
Other manufactures of iron or steel	29, 859	46, 995	42, 416	33, 450	31, 147
O THE MANAGEMENT OF THE PROPERTY.			, 110		
Total, finished material	625, 956	907, 025	911, 175	728, 584	487, 361
Total imports, all iron and steel products	845, 446	1, 197, 261	1, 169, 927	972, 685	614, 206

Due to changing conditions of construction and general widening of the market for iron and steel products, the past 5 years indicate large proportional importations of beams and pillars, hoops and strips, nails, rivets and washers, pipes and tubes, wire and wire manufactures, and miscellaneous iron and steel items. The rather surprising item of pig iron imports consists principally of hematite, which is brought in for special purposes, principally by the Government arsenal. A certain proportion of Scotch iron is also imported by some of the jute mills in the Calcutta area. These two sources of demand accounting for virtually the entire importation.

IMPORTS OF IRON AND STEEL INTO INDIA BY COUNTRIES OF ORIGIN

[In gross tons]

Countries of origin	1926-27	1927-28	1928-29	1929-30	1930-31
All imported iron and steel: United Kingdom. Belgium. Germany. United States. France. Other countries.  Total.	79, 028 28, f21 32, 973 41, 869	685, 016 316, 144 78, 571 16, 412 47, 974 53, 144 1, 197, 261	649, 534 333, 324 69, 958 18, 007 53, 806 45, 298 1, 169, 927	485, 778 312, 338 57, 733 15, 952 34, 833 66, 051 972, 685	269, 170 207, 432 43, 746 14, 979 29, 108 49, 771 614, 206

IMFORTS OF IRON AND STEEL INTO INDIA BY COUNTRIES OF ORIGIN—Continued

Countries of origin	1926-27	1927-28	1928-29	1929-30	1930-31
Crude or semifinished material:					
Iron:	3, 516	6, 440	4, 322	4, 879	4, 672
United KingdomBelgium		2.043	3, 142	2, 475	2, 118
Germany.		527	606	54	1,078
United States		021	.006	97	1,076
France		51	101		8
Others		2,020	2.022	1, 224	772
VMCtd	1,100	2,020			
Total	. 13, 140	11,081	10, 195	8, 642	8, 649
Steel:					
United Kingdom	21, 124	52,668	78, 395	55, 308	33, 383
Belgium		139, 130	103, 077	108, 723	56, 549
Germany		40, 776	26, 675	18, 681	3, 853
United States		20,	77	28	0, 00
France		19, 763	21, 085	11, 480	6, 994
Others		26, 817	19, 248	41, 239	17, 403
Total	206, 350	279, 155	248, 557	235, 459	118, 196
Finished material:					
Iron or steel:					
United Kingdom	381.581	525, 908	566, 817	425, 591	231, 115
Belgium		174, 971	227, 105	201, 140	148, 765
Germany		37, 268	42, 675	38, 988	38, 815
United States		16, 411	17, 930	15. 924	14, 964
France		28, 160	32, 620	23, 353	22, 106
Others		24, 307	24, 028	23, 588	31, 596
Total	625, 956	907, 025	911, 175	728, 584	487, 361

The participation of British mills in the iron and steel trade of India has declined in recent years. In the fiscal year 1927-28, 57 percent of all iron and steel imported into India came from the British Isles. In 1928-29 this proportion was 56 percent, in 1929-30, 50 percent, and in 1930-31 only 44 percent. India's decline in importance as a market for British steel has also been marked. In 1927 21 percent of Britain's exports went to India, in 1928 the proportion declined to 18.7 percent, in 1929 to 15 percent, in 1930 to 11.8 percent, and in 1931 it was only 10.7 percent of the total tonnage sent to foreign and British Colonial markets. Even so, India was, in 1931, Great Britain's chief market, exceeding South Africa by a narrow margin.

As the foregoing tables indicate, India's imports have declined heavily; and while no great change in the source of total supply has occurred during the past 5 years, galvanized sheets is one outstanding item which has shown displacement. In 1926–27 India imported 274,819 tons of galvanized sheets, this tonnage constituting 30 percent of the total iron and steel imports. During the fiscal year 1930–31 India's imports of this item totaled 147,432 tons, and but 23.5 percent of its total iron and steel imports. In 1926–27 galvanized sheets comprised 58.4 percent of Great Britain's total exports of iron and steel products to India, while in 1930–31 this item accounted only for 33 percent. In the former year the United Kingdom supplied slightly over 90 percent of the total quantity imported. The increased Indian manufacturing capacity is likewise an important factor in reducing imports, as domestic sheet capacity is now sufficient to supply 40 percent of normal requirements.

It is believed in India that the new duties, based on the "Ottawa Iron and Steel Agreement," will materially mend the position of

British-made sheets in this market, while the protective duties already in effect coupled with the additional protection given to many items in the general Ottawa agreement will do much to assist the British industry to regain its hold on the local iron and steel trade.

The following table shows United Kingdom export figures for the years 1927-31, inclusive, which give details of India's share of total

exports of iron and steel products:

United Kingdom Exports of Iron and Steel

[In gross tons]

Countries to which consigned	1927	1928	1929	1930	1931
Total to foreign countries	1, 666, 445	2, 007, 774	2, 108, 712	1, 560, 034	758, 427
	2, 529, 761	2, 252, 688	2, 270, 829	1, 599, 627	829, 410
Grand total	4, 196, 206	4, 260, 462	4, 379, 541	3, 159, 661	1 1, 980, 617
British India	834, 804	734, 370	614, 768	346, 058	211, 411
	19. 9	17. 2	14	10. 9	10, 7

<sup>1</sup> Includes 392,780 tens of iron and steel exported but "unallocated" as to country of destination.

The share of the United States in the iron and steel market of India is insignificant. In 1926-27 the total was 29,127 tons, of which 12,088 tons was galvanized sheets and 10,625 tons tin plate, these two items accounting for 78 percent of the total. In 1930–31 the total tonnage from the United States decreased to 14,994 tons and of this 1,898 tons was galvanized sheets and 8,752 tons tin plate, the combined figures equaling 71 percent of the total share. In the latter year the remaining 29 percent included 851 tons of pipes and tubes, 370 tons of fencing material, 317 tons of hoops and strips, and a quantity of miscellaneous items. The failure of American manufacturers to secure more of this trade is due to their inability to meet continental prices on an equal tariff basis, and British prices over their tariff advantage. Since 1931 a large oil company, formerly using American tin plate, has used the local product due to price.

Details of the United States export trade with British India in iron and steel products follows—the declining volume described in the preceding paragraph on the basis of Indian statistics being borne out by this official American data. Of especial interest is the sharp decline in shipments of tin plate, galvanized sheets, and several items of tubular products.

United States Exports of Iron and Steel to India, 1929-32
[In gross tons]

Item	1929	1930	1931	1932
Iron and steel scrap (including tin-plate scrap)  Bars, steel Bars, alloy steel Wire rods Plate, not fabricated Iron sheets, galvanized Steel sheets, galvanized Steel sheets, black	92 1 48 60 3, 179	28 30 34 305 1,520 50	20 60 1 19 42 432 2	1 1 2 8 8
Steel sheets, black Iron sheets, black	1 19		)	2

United States Exports of Iron and Steel to India, 1929-32—Contd.
In gross tons

Item	1929	1930	1931	1932
Strip steel, cold rolled	1	6		
Hoop, band, and scroll iron or steel	5	224	445	
Tin plate or terne plate	10 034	10, 616	618	'
Water, oil, gas, and other tanks, except lined, etc	- 10,001	640	4	
Structural shapes, not fabricated	- 63	214	_	
Structural shapes, fabricated		4, 363	4, 924	28
Plates, fabricated, punched or shapes	-1	2,000	1,023	-
Metal lath		34	1 4	
Frames, sashes, and sheet piling		230		
Rails, 50 pounds and over, per yard		618	10	
Rails, under 50 pounds, per yard	100	010	10	
Rail joints, splice bars, fishplates, and tie plates	55	33	243	
Switches, frogs, and crossings	1 15	2	1 240	'
Railroad bolts, nuts, washers, and nut locks	1 1	-	• •	
Boiler tubes, seamless	h -		( 40	
Boiler tubes, welded	- } 42	22	30	
Casing and oil-line pipe, seamless	là.		1,290	33
Casing and oil-line pipe, welded.	- 2,879	2, 254	1, 250	30
Malleable iron screwed pipe fittings		247	221	5
Cast-iron screwed pipe fittings.	45	4	221	
Cast-fron pressure pipe and fittings for	19	4	29	
Cast-iron soil pipe and fittings for		122	<del>-</del>	
Welded black-steel pipe	Ь -	630	566	71
Welded black wrought-iron pipe	- } 839	134	900	11
	K		1, 875	1,66
Welded galvanized steel pipe	- } 201	984		
Welded galvanized wrought-iron pipe	٠٢ ٦	19	32	
Calmanian de sueel wire	82	113		
Galvanized wire			92	
Barbed wire	364	29	38	
Woven wire fencing		193	80	2
Woven wire screen cloth		27	18	1
Wire rope	. 69	62	34	1
Insulated iron or steel wire and cable		1	1	
Other wire and manufactures		114	138	8
Wire nails		1 1		
Horseshoe nails	_ 23	16	12	] <b></b>
Other nails including staples	_ 10	11	6	
Ordinary bolts, machine screws, nuts, rivets, and washers	_ 275	131	67	
Iron castings	_ 108	9	2	l
Steel castings	. 116	40	10	
Car wheels and axles		47	6	
fron and steel forgings, n.e.s	- 11	22	21	
Total	21, 107	24, 196	11, 495	3, 23

Germany is not an important supplier of iron and steel to this market. Its share in 1926-27 was approximately 10 percent, and this decreased to 7 percent in 1930-31. During the latter year its percentage share in iron angles and channels was slightly improved, as was its percentage under iron or steel structural shapes, galvanized sheets, pipes, and a few other items. Steel items on the other hand, principally bars, lost ground and totals under this head were only about one tenth of its 1926-27 tonnage.

The principal items imported from France are structural shapes, and a small but steady trade is done in these. In 1926-27 France supplied 35,108 tons of iron and steel to India while in 1930-31, with

the total imports down 32 percent its total was 29,109 tons.

The Government of India is an insignificant factor in the import market at present, its total purchases of imported iron and steel in 1930-31 being 11,325 tons. Government purchases are of prime importance to the indigenous industry, which relies on orders for railway and engineering materials for a very large percentage of its sales, and it is the Government's policy to buy Indian products wherever possible.

#### EXPORT TRADE

Pig iron constitutes roughly 87 percent of all iron and steel products exported from India, and in 1930-31 approximately 81 percent of all exports of this item was taken by Japan, the United Kingdom, and the United States.

Exports of pig began before the war, the total in 1913-14 being 82,600 tons, of which Japan took 65,400 tons and Australia 10,500 tons. However, the real growth of the trade started about 1921, when Tatas installed modern blast furnaces and began to produce at extremely low cost, and exports since that time have been shown in the following table:

EXPORTS OF PIG IRON FROM INDIA

Year	Japan	United States	United Kingdom	All other countries	Total exports
1921-22 1922-23 1922-24 1924-25 1925-26 1926-27 1927-28 1928-29 1929-30 1930-31 1930-31	58 112 144 171 168 234 271 353 349 160 188	3 24 134 156 40 65 52 86 108	3 19 20 16 21 5 71 99 69	1 3 12 17 38 19 36 39 62 72 42	59 118 183 341 382 309 393 449 568 439 350

With Japanese purchases of Indian pig on the decrease and its future requirements apt to be largely supplied from Manchuria and Chosen, the problem of India's industry is to find dependable outlets for about 850,000 tons of pig iron, which is the estimated yearly excess of present productive capacity over requirements for local use. It is anticipated that the new duties on galvanized sheets, which give heavy preferences to sheets made in Great Britain from Indian sheet bar, will go a long way toward creating this outlet.

An analysis of the United States' import trade in pig iron from 1926 through 1932 and showing India's actual and proportionate participation is given in the following table:

United States Imports of Pig Iron, 1926-32

[Quantities in gross tons]

		From India	Total imports		
Year	Quantity	Value	Percent of total imports	Quantity	Value
1926 1927 1928 1929 1930 1931	83, 311 66, 627 56, 420 69, 243 108, 261 67, 930 28, 820	\$1, 421, 156 1, 002, 070 770, 196 956, 685 1, 209, 227 695, 722 254, 093	18. 7 50. 3 40. 1 46. 9 79. 1 80. 5 22. 1	445, 773 132, 658 140, 694 147, 763 137, 031 84, 411 130, 630	\$7, 708, 982 2, 254, 355 2, 232, 094 2, 398, 498 1, 806, 754 978, 683 1, 301, 625

Manifestly from the foregoing the sale of Indian pig iron in the United States depends upon factors (of which price is the chief) other than the rise or fall of the American demand. In 1932, for example, both the quantity sold and the proportion of the whole trade supplied fell sharply, despite a marked upturn in total purchases. In 1931, on the other hand, receipts of Indian pig iron fell in almost exactly the same proportion as did the total trade, while in 1930 the sales of Indian pig in the United States were greater by 57 percent in the face of a 7 percent decline in total purchases.

Exports of iron and steel items of Indian manufacture other than pig iron are insignificant, amounting to about 2,000 tons in 1930-31. However, during the year 53,000 tons of scrap and old iron and steel

were exported—principally to Japan for remanufacture.

#### **FUTURE PROSPECTS**

An annual import figure in excess of 400,000,000 rupees of iron and steel and manufactures, composed principally of advanced manufactures, is indicative of the field open to the development of local manufactures to consume India's excess supply of pig iron. Apart from the products of the steel mills and their allied companies, which include rails, tin plate, shapes, galvanized sheets, rods, wire, etc., the railway shops and private engineering firms are turning out railway, plant, and various types of structural material on a fairly large scale. Shipbuilding on a small scale, and the manufacture of items such as pumps, plows, and hand implements for cultivation, sugar and rice mills, rice hullers, wagons, hand presses, and a small start in textile machinery, fans and a few other machinery lines, plus some steel furniture, shelving, lanterns, etc., comprises the principal development to date. The engineering industry has had a good start, but unfortunately has not enjoyed prosperity even during the boom years. A number of factors are involved, including dutyfree imports of machinery and agricultural implements for many years, low tariffs on other competitive articles, and purely "India" problems of labor, management, and marketing.

A study of the financial position of 17 large engineering firms, whose block accounts total approximately 110,000,000 rupees from 1925 to 1931, inclusive (including their 18 share issues), indicates that 5 paid no dividends during the 7-year period; 1 paid 1 dividend of 2½ percent; 3 paid 2 dividends averaging 2½ percent; while only 1 has paid a dividend every year, and these averaged 4½ percent. The total of losses carried forward by these 17 companies was over 16,000,000 rupees. The 10-rupee shares of 7 of the companies average 3½ rupees on the exchange today. This despite the fact that 5 of the 7

years covered were considered fair years.

The past 2 years have been severely trying, and immediate prospects are no brighter; but firms that weather the present depression will be in a strong position in the market, and it is not too much to expect that when conditions again turn for the better capital will show an increasing interest and that, aided by the paternalistic tariff policy now developing, the engineering industries will show greater activity and growth.

O