TECHNOLOGY FOR RURAL DEVELOPMENT

PRODUCTION ORIENTED & EMPLOYMENT GENERATING TECHNOLOGIES

X90bA:m.2.31.N8 d3M3 204661

d3M3

204661

COUNCIL OF SCIENTIFIC AND INDUSTRIAL PESEARCH NEW DZL/M.110001 OCTOBER, 1983

VOLUME 1

PRODUCTION ORIENTED & EMPLOYMENT GENERATING TECHNOLOGIES



COUNCIL OF SCIENTIFIC AND INDUSTRIAL RESEARCH NEW DELHI OCTOBER, 1983

TECHNOLOGY F O R R Ř DEV E PMENT PRINTED BY INSDOC, NEW DELHI-110012

FOREWORD

In the 17th century, foreign merchants who came to India usually complained that India was a bottom-less pit in which all the gold and silver they brought, disappeared. This was because the product of Indian industry was sought for in many countries abroad. The foreign products, on the other hand, could not compete with the Indian products in the home market.

Gradually, situation began to change. Modern science and technology brought about an industrial revolution in the West and Indian technology could not keep pace with these developments. It became obvious that dichotomy was not possible between the skills available in the cities and those in the rural markets. The two became totally inter-dependent on one another.

And yet in a country like ours, the bulk of the people living in rural areas was denied its share of the advantages of science and technology. While the country cannot progress without industrialisation on a massive scale, it is becoming clear that apart from agriculture, S&T can serve as a tool to improve the quality of life of the villagers.

The agents of change, by virtue of their aims and objectives and with the active participation of scientific community, can catalyse the use of S&T complementaries in the sphere of rural development which should help in achieving rapid and successful results. This needs educating and opening the minds of rural people towards the benefits of S&T. Different media can be used for this purpose in bridging the communication and information gap through audio-visuals, training and demonstration.

I am glad to note that scientists of CSIR have joined hands in this task and the techniques, tools and technologies developed by them can be adopted by people staying in rural and backward areas. The main raw materials of many of these technologies are available there. The present publication is an effort to convey the message of application of science and technology to prospective users and clients. These technologies generally aim at optimum and scientific utilisation of local raw material and resources for generation of gainful employment. The publication meets the objectives of our Prime Minister's 20 Point Programme and will help in setting up industries in those districts where none exists.

I would, however, like to add that to help the scientists better, even their best promoters and users of these technologies should provide the necessary feedback. Similarly, for scientists, technologists and engineers, it will require an increasing awareness of rural realities and needs and increased efforts on their part to meet them.

I am specially impressed by the tabular presentation of this publication as at one place it provides a quick view of technologies under different heads and their claims from various angles of utilization. This will, I am sure, serve as a ready reckoner to all those who are engaged in taking the fruits of S&T to rural areas for employment generation and human resources development and especially to those who are looking forward to new entrepreneurship/projects and improved skills. The publication, I hope, will be useful as basic material for the Council for Advancement of Rural Technology (CART) in the Ministry of Rural Development, Government of India and the emerging State Councils of Science & Technology.

13-1

S. Nurul Hasan Vice-President Council of Scientific & Industrial Research (CSIR)

PREFACE

There is, perhaps, no area of human activity which cannot benefit from science and technology (S&T). This potent source has, however, not been fully tapped for the socio-economic development of people in rural areas especially in creating gainful employment. There is thus a need for undertaking a judicious application of S&T in an integrated manner coupling natural and human resources with modern techniques and technologies and to demonstrate these to the rural population at their door-steps. This calls for identification of needs and expectations of people and the matching technologies and their promotion according to their ability to absorb them in different agro-climatic and ecological zones in the country.

Scientists of CSIR laboratories have developed many technologies which have direct and indirect relevance to rural development. A compendium of such technologies was first published in 1978 under the title "CSIR in the service of rural society". This was warmly welcomed by different sectors. Since then, there has been a constant demand for information on those technologies which have a direct bearing on generation of gainful employment in rural and backward areas. In view of this and the national objective of eradication of poverty and of employment generation in rural and backward areas, an attempt has been made to prepare such a publication. Most of the technologies discussed here either have been successfully commercialized or are in various stages of utilisation.

This publication aims at providing relevant data pertaining to selected technologies developed by different CSIR laboratories with economic and production objectives specially

- to optimise utilisation of local raw materials and resources:
- to help in production of value added products near the source;
- to help in economic utilization of byproducts and recycling of wastes; and
- to project new and modern technologies for self-employment.

These technologies generally aim at optimum and scientific utilisation of local raw material and resources for generation of gainful employment. The publication meets the objectives of our Prime Minister's 20 Point Programme and will help in setting up industries in those districts where none exists.

I would, however, like to add that to help the scientists better, even their best promoters and users of these technologies should provide the necessary feedback. Similarly, for scientists, technologists and engineers, it will require an increasing awareness of rural realities and needs and increased efforts on their part to meet them.

I am specially impressed by the tabular presentation of this publication as at one place it provides a quick view of technologies under different heads and their claims from various angles of utilization. This will, I am sure, serve as a ready reckoner to all those who are engaged in taking the fruits of S&T to rural areas for employment generation and human resources development and especially to those who are looking forward to new entrepreneurship/projects and improved skills. The publication, I hope, will be useful as basic material for the Council for Advancement of Rural Technology (CART) in the Ministry of Rural Development, Government of India and the emerging State Councils of Science & Technology.

S. Nurul Hasan Vice-President Council of Scientific & Industrial Research (CSIR)

CONTENTS

	Page
FOREWORD	i
PREFACE	iii
TRANSPLANTATION OF TECHNOLOGY	1
AGRO-BASED TECHNOLOGIES	5
SPICE-BASED TECHNOLOGIES	11
MUSHROOM CULTIVATION AND PROCESSING	15
FERMENTATION-BASED TECHNOLOGIES	19
FOREST-BASED TECHNOLOGIES	23
POULTRY-BASED TECHNOLOGIES	27
MARINE-BASED TECHNOLOGIES	31
FISH-BASED	33
OTHER MARINE-BASED	34
MEDICINAL AND AROMATIC PLANTS	35
CULTIVATION OF MEDICINAL PLANTS	37
CULTIVATION & PROCESSING OF AROMATIC PLANTS	39
PLANT DRUGS AND ESSENTIAL OILS TECHNOLOGIES	41
PLANT DRUGS	43
ESSENTIAL OILS	44
LEATHER PROCESSING/TECHNOLOGIES	46

OTHER TECHNOLOGIES	51
UNITS WHICH HAVE GONE INTO PRODUCTION USING CSIR TECHNOLOGIES	55
ABBREVIATIONS OF CSIR LABORATORIES MENTIONED IN THE PUBLICATION	67
REGIONAL EXTENSION CENTRES/FIELD STATIONS OF CSIR LABORATORIES	69
INDEX (According to Raw Material)	71
INDEX (According to Cultivable Plants)	73

List of Abbreviations used

	I AD	previations used
gal		gallon(s)
ha	-	hectare(s)
hp	-	horse power
hr	-	hour(s)
kg	-	kilogram(s)
kI	-	kilolitre(s)
kW	-	kilowatt(s)
kWh	-	kilowatt(s) per hour
q	-	quintal(s)
Rs	-	Rupees
t	-	tonne(s)
W	-	watt(s)
yr	-	year(s)

TRANSPLANTATION OF TECHNOLOGY

When we talk of technology we immediately think of its relevance to industrialization, but technology is indispensable also to agriculture and allied activities that constitute the main occupation of the bulk of Indian people living in rural areas. Perhaps the greatest contribution of science and technology to rural development has been through modernisation of agricultural methods. It has been experienced that science and technology, if allowed to interact with other rural activities (including para-agricultural and non-farm), can lead to generation of opportunities for new and gainful employment in rural and backward areas.

Transplantation of technology involves selection of appropriate technology from various alternatives to meet the needs of a specific target group, making it adaptable and providing the necessary support services. In the rural context such a technology has been termed as Rural Technology. In this publication, it covers rural-based economic and production-oriented activities where application of CSIR technologies may meet some of the national objectives — eradiction of poverty, increased economic opportunities, gainful employment, balanced growth and social justice. Here, basically, science and technology have to be related to the people, their needs, resources, skills and cultural environment. The corresponding structure of technology development and replication would need a different approach. While in some cases it would need examination of the suitability and applicability of the already available tools, equipment, techniques and development of new alternative technologies wherever necessary, in other cases it may need the use of advanced technologies.

The Sixth Five Year Plan (1980-1985) stipulates that "rural technology should not be taken to mean primitive technology or technology of yesterday. A determined effort is needed to take modern science and technology to the rural areas so that it is brought well within the material, financial and skill resources of rural people. Therefore, while searching for and improving upon such technologies which increase employment opportunities for our people, it will be simplistic and dangerous to confine indigenous efforts to relatively simple technology for rural needs and depend on import of technology in high-technology areas. We have also to ensure an approximate mix of small, medium and large-scale technologies, in a manner consistent with our long-term interests". The other way of transplanting technologies could be to make the best use of existing resources to generate wealth and assets. This approach demands greater decentralisation of the application of modern technologies in rural and backward areas and calls for such policy measures as price and wage regulation and provision of employment for rural women, as these also determine the choice and operation of technology.

Transplantation of technology calls for generating scientific temper among the rural people, preparing them to accept new ideas, and inculcating in them a faith and confidence in their resourcefulness and ingenuity in adopting appropriate technology. This requires an integrated approach involving promotion of specialized programmes coupled with demonstration, training and post-training services. In many cases, technology may have to be developed in a package form.

This publication is in response to a felt need. It was suggested that CSIR may provide information on technologies having scope for application in rural areas and which have been developed up to a reasonable scale for easy transfer and utilization. It was with this objective in view that the work on identification of productionoriented and employment-generating technologies suitable for utilisation and commercialization in rural and backward areas was undertaken. Care has been taken to include only those technologies which do not incur high capital cost per unit of output and have a good scope of adaptability in rural areas. These technologies are either already in production, at various stages of commercialization or have been worked out up to a reasonably developed stage in the laboratory. Thus these technologies have a reasonable degree of provability behind them and also conform to some of the objectives enunciated in 20-Point Programme (January 1982) and Technology Policy Statement (January 1983) of the Government of India*.

This publication should, therefore, be taken as a Technology-Shelf containing selected items deployable in different areas of economic and productive activities.

A key element in successful technology utilization is the comprehensive knowledge of the various aspects involved, such as quality and quantity of raw materials required, their seasonal availability or otherwise, collection and storage, energy source and requirement, needs and availability of finance, credit, skill, manpower and management, and marketing. Hard technology itself is just one of the components of these aspects. It would, therefore, be advisable that even for technologies with an investment below rupees one lakh (Rs.1,00,000), a study of economic viability of the project should be made especially in relation to cost of production and marketability of the end product. The risk of failure could be minimised by continuous vigilance and observation of market behaviour and judicious decisions for the disposal of a product in semi-finished or finished form. Efforts could also be made for a fratemal trading arrangement with some established industries or marketing agency. In the management of such products possibilities should be explored to establish a relationship between different categories of beneficiaries – the producer of raw materials, the processor or entrepreneur, the market and the ultimate consumer, so that the benefits of science and technology are derived by all. In some cases, it may be of advantage to organise an institution to manage the project. According to the nature of the project, financial institutions, banks and insurance companies may also be associated from the beginning for providing finances and insurance cover.

In promoting these technologies the capacity for employing people directly should not be taken as a vardstick for their overall employment potential in isolation from other considerations. The performance of these technologies in generating production under rural conditions is perhaps more important than total wealth and assets produced. In many cases, the indirect impact and advantages could be quantified to complement socio-economic benefits. Like other economic and productionoriented projects, operation of many of the rural technologies discussed in this publication would need a reliable supply of raw materials and other specified inputs. This would, therefore, need a control over multiplication and indiscriminate replication of such technologies in a region. The technologies promoted should also be in harmony with the general level of competence of technology users. We must remember, though, that technology alone will not prove effective in bringing about transformation unless there is a simultaneous progress in the education of rural people. Here, education should precede the transplantation of technology programme and the objective should be 'technology as a complement to the development of humans in rural areas'.

These are, therefore, some of the crucial considerations in transplanting technologies. However, certain compromises could be made according to local situations.

This publication is presented in a somewhat nonconventional form to enable planners, policy makers, promoters of development schemes, financial institutions, government departments, change-agents, social voluntary organizations, consulting firms and other such institutions to have a quick look and use this as a handy reference book. The technologies are listed in a tabular form under suitably classified heads and further details about these could be obtained from concerned national laboratories (addresses given in appendix) or the Technology Utilisation Division, CSIR, Rafi Marg, New Delhi-110001.

* 20-Point Programme

- 1) Rural development and employment
- 2) Increased efficiency, capability, utilization and generation of internal resources,

Technology Policy Statement (TPS)

- 1) Rural development and employment generation
- 2) Efficiency and productivity

AGRO-BASED TECHNOLOGIES

Agricultural products and by-products form raw materials for many industries, which include processing of raw grain into consumable cereals, manufacture of industrial products and utilisation of by-products and wastes.

The technologies presented here imply the decentralised growth of cottage and small scale units near the source of such agro-materials like cereals, pulses, fruits, vegetables, spices, etc. These technologies are characterised by advantages like utilisation of locally available raw materials, ease of operation by semi-skilled workers, production of value added products, generation of assets and gainful employment opportunities.

AGRO-BASED TECHNOLOGIES

S.NO.	TECHNOLOGY/TECH- NIQUE(LABORATORY)	MAIN FEED STOCK/RAW MATERIAL	STATUS/SCALE OF TECHNOLOGY	COST/CAPACITY OF PLANT	ENERGY SOURCE/ REQUIREMENT	EMPLOY- MENT POTEN-	- UTILISATION STATUS (NUMBER OF PARTIES)		
						TIAL	RELEASED TO	IN PRODUCTION	
1.	Anti-fungal paste (CFTRI,Mysore)	Banana, high polymerisation diluent accele- rator, fungi- cide, food colour	Available (cottage)	Rs.15,000/30 kg. per day	Electricity 6 kW/day	4	-	•	
2.	Castor oil, de- hydrated (RRL,Hyderabad)	Castor seeds	In production (small)	Rs.4,00,000/500kg per day	Electricity 300 kW/day	20	4	2	
Э.	Cocoa mass,refined, Cocoa powder (CFTRI,Mysore)	Cocoa beans	In production (small)	Rs.5,33,000/0.25t beans per day	Electricity 350 kW/day Water 800 litres/day	11	4.	1	
4.	Coconut,desic- cated (CFTRI,Mysore)	Coconuts	Available (small)	Rs.1,45,000/1000 coconuts per day	Electricity 75 kW/day Water 6.000 gal/day	45	-	-	
5.	Coconut water, bottling of, (RRL,Trivandrum)	Ripe coconuts	Released (small)	Rs.14,10,000/ 1000 litres of coconut water per day	Electricity 41 kW/day Light diesel oil 14 litres/day	10	1	-	
6.	Coconut oil and defatted gratings (RRL, Trivandrum)	Fully matured coconuts	Released (small)	Rs.1,10,000/2000 coconuts per day	Electricity 400 kW/day	18	3	-	
7.	Cotton,cḥemical (RRL,Hyderabad)	Cotton linters	In production (small)	Rs.30,00,000/ 4.5 t per day	Electricity 3,000 kW/day	50	1	1	

. 7

S.NO.	TECHNOLOGY/TECH- NIQUE(LABORATORY)	MAIN FEED STOCK/RAW	STATUS/SCALE OF TECHNOLOGY	COST/CAPACITY OF PLANT	ENERGY SOURCE/ REQUIREMENT	EMPLOY- Ment Poten-		ION STATUS OF PARTIES)
		MATERIAL				TIAL	RELEASED TO	IN PRODUCTION
8.	Food,weaning malted (for infants) (CFTRI,Mysore)	Ragi and green gram	In production (small)	Rs.4,00,000/ t per day	Electricity 85 kW/day Fuel oil 120 litres/day Water 20,000 litres/day	4 0	3	2
9.	Food colours, plant based (CFTRI, Mysore)	Turmeric, Kokum,Beetroot, etc.	Available (small)	Rs.15,00,000/ 2.8 t of raw material per day	Electricity 350 kW/day Water 12,000 litres/day 0il 400 litres/day	20	-	-
10.	Fruits & Vege- tables, dehydra- tion of (CFTRI,Mysore)	Fruits & vegetables	In use (small)	Rs.7,18,000/ 500 Kg per day	Electricity 200 kW/day Water 15,000 litres/day	54	Several	Severa]
11.	Grapes, sun dried (CFTRI, Mysore)	Grapes, preservative	In production (cottage)	Rs.3,000/100 Kg per day		Self mploymen	1 It	1 .
12.	Liquid fruits (CFTRI,Mysore)	Apple,banana, guava,grape, etc.	In production (small)	Rs.1,00,000/1000 bottles (200 ml) per day	Electricity 25 kW/day Water 2,500 litres/day	8	10	1
13.	Maize mill including destoner (CFTRI,Mysore)	Maize	Destoner in production (small)	Rs.2,00,000/ 400 kg of maize grain per hour	Electricity 304 unit/day	8 ,	46	3
14.	Papain (CFTRI,Mysore)	Papaya latex	In production (small)	Rs.1,50,000/ 25 kg of latex per day	Electricity 135 kW/day	3 9	12	2
15.	Papain, crystal- line and concentrate (RRL, Hyderabad)	Papaya latex	In production (small)	Rs.9,00,000/ 500 g of crystalline and 500 kg of concentrate per annum	Electricity 700 kW/day	28	4	1

S.NO.	TECHNOLOGY/TECH- NIQUE(LABORATORY)	MAIN REED STOCK/RAW	STATUS/SCALE OF TECHNOLOGY	COST/CAPACITY OF PLANT	ENERGY SOURCE/ REQUIREMENT	MENT	(NUMBER	TION STATUS OF PARTIES)
	-	MATERIAL				POTEN- TIAL	RELEASED TO	IN PRODUCTION
.6.	Pectin, peel oil, and calcium citrate (CFTRI,Mysore)	Lime(<u>citrus</u> aurentifolia)	In production (small)	Rs.16,00,000/ 4 t of lime per day yielding 1) Cal.citrate 24 t ii) Pectin 15 t iii) Oil 1800 litre	Electricity 350 kW/day Steam 7t/day Water 50,000 litres/day s	73	4	1
7.	Potato chips, dehydrated (CFTRI,Mysore)	Potato	In production (cottage)	Rs.15,000/50kg chips per day	Solar (Sun drying)	4	Several	Several
8.	Potato chips, fried	Potato, refined	In production (cottage)	Rs.7,000/20 kg chips per day	Negligible	3	1	1
	(CFTRI,Mysore)	groundnut oil	(small)	Rs.2,00,000/ 500 Kg chips per day	Electricity 100 kW/day Water 25,000 litres/day Fuel Oil 600 t/day	7		
•	Pulse mill, modern (CFTRI,Mysore)	Pulses	In production (small)	Rs.3,00,000/ 8 t pulses per day	Electricity 680 units/day Water 350 litres/day	12	8	2
•	Raisins (NBRI,Lucknow)	'Pusa' seedless grapes	Available (small)	Rs.80,000/30-40kg of raisins per day	Electricity 5 kW/day	5	-	-
ι.	Rice mill,mini (CFTRI,Mysore)	Paddy (Rough Rice)	Plant in production (small)	Rs.50,000/ 500 kg of paddy per hour	Electricity 65 kW/day	5	43	2
2.	Sesame seed, dehulling of, (CFTRI,Mysore)	Sesame seeds	Released (small)	Rs:20,00,000/ 5 t seeds per day	Electricity 450 kW/day Steam 16 t/day Water 50,000 gal/day	35	1	
3.	Walnuts, proces- sing of (CFTRI,Mysore)	Green walnuts	Machine in use (cottage)	Rs.25,000/t per day	Electricity 300 kW/day	10	Several	Several

S.NO.	TECHNOLOGY/TECH- NIQUE(LABORATORY)	MAIN FEED STOCK/RAW	STATUS/SCALE OF TECHNOLOGY	COST/CAPACITY OF PLANT	ENERGY SOURCE/ REQUIREMENT	MENT	UTILISATIO	N STATUS ₹ PARTIES)
		MATERIAL				POTEN- TIAL	RELEASED TO	IN PRODUCTION
24.	Wax emulsion, for increasing shelf life of fruits and vegetables (CFTRI,Mysore)	Fruits and vegetables, emulsifiers, fungicides, and wax	In production (cottage)	Rs.10,000/20 litres per day	Electricity 5 kW/day	4	3	1
25.	Wheat milling (CFTRI,Mysore)	Wheat	Released (cottage)	Rs.35,000 - 40,000/300 kg wheat per day (8 hours shift)	Electricity 25 kW/day	4	11	-

SPICE-BASED TECHNOLOGIES

Spices occupy the pride of place in Indian culinary. Many spices are also used for medicinal and other homestead uses. Concentrated spice products are increasingly used by the food industries for adding flavour, aroma, colour and taste to foods. Production of natural food colours from spices, viz. red colour from chillies, assumes significance in view of the opinion against the use of synthetic colours in food. A process for producing spice oils used for giving extra flavour to meat products has also been developed. For preparing this, some of the 'rejects' obtained during grading of species like cardamom or pepper can also find use. Products such as high quality spice oleoresins and oils, dehydrated green pepper with its characteristic flavour and colour, etc., are some other products which have brought added economic gains to the producers. Science and technology has thus helped in increased work opportunity and income.

SPICE-BASED TECHNOLOGIES

S.NO.	TECHNOLOGY/TECH- NIQUE(LABORATORY)	MAIN FEED STOCK/RAW	STATUS/SCALE OF TECHNOLOGY	COST/CAPACITY OF PLANT	ENERGY SOURCE/ REQUIREMENT	EMPLOY- MENT POTEN-	Y- UTILISATION STATUS (NUMBER OF PARTIES)		
,		MATERIAL	4		2	TIAL	RELEASED TO	IN PRODUCTION	
6.	Asafoetida (Hing), powder/tablets (CFTRI,Mysore)	Asafoetida (oleogum resin ob- tained from root of Ferale plants)	In production (small)	Rs.1,10,000/ 200 kg resin per day	Electricity 160 kW/day	12	1	1	
7.	Chilli, drying of (CFTRI,Mysore)	Chillies	In use (small)	Rs.61,000/130 kg per day	Solar Water 1,500 litres/day	50	1	1	
8.	Chilli oleoresin, high pungent fraction and colour of (RRL,Trivandrum)	Dried chillies	Released (small)	Rs.22,00,000/t chillies per day	Electricity 475 kW/day Light diesel oil 70 litres/day	30	3	-	
9.	Garlic powder (CFTRI,Mysore)	Garlic bulbs	In production (small)	Rs.1,30,000/ 225 kg powder per day	Electricity 500 kW/day Water. 5,000 litres/day	25	17	3	
0.	Ginger,drying & powdering of (CFTRI,Mysore)	Ginger	In use (small)	Rs.3,80,000/ 1.2 t of raw ginger per day	Electricity 1,500 kW/day	7	Several	Several	
1.	Mustard powder (CFTRI,Mysore)	Mustard seeds	In production (small)	Rs.3,45,000/ 500 kg mustard seeds per day	Electricity 150 kW/day Steam 1 t/day Water 5,000 litres/day	8	3	1 	
2.	Pepper,green, canning and bottling of (RRL,Trivandrum)	Fresh green pepper	In production (small)	Rs.9,50,000/ 60 t per annum (60 working days)	Electricity 30 kW/day Light diesel oil 120 litres/day Water 5,000 litres/day	16	5	5	
				13	1				

S. NO.	TECHNOLOGY/TECH- NIQUE(LABORATORY)	MAIN FEED STOCK/RAW	STATUS/SCALE OF TECHNOLOGY	COST/CAPACITY OF PLANT	ENERGY SOURCE/ REQUIREMENT	EMPLOY- MENT POTEN-	(NUMBER	ION STATUS OF PARTIES)
		MATERIAL				TIAL	RELEASED TO	IN PRODUCTION
33.	Pepper,green, dehydrated (CFTRI,Mysore)	Fresh green pepper	In production (small)	Rs.3,28,000/t pepper per day (150 working days)	Electricity 1,20,000 kW/annum Coal 20 t/annum	18	23	4
34.	Pepper, green, dry packed (RRL,Trivandrum)	Fresh green pepper	Released (small)	Rs.1,55,000/ 15 t per annum	Electricity 5,000 kW/annum	6	2	-
35.	Pepper, powder (white) from black pepper (RRL,Trivandrum)	Dry black pepper	Released (small)	Rs.6,30,000/ 300 kg of black pepper per day (8 hours shift)	Electricity 185 kW/day Light diesel oil 100 litres/day	12	. 1	- -
36.	Spice oleoresins (CFTRI,Mysore)	Pepper,ginger turmeric, chillies,etc.	In production (small)	Rs.12,00,000/t of raw material per day	Electricity 180 kW/day Fuel oil 350 litres/day Water 8,000 litres/day	27	26	7
37.	Spice oil (CFTRI,Mysore)	Cardamom, pepper and ginger	In production (small)	Rs.2,50,000/ 500 kg per day (100 working days)	Electricity 300 kW/day)	10	7	2
38.	Turmeric, curing and polishing of (CFTRI,Mysore)	Turmeric fingers	In use (small)	Rs.90,000/500 kg raw material per day	Electricity 300 kW/day	10	Several	Several

MUSHROOM CULTIVATION AND PROCESSING

Mushroom cultivation in a predominantly vegetarian and undernourished country like India is very important as these edible fungi contains 26-42 per cent protein (dry weight basis) with an excellent composition of amino acids, minerals and vitamins. Moreover, the protein quality is such that much of it is digestible. Cultivation of mushrooms has become popular among housewives, not only to enrich diet, but also to supplement the family income. A number of varieties suitable for cultivation in different agro-climatic zones have been developed. These include for example, button mushroom (Agaricus bisporus) and dhingiri (Pleurotus sajorcaju) which can be grown easily by rural people. The dhingiri variety gets ready for harvest within 20-25 days in a thatched hut under moderate conditions of temperature (21-28°C) and relative humidity (55-75 per cent). Thus mushrooms can be grown practically throughout the year by adjusting different varieties at different times of the year. However, cultivation is not encouraged during rainy season as chances of infection are high.

The main requirement in mushroom cultivation is the appropriate culture or seed. A ramified mycelium kept alive in pure conditions is used as seed (spawn). This is available on demand from RRL (Jammu), NBRI (Lucknow), RRL (Jorhat) and CFTRI (Mysore). These laboratories organise training programmes on mushroom cultivation.

MUSHROOM CULTIVATION AND PROCESSING

.

.

S.NO.	TECHNOLOGY/TECH- NIQUE(LABORATORY)	MAIN FEED STOCK/RAW MATERIAL	STATUS/SCALE OF TECHNOLOGY	COST/CAPACITY OF PLANT	ENERGY SOURCE/ REQUIREMENT	EMPLOY- MENT: POTEN-	- UTILISATI (NUMBER (ION STATUS DF PARTIES)
	***					TIAL	RELEASED TO	IN PRODUCTION
39.	Mushroom,cultiva- tion of (NBRI, Lucknow)	1) <u>Volvariella</u> <u>sp</u> .)spawn and paddy straw	Released (cottage)	Rs,15/bed for cultivation of 3 kg mushroom	-	Self- Employme	Several nt	-
		 Button (<u>Agari-cus bisporus</u>) spawn,wheat straw,sawdust and wheat bran 	- do-	Rs.20-25/tray for cultivation of 3 kg mushroom (period about 60 days)	-	-do-	-do-	
		 3) Dhingri (<u>Pleurotus</u> sajorcaju) spawn and paddy straw 	-do-	Rs.15/tray for cultivation of 3 kg mushroom (period about 30 days)	-	⊶do-	- do-	-
		 <u>Pleurotus</u> <u>flabbelatus</u>) spawn, paddy straw.oat meal and polythene bags. 	-do-	-do-	-	-do-	-do-	-
40.	Mushroom,preser- vation of, by canning, dehy- dration, pickling and soup manufacture (RRL, Jammu)	Fresh mushroom	Released (small)	Rs.2,75,000/ 450 kg fresh mushroom for 180 days	Electricity 20 hp Water 2 kl/day	24	Several	-
41.	Mushroom, dehydration of (RRL,Jammu)	Fresh mushroom	Released (cottage)	Rs.12,0007 180 kg fresh mushroom per day	Solar,Wood & Coal marginal	4	Several	-

17

S. NO.	TECHNOLOGY/TECH- NIQUE(LABORATORY)	MAIN FEED STOCK/RAW MATERIAL	STATUS/SCALE OF TECHNOLOGY	COST/CAPACITY OF PLANT	ENERGY SOURCE/ REQUIREMENT	MENT	UTILISATIO		
						POTEN- TIAL	RELEASED TO	IN PRODUCT ION	
42.	Mushroom, cultivation* and processing of (CFTRI, Mysore)	Master spawn, nutrients, paddy straw and packag- ing material	In use (cottage)	Rs.50,000/50 kg fresh mushroom per day	Electricity 5 units/day Water 1,000 litres/day Fire wood 20 kg/day	Self Employment y	1	1	

^{* &}lt;u>Pleurotus sajorcaju</u> variety of mushroom can be cultivated and narvested within 20-25 days in thatched hut under moderate conditions of 20-28°C temperature and relative humidity of 55-75 per cent. It can be grown for 6-8 months in a year at an estimated cost of Rs. 5/kg of mushroom.

FERMENTATION-BASED TECHNOLOGIES

Fermentation is the earliest known process of converting one organic substance into another by micro-organisms of enzymes of vegetable or animal origin. The techniques has been employed since ancient times in the production of curd. cheese, vinegar and alcoholic beverages and in food-seasoning. Modern fermentation technology has, however, been used for manufacture of a variety of products. Some of these developed by CSIR laboratories are citric acid, ethanol, vitamins, baker's yeast, wines, cider, fermented beverages, etc.

Great potential for promotion of fermentation industries exists in rural areas where substrates like rice, maize, potato, tapioca, malt barley, cashew apple, toddy, grapes, pineapple, molasses, etc., are available. There are some technologies which have possibility of application and promotion in rural areas for fermentation industries.

FERMENTATION-BASED TECHNOLOGIES

S.NO.	TECHNOLOGY/TECH- NIQUE(LABORATORY)	MAIN FEED STOCK/RAW MATERIAL	STATUS/SCALE OF TECHNOLOGY	COST/CAPACITY OF PLANT	ENERGY SOURCE/ REQUIREMENT	EMPLOY- MENT POTEN-	Y- UTILISATION STATUS (NUMBER OF PARTIES)		
		MATERIAL					RELEASED TO	IN PRODUCTION	
43.	Amylo-gluco- sidase (CFTRI,Mysore)	Strain of <u>A. niger</u> wheat bran	In production (small)	Being estimated		•	3	2	
44.	Curd,ready mix for quick setting of, (CFTRI,Mysore)	Chemicals	Released (cottage)	Cost of mix works out to be 35 paise for making curd out of 1 litre of mil	- k	-	1	-	
45.	Microbial rennet (CFTRI,Mysore)	Strain of rhizopus	Released (small)	Being estimated	-	-	1		
46.	Orange,comminuted beverage base (CFTRI,Mysore)	Mandarin oranges	Released (small)	2.8 t oranges per day	Electricity 100 kW/day Steam 1 t/day	10	1	•	
47.	Pectic enzyme (CFTRI,Mysore)	<u>Aspergillin</u> , wheat bran	In production (small)	Rs. 4,60,000/ 35 litres concen- trate per day	Electricity 300 kW/day Coal 0.05 t/day Water 30,000 litres/day	12	4	2	
48.	Vinegar from pineapple waste, or any sugary material (CFTRI,Mysore)	Pineapple peels, corncobs, nutrients, bottles, etc.	In production (cottage)	Rs. 30,000/t per day.	Water 5,000 litres/day B	Self Employmen	1 ` nt	1	

•

.

FOREST-BASED TECHNOLOGIES

Forests, with the proposed afforestation programmes, are inexhaustible source of raw materials for a variety of industries — pulp, paper and boards, aromatic and medicinal products, rosin and turpentine, non-edible oilseeds and the most important timbers and fuel. The economics of production, however, depends on the location of user industries. There are certain industries which could be appropriately located close to the forest areas and can be managed there by the local people. Such industries could utilise the un-used forest products like pine needles, waste-wood, etc., for production of value-added products like boards, packing cases, etc. The flowers and seeds can also be used for manufacture of industrial products like essential oils, gums and non-edible oils. The processes developed in CSIR laboratories and expertise available can thus be advantageously utilised for promotion of such production units.

FOREST-BASED TECHNOLOGIES

S.NO.	TECHNCLOGY/TECH- NICUE(LABORATORY)	MAIN FEED STOCK/RAW MATERIAL	STATUS/SCALE OF TECHNOLOGY	COST/CAFACITY OF PLANT	ENERGY SOURCE/ Requirement	MENT	UTILISATION STATUS (NUMBER OF PARTIES)	
						POTEN- TIAL	RELEASED TO	IN PRODUCTION
49.	Board,fibre,for packing purposes (RRL,Jarru)	Pine needles	Released (small)	Rs.25,00,000/ 4.8 t raw material per day	Electricity 250 hp Coal 1 t/day	50 direct 100 indi		-
50.	Board,paper (RRL,Jammu)	Paddy/wheat straw, bagasse,pine needles,etc.	In production (small)	Rs.8,00,000/ 2.5 t per day	Electricity 120 hp Coal 1 t/day Water 150 kl/day	16	8	4
51.	Board,straw (RRL,Hyderabad)	Waste paper, grass and straw	<pre>In production (small)</pre>	Rs.3,00,000/ 500 kg of board per day	Electricity 500 kW/day' Water 250 kl/day	12	Several	Several
52.	Cedarwood oil (RRL,Jammu)	<u>Cedrus</u> deodara	In production (small)	Rs.2,50,000/ 20 kg per day	Electricity 5 hp Coal/fuel wood 100 t/annum	10	10	3
53.	Gum from 'dhaincha' <u>(sesbania</u> <u>bispinosa</u>) (hBRI,Lucknow)	Dhaincha seeds	Available (small)	Rs. 2,50,000/t seed per day	Electricity 20 kW/day	50	-	-
54.	Pine wool (RRL,Jammu)	Pine needles	Released (small)	Rs.3,80,000/ 1.6 t dry needles per day	Electricity 50 hp Coal 100 t/annum	16	4	-
55.	Resin,distilla- tion of, and hardened rosin, production of (RRL,Jammu)	Chir-resin	In Production (small)	Rs. 5,00,000/t per day of resin distillation and Rs. 10,00,000/t per day of hardened rosin	Electricity 15 hp Coal 100 t/annum.	20	5	3
56.	Tamarind powder (CFTRI,Mysore)	Tamarind pulp	In production (small)	Rs.3,00,000/ 500 kg per day 25	Electricity 450 kW/day Water 7,000 litres/day	25 /	17	5

POULTRY-BASED TECHNOLOGIES

The poultry industry, which provides eggs and broilers, has benefited well from the results of research both for breeding of improved stocks and processing of eggs and poultry meat. Poultry-based technologies basically include techniques for advantageous utilisation of poultry products. These cover processing and preservation of chicken meat and eggs as well as formulation and quality control of poultry feed. Storage of poultry products for a longer time, particularly in the hot climate prevalent in India, has been investigated. Simple equipment has also been devised for use by small-scale poultry farmer to prepare ready-to-cook broilers. Formulations have been standardised for products such as chicken curry, chicken sausage, chicken sticks and 'tandoori' chicken. Technologies have also been developed for-producing egg powder for ready and convenient use; egg coating oil to double the storage life of eggs and maintain their quality; egg washing powder to remove dirt and microbial load from egg surfaces and egg albumen flakes for use in offset printing, leather tanning and as adhesives in crown cap manufacture.

POULTRY-BASED TECHNOLOGIES

S.NO.	TECHNOLOGY/TECH- NIQUE(LABORATORY)	MAIN FEED STOCK/RAW MATERIAL	STATUS/SCALE OF TECHNOLOGY	COST/CAPACITY OF PLANT	ENERGY SOURCE/ REQUIREMENT	MENT POTEN-	- UTILISATION STATUS (NUMBER OF PARTIES)		
							RELEASED TO	IN PRODUCTION	
57.	Broilers,dressing of (CFTRI,Mysore)	Broiler chicken	In use Poultry dressing gadgets developed (cottage)	Rs. 30,000/ 150-200 birds per day	Electricity 10 kW/day Water 2,000 litres/day	10	Several	Several	
58.	Egg albumen flakes (CFTRI,Mysore)	Egg	In production (small)	Rs.4,00,000/ 40 kg flakes per day	Electricity 100 kW/day Water 10,000 litres/day	8	8	1	
59.	Egg coating oil (CFTRI, Mysore)	Petroleum product, preservatives	Released (small)	Rs. 1,00,000/ 1000 litres per day	Electricity 40 kW/day	6	3	-	
5 0.	Egg shell powder (CFTRI,Mysore)	Egg shells	In production (small)	Rs.60,000/ 100 kg per day	Electricity 60 kW/day Water 4,000 litres/day	7	1	1	
51.	Egg washing powder (CFTRI,Mysore)	Detergent	Released (Cottage)	Rs.2,000/ 10,000-15,000 eggs per day	Electricity 30 kW/day Water 2,000 litres/day	4	2	-	
52.	Poultry feed (CFTRI,Mysore)	Cereals, millets, oil seed cakes and molasses	In production (small)	Rs.3,70,000/ 9 t feed per day	Electricity 90 kW/day	10	5	1	

MARINE-BASED TECHNOLOGIES

Fish-based technologies : CSIR technologies in this area aim at generating additional food resources from aquaculture and fish industry including improved techniques of processing, preservation, packaging, storage, distribution and gainful utilisation of low market value fishes. Methods of freeze drying of shrimps and fish meal and good quality oil from sardine have been standardised. The CFTRI process on pretreatment of fishes with a curing mixture followed by sun-drying or mechanical drying of mackerel has helped increase the storage life of fish to about seven months without impairing its quality. The technologies from CFTRI, Mysore and RRL, Bhubaneshwar enable economic utilisation of low grade fishes and fishery waste in the manufacture of fish meal, which forms a proteinous supplement in livestock and poultry feeds. In view of the increasing demand for fish meal and oil, there is scope for promoting such production units in coastal areas.

RRL, Jammu has successfully introduced five well acclimatised freshwater fish varieties, never grown earlier in the Jammu region. The Laboratory was the first to start production and supply of fish seeds for table varieties, viz. Rohu, Catla and Mrigal in Jammu & Kashmir State. In association with the State Government and co-operation of the village people, some rural ponds and lakes have been stocked with fingerlings of these fishes providing an additional source of income to the fishermen.

NIO, Goa has expanded fisheries resources in the waters of Goa, Konkan, Gujarat and Kerala which has helped fishermen to reap a rich harvest of fishes and prawns in coastal waters. Improvements have been made in the traditional technique of paddy-cum-prawn culture. The technology pertains to improvisation of traditional practices involving high stocking density and short term culture of *Pencus indicus* in 25 metre square plastic netting enclosures in a paddy-cum-prawn pond. With the improved technology, the yield of prawn increased to 1,750 kg as against 800 kg per ha/year in traditional practices. Here, the stocking density is maintained at 20 prawns per square metre and the feed used is groundnut oil cake. It has been also possible to take two harvests a year. Other Marine-based technologies : The long and extensive sea coast of the country is a rich source of varied marine plants, seaweeds and fishes. The importance of seaweeds as cattle feed, manure, human food, and gelforming substances like agaragar and algin and of late as a source of energy has been well recognised in the country's economic development. CSMCRI, Bhavnagar has developed technologies for seaweed products such as agar-agar, sodium alginate, alginic acid and alginates.

Another significant contribution of CSMCRI is the utilization of sea-water and sand dunes for cultivation of food and economic crops of importance. The Institute has successfully cultivated bajra, onion and jajoba (an oil-bearing plant) in sand dunes.

Sea-farming involving the application of the principle of animal husbandry to the marine environment is a new area for coastal rural development. This has created a potential for generating additional work opportunity, income and employment. Although exploitation of sea resources has traditions well-rooted in the past, it is only recently that sea farming or mariculture has been considered as a potential area for development and growth. To this end, NIO, Goa has undertaken R&D work in different aspects of mariculture covering sea-weeds, shell-fishes and finfishes. The culture of bivalves (mussels, oysters and clams) has given the most promising result so far. Rope culture of green mussels resulted in a high yield of 480 tonnes per hectare a year. Experiments have shown the possibility of getting three crops of mussels a year with the rate of return as high as about 80 per cent on a low initial investment. The culture of the grain edible oyster *Crassostrea gryphoides* when grown either on suspended ropes, trays or sandwich nets has shown a cut of 40 per cent time on large scale production. NIO has also developed technology for culturing agarophytes and alginophytes on coir nets in the coastal region.

CSMCRI has developed techniques for the cultivation of enteromorpha, an economically important algal seaweed in intertidal belts of the coast as well as in artificial ponds on land. The plants cultivated on nets produce biomas of 900-1718 g fresh weight per square metre area of the net in 6-8 weeks during winter season. Three crops can be produced in a year without being given any fertilizer treatment. One hectare of coast can produce 1.9 tonnes of dry alga a year.

In artificial ponds, plants can be cultivated on nylon threads. A biomass of 916-1226 g and sometimes up to 1775 g per square metre area of the pond can be obtained in 5-6 weeks. Six to seven crops can be obtained in a year. One hectare of pond can produce 8.6 tonnes of dry alga a year.

FISH-BASED TECHNOLOGIES

TECHNOLOGY/TECH- NIQUE(LABORATORY)	MAIN FEED STOCK/RAW MATERIAL	STATUS/SCALE OF TECHNOLOGY	COST/CAPACITY OF PLANT	ENERGY SOURCE/ REQUIREMENT	MENT	- UTILISATION STATUS (NUMBER OF PARTIES)		
					TIAL	RELEASED TO	IN PRODUCTIO	
Chitosan (CFTRI,Mysore)	Prawn and squilla waste	Released (small)	Rs. 9,90,000/10 t per day	300 kW/day Water	30 y	1	-	
Fish mackeral and Bombay duck, sun drying and curing of (CFTRI,Mysore)	Fish	In use (cottage)	Rs.7,000/100kg fish per batch	Solar	3	Several	Several	
Fish meal and oil from sardine (CFTRI,Mysore)	Sardine and fish waste	Released (small)	Rs.8,76,000/30 t of raw material per day	Fuel oil 330 kl/day Electricity 160 kW/day	36	1	-	
Fish meal for poultry feed (RRL,Bhubaneswar)	Low grade fishery wastes	In production (cottage)	Rs. 6,700/50 kg fish meal per day	Firewood 150 kg/day <i>i</i>	6			
Fish pickle, improved processing of (CFTRI,Mysore)	Fish (fleshy) cooking oil, salt & spices	Released (cottage)	Rs.20,000/100 kg per day	Electricity 50 kW/day	10	1	-	
Fish sausages (CFTRI,Mysore)	Fish and animal casings	In use (small)			3	Several	Severa]	
Paddy-cum- shrimp culture (in paddy fields near sea shore) (NIO,Goa)	Fast growing shrimp seeds (P.indicus) fish and shrimp waste meal, ground nut oil cake, rice/wheat bran and tapioca flour	Available (field)	Rs.6,500/965 kg shrimp per hectare per year (NovApril)			t		
	NIQUE (LABORATORY) Chitosan (CFTRI,Mysore) Fish mackeral and Bombay duck, sun drying and curing of (CFTRI,Mysore) Fish meal and oil from sardine (CFTRI,Mysore) Fish meal for poultry feed (RRL,Bhubaneswar) Fish pickle, improved processing of (CFTRI,Mysore) Fish sausages (CFTRI,Mysore) Fish sausages (CFTRI,Mysore) Fish sausages (CFTRI,Mysore) Fish sausages (CFTRI,Mysore) Paddy-cum- shrimp culture (in paddy fields near sea shore)	NIQUE(LABORATORY)STOCK/RAW MATERIALChitosan (CFTRI,Mysore)Prawn and squilla wasteFish mackeral and Bombay duck, sun drying and curing of (CFTRI,Mysore)FishFish meal and oil from sardine (CFTRI,Mysore)Fish and fish wasteFish meal and oil from sardine (CFTRI,Mysore)Sardine and fish wasteFish meal for poultry feed (RRL,Bhubaneswar)Low grade fishery wastesFish pickle, improved processing of (CFTRI,Mysore)Fish (fleshy) cooking oil, spicesFish sausages (CFTRI,Mysore)Fish and animal casingsPaddy-cum- shrimp culture (In pady fields near sea shore) (NIO,Goa)Fast growing shrimp waste meal, ground nut oil cake, rice/wheat bran and	NIQUE(LABORATORY)STOCK/RAW MATERIALOF TECHNOLOGYChitosan (CFTRI,Mysore)Prawn and squilla wasteReleased (small)Fish mackeral and Bombay duck, sun drying and curing of (CFTRI,Mysore)FishIn use (cottage)Fish meal and oil from sardine (CFTRI,Mysore)Sardine and fish wasteReleased (small)Fish meal and oil from sardine (CFTRI,Mysore)Sardine and fish wasteReleased (small)Fish meal for poultry feed (RRL,Bhubaneswar)Low grade fishery (cottage)In production (cottage)Fish pickle, improved processing of salt & (CFTRI,Mysore)Fish (fleshy) cooking oil, spicesReleased (cottage)Fish sausages (LFTRI,Mysore)Fish and animal casingsIn use (small)Paddy-cum- shrimp culture (in paddy (P.indicus) fields near sea shore)Fast growing shrimp waste meal, ground nut oil cake, rice/wheat bran andAvailable (field)	NIQUE(LABORATORY)STOCK/RAW MATERIALOF TECHNOLOGY OF PLANTChitosan (CFTRI,Mysore)Prawn and squilla wasteReleased (small)Rs. 9,90,000/10 t per dayFish mackeral and Bombay duck, sun drying and curing of (CFTRI,Mysore)FishIn use (cottage)Rs. 7,000/100kg fish per batchFish meal and oil from sardine (CFTRI,Mysore)Sardine and fish wasteReleased (small)Rs. 8,76,000/30 t of raw material per dayFish meal for poultry feed (CFTRI,Mysore)Low grade fishery (cottage)In production (cottage)Rs. 6,700/50 kg fish meal per dayFish pickle, improved processing of (CFTRI,Mysore)Fish (fleshy) cooking oil, cooking oil, cooking oil, costingsReleased (cottage)Rs. 20,000/100 kg per dayFish sausages (CFTRI,Mysore)Fish and animal casingsIn use (small)Rs. 1,10,000/40 kg sausages per dayFish sausages 	NIQUE(LABORATORY)STOCK/RAW MATERIALOF TECHNOLOGY TECHNOLOGYOF PLANTREQUIREMENTChitosan (CFTR1,Mysore)Prawn and squilla wasteReleased (small)Rs. 9,90,000/10 t Electricity per day300 kW/day Water 15,000 litres/da Steam 4 t/dayFish mackeral and Bombay duck, sun duck, sun during of (CFTR1,Mysore)FishIn use (cottage)Rs. 7,000/100kg fish per batchSolarFish meal and ooil from sardine (CFTR1,Mysore)Sardine masteReleased (small)Rs. 8,76,000/30 t fish per batchFuel oil of raw material 330 kl/day Electricity Electricity (cottage)Fish meal for poultry feed (RRL,Bhubaneswar)Low grade fishery (cottage)In production (cottage)Rs. 6,700/50 kg fish meal per dayFirewood fob kW/dayFish pickle, improved (CFTR1,Mysore)Fish (fleshy) cooking oil, cooking oil, cosing of spicesIn use (cottage)Rs. 1,10,000/40 kg Electricity sausages per dayAvailable fieldFish sausages (In pady (In pady (NO,Goa)Fast growing shrimp waste meal, ground nut oil cake, rice/wheat bran andAvailable shrimp waste meal, ground nut oil cake, rice/wheat bran andReleased fieldRs. 6,500/965 kg shrimp per hectare per year	NIQUE(LABORATORY)STOCK/RAW MATERIALOF TECHNOLOGYOF PLANTREQUIREMENTMENT POTEN- TIALChitosan (GFTRI,Mysore)Prawn and squilla wasteReleased (small)Rs. 9,90,000/10 t Electricity per day30 300 kW/day kater 15,000 litres/day Steam 4 t/day30 add katerFish mackeral and Bombay duck, sun drying and curing of (GFTRI,Mysore)FishIn use (cottage)Rs. 7,000/100kg fish per batchSolar3Fish meal and oil from sardine wasteSardine and fish wasteReleased (small)Rs. 8,76,000/30 t per dayFuel oil Solar36Fish meal for polity feed (GFTRI,Mysore)Low grade fishery wasteIn production (cottage)Rs. 6,700/50 kg per dayFiewood fish meal per day6Fish pickle, improved processing of (GFTRI,Mysore)Fish (fleshy) salt & a cosking oil, salt & a tish casingsReleased (cottage)Rs. 1,10,000/40 kg Electricity S0 kW/day10Fish sausages (GFTRI,Mysore)Fish and animal casingsIn use (small)Rs. 6,500/965 kg sausages per day 40 kW/daySelf Employmen hectare per hectare per hectare per yearSelf Employmen hectare per hectare perSelf Employmen	NIQUE(LABORATORY)STOCK/RAW MATERIALOF TECHNOLOGY FTECHNOLOGYOF PLANTRECUIREMENTMEET TOTAL TIALNUMBER POTEN- TIAL RELEASED TOChitosan (CFTRI,Mysore)Prawn and squilla wasteReleased (small)Rs. 9,90,000/10 t Electricity per day301Chitosan (CFTRI,Mysore)Prawn and squilla wasteReleased (small)Rs. 9,90,000/10 t Electricity per day301Fish mackeral duck, sun drying and curing off (CFTRI,Mysore)Fish released (small)In use (small)Rs. 7,000/100kg fish per batchSolar3SeveralFish meal and oil from adne adrine (CFTRI,Mysore)Sardine (small)Released (small)Rs. 8,76,000/30 t for raw material gato ki/daySolar361Fish meal for poultry freed (CFTRI,Mysore)Low grade fishery (cottage)In production fish meal per dayFirewood fish meal per day6Fish pickle, improved (CFTRI,Mysore)Fish (fleshy) salt & spicesReleased (cottage)Rs. 1,0,000/100 kg slo kg/daySeveral fish meal per day101fish sausages (CFTRI,Mysore)Fish and sausages (Fish and casingsIn use salt & spicesRs. 1,10,000/40 kg slecsSelf EmploymentSelf EmploymentFast growing (In paddy fields near (IND,6sa)Fish and meal, ground mut oft cake, rice/wheat bran andAvailable yearRs. 6,500/965 kg shrimp culture year year (NovApr11)Self Employment	

OTHER MARINE-BASED TECHNOLOGIES

S.NO.	TECHNOLOGY/TECH- NIQUE(LABORATORY)	MAIN FEED STOCK/RAW MATERIAL	STATUS/SCALE OF TECHNOLOGY	COST/CAPACITY OF PLANT	ENERGY SOURCE/ REQUIREMENT	MENT (I	-UTILISATION STATUS (NUMBER OF PARTIES)	
	· · · · ·					POTEN- T TIAL	RELEASED TO	IN PRODUCTION
70.	Agar-agar from Indian sea weeds (CSMCRI,Bhavnagar)	Sea weeds (Gracilaria)	In production (small)	Rs.4,23,000/ 10 kg per day	Electricity 75 kW/day Water 45,000 t/day Steam 1 t/day	5	10	5
71.	Jajoba (Simmondsia <u>chinensis</u>) Culti- vation of, for liquid wax (CSMCRI,Bhavnagar)	Jajoba seed Coastal sand dune and water	Available (field)	Rs.15,000 for cultivating 2.5 ha/year	Diesel 12.5 litres/day Electricity 12-17 kW/day (for lifting water for irrigation- 120 acre inch per annum)	6250 man day for 10 years	in the	cultivated farm of stitute
72.	Vegetables and crops, cultiva- tion of (CSMCRI,Bhavnagar)							
1]) Bajra,Babapuri (Pennisetum typhoides) (17,000-24,000 ppm of sea water)	Seeds, sand dunes, sea water	Available (field)	Rs.4,070 for cultivating 2.5 ha, yielding grain 14-16 q/ha. Fodder 3-4 t/ha	-	Additional employment generation project	Being cu in the 1 the Inst	
11)) Onion(white) (<u>Allium cepa Lin</u> n) (10,000 ppm of sea water)	∽do-	-do-	¥ield 10-15 t/ha	-	150 man day for 150 days	s -do-	•
i i i) Sugar beet (10,000-15,000ppm of sea water)	-do-	-do-	Yield 12 t/ha	- 、	-do-	-do-	

MEDICINAL AND AROMATIC PLANTS

Most of the rural population is dependent on traditional systems and folk medicine wherein more than 90 per cent of the medicines are obtained from plants. With a view to building technological bridges in this field, CSIR laboratories have paid greater attention to screening, isolation of biologically and chemically active compounds, and pharmacological and toxicological testing of the selected medicinal plants. This also involved development of suitable agrotechnology for cultivation of these plants to achieve quality control, standardisation of primary processing and production of raw materials for other industries. Successful R&D in this field has eventually led to establishment of large-scale cultivation of medicinal plants, their primary processing at the source of cultivation and final production of active principles of end products. This venture not only provided increased income and extended work opportunities at rural level, but has also provided cheaper health-care products. Cultivation of some of the selected medicinal plants could be undertaken along with other conventional crops without replacement of food crops. One could envisage a "scientific rural medicinal system" based on an integrated scheme covering cultivation/collection, production, processing and dispensing, taking full advantage of the stock of knowledge at rural levels.

Similarly, there is considerable scope for cultivation of aromatic/essential oil bearing plants as subsidiary cash crops which can provide additional job opportunities to skilled and unskilled persons.

S.NO.	PLANT LABORATORY	SOIL/CLIMATE	DURATION OF CROP	YIELD PER HECTARE (AVERAGE)	COST OF CULTIVATION PER HECTARE	EXPECTED PROFIT PER ANNUM/HA	UTILISATION STATUS PRODUCTION/ ANNUM
73.	Belladonna (Atropa sp.) (CIMAP,Lucknow)	Deep fertile soil of medium tex- ture and temperate climate	3 years	Leaves - 100 kg/yr Roots after 3 years - 100 kg	Ist year Rs.3,500 Subsequent years Rs.2,500	Rs.7,500 after 3 years (Leaves @Rs.5/kg Roots @Rs.10/kg)	Grown at CIMAP farms
74.	<u>Dioscorea</u> <u>Species</u> (CIMAP,Lucknow)						
i)Dioscorea floribunda Mart.& Gall.	Medium loam deep soils	2 years	after 2 years	Ist year Rs.12,500 2nd year Rs.5500 Capital cost for erection of trellis Rs.20,000	Rs.12,000 after 2 years (@Rs.5/ kg of tubers)	Grown by one firm in Bangalore
ii	<u>)Dioscorea</u> <u>deltoide</u> a wall.	Medium loam deep soils	3 years	Dried tubers after 3 years -5t i	Ist year Rs.10,000 Subsequent years Rs.4,000 Capital cost for erection of trellis Rs.20,000	Rs.12,000 after 3 years (@Rs.6/kg of tubers)	-
75.	Pyrethrum (Chrysanthemum cinerariafolium Vis.) (CIMAP,Lucknow)	Fertile deep and well drained soil, mild cool climate 10-24 Annual rainfa	°c;)Flowers 220 kg/ yr. with pyrethrins content of 1.0 percent in Kashmir	Ist year Rs.1,600 Subsequent years Rs.1,000 (average) Rs.1200	Rs.1,000 (@Rs.6/kg of flowers)	Being cultivated in Kashmir
		1000 mm, but well distribu	11)Flower 440 kg/yr in Nilgiris with pyrethrins contents of 1.5 per cent	-do-	Rs.4,000 (@Rs.12/kg flowers)	
76.	Periwinkle <u>(Catharanthus</u> roseus L.G.Don) (CIMAP,Lucknow)	All types of soils,except saline/ alkaline	l year	Roots - 750 kg Leaves 2000 Kg (rainfed)	Rs.2,000	Rs.7,500 (@ Rs.10/kg of roots; @ Re.1/kg of leaves)	Released to 50 farmers

CULTIVATION OF MEDICINAL PLANTS

S.NO.	PLANT (LABORATORY)	SOIL/CLIMATE	DURATION OF CROP	YIELD PER HECTARE (AVERAGE)	COST OF CULTIVATION PER HECTARE	EXPECTED PROFIT PER ANNUM/HA	UTILISATION STATUS PRODUCTION, ANNUM
77.	Serpentina root (<u>Rouvolfia</u> <u>serpentina</u> Benth <u>ex</u> Kurz) (CIMAP, Lucknow)	Sandy allu- vial loam to red lateri tic loam, acidic and neutral soil, hot and humid tropical climate.	<i>.</i>	Dried roots after 2 years - 100 kg	Rs.7,500 for 2 years	Rs.12,500 after 2 years (@ Rs.20/kg) Seeds are also saleable (@ Rs.100/Kg)	

S.NO.	PLANT (LABORATORY)	SOIL/CLIMATE	DURATION OF CROP	YIELD PER HECTARE (AVERAGE)	COST OF CULTIVATION PER HECTARE	EXPECTED PROFIT PER ANNUM/HA	UTILISATION STATUS PRODUCTION/ ANNUM
78.	Geranium (<u>pelargonium</u> graveolens L. 'Her. <u>ex</u> .Ait) (CIMAP,Lucknow)	Well drained porous soil; mediterranean type of mild climate with low humidity, warm winter and mildsumme temperature, annual rain- fall 1000-150	r	0il-18 kg /annum	Ist year Rs.7,000 Subsequent years Rs.6,000	Ist year Rs.10,700 Subsequent years Rs.12,000 (@Rs.800/kg)	20 t
79.	Japanese mint (<u>Mentha</u> <u>arvensis</u> L. <u>subsp.haplocaly</u> Briquet var. <u>piperascens</u> (Holmes) (CIMAP,Lucknow)	Medium,deep soil pH 6-7,5 with adequate irrigation, tropical and sub-tropical climate	8 months	0il-75 Kg/annum	Rs.3,000/annum	Rs.5,000 (@ Rs.100/ kg. of cil)	400 t
80.	Java citronella (<u>Cymbopogon-</u> <u>winterianus</u> Jowitt) (CIMAP,Lucknow)	Sandy loam pH 5.8 to 8, tropical and sub-tropical climate, annual rain- fall 200-250 cm,well distributed or assured irrigation, altitude 180-1200 m.	4 years	Ist year Oil- 100 kg Subsequent years Oil-150 kg	Ist year Rs.7,000 Subsequent years Rs.6,000	Rs.6,000 (@ Rs.800/kg of oil	400 t
81.	Lemon grass (<u>Cymbopogon</u> flexuosus (Steud.) wats) (CIMAP,Lucknow)	Sandy loam soil; warm & humid climate; altitude 900-1200m;	6 years	011 - 75-100 kg/annum	Rs. 3,000/annum (@ Rš. 70/kg of oil)	Rs.3,000	650 t

CULTIVATION & PROCESSING OF AROMATIC PLANTS

(Cymbopogon annual rain- (@ Rs. 160/kg of martinii var, fall about (@ Rs. 160/kg of motial 150 cm or 011) (CIMAP,Lucknow) assured irrigation	S.NO, PLANT (LABORATORY)	SOIL/CLIMATE	DURATION OF CROP	YIELD PER HECTARE (AVERAGE)	COST OF CULTIVATION PER HECTARE	EXPECTED PROFIT PER ANNUM/HA	UTILISATION STATUS PRODUCTION/ ANNUM	-
(Cymbopogon annual rain- martinii var, fall about (@ Rs. 160/kg of oil) mottal 150 cm or (CIMAP,Lucknow) assured irrigation 8. Peppermint Medium deep 3 years 0il-50 kg/annum Rs.3,000/annum Rs.7000 20 t (@ Rs.200/kg of oil) 8. Peppermint Medium deep 3 years 0il-50 kg/annum Rs.3,000/annum Rs.7000 20 t (@ Rs.200/kg of oil) 9. Peppermint Medium deep 3 years 0il-50 kg/annum Rs.3,000/annum Rs.7000 20 t (@ Rs.200/kg of oil) 1.0 with adequate (@ Rs.200/kg of oil) 0.1 irrigation; tropical & sub-tropical climate/ temperate		fall 250-300 cm, well distributed or assured)					
Mentha piperita soil;pH 6-7.5 (@ Rs.200/kg L.) with adequate of oil) (CIMAP,Lucknow) irrigation; tropical & sub-tropical climate/ temperate	(Cymbopogon <u>martinii</u> var, motia)	annual rain- fall about 150 cm or) assured		0†1-50 kg/annum	Rs.2,500/annum	(@ Rs. 160/kg of	-	
	Mentha piperita	a soil;pH 6-7 with adequa) irrigation; tropical & sub-tropica climate/ temperate	.5 te	0i1-50 kg/annum	Rs.3,000/annum	(@ Rs.200/kg	20 t	

PLANT DRUGS AND ESSENTIAL OILS TECHNOLOGIES

Plant drugs and essential oils have been time-honoured products from ancient Indian industry. CSIR has developed improved designs of distillation stills and scientific techniques which are helpful in improving the quality of products and reducing the cost.

Essential oils or their active constituents find use in perfumery, flavouring, pharmaceutical and cosmetic industries. For example, Japanese mint is a source of natural menthol, which is extensively used in pharmaceutical and cosmetic preparations. It is also used as a flavour in chewing gums, toothpastes, tobacco and *pan masala*. Peppermint oil, which is obtained from *Mentha piperita*, finds use in the flavouring industry. Lemongrass oil is used as such in the perfumery/flavouring industries and it is a source of an important chemical citral, a starting material for the production of vitamin A. More than 100 essential oils obtained from plants are used in perfumery, cosmetic and flavouring industries.

Similarly, medicinal plants have great potential. Dioscorea deltoidea and D. floribunda contain an important active principle called diosgenin — the starting material for the production of sex hormones, oral contraceptives, etc.; pyrethrum flowers obtained from the plant Chrysanthemum cinerariae folium contain an active principle called pyrethrine and are used as a safe insecticide. Roots of Rauvolfia serpentina are a source of a chemical reserpine, which is used for lowering high blood pressure. There are more than 100 plants which are used in modern medicine. The number of plants used in Ayurveda, Siddha and Unani is more than 200.

	PLANT DRUGS										
S.NO.	TECHNOLOGY/TECH- NIQUE(LABORATORY)	MAIN FEED STOCK/RAW	STATUS/SCALE OF TECHNOLOGY	COST/CAPACITY OF PLANT	ENERGY SOURCE/ REQUIREMENT	MENT		ION STATUS OF PARTIES)			
		MATERIAL	ana ana amin'ny sorana araa ami			POTEN- TIAL	RELEASED TO	IN PRODUCTIO			
84.	Palatable isapgol, granules for laxative (CDRI,Lucknow)	Isapgol (<u>Plantago</u> <u>ovata</u> seed husk)	Available (small)	Rs.50,000 to Rs.1,00,000/ 100 kg per day and upwards	Electricity marginal	5-10	-	-			
85.	Pyrethrum for insecticide (RRL,Jammu)	Pyrethrum flowers	In use (small)	Rs.5,00,000/ 50 t flowers per annum	Wood/Coal 100 t/annum	15	2	-			

PLANT DRUGS

S.NO	. TECHNOLOGY/TECH- NIQUE(LABORATORY)	MAIN FEED STOCK/RAW MATERIAL	STATUS/SCALE OF TECHNOLOGY	COST/CAPACITY OF PLANT	ENERGY SOURCE/ REQUIREMENT	EMPLOY- Ment Poten-	(NUMBER	TION STATUS OF PARTIES)
	• ••	MAIERIAL					RELEASED TO	IN PRODUCTION
86.	Attars, per- fumed water and oil from flowers (NBRI,Lucknow)							
	i) Rose oil/water (from Damask rose)	Fresh flowers of Damask rose (<u>Rosa dema-</u> <u>scena</u>)	Available (cottage)	Rs.30,000/50 kg flowers dis- tillation per charge (one ha. of plantation yields about 3,000 kg flowers)	Fuel wood 60 q for distilling 3,000 kg flowers	6	-	
	ii)Jasmine con- crete & absolute	Fresh flowers of Jasmine (Jasminum grandiflorum Linn.) Petrojeum ether 40-60°C or Normal hexane 65-70°C	Available (small)	Rs. 2,00,000/ 24,000 kg flowers in 4 months in the year	Electricity 5 kWh	5	-	
87.	Blue oil from Matricaria Chamomilla Linn. (NBRI,Lucknow)	Dried flowers	In production (cottage)	Rs.5,000 for growing of 1500 kg flowers on a hectare of land plus Rs.2,500 for distillation plant	Fuel wood 2.25 q for 1,500 kg flowers	10	Several	Cultivation - 100 Processing - 1
88.	Citronella oil (RRL,Jorhat)	Citronella grass	In use (cottage)	Rs.20,000/ 200 kg·per batch	Wood/Coal 30 kg /batch	2-3/ha	Consulta given to 45 parti	
89.	Citronellol (2-3 dihydroge- raniol) (RRL,Jammu)	Eucalyptus citrodora oil	In production (small)	Rs.2,00,000/ 10 kg of finished product per day	Electricity marginal	10	4	2

ESSENTIAL OILS

S.NO.	TECHNOLOGY/TECH- NIQUE(LABORATORY)	MAIN FEED STOCK/RAW MATERIAL	STATUS/SCALE OF TECHNOLOGY	COST/CAPACITY OF PLANT	ENERGY SOURCE/ REQUIREMENT	EMPLOY- MENT POTEN-	UTILISATION STATUS (NUMBER OF PARTIES)	
	-					TIAL	RELEASED TO	IN PRODUCTION
90.	Citrus oil, terpeneless (CFTRI,Mysore)	Citrus oil (lemon/ lime oil/ orange oil)	Available (cottage)	Rs.40,000/ 2 columns deterpentation of 4-8 kg of citrus oil per day	Electricity marginal	2-3	-	
91.	Essential oil (RRL,Bhubaneshwar)	Lemon grass, citronella, Palmarosa grass,Cinna- mon leaves	In production (cottage)	Rs.7,000/100 kg per day	Wood/ Coa1 30 kg/day	2		
92.	Menthol (RRL,Jammu)	Mint oil from mentha leaves	In production (small)	Rs.4,00,000/3 t of menthol per annum	Electricity 5 hp	6	39	7
93.	Rose oil (CIMAP,Lucknow)	Rose flowers	Pilot plant (small)	120 kg of flowers per batch, cost being esti- mated	-	-	-	-

S1. No.	PROCESS (LABORATORY)	TRADITIONAL PROCESS	IMPROVED PROCESS AT RURAL LEVEL
94.	Carcass-Processing (CLRI,Madras)		
ī	 Carcass collection and transport to processing centre 	Carcasses are dragged, or transported by a hand-cart, to the village outskirts for flaying. A drawback is that hides in many cases get damaged because of dragging as well as because of delays in flaying. When animals die of natural causes and in places where carts cannot ply, the carcasses have to be removed manually.	A carcass-collection cart with a hoist is recommended. Improvement in design with standard components like wheels, beams, pulleys and rollers for easy transporta- tion of carcasses. For urban use, a jeep with trailor is suggested.
ii	i) Flaying and curing	Done by an ordinary knife, this is an improper method. The drawbacks are that hides get cuts, and more flesh is left in some parts, such flesh putrefying and damaging the hides.,	 i) Two types of flaying knives should be used: (i) round-edged, and (ii) sharp and pointed. A flaying platform may be provided.
		The hides are not cured immediately and are mostly dried in the sun. Sometimes, the salt applied is inadequate, or contaminated, or used salt is re-utilised.	ii) To remove blood and dirt, use of 30% NaCl by weight of hides, or a mixture of salt and preservatives, is recommended. This mixture should be applied in 3 parts on the flesh side of hides. There should be washing pits and a good supply of water.
			iii) A weighing machine should also be provided.
111	 Carcass disintegration, pre-processing/ composting 	Flayed carcass is left as such to vultures and dogs and the bones are collected afterwards.	 Carcass parts should be separated into tallow, bones and flesh for animal feed, manure, horns and hoofs.
			ii) Where there is no arrangement for carcass cooking, the meat and bone should be buried and the bones recovered later for being sold to bone mills or to those who utilize bones.

LEATHER PROCESSING/TECHNOLOGIES

,

S1. No.	PROCESS (LABORATORY)	TRADITIONAL PROCESS	IMPROVED PROCESS AT RURAL LEVEL
			<pre>iii) Pre-processing of bone flesh for bone flesh meal plant.</pre>
			iv) Composting of waste for manure.
			 v) Recovery of tallow by scrapping and melting in pan.
		•	vi) Preservation of tallow before supply to processing units
			vii) Recovery of guts for rackets; hair fo brushes; hide trimmings, ear, and tails for glue-making; and honns/bone for curios.
95.	Tanning (CLRI,Madras)		
	i) <u>Jawasee/awk</u> /lime process (unhairing)	i) Fallen flint hides in mixed lot are used with no proper soaking. Old <u>jawasee/awk</u> bath are used for years and these emanate a very strong foul smell, with the resultant stigma and social prob- lems. It takes 20-90 days for unhairing. Similarly, jawasee treatment is done in two baths, and without being washed it is taken to old (<u>Malni</u>) oza bath.	5-6 days. The treated hides are unhaired, fleshed, washed and lightly
		ii) Lime process: Hides are partially soaked and immersed in an old- lime liquor with fresh lime for 15-20 days, unhaired fleshed and washed.	There are a second and the second sec
	ii) Tanning	Tanning is done by the pit-or bag tanning method, by using aval or babul bark or any other locally available bark. The drawbacks are that the quantity of bark used is often insufficient, and the leathers are unevenly tanned. As result, the final products are disfigured with dark patchy colou while some are hard leathers, wit a foul smell.	<pre>method using locally available barks: i) E.I. tanning ii) Improved bag-tanning iii) Wet-blue chrome iv) Rural chrome process for sole/lace rs, v) 'Novotone' finishing.</pre>

S1. No.	PROCESS (LABORATORY)	TRADITIONAL PROCESS	IMPROVED PROCESS AT RURAL LEVEL
	iii) Post-tanning	Salt dissolved in old tan liquor is sprinkled on the flesh side of pit- or bag-tanned leather and dried as such on ground. These are then pro- cessed, dried, beaten and stored. The leathers are creasy and uneven in colour, emit a foul smell, and are mostly used for rural footwear, <u>Charas(water-lifting leather bag)</u> and mashk (water container for sprink- ling), buckets, and agricultural accessories.	The tanned hides are treated with myrab and oil, using locally available oil, epsom salt, and jaggery. These are hooked for semi-drying, followed by setting by slickers, and are dried. The finished leathers are of uniform light colour, smooth, soft and plain, and are free from foul smell. Thus, this leather can be used for shoes and other footwear and leather products to meet the demand from rural and urban markets.
96	Leather Products (CLRI, Madras)	• •	
	Footwears and leather goods manufacturing	Desi juti (native shoe), irrigation leather (<u>charas</u>), leather bucket, agricultural accessories, etc. are made to meet the local village demand. For this, old traditional tools are used.	With the improved technology, shoes, chappals, sandals, school bags, shoul- der bags for upper-class men and women, pouches, waist belts, sport goods like football and volleyball, indus- trial leather goods, etc. could be produced to meet the demand of rural as well as urban markets. Use of improved tools and improved designs is recommended.
97	Leather-processing management (CLRI,Madras)	Hardly any concept about management except where there is some organised structure. Because of constraints in the availability of sufficient quantitites of carcasses within easily transportable reach, process- ing becomes uneconomical and un- productive. Rural artisans are also exploited by the urban-based industries and their agents.	Improved management considerations 1) After the death of the animal, its immediate removal from rural homes, farms and other places in the village is absolutely necessary. Hence, appropriate transportation from the place of death to the disposal ground is a must. The expenses in this regard have to be incurred by the owner of carcass, the flayer, the tanner or any agency. Expenditure cannot be avoided even if the carcass is to be buried, and hence need not be brought into the economics of utilisation.

S1. PROCESS No. (LABORATORY)	TRADITIONAL PROCESS	IMPROVED PROCESS AT RURAL LEVEL
		 The development of growth centres with common facility/service centres by location depends on:
		 a) size of procurement of dead animals b) availability of hereditary flayer/ leather artisans. c) Promotional objectives and poli- cies and the current consumption pattern of leather goods for local consumption and for catering to urban demand.
		d) scope of subsidiary occupation to the rural poor.
	, ,	3) Given necessary training, supply of required materials, services, faci- lities and supervision and R&D sup- port, it is possible to establish a technology appropriate to rural areas.
		 By-product utilization should also be organised simultaneously.
		 Production and fabrication depend on local demands, nearness to market, ancillary contacts, etc.
		 a) Introduction of improved tools and equipment;
		 b) Utilization of locally available resources and technologies; and
	•	c) Introduction of improved and newer designs in combination with traditional crafts/skills would be necessary to help the villager to earn a higher income, which in turn would improve the socio- economic conditions of the rural leather artisans.

•

OTHER TECHNOLOGIES

Increasing income through diversification of activities and expending opportunites for employment are the important elements of rural development. One of the ways of meeting these objectives is through promotion of non-farm technologies which are less capital-intensive, have a short gestation period and can be taken up as decentralised economic activities in rural and backward areas. CSIR scientists have developed such production-oriented technologies, the application of which will not only generate additional work opportunities, but will also provide gainful employment to a large section of rural population which cannot otherwise be absorbed in traditional agriculture. It has, however, to be ensured that indiscriminate multiplicacation of these technologies is avoided keeping in view the availability of raw materials, energy, skill, consumption and market.

•

S.NO.	TECHNOLOGY/TECH- NIQUE(LABORATORY)	MAIN FEED STOCK/RAW MATERIAL	STATUS/SCALE OF TECHNOLOGY	COST/CAPACITY OF PLANT	ENERGY SOURCE/ REQUIREMENT		UTILISATION STATUS (NUMBER OF PARTIES)	
						TIAL	RELEASED TO	IN PRODUCTION
98.	Cabinet drier (solar for fruits/vege- tables (RRL,Jammu)	Glass pans, black paint, vegetables, fruits	In use (cottage)	Rs.1,600/80 kg per batch (size 2.5 x 2.5 metre ground area)	Solar	Self employment	Several	Several
99.	Cashew nut decorticator (CMERI,Durgapur)	Cashew nut in mild roasted form	Design available (cottage)	Rs. 350 for one shelling unit, excluding mounting and seating arrangement	Manua 1	Self- employment	-	-
100.	Clay flooring and roofing tiles(Mangalore type) (CBRI,Roorkee)	Alluvial clay of suitable composition	In production (small)	Rs. 1,50,000/ 75,000 tiles per year (8 hours/day shift)	Wood/Coal 450 t/annum crank press/ screw press operated manually	Skilled-2 Unskilled-1	5 8	5
101.	Cupola,mini (NML, Jamshedpur)	Pig iron, pig iron- scrap and coke	Released (cottage)	Rs.18,000/ 25 kg per hour molten metal	Electricity 10-15 kW/day	5	3	-
102.	Ferro-cement Unit, grain storage bins, water tanks, septic tanks, biogas digestor and holders, etc. (SERC,Roorkee)	Cement,sand water proofing chemicals, wire meshes, M.S.bars/ wires	In production (small)	Rs.1,20,000/ 200 units per month	Electricity 3-5 kW/ Unit	Skilled-6 Unskilled-1 (masons and carpenters)	•	6
03.	Flowers and foliage,de- hydration of (NBRI, Lucknow)	Fresh flowers, foliage etc.	In use (cottage)	Rs. 10,000/ 50,000 flowers per.annum	Electricity 25 kWh	Self- employment	10	1
104.	Hand tools, harvesting and tilling (NML,Jamshedpur)	High/medium carbon steel plates,6 mm approximately	Available (small)	Rs.1,00,000/ 3-5 t per annum	Electricity 10-15 hp	Self_ employment	-	-

OTHER TECHNOLOGIES

-

S.NO	. TECHNOLOGY/TECH- NIQUE(LABORATORY)		STATUS/SCALE OF TECHNOLOGY		ENERGÝ SOURCE/ REQUIREMENT	EMPLOY- MENT POTEN-	UTILISATION STATUS (NUMBER OF PARTIES)	
						TTAL	RELEASED TO	IN PRODUCTIO
105.	Jute gunny bags, pest-proofing of, (CFTRI, Mysore)	Chemicals	In use (cottage)	Rs.16,000/ treatment of 3000 bags per day	Manua]	Self- employment	2	2
106.	Leaf cup/plate making machine (CFTRI,Mysore)	Dry leaves of banana, areca sheets, etc.	In production (cottage)	Rs.3,500/ 3,000 cups per day	Electricity 300 W/day or Kerosene oil	Self- employment	90	3
107.	Mineralised salt lick for cattle (CSMCRI,Bhavnagar)	Salt and minerals	In production (small)	Rs.1,02,000/ 200 salt licks of 2 kg each per day.	Electricity 5.2 kW/day Water 500 kl/day	5	39	15
108.	Musk melon seeds, dehulling of (CFTRI,Mysore)	Seeds of musk melon	Released (tiny)	Rs. 30000-40000/ 100 kg of seeds per hr.	Electricity 8 hp	5	-	-
109.	Speciality paper (RRL,Hyderabad)	Cotton rags and cotton linters	In production (small)	Rs.6,50,000/ 270 kg paper per day	Electricity 500 kW/day Water 150 kl/day	108	4	1
110	Slate, paper (RRL,Jorhat)	Paper boards, wood,resin	In production (cottage)	Rs.15,000/200 slates per day	Electricity D.O2 kW/day	5	58	9
111	. Slate,plastic (RRL,Jorhat)	Plastic sheets, chemicals	In production (small)	Rs.50,000/200 slates per day	Electricity 20 kW/day	5	18	3
112	. Sodium silicate from rice husk ash (I.S.S.) (CGCRI,Calcutta)	Rice husk ash, soda ash	In production (small)	Rs.25,000/0.5 t sodium silicate per day	Electricity 16 kW/day Fuel (Coal) 120 kg/day	4 per shift	B	1
113	. Water filter candles	China clay and non-plastic	In production (cottage)	i)Rs.20,000/50 candles.per day	Coal marginal	4	17	2
	for domestic use (RRL,Jorhat)	material	(small)	ii)Rs.6,46,000/ 1000 candles per day	Coal 300 q/annum	25		

UNITS WHICH HAVE GONE INTO PRODUCTION	
USING CSIR TECHNOLOGIES	<u>.</u>
	·

SI. No.	Technology/Technique (Laboratory)	Technology Reference Number	Name of unit
		AGRO BASED TEC	HNOLOGIES
1.	Castor oil, dehydrated (RRL, Hyderabad)	2	 Chempack Industries, Pune Premier Oil Mills, Calcutta
2.	Cocoa mass, refined, cocoa powder (CFTRI, Mysore)	3	Mysore Foods & Farms Products P. Ltd., Gokulam Extension Post, Bangalore
3.	Cotton, chemical (RRL, Hyderabad)	7	Cellulose Products of India, Ahmedabad
	Food, weaning, malted (for infants) (CFTRI, Mysore)	8	1. Laxmi Narayana Yuvaka Raitha Sangha Sankanahalli, Hassan District
5.	Grapes, sun dried (CFTRI, Mysore)	11	2. Titan Protein Food Formulations Saraswati Puram, Mysore Thasgaon Vaichyanik Sheti Seva & Drakshakul P. Ltd., Jasgaon, Distt. Sangli
	Liquid fruits (CFTRI, Mysore)	12	The Midland Fruits & Vegetables Products (India) P. Ltd., New Delhi
7.	Maize mill including destoner (CFTRI, Mysore)	13	1. Sidhivinayaka Machinery & Equipments, Saraswathi Puram, Mysore

SI. No.	Technology/Technique (Laboratory)	Technology Reference Number	Name of unit
			2. Srinivasa Engineering Works, 960, Chamundeswari Road, Mysore
			3. Bhavani Agriculture Industries, Ganjam, Srirangpatna Taluk
8	Papain (CFTRI, Mysore)	14	 Sh. P.C. Gupta, 13th Cross, Kalidasa Road, Mysore
			2. Hussaini Agro Products, Sindkheda, Distt. Dhulia
9.	Papain, crystalline and concentrate (RRL, Hyderabad)	15	South India Research Institute, Hyderabad
10.	Pectin, peel oil and calcium citrate (CFTRI, Mysore)	16	Southern Citrus Products P. Ltd., Raja Street, Gudur
11.	Potato chips, fried (CFTRI, Mysore)	17	Nilgiris Co-operative Marketing Society Ltd., Ootacamund
12.	Pulse mill, modem (CFTRI, Mysor e)	19	1. S.K. Engineering & Allied Works, Bahrainch
			 Sak Industries, 33, Technocrats Industrial Estate, Balanagar, Hyderabad
1%	Rice mill, mini (CFTRI, Mysore)	21	1. General Engineering Co., Old Post Office Road, UDUPI, South Kanara
			2. Mysore Precision Engineers, Yadavagiri, Mysore

Sl. No.	Technology/Technique (Laboratory)	Technology Reference Number	Name of Unit
14.	Wax emulsion (CFTRI, Mysore)	24	Indian Chemical Specialists, New Ramdaspeth, Nagpur
	SP	ICE BASED TECHNOLO(SIES
15.	Asafoetida (Hing), powder/tablets (CFTRI, Mysore)	26	Laljee Godhoo & Co., Bombay
16.	Chilly, drying of (CFTRI, Mysore)	27	Poonam Chand Tiwari, Khandwa
17.	Garlic powder (CFTRI, Mysore)	29	1. Garlic Corporation, Kothi Bazar, Jeora
			2. Exporlic, Indore
			3. National Garlic Industries, Ramganj, Jaipur
18.	Mustard powder (CFTRI, Mysore)	31	Weikfield Products Co. (I) P. Ltd., Weikfield Estate, Pune
19.	Pepper, green, canning and bottling of	32	1. L.R. Rangaier & Sons Pvt. Ltd., Calicut
	(RRL, Trivandrum)		2. Spicex Chemicals Pvt. Ltd., Mysore
			3. Spick Trading Co., Cochin
			4. Food Spectra, Kuthiachode, Alleppe Kerala
			5. Krithika Agencies, Trivandrum

SI. No.	Technology/Technique (Laboratory)	Technology Reference Number		Name of Unit
20.	Pepper, green, dehydrated	33	1.	Spicex Chemicals P. Ltd., Mysore
	(CFTRI, Mysore)		2.	Krithika Agencies, Trivandrum
			3.	Food Spectra, Ezhupunna, Alleppey Distt.
			4.	Vijaya Puram Social Service Society, Kottaya
			5.	Green Peppers, Unnikulum
21.	Spice oleoresins (CFTRI, Mysore)	36	1.	Synthite Industrial Chemicals P.Ltd., Cochin
			2.	Chillies Export House P. Ltd., Virudhunagar
			3.	Shri Vyankatesh Spices, Dharampeth, Nagpur
		4	4.	Spicex Chemicals P. Ltd., Mysore
			5.	Sri Sai Oils & Oleoresins, Petaling Jaya, Selangor, Malaysia
	•	•	6.	Nepal Spice Products P. Ltd., Nepalganj, Nepal
	, :		7.	Enjayees Spices & Chemicals Oils P. Ltd., Vallikodu, Kottayam
22.	Spice oil	- 37	1.	Devi Industries, Madurai
	(CFTRI, Mysore)		2.	Synthite Industrial Chemical P. Ltd., Cochin

Sl. No.	Technology/Technique (Laboratory)	Technology Reference Number	Name of Unit
	MUS	HROOM CULTIVATI	ON AND PROCESSING
23.	Mushroom cultivation (CFTRI, Mysore)	42	D.B. Ghorpade, Bangalore
	FER	MENTATION BASEI	D TECHNOLOGIES
24.	Amylo-glucosidase (CFTRI, Mysore)	43	1. Kamla Sugar Mills Ltd., Udamalpet
	· · · ·		2. Triton Chemicals, KRS Road, Mysore
25.	Pectic enzyme (CFTRI, Mysore)	47	1. Mycozyme Industries, Metagalli, Mysore
			2. Triton Chemicals, Metagalli P.O., KRS Road, Mysore
26.	Vinegar from pine apple waste and sugary material (CFTRI, Mysore)	48	Canning Industries Cochin Ltd., Trichur, Kerala
		FOREST BASED TEC	CHNOLOGIES
27.	Board, paper (RRL, Jammu)	50	1. Surinder Mirani & Bros., Madhya Pradesh
			2. Agees Straw Products, Jaindiala, Punjab
			3. J & K Card Board Factory, Muthi, Jammu
	· · · · ·		4. Sandip Industries, Gangyal, Jammu

. ••

51. No.	Technology/Technique (Laboratory)	Technology Reference Number	Name of unit
8.	Ceciar wood oil	52	1. Wood Oil & Chemicals, Samba
	(RRL, Jammu)		2. Sangam Essential, Samba
			3. Urmila Drugs and Pharmaceuticals, Ghaziabad (U.P.)
9.	Resin, distillation of and	55	1. Suket Chemical P. Ltd., Sundernagar, Mandi (H.P.)
	hardened rosin (RRL, Jammu)		2. Prabhat Terpenes & Synthetic, Jammu
	(KKL, Jammu)		3. Sud Pine Industries, Jammu
80.	Tamarind powder (CFTRI, Mysore)	56	 Brahmappa Tavanappanavar (Mysore) P.Ltd., Mysore
			2. Food Associates, Malleswaram, Bangalore
			3. Shri Ranga Foods, Coimbatore
			4. K. Veerabhadra Mudaliar & Co., Santhapet, Mysore
			5. Shri Annapoomeswaree Enterprises, Hebbol, Bangalore
·		POULTRY BASE	D TECHNOLOGIES
31.	Egg albumen flakes (CFTRI, Mysore)	58	Al. Flakes Industry, Yadavagiri, Mysore
32.	Egg Shell powder (CFTRI, Mysore)	60	Foods & Inns Ltd., Chambur, Bombay
33.	Poultry Feed (CFTRI, Mysore)	62	SIFI Feeds, Mysore

Sl. No.	Technology/Technique (Laboratory)	Technology Reference Number		Name of unit
`		MARINE BASE	D TECHI	NOLOGIES
	Agar-agar from	70	1.	Cellulose Products of India Ltd., Ahmedabad
	Indian sea-weeds (CSMCRI, Bhavnagar)		2.	Gell Enterprises, Anand
(CSINCRI, Dnavnagar)		3.	New Oceanic Products Ltd., Kagda Pith, Ahmedabad	
			4.	Blow Chem Enterprises, Madras
			5.	South Sea Chemicals P. Ltd., Hyderabad
		MEDICINAL AND AR	OMATIC	PLANTS
Essent	tial oils			
	Blue oil from Matricaria chemomilla Linn. (NBRI, Lucknow)	87		man Remedies, know
36.	Citronellol	89	1.	Eskay Corporation, Kerala
	(RRL, Jammu)		2.	Guptvanshi, Bareilly
37.	Menthol	92	1.	Anand Chemicals, Chandigarh
	(RRL, Jammu)		2.	Shri Sham Lal Goyal, Chandigarh
			3.	Wadhwa Chemicals, Delhi
			4.	Aroma Chemicals, Chandusi
		,	5.	Pearl Chemicals, Muzaffarnagar
			6.	Central Research Organisation, Rangoon
	κ.		7.	S.K. Chemicals, Bhagalpur
			8.	Hindustan Chemical Industry, Delhi

Sl. No.	Technology/Technique (Laboratory)	Technology Reference Number	Name of unit
	LEA	ATHER PROCESSING/T	TECHNOLOGY
38.	Leather Processing/ Technologies (CLRI, Madras)	94-97	 Haryana Charm Udyog Sangh, Ambala Cantt. (Haryana) Akash Trading Co. Jullundhur (Punjab) Gram Pratishthan Bardoli (Gujarat)
			4. Saurashtra Rachnatmak Sangh Rajkot (Gujarat)
		OTHER TECH	
39.	Clay flooring and roofing tiles	100	1. Kshetriya Kumhar Udyog, Shri Gandhi Ashram, Meerut
	(Mangalore type) (CBRI, Roorkee)		2. Kumhar Udyog, Shri Gandhi Ashrama, Chutmalpur, Distt. Saharanpur
			 Khadi & Village Industries Commissio Bombay
			4. H.P. Housing Board Mechanised Tile & Brick Plant, Paonta Sahib (H.P.)
			5. Gram Udyog & Krishi Vikas Parishad, Powayan, Shahjahanpur
40.	Ferrocement units (SERC, Roorkee)	102	1. Uttarakhand Concrete Products, NOIDA Complex, Distt. Ghaziabad
	(UMANUS ANOVIACE)		

51. No.	Technology/Technique (Laboratory)	Technology Reference Number		Name of unit
			3.	Indian Concrete Products, Meerut Cantt
			4.	Ashok & Associates, Lucknow
			5.	Building Construction & Repairs Corporation, Ghaziabad
			6.	Gupta Sanitary Stores, Dehradun
п	Leaf cup/plate	106	1.	Nalanda Agro Works, Kúrji, Patna
	making machine (CFTRI, Mysore)		2.	Anil & Co., Rajendra Nagar, Mysore
	(CFTRI, Mysole)		3.	H.K. Industries, Patna
2.	Mineralised salt lick for cattle	107	1.	Natural Salt Industries, Belgaum (Karnataka)
	(CSMCRI, Bhavnagar)		2.	Chemical Salt Producers, Bhavnagar
			3.	Sambhar Salts Ltd., Sambhar Lake, Rajasthan
			4.	Kisan Brothers Ltd., Ahmedabad
			5.	Arogya Pharmacy, Pune
			6.	Saggiter & Demor (Agro Chemicals), Valsad (Gujarat)
			7.	R.B. Sudhpura & M.N. Sidhpura, Gondia (M.P.)
			8.	Mahesh Licks Ltd., Dewas (M.P.)
			9.	Kisan Veterinary Products, Abohar
			10.	Romit Engineers, Indore
			11.	Shri Ram Cattle Feed Plant, P.O. Chalaya, Distt. Amreli (Saurashtra)
		63		

t. Technology/Technique to. (Laboratory)	Technology Reference Number		Name of unit
		12.	Web Pharma, Anand (Gujarat)
	Í	13.	Manali Associates, Saharanpur
	1	.14.	Jai Kisan Agro Industrics, Sanyogita Ganj, Indore
	1	15.	Cattle Cares Industries, Dehradun
		16.	Senthyl Chemicals, Mádras
. Speciality paper (RRL, Hyderabad)	109		nivasa Paper Mills, imnagar
Slate paper	110	1.	K.K. Enterprise, P.O. Pergaon (Assam)
(RRL, Jorhat)		2.	Crystal Enterprises, Gauhati
		3.	Indian Slate Industries, Jaipur
		4.	Manoj Slates Works, Kalindi Distt. (Orissa)
		5.	Modern Paper Slate Works, P.O. Pirat, Calcutta
		6.	Paper Slate Industries, Mokokchung (Nagaland)
	х.	7.	R.B. Industries, Bharalumukh, Gauhati
		8.	R.K. Paper Slate Industries, C/o Vendana Show Emporium, Rohtak (Haryana)
		9.	Lipika Chemical Enterprises Agartala (Tripula)
		10.	Shri Krishna Bharatia, Sahibganj

Sl. No.	Technology/Technique (Laboratory)	Technology Reference Number	Name of unit
45.	Slate plastic (RRL, Jorhat)	111	1. Mariappa Enterprises, Madurai (Tamilnadu)
			2. Rajeshwari Enterprises, Vinidhanagar
			3. Plastic Art, Kolhapur, Maharashtra
46.	Sodium silicate from rice husk ash (CGCRI, Calcutta)	112	Industrial Dessicants, Calcutta
47.	Water filter candles (RRL, Jorhat)	113	1. Vijaya Chemical Industries, Kenduguri, Jorhat (Assam)
	• •		2. Ceralian Filters (P) Ltd., Poona
			3. Sudershan Electrical Ind. Pvt. Ltd., Thana

•

.

.

ABBREVIATIONS OF CSIR LABORATORIES MENTIONED IN THE PUBLICATION

CBRI - Central Building Research Institute, Roorkee (UP) 247672 1. CDRI - Central Drug Research Institute, Lucknow (UP) 226001 2. CFTRI - Central Food Technological Research Institute, Mysore (Karnataka) 570013 3. CGCRI - Central Glass & Ceramic Research Institute, Calcutta (West Bengal) 700032 4. CIMAP - Central Indian Medicinal & Aromatic Plants, Lucknow (UP) 226016 5. CLRI - Central Leather Research Institute, Madras (Tamil Nadu) 600020 6. CMERI - Central Mechanical Engineering Research Institute, Durgapur 713209 7. - Central Salt & Marine Chemicals Research Institute, Bhavnagar (Gujarat) 364002 CSMCRI 8. NBRI - National Botanical Research Institute, Lucknow (UP) 226001 9. - National Institute of Oceanography, Dona Paula, (Goa) 403004 10. NIO 11. NML - National Metallurgical Laboratory, Jamshedpur (Bihar) 831007 - Regional Research Laboratory, Bhubaneswar (Orissa) 751013 12. RRL (B) - Regional Research Laboratory, Hyderabad (AP) 500007 13. RRL (H) - Regional Research Laboratory, Jammu (J&K) 180001 14. RRL (Jm) 15. RRL (]t) - Regional Research Laboratory, Jorhat (Assam) 785006 - Regional Research Laboratory, Trivandrum (Kerala) 695019 16. RRL (T) - Structural Engineering Research Centre, Roorkee (UP) 247672 17. SERC

REGIONAL EXTENSION CENTRES/FIELD STATIONS OF CSIR LABORATORIES

CBRI CENTRES

CBRI Extension Cell Research Station (R & B) Errum Manzil Hyderabad-500481

CBRI Extension Cell C/o N.B.O., 'G' Wing Nirman Bhawan New Delhi-110011

CBRI Extension Cell 6th Floor, Nizam Palace A-234/4, Acharya J.C. Bose Road Calcutta

CBRI Extension Cell North T.T. Nagar Bhopal-462003

CBRI Extension Cell C/o School of Architecture Ahmedabad-380009

CFTRI CENTRES

CFTRI Experiment Station Bhavans' College Campus Andheri West Bombay 400058

CFTRI Experiment Station Pilot Plant Building of CDRI Opp. High Court Lucknow-226001

CFTRI Experiment Station Gill Road Ludhizna-141006 CFTRI Experiment Station Hoige Bazar Mangalore-575001

CFTRI Experiment Station Gole Bungalow Nelson Square Nagpur-440001

CFTRI Experiment Station C-25, Industrial Estate Sanatnagar Hyderabad-500018

CGCRI CENTRES

CGCRI Naroda Centre Naroda Industrial Estate Ahmedabad-382330

CGCRI Extension Centre Khurja-203131 (U.P.)

CLRI CENTRES

CLRI Regional Extension Centre No. 220, Dharavi Road Bombay-400071

CL.RI Regional Extension Centre 7/1/D, D.P. Row (Old Suri Lane) Calcutta-700014

CLRI Regional Extension Centre Govt. Training Institute Nakodar Road Jullundur-144001 (Punjab)

CLRI Regional Extension Centre Opp. City Station Raikot-360001 (Gujarat) CLRI Regional Extension Centre Govt. Leather Working Centre Souterganj Kanpur-208001 (U.P.)

CIMAP CENTRES

CIMAP Regional Centre NAL-WTC Campus, Belur Bangalore-560037

CIMAP Regional Centre Pantnagar P.O. Nagla Dairy Farm Nagla-263149 Dist. Nainital (U.P.)

CIMAP Regional Centre P.O. Tung Dist. Darjeeling-734224

CIMAP Regional Centre West Brook Convent Road Kodaikanal-624101

CIMAP Regional Centre Boduppal, RRL Campus Uppal Road Hyderabad-500009

CMERI CENTRES

CMERI Liaison Office 23, R.N. Mukherjee Road Calcutta-700001

Mechanical Engineering Research & Development Organisation NCL Campus, Pashan Road Pune 411008 Mechanical Engineering Research & Development Organisation Gill Road Ludhiana-141006

Mechanical Engineering Research & Development Organisation CSIR Madras Complex TTTI - Taramani P.O. Madras-600113

Mechanical Engineering Research & Development Organisation CSIR Complex Xalamassery-683104 (Cochin)

CSMCRI CENTRES

CSMCRI Marine Algal Research Station M.S. Bungalow Mandapam-623518 (Tamil Nadu)

CSMCRI Sea Water Irriculture Unit House No. 2013, Field Station Satyanivas Building, Hill Patna Berhampur-5 Dist. Ganjam (Orissa)

NIO CENTRES

Regional Centre of NIO Sea Shell, Seven Bungalows Versova Bombay-400061

Regional Centre of NIO P.O. Box No. 1913 Cochin-682018 Regional Centre of NIO Andhra University Campus Visakhapatnam Waltair-530003

NML CENTRES

NML Marine Corrosion Research Station Digha Distt. Midnapur-721428 (W. Bengal)

NML Foundry Station Industrial Estate Dassnagar Howrah-711402 (W. Bengal)

NML Regional Liaison Centre India Exchange Place 7th Floor Calcutta-700001 NML Field Station Industrial Estate Batala-143505 (Punjab)

NML Field Station Industrial Estate Naroda Ahmedabad-382330

NML Research Station CSIR Madras Complex TTTI, Taramani Madras-600113

RRL, JAMMU CENTRES

Regional Research Laboratory (Branch) Sanat Nagar Srinagar-190005 RRL Extension Centre Bundla Tea Estate Palampur-176061 (H.P.)

RRL, JORHAT CENTRES

RRL Branch Laboratory Itanagar (Arunachal Pradesh)

RRL Sub Station Yaongimsen Village P.O. Changtongia Distt. Mokokchang (Nagaland)

RRL Sub-Station Shillong (Meghalaya)

RRL Sub-Station P.O. Lamphelpet Imphal (Manipur) RRL Extension Centre P.O. Sepahijala Agartala (Tripura West)

RRL, TRIVANDRUM CENTRES

CSIR Cochin Complex Kalamassery Development Plot Kalamassery-683104 (Kerala)

INDEX (ACCORDING TO RAW MATERIAL)

Raw material		Technique/technology reference No.	Raw	material	Technique/technology Reference No.
1.	Animal casings	68	31.	Foliage	103
2.	Apple	12	32.	Fruits	10,12,24
3.	Asafoetida	26	33	Garlic	29,
4.	Aspergillin	47	34.	Ginger	30,36,37
5.	Bagasse	50	35.	Gram	8
6.	Bajra	72	36.	Grapes	11,12,20
7.	Banana	1,12	37.	Grass	51
8.	Beet root	9	38.	Guava	12
9.	Carbon-steel plates	104	39.	Isapgol	84
10.	Cardamom	37	40.	Jajoba	71
11.	Cashew nut	99	41.	Jasmine flowers	_ 86
12.	Castor seeds	2	42.	Kokum	9
13.	Cedrus deodara	52	43.	Leather	94-97
14.	Cement	102	44.	Leaves	106
15.	Chicken broiler	57	45.	Lemon grass	91
16.	Chillies	27,28,36	46.	Lime/Lime oil	16,90
17.		55	47.	Maize	13
18.	Cinnamon leaves	91	48.	Milk	44 `
19.	Citronella grass	88,91	49.	Mint oil	92
20.	Citrus oil	90	50.	Mushroom	39- 42
21.	Clay	100, 113	51.	Muskmelon seeds	108
22.	Cocoa beans	3	52.	Mustard seeds	31
23.	Coconuts	4,5,6	53.	Onion	72
24.	Corncobs	48	54.	Oranges	46
25.	Cotton linters/rags	7,109	55.	Paddy	21
26.	Dhaincha seeds	53	56.	Paddy straw	42,50
27,	Egg	58,59,60,61	57.	Palmarosa grass	91
28.	Eucalyptus	89	58.	Papaya latex	14,15
29.	Fish	63-69,	59.	Paper board	110
30.	Flowers	86.87,93,103	60.	Paper, waste	51
		72	1		

73. Salt74. Sea weeds75. Sesame seeds	107 70
 76. Sugar beet 77. Sugary material 78. Tamarind 79. Turmeric 80. Vegetables- 81. Walnuts 82. Wheat 83. Wheat straw 	22 72 48 56 9,36,38 10,24,98 23 25 50
	 76. Sugar beet 77. Sugary material 78. Tamarind 79. Turmeric 80. Vegetables- 81. Walnuts 82. Wheat

INDEX (ACCORDING TO CULTIVABLE PLANTS)

Plant

Technology/technique Reference No.

1.	Balladona	73
2.	Dioscorea	74
3.	Germanium	78
4.	Japanese mint	79
5.	Java citronella	80
6.	Lemon grass	81
7.	Mushroom	39, 42
8.	Palmarosa	82
9.	Peppermint	83
10.	Periwinkle	76
11.	Pyrethrum	75
12.	Serpentina root	77