

# ANTIBIOTICS



59557

# **ANTIBIOTICS**

# ANTIBIOTICS

ROBERTSON PRATT, PH.D.

*Associate Professor of Pharmacognosy and Plant Physiology,  
University of California College of Pharmacy;  
Consultant on Antibiotic Research*

AND

JEAN DUFRENOY, D. SCI. (PARIS)

*Research Associate in Antibiotics,  
University of California College of Pharmacy*

66 Illustrations



Philadelphia

London

Montreal

J. B. LIPPINCOTT COMPANY

**COPYRIGHT, 1949**  
**BY J. B. LIPPINCOTT COMPANY**

---

**THIS BOOK IS FULLY PROTECTED BY COPYRIGHT AND,  
WITH THE EXCEPTION OF BRIEF EXTRACTS FOR  
REVIEW, NO PART OF IT MAY BE REPRODUCED WITH-  
OUT WRITTEN PERMISSION FROM THE PUBLISHERS**

**PRINTED IN THE UNITED STATES OF AMERICA**

---

## Preface

The purpose of this book is to present in a succinct, integrated plan the facts and principles of fundamental and permanent value relating to antibiotics. Much of this information is now widely scattered in thousands of publications embracing the vast scientific literature of the subject. Some of it is derived from the authors' own researches in this field published over a period of years.

The object has been, first, to give an understanding of the fact that, in developing chemical therapy by means of antibiotics, man has merely adapted to his own ends the capacity that certain micro-organisms possess to wage a war of extermination against other micro-organisms, and, second, to present a general survey of the principles involved in the industrial, commercial, pharmaceutical, and medical aspects of the field of antibiotics.

The advent, about 1942, of the modern era of antibiotic chemotherapy for the treatment of systemic infections unquestionably marks one of the greatest advances in man's continuing battle against infectious diseases.

In terms of human suffering that has been alleviated, the discovery of practical means of applying microbial antagonisms for curative purposes easily ranks with the great contribution of the nineteenth century, i. e., the introduction of anesthesia in surgery one hundred years earlier.

In terms of volume, the industrial production of antibiotics outranks all other medicinals. It has been estimated that in 1948 penicillin and streptomycin alone accounted for more than one half of manufacturers' income from the sale of synthetic drugs. This figure is especially impressive when it is realized that penicillin first became available commercially in 1943 and that streptomycin was not available com-

mercially until two or three years later. Within the last year three additional antibiotics, bacitracin, aureomycin, and chloromycetin have become available. More will undoubtedly follow.

Penicillin proved to be of immense value in World War II, not only in humanitarian terms, but also in military terms, because its use returned to active service many men who otherwise would have succumbed to infection or would have been permanently disabled. In the same way, on a larger scale, many other antibiotics are proving of immense economic as well as humanitarian value in the post-war era, by reducing periods of hospitalization or of quarantine, and by rehabilitating many chronic cases. Thus, proper use of antibiotics lightens the financial burden of public health and welfare agencies.

For this reason, countries not self-sufficient with respect to production of antibiotics, find it economically advantageous to spend their limited supplies of dollars for importation of these agents in preference to a number of other "essential" commodities. Drug exports from the United States for 1948 totaled 191 million dollars: approximately 40 per cent of this sum was spent for antibiotics (mostly penicillin and streptomycin).

Antibiotics have been used largely for treatment of human patients, but with increasing production, the cost of penicillin has dropped so markedly that its wide application in veterinary medicine has become practicable, resulting in large savings for cattle, dairy, poultry, and other livestock industries. With time, similar developments may be expected for other antibiotics.

There is a genuine need for a treatment of the broad principles of antibiotics and antibiotic chemotherapy sufficiently comprehensive to satisfy those whose business is concerned with the health sciences but not so technical as to discourage the interested individual whose major activities lie in other fields.

The authors modestly hope that the present volume will help to satisfy this need by filling the gap between the necessarily brief popular accounts on the one hand and the technical accounts intended for specialists on the other hand.

Since the aim of this book has been to achieve an integration of pertinent facts and principles in a coherent picture, no attempt has been made to cite exhaustively all of the extensive literature pertaining to the several aspects of the subject, but all important critical review papers are listed, as are the principal scientific articles of historical interest.

ROBERTSON PRATT  
JEAN DUFRENOY

It is with deep appreciation that we acknowledge the services of Louise Noack Gray, who designed the cover of this book, and the ceaseless secretarial and proofreading labors of my wife, Jean, and my mother.

R. P.

University of California  
College of Pharmacy  
San Francisco, California

---

# Contents

| CHAPTER  | PAGE |
|--|------|
| 1. THE CONCEPT OF ANTBIOSIS .....  | 1    |
| 2. BIOLOGIC SIGNIFICANCE OF FIELDS OF DIFFUSION .....                        | 9    |
| Mutual Relations among Organisms .....                                       | 9    |
| Discovery of Antibiotics from Soil Organisms .....                           | 10   |
| Significance of Fields of Diffusion .....                                    | 12   |
| Modification of the Sigmoid Curve by Growth Accelerators or Inhibitors ..... | 18   |
| The Concept of Threshold and Optimal Concentrations .....                    | 19   |
| 3. INDUSTRIAL PRODUCTION AND CONTROL OF ANTIBIOTICS ...                      | 27   |
| The Concept of Chemotherapy .....  | 27   |
| Requisites for an Ideal Antibiotic.....                                      | 29   |
| Industrial Point of View .....   | 29   |
| Clinical (Medical) Point of View .....                                       | 30   |
| Industrial Production of Antibiotics .....                                   | 31   |
| Preparation of Inoculum or "Seed" .....                                      | 32   |
| Biosynthesis .....   | 35   |
| Extraction and Purification .....  | 40   |
| Testing .....  | 42   |
| Government Control of Antibiotics .....                                      | 53   |
| 4. THE CONCEPT OF ANTIBIOTIC SPECTRA .....                                   | 55   |
| 5. PENICILLIN .....  | 61   |
| Penicillin as a Chemical Compound .....                                      | 62   |
| The Family of Penicillins .....  | 62   |
| Biosynthesis .....   | 64   |
| Extraction and Purification .....  | 75   |
| Stability .....  | 77   |
| Penicillin as a Chemotherapeutic Agent .....                                 | 82   |
| Factors Influencing Antibacterial Action .....                               | 86   |
| Chemotherapeutic Use .....   | 97   |

x      **Contents**

---

| CHAPTER   | PAGE |
|---|------|
| 6. STREPTOMYCIN .....   | 119  |
| Streptomycin as a Chemical Compound .....                             | 120  |
| Different Forms of Streptomycin .....                                 | 121  |
| Biosynthesis .....  | 124  |
| Extraction and Purification .....                                     | 126  |
| Expressing the Potency of Streptomycin (Unitage) ..                   | 126  |
| Stability .....   | 129  |
| Streptomycin and Dihydrostreptomycin as Chemotherapeutic Agents ..... | 131  |
| Factors Influencing Antibacterial Action .....                        | 131  |
| Chemotherapeutic Use .....  | 139  |
| 7. CHLOROMYCETIN AND AUREOMYCIN .....                                 | 151  |
| Chloromycetin .....   | 151  |
| Microbiology .....  | 152  |
| Chloromycetin as a Chemical Compound .....                            | 152  |
| Chloromycetin as a Chemotherapeutic Agent .....                       | 153  |
| Physiologic Effects of Chloromycetin on the Patient ..                | 155  |
| Aureomycin .....  | 156  |
| Microbiology .....  | 156  |
| Aureomycin as a Chemical Compound .....                               | 160  |
| Aureomycin as a Chemotherapeutic Agent .....                          | 161  |
| 8. POLYMYXIN .....  | 167  |
| Microbiology of Polymyxins .....                                      | 168  |
| Polymyxins as Chemical Compounds .....                                | 169  |
| Polymyxins as Chemotherapeutic Agents .....                           | 170  |
| 9. TYROTHRICIN .....  | 173  |
| Microbiology of Tyrothricin .....                                     | 173  |
| Tyrothricin as a Chemical Compound .....                              | 175  |
| Tyrothricin as a Chemotherapeutic Agent .....                         | 177  |
| 10. OTHER ANTIBIOTICS .....   | 179  |
| Criteria for Identification of Antibiotics .....                      | 181  |
| Antibiotics from the <i>Bacillus Subtilis</i> Group .....             | 189  |
| Antibiotics from the <i>Enterobacteriaceae</i> .....                  | 194  |
| Antibiotics from <i>Pseudomonas Aeruginosa</i> .....                  | 195  |
| Antibiotics from <i>Actinomycetes</i> .....                           | 195  |

## Contents xi

---

| CHAPTER |  | PAGE |
|---------|--|------|
| 10.     | OTHER ANTIBIOTICS ( <i>Continued</i> )   |      |
|         | Antibiotics from Fungi .....   | 200  |
|         | Antimicrobial Agents from Higher Plants .....  | 201  |
| 11.     | MECHANISMS OF ANTIBIOTIC ACTION .....  | 205  |
|         | Distinguishing Characteristics of Antibiotics .....                                    | 206  |
|         | Penicillin .....   | 208  |
|         | Morphologic Observations .....   | 210  |
|         | Cytochemical Observations .....  | 211  |
|         | Comparative Effects of Penicillin Under Aerobic and<br>Semi-anaerobic Conditions ..... | 221  |
|         | Streptomycin .....   | 224  |
|         | Morphologic Observations .....   | 225  |
|         | Cytochemical Observations .....  | 227  |
|         | Tyrothricin (Gramicidin and Tyrocidin) .....   | 229  |
|         | Development of Resistant Strains .....   | 230  |
| 12.     | RETROSPECTS AND PROSPECTS .....  | 235  |
|         | INDEX .....  | 243  |

# Index

(Only those authors are listed whose work is of historical significance or whose papers are cited in the References or in the Suggested Readings at the ends of chapters. Authors' names appear in capitals; names of organisms, in italics.)

- ABRAHAM, E. P., 88, 117  
Absorption, of antibiotics. *See under specific antibiotic*  
Acetates, effect of on streptomycin assay, 137  
Acetic acid, in penicillin biosynthesis, 68  
derivatives of, as enhancing factors, 75, 90  
in penicillin biosynthesis, 90  
3-Acetyl-6-methoxybenzaldehyde, antibiotic principle of *Encelia*, 17  
Acids. *See specific compounds or types*, i. e., glutamic, penicillic, pyruvic, etc., or aliphatic, amino, etc.  
Actidione, 184, 196-197  
*Actinomyces*. *See also Streptomyces*  
antibiotics from, 5, 184-185, 195-200, 239  
toxicity of, 196  
WAKSMAN's researches on, 5, 11, 120  
*Actinomyces bovis*, 83  
*griseus*. *See Streptomyces griseus*  
*lavendulae*, 185  
lysozyme, 184  
*violaceus*, 184, 185  
*Actinomycetes*. *See also Actinomyces and Streptomyces*, 88, 119-120  
Actinomycetin, 184  
Actinomycin, 51, 55, 184  
Actinomycosis, penicillin in, 83, 84  
Actinophage, 124-125, 152  
Actinorubin, 184  
Activators, 89. *See also under specific antibiotic*  
Adjuvants, in biosynthesis, 62  
to enhance antibiotic activity, 90, 92, 141, 165  
Aeration, in biosynthesis, 32, 39-40, 65  
*Aerobacillus polymyxa*, 167  
*Aerobacter aerogenes*, 132, 136, 140  
Aerosols, of penicillin, 107, 109-110  
Aerosporin. *See Polymyxins*  
Agar, in assay of antibiotics, 20, 23, 228-229  
AINSWORTH, G. C., 171  
Alanine, in penicillin biosynthesis, 70, 72  
*Alcaligenes faecalis*, 132  
Algae, as source of antibiotics, 16, 19, 189  
Aliphatic acids, in biosynthesis, 69, 74-75  
Alkaline phosphatase, 211, 219-221  
Allicin, 202  
Alliin, 202  
*Allium cepa*, 202  
*sativum*, 202  
All-or-none response, 19, 43, 48  
Aluminum, in penicillin biosynthesis, 65, 72  
monostearate, in penicillin suspensions, 111  
Amino acids, in antibiotics, 70, 170, 175, 177  
in biosynthesis, 70-72, 125, 152  
Amino groups, importance in antibiotic action, 59

- Amyloytic factor, 182
- Anemonin, 202
- Antagonism, among antibiotics, 164, 235  
     due to chemical inhibitors, 3, 17  
     among *Encelia* plants, 16-17  
     among higher plants, 16-17  
     among micro-organisms, 2-4, 15-17  
     by walnut trees, 17
- Anthrax, 3, 4, 10
- Antibiosis, concept of, 1-8, 15  
     definition of, 1-2
- Antibiotic XG, 182
- Antibiotics. *See also specific antibiotic*  
     biologic (antibiotic) spectrum of, 31, 55-59  
     biosynthesis of, 35-39  
     criteria for identification of, 181-182, 206-208  
     danger from indiscriminate use of, 86  
     definition of, 2, 206  
     derived from actinomycetes, 184-185  
         algae, 189  
         bacteria, 182-184  
         fungi, 186-188  
         higher plants, 201-203  
         lichens, 189  
         paramecia, 189  
     factors influencing action of, 86-96  
     history of, 2-7, 61, 128  
     industrial production of, 27-54, 87  
         biologic problems in, 32-40, 42-43  
         by-products of, 240  
         engineering problems in, 36  
         magnitude of, 6-7  
     requisites for ideal, 29-30  
     selection for therapy, 31, 86  
     from soil micro-organisms, 11, 119, 152, 156, 167, 173  
     unitage, 127-129. *See also specific antibiotic*
- Antidotic effects of antibiotics, 200, 238
- Anti-smegmatis factor, 185
- Antistreptolysin, 117
- Arctium minus*, 202
- Aspergillic acid, 186
- Aspergillin, 186
- Aspergillus clavatus*, 180, 186  
     *flavus*, 180, 186, 187, 188, 239  
     *fumigatus*, 187, 188  
     *giganteus*, 180, 187  
     *niger*, 186  
     *niveus*, 186  
     *oryzae*, 89, 187  
     *parasiticus*, 180, 187  
     *terreus*, 186  
     *ustus*, 188
- Assays. *See also Testing, biologic*, 20, 42-50, 208-209, 211, 214, 222-223  
     chemical, 49  
     physical, 49
- ATP, formation of inhibited by gramicidin, 230
- Aureomycin, 55, 117, 151, 156-166, 185, 239  
     antagonists of, 164-165  
     antibiotic spectrum of, 83, 156-161, 163  
     assay of, 158  
     chemistry of, 160-161  
     chemotherapeutic use of, 161-166  
     dosage, 162-163  
     excretion, 164  
     interaction with other antibiotics, 164-166  
     resistant organisms, 159-160  
     salts of, 160, 163  
     toxicity of, 163-164
- Autoantibiosis, 19
- Avenacein, 186
- AVERY, O T., 25
- BABES, V., 3
- Bacillin, 182, 189
- Bacilosporin. *See Polymyxins*
- Bacillus abyssicus*, 184  
     *aerosporus*, 167  
     *anthracis*, 3, 10, 83, 93, 195  
     *borborokoites*, 184  
     *brevis*, 5, 11, 173, 182, 184

- Bacillus (Continued)**
- cereus*, 89
  - circulans*, 182
  - larvae*, 184
  - licheniformis*, 183
  - polymyxa*, 167, 179, 183
  - prodigiosus*, 83
  - submarinus*, 184
  - subtilis*, 83, 127, 158, 182-184, 210, 214  
antibiotics from, 182-184, 189-194, 239
  - thalassokoites*, 184
  - tularensis*, 132, 140
- Bacitracin**, 83, 91, 182, 189-192  
antibiotic spectrum of, 190-191  
toxicity of, 191-192  
unit, defined, 190
- Bacteremia**, 146, 163
- Bacterium tumefaciens**, 240
- BAILEY**, J. H., 203, 233
- Barium**, effect of on streptomycin assay, 137
- BENEDICT**, R. G., 167, 171, 203
- Benzoic acid**, to retard excretion of penicillin, 113-114  
*p*-amino—, growth factor for *Mycobacterium*, 142  
metabolic antagonist for streptomycin, 142
- Benzyl penicillin**. *See Penicillin*
- Bio-assay**. *For general methods, see Assays; for various test organisms, see under specific antibiotic*
- Biformalic acid**, 186
- Biformin**, 186
- Biologic spectrum**, definition of, 2.  
*See also Antibiotics*
- Biosynthesis**, 32-40, 239. *See also specific antibiotic*
- by autotrophic organisms, 38
  - by-products of, 240
  - by heterotrophic organisms, 38
  - definition, 35-36
  - precursors in, 62, 65, 68, 72, 125
- Bismuth**, 91-92
- Blastomyces**, sp., 83
- Blood**, effect on antibiotic action, 133, 161, 177
- clotting**, effect of penicillin on, 116-117
- levels of antibiotics**. *See specific antibiotic*
- Borrelia recurrentis**, 155
- Borrelidin**, 90-91, 185
- BOVET**, D., 54
- BRIAN**, P. W., 203
- Brill's disease (epidemic typhus)**, 162
- Bromosaligenin**, with oral penicillin, 107
- Brucella abortus**, 10, 83, 132, 170  
*melitensis*, 132, 140  
*suis*, 132  
*tularensis*, 140
- Brucellosis**, 140, 163
- BRUNEL**, J., 61, 117
- BUGIE**, E., 150
- BURKHOLDER**, P. R., 166
- Calciferol**, enhances action of streptomycin, 139
- Calcium**, chloride complex of streptomycin, 122, 126  
effect of on streptomycin assay, 137  
penicillinate, 68
- Calibration curves**, 46, 47
- Cancer (sarcoma) cells**, effect of antibiotics on, 89, 201, 240
- Candida albicans**, 202
- Candidulin**, 186
- Carbon**, activated as adsorbent in purification of antibiotics, 77, 126  
atoms, alpha in fatty acids, important in penicillin biosynthesis, 70-72  
asymmetric in antibiotics, 62, 153
- Caronamide**, to delay penicillin excretion, 114-115  
toxicity of, 115
- Cations**, effect of on streptomycin assay, 137
- CAVALLITO**, C. J., 203, 233
- Cephalin**, complex of with streptomycin, 148

- Certification of antibiotics, 53  
*Cetraria islandica*, 189  
 CHAIN, E., 88, 117  
 Chaetomin, 186  
*Chaetomium ochlioides*, 186  
 Charcoal. *See* Carbon, activated  
 Chemotherapy, definition of, 27, 29  
     vs. prophylaxis, 29  
 Chlamydozoaceae, 164  
*Chlorella pyrenoidosa*, 189  
     *vulgaris*, 13, 15, 18-19, 189, 233  
*Chlorellin*, 16, 19, 189  
*Chloramphenicol*. *See* Chloromycetin  
 Chlorides, effect of, on streptomycin assay, 137  
*Chloromycetin*, 31, 83, 151-156, 185, 239  
     antibiotic spectrum of, 152, 155  
     assay of, 152  
     chemistry of, 152-153  
     chemotherapeutic use of, 153-156  
     dosage of, 155-156  
     toxicity of, 152, 155-156  
     unitage of, 152  
*Chlororaphin*, 182  
*Cholera*, 4  
 Chromium, in penicillin biosynthesis, 68  
*Chromobacterium iodinum*, 182  
     *prodigiosum*, 183  
     *violaceum*, 184  
*Circulin*, 183  
 Citrates, effect of on streptomycin assay, 137  
*Citrinin*, 186  
*Clarase*, 89. *See also* Penicillinase  
*Clavacin*, 179, 186, 200  
*Clavatin*, 186  
*Claviformin*, 179, 186  
*Clitocybe gigantea*, 186  
*Clitocybin*, 186  
*Clostridium botulinum*, 83  
     *perfringens*, 83  
     *septicum*, 83  
     *tetani*, 10  
     *Welschii*, 168  
 Cobalt, enhances effect of penicillin, 90, 92, 214, 223-224, 229  
     present in vitamin B<sub>12</sub>, 240  
*Coccidioides immitis*, 202  
 Colicine, 183, 194  
 Colistatin, 183  
 Concentration, optimal, 19, 23, 224  
     threshold, 19, 22, 43-45, 97, 209, 214, 217  
 Copper, inactivates penicillin, 79  
     in penicillin biosynthesis, 64, 68, 72  
 Corn steep liquor, as source of borrelidin, 91  
     composition of, 65, 72  
     in biosynthesis of antibiotics, 65, 72, 122, 125, 168  
 CORNIL, C. V., 3  
*Coryophilin*, 186  
*Corynebacterium diphtheriae*, 83, 182, 184, 195  
 Crown gall, effect of penicillin on, 240  
*Cryptococcus neoformans*, 197, 199  
 Cup-plate assay. *See* Cylinder-plate assay  
 Curling factor, 186, 200  
 Curves, calibration, 46, 47  
     cumulated for antibiotics, 180  
 death, 15  
     “die-away” for penicillin in serum, 101-102, 104, 108  
 dosage-response, 23, 45-47, 128, 223  
 growth, 12-15  
     artificial modification of, 18-19  
 reference, in assays, 46, 47  
 sigmoid, significance of, 14  
 standard, 46, 47  
 Cyanates, effect of on streptomycin, 131  
*Cyclohexane*, in streptomycin, 120, 126  
     1,3-diguanidino-2,4,5,6-tetrahydroxy—, 120  
 Cyclopeptides. *See* Gramicidin S, Polymyxin, Tyrocidin  
 Cylinder-plate assay, 20-22, 43-48, 214  
     compared with serial dilution assay, 45-46, 222-223  
     modified cylinder-plate assay, 208, 222

- Cysteine, derivatives in penicillin, 68-70  
interaction with antibiotics, 130
- Dehydrogenases, effect of antibiotics on, 211-212, 216, 219-223, 230
- DEMEREc, M., 233
- Dermatomycoses, antibiotic therapy of, 199, 201  
sensitize patients to penicillin, 116
- Desoxyribonucleic acid, complex with streptomycin, 138-139
- Diffusion, of antibiotics, 15, 18, 20-21  
field of, defined, 12  
significance of fields of, 9-24
- Dihydrostreptomycin, 122-150, 185.  
*See also Streptomycin*  
chemistry of, 122-123  
preparation of, 126, 127  
toxicity of, 122, 131, 141, 147-150
- Dihydrostreptomycin B, 123
- Diphtheria, 4
- Diplococcin, 183
- Diplococcus pneumoniae, 83, 90, 93, 168, 174
- DOMAGK, G., 28, 53
- Dosage. *See under specific antibiotic*
- DUBOS, R., 5, 11, 25, 173, 175, 178
- DUFRENOY, J., 25, 117, 233
- DUGGAR, B. M., 156, 166
- DULANEY, E. L., 125, 150
- Duomycin. *See Aureomycin*
- EAGLE, H., 24, 102, 103, 117
- Eberthella typhosa, 10, 83, 89, 90, 91, 124, 132, 168, 188, 214, 223
- EHRLICH, J., 166
- EHRLICH, P., 27, 28
- Electrodialysis, in purification of antibiotics, 41
- Electrostatic field, on assay plates, 210
- Emetine, 27, 201
- Empyema, 137
- Encelia, 16
- Endamoeba histolytica, 192
- Endocarditis, bacterial, penicillin in, 84
- Endosubtilysin, 183, 189
- Enhancement factors, 89-92. *See also under specific antibiotic*
- Enniatin A, B, 186
- Ephedrine, to delay absorption of penicillin, 112
- Epinephrine, to delay absorption of penicillin, 112
- Erdin, 186
- Ergosterol, from *Penicillium*, 240
- Erysipelothrix rhusiopathiae, 83, 168
- Escherichia coli, 83, 90, 107, 127, 128, 135, 136, 140, 144, 152, 168, 182, 210, 214  
antibiotics from, 194  
cytochemical response to antibiotics, 225-228  
factor, 186  
morphologic response to antibiotics, 225-227  
penicillinase from, 88
- Eumycin, 183, 189
- Excretion of antibiotics. *See under specific antibiotic*
- Expansin, 179, 186
- Extraction, of antibiotics, 32, 40-42
- "F" factor, 185
- Fatty acids, in penicillin biosynthesis, 72-75
- F. D. A. *See Food and Drug Administration*
- Fermentation, 34-40. *See also Biosynthesis*  
aerobic, 39  
submerged, 32-40  
"submerged-surface," 96  
surface, 32, 34
- Fibrin, 146
- Flavacin, 187
- Flavatin, 180, 187
- Flavicidin, 180, 186
- FLEMING, A., 4, 7, 61, 118
- FLOREY, H. W., 4, 8
- Food and Drug Administration, certification of antibiotics, 53  
official tests, 53  
regulations, 76, 80, 95

- Formaldehyde, tyrocidin complex, 177  
 FORNEAU, E., 28, 54  
 FREDERICO, P., 203  
 Fructigenin, 187  
 Fumaric acid, effect of on Streptomycin assay, 138  
 Fumigacin, 187  
 Fumigatin, 187  
*Fusarium avenaceum*, 186  
*fructigenum*, 187  
*javanicum*, 187  
*lateritium*, 187  
*lycoperici*, 187  
*orthoceras* var. *enniatum*, 186  
*sambucinum*, 188  
*scirpi*, 188
- GALE, E. F., 213, 233  
 Garlic, 202  
 Gas gangrene, 10, 84  
 Gelatin, in assays, 23  
 for delaying absorption of antibiotics, 109  
 Geodin, 187  
 Gigantic acid, 180, 187  
 Gladiolic acid, 187, 200  
*Gliocladium fimbriatum*, 187  
 Gliotoxin, 83, 186, 187, 200  
 Globulin, effect on gramicidin and tyrocidin, 177  
 Glucosamine, N-methyl, 120, 121, 123  
 Glucose, 2-(methyl amino), 120-121, 123  
 Glutamic acid, role of, in penicillin action, 213-216  
 Glutamine, role of, in penicillin action, 213-216  
 Glutathione, in penicillin action, 214-216  
 stereochemical relation to penicillin, 215  
 Glutinosin, 187, 200  
 Glycine, in penicillin biosynthesis, 70, 72  
 in penicillin therapy, 114  
 GOLDSTEIN, A., 150  
 Gonococci. *See Neisseria*
- Gonococcic infections, penicillin in, 82  
 Gonorrhea, 82, 107  
 Gramicidin, 11, 174-178, 183, 206, 229-230, 237  
 Gramicidin S, 175, 183  
 Gram-negative micro-organisms, 31, 56, 119-120, 182-189. *For reaction to different antibiotics see also specific antibiotic*  
 Gram-positive micro-organisms, 31, 56, 119-120, 182-189. *For reaction to different antibiotics see also specific antibiotic*  
 Gram-positive reaction, loss of under influence of penicillin, 210, 213  
 Grisein, 185  
 Griseofulvin, 187, 200  
 Growth, enhancement of by antibiotics, 20-22, 51, 208, 210, 217  
 of test organisms, 48  
 post-lytic waves of, 48, 103, 135, 158, 217-218  
 Guanido groups, in streptomycin, 121  
 shock due to, 148
- Helvolic acid, 187  
*Hemophilus influenzae*, 83, 140  
*pertussis*, 83, 170  
 Hippuric acid, in penicillin therapy, 114  
 Hirsutic acid A, C, N, 187  
*Histoplasma capsulatum*, 202  
 HOTCHKISS, R. D., 175, 178  
 Hydroxylamine hydrochloride, 51, 89, 130  
 Hypothrombinemia. *See Blood, clotting*
- 3-Indole acetic acid, 75, 237  
 Indophenol oxidase, effect of penicillin on, 211

- Infection, effect of duration of, on success of antibiotic therapy, 136
- Inhibition, zone of, 20-22, 227. *See also Assays, Testing*
- Iodinin, 182
- Janus Green, in penicillin assay, 222
- Javanicin, 187
- JOUBERT, J., 1, 3, 8, 241
- Juglans hindisii*, 17
- Juglone, 17, 202
- KAVANAGH, F., 203
- Klebsiella pneumoniae*, 83, 132, 168, 170
- KOCH, R., 23
- KOFFLER, H., 65
- Kojic acid, 187
- KRAMPITZ, L. O., 233
- Lactate, effect of, on streptomycin assay, 137
- Lactobacilli, as test organisms for assays, 44
- Lactobacillus casei*, 187
- Lactococci, as test organisms for assays, 44
- Lactose, in penicillin biosynthesis, 65, 66
- LANGLYKKE, A. F., 167, 171, 203
- Lateritin-I, -II, 187
- Lauric acid, 202
- Lavendulin, 185
- Leprosy, 140, 178
- Licheniformin, 183
- Lichens, usnic acid from, 189
- LIGGETT, R. W., 65
- Linoleic acid, in penicillin biosynthesis, 74, 75
- LINZ, R., 233
- Lipositol, inhibits streptomycin, 139  
inhibits polymyxins, 171
- Litmocidin, 185
- LUTERAAN, Ph. J., 203
- Lycamarasmin, 187
- Lycopersicin, 202
- Lymphogranuloma venereum, 163
- Lyophilization of antibiotics, 42  
of stock cultures, 35
- Lysine, liberation of during bacteriolytic, 173-175
- MACHEBOEUF, M., 233
- Magnesium, effect of, on streptomycin assay, 137
- Malaria, 27
- Mass action, law of, in biosynthesis of penicillin, 74
- Mastitis, 178
- Mechanisms of antibiotic action  
penicillin, 208-224  
streptomycin, 224-229  
tyrothricin, 229-230
- Meningitis, 84, 97, 146
- Metabolism, effect of rate of, on response to antibiotics, 48-49, 92, 135, 158, 174, 218, 229-231
- Metarrhizium glutinosum*, 187
- 2-Methyl-4-amino-1-naphthol hydrochloride (vitamin K<sub>3</sub>), 90
- Micrococcus infimus*, 184  
*maripunicetus*, 184  
*sedimenteus*, 184
- Micromonosporin, 185
- Monilia* sp., 83
- Mononucleotidase, 219-221
- Mononucleotides, 214, 218-221
- Musarin, 185
- Mustard oil, 202
- Mutations, affecting biosynthesis of antibiotics, 32-34, 124, 156, 236  
affecting response of pathogens to antibiotics, 230-231
- Mycetin, 185
- Mycobacterium phlei*, 186  
*tuberculosis*, 12, 83, 120, 132, 182, 183, 185, 186, 188, 199, 239  
discrimination between streptomycin sensitive and resistant strains, 146
- PAS retards development of resistance, 142
- Mycocidin, 187

- Mycoin C, 187  
 Mycomycin, 185  
 Mycophenolic acid, 180, 187  
 Mycosubtilin, 183, 189
- Neisseria catarrhalis*, 192  
*gonorrhœa*, 82, 83, 85, 93, 192  
*intracellularis*, 83
- Neomycin, 185, 199-200
- Nicin, 183
- NITTI, F., 54
- Nocardia acidophilus*, 185  
*cocliaca*, 185
- Nocardin, 185
- Norvaline, in biosynthesis of penicillin, 72
- Notatin, 187
- Nucleotides, in mechanism of antibiotic action, 214, 218-221, 227-229
- Oils, as vehicle for antibiotics, 110  
 in penicillin biosynthesis, 73-75
- Oxidation-reduction threshold for, 222  
 as means of assaying penicillin, 223
- Oxphenazine, 183
- PAB. *See* Benzoic acid, *p*-amino
- "Paper-disk" method of assay, 47-48
- Paramecin, 189
- Paramecium aurelia*, 189
- Parasitcin, 180
- Parasitism, 9, 187  
 origin of, 57
- PAS. *See* Salicylic acid, *p*-amino
- PASTEUR, L., 1, 3, 8, 27, 241
- Pasteurella pestis*, 132, 140, 195  
*multocida*, 83, 170
- Patulin, 179, 188, 200
- Pectin, for delaying absorption of antibiotics, 109
- Pelargonic acid, 203
- Penatin, 188
- Penicidin, 188
- Penicillamine, 70, 78
- Penicillic acid, 188
- Penicillin, 31, 55, 61-118, 188, 207-224, 226, 229
- Penicillin (*Continued*)
- A, 188  
 absorption, factors influencing, 98  
 retardation of, 107-112  
 action of, prolonging, 109-116  
 by pharmaceutical means, 109-112  
 by physiological means, 112-116
- administration, continuous vs. discontinuous, 103-104, 117  
 routes of, 98-112
- amorphous, enhancing factors in, 92  
 vs. crystalline, 75, 79-80, 89-90, 94-96
- n*-amyl, 63-64, 73  
 antagonists of, 88, 206  
 antibiotic spectrum of, 62, 82-86, 93, 95, 98, 225  
 assay of, 42-49, 223
- B, 188  
 benzyl, 63-64, 73-74, 78, 90, 93, 102, 104-106, 112, 128, 129  
*p*-hydroxy—, 62-64, 73-77, 92, 93, 96, 104, 106
- biosynthesis of, 62, 64-75, 95  
 pathways of, 70  
 precursors for, 62, 68-69, 72-75, 95  
 yield from different strains of *Penicillium*, 32-34, 65-69, 73, 94, 96
- blood levels of, following different methods of administration, 97-116
- chemistry of, 62-64, 69-74, 78-79, 87, 120
- chemotherapeutic use of, 28, 97-117
- comparison of different types, 63-64, 93
- crystalline vs. amorphous, 75, 79-80, 89-90, 94-96
- cytochemical effects of on bacteria, 211-224
- dihydro F. *See* Penicillin, *n*-amyl
- dosage of, 84-85, 103
- enhancing factors, 75, 87, 89-92, 95
- excretion of, 62, 98-109, 112  
 methods of delaying, 112-116
- extraction of, 75-77, 87

- Penicillin (Continued)**
- F. *See* Penicillin,  $\Delta^2$  pentenyl
  - G. *See* Penicillin, benzyl heptyl, 63-64, 73, 90, 94-95, 104-106
  - infections in which indicated, 98
  - K. *See* Penicillin, heptyl mechanism of action, 208-224 contrasted with streptomycin, 225-229
  - $\Delta^2$  pentenyl (F), 63-64, 73, 93, 95, 105
  - $\Delta^3$  pentenyl (flavicidin), 63-64, 73
  - pharmaceutical forms
    - aerosols, 107-109
    - aqueous solutions, 98-106
    - insoluble salts, 109-112
    - suspensions, 109-112
  - purification of, 75-77
  - resistant organisms, 82-86, 88 lower metabolism of, 88, 92
  - salts of, 64, 75-76, 78, 104, 111-112
  - stability of, 76-81, 87, 105-106, 206
  - synergists, 89, 223
  - toxicity of, 28, 52, 82, 107, 110, 116-117, 229
  - unit, defined, 44, 128
  - X. *See* Penicillin, *para*-hydroxy benzyl
- Penicillinase, 79, 88-89, 107
- Penicillin-crustocin, 188
- Penicillium*, biosynthetic aptitude of different species, 68, 73, 94 antibiotics from, 62, 186-188
- auranti-virens*, 188
  - brevi-compactum*, 187
  - claviforme*, 179, 187
  - chrysogenum*, 32, 62, 65, 75, 94, 96
  - expansum*, 179
  - gladioli*, 187
  - janczewskii*, 186
  - notatum*, 32, 62, 65, 93, 96, 187, 239
  - patulum*, 179
  - puberulum*, 188
  - spinulosum*, 188
  - tardum*, 188
  - terrestris*, 188
- Penicilloic acid, 78
- Penillic acid, 78
- Pertussis, polymixin therapy of, 170
- Phage. *See* Actinophage
- Phenaceturic acid, 68
- Phenolphthalein phosphate, reagent for phosphatase, 221, 227
- Phenylacetic acid, 65, 68, 73-75, 90, 95, 237
- Phosphatases, effect of penicillin on, 211, 219-221
- Phosphates, as stabilizers for penicillin, 80-81 effect of on streptomycin assay, 137
- Phthiocol, 183
- Phycomyces factor, 188
- Phytopathology, use of antibiotics in, 194, 197, 200, 202, 240
- Phytonomas solanacearum*, 202
- tumefaciens*, 240
- Phytophthora* sp., 188
- Plague, bubonic and pneumonic, 4, 140
- Pleuroteus griseus*, 188
- Pleurotin, 188
- Plumbagin, 202
- Pneumonia, penicillin in, 84, 104
- Polymyxins, 31, 55, 83, 167-171, 183 amino acid content of, 170 antibiotic spectrum, 168-169 assay of, 169 chemistry of, 169-170 dosage, 170 toxicity of, 168 unit, defined, 169
- Polyporin, 188
- Polyporus biformis*, 186
- Polystictus sanguinensis*, 188
- Population, microbial compared with human, 1, 12, 17
- Potassium iodide, used conjointly with streptomycin, 141
- in penicillin biosynthesis, 64, 66-68
  - penicillinate, 64
- Potency, molar comparison of penicillin and streptomycin, 129
- PRATT, R., 1, 8, 12, 25, 118, 233

- Precursors, 39  
 as enhancing factors, 90  
 in penicillin biosynthesis, 62, 65,  
 68, 72-75, 95  
 in streptomycin biosynthesis, 125
- Proactinomyces cyaneus*, 185
- Procaine penicillin, 64, 111-112
- Prodigiosin, 183
- Proline, in streptomycin biosynthesis,  
 125-126
- Promin, in streptomycin chemotherapy, 141
- Promizole, in streptomycin chemotherapy, 141
- Prontosil, 28, 237
- Prophylaxis vs. chemotherapy, 29
- Proteus vulgaris*, 83, 132, 136, 140,  
 214
- Pseudomonas aeruginosa* (*Ps. pyo-*  
*cyanea*), 4, 83, 132, 135,  
 136, 140, 144, 168, 170, 183  
 antibiotics from, 195  
*chlororaphis*, 182
- Psittacosis, 82, 151, 155, 163
- Puberulic acid, 188
- Puberulonic acid, 188
- Pyo compounds, 183
- Pyocyanase, 4, 183, 195
- Pyocyanin, 183
- Pyolipid acid, 183
- Pyrogens, separation by electrodialysis, 41  
 test for, 52
- Pyruvates, effect of on streptomycin assay, 137
- Pyruvic acid, interaction with streptomycin, 137
- Pythium* sp., 188
- Q-fever, 155, 162
- Quinine, 27, 201
- RAMON, G., 90, 118
- Raphanin, 202
- Raphanus sativus*, 202
- Redox indicators, in assays of antibiotics, 221-223
- Relapsing fever, 155
- Renal blocking agents, for delaying excretion of antibiotics, 112-116
- Replacement therapy, 3-4
- Resistance of pathogens, development of, 142-146, 230-233  
 induced by streptomycin, 142-146  
 effect of PAS on, 141-142  
 induced by sulfonamides, 4, 28  
 relation to alternative metabolic pathways, 58-59
- RICHET, C., 23, 25
- RICHOU, R., 90, 118
- Rickettsia*, 82, 83, 151, 156, 185  
*nipponica*, 153  
*prowazekii*, 153  
*rickettsi*, 155  
*tsutsugamushi*, 153
- Ringworm, 203
- RITTMAN, G. E., 110
- Rocky Mountain fever, 155, 161
- ROMANSKY, M. J., 110
- ROQUES, H., 153, 166
- Rubber, inactivation of penicillin by, 79
- "Run-down" of antibiotic-producing organisms, 35, 124
- Rutin, masks activity of tomatine (lycopersicin), 202
- Saccharomyces cerevisiae*, 210
- Salicylic acid, *p*-amino, in streptomycin therapy, 141
- Salmonella enteritidis*, 83, 132  
*paratyphi*, 83, 132  
*schottmüller*, 132, 152, 168, 200
- "Salt effect," in assay of streptomycin, 137-138, 228
- Salvarsan, 236
- Sambucin, 188
- Sarcina lutea*, 91, 184
- Sarcoma, inhibition of by amorphous penicillin, 89, 201, 240
- SCHATZ, A., 150
- Serial dilution assay, 43-45, 48-49  
 compared with cylinder-plate assay, 45-46
- Serine, nephrotoxic factor in polymyxin, 168

- Serine (*Continued*)  
     glutathione as antagonist of, 215  
     in penicillin biosynthesis, 70, 72
- Serratia marcescens*, 83
- Shigella dysenteriae*, 83, 140, 168  
     *paradyENTERiae*, 83, 132, 152
- Sigmoid curve, significance of, 14  
     artificial modification of, 18
- Simplexin, 183
- Sinusitis, aureomycin in treatment of, 164
- SMITH, E. L., 80, 118
- "Social" physics, 12, 25
- Sodium benzoate with oral penicillin, 107  
     nitrate in penicillin biosynthesis, 65-68  
     penicillinate, 64, 111  
     phosphate in stabilizing penicillin, 80-81  
     sulfanilate with oral penicillin, 107
- Soil, organisms in, 10-11, 119, 152, 156, 167, 173
- Soy bean, in biosynthesis of antibiotics, 125, 168, 190  
     molded curd of, as source of antibiotics, 2
- Spectrum. *See* Antibiotics, biologic spectrum
- Spinulosin, 188
- STANSLY, P. G., 167, 171
- Staphylococcus albus*, 83  
     *aureus*, as test organism, 44, 46, 128, 190, 192, 209, 214  
     sensitivity to antibiotics, 83, 91, 93, 94, 133, 135, 163, 200  
     *mitis*, 184
- Stereum hirsutum*, 187
- Sterility, need for in production of antibiotics, 37-38, 42
- Sterility tests, 49, 89
- STEWART, J. Q., 12, 25
- Streptamine, 130
- Streptidine, 120-121, 130
- Streptin, 185
- Streptobiosamine, 120-121, 126, 130
- Streptocin, 185, 196
- Streptococcus agalactiae*, 183  
     *faecalis*, 83, 156, 175  
     *hemolyticus*, 90  
     *lactis*, 183  
     *pyogenes*, 83, 93, 133, 158  
     *salivarius*, 83
- Streptokinase, 146
- Streptolysin, 117
- Streptomyces*, antibiotics from, 120, 151. *See also* *Actinomyces*  
     *albus*, 184  
     *aureofaciens*, 156, 185  
     *bikiniensis*, 123, 185  
     *fradiae*, 185, 200  
     *griseus*, 124, 184, 185, 196, 240  
     *lavendulae*, 185, 197  
     *venezuelae*, 152, 185
- Streptomycin, 5, 11, 31, 55, 83, 86, 92, 119-150, 185, 207  
     absorption of, 139, 146-177  
     anaphylactic reactions to, 122, 125, 148  
     antagonists of, 130-131, 135, 137  
     antibiotic spectrum of, 120, 131-138, 140, 225  
     factors influencing, 131, 139  
     assay of, 126-127, 137
- B, 123, 185
- biosynthesis of, 124-126
- blood levels, 146-147
- calcium chloride complex, 122, 126
- chemistry of, 120-123
- chemotherapeutic use of, 139-150
- cytochemical effects of, 226-229
- dependent organisms, 130, 134
- dihydrostreptomycin, 122, 127, 131-150, 185
- discovery of, 120
- dosage, 141, 143-145, 147-150
- excretion, 146-147, 149
- extraction of, 126
- inactivators, 130-131
- indifferent organisms, 143
- infections in which indicated, 140-142
- joint use, with penicillin, 87, 91  
     with sulfonamides, 87

- Streptomycin (Continued)**  
 mechanism of action, 138-139, 224-229  
 contrasted with penicillin, 226, 229  
 precursors for, 125  
 residual form, 123-124  
 resistant strains, 133-134, 136, 139, 140, 142-146, 227, 229-233  
 "salt" effect, 137-138, 228  
 salts, 121, 127  
 sensitive organisms, 132, 142  
 stability of, 129-131  
 synergists, 91  
 tolerant organisms, 142  
 toxicity of, 120-122, 125, 131, 140-141, 147-150, 198, 229  
 antidotes for, 148  
 unit, defined, 127-129  
 II, 123, 185
- Streptose**, 120-121
- Streptothricin**, 185, 197-199  
 antibiotic activity, 185, 197  
 toxicity, 198
- Subtenolin**, 183, 189
- Subtilin**, 12, 83, 183, 189, 192-194  
 antibiotic spectrum, 192-193  
 as a seed disinfectant, 194  
 resistant strains, 193  
 stability of, 192  
 toxicity of, 193  
 unit defined, 192
- Subtiline**, 183, 189
- Subtilyne**, 183, 189
- Subtilysin**, 183, 189
- SH.** *See Sulphydryl*
- Sulfactin**, 185
- Sulfates**, effect of on streptomycin assay, 137
- Sulfetrone**, in streptomycin chemotherapy, 142
- Sulphydryl groups**, detection on assay plates, 211, 216  
 in antibiotic molecule, 68-71  
 importance in antibiotic action, 59, 210-212, 214-217  
 in penicillin biosynthesis, 72
- Sulfite waste liquor**, in penicillin bio-synthesis, 68
- Sulfonamides**, 5, 28, 94, 139  
 effect of number of organisms on action of, 87
- SULLIVAN**, N. F., 111, 118
- Symbiosis**, 9
- Synergism**. *See under specific antibiotic*
- Synergists**, 89, 91-92, 139, 165. *See also under specific antibiotic*
- Syphilis**, 27, 82, 89, 147
- Tardin**, 188
- Tartrates**, effect of on streptomycin assay, 137
- TAYLOR**, E. S., 233
- Testing**, 32, 42  
 potency, 42-48  
 pyrogen, 52, 53  
 sterility, 49-51, 89  
 toxicity, 51-52
- Tetanus**, 10
- Thiols**, inactivation of antibiotics by, 206
- Tomatin**, 202
- Tomatine**, 202
- Toxicity**. *See specific antibiotic; also Testing*
- TREFOUËL**, J., 54
- Treponema pallidum**, 89, 93, 193
- Trichoderma lignorum**, 187  
*viride*, 188
- Trichomonas vaginalis**, 185, 196
- Trichothecin**, 188, 200
- Trichothecium roseum**, 188
- 2,3,5-Triphenyltetrazolium chloride**, as test reagent, 216, 221
- Trombicula akamushi**, 153  
*deliensis*, 153
- Trypan blue**, as test for mononucleotides, 225-227
- Trypanotoxin**, 184, 189
- Tuberculosis**, 4, 86, 119, 131, 140, 144, 238
- Tularemia**, 140, 146
- Turbidimetric assays**, 44, 49
- TYNDALL**, J. 3. 8

- Typhoid fever, 10, 163  
Typhus, 151, 153  
Tyrocidin, 174-178, 184, 206, 237  
    mechanism of action, 229-230  
Tyrothricin, 51, 55, 169, 173-178, 184,  
    207  
    antibiotic spectrum of, 173, 177  
    biosynthesis of, 173-174  
    chemistry of, 175-177  
    mechanism of action, 229-230  
    toxicity, 5, 51, 177-178  
*Tyrothrix* sp., 173
- Ultra violet radiation, use of to produce mutants, 33, 156  
*Umbellularia californica*, 202  
Undulant fever, 10, 140, 155  
Unit, principles for basis for comparison of antibiotics, 126-129  
    defined, for bacitracin, 190  
        penicillin, 44  
        polymyxin, 169  
        streptomycin, 127  
        subtilin, 192  
Urea, inhibits streptomycin, 139  
*Urginea maritima*, use of in typhus, 153  
Urethritis, 163  
Usnic acid, 189, 239  
Ustin, 188
- Valine, precursor in penicillin biosynthesis, 70, 72  
Vasoconstrictors, use of to prolong penicillin action, 109, 112  
Vehicles. *See under specific antibiotic*  
*Venturia inaequalis*, 200  
*Vibrio cholerae*, 83  
Vinyl pyrrolidine, as vehicle for antibiotics, 110
- Violacein, 184  
Viridin, 188, 200  
Vitamin B<sub>12</sub>, 240  
    K<sub>5</sub>, 90, 229  
VUILLEMIN, P., 1
- WAKSMAN, S. A., 5, 8, 11, 120, 150, 203
- WEINDLING, R., 11, 25
- WEINTRAUB, R. L., 4, 8
- WEISS, E., 151, 156
- WERKMAN, C. H., 233
- Whooping cough, 170
- X-ray, use of to produce mutants, 33
- Xanthomycin, 185
- Yeast, autolysate of in streptomycin biosynthesis, 125
- Zinc, in corn steep liquor, 72  
    inactivates penicillin, 79  
    in penicillin biosynthesis, 64, 68, 72
- Zone of inhibition, 20-22, 226, 227