SOIL AND WATER ONSERVATION NEEDS ESTIMATES FOR THE UNITED STATES

BY STATES



UNITED STATES DEPARTMENT OF AGRICULTURE SOIL CONSERVATION SERVICE

WASHINGTON 25, D. C.

Revised June 1945

FOREWORD

Efficient, lasting soil conservation calls for treatment of the land according to the capabilities and needs of the many different kinds of land. Forseeing the job ahead, the Soil Conservation Service has made an appraisal of the conservation needs of the nation. These findings are based on several years of work throughout the principal basic land resource areas of the country. They constitute information which is essential in our progress as a nation toward effective conservation of our vital soil resources. Effective conservation of soil requires that each acre on every farm-cropland, grazing land, woodland, and idle land-be used according to its individual capabilities and treated according to its individual needs, which demands the coordinsted use of all the practical conservation measures in the proper combinations.

Chief, Soil Conservation Service

INDEX

Introduction
United States totals
Alabama
Arizona
Arkansas
California 20
Colorado
Connecticut
Delaware
Florida
Georgia
Idaho
Illinois
Indiana
Iowa
Kansas
Kentucky
Louisiana
Maine
Maine
Massachusetts
Michigan
Minnesota
Mississippi
Missouri
Montana
Nebraska 62
Nevada
New Hampshire
New Jersey
New Mexico . 7
New York
10H AVAR 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
North Carolina
North Dakota
Ohio
Oklahoma
CETERIORIE

	Pennsylva	nia	•	•	•	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•	84
5.4	Rhode Isl	and	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	é	•	•	63
,	South Car	olin	a	•	•	•	•	•	•	•	•	•	. •	•	•	•	•	•	•	•	•	83
	South Dak	ota	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•	•	•	•	90
	Tennessee						•	•	•	•	•	٠	•	•	•	•	•	•	•	•	•	92
	Texas				•,		•	•	•		•	•	•		•		•	•	•	•	•	94
	Utah		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	96
	Vermont.		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•			•	98
	Virginia		•	•		٠	•	•	•	• .	•		•	•	•		. •	•			• 3	LOO
	Washingto																					
	West Virg																					
	Wisconsin																					
	Wyoming.																					

INTRODUCTION

For generations Americans have treated land wastefully. Through exploitative farming the soil has been exposed to the ravages of uncontrolled erosion and impoverishment. Productivity of the land has been seriously undermined as a result of indifference towards the forces leading to soil wastage and insecurity of farming operations.

Within the past fifteen years, however, the picture has undergone a remarkable change. Today more and more attention is being directed toward those types of farm operations which will maintain or improve the productive level of agricultural lands.

Farmers and ranchers cooperating with one another in nearly thirteen hundred soil conservation districts covering parts or all of seventeen hundred counties today are formulating programs to bring about desirable physical adjustments in land use for the betterment of human welfare, to conserve natural resources, establish a permanent and balanced agriculture and reduce the hazards of floods and siltation. Development of such comprehensive programs requires consideration of all available information that may be applicable to the needs of the land and of the people on the land.

During the past eleven years the Soil Conservation Service in cooperation with farmers has been applying to the land a comprehensive program of soil and water conservation and land use adjustments throughout the United States. The carrying out of this program involves the planning, installation, and maintenance of soil and water conservation practices on all lands needing such treatment. To develop programs and plans which will meet the conservation needs of any and all sections of the country, it is essential that this fundamental information be obtained and made available in the most readily usable form.

Since there is an ever increasing demand for Soil Conservation Service assistance which, of necessity, is limited, basic information has been even more urgently needed to determine the priority of various types of work and the priority of work areas, so that our land and water resources could be utilized to the greatest advantage in the wartime agricultural program and in preparation for the post war period. Other agencies also need reliable information on conservation needs to help guide them in any of their work which may directly or indirectly further conservation on the land. The development of agricultural programs calls not only for information on the conservation work under way or completed, but also for information as to the total needs.

In order to bring together all available data on the needs for conservation work and to facilitate the use of such data in conservation planning, a far reaching analysis of this information was initiated in the fall of 1942 by the Soil Conservation Service. The sources from which basic information was obtained include the following: (1) U. S. Census (agricultural); (2) records and reports on accomplishments of soil conservation demonstration projects and CCC camps, and soil conservation districts; (3) postwar work inventory data; (4) flood control survey reports: (5) conservation survey and land use capability data; (6) various other appropriate reports dealing with agricultural statistics; (7) the wealth of information accumulated by the large force of soil and water conservation technicians of the Service; and (8) information in the hands of State and local agencies.

Definitions and Descriptions of Terms Used in Determining Conservation Needs

Basic Land Resource Area. While most land needs some type of corrective or preventive conservation treatment, the total amount of intensity may vary widely from one section of the country to another. The total needs for conservation may be two or three times as great in one area as in another or equal size, due to variations in soil, slope, erosion and erosion potential, climate, and past land use. Not only may there be differences in total needs for conservation as between areas, but the type and urgency of treatments may vary. To show needs by locations and to facilitate the projection or expansion of experience and other data, the basic land resource areas were determined and delineated on appropriate maps. In the preparation of this basic map, various State agencies have assisted the Soil Conservation Service. Basic land resource areas, as used in the conservation needs analysis, are geographical areas of land in which there are such uniformities in the physical conditions (erosion conditions, soils, topography, and climate) as to present relatively uniform soil and water conservation problems, together with relatively uniform solutions.

Soil and Water Conservation Practices. In the interest of establishing uniform, nation-wide terminology in the development of data for this analysis, a descriptive catalogue of conservation practices was compiled. In this catalogue each practice was briefly defined; kinds of crops and work involved were outlined; units of measure were given; types of application and maintenance work involved were outlined; and other guiding information provided.

Land Capability Classes. The land classification in current use by the Soil Conservation Service and adhered to in the analysis of Conservation Needs is a guide to the suitability of land for cultivation, grazing, or woodland uses. There are eight land capability classes, based on those physical characteristics of the land that affect the choice of crops, farming methods and needs for conservation. Classes I, II, and III are suitable for regular cultivation. Class I requires no special practices other than maintenance of fertility and good physical conditions. Class II requires moderate use of special practices and Class III, intensive use of special

practices for successful management and adequate soil protection. Class IV is suitable for occasional or limited cultivation. Three classes not suitable for cultivation but suitable for permanent vegetation are Class V, which can be used safely for grazing or woodland without special practices; Class VI which needs moderate limitations, and Class VII which has physical characteristics that make necessary severe limitations in use. Land of Class VIII is not suitable for cultivation, grazing or woodland, although most of it will produce some useful wild plants and animals; it ordinarily includes extremely rough, sandy, wet, arid, or saline land.

Class I land is nearly level land, not subject to serious erosion, easily worked, and at least fairly productive. Lands of Classes II and III are productive lands which for their safe and successful use require such special practices as are needed to control erosion, improve drainage, or correct deficiencies in natural fertility. By using these necessary precautions, these lands are suitable for cultivation and a wide range of crops. Class IV land has physical properties that limit but do not prevent entirely its safe or satisfactory use for crops. Class V land ordinarily is nearly level and suitable for grazing or woodland, but too wet, rocky, or subject to overflow to permit cultivation. Classes VI and VII include land that is steep or erodible, thin or unproductive, together with large areas of land too dry for safe crop production but useful for grazing or forestry. Class VIII land is rough, swampy, or otherwise unsuitable for grazing or forestry, although usually it supports some useful plants and wildlife.

Methods Used in Determining Conservation Needs

An intensive effort has been made to collect, evaluate, and summarize all information having a bearing on the total needs for conservation work, both for the present and in the postwar period. This was done according to the following step-by-step process: (1) Development of basic map showing the location of land resource areas; (2) grouping and tabulation of basic data related to land use and crops; (3) estimation of acreage of each capability class for each type of land use; (4) estimation of the amount of each practice needed; (5) estimation, by conservation-farming practices, of labor, equipment, and material needs to do the conservation job; (6) estimation of technical assistance needed for applying and maintaining conservation practices; and (7) estimation of costs of applying and maintaining conservation practices.

Tabulation of Basic Data from the Census Reports on Agriculture. County and minor civil subdivisions data in the 1935 and 1940 U. S. Census Reports on Agriculture were used to obtain the closest possible approximation of land use in each basic land resource area. The 1940 census reports provided most of this data; the 1935 census was also used in order to obtain types of information not distinguishable in the 1940 reports.

Development of Land Capability Data. Since land use capability data provided ONE of the bases for estimating quantities of practices needed and since they will also be needed for adequate determination of any future land use conversions, earnest effort was made to obtain the best possible estimates of land capability acreages for each basic land resource area. These estimates were made by projecting data for representative surveyed portions of the land resource areas to the entire extent of these areas. Where, in a few of the areas of lesser importance, such data were not available, estimates were made on the basis of general knowledge of the areas or by projecting data from the nearest related areas. Acreages of different classes of land were similarly estimated for each major land use in the basic land resource areas and adjusted to check with census land use acreages.

Selection and Evaluation of Applicable Practices. In the selection of practices to be used in determining soil conservation needs, consideration was given to: (1) practices and adjustments which are needed to carry out a coordinated program of soil and water conservation; (2) all needed but not necessarily all possible practices; (3) the experience of farmers; (4) the experience and research of the Soil Conservation Service and other agencies.

To evaluate practices as accurately as possible, certain known factors were carefully considered, each in its relation to the others. For a given type of land use—for cropland, as an example—the practices shown by experience to be needed for the best protection of the soil and maximum practicable conservation of rainfall were used as basic guides. Quantities and kinds of conservation practices capable of achieving the best results on specific acreages were determined on the basis of experience of the Service in working with many thousands of representative farmers throughout the entire country over a period of years. Each of the specific acreages was appropriately considered in its relation to the entire basic land resource area, and the most representative sample acreages were used as criteria in evaluating the practices. In determining the representativeness of the acreage for which there was experience data, consideration was given to the following elements: current land use, use capability of the land, type of farming, and size of operating units.

Estimation of Quantity of Each Practice Needed. The amount of each practice needed for a given land use acreage was developed on two different bases: (1) the quantities shown in complete soil and water conservation plans for farms and ranches; and (2) land capability class recommendations. In general, the quantities of practices recommended for the different land capability classes are somewhat greater per unit of land use than those quantities shown in farm and ranch conservation plans. Therefore, two separate and distinct methods were followed in determining the quantity of each practice needed for a given land use acreage.

Application Requirement in Terms of Labor, Equipment, and Materials. Amounts of labor, equipment, and materials for applying and maintaining the needed conservation practices were determined by applying labor, equipment, and materials needed per unit of practice to the quantity of each practice

estimated on the basis of land use. Source of supply for the labor, equipment, and materials was not involved in this determination. The labor, equipment, and material needs per unit of practice were obtained from records of actual accomplishments in soil conservation work and adjusted to prevailing conditions by experienced technicians.

Soil and Water Conservation Needs Estimates Based Upon Recommended Feasible Land Use and Practices

The data in the Tables numbered "1" for the United States and states show: Land classified according to use capabilities; land in farms by four major uses; land not in farms; and approximate total land area. Data on use capabilities are shown mainly for groups of classes rather than by individual classes. This information portrays the upper limits of expansion of land suitable for cultivation on the basis of physical conditions. Possible land use changes are indicated. For the entire United States, for instance, approximately 43,234,000 acres of cropland not suitable for cultivation should be converted to woodland or grazing. To offset the loss of cropland that should thus be converted to woodland or grazing, there are approximately 113,509,000 acres of grazing land and 32,934,000 acres of woodland that could be used, under proper safeguards, for growing crops—if it could be spared from present uses.

Essential economic and social considerations should be taken into account in planning for land use adjustments. The areas of usable land presented above and hereinafter presented, therefore, may not necessarily represent precisely the most desirable over-all pattern of land use. They simply indicate how far it is possible to go and where changes could be made, when needed, in utilizing the physical land resources of the country.

The data in tables numbered "2" for the United States and states show:
Conservation needs for land in farms; quantities of practices, and amounts of
labor, equipment, and materials required for their application. The quantity
of each practice represents that portion remaining to be done (the job ahead),
or upon which labor, equipment, and materials must be expended. The quantities
of needed conservation practices presented in the following tables represent
some duplication in acreages of land areas. That is, for example, 10 acres
that need contour planting may also need terracing. Thus, the same 10 acres
will be listed in contour planting needs and in terracing needs as well. In
addition to the requirements shown in tables "2" for the application of conservation practices, some farmers will be contributing a certain amount of
labor, equipment use, and materials toward getting the whole conservation job
done that does not appear in the tables.

Soil and water conservation practices shown in tables "2" are defined as follows:

1. Clearing and grubbing: The removal of trees and brush that interfere with seedbed preparation, cultivation, mowing and other cultural operations necessary for the production of crops and pasturage.

- 2. Contour furrowing: The construction of small, shallow furrows on the level or loosening of sub-surface soil for the purpose of checking runoff and preventing soil loss by increased penetration of rainfall.
- 3. Contour planting (contour cultivation): The planting and cultivation of crops in rows, which follow across the land on the level. This is in contrast to cultivating up and down the slope.
- 4. Cover crops: Crops grown for the purpose of soil protection, between periods of regular crop production. Includes close-growing or soil-improving crops grown in orchards, part or all of the year. (Use intended to be made of crop at the time it is planted will determine title.)
- 5. Crop residue management (stubble mulch farming): The operation and management of cropland to conserve stubble, stalks, and other crop aftermath on or near the surface in order to prevent wind and water erosion, to conserve moisture, decrease evaporation, and insure crop production.
- 6. <u>Crop rotation</u>: Crop rotation is the growing of different crops in recurring succession on the same land, in distinction to a one-crop system or a haphazard change of crops determined by opportunism or lack of a definite plan.
- 7. <u>Deferred grazing</u>: Postponement of the use of grazing land from the start of forage growth until a definite stage of plant development has been reached which favors maintenance of the range while in use.
- 8. <u>Diversions</u>: A diversion is a channel with a supporting ridge on the lower side constructed across the slope to intercept runoff and minimize erosion, or to prevent excess runoff and damage to other areas. In some areas, a series of diversions are constructed across the slope similar to terraces, but with greater horizontal and vertical spacing.
- 9. Drainage: The removal of excess surface or ground water from land by means of artificial surface or subsurface conduits.
 - A. <u>Individual Farm Drains</u>: Individual farm drains include surface and subsurface conduits and other types of drainage works constructed to serve a single farm unit. Some of the work may be done off the farm, as for example, where it is necessary to extend an outlet.
 - (1) Covered Drains: A covered drain is an underground conduit constructed of clay tile, concrete tile, wood, or rock to remove excess ground water.
 - (2) Open Drains: Open drains represent open ditches constructed primarily to remove excess surface water from agricultural land which is too wet otherwise to farm effectively or to serve as outlets to covered drains. Such drains are to serve only a single farm, although some work may be done off the farm in order to take care of necessary outlets.

- B. Other Farm Drainage Practices: Other types of farm drainage systems are sometimes used, including levees or dikes, pumping plants, and wells.
- 10. <u>Dune and beach erosion control</u>: The application of various mechanical and vegetative measures designed to stabilize coastal and inland sand dunes or "blow-sand" areas.
- 11. Emergency tillage: The cultivation of the soil by listing, duckfooting, chiseling, etc. in order to roughen the soil or bring clods to the surface for the prevention of wind erosion.
- 12. Exclusion (primarily for erosion control): This practice is the exclusion, for at least one 12-month period, of all livestock from a designated grazing area for the purpose of forage protection, erosion control, or seed production.
- 13. Fertilizing grazing land: The application of needed fertilizer materials to produce satisfactory growth of forage plants.
- 14. Field and gully planting (woodland): The planting, on land essentially free of trees, of seeds, seedlings, transplants, or cuttings of woody plants, in order to establish or re-establish a forest cover adequate to prevent excessive runoff and erosion or to produce useful forest products.
- 15. Fire protection: Detection, prevention, and suppression of fire.
- 16. Green manure crops: Any crop turned under while green, or soon after maturity, for the purpose of soil improvement. (Use intended to be made of crop at the time it is planted determines the title, that is whether it is to be plowed under as a soil-building measure or harvested as a crop.)
- 17. Harvest cutting: Cutting in any woodland for the purpose of harvesting trees ready for market, or for salvage of trees damaged or killed by fire, insects, disease, or other causes. While the principal products from such cuttings will come from trees of rotation age or older, they will ordinarily include also other trees removed as incidental improvement cuttings.
- 18. Hedges: A belt of shrubs or small trees, usually following along field boundaries—not for wind control.
- 19. Improvement cuttings: Cutting in any woodland for the primary purpose of developing satisfactory growing stock, or for increasing the utility of the forest for purposes other than wood production. While the principal products from such cutting will come from trees under rotation age, they may include occasional trees of crop size.
- 20. Irrigation developments and improvements: Work in this category includes (1) repair, rehabilitation, or improvement of existing enterprises; (2) construction of new enterprises; and (3) improvement of farm irrigation practices. In detail, these activities cover such work as: that

essential to the management, diversion, storage, and conveyance of water; farm distribution systems and land preparation; measurement and control of water; development or rehabilitation of springs and wells; and disposal of waste water (exclusive of water involved with drainage work—see section on Drainage)—

- A. Storage dams: Storage dams are structures built for the purpose of storing water in stream channels, ravines, and other locations.
- B. <u>Diversion dams</u>: Structures extending partially or completely across a stream channel to raise the level of the water to the extent that a portion or all of the flow is diverted into a distributing canal.
- C. Spring development: Structural work performed in and around a spring or seep to insure increased or uniform flow.
- D. Wells: Wells drilled to supply irrigation water from underground sources.

E. Main and lateral carals:

- (1). A main canal is any open conduit for conveying water from the source of supply to the lateral canals or to a storage reservoir.
- (2) A lateral canal is a branch of a main canal for conveying water to one or more farms.
- F. Farm distribution systems: Include ditches, pipes, flumes, and appropriate structures for regulating and distributing water to fields within the boundaries of single farms.
- G. <u>Land preparation</u>: Practices necessary to prepare the land for irrigation.
 - (1) Lami leveling: The shaping or leveling of the surface to permit uniform application of water to the land.
 - (2) Toxic salt reduction: Reduction of content of water-soluble toxic salts in soils through heavy application of water to leach out such constituents.

H. Methods of water application:

- (1) Controlled flooding: The controlled distribution of water to croplands and meadows from an irrigation distribution system consisting of parallel head ditches from which water flows over the ground, guided by the slope of the land.
- (2) Border methods: Water is applied to narrow strips formed by small earth ridges running generally in the direction of the steepest slope, with the ground between the ridges being as nearly level as possible. Borders may also be laid out fairly close to the contour.

- (3) Corrugation method: An adaptation of furrow irrigation to crops not planted in rows, such as grain and alfalfa. This method is more applicable to land of uneven topography or to fields too steep to irrigate by controlled flooding or border methods. Consists of series of small parallel furrows spaced from 18 to 36 inches apart and running generally in the direction of the steepest slope. Water should be distributed to individual corrugations through an equalizing ditch just below the head ditch, and the flow into each corrugation should be accurately controlled by means of spiles, lath boxes, etc.
 - (4) Furrow method: Adapted to irrigation of crops grown in rows. The furrows follow grades in which water will run freely without causing erosion, and are usually spaced from 2 to 4 feet apart. Both the V-type and the broad-shallow type of furrow irrigation are used.
 - (5) Basin method: Adapted mainly to orchard irrigation. Basins are formed about the trees by low ridges, which are eliminated when the land is cultivated. They require reconstruction for each irrigation.
- (6) Sprinkler method: Application of water to the land under pressure through pipe and sprinklers. Because of costs it is generally used for high-value crops. It provides the most uniform and efficient method of application, and may be adapted to use on steep, rough topography.
- 21. <u>Liming pastures</u>: Application of some form of lime to improve growth and quality of pastures.
- 22. Maintaining feed reserves: This practice consists of producing (or buying) feed for emergency use during times when pasture or range forage is insufficient or of inferior quality. Such feed reserves may be hay, straw, grain sorghum, and concentrates—in addition to feeds normally required annually.
- 23. Maintaining forage reserves: This practice consists of setting aside areas of range or pasture for such emergencies as drought, fire, or other unforeseen difficulties. This is usually accomplished by the exclusion of livestock or by lightly using grazed areas.
- 24. Management of odd areas (primarily for wildlife): Development, protection, and utilization of vegetation on odd portions of farms and ranches, such as fencecorners, rocky areas, and sinkholes.
- 25. Management of spoilbanks: Establishment of some form of vegetative cover on raw materials exposed by strip-mining, ditch construction, dredging, etc.

- 26. <u>Marsh management</u>: Manipulation of vegetation of wet lands for the production of wildlife crops.
- 27. Mowing of grazing land: Mowing is the cutting of weeds and rank growth in order to improve grazing.
- 28. <u>Mulching</u>: Use of vegetative litter not grown on the site to cover the ground with a layer of material which protects the land from erosion, conserves moisture, and discourages weed growth.
- 29. <u>Noxious plant control</u>: Eradication or reduction of growth or density of plants which interfere with efficient use of the land for crops or pasture.
- 50. Outlets and farm watercourses: Outlets and farm watercourses are protected natural or constructed channels for the purpose of disposing of runoff in a manner which minimizes erosion. Such charmels are usually protected by grass or other suitable vegetation. Occasionally mechanical protection is required.
- 31. Perennial hay crops: This designation applies to the use of land not suitable for cultivation. Such land should not be plowed except for improvement of the perennial vegetation. This use differs from the planting of perennials, as timothy and alfalfa planted in regular rotations on cropland.
- 32. Pond management: Protection of ponds from siltation and erosion of the dam and adjacent areas for efficient production of fish and other wildlife.
- 33. Prevention of grazing damage: Protection of woodland from overgrazing.
- 34. Proper stocking: Stocking of grazing land at such an intensity as will make full use of the available forage and provide for maintenance or improvement of the range or pasture.
- 35. Pruning: Removal of excess branches to improve quality of product.
- 36. Reinforcement of existing woodlands: The planting of trees or seeds of trees, or the treatment of the site to encourage natural seeding, for the purpose of increasing the number of trees or improving the character or quality of the stand of existing woodlands.
- 37. <u>Feorganization of fields</u>: The reorganization of fields includes all rearrangement of fields such as the laying out or establishment of new fields and changing the boundaries of old fields.
- 38. Roadside erosion control: Control and stabilization of roadside ditches, cuts, and fills subject to erosion.

- 39. Rodent control: Reduction of numbers of redents injurious to conservation structures and to crops and other useful plants.
- 40. Rotation grazing: Rotation grazing is the use of different pastures or parts of pastures or ranges in such orderly sequence as will allow adequate maintenance of the forage.
- Al. Rotation hay or pasture: The use of grasses and legumes in regular crop rotations for hay. (Not to be confused with rotation grazing.) These areas may be grazed from one to several years before plowing for the regular crops, depending on length of the rotation. May be used a year or two for hay before turning to pasture; or may be used for hay and pasture the same year.
- 42. Salting: The placing of salt according to a planned system over the range or pasture to aid in better distribution of grazing.
- 43. Scattering of droppings: Distribution of animal manure over pastures with harrows or drags for improvement of the grazing.
- 44. Shelterbelts and windbreaks: Trees and shrubs planted in strips or belts, usually in from 1 to 10 rows, for the primary purpose of reducing the velocity of wind for control of soil blowing and snow drifting, and for conservation of moisture, protection of crops, livestock, orchards, and buildings.
- 45. Seeding of range and pasture plants: Establishment of perennial vegetation for range or pasture purposes by drilling or broadcasting seed and covering with such mechanical methods as brush dragging, harrowing or trampling by livestock.
- 46. Soil saving dams: A soil saving dam is a dam of earth, rock, or other material placed across a gully or natural watercourse to impound silt, retard runoff, and reduce erosion.
- 47. Streambank management: Development or protection of vegetation along stream courses.
- 48. Stockwater development: Development or improvement of stockwater supplies. Such developments, in addition to supplying drinking water, facilitates efficient distribution of stock over the grazing area. Such developments include springs, reservoirs, and wells.
- 49. Strip cropping: Strip cropping, as here used, consists of the growing of (1) alternating strips of cultivated crops and thickgrowing protective crops on the contour; (2) wind stripping by planting alternate strips of cultivated and thick crops at right angles to the prevailing wind; and (3) field stripping by planting alternating strips of cultivated and thick crops at right angles to the prevailing slope of the land. All of this is to prevent or

reduce erosion, to conserve moisture, and to make favorable conditions for crop production.

- 50. Terracing: Construction of water channels, with a ridge below, across the slope at such gradients and vertical intervals as to intercept and control runoff.
- 51. Tillage for impounding water: Tillage operations designed to increase infiltration of rainfall by such restraining methods as regular field contouring, listing, basin-listing, etc.
- 52. Water spreading: Water spreading is the diversion of runoff water from gullies or watercourses and its distribution on adjacent gently sloping grazing lands needing additional water.
- 53. White pine blister rust control: The periodic eradication of currant and gooseberry bushes from within and near stands of 5-needle pines (especially eastern white, western white, sugar, limber, and white-barked pines) in order to prevent spread to the pines of the destructive fungus known as the white pine blister rust. Such work aids in the maintenance of protective stands of trees on many critical headwater drainages.
- 54. Wildlife borders: Strips of herbaceous or woody plants developed around the edges of fields in the zone of poor crop production or where the edges are eroding. Such plantings usually provide protection or feed or both for wildlife.

The attached tables for the United States and each State separately represent the conservation needs, as well as can be determined now, of the "land in farms" of this country. As additional information becomes available, the figures will be refined.

Table 1. Land classified according to use capabilities; land in farms, by four major uses; land not in farms; and approximate total land area, UNITED STATES, 1939, 1/

	Suitable for	Suitable for	Suitable for	Suitable	
,	Continuous	Occasional	Grazing or	Only for	
Land Use	Cultivation	Cultivation	Woodland Use	Wildlife	Total
	Classes	Class	Classes	Class	_
	I, II & III	IV	V, VI & VII	VIII	
	(1,000)	(1,000)	(1,000)	(1,000)	(1,000)
	(Acres)	(Acres)	(Acres)	(Acres)	(Acres)
LAND IN FARMS	495,864	100,051	440,102	18,183	1,054,200
(a) Cropland 2/	328,980	44,768	43,234	. 579	417,561
(b) Grazing Land 3	/ 113,509	36,149	312,853	11,699	474,210
(c) Woodland 4/	32,934	13,181	68,838	419	115,372
(d) Other Land in			•	••	
Farms 5/	20,441	5,953	15,177	5,486	47,057
LAND NOT IN FARMS 6/	69,804	55,082	568,346	73,859	767,091
APPROXIMATE TOTAL LAND	D .	•		•	
AREA	565,668	155,133	1,003,448	92,042	1,821,291

^{1/} These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

4/ 1939 Woodland acreages except Arizona, Colorado, New Mexico and Utah which show woodland not pastured in 1930, and Arkansas, Louisiana, Oklahoma and Texas which show 1939 woodland acreage adjusted.

1939 Other Land in Farms except Arizona, California, Colorado, Idaho, Nevada, New Mexico, Oregon, Utah and Washington which show other land in farms in 1935. does not include data for Arkansas, Louisiana, Oklahoma and Texas.

Does not include data for Arkansas, Louisiana, Oklahoma and Texas.

Table 2. Conservation needs for land in farms; quantities of practices, and amounts of labor, equipment, and materials required in their application UNITED STATES, 1943 (SEE FOOTNOTE 1/)

		Remaining	Skilled &	Motor	Horse		Trees
Practices According		To Be	Unskilled	Equip-	Equip-		Shrubs
To Land Use	Unit	Done	Labor	ment	ment	Seed	Plants
		(1,000)	(Man Yrs)	(Yrs)	(Yrs)	(Tons)	(1,000)
CROPLAND			•				
Contour planting	Acre	124,694	10,253	184	922		
Cover crops	Ħ	34,120	18,369	2,049	9,241	304,250	ó
Crop residue manage	ment "	178,243	8,389	5,289	2,273		*****
Crop rotation	Ħ	212,780	6,558	2,194	2,188		
Diversions	Mile	569	33,678	7,547	8,176		L 53
Emergency tillage	Acre	4,910	200	137	216		
Green manure crops	11	55,346	69,543	13,328	100,621	761,42	4
Perennial hay crops	3 #	11,062	41,981	5,154	44,647		1,567,309
Rotation hay or pas	st. W	90,838	48,435	22,170	75,432	347,72	
Strip cropping	Ħ	96,465	29,255	932	3,762		
Terracing	10	90,658		69,334			

^{2/} Cropland includes land used for crops and idle or fallow.
2/ Grazing land includes plowable pasture and other land in farms used for grazing purposes. All states except Alabama, Florida, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, Tennessee and Virginia, which show Census plowable pasture.

	2	Remaining	Skilled &	Motor	Horse		Treas
ractices According	7000	To Be	Unskilled	Equip-	Equip-		Shrubs
To Land Use	Unit	Done	Labor	ment	ment	Seed	Plants
		(1,000)	(Kan Yrs)	(Yrs)	(Yrs)	(Tons)	(1,000)
Tillage for imp. water PRAZING LAND	Acre	15,193	<i>5</i> 96	183	1,649	-	_
Contour furrowing	10	13,377	15,112	2,084	35,662		-
Deferred grazing		253,842	2,184			-	
Excl. for eros. contl.	M	13,243	4,786			-	
Fertilizing grazing lan	d #	109,019	21,366	3,692	23,221		
Liming pastures	π	84,448	24,854	808	23,786	_	
Maintain. feed res.	Tons	3,952	2,319	33	46	-	-
Maintain. forage res.	Acre	87,486		-	-	-	_
Mowing grazing land	N	111,272	27,603	12,102	38,225		
Proper stocking	R	358,820	1,117	3	_		_
Rotation grazing		221,566	15,922	4	7		
Salting	10 :	155,237	885		_	_	
Scattering droppings	*	9,563	950	390	1,162	_	
Seeding rge. & past.	R.	110,582	82,092	15,113	116,789	846.815	
Stockwater development	No.	1,202	81,358	16,123	17,370		-
Water spreading	Acre	2,880	4,710	2,628	2,215		_
OODLAND			4,	_,,	-,,		
Field & gully planting	Ħ	11,655	145,244	10,467	999	14,973	13.570
Harvest cutting	11	42,373	275,387	390	35,748		
Improvement cuttings	11	85,749	919,497	13,473	196,195	-	
Pruning		2,690	7,876			·	
Rein. of exist. woodlds	. 11	6,446	26,784	3,406	4,067	3,133	1,523
Prevent. of graz. dam.		104,298	63,249	145	13,555		
NO OR MORE LAND USES		2045270	0),,		~,,,,,		
Marsh Management	H	698	3,430	236	87	193	7,67
Clearing and grubbing	W	25,066	548,131	8,372	28,947		7307
Drainage	" 2/		166,076	17,645	47,872	330	
Dune & beach eros. cont		855	13,447	1,380	7	1,902	5,503,
Fire protection		313,730	111,564	7,575	31,330	1,702	بسارور
Hedges	и,	670	7,751	1,0,0	934		571,2
Mgt. of odd areas	-	5,511	39,308	528	4,195	11,792	
Mgt. of spoil banks		195	3,284	75			1.57 1905/94
		884	17,844	36	255	549 1	293,8
Mulching		13,076			5,970		
Noxious plant control			97,147	1,707	1,361	01 606	
Outlets & farm watercrs	• "	6,291	131,253	27,562	58,580	84,626	
Pond management	•	770	10,756	2,307	88	751	52,5
Rodent control		27,343	3,838	2.025	7.036		
Shelterbelts & windbrks		2,260	24,190	2,025	3,010	4,151	2,231,
Soil saving dams	No.	333	163,504	45,547	85		
Streambank management	y case	831	11,358	1,129	204	108	490,2
Wildlife borders		3,017	14,003	1,957	9,601	54,954	204,6
OTALS		3	,634,932	327.441	1089,978	2.5/4.10	4

^{1/} Based on farm planning experience, land capability recommendations and land use acreages after cropland, not suitable for cultivation, has been converted to

acreages after cropland, not suitable for cultivation, has been converted to grazing or woodland use.

2/ This figure represents the acreage of land in need of drainage which is considered as of first priority under a work schedule. There is considerable additional cleared and uncleared land in need of drainage, but the appraisal has not yet covered these areas in sufficient detail to give the precise acreages at this time. This applies to all the tables in this report which include figures for drainage.

NOTE: These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

Table 1. Land classified according to use capabilities; land in farms, by four major uses; land not in farms; and approximate total land area, ALABAMA, 1939 1/

	Suitable for Continuous	Suitable for Occasional	Suitable for Grazing or	Suitable Only for	
Land Use	Cultivation	Cultivation	Woodland Use	Wildlife	Total
	Classes	Class	Classes	Class	
	I. II & III	IV	V. VI & VII	AIII	
	(1,000)	(1,000)	(1,000)	(1,000)	(1,000)
	(Acres)	(Acres)	(Acres)	(Acres)	(Acres)
LAND IN FARMS	9,246	2,664	7,233		19,143
(a) Cropland 2/	6,104	1,181	938	-	8,223
(b) Grazing Land 3/	1,203	405	565	-	2,173
(c) Woodland (d) Other Land in	1,357	858	4,795		7,010
Farms	582	220	935		1,737
LAND NOT IN FARMS APPROXIMATE TOTAL LAND	2,878	1,750	8,918	-	13,546
AREA	12,124	4,414	16,151		32,689

I/ These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

Table 2. Conservation needs for land in farms; quantities of practices, and amounts of labor, equipment, and materials required in their application, ALABAMA, 1943 (SEE FOOTNOTE 1/)

Practices According To Land Use	Unit	Remaining To Be Done	Skilled & Unskilled Labor	Motor Equip- ment	Horse Equip- ment	Seed	Trees Shrubs Plants
		(1,000)	(Man Yrs)	(Yrs)	(Yrs)	(Tons	(1,000)
CROPLAND							_
Contour planting	Acre	29	37				
Cover crops	10	1,025	896				
Crop residue management	H	138	121		_		
Crop rotations		6,895	302		-		
Green manure crops	W	1,072	700	~	468	16,075	-
Peremial hay crops	*	546	3,224		2,865	8,196	273,209
Rotation hay or pasture		608	882		851	9,124	-
Strip cropping	Ħ	1,368	2,810		_		
. Grubbing	. 10	594	7,529				
Drainage (Farm)	11	197	2,956	13	429		
Drainage (Community)	Ħ	10	21	5	-		
Outlets (Meadow strips		276	3,860		3,620	4,831	

(Over)

^{2/} Cropland includes land used for crops and idle or fallow.

^{3/} Grazing land acreage is the Census plowable pasture.

Alabama - Table 2 - Continued

Practices According	I	Remaining	Skilled &		Horse		Trees
— — • • • •		To Be	Unskilled				Shruts
TO TELIC VEE	iit_	Done	Labor	ment		Seed	Plents
_		(1,000)	(Man Irs)	(Yrs)	(Trs)	(Tons)	(1,000)
Reorganization of fields A	cre	1,195	4,804				
Terracing (Horse)		1,153	7,559		2,520		
Terracing (Heavy tractor)	M -	324	1,134	425			
Terracing (Light tractor)	#	1,153	4,031	1,51			
GRAZING LAND							
Deferred grazing	Ħ	107	12			-	-
Fertilizing grazing land	Ħ	1,699	_		-	-	
Liming pasture	#	2,205					
Mowing grazing land	Ħ	2,044					
Scattering droppings	ķ	2,383		~			
Seeding of range and		_		•			
pasture plants	Ħ	62	347		298	930	-
	16.	. 3	535	-	288	-	
Mulching Ac	er:	24	263		262		
WOODLAND	_						
Field and gully planting	W	137	1,513	-			164,237
Harvest cutting	Ħ	1,504	33,532	-	4,600		
Improvement cuttings	#	5,669	101,582	-	24,777		
Pruning	Ħ	206	900		-		-
Reinforcement of existing	_						
woodland	*	85	261				25,612
Preventing of grazing	_	m					
damage	-	7,266	3,176		1,588		
Fire protection		2,936	2,566		1,283		
TWO OR MORE LAND USES		- 1					
Diversions 100		2/	1			1	22
Roadside erosion contl. Ac	re	71	78	_	31		
Dune and Beach Erosion	_		3.4				
control		8	108	-			
metra faire it of organisa	11	73	637				
Management of spoil banks	_	_	45				
Grass	**	7	41	-	29	117	
DEDDA	TI M	2	18	·	6		1,117
rond management		35	760	274			
Streambank management	#	201	8				-
Wildlife borders		291	1,526	255	1,146	2,914	
Hedges		36	159		127		
TOTAL			188,889	2,483	45,188	12,183	

^{1/} Based on farm planning experience, land capability recommendations and land use acreages after cropland, not suitable for cultivation, has been converted to grazing or woodland use.

^{2/} Less than 1,000.

NOTE: These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

Table 1. Land classified according to use capabilities; land in farms, by four major uses; land not in farms; and approximate total land area. ARIZONA, 1939 1/

	Suitable for	Suitable for	Suitable for	Suitable	
·)	Continuous	Occasional	Grazing or	Only for	
Land Use	Cultivation	Cultivation	Woodland Use	Wildlife	Total
	Classes	Class	Classes	Class	
	I, II & III	IA	V. VI & VII	VIII	
	(1,000)	(1,000)	(1,000)	(1,000)	(1,000)
	(Acres)	(Acres)	(Acres)	(Acres)	(Acres)
LAND IN FARMS	802	1,683	20,199	2,966	25,650
(a) Cropland 2/	512	101	118	<u>6</u> /	731
(b) Grazing land 3/	261	1,574	19,980	2,854	24,669
(c) Woodland 4/			47		47
(d) Other Land in	• •		•		
Farms 5/	29	8	54	112	203
LAND NOT IN FARMS	~	2,264	40,149	4,627	47,040
APPROXIMATE TOTAL LAND		•	•		
AREA	802	3,947	60,348	7,593	72,690

^{1/} These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

2/ Cropland includes land used for crops and idle or fallow.

other land in farms in 1935.

6/ Less than 1,000.

Table 2. Conservation needs for land in farms; quantities of practices, and amounts of labor, equipment, and materials required in their application,

ARIZONA, 1943 (SEE FOOTNOTE 1/)

Practices According To Land Use	Unit	Remaining To Be Done	Skilled & Unskilled Labor	Motor Equip- ment	Horse Equip- ment	Seed	Trees Shrubs Plants
		(1,000)	(Man Yrs)	(Yrs)	(Yrs)	(Tons)	(1,000)
CROPLAND			•	•	•		
Contour planting	Acre	90	2	_		-	
Crop residue manageme	ent *	190		-		•	
Crop rotations	#	725	-		-		
Drainage		107					
Green manure crops		130	28	11	-	1,300	
Permanent hay & past.	. #	40	-				-

(Over)

^{3/} Grazing land includes plowable pasture and other land in farms used for grazing 4/ Woodland not pastured in 1935. purposes.

Arizona - Table 2 - Continued

Practices According								6
To Lend Use	Prestice Assertion	1		Sidlled &	Motor	Horse		Trees
(1,000) (Man Yrs) (Trs) (Tons) (1,000)		· 4 A					G3	
Outlets & Farm watercrs. Acre 2/ 3/ - 1 Rodent control	TO DENG 089	nit						
Strip eropping			(1,000)	(Man Ira)	(Irs)	(ILS)	(Tons)	(1,000)
Strip cropping	Outlets & Farm watercrs.	Acre	2/	3/			1	
Terracing	Rodent control	# '					-	
Irrigation devel. & Imp.		•	15					
Irrigation devel. & Imp.			75	218	52			
Canal lining & pipelines L.F. 450 Distribution systems	Irrigation devel. & Imp.			2,767				
Distribution systems			F. 450					
Land leveling Acre 525 Main laterals & Canals L.F. 900 Soil saving dikes 1,000 Structures No. 1,800 GRAZING LAND Contour furrowing Acre 92 60 8	Distribution systems							
Main laterals & Canals L.F. 900 Soil saving dikes		Acre						
Soil saving dikes	Main laterals & Canals	L.F.						
Structures No. 1,800	Soil saving dikes							
Contour furrowing		No.						
Deferred & rotation gras. 21,934	GRAZING LAND							
Deferred & rotation gras. 21,934	Contour furrowing	Agre	92	60	8			
Fencing Mile 6 986 — — — — — — — — — — — — — — — — — — —	Deferred & rotation gras	. #	•					
Maint. Forage reserves Acre 21,934			•	_				
Maint. Forage reserves Acre 21,934		Mile	• • •	986	\			
Mowing grazing land 6 —			•	~	-			_
Proper stocking # 21,934 — — — — — — — — — — — — — — — — — — —								
Rotation grazing		ij.	21.934					
Scattering droppings		#						
Seeding rge. & past. plts.		M			-			_
Stockwater development No. 2 350 146 — — — — — — — — — — — — — — — — — — —						• •		
Water spreading Acre 120 131 26 — — — WOODLAND Fire protection # 47 3/ — — — — — — — — — — — — — — — — — —							_,020	
WOODLAND Fire protection								
Fire protection 47 3/					~~	_		_
Shelterbelts & windbrks. TWO OR MORE LAND USES Diversions			47	3/	_			
TWO OR MORE LAND USES Diversions Wile 2/ 122 61 — — Warsh management Acre 1 — — — — — — — — — — — — — — — — — —				7	=	_	_	
Diversions Nile 2/ 122 61			•	•			_	_
Noxious plant contl. 576 6,294 — — — — — — — — Streambank management 3 34 — — — 3 — — 3 — — — — 3 — — — — —	= '	Mile	2/	122	61			
Noxious plant contl. 576 6,294 — — — — — — — — Streambank management 3 34 — — — 3 — — 3 — — — — 3 — — — — —			1					
Streambank management 3 34 3 Streambank protection Nile 1 1,962 41			ξ.					
Streambank management 3 34 3 Streambank protection Nile 1 1,962 41		#	576	6.204				
			7,3		_			
			í		<u></u>			
TOTALS 13.673 386 44 3.119	Careginette broadcaton		•	-		_	_	
	TOTALS			13,673	386	44	3,119	

^{1/} Based on farm planning experience, land capability recommendations and land use acreages after cropland, not suitable for cultivation, has been converted to grazing or woodland use.

^{2/} Less than 1,000.

^{3/} Less than 1.

NOTE: These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

Table 1. Land classified according to use capabilities; land in farms, by four major uses; land not in farms; and approximate total land area, ARKANSAS, 1939 1/)

	Suitable for	Suitable for	Suitable for	Suitable	
	Continuous	Occasional	Grazing or	Only for	
Land Use.	Cultivation	Cultivation	Woodland Use	Wildlife	Total
, ,	Classes	Class	Classes	Class	
	I. II & III	IV	V, VI & VII	VIII	
	(1,000)	(1,000)	(1,000)	(1,000)	(1,000)
	(Acres)	(Acres)	(Acres)	(Acres)	(Acres)
IAND IN FARMS	11,163	277	5,577	35	17,052
(a) Cropland 2/	6,607	63	960	19	7,649
(b) Grazing land 3/	3,455	189	1,950	2	5,596
(c) Woodland 4/	1,101	25	2,667	14	3,807
(d) Other Land in			•	•	•
Farms		-	· ·	-	
IAND NOT IN FARMS		-	-	- Aller	
APPROXIMATE TOTAL LAND	D	· · · · · · · · · · · · · · · · · · ·	•		
AREA	11,163	277	5,577	35	17,052

^{1/} These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

2/ Cropland includes land used for crops and idle or fallow.

Grazing land includes plowable pasture, pastured woodland, and other land in farms used for grazing purposes. 4/ 1939 woodland acreage adjusted.

Table 2. Conservation needs for land in farms; quantities of practices, and amounts of labor, equipment, and materials required in their application, ARKANSAS, 1943 (SEE FOOTNOTE 1/)

Practices According		Remaining To Be	Skilled & Unskilled	Motor Equip-	Horse Equip-		Trees
To Land Use	Unit	Done	Labor	ment	ment_	Seed	Plants
		(1,000)	(Man Yrs)	(Yrs)	(Yrs)	(Tons)	(1,000)
CROPLAND							
Contour planting	Acre	2,725	69	2/	34		-
Cover crops	Ħ	2,905	957	<u>2</u> / 39	1,833	42,352	· '
Crop residue management	11	6,670		_			
Crop rotation	Ħ	667	-			-	
Clearing and grubbing	Ħ	227	40	-			
Drainage	9	1,924	8,573	961	7,537		
Green manure crops	11	6,607	14,477	2,705	23,544	94,789	****
Irrigation development	Ħ	39	258	176	176		
Management of odd areas	W	276	1,384	127	1,339		54,886
Management of spoil banks	Ħ	8	42	14	55	16	
Outlets & farm watercours	88 #	20	312	106	4,891	-	-
Reorganization of fields	-		,		4,000		
Obstruction removal	Ħ	44	464		155		
Fencing required	Mile	27	4,029				
Rotation hay or pasture	Acre	2,186	2,379	314	4,129	21,864	_
Strip cropping	H	2,951	-,,,,,		~, <u>~</u> ,		
Streambank management		~37/-	16		31	37	
Rodent control	*	998	87		J.	21	
		370	. 07				

^{5/ 16,691,000} acres of approximate land area; 15,699,000 acreas of land not in farms: 992,000 acreas of land in farms; and 992,000 acres of other land in farms are not included in these data.

Arkansas - Table 2 - Continued

Practices According		Remaining To Be	Skilled & Unskilled	Motor Equip-	Horse Equip-		Trees Shrubs
To Land Use	Unit		Labor	ment	ment	Seed	Plants
-0 Ising ooe	OHIL	(1,000)	(Man Yrs)	(Yrs)	(Yrs)	(Tons)	
Terracing	Acre	2,281	6,716		17,482		
Wildlife borders		37	43	4	. •	366	
GRAZING LAND			40	•		,,,,	
Contour furrowing	W	913	2,809	248	10,672	_	
Clearing and grubbing	*	2,904	107,916		9,107		
Diversions	Mile	5	292	31	787		
Exclusion for eros. cont	l. Acı	re É	22		-		
Fire protection		6,435	149		303		
Fertilising gras. land		5,578	1,950		1,950		_
Liming pastures	-	3,012	3,475		3,475		
Maintaining feed reserve	s Tons			-			
Mowing of grazing land	Acre		1,833	392	2,881	_	
Proper stocking	#	6,435			,		
Pond management	W	27	45				
Perennial hay crops		138	562	92	680	1,378	
Rodent control		551	96			-,,,,,	
Rotation grasing	*	6,435	675				
Salting	99	6,435					
Seeding rge. & past. plt	8. #	5,127	1,847	54	3,586	51,275	_
Sodding		2,953	23,792		29,558	J=1~1J	
Stockwater development	No.	54	5,490	244		_	
WOODLAND		~	7,470		~,002	_	_
Field & gully planting	Acre	64	580		22		63,963
Harvest cutting	10	3,889	-				-
Improvement cuttings	15	3,889					-
Reinf. exist. woodland	•	94	164				18,722
Prevention of gras. dam.		3,740					
Fencing required	Xil.		2,165				
Fire protection	Acre	_	231	14	-		
TWO OR MORE LAND USES		~ • • • •	- -				
Excl. for eros. contl.	11	2	6	-	-		
Roadside eros. control.			27,239	1,808	39,164		
TOTALS			221,184	9,668	166,070	212,07	77

Based on farm planning experience, land capability recommendations and land use acreages after cropland, not suitable for cultivation, has been converted to grazing or woodland use.

^{2/} Less than 1.

<u>KOTE</u>: These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

Table 1. Land classified according to use capabilities; land in farms, by four major uses; land not in farms; and approximate total land area, CALIFORNIA, 1939 1/

	Suitable for	Suitable for	Suitable for	Suitable	
	Continuous	Occasional	Grazing or	Only for	
Land Use	Cultivation	Cultivation	Woodland Use	Wildlife	Total
. '1	Classes	Class	Classes	Class	
	I. II & III	IA	V, VI & VII	VIII	_
	(1,000)	(1,000)	(1,000)	(1,000)	(1,000)
	(Acres)	(Acres)	(Acres)	(Acres)	(Acres)
LAND IN FARMS	10,517	4,645	12,462	2,901	30,525
(a) Cropland 2/	7,048	1,034	570		8,652
(b) Grazing land 3/	3,179	3,124	10,464	1,184	17,951
(c) Woodland	290	487	1,428	133	2,338
(d) Other Land in					
Farms 4/				1,584	1,584
LAND NOT IN FARMS	967	873	51,481	16,509	69,830
APPROXIMATE TOTAL LAND			- • •		-,,000
AREA	11,484	5,518	63,943	19,410	100,355

^{1/} These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

2/ Cropland includes land used for crops and idle or fallow.

Table 2. Conservation needs for land in farms; quantities of practices, and amounts of labor, equipment, and materials required in their application, CALIFORNIA, 1943 (SEE FOOTNOTE 1/)

	4	Remaining	Skilled &	Motor	Horse		Total
Practices According		To Be	Unskilled	Equip-	Equip-	-	Shrubs.
To Land Use	Unit	Done	Labor	ment	ment	Seed	Plents
		(1,000)	(Man Yrs)	(Irs)	(Irs)	(Tons)	(1,000)
CROPLAND			•		• 17		
Contour planting	Acre	2,549	87		-	-	-
Cover crops	**	804	640			32,160	-
Crop residue management		5,556	772	1,745			
Crop rotation		2,494	2,580	1,290	1,284		
Diversions	Mile					-	
Emergency tillage	Acre	101					
Green manure crops	Ħ	1,675	1,747			3,375	
Irrigation			• • • • • • • • • • • • • • • • • • • •				
Development		1,000				-	
Improvement	•	2,500	880	1,192	894	-	-
Farm dist. systems	*	1,267	269	54	215	-	-
Group dist. systems		1,200			-	-	
Method of water appl.		500	557	371	93		===
Land preparation		1,780	382	766	766	-	***
Springs Wells	No.	20		-	_		-
Mulching	Acm	20		_	-		
Perennial hay crops	Acre	1,113	287			565	_
Rotation hay or pasture	#	1,049	1,967			5,245	
Strip cropping	W	296			-		-

^{3/} Grazing land includes plowable pasture and other land in farms used for grazing purposes.
4/ Other land in farms in 1935.

Practices According		Remaining To Be	Skilled &				Trees
To Land Use	Unit		Unskilled				
TO MOTIO 034	Unit	Done /3 ccc)	Labor	ment	ment	Seed	
6	_	(1,000)	(Man Yrs)	(118)	(Irs)	(Tons)	$(1,\infty)$
Terracing	Acre	23					
Tillage for imp. water		329					
GRAZING LAND		•	•				
Contour furrowing	=	61	-	-			
Deferred grazing	*	9,767	103				
Excl. for erosion contl.	*	512				-	-
Fertilizing gras. land	_# :	1,519	2	1	1		
Maintaining feed res.	Tons	510 `	_				
Maintaining forage res.	Acre	442				-	
Mowing grazing land		620	6	4	4		
Proper stocking	Ħ,	8,850	242				
Rotation grasing	₩	9,982	545				
Salting	₩	6,853	218				
Scattering droppings	"	512	. 2	1			
Seed. rge. & pasture		2,348	21			1,740	
Stockwater development	No.	7	29	22	13		-
	Acre	. 5	9	5			-
WOODLAND							
Field & gully planting		1,000	174	2			73,000
Harvest cutting		5,000				-	
Improvement cuttings	**	500					
Prev. of graz. damage		5,000	234		-		
Pruning	•	250		-~	_		-
Reinf. of woodlands	H	50	352				82,000
TWO OR MORE LAND USES							
Clearing and grubbing		187	64	48	16		
Drainage	.	800	2,107	2,199	183		
Dune & beach eros. contl.		25				450	1452,500
Fire protection		10,000	16	3	3		
Marsh management	# ·	22	106	132	44		
Mgt. of odd areas	~	45	11	2	1		
Mgt. of spoil banks		7				35	
Noxious plant control	7	50	413				
Outlets & farm watercours	es#	n n	-			55	
Pond management	W	3	-				-
Roadside erosion control	Mile	9	31.5	340		45	
Reorganization of fields	Acre	5,993	361	50	60		
Pond construction	No.	12					
Rodent control	Acre	560	.33			-	
Shelterbelts & windbrks.	**	62	633				62,000
Soil saving dams	No.	38	197	63	16		
Streambank mgt.	Acre	64	292	75	49		32,000
Wildlife borders	11	6					~
Potals			16,653	8,365	3,642 4		

Based on farm planning experience, land capability recommendations and land use acreages after cropland, not suitable for cultivation, has been converted to grazing or woodland use.

NOTE: These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

Table 1. Land classified according to use capabilities; land in farms, by four major uses; land not in farms; and approximate total land area, COLORADO, 1939 1/

Land Use	Suitable for Continuous Cultivation Classes I, II & III	Suitable for Occasional Cultivation Class IV	Suitable for Grazing or Woodland Use Classes V. VI & VII	Suitable Only for Wildlife Class VIII	Total
	(1,000) (Acres)	(1,000) (Aures)	(1,000) (Acres)	(1,000) (Acres)	(1,000) (Acres)
(a) Cropland 2/ (b) Grazing Land 3/ (c) Woodland 4/ (d) Other Land in	5,676 4,466 1,084 <u>6</u> /	4,836 2,527 2,259	19,794 1,018 18,432 140	1,221 2 629	31,527 8,013 22,404 140
farms 5/ LAND HOT IN FARMS APPROXIMATE TOTAL LAN	126 —	50 2,461	204 29,768	590 2,782	970 35,011
AREA	5,676	7,297	49,562	4,003	66,538

^{1/} These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

Less than 1,000.

Conservation needs for land in farms; quantities of Table 2. practices, and amounts of labor, equipment, and materials required in their application, COLORADO, 1943 (SEE FOOTNOTE 1/

Practices According To Land Use	Init	Remaining To Be Done	Skilled & Unskilled Labor	Motor Equip- ment	Horse Equip-	Seed	Trees Shrubs Plants
		(1,000)	(Man Yrs)	(Yrs)	(Irs)	(Tons)	(1,000)
CROPLAND			, ,				
Clearing and grubbing	are	16	55	11	-	-	-
Contour planting	#	6,000	131	-			-
Cover crops	#	100	-		-		
Crop residue management	. #	7,600	-	-			
Crop rotations		5,800	-				
Drainage		800	-				
Emergency tillage	W	500	-				
Green mamure crops	Ħ	300	66	26		3,000	-

Cropland includes land used for crops and idle or fallow.

 ^{2/} Cropland includes land used for crops and idle or fallow.
 3/ Grasing land includes plowable pasture and other land in farms used for grazing purposes.

Woodland not pastured in 1935.

Other land in farms in 1935.

Colorado - Table 2- Continued

Practices According		Remaining To Be	Skilled & Unskilled		Horse Equip-		Trees Shrubs
To Land Upo	Unit	Done	Labor			Seed	Plents
IV Dand CP4	Unit	(1,000)	(Man Irs)	ment (Yrs)	ment (Irs)	(Tons)	
0.13.4	<u>.</u>		-		(114)	•	(1)(0)
Outlets & farm watercra		_	iı	1	****	30	
Permanent hay & pasture	,	200				. —	
Rodent control		535	1	_	-		
Strip cropping		1,500			-		
Terracing		3,000	8,733	2,098			-
Irrigation develop. & I		3,221	8,484				
Canal lining & pipe 1						•	
Distribution systems	_	• 50,000					
Land leveling	Acre		•				
Main laterals & canal		3,500	•				
Soil saving dikes		575	•				
Storage dams	No.	3	•	•			
Structures	•	8,020					
GRAZING LAND							
Contour furrowing	Acre	500	328	44	•		_
Deferred & rotation gra		20,000			-		
Clearing & grubbing	# .	20	70	14			
Excl. for eros. contl.	H	631	-			-	
Fencing	Mile	_ 6	1,015			. —	
Maintain. feed reserves		170	37		30		
Kaintain. forage res.	Acre	18,371			·		
Proper stocking	W	20,000					-
Rotation grazing	•	14,132					
Scattering droppings	91	426	149		149	-	-
Seeding rge. & past. pl		1,550	1,355	88		3,875	
Stockwater development	No.	5	1,128	472			
Water spreading	Acre	600	656	131			
FOODLAND							
Fire protection	W	140	. 2/		•	-	
Harvest cutting	W	100				-	
Shelterbelts & windbrks	. #	19	234			-	22,200
INO OR MORE LAND USES							•
Diversions	Mile	5	1,603	802	-	-	-
Dine & beach eros. cont	1.Acre	14	22	8	-	89	
Marsh management		5					_
Mgt. of odd areas		10					-
Koxious plant control		800	8,741				
Pond management		5	-	-		-	
Streambank management	*	ž	26		_	-	2
Streambank protection	Mile	ī	3,923	462	-	-	^
•		_	-		300	6 00 -	-
Potals			36,768	4,157	179	6,994	

^{1/} Based on farm planning experience, land capability recommendations and land use acreages after cropland, not suitable for cultivation, has been converted to grazing or woodland use.

^{2/} Less than 1.

FOTZ: These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

Table 1. Land classified according to use capabilities; land in farms, by four major uses; land not in farms; and approximate total land area, <u>CONNECTICUT</u>, 1939 1/

St	itable for	Suitable for	Suitable for	Suitable	
Co	ontinuous	Occasional	Grazing or	Only for	
Land Use ' Ca	ultivation	Cultivation	Woodland Use	Wildlife	Total
	Classes	Class	Classes	Class	
I	, II & III	IV	V. VI & VII	VIII	
	(1,000)	(1,000)	(1,000)	(1,000)	(1,000)
	(Acres)	(Acres)	(Acres)	(Acres)	(Acres)
LAND IN FARMS	594	200	718	4/	1,512
(a) Cropland 2/	319	80	27	~	426
(b) Grazing Land 3/	110	53	290		453
(c) Woodland	102	50	369		521
(d) Other Land in Farms	63	17	32	4/	112
LAND NOT IN FARMS	520	188	914	<u>4</u> / 1	1,623
APPROXIMATE TOTAL LAND					-
AREA .	1,114	388	1,632	1	3,135

^{1/} These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

4/ Less than 1,000.

Table 2. Conservation needs for land in farms; quantities of practices, and amounts of labor, equipment, and materials required in their application, <u>CONNECTICUT</u>, 1943 (<u>SEE FOOTNOTE</u>)

•		Remaining	Skilled &	Motor	Horse		Trees
Practices According		To Be	Unskilled	Equip-	Equip-		Shrubs
To Land Use	Unit	Done	Labor	ment	ment	Seed	Plants
•		(1,000)	(Man Yrs)	(Yrs)	(Yrs)	(Tons)	(1,000)
CROPLAND			•	•	, ,		
Contour planting	Acre	236	11	3/	11		-
Cover crops	n	185	142	3/ 29	68	1,849	
Crop residue mgmt.	Ħ	254					
Crop rotations	Ħ	352				-	
Green manure crops	11	251	154	45	106	2,512	•
Perennial hay crops	19	43	219	83	329	434	
Rotation hay or pasture	11	199	500	218	757	2,490	
Strip cropping	Ħ	218	15		7	-	
GRAZING LAND	i		-	•			
Contour furrowing	Ħ	24	15	1	18		
Deferred grazing	10	398					
Fert. estab. graz. land	11	472	219	41	231		-
Liming establ. pastures	W	439	288	19	153		

^{2/} Cropland includes land used for crops and idle or fallow.

^{3/} Grazing land includes plowable pasture and other land in farms used for grazing purposes.

Connecticut - Table 2 - Continued

	Re	maining	Skilled &	Votor	Horse		Trees
Practices According		To Be	Unskilled				Shrubs
		Done	Labor	ment	ment	Seed	Plants
10 lend vee		(1,000)	(Man Yrs)		(Yrs)	(Tons)	(1,000)
			-	•	•	(2020)	(2,000)
Mowing of graz. land Acr	re •	260	155	15	280		
Rotation grazing	77 18	391					
Scattering droppings	** ⇔ i	47	17	4	25		
Seeding rge. & past. plts.		202	917	106	1,619	3,026	·
Stockwater development No FOODLAND) .	15	390	34	17		-
Field & gully planting Act	re	69	801		13		80,000
Harvest cutting	17	232	41			, 	
Improvement cuttings	10	462	1,374		-		
Pruning	Ŗ	72	251				_
Reinf. of exist. woodlds.	H	13	51.		1	5	7,731
Prevention of gras. dam.	19	211	1,173	6	30		
White pine blister rust			•				
control		264	75				
Two or more land uses							
Clearing and grubbing	Ħ	59	1,800	264	156		_
	lle -	2/	146	10	1		
	cre	20	355	62	115		-
Dune & beach eros. contl.	t	2/	3	· 3/	3/		339
Fire protection		605	1,746	158	240		
	Ft.	2,524	24	-			2,524
	cre	14	173			· —	22,800
Mgmt. of spoil banks)	2/ 2/ 7					-
Versh management		2/	· 3	3/			allege.
Mulching	R	7	204		. 6		-
Outlets & farm watercrs.	R	2	350	19	8	19	~
Roadside erosion control			428	4	-	83	7,561
Farm pond management	K	1	5	i	2	1	91
Reorganization of fields		_					
Obstruction removed	10	51	777	15	-	-	_
	ile	ĩ	206	_ 5		-	-
Shelterbelts & windbrks. A		ī	3/	'		3/	53
Streambank erosion		_	_			<u> </u>	_
control management	n	. 18	162	7	3/		9,400
Terraces	10	17	80	18	3	-	-
Wildlife borders	N	i	7	3/		2	547
TOTALS		_	13,277	1,162	4,196	10,421	-

Based on farm planning experience, land capability recommendations, and land use acreages after cropland, not suitable for cultivation, has been converted to grazing or woodland use.

NOTE: These data are preliminary, tentative and subject to revision and inclusion of additional information when available.

Table 1. Land classified according to use capabilities; land in farms, by four major uses; land not in farms; and approximate total land area, IEIAWARE, 1939 1/ 1

	Suitable for Continuous	Suitable for Occasional	Suitable for Grazing or	Suitable Only for	
Land Use	Cultivation	Cultivation	Woodland Use	Wildlife	Total
	Classes	Class '	Classes	Class	
	I, II & III	IV	V. VI & VII	AIII	
	(1,000)	(1,000)	(1,000)	(1,000)	(1,000)
	(Acres)	(Acres)	(Acres)	(Acres)	(Acres)
AND IN FARMS	724	32	134	5	895
(a) Cropland 2/	444	16	16		476
(b) Grasing Land 3/	65	6	28	1	100
(c) Woodland (d) Other land in	138	9	79		226
farms	77	1	11	4	93
LAND NOT IN FARMS APPROXIMATE TOTAL LAND	147	27	89	107	370
AREA	871	59	223	112	1,265

^{1/} These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

Conservation needs for land in farms; quantities of practices, and amounts of labor, equipment, and materials required in their application, DELAWARE, 1943 (SEE FOOTNOTE 1/)

Practices According To Land Use Uni	Remaining To Be t Done	Skilled & Unskilled Labor	Motor Equip- ment	Horse Equip- ment	Sead	Trees Shrubs Plants
	(1,000)	(Man Irs)	(Yrs)	(Irs)	(Tons)	(1,000)
CROPLAND		•	•			
Contour planting Acr	103	9	1	2	-	
Cover crops	355	194	39	93	3,550	
Crop residue management		-		-		-
Crop rotations	418				-	
Green manure grops	99	43	13	29	1,735	
Perennial hay crops	23	115	43	173	230	
Rotation hay or pasture	86	177	56	243	770	_
Strip eropping CRAZING LAND	34	148	3	7	-	-
Contour furrowing Fertilising established	7	3	3/	4	-	
grasing land	110	51	22	54		-

(Over)

^{2/} Cropland includes land used for crops and late or lattow.
3/ Grasing land includes plowable pasture and other land in farms used for grazing purposes. 10,233 acres listed as Cropland in 1939 included in

Delaware - Table 2. - Continued

	R	maining	Skilled &		Rorse	•	Trees
Practices According		To Be	Unskilled	Equip-	Equip-		Shrubs
To Lend Ure	Unit	Done	Labor	ment	rent	Eeed.	Plets
	!	(1,000)	(Man Yrs)	(Yrs)	(Irs)	(Tons)	(1,000)
Deferred grazing	Acre	70	-	-	. —		
Liming established							
pastures	=	99	65	40	35		
Mowing grazing land		91	40	72	-		
Rotation grasing	#	95	588	-			
Scattering droppings		· 5	2	2/	3	-	-
Seeding of range and	*						
pasture plants		66	254	352	438	. 497	-
Stockwater development	Xo.	1	110	35	7		
WOODLAND							
Field & gully plenting	Acre	15	171	9	4	17	23,775
Harvest cutting		8 6	15		-	-	
Improvement cuttings	M	173	513	-	-		
Pruning	•	26	91				
Reinforcement of existi	ng .			_			
woodlands	W	3	14	3/	3/	1	1,404
Prevention of grazing					_		
dama ge		11	62	1	2	-	
Two or more land uses						•	
Clearing and grubbing	Ħ	20	1,268	358	101		-
Drainage		175	3,142	581	1,039	 .	-
Dune and beach erosion					•		
control	*	2	164	2	1		8,325
Fire protection	#	668	1,927	174	266		
	Lin. Pt.		61	1	3		7,180
Management of odd areas		5	53	2	2	22	9,800
Management of spoil ban	ks "	1	19	3/	3/	6	2,600
Marsh management	*	3	129	17	25	-	-
Mulching	W	14	. 516	5	15		
Outlets & farm waterors		1,	101	7	2	7	
Diversions	Kile	2/	70	7	1		
Roadside erosion contro	1		146	9	— .	3/	9,720
Farm pond management	Acre	<u>2</u> /	13	1	2/		
Shelterbelts & windbrks		4	2/	1			
Streambank erosion cont	rol					•	
management	•	2	19	3 /	.1	-	3,200
Terraces		32	132	3/ 46	61	-	
Wildlife borders		1	7	2/	· 2/	2/	700
TOTALS			10,432	1,897	2,611	6,835	

^{1/} Based on farm planning experience, land capability recommendations and land use acreages after cropland, not suitable for cultivation, has been converted to grasing or woodland use.

^{2/} Less than 1,000.

^{3/} Less than 1.

NOTE: These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

Table 1. Land classified according to use capabilities, land in farms, by four major uses; land not in farms; and approximate total land area, <u>FLORIDA</u>, 1939 1/

•					
	Suitable for	Suitable for	Suitable for	Suitable	
	Continuous	Occasional	Grazing or	Only for	
Land Use	Cultivation	Cultivation	Woodland Use	Wildlife	Total
	Classes	Class.	Classes	Class	
	I. II. & III	IV	V. VI. & VII	VIII	
	(1,000)	(1,000)	(1,000)	(1,000)	(1,000)
	(Acres)	(Acres)	(Acres)	(Acres)	(Acres)
LAND IN FARMS	3,025	1,571	5,758	5	8,337
(a) Cropland 2/	1,412	447	354		2,213
(b) Grazing Land 3/	505	88	250		643
(c) Woodland	734	569	1,543	3	2,649
(d) Other Land In Far	ms 574	667	1,591		2,832
LAND NOT IN FARMS	5,490	5,026	12,846	5,028	26,390
APPROXIMATE TOTAL LAND		÷			
AREA	8,515	6,597	16.584	3.031	34,727

^{1/} These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

Table 2. Conservation needs for land in farms; quantities of practices, and amounts of labor, equipment, and materials required in their application, <u>FLORIDA</u>, 1945 (<u>SEE FOOTNOTE 1</u>/)

		Remaining	Skilled &		Horse		Trees
Practices According		To Be	Unskilled	Equip-	Equip-		Shrubs
To Land Use	Unit	Done	Labor	ment	men t	Seed	Plants
		(1,000)	(Man Yrs.)	(Trs.)	(Yrs.)	(Tons)	(1,000)
CROPIAND				•	,	•	•
Contour planting	Acre	815	1,068				_
Cover crops	Ħ	547	505				
Crop residue management	99	239	209		-		
Crop rotations	11	1,761	77			-	-
Green manure crops	11	282	185		125	4,255	
Perennial hay crops	97	325	1,915		1,702		162,269
Strip cropping	17	135	272			´	
Clearing woods		<u>2/</u> 195	35				
Grubbing	11	195	2,445				
Drainage (Farm)	Ħ	194	2,895	15	401		
Drainage (Community)		10	໌ 20	4			
Outlets (Meadow strips)	•	52	440		415	551	

(over)

^{2/} Cropland includes land used for crops and idle or fallow.

^{3/} Grazing land acreage is the Census plowable pasture.

Florida - Table 2 - Continued

	D.	emaining	Skilled &	Motor	Vores		Trees
Practices According	R	To Be	Unskilled		.Equip-		Shrubs
	n4+	Done	Labor	ment	ment . rdurb-	Seed	Plants
10 Land 084 0	TT O	(1,000)	(Man Irs.)				(1,000)
A (cres	(1,000)	(Edil II 9.)	(Tra.)	(11.9.)	(10118)	(1,000)
Reorganization of fields	71	232	933	-			
Terracing (Horse)	er	500	5,279		1,095		
Terracing (Heavy tractor)	# .	111	388	145			
Terracing (Light tractor) GRAZING LAND	Ħ	500	2,749	656			
Deferred grazing	Ħ	170	20				-
Fertilizing grazing land		71 7		-			-
Liming pasture		857					
Moving grazing land	##	740					
Proper stocking	Ħ	'44 7	97				
Scattering droppings	# .	84			-		
Seeding of range and							
pasture plants	W	185	1,024		881	2,750	
Mulching		9	98	-	194		
WOODLAND			•				
Field and gully planting	₩.	16	177	 .			18,876
Harvest cutting	W	531	11,836		1,625		-
Improvement cuttings	**	2,063	, 36, 960		9,015		
Pruning	-	32	139	-			
Reinforcement of exist-							
ing woodland		27	82		-		8,028
Prevention of grazing		<u>.</u>					
damage	**	2,657	1,152		576		
Fire protection TWO OR MORE LAND USES	H	2,097	1,855	•	916		
Roadside erosion control Dune and beach erosion	Ħ	. 7	. 8		3	. -	
control	22	198	2,688				
Management of odd areas	11	19	166				
Management of spoil banks		13	200				
Grass	**	2/	5/		5/	1	
Kudzu		<u>≈</u> /,	<u>3</u> /		<u>3/</u>		12
Pond management	#	2/2/9	197	71	<i>¥</i>	-	
Stream bank management		21	2				
Wildlife borders	**	<u>2/</u> 75	595	65	293	75	
Hedges	n .	9	59		51		
TOTAL		-	74,120	954	17,266	12,481	

^{1/} Based on farm planning experience, land capability recommendations and land use acreages after cropland, not suitable for cultivation, has been converted to grazing or woodland use.

^{2/} Less than 1,000.

^{3/} Less than 1.

NOTE: These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

Table 1. Land classified according to use capabilities, land in farms, by four major uses; land not in farms; and approximate total land area, GEORGIA, 1959 1/

	Suitable for	Suitable for	Suitable for	Suitable	
	Continuous	Occasional -	Grazing or	Only for	•
Land Use	Cultivation	Cultivation	Woodland Use	Wildlife	Total
	Classes	Class	Classes	Class	
	I. II. & III	IV	V. VI. & VII	VIII	
	(1,000)	(1,000)	(1,000)	(1,000)	(1,000)
	(Acres)	(Acres)	(Acres)	(Acres)	(Acres)
LAND IN FARMS	12,555	2,805	8,513	10	23,683
(a) Cropland 2/	8,180	895	1,102		10,177
(b) Grazing Land 5/	967	180	566		1,513
(c) Woodland	2,585	1,448	6,132	10	10,175
(d) Other Land in Farm	s 623	282	913		1,818
LAND NOT IN FARMS	5,414	1,642	8,712		15,768
APPROXIMATE TOTAL LAND	•		. •		٠
AREA	15,769	4,447	17,225	10	<u>37,451</u>

^{1/} These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

Table 2. Conservation needs for land in farms; quantities of practices, and amounts of labor, equipment, and materials required in their application, GEORGIA, 1943 (SEE FOOTNOTE 1/)

		Remaining	Skilled &	Motor	Horse		Trees
Practices According		To Be	Unskilled	Equip-	Equip-	•	Shrubs
To Land Use	Unit	Done	Labor	ment	ment	Seed	Plants
		(1,000)	(Man Yrs.)	(Irs.)	(Yrs.)	(Tons)	(1,000)
CROPIAND			•	, ,	•		
Contour planting	Acre	545	715		-		
Cover crops	*	5,061	2,675				
Crop residue management	11	425	369	-	 .		
Crop rotations		8,527	375		— ·		
Green manure crops	* #	2,126	1,595	_	929	31,889	_
Perennial hay crops	W	525	5,109	_	2,765	7,905	-
Strip cropping		2,270	4,662				
Clearing woods	W	1	108	-			
Grubbing	*	407	5,161				
Drainage (Farm)		506	7,561	54	1,098		
Drainage (Community)	Ħ	27	55	12			
Outlets (Meadow strips)	*	3 86	5,394	-	5,061	6,750	
Reorganization of fields		1,455	5,844	-			

(over)

^{2/} Cropland includes land used for crops and idle or fallow.

^{5/} Grazing land acreage is the Census plowable pasture.

Georgia - Table 2 - Continued

		Remaining	Skilled &	Motor			Trees
Practices According		To Be	Unskilled	Equip-	- Equip-	•	Shrubs
To Land Use	Unit		Labor	ment			Plants
		(1,000)	(Man Yrs.)	(Yrs.)	(Irs.)	(Tons)	(1,000)
Terracing (Horse)	Acre	-,	23 ,444		7,815		
Terracing (Heavy Tractor		784	2,739	1,027	-	_	
Terracing (Light Tractor CRAZING LAND) "	3,576	12,505	4,688			-
Deferred grazing	Ħ	134	15				-
Fertilizing gras.land		1,549	-		-		
Liming pastures		1,716					
Mowing grazing land	n	1,850		-			
Scattering droppings	#1	1 85			_		
Seeding of range and							
pasture plants	# -	138	771	***	662	2,066	
Stockwater development	No.	5	534		236		
Mulching	Acre	19	213		212		
WOODLAND							
Field & gully planting	#	281	3,106			-	337,031
Harvest cutting	, #	2,103	46,867	·	6,435	-	_
Improvement cuttings	⁷ 1 ₩	7,566	155,580	-	55,068		
Pruning	**	265	1,149	-		-	***
Reinforcement of exist-			•				
ing woodland	99	105	323				81,630
Prevention of graz.damage	3 #	10,134	4,429		2,215		
Fire protection	Ħ	10,134	8,858	-	4,469		
TWO OR MORE LAND USES		•	-,		- ,		
Diversions	100 :	rt. <u>2</u> /	. <u>5</u> /			3/	4
Roadside erosion control	Acre	9 8	107	-	45		
Dune & beach ero. cont.	Ħ	41	556			-	
Management of odd areas	M	101	879				
Management of spoil banks	3						
Grass	*	2/	1		-	5	
Kudzu	a	2/ 2/	<u>3</u> /	-		-	82
Pond management		5 2	721	255			-
Stream bank management	•	2	17	-		-	
Wildlife borders	11	553	1,851	509	1,590	5,530	
Hedges	81	50	220	-	174		-
TOTALS			282,302	6,325	66,568 5	2,145	

^{1/} Based on farm planning experience, land capability recommendations and land use acreages after cropland, not suitable for cultivation, has been converted to grazing or woodland use.

NOTE: These data are preliminary, tentative, and subject to revision and inclusion of additional information when available

^{2/} Less than 1,000. 5/ Less than 1.

Table 1. Land classified according to use capabilities, land in farms, by four major uses; land not in farms; and approximate total land area, 1040, 1939 1/

		Suitable fer Continuous	Suitable for Occasional	Suitable for Grazing or	Suitable Only for	
Land	Use	Cultivation	Cultivation	Woodland Use	Wildlife	Total
0.000	4	Classes	Class	Classes	Class	
		I. II. & III	<u>IV</u>	V, VI, & VII	VIII	
		(1,000)	(1,000)	(1,000)	(1,000)	(1,000)
		(Acres)	(Acres)	(Acres)	(Acres)	(Acres)
LAND	IN FARMS	2,484	1,357	5,604	852	10,297
(a)	Cropland 2/	2,425	1,196	308		5,929
(b)	Grazing Land	<u>3</u> / 59	161	4,604	8	4,832
	Woodland	_ · _ ·		692	*	692
(d)	Other Land in		8		# <u>122024-11</u>	
	Farms 4/				844	844
- State State Services	NOT IN FARMS XIMATE TOTAL I			37,426	5,236	42,662
	AREA	2,484	1,357	43,030	6,088	52,959

^{1/} These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

4/ Other land in farms in 1935.

Table 2. Conservation needs for land in farms; quantities of practices, and amounts of labor, equipment, and materials required in their application, IDAHO, 1943 (SEE FOOTNOTE 1/))

	955	Remaining	Skilled &	Motor	Horse		Trees
Practices According		To Be	Unskilled	Equip-	Equip-		Shrubs
To Land Use	Unit		Labor	ment	ment	Seed	Plants
		(1,000)	(Man Yrs.)	(Yrs.)	(Yrs.)	(Tons)	(1,000
CROPLAND		Western 20 40 to the M					
Contour Planting	Acre	1,465	50			_	
Cover Creps	**	2/	<u>5</u> /			40	
Crop Residue Management	**	2,364	227	513	-	-	_
Crep Rotation	. 11	1,292	500	165	165		_
Diversions	Mile	1				-	
Emergency Tillage	Acre	193	-	-	-		
Green Manure Craps	11	1,482	621	•	-	7,410	-
Irrigation			(7.8.0) (4.0.0) (4.0.0)			12/27 A	
Development	Acre	60		_			-
Improvement	n	1,500	2000 - T		_		
Dams	No.	2/	450	240	120		_
Farm Dist. Systems	Acre	1,071	1,946	464	1,481	-	_
Group Dist. Systems	Ħ	350	587	587	-	_	_
Land Preparation	M	831	1,174	2,250	1,948	_	_
Methods of Water Appl.	7	1,100	5,257	2,064	634		
Springs	No.	6	1	3/	1		
Wells	10	2/	8	27	_		

^{2/} Cropland includes land used for crops and idle or fallow.

^{5/} Grazing land includes plemable pasture and other land in farms used for grazing purposes.

		Remaining	Skilled &	Motor	Horse		Trees
Practices According		To Be	Unskilled	Equip-	Equip-		Shrubs
To Land Use	Unit	Done	Labor	ment	ment	Seed	
		(1,000)	(Man Yrs.)	(Yrs.)	(Yrs.)	(Tons)	(1,000
Mulching	Acre	12	-	~		_	-
Perennial Hay Crops	11	556	320		~	2,780	_
Rotation Hay or Pasture	n	671	3 86			3,351	
Strip Cropping	Ħ	148			-		
Terracing	Ħ	7					-
Tillage to Impound Water	#	170			-		_
GRAZING LAND							
Deferred Grazing	Acre	4,965	77		-		
Excl. for Eres. Control	91	1,462			_		
Fertilizing Grazing Land	Ħ	420	21	8	8	_	
Maintaining Feed Reserves	Ten	53			_		_
Maintain. Forage Reserves		236	-	_		_	_
Mowing Grazing Land	11	323	18	. 13	15	_	_
Proper Stocking	H	4,720	181	13		_	
Rotation Grazing	11	4,829	372				
Salting	81	2,327	103	_			
Scattering Droppings	81	293	12	- 9		-	
Seeding Range & Past. Plts	. 11	1,027	283		_	5,135	
Stockwater Development	No.	4	32	.20	 8	3,133	
WOODLAND	110 4	T		.20	0		
Field and Gully Planting	Acre	200	5		_		
Harvest Cutting	M TC16	2,250					-
Improvement Cuttings	Ħ	225					_
Prevention of Graz. Damage	. #	2,250	669	=			
Pruning	, H	110					
Reinforce. of Exist. Wood,		50	181		_	_	25 000
TWO OR MORE LAND USES	7						25,000
Clearing and Grubbing	Acre	69	49	57	12		
Drainage	Ħ	216	361	406	15	-	_
Dune & Beach Eros. Cont.	19	10	-	 .		180	-
Fire Protection	11	5,000	2	<u>5</u> /		-	-
Marsh Management	Ħ	7	32	5 9	13	-	-
Management of Odd Areas	n	47	50	7	3		
Management of Spoilbanks	11	. 2	-	_			-
Nexious Plant Control	11	3 5	282				-
Outlets & Farm Watercourse	95 [#]	`2		-		5	-
Pend Management	•	2		-			-
Pond Construction	No.	6				_	
	Mile	4	23	36		20	
Rodent Control	Acre	585	49	-			
Reorganization of Fields	11	3,111	18	6	5		
Shelterbelts & Windbreaks	11	19	146	 ,	- ,		19,000
Soil Saving Dams	No.	2/ 10	1	3/	<u>3</u> /	-	
Streambank Management	Acre	10	1,085	279			25,000
Wildlife Borders	11	10			-		-
TOTALS			13,339	7,170	4,424]	8,921	

^{1/} Based on farm planning experience, land capability recommendations and land use acreages after cropland, not suitable for cultivation, has been converted to grazing or woodland use.

^{2/} Less than 1,000.

NOTE These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

Table 1. Land classified according to use capabilities; land in farms, by four major uses; land not in farms; and approximate total land area, ILLINOIS, 1939 1/

Land Use	Stitable for Continuous Cultivation Classes I. II & III	Suitable for Occasional Cultivation Class	Suitable for Grasing or Woodland Use Classes V. VI & VII	Suitable Only for Wildlife Class VIII	Total
	(1,000)	(1,000)	(1,000)	(1,000)	(1,000)
	(Acres)	(Acres)	(Acres)	(Acres)	(Acres)
LAND IN FARMS	24,085	3,199	3,747		31,031
(a) Cropland 2/	19,012	2,389	1,658		23,059
(b) Grazing Land 3/	2,870	523	971		4,364
(c) Woodland (d) Other land in	925	133	853	-	1,911
farms	1,278	154	265	-	1,697
LAND NOT IN FARMS APPROXIMATE TOTAL LAND	57	2,270	2,446	-	4,773
AREA	24,142	5,469	6,193		35,804

^{1/} These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

Table 2. Conservation needs for land in farms; quantities of practices and amounts of labor, equipment, and materials required in their application, <a href="https://linki.com/

Practices According To Land Use	Unit	Remaining To Be Done	Skilled & Unskilled Labor	Motor Equip- ment	Horse Equip-		Trees Shrubs Plants
		(1,000)	(Man Yrs)	(Irs)	(Yrs)	(Tons)	(1,000)
CROPLAND							
Contour planting	Acre	6,870					-
Cover crops	11	497			-		
Crop residue management	11	491		-		· -	
Crop rotation	Ņ	18,167			-		
Rotation hay or pasture	W	7,486	1,633	1,633		-	-
Strip eropping	Ņ	1,676				•	_
Terracing	98	3,147	3,344	3,344	_		_
GRAZING LAND		,,,,,	2,244	2,244		_	, –
Fert. grazing land	₩.	5,903		312			****
Liming pastures	Ņ.	6,258				-	·
Mowing grazing land		7,536	1,990	5,207			-
Proper stocking	-	6,286	===			-	-
Seeding rge. & past. plt	.	7,578	99	331		45,453	
Stockwater development	No.	17	984	443			

^{2/} Cropland includes land used for crops and idle or fallow. 1939 cropland and grazing land data were adjusted by shifting the acreage of rotation pasture from grazing land to cropland.

^{2/} Grasing land includes plowable pasture and other land in farms used for grasing purposes.

- 35 -

Illinois - Table 2 - Continued

	Remaining	Skilled &	Motor	Horse		Trees
Practices According	To Be	Unskilled	Equip-	Equip-		Shrubs
To Land Use Uni	Lt Done	Labor	ment	rent	Seed	Plants
	(1,000)	(Man Yre)	(Yrs)	(Irs)	(Tons)	(1,000)
WOOILAND						
Field & gully planting Acr	re 714	13,781	1,652		3,290	785,54
Harvest cutting	373	326	79			
Improvement cuttings	1,686	8,839	1,436			_
Reinf. of exist. woodlds.	421	1,763	440	514	321	31,92
Prev. of gras. damage	1,222	540			-	
TWO OR MORE LAND USES	•					
Roadside eros. control		5, <i>5</i> 95	2,833		1,741	
Drainage	510	10,643	63	1,415	34	
Fire protection	747	196	5	-,		
Management of odd areas	112	1,271	17		2,797	55,928
Management of spoil banks	24	1,136			59	5,90
Outlets & farm watercourses		12,501	1,762	·	6,219	
Pond management	ľ	8				715
Soil saving dams No	. 42	11,823	6,114	_	_	
Streambank control Ac			2	_		57
Wildlife borders	50	18		91	339	4,919
TOTALS		76,494	25,673	2,020	61,263	

M Based on farm planning experience, land capability recommendations and land use acreages after cropland, not suitable for cultivation, has been converted to grazing or weodland use.

^{2/} Less than 1,000.

NOTE: These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

Table 1. Land classified according to use capabilities, land in farms, by four major uses; land not in farms; and approximate total land area, INDIANA, 1939 1/

	Suitable for	Suitable fer	Suitable for	Suitable	
	2	And the second s			
	Continuous	Occasional	Grazing or	Only for	0
Land Use	Cultivation	Cultivation	Woodland Use	Wildlife	Total
E STATE OF THE STA	Classes	Class	Classes	Class	
x	I, II, & III	IA	V, VI, & VII	VIII	
a say say a say a	(1,000)	(1,000)	(1,000)	(1,000)	(1,000)
p.	(Acres)	(Acres)	(Acres)	(Acres)	(Acres)
LAND IN FARMS	15,181	1,846	2,772	2	19,801
(a) Cropland 2/	11,278	1,043	864	1 .	13,186
(b) Grazing Land		463	553	1	2,744
(c) Woodland	1,114	217	1,098	* -	2,429
(d) Other Land In		¥.			
Farms	1,062	123	257	1 444	1,442
LAND NOT IN FARMS	192	1,282	1,896	-	5,370
APPROXIMATE TOTAL I	LAND	30 20			
AREA	15,373	3,128	4,668	2	23,171

These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

Grazing land includes plewable pasture and other land in farms used for grazing purposes.

Table 2. Conservation needs for land in farms; quantities of practices, and amounts of labor, equipment, and materials required in their application, INDIANA, 1943 (SEE FOOTNOTE 1/)

Practices According	7E	Remaining To Be	Skilled & Unskilled	Motor Equip-	Horse Equip-		Trees Shrubs
To Land Use	Unit	Done	Labor	ment	ment	Seed	Plants
		(1,000)	(Man Yrs.)	(Yrs.)	(Yrs.)	(Tons)	(1,000)
CROPLAND	8	5000 - 4 1000					
Contour Planting	Acre	5,829				_	
Cover Crops	11	5				•	_
Crop Residue Management	Ħ	141		_			
Crop Rotation	Ħ	7,294	_			-	_
Green Manure Crops	15	245	·	-	0	_	_
Rotation Hay or Pasture	Ħ	4,503	118	2,368	-	_	
Strip Cropping	98	2,062			-	_	
Diversions	Ħ	88	231	77	-		
Terracing	Ħ	751	788	788			
GRAZING LAND	31	140000 00000 00000 00000 00000 00000 00000	esc 2002/0768	W0.57745722			
Fertilizing Grazing Land	Acre	2,864	1,246	22	2,457	-	
Liming Pastures	**	2,817			-		-

^{2/} Cropland includes land used for crops and idle or fallow. 1959 Cropland and Grazing land data were adjusted by shifting the acreage of rotation pasture from Grazing land to Cropland.

Indiana - Table 2. - Continued

			3 .	:		
	Remaining	Skilled &	Motor			Trees
Practices According	To Be	Unskilled		Equip-		Shrubs
To Land Use Uni	مستخطين فتناوان	Labor	ment	ment	Seed	Plants
•	(1,000)	(Man Yrs.)	(Yrs.)	(Yrs.)	(Tons)	(1,000)
Mewing Grazing Land Acr	e 5,624	1,654	124	3,058		
Seeding Range & Past.Plts. "	2,074	2,865	1,025	6,394	12,227	
Stockwater Development No	. 15	810	418	14		_
WOODLAND	.*	•				
Field & Gully Planting Acr	e 367	6,092	802	·	934	917,150
Harvest Cutting "	· 244	214	21		-	
Improvement Cuttings	2,089	7,306	913			_
Reinforce. of Exist. Wood. "	560	2,102	472	699	411	59,962
Prevention of Graz. Damage "	1,585	614			-	
TWO OR MORE LAND USES	•					
Marsh Management Acr	e 107	472				
Roadside Erosion Control	•	5,235	599	73	560	
Drainage Acr	e 869	3,773	298	213	101	٠ 🚤
Dune & Beach Eros. Cont.	· 1 8	6	. 6	-		220,884
Fire Protection **	422	1111	28	-		
Management of Odd Areas	417	4,740	-		912	182,365
Management of Spoilbanks "	12				-	
Outlets & Farm Watercourses"	24	2,068	569		177	
Reorganization of Fields		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				
Obstruction Removal Mile	e 50	jan da <u>Liu</u> a din				
Shelterbelts & Windbreaks Acre		7	2/	23		_
Soil Saving Dams No.		1,813	604	_		_
Streambank Eros. Control Acre	and the second s	363	17		. 4	158
Wildlife Borders	54	190		178	562	5,369
TOTALS	•	40,818	8,951	15,109	15,688	

Based on farm planning experience, land capability recommendations and land use acreages after cropland, not suitable for cultivation, has been converted to grazing or woodland use:

^{2/} Less than 1.

NOTE These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

Table 1. Land classified according to use capabilities; land in farms, by four major uses; land not in farms; and approximate total land area, ICWA, 1939 1/

	Suitable for	Suitable for	Suitable for	Suitable	
	Continuous	Occasional	Grazing or	Only for	
Land Use	Cultivation	Cultivation	Woodland Use	Wildlife	Total
	Classes	Class	Classes	Class	
	I, II & III	IV	V, VI & VII	VIII	
	(1,000)	(1,000)	(1,000)	(1,000)	(1,000)
	(Acres)	(Acres)	(Acres)	(Acres)	(Acres)
LAND IN FARMS	27,157	3,108	3,885		34,150
(a) Cropland 2/	22,466	2,390	2,212		27,068
(b) Grazing land 3/	2,641	461	839		3,941
(c) Woodland	595	92	611		1,298
(d) Other land in					
Farms	1,455	165	223	-	1,843
LAND NOT IN FARMS APPROXIMATE TOTAL LAN	62 D	655	964	-	1,681
AREA	27,219	3,763	4,849	-	35,831

^{1/} These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

Table 2. Conservation needs for land in farms; quantities of practices, and amounts of labor, equipment, and materials required in their application, IOWA, 1943, (SEE FOOTNOTE 1/)

Practices According To Land Use	Unit	Remaining To Be Done	Skilled & Unskilled Labor	Motor Equip- ment	Horse Equip- ment	Seed	Trees Shrubs Plants
		(1,000)	(Man Yrs)	(Yrs)	(Yrs)	(Tons)	(1,000
CROPLAND							
Contour planting	Acre	10,208	-			_	·
Crop residue management	#	1,371					
Crop rotation	11	18,307					
Rotation hay or pasture	W	6,099	178	1,085			
Strip cropping	Ħ	2,613		_			
Terracing	11	1,754	1,886	1,886	651	-	
GRAZING LAND		-,	_,				
Fertilizing grazing land	Ħ	5,656	873	828			
Liming pastures	96	5,541					
Mowing grazing land	Ř	8,010	2,101	2,099	 ·		_
Proper stocking	*	4,599	•				
Seeding rge. & past. plts	. #	7,740	101	338		47,448	
Stockwater development	No.	32	2,286	1,295	4	-	

^{2/} Cropland includes land used for crops and idle or fallow. 1939 cropland and grazing land data were adjusted by shifting the acreage of rotation pasture from grazing land to cropland.

^{3/} Grazing land includes plowable pasture and other land in farms used for grazing purposes.

Iowa - Table 2 - Continued

		Remaining	Skilled &	Motor	Horse		Trees
Practices According		To Be	Unskilled	Equip-	Equip-	•	Shrubs
To Land Use	V-1t	Done	Labor	ment	ment	Seed	Plants
	-	(1,000)	(Man Yrs)	(Irs)	(Irs)	(Tons)	(1,000)
WOODLAND				-			
Field & gully planting	Acre	560	12,969	1,468		1,351	615,868
Harvest cutting	*	49	43	43			
Improvement cuttings	*	1,271	8,891	1,111			
Reinf. existing woodland	is *	167	1,471	248	80	293	48,102
Prevention of graz. dam.		1,733	754	-	-		
TWO OR MORE LAND USES		•					
Marsh management		361 .	1,735			_	_
Roadside eros. contl.		2 -2	13,213	4,353	-	2,393	
Drainage	W	496	8,625	10	1,150	34	
Fire protection	W	529	208	17	_,_,		_
Management of odd areas		. 157	1,788			393	78,665
Management of spoil bank	ce W	22	781	-		41	4,843
Outlets and farm water-			• • •				4,040
courses		611	775	2,855		8,868	
Pond management	. 10	25	452			49	19
Reorganization of field	8					•	•
Obstruction removal	-	30					
Soil saving dams	No.	115	93,741	26,369		-	
Streambank control	Acre		496	-			5,968
Streambank structure	No.	164	13,591	3,838			
Wildlife borders	Acre		130	_	87	248	3,667
TOTALS		•	167,088	47,843	1,972	61,118	

Based on farm planning experience, land capability recommendations and land use acreages after cropland, not suitable for cultivation, has been converted to grazing or woodland use.

<u>MOTE</u>: These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

Table 1. Land classified according to use capabilities, land in farms, by four major uses; land not in farms; and approximate total land area, KANSAS, 1939 1/

C	uitable for	Suitable for	Suitable for	Suitable	
A	ontinuous	Occasional	Grazing or	Only for	
Land Use	ultivation	Cultivation	Woodland Use	Wildlife	Total
	Classes	Class	Classes	Class	
I	II, & III	IV	V, VI, VII	VIII	
	(1,000)	(1,000)	(1,000)	(1,000)	(1,000)
	(Acres)	(Acres)	(Acres)	(Acres)	(Acres)
LAND IN FARMS	26,932	6,436	14,182	623	48,173
(a) Cropland 2/	21,275	3,539	3,241	17	28,072
(b) Grazing Land 3/	4,532	2,679	9,999	466	17,676
(c) Woodland	155	27	525	4	711
(d) Other Land in Farms	970	191	417	136	1,714
LAND NOT IN FARMS	2,278	644	1,399	57	4,378
APPROXIMATE TOTAL LAND AREA	29,210	7,080	15,581	680	52,551

^{1/} These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

Table 2. Conservation needs for land in farms; quantities of practices, and amounts of labor, equipment, and materials required in their application, KANSAS, 1943 (SEE FOOTNOTE 1/)

		Remaining	Skilled &			Trees
Practices According		To Be	Unskilled	Equip-		Shrubs
To Land Use	Unit	Done	Labor	ment	Seed	Plants
	-	(1,000)	(Man Yrs.)	(Yrs.)	(Tons)	(1,000)
CROPLA ND						
Contour Planting	Acre	7,423				
Crop Residue Management	Ħ	22,956				
Diversions	Mile	、22	408	408		
Drainage	Acre	33	17	17		
Outlets & Farm Watercourses	17	50 0	2,279	687	5,179	
Rotation Hay or Pasture	11	6,557				
Shelterbelts & Windbreaks	11	380	3,989	327	3	80,280
Strip Cropping	11	3,821				
Terracing	11	8,192	9,660	9,660		
Irrigation - Farm Dist.System	11	34	53	1		
Irrigation - Land Preparation	11	20	3 3	17		
Irrigation - Main Laterals Irrigation - Method of Water	Mile	2/	5	1		
Application	Acre	15	-			

^{2/} Cropland includes land used for crops and idle or fallow.

^{3/} Grazing land includes plowable pasture and other land in farms used for grazing purposes.

Kansas - Table 2 - Continued

D		Remaining	Skilled &	-		Trees
Practices According	** . * 4	To Be	Unskilled	Equip-		Shrubs
To Land Use	Unit		Labor	ment	Seed	Plants
		(1,000)	(Man Yrs.)	(Yrs.)	(Tons)	$(1,\infty)$
Irrigation - Pump from Streams	No.	2/ 2/ 2/	28		~	
Irrigation - Storage Dams	Ħ	2/	57	12		
Irritation - Wells	81	₹/	30	5	_	
GRAZING LAND		_				
Contour Furrowing	Acre	1,105	145	145		-
Fire Protection	Ħ	413	-	_		
Moving Grazing Land	11	2,187	****	-		
Proper Stocking	Ħ	10,064	-			
Rotation & Deferred Grazing	n	7,283	-			
Seeding Range & Past. Plants	Ħ	3,324	1,076	1,076	20,616	
Stockwater Development	No.	23	944	300	·	
Stockwater Dams, Springs	11	20	795	265		
Stockwater Wells	#1	3	149	35		
Water Spreading	Acre	3 3	86	5 8		
WOODLAND						
Fire Protection	Acre	707	2			
Harvest & Improve. Cuttings	88	3 7 5	819		~	
Prevention of Graz. Damage	#	610	· 	_		
Reinforce. of Existing Woodlan	d "	127	462		-	24,018
TWO OR WORE LAND USES						
Pond Management	Acre	18	70	-		1,782
Marsh Management	Ħ	11,	21		27	1,077
Wildlife Borders	11	57	113	25		18,212
Management of Odd Areas	11	422	830		422	42,179
Soil Saving Dams	No.	2	464	27	~	-
Streambank Management	Acre	6	14			5 6 5
Roadside Erosion Control	Mile	4	125	3 8	2 86	
Fencing	11	1	48	-	~	
TOTALS			21,778	12,804	26,673	

^{1/} Based on farm planning experience, land capability recommendations and land use acreages after cropland, not suitable for cultivation, has been converted to grazing or woodland use. 2/ Less than 1,000.

NOTE These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

Table 1. Iand classified according to use capabilities, land in farms, by four major uses; land not in farms; and approximate total land area, KENTUCKY, 1939 1/

	Suitable for	Suitable for	Suitable for	Suitable	
•	Continuous	Occasional	Grazing or	Only for	
Land Use	Cultivation	Cultivation	Woodland Use	Wildlife	Total
	Classes	Class	Classes	Class	
	I. II. & III	IA ,	V. VI. & VII	VIII	
	(1,000)	(1,000)	(1,000)	(1,000)	(1,000)
	(Acres)	(Acres)	(Acres)	(Acres)	(Acres)
LAND IN FARMS	10,495	4,885	4,915		20,295
(a) Cropland 2/	4,558	1,178	773		6,509
				-	
(b) Grazing land 3/	3,397	1,932	1,374		6,703
(c) Woodland	1,608	1,032	1,953		4,593
(d) Other land in farm	ns 932 ·	743	815		2,490
LAND NOT IN FARMS	1,485	1,332	2,559		5,376
APPROXIMATE TOTAL LAND AREA	11,980	6,217	7,474		25,671

^{1/} These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

Table 2. Conservation needs for land in farms; quantities of practices, and amounts of labor, equipment, and materials required in their application, KENTUCKY, 1943 (SEE FOOTNOTE 1/)

Practices According To Land Use		Remaining To Be	Skilled & Unskilled	Motor Equip-			Trees Shrubs Plants
TO TAIL USE	Unit	Done	Labor	ment	ment	Seed (Tons)	
CROPIAND		(1,000)	(man Yrs.)	(Irs.)	(Irs.)	(lons)	(1,000)
Contour planting	Acre	1,926	2,526				-
Cover crops	11	90	. 7 8				
Crop residue management	; 11	1,269	1,109	_			
Crop rotations	11	5,639	246	-			
Green manure crops	Ħ	1,314	861 =		574	19,710	
Perennial hay crops	11	883	5,212				441,676
Strip cropping	11	1,207	2,479			-	
Clearing woods	, 11	2/	5	-	_		
Grubbing	n	2,011	25,487		-		
Drainage (Farm)	11	24	311	2	49		
Drainage (Community)	11	1	4	<u>3</u> /		-	
Outlets (Meadow strips)	11	246	3,434		3,220	4,297	
Rotation hay or pasture		2,606	3,758		3,644	39,083	
• •		(over			-		

^{2/} Cropland includes land used for crops and idle or fallow.

^{3/} Grazing land acreage is the Census plowable pasture.

Kentucky - Table 2. - Continued

	1	Remaining	Skilled &				Trees
Practices According		To Be	Unskilled	Equip-	Equip-		Shrubs
To Land Use	Unit	Done	Labor		ment	Seed	Plants
		(1,000)	(Man Yrs.))(Yrs.)	(Yrs.)	(Tons)	(1,000)
Reorganization of fields	Acres	223	896				
Terracing (Horse)	11	2,185	14,324		4,775		
Terracing (Heavy tractor)		486	1,698	637		-	
Terracing (Light tractor) GRAZING LAND	11	2,185	7,639	2,865	-		
Deferred grazing	n	365	40				
Fertilizing grazing land	#	5,613					
Liming pasture	8	6,765					
Mowing grazing-land	er	7,113	-				
Scattering droppings	11	711					-
Seeding of range and							
pasture plants	ŧı	365	2,043		1,756	5,480	
Stockwater development	No.	14	2,537		1,119	' —	
Fulching	Acres	71	780		777		
WOODLAND			•				
Field and gully planting	Ħ	150	1,664				180,599
Harvest cutting	Ħ	· 961	21,421		2,939		
Improvement cuttings Reinforcement of existing	**	3,842	68,856	· —	16,794		
woodland	11	48	147	-			14,412
Prevention of grazing							-
damage	61	4,940	2,159		1,079		
Fire protection	. "	4,940	4,317	-	2,159	-	
TWO OR MORE LAND USES							
	00 ft		1		_	<u>5</u> /	13
Roadside erosion control	Acres		. 62	-	24	_	
Management of odd areas	88	56	494			-	
Yanagement of spoil banks	3		_				
Grass	11	<u>2/</u> 2/	<u>3</u> /		<u>5</u> /		
Kudzu	11	2/		-		·	
Pond management	81	3 8	829	298	-		-
Stream bank management	Ħ	1	1				
Wildlife borders	11	229	1,201	201	905	2,290	
Hedges	**	27	119		94		_
TOTAL			176,756	4,005	44,539	84,110	

^{1/} Based on farm planning experience, land capability recommendations and land use acreages after cropland, not suitable for cultivation, has been converted to grazing or woodland use.

^{2/} Less than 1,000. 3/ Less than 1.

NOTE These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

Table 1. Land classified according to use capabilities, land in farms, by four major uses; land not in farms; and approximate total land area, <u>LOUISIANA</u>, 1959 1/

•	Suitable for Continuous Cultivation Classes I. II. & III	Suitable for Occasional Cultivation Class IV	Suitable for Grazing or Woodland Use Classes V. VI. & VII	Only for Wildlife Class	•
	(1,000) (Acres)	(1,000) (Acres)	(1,000) (Acres)	(1,000) (Acres)	
LAND IN FARMS (a) Cropland 2/ (b) Grazing land 5/ (c) Woodland 4/ (d) Other land in farm	6,793 5,997 1,869 927		2,095 554 547 1,194	5 - - -	8,893 4,556 2,416 2,121
LAND NOT IN FARMS APPROXIMATE TOTAL LAND AREA 5/	 6,795		2,095	 5	 8,895

If these data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

2/ Cropland includes land used for crops and idle or fallow.

4/ Woodland acreage adjusted.

Table 2. Conservation needs for land in farms; quantities of practices, and amounts of labor, equipment, and materials required in their application. LOUISIANA. 1945 (SEE FOOTNOTE 1/)

	•			·——			
		Remaining	Skilled &	Motor	Horse		Trees
Practices According		To Be	Unskilled	Equip-	Equip-	-	Shrubs
To Land Use	Unit	Done	Labor	ment	ment	Seed	Plants
		(1,000)	(Man Yrs)	(Yrs.)	(Yrs.)	(Tons)	(1,000)
CROPIAND			_			•	•
Contour planting	Acre	1,755	33	2	15		-
Cover crops	Ħ	1,955	36	1	70	1,661	-
Crop residue mgmt.	Ħ	5,997					
Crop rotation	Ħ	3,997					
Clearing and grubbing	Ħ	153	27	_			
Drainage	**	1,088	5,091	570	4,483		
Green manure crops	Ħ	3,997	8,161	1,919	12,483	50,319	
Irrigation development	Ħ	116	772	528	528		
Management of odd areas	3 H	148	728	77	694		29,692
Mgmt. of spoil banks	Ħ	9	46	15	62	18	
Outlets & farm water							
courses	ii ,	15	2,335	, 91	3,652		

^{5/} Grazing land includes plowable pasture, pastured woodland, and other land in farms used for grazing purposes.

^{5/20,021,000} acres of approximate land area; 18,918,000 acres of land not in farms; 1,103,000 acres of land in farms; 627,000 acres of other land in farms; 42,000 acres of woodland; 194,000 acres of grazing land; and 240,000 acres of cropland are not included in these data.

Louisiana - Table 2 C	Continue	đ		·			
Dougland Sand		emaining	Skilled &	Kotor	Horse		Trees
Practices coording		To Be	Un killed	Equip-			Shrubs
To Land Use	Unit	Done	Labor	ment		Seed	· _
10 1000		(1,000)	(Man Yrs)	(Yrs.)			(1,000)
CROPLAND - Continued		(1,000)	/wort II 9)	(11 9.)	(11 00)	(TOMB)	(1,000)
Rodent control	Acres	1,552	118				
Reorganization of fiel		1,000	110				
Ob truction removal	M M	25	266		89		
	Mile	16			0.9	-	
Fencing required			2,295		7 670		
Rotation hay or pastur	A VCLOS		1,065	260	1,610	11,400	
Strip cropping		1,821					
Stream bank mgmt.	r.	1	6 4 050		12	14	
Terracing	 11	1,543	4,258	520	11,254		_
Wildlife borders	••	18	21	2	59	184	
GRAZING LAND	·e						
Contour furrowing		245	773	40	2,200	_	
Clearing & grubbing		899	17,159		2,712		
Diversions	Mile	1	15,043	9	165	_	
Fire protecti n	Acre	2,760	99	. —	200	_	
Fertilizing graz.land	Ħ	2,746	960		960		
Liming pastures	11	962	1,110		1,110	_	
Maintaining feed reser	ves Ion						
liowing of grazing land	Acre	2,681	914	283	1,263	-	-
Proper stocking	Ħ	2,760			· —		
Pond management	n	15	26	. —		·	
Perennial hay crops	•	82	353	46	445	819	
Rodent control	W	1,030	180				
Rotation grazing		2,760	289				
Sa ting	88	2,760			-		
Seeding frange &		.,					
pasture plants		2,348	846	26	1,642	23,485	_
Sodding		497	4,141	209	5,244		
Stockwater development	No.	52	4,069	150	2,288		-
CIALICOW		-	-,000				
Fie d & gully planting	Acre	7	64	_	2		7,004
Harvest putting	, ACC U	2,131		_			.,
Improvement cutings	Ħ	2,131				_	
Reinfo ement of exist		~, 101					
ng woodlands	, - H	7	11	_			1,314
			**		_	_	1,014
Preven ion of graz.dam		2,071	7 077	_			_
Fen ng required	Mile	8	1 217		****		
Fire pr tection	cre	,131	1 7	7			
TWO OR MORE LAND SES							
Ex 1 io for erosion		•	••				
control		4	12			-	_
Road d erosion cont.	•		2 ,157	1,169	50,985		-
TOTALS			95,808	5,904	84,205	87,953	

^{1/} Based on farm laming experi n e, land capability recommendations and land use acreages after cropland, not suitable for cult vation, has been converted to grazing or woodland use.

NOTE These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

Table 1. Land classified according to use capabilities, land in farms, by four major uses; land not in farms; and approximate total land area, MAINE, 1939 1/

	Suitable for	Suitable for	Suitable for	Suitable	
L	Continuous	Occasional	Grazing or	Only for	
Land Use	Cultivation	Cultivation	Woodland Use	Wildlife	Total
	Classes	Class	Classes	Class	•
	I, II, & III	IV	V, VI, & VII	VIII	
	(1,000)	(1,000)	(1,000)	(1,000)	(1,000)
	(Acres)	(Acres)	(Acres)	(Acres)	(Acres)
LAND IN FARMS	2,080	573	1,565	6	4,224
(a) Cropland 2/	1,064	137	69		1,270
	3/ 463	130	347	-	940
(c) Woodland	428	265	1,084	6	1,783
(d) Other Land in	Farms 125	41	65	-	231
LAND NOT IN FARMS	4.876	1,641	9,100	25	15,642
APPROXIMATE TOTAL I		•			•
AREA	6,956	2,214	10,665	31	19,866

^{1/} These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

Table 2. Conservation needs for land in farms quantities of practices, and amounts of labor, equipment, and materials required in their application, MAINE, 1943 (SEE FOOTNOTE 1/)

		Remaining	Skilled &	Motor	Horse		Trees
Practices According		To Be	Unskilled	Equip-		•	Shrubs
To Land Use	Unit		Labor	ment	ment	Seed	Plants
		(1,000)	(Man Yrs.)	(Yrs.)	(Yrs.)	(Tons)	(1,000)
CROPLAND							
Contour Planting	Acre	775	34	3/	34		-
Cover Crops	11	3 89	297	<u>3</u> / 61	143	3,888	****
Crop Residue Management	- 11	7 8 3		-			
Crop Rotation	11	1,119			-		
Green Manure Crops	Ħ	492	301	88	208	4,923	
Perennial Hay Crops	Ħ	142	713	270	1,075	1,418	-
Rotation Hay or Fasture	11	606	1,523	662	2,305	7,075	
Strip Cropping	11	811	57		28		
GRAZING LAND							
Contour Furrowing	Acre	32	21	2	24		-
Deferred Grazing	11	743	-				
Fertilizing Grazing Land	11	989	45 8	87	484		
Liming Pastures	Ħ	936	614	41	327		_
Mowing Grazing Land	11	50 7	302	288	545		
Rotation Grazing	n	878			-		

^{2/} Cropland includes land used for crops and idle or fallow.

^{3/} Grazing land includes plowable pasture and other land in farms used for grazing purposes.

Maine - Table 2. - Continued

		Remaining	Skilled &	Makasa	77		
Practices According	r	To Be	Unskilled	Motor			Trees
To Land Use	Unit	Done			Equip-		Shrubs
10 IAIN 036	OILL	(1,000)	Labor (Man Yrs.)	ment	ment	Seed	
Conttoning December	1		•		(Yrs.)	(Tons)	(1,000)
Scattering Droppings	Acre	131	49	11	69		_
Seeding Range & Past.Pl		579	721	83	1,274	2,385	-
Stockwater Development	No.	31 .	1,180	76	58	~	
WOODLAND		. 003	7 070	•			
Field & Gully Planting	Acre	261	3,019		80	294	414,468
Harvest Cutting	#	806	141				_
Improvement Cuttings	111	1,568	4,660	-			
Pruning	11	221	772	-			
Reinforce. of Exist. Wo		59	150	-	4	15	22,750
Prevention of Graz. Dam	age"	606	3 , 365	16	85		
White Pine Blister Rust							
Control Control	11	. 829	236	-			
TWO OR MORE LAND USES							
Marsh Management	Acre	<u>2</u> /	2	<u>3</u> /	-		
Clearing and Grubbing	# ·	143	5,382	745	452	-	_
Diversions	Mile	2	698	51	7	-	
Drainage	Acre	[.] 78	1,411	269	472	-	_
Dune & Beach Eros. Cont	. 17 .	1	3/	3/	3/		5,550
Fire Protection	11	1,771	4,496	407	620	-	
Hedges	Lin.Ft.		53	_	-	-	5,685
Management of Odd Areas		35	420			157	69,950
Mulching	71	16	581		17		
Outlets & Farm Watercou	rses#	7	1,278	73	32	- 82	_
Roadside Erosion Contro		•	1,001	13		42	8,447
Farm Pond Management	Acre	2	11	2	5	3	194
Reorganization of Field				-	•	•	
Obstruction Removal	Acre	170	3,269	59			
Fences Changed	Mile	2	862	1	10	-	
Shelterbelts & Windbred		2	3/	_	5/	787	197
Streambank Erosion Cont			=		~		
Management	n	51	459	14	7	-	27,600
Terracing	Ħ	56	25·	6	i	-	, ,
Wildlife Borders	Ħ	-3	42	_	î	12	5,499
TOTALS			38,603	3,325	8,365		•
			00,000	-,,	-,	,	

^{1/} Based on farm planning experience, land capability recommendations and land use acreages after cropland, not suitable for cultivation, has been converted to grazing or woodland use.

^{2/} Less than 1,000.

 $[\]overline{3}$ Less than 1.

NOTE These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

Table 1. Land classified according to use capabilities; land in farms, by four major uses; land not in farms; and approximate total land area, MARYLAND 1939 1/

Land Use	Suitable for Continuous Cultivation Classes I. II & III	Suitable for Occasional Cultivation Class	Suitable for Grazing or Woodland Use Classes V. VI & VII	Suitable Only for Wildlife Class VIII	Total.
	(1,000)	(1,000)	(1,000)	(1,000)	(1,000)
	(Acres)	(Acres)	(Acres)	(Acres)	(Acres)
LAND IN FARMS (a) Cropland 2/ (b) Grasing land 3/ (c) Woodland (d) Other land in farms LAND NOT IN FARMS	2,997	385	803	14	4,199
	1,702	140	137		1,979
	498	82	241	2	823
	609	141	390	2	1,142
	188	22	35	10	255
	1,237	223	439	230	2,129
APPROXIMATE TOTAL LAND	4,234	608	1,242	244	6,328

These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

Table 2. Conservation needs for land in farms; quantities of practices, and amounts of labor, equipment, and materials required in their application, MARYLAND, 1943 (SEE FOOTNOTE 1/)

Practices According To Land Uge	Unit	Remaining To Be Done	Skilled & Unskilled Labor	Motor Equip- ment	Horse Equip- ment	Seed	Trees Shrubs Plants
	-78 - 391 - 398 CB C	(1,000)	(Man Yrs)	(Yra)	(Yrs)	(Tons)	(1,000)
CROPLAND	9		6				
Contour planting	Lare	947	47	1	45		-
Cover crops		787	603	124	272	7,880	
Crop residue mgmt.		1,597				-	
Crop rotation	#	1,639	 .			-	
Green manure crops	Ň	286	175	51	121	2,858	
Perennial hay crops	*	341	1,714	648	2,584	3,409	
Rotation hay or pasture	, ii	529	1,330	578	2,013	6,617	
Strip cropping	N	825	58	29			desp
GRAZING LAND	_		15.5	27.5%			
Contour furrowing	2. **	92	58	5	68		***
Deferred grazing		- 654	No.				
Fertilizing establ. gras	land A		421	52	667	****	-
Liming established pastu			540	39	252		_

^{2/} Cropland includes land used for crops and idle or fallow.
3/ Crazing land includes plowable pasture and other land in farms used for grazing purposes. 5,000 acres listed as cropland in 1939 included in grasing land figures.

Maryland - Table 2 - Continued

	B	emaining	Skilled &	Motor	Horse		Trees
Practices According		To Be	Unskilled	Equip-	Equip-		Shrubs
To Land Use Un	14	Done	Labor	ment	ment	Seed	Plents
		(1,000)	(Man Irs)	(Yrs)	(Yrs)	(Tons)	(1,000)
Mowing grazing land Ac	re	499	296	. 28	536		
Rotation grazing	#	702					
Scattering droppings		74	26	6	38		_
Seeding rge & past. plts.		455	2,071	239	3,656	6,835	
Stockwater development N WOODLAND	0.	9	1,114	223	2		
Field & gully planting &	cre	130	1,503		40	146	206,286
Harvest cutting	Ħ	772	135		40	740	200,200
Improvement cuttings	#	772	2,295				-
Pruning		109	380	_			
Reinf. existing woodlds.		38	147		_4	14	22,252
Prevention of graz. dam.	•	204	1,134		28	14	22,272
White pine blister rust		204	-)->-	. ,	20		-
control		16	5				
TWO OR MORE LAND USES					_	. —	_
Clearing and grubbing	*	96	5,576	699	446		
	11e	3	990	72	779	_	
	cre	616	10,847	1,830	3,464	_	_
Dune & beach eros. contl.		2	94	2/	2		11,011
Fire protection	•	2,708	7,534	682	1,038		
	. Ft.	36,434	342	-	_,0,0		364
	cre	30	362			135	6,022
	Ħ	3			_		-
Marsh management		6	242	17	_		
Mulching	M	33	1,198		36		
Outlets & farm watercrs.	w	Ĩ.	1,507	74	30	46	
Roadside erosion contl.		~	1,280	ü		92	18,173
Farm pond management	*	4	21	3	6	5	361
Reorganization of fields		~					,,,
Obstruction removal	**	282	5,429	1			
	ile	2	1,139		14		
Shelterbelts & windbrks.A		~	2/		~ 1	2	501
Streambank erosion con-		•	<i>57</i>		_	~	,
trol management	#	38	152	9	1		
Terracing		402	183	46	6		
Wildlife borders		5	56		2	32,116	4,538
TOTALS			51,004	5,472	15,381	60,155	

^{1/} Based on farm planning experience, land capability recommendations and land use acreages, after cropland, not suitable for cultivation, has been converted to grazing or woodland use.

^{2/} Less than 1.

NOTE: These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

Table 1. Land classified according to use capabilities, land in farms, by four major uses; land not in farms; and approximate total land area, MASSACHUSETTS, 1939 1/

Land Use	Suitable for Continuous Cultivation Classes I, II, & III	Suitable for Occasional Cultivation Class IV	Suitable for Grazing or Woodland Use Classes' V, VI, & VII	Suitable Only for Wildlife Class VIII	Total
	(1,000) (Acres)	(1,000) (Acres)	(1,000) (Acres)	(1,000) (Acres)	(1,000) (Acres)
LAND IN FARMS (a) Cropland 2/ (b) Grazing Land (c) Woodland (d) Other Land in LAND NOT IN FARMS	105 Farms 96 653	259 118 42 67 32 348	986 42 345 545 54 2,029	4/ - 4/ 93	1,938 558 481 717 182 5,125
APPROXIMATE TOTAL	1,346	607	3,015	93	5,061

^{1/} These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

4/ Less than 1,000.

Table 2. Conservation needs for land in farms; quantities of practices, and amounts of labor, equipment, and materials required in their application, MASSACHUSETTS, 1945 (SEE FOOTNOTE 1/)

		Remaining		Motor	Horse		Trees
Practices According		To Be	Unskilled	Equip-	Equip-		Shrubs
To Land Use	Unit		Labor	ment	ment	Seed	<u>Plants</u>
,		(1,000)	(Man Yrs.)	(Yrs.)	(Yrs.)	(Tons)	(1,000)
CROPLAND			•				
Contour Planting	Acre	3 09	15		15		
Cover Crops	11	208	17	33	76	208	_
Crop Residue Management	11	315	-				
Crop Rotation	11	466	-		-		
Green Mamure Crops	11	289	177	52	123	2,892	
Perennial Hay Crops	11	67	335	127	505	667	-
Rotation Hay or Pasture	11	281	706	307	1,067	3,508	
Strip Cropping	Ħ	296	21		10	-	_
GRAZING LAND		•					
Contour Furrowing	Acre	28	18	2	21	-	
Deferred Grazing	11	449	~	-			
Fertilizing Grazing Land	11	512	237	45	250		
Liming Pastures	11	479	314	22	167		
Mowing Grazing Land	11	278	165	16	124		
Scattering Droppings	11	51	18	45	27		

^{2/} Cropland includes land used for crops and idle or fallow.

^{3/} Grazing land includes plowable pasture and other land in farms used for grazing purposes.

	I	Remaining	Skilled &	Motor	Horse	7	rees
Practices According		To Be	Unskilled	Equip-	Equip-	5	hrubs
To Land Use	Unit		Labor	pent.	rent	Seed I	lants
		(1,000)	(Man Yrs.)	(Irs.)	(Irs.)	(Tons)	1,000)
Seeding Range & Past. Pl	tsAire	198	902	104	1,592	2,977	
Stockwater Development	No.	16	371	3 6	12	_	
WOODIAND							
Field & Gully Planting	Acre	97	1,125	:	50	- 110	154,547
Harvest Cutting	•	220	[*] 97				
Improvement Cuttings	11	513	931	-		-	
Pruning	Ħ	88	309	, -	-	-	
Reinforce. of Exist. Wood	. #	18	70	•	2	7	10,601
Prevention of Graz. Dama	ge#	222	1,260	6	51		
White Pine Blister Pust	•			_			
Control	W	340	97			-	_
TWO OR MORE LAND USES		,					
Marsh Management	Acre	2/	. 7	5/	-	-	
Clearing and Grubbing	11	68	2,120	<u>3</u> / 196	108		
Diversions	Mile	1 `	215	17	2	-	_
Drainage	Acre	25	447	79	145	-	
Dune & Beach Eros. Cont.		2/	5	5/	8/		5,198
Fire Protection	Ħ	771	2,103	191	ชี้ด		
	Lin.Ft.	5.239	31	****	-	_	3,239
Management of Odd Areas	Acre	17	204	شت	-	80	33,917
Management of Spoilbanks	11	2/		-	-		-
Mulching	₩.	-6	255	-	7		_
Outlets & Farm Watercour	sed*	5	284	26	7	. 6	
Roadside Erosion Control		• •	543	5	-	_	_
Farm Pond Management	Acre	1	6	1	2	2	107
Reorganization of Fields							
Obstruction Removal		64	1,224	22	-	-	-
Fences Changed	Mile	1	5 23	3/	4	-	
Shelterbelts & Windbreak	s Acre	1	<u>3</u> /	-	3/	1	72
Streambank Erosion Cont.					•		
lianagement	n	23	199	. 7	5		10,600
Terracing	11	25	104	26	4		· —
Wildlife Borders	Ħ	3	59	-	1	11	5,250
TOTALS		• .	15,292	1,365	4,625	10,469	

Based on farm planning experience, land capability recommendations and land use acreages after cropland, not suitable for cultivation, has been converted to grazing or woodland use.

^{2/} Less than 1,000. 5/ Less than 1.

NOTE These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

Table 1. Land classified according to use capabilities, land in farms, by four major uses; land not in farms; and approximate total land area, MICHIGAN, 1939 1/

:)	Suitable for	Suitable for	Suitable for	Suitable	
**	Continuous	Occasional	Grazing or	Only for	
Land Use	Cultivation	Cultivation	Woodland Use	Wildlife	Total.
	Classes	Class`	Classes	Class	
	I. II. & III	IV	V. VI. & VII	VIII	
	(1,000)	(1,000)	(1,000)	(1,000)	(1,000)
	(Acres)	(Acres)	(Acres)	(Acres)	(Acres)
LAND IN FARMS	14,261	1,251	2,535	11	18,038
(a) Cropland 2/	9,515	670	899	-	11,084
(b) Grazing Land	3/ 2,117	242	55 1		2,910
(c) Woodland	1,671	207	832		2,710
(d) Other Land in	Farms 958	112	253	11	1,334
LAND NOT IN FARMS	6,837	1,237	10,159	223	18,456
APPROXIMATE TOTAL	LAND		•		•
AREA	21,098	2,468	12,694	234	56,494

^{1/} These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

3/ Grazing land includes plowable pasture and other land in farms used for grazing purposes.

Table 2. Conservation needs for land in farms; quantities of practices, and amounts of labor, equipment, and materials required in their application, MICHIGAN, 1943 (SEE FOOTNOTE 1/)

		Remaining	Skilled &	Motor	Horse		Trees
Practices According		To Be	Unskilled	Equip-	Equip-		Plants
To Land Use	Unit	Done	Labor	ment	ment	Seed	Shrubs
		(1,000)	(Man Yrs.)	(Yrs.)	(Yrs.)	(Tons)	(1,000
CROPLAND			•				
Contour Planting	Acre	659		 ' .	_		
Cover Crops	11	94	177	41	-	7 85	
Crop Residue Management	11	4,502		-			
Crop Rotation	19 .	5,570					·
Green Manure Crops	Ħ	4					
Rotation Hay or Pasture	11	4,080	6,768		13,358		~
Strip Cropping	17	1,559	_		· · ·	_	·
Terracing	Ħ	144	153	153		-	
GRAZING LAND				2.			
Fertilizing Grazing Land	Acre	2,801	1,224		2,450	-	
Liming Pastures	11	2,323	4,230	-	8,460	<u>_i</u>	_
Mowing Grazing Land	11.	3,551	1,552	-	3,104	-	

^{2/} Cropland includes land used for crops and idle or fallow. 1939 cropland and grazing land data were adjusted by shifting the acreage of rotation pasture from grazing land to cropland.

Wichigan - Table 2. - Continued

		Remaining	Skilled &	Motor	Horse		Trees
Practices According		To Be	Unskilled	Equip-	Equip-	-	Shrubs
To Land Use	Unit		Labor	ment	ment	Seed	Plants
		(1,000)	(Man Yrs.)	(Yrs.)	(Yrs.)	(Tons)	(1,000
Proper Stocking	Acre				-	-	
Seeding Range & Past.Plt	.s. ¹¹	1,368	598	~	1,196	10,262	
Stockwater Development	No.	12	1,031	564	·	-	_
Field & Gully Planting	Acre	4 70	5,684	990		48	549,12
Harvest Cutting	#	240	210	21	-	_	
Improvement Cuttings	•	2,641	8,650	1,440		~	
Reinforce. of Exist. Woo	d."	664	2,383	485	779	3 25	46,148
Prevention of Graz. Dama	ge#	2,076	563		-	-	·
TWO OR MORE LAND USES		· ·					
Marsh Management	Acre	57	249				
Roadside Erosion Control			2,172	865	55	121	
Drainage	Acre	658	4,236	726	579	51	
Dune & Beach Eros. Cont.	99	3 96	8,285	791		-	
Fire Protection	Ħ	848	74	20			
Management of Odd Areas	11	426	4,822	-		1.064	211,886
Mulching	#	14	61		222	. —	
Outlets & Farm Watercour	563 ^{ff}	14	506	525	`	230	
Reorganization of Fields							
Obstruction Removal	Mile	30	~	-			
Shelterbelts & Windbreak	s Acre	25	548	41	153		6,976
Soil Saving Dams	No.	21	4,939	210	_		_
Wildlife Borders	Acre	51	182		115	343	8,200
TOTALS	•		59,097	6,670	30,271	13,209	

Based on farm planning experience, land capability recommendations and land use acreages after cropland, not suitable for cultivation, has been converted to grazing or woodland use.

NOTE These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

Table 1. Land classified according to use capabilities; land in farms, by four major uses; land not in farms, and approximate total land area, MINNESOTA, 1939 1/

Land Use.	Suitable for Continuous Cultivation Classes	Suitable for Occasional Cultivation Class	Grazing or Woodland Use Classes	Suitable Only for Wildlife Class	Total
	I. II & III	IA	A AI & AII	VIII	
	(1,000)	(1,000)	(1,000)	(1,000)	(1,000)
	(Acres)	(Acres)	(Acres)	(Acres)	(Acres)
LAND IN FARMS	22,390	5,392	4,825		32,607
(a) Cropland 2/	17,064	3,196	1,170	_	21,430
(b) Grasing Land 3/	3,351	1,349	1,396	***	6,096
(c) Woodland (d) Other Land in	557	469	1,843		2,869
Farms	1,418	378	416	-	2,212
LAND NOT IN FARMS APPROXIMATE TOTAL LAND	828	2,522	14,747	502	18,599
AREA	23,218	7,914	19,572	502	51,206

I/ These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

2/ Grasing land includes plomable pasture and other land in farms used for grazing purposes.

Table 2. Conservation needs for land in farms; quantities of practices, and amounts of labor, equipment, and materials required in their application, <u>MINNESOTA</u>, 1943 (<u>SEE FOOTNOTE 1</u>/)

Practices According To Land Use Unit	Remaining To Be Done	Skilled & Unskilled Labor	Motor Equip- ment	Horse Equip- ment	Seed	Trees Shrubs Plants
	(1,000)	(Man Yrs)	(Yrs)	(Yrs)		(1,000)
CROPLAND		•		•	•	
Contour planting Acre	4,732					-
Cover crops #	13					
Crop residue management "	4,393		-			
Grop rotation "	19,580					
Green manure crops	63	-		-		-
Rotation hay or pasture "	2,630	50	83	_		
Strip cropping *	2,257					
Terracing GRAZING LAND	144	151	151			
Fert. estab. grasing land "	3,853	95	84			-
Liming established past. "	1,216	***				
Mowing grazing land	1,096	268	268		-	
Proper stocking "	7,153	-				-
Seeding rge. & past. plts."	3,972	52	174		23,005	
Stockwater development No		91	48			

(OASL)

^{2/} Cropland includes land used for crops and idle or fallow. 1939 cropland and grazing land data were adjusted by shifting the acreage of rotation pasture from grazing land to cropland.

Minnesota - Table 2 - Continued

	Remaining		Motor	Horse	Trees
Practices According	To Be	Unskilled	Equip-	Equip-	Shrub.
To Land Use Unit		Labor	ment	ment Seed	Plants
	(1,000)	(Man Irs)	(Yrs)	(Yra) (Tons)	
WOODLAND					
Field & gully planting Acre	260	4,629	563	669	290,815
Harvest cutting	43	38	6		
Improvement cuttings "	125	444	135		-
Reinforcement exist. woodlds	. A. 38	340	54	44 27	101,531
Prev. of grazing damage Acre	2,417	796	-		
TWO OR MORE LAND USES	•				
Marsh management	- 6	30		-	~
Roadside erosion control		3,168	1,176	- 1,112	
Drainage	816	22,428	-	3,075 —	~
Fire protection	1,954	6,689	76		
Management of odd areas	10	70		24	4,780
Mulching	35	14	15		-
Noxious plant control	362	158	158		
Outlets & farm watercrs. "	571	3,661	1,970	- 6,912	2
Shelterbelts & windbrks. "	129	2,471	335	1,129 —	33,876
Soil saving dams No	_	2,469	551		
Streambank control Acr	-	83	57		15,923
Wildlife borders "	<u>2</u> /	4			460
TOTALS		48,199	5,904	4,248 31,749)

^{1/} Based on farm planning experience, land capability recommendations and land use acreages after cropland, not suitable for cultivation, has been converted to grazing or woodland use.

^{2/} Less than 1,000.

NOTE: These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

Table 1. Land classified according to use capabilities, land in farms, by four major uses; land not in farms; and approximate total land area, <u>MISSISSIPPI</u>, 1959 1/

	Suitable for	Suitable for	Suitable for	Suitable	•
,	Continuous	Occasional	Grazing or	Only for	•
Land Use	Cultivation	Cultivation	Woodland Use	Wildlife	Total
	Classes	Class	Classes	Class	
	I. II. & III	IV	V. VI. & VII	VIII	
	(1,000)	(1,000)	(1,000)	(1,000)	(1,000)
•	(Acres)	(Acres)	(Acres)	(Acres)	(Acres)
		•			
LAND IN FARMS	12,049	1,803	5,304		19,156
(a) Cropland 2/	6,760	462	778		8,000
(b) Grazing land 3/	1,587	365	750		2,702
(c) Woodland	2,642	745	2,681		6,068
(d) Other Land in Farms		231	1,095		2,386
LAND NOT IN FARMS	4,792	1,554	4,846	-	11,192
APPROXIMATE TOTAL LAND AS	REA 16,841	3,357	10,150		30,348

If These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

Table 2. Conservation needs for land in farms; quantities of practices, and amounts of labor, equipment, and materials required in their application, <u>MISSISSIPPI</u>, 1945 (<u>SEE FOOTNOTE 1</u>/)

		Remaining	Skilled &	Motor	Horse		Trees
Practices According		To Be	Unskilled	Equip-	Equip-		Shrubs
To Land Use U	<u>mit</u>	Done	Labor	ment	ment	Seed	Plants
		(1,000)	(Man Yrs)	(Yrs.)	(Yrs.)	(Tons)	(1,000)
CROPIAND		•	•	•	•	` '	• • •
Contour planting A	cre	188	246			-	
Cover crops	11	1,685	1,473		-		
Crop residue mgmt.	#	278	243				
Crop rotations	Ħ	6,867	406		-		
Green manure crops	11	58	5 8		26		
Perennial hay crops	Ħ	278	1,641	-	1,458	4,171	139,025
Strip cropping	Ħ	1,399	2,874	-	-		<i>′</i> —
Clearing woods	11	2/	40	_			
Crubbing	Ħ	ខ្សា	10,275				
Drainage (Farm)	m	1,965	23,543	148	5,919	-	
Drainage (Community)	11	1,648	3,580	719	_		
Outlets (Meadow strips)	#	517	4,433		4,156	5,547	
Reorganization of fields	, 11	1,495	6,013				-
Terracing (Horse)	99	2,697	17,681		5,009		
Terracing (Heavy tracto	r)	r 599	2,095	786	-		_
Terracing (Light tractor	·)	2,697	9,430	4,067			

^{2/} Cropland includes land used for crops and idle or fallow.

 $[\]overline{3}$ / Grazing land acreage is the Census plowable pasture.

Mississippi - Table 2 - Continued

5 44		Remaining	Skilled &	Motor	Horse		Trees
Practices According		To Be	Unskilled		- Equip-		Shrubs
To Land Use	Unit		Labor	ment		Seed	Plants
OD 4 0 TAY 1 TAY 1		(1,000)	(Man Yrs)	(Yrs.)	(Trs.)	(Tons)	(1,000)
GRAZING LAND		0.00					
Deferred grazing	Acre		25	_		_	
Fertilizing graz.land	#	5,085			_		
liming pasture	11	3,216			-		
Lowing grazing land	97	3,216		-			_
Scattering droppings	97	322		-			-
Seeding of range and			_				
pasture plants	91	227	1,270			5,4 05	_
Stockwater development	No.	5	888	-	592		-
Mulching	Acre	31	335	-	334	-	
WOODLAND							
Field and gully							
planting	71	66	735	-		-	79,756
Harvest cuttings	89	1,247	27,801	-	5,815	_	·
Improvement cuttings	**	4,873	87,323	-	21,298		
Pruning	17	136	593	-	-	_	
Reinforcement of exist-	-						
ing woodland	**	62	191				18,709
Prevention of grazing							_
damage	96	6,048	2,643		1,322		
Fire protection	Ħ	6,048	5,287		2,643		
TWO OR MORE LAND USES		·	•		·		
Roadside erosion contro	1 "	72	79		31		_
Dune and beach erosion							
control	#	11		_		-	_
Management of odd areas	5 H	72	631	-	-		
Management of spoil bar	ıks		,				•
Kudzu	Ħ	12	97		32		6,134
Grass	#	4	26	-	-18	75	_
Pond management	**	47	1,034	370			-
Streambank management	**	1	9				
Wildlife borders	Ħ	288	1,509	252	1,132	2,880	
Hedges	**	56	158	-	126	-	
TOTALS			214,445	6,342	45,711	16,076	

^{1/} Based on farm planning experience, land capability recommendations and land use acreages after cropland, not suitable for cultivation, has been converted to grazing or woodland use.
2/ Less than 1,000.

NOTE These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

Table 1. Land classified according to use capabilities, land in farms, by four major uses; land not in farms; and approximate total land area, MISSOURI, 1939 1/

	0.14-13.	0-24-27-0	0 - 2 1 - 3 - 3 - 0	2.11.12	
	Suitable for	Suitable for	Suitable for	Suitable	
	Continuous	Occasional	Grazing or	Only for	
Land Use	Cultivation	Cultivation	Woodland Use	Wildlife	Total
	Classes	Class	Classes	Class	
	I. II. & III	IV	V. VI. & VII	VIII	
	(1,000)	(1,000)	(1,000)	(1,000)	(1,000)
	(Acres)	(Acres)	(Acres)	(Acres)	(Acres)
LAND IN FARMS	15,876	5,241	13,360	263	34,740
(a) Cropland 2/	10,153	2,628	2,627	40	15,448
(b) Grazing Land	3/ 4,312	1,794	4,746	100	10,952
(c) Woodland	709	494	5,626	123	6,952
(d) Other Land in	Farms 702	325	361		1,388
LAND NOT IN FARMS	1,269	2,655	5,669		9,593
APPROXIMATE TOTAL	LAND		. -		₹.
AREA	17,145	7,896	19,029	263	44,333
	•	-	•		. •

^{1/} These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

Table 2. Conservation needs for land in farms; quantities of practices, and amounts of labor, equipment, and materials required in their application, MISSOURI, 1943 (SEE FOOTNOTE 1/)

		Remaining	Skilled &	Motor	Horse		Trees
Practices According		To Be	Unskilled	Equip-	Equip-	•	Shrubs
To Land Use	Unit	Done	Labor	ment	ment	Seed	Plants
		(1,000)	(Man Yrs.)	(Yrs.)	(Yrs.)	(Tons)	(1,000
CROPLAND							
Contour Planting	Acre	4,424					
Crop Residue Management	Ħ	4,294		-			
Crop Rotation	Ħ	8,794	-				
Green Manure Crops	Ħ	1,092					
Rotation Hay or Pasture	11	1,868	24	171	-		
Strip Cropping	Ħ	521		-			
Terracing	11	1,525	1,600	1,600			
GRAZING LAND		•		•			
Fertilizing Grazing Land	iAcre	8,438	111	369	-	-	
Liming Pastures	11	8,500					
Mowing Grazing Land	Ħ	5,506	1,444	639	2,407		
Proper Stocking	n	11,845					
					•		

^{2/} Cropland includes land used for crops and idle or fallow. 1939 cropland and grazing land data were adjusted by shifting the acreage of rotation pasture from grazing land to cropland.

^{3/} Grazing land includes plowable pasture and other land in farms used for grazing purposes.

Missouri - Table 2. - Continued

		Remaining	Skilled &	Motor	Horse		Trees
Practices According		To Be	Unskilled	Equip-		_	Shrubs
To Land Use	Unit	Done	Labor	ment	ment	Seed	Plants
		(1,000)	(Man Yrs.)				
Seeding Range & Past.F	ltsAcre	9,771	1,281	1,281	-	73,285	
Stockwater Development	No.	106	7,873	4,051	37		
WOODLAND				-,	٠.		
Field & Gully Planting	Acre	1,651	28,683	3,205		4.128	1,816,484
Harvest Cutting	#1	688	601	74		-,	
Improvement Cuttings	11	7,433	31,747	3,968			
Reinforce. of Exist. Wo	od."	1,223	4,256	731	1,006	810	81,012
Prevention of Graz. Dam	agen	4,483	1,544			-	
TWO OR MORE LAND USES	-	•	•				
Drainage	Acre	54	626		54	6	
Fire Protection	11	7,158	1,622	390		<u></u>	
Hedges	#	107	3,248			<u> </u>	253,14 8
Management of Odd Area	.s #	86	979			250	597,477
Management of Spoilban	ks "	25	302			33	14,410
Mulching	11	1			-		
Noxious Plant Control	Ħ	16	3	2			
Outlets & Farm Waterco	urses "	461	43,849	12,652	1	3,840	
Pond Management	tt .	75	1,310	_		·	35,687
Roadside Erosion Contr	ol		61,597	3,890	-	1,336	
Shelterbelts & Windbres	aks "	9	185	20	81	_	7,136
Soil Saving Dams	No.	48	35,769	9,532	-	1	
Streambank Control	Acre	9	144	76	6	<u> </u>	2,179
Wildlife Borders	n	82	289		186	528	8,216
TOTALS			229,087	42,651	3,7 78	84,216	
•			•			1	

^{1/} Based on farm planning experience, land capability recommendations and land use acreages after cropland, not suitable for cultivation, has been converted to grazing or woodland use.

NOTE These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

Table 1. Land classified according to use capabilities, land in farms, by four major uses; land not in farms; and approximate total land area, MONTANA, 1939 1/

	Suitable for		Suitable for		
	Continuous	Occasional	Grazing or	Only for	
Land Use	Cultivation	Cultivation	Woodland Use	Wildlife	Total
	Classes	Class	Classes	Class	
	I. II. & III	IV	V. VI. & VII	VIII	
	(1,000)	(1,000)	(1,000)	(1,000)	(1,000)
	(Acres)	(Acres)	(Acres)	(Acres)	(Acres)
IAND IN FARMS	9,669	4,159	50,830	1,794	46,452
(a) Cropland 2/	7,824	1,279	1,032		10,135
(b) Grazing Land 5/	1,487	2,415	28,493	1,580	55,975
(c) Woodland	156	222	696	8 5	1,137
(d) Other Land in Farm		243	609	131	1,205
IAND NOT IN FARMS	767	1,690	41,287	5,274	47,018
APPROXIMATE TOTAL LAND					
AREA 4/	10,436	5,849	72,117	5,068	93,470

^{1/} These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

2/ Cropland includes land used for crops and idle or fallow.

4/ Does not include 172,160 acres in Yellowstone National Park.

Table 2. Conservation needs for land in farms; quantities of practices, and amounts of labor, equipment, and materials required in their application, MONTANA, 1943 (SEE FOOTNOTE 1/)

Practices According To Land Use	Unit	Remaining To Be Done	Skilled & Unskilled Labor	Equip- ment	Seed	Trees Shrubs Plants
		(1,000)	(Man Yrs)	(Yrs.)	(Tons)	(1,000)
CROPLAND						
Contour planting	Acre	2,186	-			•
Crop residue management	n	7,196				
Diversions	Mile	.58	1,066	1,066		
Drainage	Acre	174	´ 91	91	_	
Outlets & farm water						
courses		99	432	130	988	
Rotation hay or pasture	. 11	2,241			-	

^{3/} Grazing land includes plowable pasture and other land in farms used for grazing purposes. 15 acres listed as cropland and 505 acres listed as woodland in 1939, included in grazing land figures.

Montana - Table 2. - Continued

		Remaining	Skilled &			Trees
Practices According		To Be	Unskilled	Equi p-		Shrubs
To Land Use	Unit	Done	Labor	ment	Seed	Plants
		(1,000)	(Van Yrs)	· (Yrs.)	(Tons)	(1,000)
CROPIAND - Continued						
Shelterbelts & windbreaks	Acre		1,068	89	· -	101,775
Strip cropping	**	4,280	-			
Irrigation - diversion dams	No.	2/	93			-
Irrigation - farm dist.	Acre		681	10	-	_
Irrigation - land prep.	Ħ	190	351	166		
Irrigation - main laterals	Mile	1	202	3 6		
Irrigation - method of						
water application	Acre	283				_
Irrigation - pump from			_			
streams	No.	<u>2/</u> 2/	1			_
Irrigation - storage dams CRAZING IAND	Ħ	2/	2,800	288		-
Contour furrowing	Acre	787	103	103		_
Fire protection	93	21,160	 ,			-
Proper stocking	11	18,230				
Rotation and deferred .		•				
grazing	**	15,739	_			
Seeding of range and		•				
pasture plants	**	1,081	236	236	5,405	
Stockwater development	No.	'n	637	203	· —	
Stock dams, springs	**	9	5 4 7	182	-	_
Stock wells	**	2	90	21		_
Water spreading	Acre	669	1,755	1,170		_
WOODIAND			•	•	•	
Fire protection	77	711	8			
Harvest and improvement						
cuttings	***	922	2,015	_		
Prevention of grazing damage	9 11	152				
TWO OR MORE LAND USES						
Pond management	11	10	40		-	1,015
Marsh management	79	n	22		29	1,141
Wildlife borders	11	27	55	12	67	8,043
Vanagement of odd areas	n	187	568	-	187	18,727
Streambank management	91	15	37			1,530
Roadside erosion control	Mile	6	211	65	483	· —
Fencing	Ħ	1	54	_	-	
TOTALS			12,304	3,663	7,159	

^{1/} Based on farm planning experience, land capability recommendations and land use acreages after cropland, not suitable for cultivation, has been converted to grazing or woodland use.

^{2/} Less than 1,000.

NOTE These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

Table 1. Land classified according to use capabilities, land in farms, by four major uses; land not in farms; and approximate total land area, NEBRASKA, 1939 1/

Sui	table for	Suitable for	Suitable for	Suitable	
Con	tinuous	Occasional	Grazing or	Only for	
Land Use Cul	tivation	Cultivation	Woodland Use	Wildlife	Total
C:	lasses	Class	Classes	Class	
I.	I. & III	IV.	V. VI. & VII	AIII	
	(1,000)	(1,000)	(1,000)	(1,000)	(1,000)
	(Acres)	(Acres)	(Acres)	(Acres)	(Acres)
LAND IN FARMS	22,009	1,922	23,275	139	47,343
(a) Cropland 2/	17,275	1,439	2,965		21,679
(b) Grazing Land 5/	5,855	522	19,469	90	23,736
(c) Woodland	178	74	288	10	550
(d) Other land in farms	701	87	551	39	1,378
LAND NOT IN FARMS	773	7 0	855	16	1,714
APPROXIMATE TOTAL LAND					
AREA	22,782	1,992	24,128	155	49,057

^{1/} These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

Table 2. Conservation needs for land in farms; quantities of practices, and amounts of labor, equipment, and materials required in their application, NEBRASKA, 1945 (SEE FOOTNOTE 1/)

Practices According To Land Use	Unit	Remaining To Be Done	Skilled & Unskilled Labor	Equip- ment	Seed	Trees Shrubs Plants
		(1,000)	(Man Yrs.)	(Irs.)	(Tons)	(1,000)
CROPIAND		•	•	•	- •	- 3
Contour planting	Acre	5,156		-		-
Crop residue management		14,652		-		
Diversions	Mile	58	697	697	-	
Drainage	Acre	54	18	.18	-	
Outlets & farm water						
courses	11	584	2,188	673	5,359	
Rotation hay or pasture	Ħ	5,632				
Shelterbelts and		,				
windbreaks	W	413	4,528	361		639,380
Strip cropping	W	2,220	-,			
Terracing	#	2,827	5,556	5,536		

^{2/} Cropland includes land used for crops and idle or fallow.

^{3/} Grazing land includes plowable pasture and other land in farms used for grazing purposes.

Nebraska - Table 2. Continued

_		Remaining	Skilled &			Trees
Practices According		To Be	Unskilled	Equip-		Shrubs
To Land Use	Unit		Labor	ment	Seed	Plants
	. •	(1,000)	(Man Yrs)	(Trs.)	(Tons)	(1,000)
Irrigation - Div. dams	No.	2/	27			
Irrigation - farm dist.	Acre	. 1 66`	254	4		:
Irrigation - land	` ,•		•			•
preparation	', H	100	175	87		.
Irrigation - main laterals	Mile	2/	118	21		·
Irrigation - method of wat	er ·					
application ·	Acre	. 91				
Irrigation - pump from	•	•				
streams	No.	1	23	<u></u>		-
Irrigation - storage dams		2/	79	·16		-
Irrigation - wells	₩.	. 1	74	13		_
GRAZING LAND			•	•		
Contour furrowing	Acre	932	122	122	· ·	-
Fire protection		9,549	-			
Mowing grazing land	· • • •	2,385	· · · · ·	<u> </u>		
Proper stocking	4	14,297			, •	
Rot. & def. grazing		9,958	<u></u>			
Seeding of range and			: .	. :		
pasture plants	. 11	2,967	.966	966	18,464	_
Stockwater development	No.	, 11	425	132		
Stock dams, springs		7	279	93		
Stock wells	•	4	146	59		
Water spreading	Acre	75	198	132		
WOODLAND						
Field & gully planting	**	17	236	31	· `	24,430
Fire protection	11	525	3			
Harvest & impr. cuttings	Ħ	507	671			
· Prevention of graz. damage		393	:_ .			
Reinf. exist. woodlands	17	104	401			20,872
TWO OR MORE LAND USES				•		•
Pond management	n	5	19			491
Marsh management	#	. 1	3		. 4	144
Wildlife borders	Ħ	43	85	19	109	15,032
Management of odd areas		202	398 -	· —	190	20,231
Soil saving dams	No.	2	. 657	30		· —
Streambank management	Acre	. 6	14	_	_	567
koadside erosion control	Mile	4	134	40	307	
Fencing	. 11	1	59	_	-	-
TOTALS			15,708	6,698	24,435	
7				-,	-,	

^{1/} Based on farm planning experience, land capability recommendations and land use acreages after cropland, not suitable for cultivation, has been converted to grazing or woodland use. 2/ Less than 1,000.

NOTE These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

Table 1. Land classified according to use capabilities, land in farms, by four major uses; land not in farms; and approximate total land area, NEVADA, 1939 1/

	Suitable for	Suitable for	Suitable for	Suitable	
	Continuous	Occasional	Grazing or	Only for	
Land Use	Cultivation	Cultivation	Woodland Use	Wildlife	Total
	Classes	Class `	Classes	Class	
· · · · · · · · · · · · · · · · · · ·	I. II. & III	IV	V, VI, & VII	VIII	
<u> </u>	(1,000)	(1,000)	(1,000)	(1,000)	(1,000)
	(Acres)	(Acres)	(Acres)	(Acres)	(Acres)
LAND IN FARMS	623	75	2,744	343	3,785
(a) Cropland 2/	5 69	5 9	79		488
(b) Grazing Land	3/ 254	3 6	2,641	143	3,074
(c) Woodland			24	2	25
(d) Other Land in Farms 4/			-	198	198
LAND NOT IN FARMS			52,738	13,750	66,488
APPROXIMATE TOTAL AREA	623	75 .	55,482	14,093	70,273

These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

4/ Other land in farms in 1935.

Table 2. Conservation needs for land in farms; quantities of practices, and amounts of labor, equipment, and materials required in their application, NEVADA, 1943 (SEE FOOTNOTE 1/)

	I	Remaining	Skilled &	Motor	Horse .		Trees
Practices According		To Be	Unskilled	Equip-	Equip-		Plants
To Land Use	Unit	Done	Labor	ment	ment	Seed	Shrubs
		(1,000)	(Man Yrs.)	(Yrs.)	(Yrs.)	(Tons)	(1,000)
CROPLAND							- •
Crop Residue Management	t Acre	363	57	128		_	·
Crop Rotation	Ħ	328	135	68	68		
Green Manure Crops	11	312	215			1,560	
Irrigation						• .	
Development	11	3 0	-			·	
Improvement	n	600	•		-		
Dams	Acre F	t. 2/	. 252	135	67		
Farm Dist. Systems	Acre	594	1,063	238	826	-	_
Group Dist. Systems	n	238	665	665			
Land Preparation	11	522	672	1,278	1,278		
Method of Water Appl.	11	597	1,319	848	251		-
Springs	No.	2	49	14	42		
Wells	Ħ	10	21	69			-
Perennial Hay Crops	Acre	9	8			45	
Rotation Hay or Pasture	9 H	146	218			730	
-			(C)				

^{2/} Cropland includes land used for crops and idle or fallow.

^{3/} Grazing land includes plowable pasture and other land in farms used for grazing purposes.

.		Remaining	Skilled &	liotor			Trees
Practices According	:	To Be	Unskilled	Equip-	Equip-		Plants
To Land Use	Unit	Done	Labor	ment		Seed	Shrubs
		(1,000)	(Man Yrs.)	(Yrs.)	(Yrs.)	(Tons)	(1,000)
GRAZING LAND							
	Acre	5,006 .	4 6	— ·			
Excl. for Eros. Control	91	718	29		-		
Fertilizing Graz. Land	97	345	9	3	3		
Maintain. Feed Reserves		8				-	
Maintain. Forage Reserves	Acre	158				-	_
Mowing Grazing Land	11	319	4	2	2		
Proper Stocking	Ħ	3,153	115	-	_		~
Rotation Grazing	99	3,010	228				
Salting	**	2,131	94	-			
Scattering Droppings	**	31 9	2		2		
Seeding Range & Past.Plts	5. ^M	1,131	273			5,655	
Stockwater Development	No.	8	105	66	12	-	
WOODLAND							
Field & Gully Planting	Acre	1			_		
Harvest Cutting	· 81	23				_	_
Prevention of Graz. Damage	e#	25	35		-		_
Reinforce. of Exist. Wood,		2/	ì			_	2,000
Improvement Cuttings	Ħ	i	-	_			
TWO OR MORE LAND USES		_		_			
	Acre	37	12	9	3		
Drainage	11	180	1,426	623	13		_
Fire Protection	Ħ	2,831	12				_
Marsh Management	17	2	9	<u>3/</u> 11	4		_
Management of Odd Areas	Ħ	34	10	ī	3/	-	
Noxious Plant Control	87	20	219		<u>3</u> /	_	_
Roadside Erosion Controll	<i>[ile]</i>	2/	350	118		5	_
	Acre	103	40		_		_
Reorganization of Fields		2,267	7	3	1		
Streambank Management	11		18	5		_	_
Dune & Beach Eros. Cont.	#	2/				_	_
Management of Spoilbanks	11	ے 2					_
Outlets & Farm Watercourse		2/				_	
Pond Vanagement	Ħ	2/	_	~	-		
Shelterbelts & Windbreaks	8						-
Wildlife Borders	R .	2/					
Pond Construction	No.	2/ 2/ 2/ 2/ 1 2/ 1	_				
TOTALS	-		7,718	4,284	2,572	7, 995	

Based on farm planning experience, land capability recommendations and land use acreages after cropland, not suitable for cultivation, has been converted to grazing or woodland use.

^{2/} Less than 1,000

^{3/} Less than 1.

NOTE These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

Table 1. Land classified according to use capabilities; land in farms, by four major uses; land not in farms; and approximate total land area, NEW HAMPSHIRE, 1939 1/

s Occasions on Cultivati Class II IV (1,000 (Acres)	ion Woodland Classes V. VI & V. (1,000)	Use Wildlife Class	Total (1,000)
II IV (1,000)	V, VI & V (1,000)	s Class II VIII	
11 IV (1,000)	V, VI & V. (1,000)	II VIII	(1.000)
(1,000)	(1,000)		(1.000)
		(1,000)	(1 000)
(Acres			(4)000
12.01.00	(Acres)	(Acres)	(Acres)
201		1	1,811
61	. 32		418
42	274	-	451
88	662	1	861
10	29	4/	81
26 5	2,852	3	3,966
365		4	5,777
	and area	000 pt. ■	566 3,849 6

^{1/} These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

2/ Cropland includes land used for crops and idle or fallow.

4/ Less than 1,000.

Table 2. Conservation needs for land in farms; quantities of practices, and amounts of labor, equipment, and materials required in their application, NEW HAMPSHIRE, 1943 (SEE POOTNOTE 1/)

Practices According To Land Use	Unit	Remaining To Be Done	Skilled & Unskilled Labor	Motor Equip- ment	Horse Equip- ment	Seed	Trees Shrubs Plants
<u> </u>		(1,000)	(Man Yrs)	(Yrs)	(Irs)	(Tons)	(1,000)
CROPLAND		5 (5 (4 (4 (4 (4 (4 (4 (4 (4 (4 (4 (4 (4 (4			. 	o. Carroon — Stini Co	
Contour planting	Acre	242	11	3/	11	_	
Cover crops	19	142	109	22/ 22/	52	1,423	
Crop residue management	*	232			 0		
Crop rotation	W	356					
Green manure crops	*	212	130	38	90	2,125	-
Perennial hay crops		40	203	77	306	404	
Rotation hay or pasture		217	545	237	824	2,710	
Strip cropping GRAZING LAND	•	259	18	_	9	-	
Contour furrowing	*	23	14	1	17	_	
Deferred grasing		394				-	
Fert. estab. gras. land		475	220	42	232	-	
Liming estab. pastures		447	293	20	156		

^{2/} Crazing land includes plowable pasture and other land in farms used for grazing purposes.

New Hampshire - Table 2 - Continued

.	Remaining	Skilled &		Horse		Trees
Practices According	To Be	Unskilled	Equip-	Equip-		Shrubs
To Lend Uses Unit		Labor	rent	Pent	Seed	Plents
	(1,000)	(Man Yrs)	(Irs)	(Irs)	(Tons)	(1,000)
Mowing grazing land Acre		152	14	275		
Rotation grasing "	407				-	
Scattering droppings *	140	49	12	74	-	
Seeding rge. & past. plts."	214	972	112	171	3,206	
Stockwater development No.	15	305	28	15	_	
WOODLAND				-		
Field & gully planting Acr		1,272	-	34	124	174,578
Harvest cutting "	385	6,727				
Improvement cuttings	735	2,183				_
Pruning	109	381				
Rein. of exist. woodlands "	20	76		2	7	11,578
Prev. of grazing damage	317	1,757	8	44		==
White pine blister rust		•		- •		
control	415	118				_
Two or more land uses						
Warsh management	<u>2</u> /	1	3/			
Clearing and grubbing *	71	2,799	38 3	234		-
Diversions Mile	1	162	12	1		
Drainage Acre	20	355	64	116		
Dune & beach eros. contl.	· <u>2</u> /	7	3/	3/	'	871
Fire protection "	738	1,973	179	272		
	t. 2,099	20		-		2,099
Mgt. of odd areas Acre		101	-	-	72	31,764
Mgt. of spoil banks	2/					-
Mulching *	7	262		8	-	-
Outlets & farm watercrs.	2	353	19	. 8	18	
Roadside erosion contl.		515	5		43	8,608
Farm pond management Acre	1	5	í	2	ĩ	90
Reorganisation of fields			-			•
Obstruction removal "	51	987	18			-
Fences changed Mile	_	713	3/	9		
Shelterbelts & windbrks. Acr		3/		9 3 /	' 3/	45
Streambank erosion	- , =					70
control management	22	187	6	3		10,200
Terracing	19	8	2	3 3/	· —	
Wildlife borders "	2	29	ĩ		9	2,415
TOTALS		24,012	1,301	2,965	10,142	

Messed upon farm planning experience, land capability recommendations and land use acreages after cropland, not suitable for cultivation, has been converted to grazing or woodland use.

^{2/} Less than 1,000.

^{3/} Less than 1.

NOTE: These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

Table 1. Land classified according to use capabilities, land in farms, by four major uses; land not in farms; and approximate total land area, NEW JERSEY, 1939 1/

	Suitable for	Suitable for	Suitable for	Suitable	
7	Continuous	Occasional	Grazing or	Only for	
Land Use	Cultivation	Cultivation	Woodland Use	Wildlife	Total
•	Classes	Class	Classes	Class	
	I, II, & III	IV.	V. VI. & VII	VIII	•
<u> </u>	(1,000)	(1,000)	(1,000)	(1,000)	(1,000)
•	(Acres)	(Acres)	(Acres)	(Acres)	(Acres)
LAND IN FARMS	1,226	147 ,	496	5	1,874
(a) Cropland 2/	826	67	65		958
(b) Grazing Land	3/ 1 80	3 9	106	4/	325
(c) Woodland	114	25	. 285	4/	424
(d) Other Land in		•			
Farms	106	16	4 0	5	167
LAND NOT IN FARMS	973	227	1,671	68	2,939
APPROXIMATE TOTAL	LAND		•		
AREA	2,199	· 374	2,167	73	4,813

^{1/} These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

4/ Less than 1,000

Table 2. Conservation needs for land in farms; quantities of practices, and amounts of labor, equipment, and materials required in their application, NEW JERSEY, 1945 (SEE FOOTNOTE 1/)

		Remaining	Skilled &	Motor	Horse		Trees
Practices According		To Be	Unskilled	Equip-	Equip-		Plants
To Land Use	Unit	Done	Labor	ment	ment	Seed	Shrubs
		(1,000)	(Man Yrs.)	(Yrs.)	(Yrs.)	(Tons)	(1,000
CROPLAND					•		
Contour Planting	Acre	695	3 9	- 5	35 ·		
Cover Crops	**	265	203	42	97	2,652	-
Crop Residue Management	*	769		_	-	_	
Crop Rotation	Ħ	73 8	_	-			
Green Manure Crops	×	685	419	123	290	6,845	•
Perennial Hay Crops	. #	40	201	76	504	402	
Rotation Hay or Pasture	99	548	875	381	1,325	4,354	
Strip Cropping	16	700	49	-	24	-	-
GRAZING LAND						•	
Contour Furrowing	Acre	15	9	1	10		-
Deferred Grazing	11	250					`
Fertilizing Grazing Land	l m	344	160	29	169		_

,(Qver)

^{2/} Cropland includes land used for crops and idle or fallow.

^{5/} Grazing land includes plowable pasture and other land in farms used for grazing purposes.

New Jersey - Table 2 - Continued

		aiming	Skilled &	Motor			Trees
Practices According) Be	Unskilled	Equip-	Equip-		Plants
To Land Use Un		one	Labor	ment	ment	Seed	Shrubs
	(1,	,000)	(Man Irs.)	(Yrs.)	(Yrs.)	(Tons)	(1,000)
Liming Pastures Ac	re	332	-218	- 14	116	_	_
Mowing Grazing Land **		166	99	. 10	178	_	
Rotation Grazing		288	_				
Scattering Droppings *		49	17	· 4	26	-	~
Seeding Range & Past.Plts?		198	900	104	1,589	2,970	_
Stockwater Development N	a.	9	467	62	22		-
WOODLAND							
Field & Cully Planting Ac	re .	107	1,236	-	53	120	169,639
Harvest Cutting **		122	22	-	-		
Improvement Cuttings		354	1,052		-		_
Pruning		40	142	-	_	_	_
Reinforce. of Exist. Wood.		35	156		5	13	20,558
Prevention of Graz. Damage"		79	441	2	n	_	
White Pine Blister Rust							
Control		41	12	-	_		·
TWO OR MORE LAND USES							
Marsh Management Ac	re	2	-90	7		_	_
Clearing & Grubbing	,	28	2,540	295	196	_	
Diversions . Wil	le:	ì	454	32	4		_
Drainage Ac		153	2,634	1,547	2,558		
Dune & Beach Eros. Cont.		1	34	2/	2/	_	3,985
Fire Protection		677	1.920	174	264	_	-,,,,,
_ :	.Ft.15,		149			_	15,898
Management of Odd Areas Ac		14	163		-	61	27,192
Management of Spoilbanks *		ī		_			
Mulching		4	155		5		
Outlets & Farm Watercourses	1	4	757	41	17	. 41	~
Roadside Eros. Cont.	- 1	_	453	5		55	6,562
Farm Pond Management Ac	re	1	8	. i	2	2	
Reorganization of Fields	· ·	_		. –		_	•
Obstruction Removal Ac	re .	51	977	18	-	_	
Fences Changed Vi	- •	· ī	266	2/	. 5	_	
Shelterbelts & Windbreaks A		4	2/	<i></i>	ĭ	. 2	552
Streambank Eros. Cont.	- - -	22	191	64	5		9,800
Terracing **		135	255	66	2	~	-,
Wildlife Borders		2	21	-	ĩ	6	1,721
TOTALS		٠	17,724	2,901	7,068	17,501	

Based on farm planning experience, land capability recommendations and land use acreages after cropland, not suitable for cultivation, has been converted to grazing or woodland use.
2/ Less than 1.

NOTE These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

Table 1. Land classified according to use capabilities; land in farms, by four major uses; land not in farms; and approximate total land area, NEW MEXICO, 1939 1/

	Suitable for	Suitable for	Suitable for	Suitable	
	Continuous	Occasional	Grazing or	Only for	
Land Use	Cultivation	Cultivation	Woodland Use	Wildlife	Total
	Classes	Class	Classes	Class	
	I. II & III	IV	V. VI & VII	VIII	
	(1,000)	(1,000)	(1,000)	(1,000)	(1,000)
·	(Acres)	(Acres)	(Acres)	(Acres)	(Acres)
LAND IN FARMS	1,984	3,283	31,596	1,999	38,862
(a) Cropland <u>2</u> /	1,159	743	296	1	2,199
(b) Grazing Land 3/	744	2,507	31,081	1,760	36,092
(c) Woodland 4/ (d) Other land in	1	-	69		70
farms 5/	80	33	150	238	501
LAND NOT IN FARMS APPROXIMATE TOTAL LAND	-	2,283	33,435	3,189	38,907
AREA	1,984	5,566	65,031	5,188	77,769

^{1/} These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

Table 2. Conservation needs for land in farms; quantities of practices, and amounts of labor, equipment, and materials required in their application, NEW MEXICO, 1943 (SEE FOOTNOTE 1/)

Practices According To Land Use	mit	Remaining To Be Done		Motor Equip- ment	Horse Equip- ment	Seed	Trees Plants Shrubs
		(1,000)	(Man Yrs)	(Yrs)	(Irs)	(Tons)	(1,000)
CROPLAND			•	•	•	,	
Contour planting A	cre	1,300	28				
Cover crops	#	10			~	~	
Crop residue management		1,110					
Crop rotations	Ň	1,500	-				
Drainage		100					-
Emergency tillage		300					
Green manure crops	Ñ	100	22	9		1,000	

^{2/} Cropland includes land used for crops and idle or fallow.

^{3/} Grazing land includes plowable pasture and other land in farms used for grazing purposes.

^{4/} Woodland not pastured in 1935.

^{5/} Other land in farms in 1935.

				·			
Proceedings to condition	Ħ	ensining	Skilled &		Borse		Trees
Practices According		To Be	Unskilled		• - •		Shrubs
To Land Use Unit		Done	Labor	ment	rent	Seed	Planta
		(1,000)	(Man Yrs)	(Irs)	(Irs)	(Tons)	$(1,\infty)$
Outlets & farm waterers. Ac	re	1	2			6	-
Rodent control "		500	3				
Rotation hay or pasture "		50		-	-		-
Strip cropping		300			~		_
Terracing "		800	2,329	559		_	_
Irrigation dev. & imp. "		585	11,545				
Canal lining & pipelines	L.F	500					
Distribution systems	*	8,000					
Land leveling Ac	re	440					
Main laterals & canals I		1,800					
Overnight storage No	•	600					
Soil saving dikes L.	F.	900					
Structures No	•	1,600	•				
Toxic salt reduction Ac	TO	75					
GRAZING LAND							
Contour furrowing Ac	i T	500	328	44			
	#	29,000	•	-			
ments for alone counts		1,800				-	~
Fencing Ki	le	6	1,015		-		
Maintaining feed res. To	ns	94	21	-	16		
Maintaining forage res. Ac	Te	31,208	-				
-Auture Brauting Water	•	6	-				
Proper stocking	•	29,000	-				-
secondaron Present	#	23,406				-	
contacting atobbings	*	38	13		13		-
Seeding rge. & past. plts.		480	420	27		1,200	
• • • • • • • • • • • • • • • • • • •	0.	5	1,128	472			
Water spreading Ac	Te	400	437	87			
WOODLAND		_					
Field & gully planting *	_	1		_		-	
TITE PIGGGETOR	#	69	<u>2</u> /				
Harvest cutting	#	49			-		
Shelterbelts & windbrks.		18	228				21,600
TWO OR MORE LAND USES	_	_					
Diversions Wi		3	1,067	534			
Dune & beach eros. contl. A		2	3	-	-	13	
	ile	2	-			-	~
	cre	Ī.					_
		5					
-Pas or ord eroes		10	4,152			_	
	#	380		-			^
	N	2	28	027	_		3
Streambank protection K	ile	1	1,961	231		~	-
TOTALS			24,730	1,963	29	2,219	

^{2/} Based on farm planning experience, land capability recommendations and land use acreages after cropland, not suitable for cultivation, has been converted to grazing or woodland use.

^{2/} Less than 1.

NOTE: These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

Table 1. Land classified according to use capabilities, land in farms, by four major uses; land not in farms; and approximate total land area, NEW YORK, 1939, 1/

Land Use	Suitable for Continuous Cultivation Classes I, II, & III	Suitable for Occasional Cultivation Class IV	Suitable for Grazing or Woodland Use Classes V, VI, & VII	Suitable Only for Wildlife Class VIII	Total
	(1,000) (Acres)	(1,000) (Acres)	(1,000) (Acres)	(1,000) (Acres)	(1,000) (Acres)
LAND IN FARMS	9,994	1,868	5,298	10	17,170
(a) Cropland 2/ (b) Grazing land		849 618	548 2,689		7,456 5,873
(c) Woodland (d) Other Land in Farms	881 1 488	285 116	1,848	9	3,023 818
LAND NOT IN FARMS APPROX. TOTAL LAND	4,201	1,051	8,098	154	13,504
AREA	14,195	2,919	13,396	164	30,674

^{1/} These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

Table 2. Conservation needs for land in farms; quantities of practices, and amounts of labor, equipment, and materials required in their application, NEW YORK, (SEE FOOTNOTE 1/)

		_	Skilled &		Horse		Trees
Practices according		To Be	Unskilled	Equip-	Equip-		Shrubs
To Land Use	Unit		Labor	ment	ment	Seed	Plants
		(1,000)	(Man Yrs.)(Yrs.)	(Yrs.)	(Tons)	(1,000)
CROPLAND							
Contour planting	Acre	4,351 .	276	21	240		
Cover crops	H	1,224	936	193	449	12,243	
Crop residue mgmt.	*	4,934		-			
Crop rotations	99	6,077					
Creen manure crops	*	1,662	1,017	298	705	166,221	
Perennial hay crops	Ħ	1,063	5,341	2,021	8,054	10,627	
Rotation hay or Past,	M	2,996	7,528	3,273	11,391	37,445	
Strip cropping	*	4,842	339		169		
CPAZING LAND					•		
Contour furrowing		461	290	26	338		
Deferred grazing	11	4,775					
Fertilizing est.		.,					
grazing land	Ħ	6,253	2,897	546	3,061		
Liming est. pastures	**	5,133	3,365	224	1,795		
Mowing grazing land	**	3,236	1,924	184	3,479		
Rotation grazing		4,596					
Scattering droppings	W	653	228	57	343		
-							

Cropland includes land used for crops and idle or fallow.

 ^{2/} Cropland includes land used for crops and late of lattor.
 3/ Grazing land includes plowable pasture and other land in farms used for

New York - Table 2. Continued.

Practices According		Remaining To Be	Skilled & Unskilled	Motor Equip-	Horse Equip-		Trees Chrubs
To Land Use	Unit	Done	Labor	ment	ment	Seed I	lants
		(1,000)	(Man Yrs.)	(Yrs.)	(Yrs.)	(Tons)	(1,000)
Seeding range and						_	•
pasture plants	Acre	3,119	14,179	1,636	25,031	46,792	
Stockwater development	No.	166	6,523	816	314		
WOODLAND							
Field & gully planting	Acre	782	9,031		239	875	1,239,213
Harvest cutting	*	853	149				
Improvement cuttings	*	1,544	4,589				
Pruning	Ħ	190	665	~~~	`		
Rein. of exist. woodlands	3 11	84	3 23		9	31	48,848
Prev. of grazing damage		845	4,693	22	118		
White pine rust control TYO OR MORE LAND USES	•	650	185				
Marsh management	Acre	2	94	7			
Clearing & grubbing		520	12,862	2,028	1,157		
Diversions	Vile	6	1,675	118	15		
Drainage	Acre	966	171	2,942	5,497		
Dune & beach ero.control	*	2/	7	3/	3/		833
Fire protection	17	7,520	1,609	1,457	2,217		
Hedge s	Lin.l			_	-		
		127,389	1,197				127,389
Mingmt. of odd areas	Acres	176	2,111			740	351,26
Mngmt. of spoil banks	h	6					
Mulching	Acre	64	2,325		70		
Cutlets & farm watercrs.	17	24	3,187	149	97	216	
Farm Pond management Reorg. of fields	•	16	92	14	27	23	1,560
Obstruction removal	Acre	742	14,271	255			
Fences changed	M1.	8	3,709	3			
Shelterbelts and	•			_			
windbreaks	Acre	4	. 5		8	3,357	4,64
Streambank eros. cont.	92	204	1,938	112	33	<i>-</i> —	134,200
Terracing		245	1,111	276	40		
Roadside eros. cont.			8,790	70		39	78,60
Wildlife borders	Acre	28	337		12	98	28,05
TOTAL			119,969	16,748	64,908	278,707	

^{1/} Based on farm planning experience, land capability recommendations and land use acreages after cropland, not suitable for cultivation, has been converted to grazing or woodland use.

^{2/} Less than 1,000 3/ Less than 1

NOTE These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

Table 1. Land classified according to use capabilities, land in farms, by four major uses; land not in farms; and approximate total land area, NORTH CAROLINA, 1939 1/

	Suitable for	Suitable for	Suitable for	Suitable	
1	Continuous	Occasional	Grazing or	Only for	
Land Use	Cultivation	Cultivation	Woodland Use	Wildlife	Total
	Classes	Class	Classes	Class	
	I, II, & III	IV	V, VI, & VII	VIII	
	(1,000)	(1,000)	(1,000)	(1,000)	(1,000)
	(Acres)	(Acres)	(Acres)	(Acres)	(Acres)
LAND IN FARMS	10,975	2,207	5,663	1	18,846
(a) Cropland 2/	5,995	520	6 78	-	7,193
(b) Grazing Land 3	/ 512	322	396	-	1,230
(c) Woodland	3, 786	1,200	4,106	1	9,093
(d) Other Land in F	arms 682	165	483	, 	1,330
LAND NOT IN FARMS	5,313	1,480	5,813		12,606
APPROXIMATE TOTAL LA	ND	-			
AREA	16,288	3,687	11,476	1	31,452

^{1/} These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

Table 2. Conservation needs for land in farms; quantities of practices, and amounts of labor, equipment, and materials required in their application, MORTH CAROLINA, 1943 (SEE FOOTNOTE 1/)

Practices According To Land Use	Unit	Remaining To Be Done	Skilled & Unskilled Labor		Horse Equip- ment	Seed	Trees Shrubs Plants
		(1,000)	(Man Yrs.)	(Yrs.)	(Yrs.)	(Tons)	(1,000)
CROPLAND							
Contour Planting	Acre	206	270				
Cover Crops	59	2,116	1,850				
Crop Residue Management	Ħ	380	332	_			
Crop Rotation	Ħ	6,087	266		~	-	
Green Manure Crops	Ħ	9 7 9	642	-	428	14,691	
Perennial Hay Crops	Ħ	340	2,007		1,784	5,104	170,116
Strip Cropping	11	2,256	4,635		-		
Clearing Woods	Ħ	186	24,382	-	, 		
Grubbing	Ħ	183	2,321				
Drainage (Farm)	Ħ	321	4,746	21	694		
Drainage (Community)	11	18	36	8			
Outlets (Meadow Strips)	11	250	3,495		3,277	4,373	
Reorganization of Fields	11 -	1,083	4,353	-			
Terracing (Horse)	Ħ	2,550	16,719		5,573		_
Terracing (Heavy Tractor)	n	567	1,982	743			_
Terracing (Light Tractor)	11	2,550	8 , 9 1 6	3,344	-		

^{2/} Cropland includes land used for crops and idle or fallow.

^{3/} Grazing land acreage is the census plowable pasture.

		Remaining	Skilled &	Fotor	Horse		Trees
Practices According		To Be	Unskilled	Equip-	Equip-		Plants
To Land Use	Unit	Done	Labor	ment	ment	Seed	Shrubs
		(1,000)	(Man Yrs.)	(Yrs.)	(Yrs.)	(Tons)	(1,000)
GRAZING LAND				-		•	,
Contour Furrowing	Acre	5	19	-	16		
Deferred Grazing	99	132	14		-		
Fertilizing Grazing Land	11	1,219	_	-		-	
Liming Pastures	16	1,156				-	
Mowing Grazing Land	•	1,430		-		-	
Scattering Droppings	H	143					
Seeding of Range & Past.Plt	s. #	132	740		636	1,983	
Stockwater Development	No.	2	420		186		_
Mulching	Acre	14	152		151	. ==	
WOODLAND							
Field and Gully Planting	Acre	70	774		-		84,252
Harvest Cutting	Ħ	1,847	41,413		5,650		
Improvement Cuttings	17	7,351	131,390		32,127		
Pruning	Ħ	14	62	-		_	
Reinforce. of Exist. Wood.	w	92	283	-			27,702
Prevention of Graz. Damage	11	9,350	4,086	_	2,043		' —
Fire Protection	Ħ	8,924	7,800		3,900	_	
TWO OR MORE LAND USES		,			•		
Diversions 10	Oft.	<u>2/</u>	3/		_	3/	5
Readside Erosion Control	Acre	1 06	11 6		47		
Management of Odd Areas	13	65	569		-	-	
Management of Spoilbanks							
Grass	87	2/ 2/ 42	1	-	1	2	
Kudzu	' 83	2/	3/		3/		21
Pond Management	99	42	912	328			
Streambank Management	99	1	8				
Wildlife Borders	87	261	1,367	228	1,025	2,607	-
Hedges	Ħ	33	142	-	114		
TOTALS			267,220	4,672	57,652	28,760	

Based on farm planning experience, land capability recommendations and land use acreages after cropland, not suitable for cultivation, has been converted to grazing or woodland use.

^{2/} Less than 1,000. 3/ Less than 1.

NOTE These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

Table 1. Land classified according to use capabilities, land in farms, by four major uses; land not in farms; and approximate total land area, NORTH DAKOTA, 1939 1/

	Suitable for Continuous	Suitable for Occasional	Suitable for Grazing or	Suitable Only for	
Land Use	Cultivation Classes I, II, & III	Cultivation Class IV	Woodland Use Classes V, VI, & VII	Wildlife Class VIII	Total
	(1,000) (Acres)	(1,000) (Acres)	(1,000) (Acres)	(1,000) (Acres)	(1,000) (Acres)
LAND IN FARMS	24,130	2,201	11,162	442	37,935
(a) Cropland 2/	20,507	1,089	1,882		23,478
(b) Grazing land 3/	2,246	997	8,433	389	12,065
(c) Woodland	82	13	290		385
(d) Other land in fe	arms 1,295	102	557	53	2,007
LAND NOT IN FARMS	1,843	677	4,001	378	6,899
APPROX. TOTAL LAND ARI	EA 25,973	2,878	15,163	820	44.834

^{1/} These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

Table 2. Conservation needs for land in farms; quantities of practices, and amounts of labor, equipment, and materials required in their application NORTH DAKOTA, 1943 (SEE FOOTNOTE 1/)

		Remaining	Skilled &			Trees
Practices According	•	To Be	Unskilled	Equip-		Shrubs
To Land Use	Unit	Done	Labor	ment	Seed	Plants
		(1,000)	(Man Yrs.)	(Yrs.)	(Tons)	(1,000)
CROPLAND						
Contour planting	Acre	876				
Crop residue mgmt.	**	15,999				
Diversions	Mile	52	958	958		
Drainage .	Acre	255	. 134	134		
Outlets & farm water	ways "	47	207	62	474	
Rotation Hay or past	ure "	4,324				
Shelter. & windbreak		471	4.940	412		470.983
Strip cropping	**	12,403				
Terracing	77	24	28	28		
Irrig., farm dist.	11	15	23	3/		
Irrig., land prep.	98	12	21	11		
Irrig., main lat.	Mile	2/	. 8	2		
Irrig., meth. water			_	_		
application	Acre	19				

^{2/} Cropland includes land used for crops and idle or fallow.

^{3/} Grazing land includes plowable pasture and other land in farms used for grazing purposes.

NORTH DAKOTA-Table 2. Continued

		Remaining	Skilled &			Trees
Practices According		To Be	Unskilled	Equip-		Shrubs
To Land Use	Unit	Done	Labor	ment	Seed	Plants
		(1,000)	(Man Yrs.)	(Yrs.)	(Tons)	(1,000)
Irrig., pump from streams	No.	$\frac{2}{2}$. 11			
Irrig., storage dams GRAZING LAND	No.	<u>2</u> /	197	14		
Fire protection	Acre	3,356				
Mowing grazing land	**	1,595				
Proper stocking	11	10,808				
Rot. & Def. grazing Seeding of range and	11	6,764		***		
pasture plants	17	1,882	554	554	11,040	
Stockwater development	No.	14	639	205	,0-0	
Stock. dams, springs	11	12	554	185		
Stock. wells	11	2	. 85	20		
Water spreading WOODLAND	Acre	33	87	58		
Fire protection	Acre	386 ·	1			
Harvest & Imp. cutting	11	184	402			
Prevention of graz.dam.	99	255				
Reinf.exist.woodlands TWO OR MORE LAND USES	**	68	263			13,680
Pond management	Acre	16	62		,	1,567
Marsh management	и,	20	39		51	2,040
Wildlife borders	n	45	89	20	113	13,528
Mgmt. of odd areas	n	171	336		171	17,091
Soil saving dams	No.	2/	5	1		
Streambank mgmt.	Acre	<u>2/</u> 7	17			711
Roadside erosion cont.	Mile	4	144	43	330	
Fencing	11	.1	34			
TOTALS	•		9,199	2,502	12,179	

^{1/} Based on farm planning experience, land capability recommendations and land use acreages after cropland, not suitable for cultivation, has been converted to grazing or woodland use.

^{2/} Less than 1,000 3/ Less than 1

NOTE These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

Table 1. Land classified according to use capabilities, land in farms, by four major uses; land not in farms; and approximate total land area, OHIO, 1939 1/

				•	
	Suitable for	Suitable for	Suitable for	Suitable	
1	Continuous	Occasional	Grazing or	Only for	
Land Use	Cultivation	Cultivation	Woodland Use	Wildlife	Total
•	Classes	Class	Classes	Class	
	I. II. & III	IV	V, VI, & VII	· VIII	
	(1,000)	(1,000)	(1,000)	(1,000)	(1,000)
	(Acres)	(Acres)	(Acres)	(Acres)	(Acres
LAND IN FARMS	15,858	1,918	4,131	•	21,907
(a) Cropland 2/	10,745	720	893		12,358
(b) Grazing Land	3/3,165	[′] 880	1,705		5,750
(c) Woodland	1,024	194	1,195		2,413
(d) Other Land 1		124	5338		1,386
LAND NOT IN FARMS	150	1,436	2,825	_	4,411
APPROXIMATE TOTAL	LAND	•	•		,
AREA	16,008	3,354	6,956		26,318
	-	-	-		. •

These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

Table 2. Conservation needs for land in farms; quantities of practices, and amounts of labor, equipment, and materials required in their application, OHIO, 1945 (See FOOTNOTE 1/)

Unskill Labor (Man Yr	r ment	Equipment (Yrs.)	Seed	Shrubs Plants (1,000)
0) (Man Yr 9 — 1 — 1 —				
9 — 1 — 1 — 7 —	rs.) (Yrs.) (Yrs.)	(Tons)	(1,000)
1 — 1 — 7 —		-	=	-
1 — 1 — 7 —				_
7 _	-			-
7 —				
p				
5	-			
1 316	; <u> </u>	105		
9 281	L 281			
7 575	;	402		
	7 20	4,907		
			17,992	
		•	-	
	5 — 0 2,487 4 5,513	5 — — — — — — — — — — — — — — — — — — —	5 — — — — — — — — — — — — — — — — — — —	5 — — — — — — — — — — — — — — — — — — —

^{2/} Cropland includes land used for crops and idle or fallow. 1939 cropland and grazing land data were adjusted by shifting the acreage of rotation pasture from grazing land to cropland.

^{3/} Grazing land includes plowable pasture and other land in farms used for grazing purposes.

Chio - Table 2 - Continued

		Skilled &	Motor			Trees
Practices According	To Be	Unskilled	Equip-	Equip-		Shrubs
To Land Use Unit	Done	Labor	ment	ment	Seed	Plants
	(1,000)	(Man. Yrs.)	(Yrs.)	(Yrs.)	(Tons)	(1,000)
WOODIAND						•
Field & Gully Planting Acre	563	5,540	500		750	484
Harvest Cutting "	304	25 5	36			_
Improvement Cuttings "	2,308	7,127	1,009			
Reinforce. of Exist. Wood!	596	2,297	482	684	3 58	49
Prevention of Graz.Damage"	1,651	617			_	~
TWO OR MORE LAND USES	·					
Marsh Management Acre	19	32				_
Roadside Eros. Cont.		5,4 88	1,208	72	873	~
Drainage Acre	1,443	6,302	537	3 99	124	
Dune & Beach Eros.Cont. "	2/					
Fire Protection	6 59	172	43		_	
Management of Odd Areas "	375	4,653			1,087	212,942
Management of Spoilbanks "	9	205			24	255,660
Outlets & Farm Watercourses	n 27	1,158	450	30		·
Reorganization of Fields						
Obstruction Removal Mile	75		-			-
Soil Saving Dams No.	34	6,594	9 98	-		
Streambank Control Acre	9	1,070	26	~	15	2,449
Streambank Structure No.		1,381	66	-		~
Wildlife Borders Acre	62	218		154	415	6,156
TOTALS		51,938	6,117	17,017	21,638	

Based on farm planning experience, land capability recommendations and land use acreages after cropland, not suitable for cultivation, has been converted to grazing or woodland use.

^{2/} Less than 1,000.

NOTE These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

Table 1. Land classified according to use capabilities, land in farms, by four major uses; land not in farms; and approximate total land area, OKLAHOMA, 1939 1/

Land Use	Suitable for Continuous Cultivation Classes I, II, & III	Suitable for Occasional Cultivation Class	Suitable for Grazing or Woodland Use Classes V, VI, & VII	Suitable Only for Wildlife Class VIII	Total
	(1,000) (Acres)	(1,000) (Acres)	(1,000) (Acres)	(1,000) (Acres)	(1,000) (Acres)
LAND IN FARMS (a) Cropland 2/ (b) Grazing land 3/	21,475 12,975 8,269	275 93 179	11,368 2,645 8,386	113 56 57	33,231 15,769 16,891
(c) Woodland 4/ (d) Other land in far	231 ms ——	3	337		571
LAND NOT IN FARMS APPROX.TOTAL LAND AREA	5/ 21,475	275	11,368	113	33,231

These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

1939 Woodland acreage adjusted.

Table 2. Conservation needs for land in farms; quantities of practices, and amounts of labor, equipment, and materials required in their application, OKLAHOMA, 1943 (SEE FOOTNOTE 1/)

Practices According To Land Use	Unit	To Be	Skilled & Unskilled Labor			Seed	Trees Shrubs Plants
		(1,000)	(Man Yrs.) (Yrs	.) (Yrs.)	(Tons)	(1,000)
CROPLAND							
Contour planting	Acre	6,403	106	15	50		-
Cover crops	. 17	2,842	1,660	285	3,427	63,621	
Crop residue management	17	11,572	1,047	645	803		
Crop rotation	11	12,513					
Clearing and Grubbing	17	100	146				
Drainage	11	497	1,154	259	887		
Emergency Tillage	n	446	46	28	60		
Green manure crops	Ħ	6,590	8,386	1.534	16,268	74,527	
Irrigation development	Ħ	106	377	316	<u></u>		
Management of odd areas	**	228	1,396	40	531	613	191
Management of spoil banks	11	2	325	6	12	8	102
Mulching	19	71	834		998		
Noxious plant control	Ħ	15	226	49	65		
Outlets & farm water course	8 #	īí	3,561	717	3,918	196	
Rodent control	"	825	692				

^{3/} Grazing land includes plowable pasture, pastured woodland, and other land in farms used for grazing purposes.

^{11,109,000} acres of approximate area; 9,538,000 acres of land not in farms; 1,571,000 acres of land in farms; and 1,571,000 acres of other land in farms are not included in these data.

Practices According		Remaining To Be	Skilled &				Trees
To Land Use	Unit	Done	Unskilled Labor	ment	ment	Seed	Shrubs Plants
TO DATE USE	OHI U						
anont AND		(1,000)	(Man Yrs)	(Irs.)	(Irs.)	(Tons)	(1,000
CROPLAND - Continued	1						
Reorganization of fields	ACIT			~/			-
Costruction removal	1617 -	43	669	<u>2</u> /	80		
Fencing required	Mile	59	5,294	7 22/	<u></u>	26 342	
	Acre	3,097	3,217	1,324	5,294	36,180	
Shelterbelts & windbreaks		97	725	48	42		54,642
Strip cropping	-	3,079	551	213	1,324		
Streambank management	_	6	208		6	7	4,800
Terracing		5,559	8,625		14,814		
Tillage for impounding W.		2,434	102	31	283		-
Fildlife borders		25	29	7	52	281	
GRAZING LAND		3 004	2 012	266	, 833	•	
Contour furrowing	Acre	1,084	2,012	266	4,733		
Clearing and grubbing	_	389	32,614		1,542		
Deferred grazing	11 147 7 -	13,527	278		(10		
	Mile	22	478	284	640		
Excl. for erosion control	_	537	135				
Fire protection	Acre	17,469	273	10	109		
Fertilizing Grazing land	**	2,635	935	28	1,032		
Liming Pastures	••	1,378	1,590	2/	1,590		
Maintaining feed reserves			279	8		-	
Maint. forage reserves	Acre	1,341					
Mowing of grazing land	#	3,613	1,238	228	2,021		
Noxious plant control		158	576				
Proper stocking	7	19,292					
Pond management	*	72	810			320	1,608
Perennial hay crops	*	37	185	10	252	370	
Rodent control	₩ .	406	.70				-
Rotation grazing	₩.	17,361	2,000				
Salting	*	19,292					
Seeding of range & P.Plan	its A.	4,997	2,698	1,016	3,568	44, 543	
Sodding	Acre	1,745	14,528	1,282	14,524		
Streambank management		1	61				143
Stockwater development	No.	76	5,722	1,068	1,554		
Water spreading	Acre	10	8	8	4		
WOODLAND							
Field and gully planting	Acre	57	518	-	. 20		57,086
Harvest cutting		570	-				
Improvement cuttings	**	408					
Reinforcement of woodland	I m	11	19				2,163
Prevention of gras. damag		507					
Fencing required	Mile	2	300				
Fire protection	Acre	605	24	1			
TWO OR MORE LAND USES			•				
Roadside erosion control	Acre		26,412	5,747	20,294	740	
TOTALS			133,139				

Based on farm planning experience, land capability recommendations and land use acreages after cropland, not suitable for cultivation, has been converted to grazing or woodland use.

^{2/} Less than 1.
NOTE These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

Table 1. Land classified according to use capabilities, land in farms, by four major uses; land not in farms; and approximate total land area, OREGON, 1939 1/

	Suitable for	Suitable for	Suitable for	Suitable	
	Continuous	Occasional	Grazing or	Only for	
Land Use	Cultivation	Cultivation	Woodland Use	Wildlife	Total
•	Classes	Class	Classes	Class	
	I, II, & III	IV	V, VI, & VII	VIII	
	(1,000)	(1,000)	(1,000)	(1,000)	(1,000)
	(Acres)	(Acres)	(Acres)	(Acres)	(Acres)
LAND IN FARMS	3,094	1,420	12,921	553	17,988
(a) Cropland 2/	2,614	963	464		4,041
(b) Grazing Land 3	5/ 437	3 88	10,487	3	11,315
(c) Woodland (d) Other Land in	43	69	1,970		2,082
Farms 4/	-	-4.		550	550
LAND NOT IN FARMS		241	40,475	3,059	43,675
APPROXIMATE TOTAL LA AREA	3,094	1,561	53,396	3,612	61,663

^{1/} These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

Table 2. Conservation needs for land in farms; quantities of practices, and amounts of labor, equipment, and materials required in their application OREGON, 1943 (SEE FOOTNOTE 1/)

		2	61.433.3.4	76.4			/P
The section of the se		_	Skilled &		Horse		Trees
Practices According		To Be	Unskilled		Equip-		Shrubs
To Land Use	Unit		Labor	ment	ment	Seed	Plants
		(1,000)	(Man Yrs.)	(Yrs.)	(Yrs.)	(Tons)	$\overline{(1,000)}$
CROPLAND			. .				
Contour Planting	Acre	1,936	4 8	~	 .		
Cover Crops	17	248	254			9,920	
Crop Residue Management	11	2,086	255	576			
Crop Rotation	99	1,815	643	322	322	-	
Diversions	Mile	° 2/	 ′		-		
Emergency Tillage	Acre			-	~		
Green Manure Crops	Ħ	341	158			1,705	-
Irrigation						•	
Development		70					
Improvement		740	215	287	215		-
Farm Distribution Systems	n	682	259	70	189	-	-
Group Distribution Systems		150	143	143	91		-40
Land Preparation	11	349	508	992	916		
Method of Water Application	OZI ST	500	975	625	169		
Springs	No.	6	3/	3/	3/	-	
Storage Dama	Ħ	30	ี 99	5 3	26	-	
Wells	11	6	3	9	-		
Mulching	Acre	-	~				
Perennial Hay Crops	10	562	(0 ver)			2,810	

^{2/} Cropland includes land used for crops and idle or fallow.

^{3/} Grazing land includes plowable pasture and other land in farms used for grazing purposes.

^{4/} Other land in farms in 1935.

Practices According To Land Use Rotation Hay or Pasture Strip Cropping Terracing Tillage for Impound. Water GRAZING LAND	Unit Acre	Remaining To Be Done (1,000) 547	Skilled & Unskilled Labor (Man Yrs.)	ment	Equip- ment	Seed	Trees Shruk o Plants
Rotation Hay or Pasture Strip Cropping Terracing Tillage for Impound. Water	Acre	(1,000)	Labor	ment	ment		
Strip Cropping Terracing Tillage for Impound. Water			(Man Yrs.)				I 4.65.11 (-3)
Strip Cropping Terracing Tillage for Impound. Water		E17	/	(Yrs.)	(Yrs.)	(Tons)	(1,000)
Terracing Tillage for Impound. Water	**	J~1	374	-		2,835	(2,000)
Terracing Tillage for Impound. Water		175	,			-,000	
Tillage for Impound. Water	Ħ	43		/			
	. 16	150					
			-			_	_
Deferred Grazing	Acre	8,548	128				
Excl. for Eros. Control		172	7	-			
Fertilizing Grazing Land	11	1,544	156	58	58	-	_
Liming Pastures	11	301		_~			
Maintaining Feed Reserves	Ton	32			_		_
Maintaining Forage Reserve	sAcre	476					_
Mowing Grazing Land	11	758	19	13	13	_	_
Proper Stocking	. #	9,309	341	-	-		
Rotation Grazing	11	10,131	748				
Salting	. 10	7,505	326				-
Scattering Droppings	7	797	15	11			•
Seeding Range & Past. Plts		2,174	458			10,870	-
Stockwater Development	No.	3	6	. 4	1.	-	-
OODLAND	_					r '	
Field & Gully Planting	Acre	129	400	. 	_	\ 	
Harvest Cutting	7	3,000			_		
Improvement Cuttings		300	-		_		
Pruning	11	150			_		_
Prevention of Graz. Damage		3,000	1,594				
Reinforce. of Exist. Wood.		30	539	-		_	75,000
WO OR MORE LAND USES	_						
Clearing & Grubbing	Acre	110	12	9	5		_
Drainage	π **	266	477	572	-		
Dune & Beach Eros. Cont.		50				900	2, 905,00
Fire Protection Management of Odd Areas	17	8,000 42	15 12	5 2			_
Management of Spoilbanks	81	3	12	~	1	-	
Marsh Management	11	5		3	1		
Noxious Plant Control	Ħ	35	375			_	
Outlets & Farm Watercourse	5 #	3			_	15	_
Pond Management		ĭ			_		_
Pond Construction	No.	3	-				
Reorganization of Fields	Acre	2,868	85	14	14		-
Roadside Eros. Control	Mile	4	27	- 36		5	
Rodent Control	Acre	190	11				
Shelterbelts & Windbreaks	91	4	. 4	. —	- ,		4,000
Soil Saving Dams	No.	_2	2	1	3/		1,000
Streambank Management	Acre	15 7	1.0.5	28			1,000
Wildlife Borders	-	•			_	_	
OTALS			10,161	3,853	2,019	29,060	

Based on farm planning experience, land capability recommendations and land acreages after cropland, not suitable for cultivation, has been converted to grazing or woodland use.

grazing or woodland use.
2/ Less than 1,000. 3/ Less than 1.

NOTE These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

Table 1. Land classified according to use capabilities, land in farms, by four major uses; land not in farms; and approximate total land area, PENNSYLVANIA, 1939 1/

Land Use	Suitable for Continuous Cultivation Classes I, II, & III	Suitable for Occasional Cultivation Class IV	Suitable for Grazing or Woodland use Classes V, VI, & VII	Suitable Only for Wildlife Class VIII	Total
	(1,000) (Acres)	(1,000) (Acres)	(1,000) (Acres)	(1,000) (Acres)	(1,000) (Acres)
LAND IN FARMS	9,653	1,554	3,370	17	14,594
(a) Cropland 2/	5,888	707	606		7,201
(b) Grazing Land 3/	2,068	347	1,055		3,470
(c) Woodland	1,056	377	1,496	7	2,936
(d) Other Land in Fa	arms 641	123	213	· 10	987
LAND NOT IN FARMS	6,421	1,678	6,071	65	14,235
APPROXIMATE LAND AREA	16,074	3,232	9,441	82	28,829

^{1/} These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

Table 2. Conservation needs for land in farms; quantities of practices, and amounts of labor, equipment, and materials required in their application PENNSYLVANIA, 1943 (SEE FOOTNOTE 1/)

, , , , , , , , , , , , , , , , , , , ,		Remaining	Skilled &	Motor	Horse		Trees
Practices According		To Be	Unskilled	Equip-	Equip-		Shrubs
To Land Use	Unit	Done	Labor	ment	ment	Seed	Plants
		(1,000)	(Man Yrs.)	(Yrs.)	(Yrs.)	(Tons)	(1,000)
CROPLAND		•					
Contour planting	Acres	5,031	253	9	238		
Cover crops	10	947	725	149	348	9,472	
Crop residue mgmt.	45	5,357					
Crop rotations	11	5,870					
Green manure crops	11	1,025	627	184	434	10,246	-
Perennial hay crops	11	536	2,692	1,019	4,062	5,259	- 40 40 40
Rotation hay or pasture	11	3,023	13	3.303	11.495	30,231	
Strip cropping	11	5,421	379		189		
GRAZING LAND							
Contour furrowing	**	296	186	17	217		
Deferred grazing	H '	2,804					
Fertilizing established		-,					•
grazing land	11	3,836	1,777	335	1,878		
Liming established past	. 11	3,608	2,366	158	1,262		
Mowing grazing land	***	1,796	1,067	102	1,931		
Rotation grazing	**	2,690					

^{2/} Cropland includes land used for crops and idle or fallow.

^{3/} Grazing land includes plowable pasture and other land in farms used for grazing purposes.

Pennsylvania - Table 2, Continued

		Remaining	Skilled &	Motor	Horse		Trees
Practices According		To Be .	Unskilled	Equip-	. Equip-		Shrubs
To Land'Use	Unit	Done '	Labor	ment	ment	Seed	Plants
		(1,000)	(Man Yrs.)	(Yrs.)	(Yrs.)	(Tons)	(1,000)
3 11 0	Acres	325	114	28	170		
Seeding range and		•		•			
pasture plants	77	2,021	9,185	1,060	16,215	30,312	
Stockwater development WOODLAND	No.	114	7,106	985	342		
Field & gully planting	Acres	896	10,349	274		1.009	1,420,515
Harvest cutting		569	99				
Improvement cuttings	#	1,667	4,956				
Pruning	98	223	781				
Reinforcement of exist			r.				•
woodland	Ħ	182	703		19		106,480
Prevention of grazing				*			
damage	.#	1,162	6,452	31	320		
White Pine rust cont.	97 -	. 266	76				
TWO OR MORE LAND USES							
Marsh management	Acres	1	38	3			
Clearing & grubbing	# .	279	6,461	1.043	589		
Diversions	Mile	. 10	3,089	219	28		
Drainage	Acres	341	11,441	1,455	2,283		
Fire protection	Ħ	8,813	19,851	1.798	2,736		
-	Lin.Ft.	122,757	1,153				122,757
Management of odd areas	Acres	- 137	1,646			616	273,968
Mgmt. of spoil banks	#	6					
Mulching	•	42	1,530		46		
Outlets and farm		10 m					
watercourses .	#	16	2,592	136	365	828	
Roadside erosion cont.			7,909	1,162		351	254,938
Farm pond mgmt.		21	125	18	37	32	2,111
Reorganization of fiel	ds-				•		•
Obstruction removal		924	17,775	323			
Fences changed	Miles	10	4,677	4	5 7		
Shelterbelts and			ارد بود بود	2			
	Acres	1	ž/	ن الله الله الله الله الله الله الله الل	<u>2</u>) 5	1	1 62
Streambank ero. cont.	#	92	1,705	118	5		97,400
Terraces	11	332	1,505	375	52		
Wildlife borders	**	20	244	•••	9	41	20,308
TOTAL			131,647	14,308	45,327	88,398	

^{1/} Based on farm planning experience, land capability recommendations and land use acreages after cropland, not suitable for cultivation, has been converted to grazing or woodland use.
2/ Less than 1.

NOTE These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

Table 1. Land classified according to use capabilities, land in farms, by four major uses; land not in farms; and approximate total land area, RHODE ISLAND, 1939 1/

Land Use	Suitable for Continuous Cultivation Classes I, II, & III	Suitable for Occasional Cultivation Class IV	Suitable for Grazing or Woodland Use Classes V, VI, & VII	Suitable Only for Wildlife Class VIII	Total
	(1,000) (Acres)	(1,000) (Acres)	(1,000) (Acres)	(1,000) (Acres)	(1,000) (Acres)
LAND IN FARMS	73	33	116	4/	222
(a) Cropland 2/	42	15	5		62
(b) Grazing land 3/	8	5	33		46
(c) Woodland	12	9	70		91
(d) Other Land in fa	rms 11	4	8	4/	23
LAND NOT IN FARMS	109	53	293	$\frac{3}{4}$	455
APPROXIMATE TOTAL LAN AREA		86	409	4/	677

^{1/} These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

Table 2. Conservation needs for land in farms; quantities of practices, and amounts of labor, equipment, and materials required in their application, RHODE ISLAND, 1943 (SEE FOOTNOTE 1/)

Practices According To Land Use	Unit	Remaining To Be Done	Skilled & Unskilled Labor	Equip- ment	Horse Equip- ment	Seed	Trees Shrubs Plants
		(1,000)	(Man Yrs.)	(Yrs.)	(Yrs.)	(Tons)	(1,000)
CROPLAND							
Contour planting	Acre	34	5	- 1	1		
Cover crops	88	20	. 16	3	7	203	
Crop residue mgmt.	Ħ	33					
Crop rotations	n ,	52					
Green manure crops	11	29	18	5	12	581	
Perennial hay crops	11	8	41	15	61	81	
Rotation, hay or pasture	# 1	32	81	35	123	292	
Strip cropping GRAZING LAND	11	31	171	4	6		
Contour furrowing	11	3	2	3/	2		·
Deferred grazing	11	44		- <u></u>			
Fertilizing grazing land	Ħ	50	23	10	24		

^{2/} Cropland includes land used for crops and idle or fallow.
3/ Grazing land includes plowable pasture and other land in farms used for grazing purposes.

^{4/} Less than 1,000.

Rhode Island - Table 2, Continued

		Remaining	Skilled &				Trees
Practices According		To Be	Unskilled		Equip-		Shru bs
To Land Use	Unit	Done	Labor	ment	ment	Seed	Plants
		(1,000)	(Man Yrs.)	(Yrs.)	(Yrs.)	(Tons)	(1,000)
Liming pastures	Aores	47	31	19	17		
Mowing of grazing land	W	28	17	2	30		
Rotation grazing	**	42	259	4	7		
Scattering droppings	•	4	1	<u>3</u> /	2		
Seeding of range and		•		-			
pasture plants	n	19	88	10	155	193	
Stockwater development	No.	2	35	3/	2		
WOO DLAN D				-4			
Field & gully pltg.	Acres	12	143	3	4	14	14,911
Harvest cutting	99	41	7				,
Improvement cuttings	91	74	220				
Pruning	**	12	42				
Reinforcement of exist							
woodlands	Ħ	2	9	3/	3/	1	923
Prevention of grazing		_	•	37	₹	•	320
damage	₩ .	37	205	3	5		
White Pine Blister Rus	t .						
control	**	46	13	1			
TWO OR MORE LAND USES			10				
Marsh management	•	2/	. 1	3 <u>/</u> 32	3/	3/	
Roadside erosion contro	o 1		. 46	32		3/ 2	1,600
Clearing and grubbing	**	7	257	. 73	22		
Diversions	Miles		25	3	3/		
Drainage	Acres	<u>2/</u>	88	15	28		
Dune and beach erosion							
control	**	4	210	5	4		24,420
Fire Protection		89	257	28	35		
Hedges	Lin.Ft.	344	3				340
Mulching	Acres	i	32	3/ 3/	3/ 1	1	
Outlets & farm water		- .		7	•	•	
courses	**	2/	11	2	1		
Farm pond mgmt.	•	2/ 2/	48	3/			
Reorganization of field	1.	4	- 30	37	<u>3</u> /		
Obstruction removal	#	7	97	7	,		
Fences changed	Miles	7	35	í	1		
Shelter. & windbreaks		2/ 2/			$\frac{3}{3}$	_	
Streambank erosion	Acres		1	3/	₹		
control mgmt.	**	3	15	2			1,200
Terraces	99	2	10	5	5		
Wildlife borders	tt .	2/	3			1	200
Mgmt. of odd areas	**	3 2 2/ 9	108			41	18
		•					
TOTAL			2,672	288	555	1,410	

^{1/} Based on farm planning experience, land capability recommendations and land use acreages after cropland, not suitable for cultivation, has been converted to grazing or woodland use.

^{2/} Less than 1,000. 3/ Less than 1.

NOTE These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

Table 1. Land classified according to use capabilities, land in farms, by four major uses; land not in farms; and approximate total land area, SOUTH CAROLINA, 1939 1/

* .	Suitable for	Suitable for	Suitable for	Suitable	
-	Continuous	Occasional	Grazing or	Only for	
Land Use	Cultivation	Cultivation	Woodland Use	Wildlife	Total
	Classes	Class	Classes	Class	
<i>'</i>	I, II, & III	IA	V, VI, & VII	VIII	
	(1,000)	·(1,000)	(1,000)	(1,000)	(1,000)
	(Acres)	(Acres)	(Acres)	(Acres)	(Aores)
LAND IN FARMS	6,446	1,463	3,321	9	11,239
(a) Cropland 2/	3,985	617	320	3	4,925
(b) Grazing land 3/	364	70	168	2	604
(c) Woodland	1,767	668	2,425	4	4,864
(d) Other Land in Farms	330	108	408		846
LAND NOT IN FARMS APPROXIMATE FOTAL LAND	3,485	1,133	3,724		8,342
AREA	9,931	2,596	7,045	. 9	19,581

^{1/} These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

Table 2. Conservation needs for land in farms; quantities of practices, and amounts of labor, equipment, and materials required in their application, SOUTH CAROLINA, 1943 (SEE FOOTNOTE 1/)

		Remaining	Skilled &	Motor	Horse	·	Trees
Practices According		To Be	Unskilled	Equip-	Equip-		Shrubs
To Land Use U	nit	Done	Labor	ment	ment	Seed	Plants
		(1,000)	(Man Yrs.)	(Yrs.)	(Yrs.)	(Tons)	(1,000)
CROPLAND							
Contour planting	lore	424	556				
Cover crops	11	1,289	1,126				
Crop residue mgmt.	Ħ	257	225				
Crop rotations	11	4,405	193				
Green manure crops	Ħ	1,105	725		483	16,578	
Perennial hay crops	W	393	2,318		2,060	5,892	196,410
Strip cropping	**	1,199	2,463				
Grubbing	11	157	1,990				
Drainage (Farm)	Ħ	219	3,480	. 14	488		
Drainage (Community)	17	13	28	6			
Outlets (Meadow strips)	11	174	2,432		2,279	3,043	
Reorganization of fields	*	647	2,601				
Terracing (Horse)	**	1,642	10,767		3,587		
			(over)				

^{2/} Cropland includes land used for crops and idle or fallow.
3/ Grazing land acreage is the Census plowable pasture.

		Remaining	Skilled &	Motor	Horse		Trees
Practices According		To Be	Unskilled	Equip-	Equip-		Shrubs
To Land Use	Unit	Done	Labor	ment	ment	Seed	Plants
		(1,000)	(Man Yrs.)	(Yrs.)	(Yrs.)	(Tons)	(1,000
Terracing (Heavy tractor)	Acre	364	1,272	477			
Terracing (Light tractor)	n	1,642	5,742	2,153			
GRAZING LAND			-	•			
Fertiliz. grazing land	W	644					
Liming pastures	Ħ	634					
Mowing grazing land	**	649	~~~				
Scattering droppings	**	66					
Stockwater development	No.	2	412		182		
Mulching	Acre	12	129		129		
WOODLAN D							
Field & gully planting	Ħ	39	430				46,672
Harvest cutting	99	988	22,013		3,021		
Improvement outtings	11	3,688	66,081		16,117		
Pruning	**	111	485				
Reinforcement of existing							
woodland	#	40	123				12,06
Prevention of grazing	~						
damage	m	4.706	2,057		1,028		
Fire protection	11	2,872	2,511		1,255		
TWO OR MORE LAND USES		.,			-,		
Roadside erosion control	**	42	46		18		
Dune and beach erosion							
control	99	34	464				
Management of odd areas	99	46	402				
Management of spoil banks	_						
Grass	11	. 2/	1		1	2	
Kudzu	99	2/ 2/ 21	3/		3/		16
Pond management	97	21	451	162			
Streambank management	16	2/	4				
Wildlife borders	10	2/ 169	884	147	663	1.686	
Hedges	•	23	101		80	-,	
TOTAL			132,512	2,959	31,391	27,201	

^{1/} Based on farm planning experience, land capability recommendations and land use acreages after cropland, not suitable for cultivation, has been converted to grazing or woodland use.

^{2/} Less than 1,000. 3/ Less than 1.

NOTE These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

Table 1. Land classified according to use capabilities, land in farms, by four major uses; land not in farms; and approximate total land area, <u>SOUTH DAKOTA</u>, 1939 1/

er e				•	
Sui	table for	Suitable for	Suitable for	Suitable	
Con	tinuous	Occasional	Grazing or	Only for	
Land Use \ Cul	tivation	Cultivation	Woodland Use	Wildlife	Total
	lasses	Class	Classes	Class	
	II. & III	IV	V. VI. & VII	VIII	
	(1,000)	(1,000)	(1,000)	(1,000)	(1,000)
	(Acres)	(Acres)	(Acres)	(Acres)	(Acres)
LAND IN FARMS	13,889	7,855	17,383	346	39,473
(a) Cropland 2/	11,102	3,711	2,091	• 🚗	16,904
(b) Grazing Land 3/	2,091	5,926	14,747	327	21,091
(c) Woodland	83	58	´ 199		340
(d) Other land in farms	613	160	346	19	1,138
LAND NOT IN FARMS	1,127	1,581	5,968	834	9,510
APPROXIMATE TOTAL LAND				. *	
AREA	15,016	9,436	23,351	1,180	48,983

^{1/} These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

Table 2. Conservation needs for land in farms; quantities of practices, and amounts of labor, equipment, and materials required in their application, <u>SOUTH DAKOTA</u>, 1943 (<u>SEE FOOTNOTE 1</u>/)

Practices According To Land Use	Unit	Remaining To Be Done	Skilled & Unskilled Labor	Equip- ment	Seed	Trees Shrubs Plants
		(1,000)	(Man Yrs)	(Yrs.)	(Tons)	(1,000)
CROPLAND						
Contour planting	Acre	2,416				-
Crop residue management	11	6,573				
Diversions	Mile	79	1,453	1,453		
Drainage	Acre	8	. 4	4	 .	
Outlets & farm water						
courses	11	141	656	198	1,487	
Rotation hay or pasture Shelterbelts and	99	5,968				
windbreaks	Ħ	371	3,892	324		371,000
Strip cropping	. #	5,088				
Terracing	Ìŧ	335	395	395		-

^{3/} Grazing land includes plowable pasture and other land in farms used for grazing purposes. 17,816 acres listed as cropland and 6 acres listed as woodland in 1939 included in grazing land figures.

South Dakota - Table 2. - Continued

South Dakota - Table 2 Co	ii ta iiu e					
		Remaining	Skilled &			Trees
Practices According		To Be	Unskilled	Equip-		Shrubs
To Land Use	Unit		Labor	ment	Seed	Plants
		(1,000)	(Man Yrs)	(Trs.)	(Tons)	(1,000)
Irrigation - div. dams	No.	2/	5	·		
Irrigation - farm dist.	Acre	5 0	46	1		
Irrigation - land						
preparation	. 11	15	26	13		
Irrigation - main laterals	Lile	2/	93	17		
Irrigation - method of water		_	•	— .		
application	Acre	3 0		-		-
Irrigation - pump from						
streams	No.	2/	17		_	
Irrigation - storage dams	11	<u>2/</u> 2/	202	20		
GRAZING LAND			e 4.	•	*	
Contour furrowing	Acre	108	14	14		
Fire protection	90	7,549	-		-	
Mowing grazing land	M	3,750			·	
Proper stocking	n	11,939				
Rotation & deferred grazing	• 11	9,575			· —	-
Seeding of range and						
pasture plants	. 11 -	2,100	618	618	12,521	
Stockwater development	No.	14	748	240		_
Stock.dams, springs	17	12	648	216		
Stock.wells	n	2	100	24		-
Water spreading	Acre	109	. 286	191		
WOODLAND			•		•	
Field & gully planting	Ħ	1	. 21	3	· 	2,184
Fire protection	11	~338 `	2	<u> </u>	-	·
Harvest & impr. cuttings	•	220	481		·	-
Prevention of grasing damage		197	-	-	-	
Reinf. exist. woodlands	11	66	. 255		-	15,240
TWO OR MORE LAND USES		*				•
Pond management		15	· · · · · · · · · · · · · · · · · · ·	_		1,520
Marsh management	- #	9	18	′- 	23	919
Wildlife borders	. 🗯	25	49	11	62 .	7,466
Management of odd areas	**	294	579	_	294	29,420
Soil saving dams	No.	1:	219	11	-	_
Streambank management	Acre	ı ıı	27	-	-	1,120
Roadside erosion control	Kile	7	246	74	563	-
Fencing	Ħ	1	65	•	-	
TOTALS			10,475	5,587	14,750	

^{1/} Based on farm planning experience, land capability recommendations and land use acreages after cropland, not suitable for cultivation, has been converted to grazing or woodland use.

^{2/} Less than 1,000

NOTE These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

Table 1. Land classified according to use capabilities, land in farms, by four major uses; land not in farms; and approximate total land area, <u>TENNESSEE</u>, 1939 1/

Land Use	Suitable for Continuous Cultivation Classes I, II & III	Suitable for Occasional Cultivation Class IV	Suitable for Grazing or Woodland use Classes V. VI & VII	Suitable Only for Wildlife Class VIII	Total
	(1,000) (Acres)	(1,000) (Acres)	(1,000) (Acres)	(1,000) (Acres)	(1,000) (Acres)
LAND IN FARMS	9,132	2,550	6,809	1	18,492
(a) Cropland 2/	5,598	1,012	1,001	1	7,612
(b) Grazing Land <i>3)</i> (c) Woodland	1,420 1,445	486 747	1,641 3,027	-	3,547 5,219
(d) Other Land in I		305	1,140	ija 📥	2,114
LAND NOT IN FARMS	1,964	1,295	4,991	112	8,362
APPROXIMATE TOTAL LA	ND 11,096	3,845	11,800	113	26,854

^{1/} These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

Table 2. Conservation needs for land in farms; quantities of practices, and amounts of labor, equipment, and materials required in their application, <u>TENNESSEE</u>, 1943 (<u>SEE FOOTNOTE</u> 1/)

		Remainin	g Skilled &	Motor	Horse		Trees
Practices According		To Be	Unskilled	Equip-	Equip-		Shrubs
To Land Use	Unit	Done	Labor	ment	ment	Seed	Plants
	-	(1,000)	(Man Yrs.)	(Yrs)	(Yrs)	(Tons)	(1,000)
CROPLAND					•	•	
Contour planting	Acre	1,551	2,033				
Cover crops	11	76	66				
Crop residue management	11	944	825				
Crop rotations	11	4,159	181				
Green manure crops	18	817	536		357	12,255	
Perennial hay crops	11	640	3,776		3,358	9,605	
Rotation, hay or pasture	11	938	1,352	1	1,311		
Strip cropping	11	1,804	3,706		-	14,065	
Clearing woods	61	124	16,275			-	
Grubbing	Ħ	1,082	13,717	-	-		. ***
Drainage (Farm)	Ħ	263	3,428	19	540		-
Drainage (Community)	11	9	19	4			

^{2/} Cropland includes land used for crops and idle or fallow.

^{3/} Grazing land acreage is the Census plowable pasture.

Tennessee - Table 2. Continued

		Remaining	Skilled &	Motor	Horse		Trees
Practices According		To Be	Unskilled	Equip-	Equip-		בלשתלש
To Land Use	Unit	Done	Labor	ment	ment	Seed	P]+ 8
¥:		(1,000)	(Man Yrs.)	(Yrs.)	(Yrs.)	(Tons)	(1,000)
Outlets (Meadow strips)	Acre	259	3,627		-3,400	4,538	
Reorganization of fields	99	2,168	8,716				
Terracing (Horse)	**	2,369	15,528		5,176	-	
Terracing (Heavy Tractor)	•	524	1,832	687	,, <u>_</u> ,_,		
Terracing (Light Tractor)	11	2,369	8,281	3,106			
GRAZING LAND				J,		. +	•
Deferred grazing	Acre	204	22				
Fertilizing grazing land	- 11	3,910	-	-			
Liming Pasture		2,264	-		-		
Mowing grazing land	99	4,131			-		-
Scattering droppings	. 11	429					
Seeding of range and					,		
pasture plants		241	1,345		1,156	3,608	
Stockwater development	No.	9	1,529		675	,,000	
Mulching	Acre	43.	470		469		
WOODLAND		42.			40,		
Field and gully planting	•	135	1,496				162,328
Harvest cutting		1,095	24,411		3,351		
Improvement cuttings	H	4,370	78,300		19,097		
Reinforcement of		4,514	, , , , , , , , , , , , , , , , , , , ,				
existing woodland	•	55	167				12,378
Prevention of grazing	11 11 11	5,592	2,444		1,222		
damage			~,~~		-,		
Fire protection	11	2,019	1,764		882		
TWO OR MORE LAND USES		_,0_,			-		
Diversions	100 f	t _2/	3/			3/	L
Roadside erosion control	Acre	66	72		29		
Dune and beach erosion		55 .	,~		-,		•
control	10 1.				-		
Management of odd areas	Ħ,	66	577				
Management of spoil banks	. •	. 00	711		*		
Grass	10	2/	3/		3/	1	-
Kudzu	**	-2 /	<u>-3/</u> -3/		<u>-3</u> / -3/		12
Pond management	81	<u>2/</u> 2/ 38	830	300			
Streambank management	19	ĵ	. 9				-
Wildlife borders	•	264	1,387	231	1,040	1	
Hedges	er	33	144		115		
TOTALS		"	198,865	4.347	42.178	44.07	}

Based on farm planning experience, land capability recommendations and land use acreages after cropland, not suitable for cultivation, has been converted to grazing or woodland use.

2/ Less than 1,000
Less than 1

NOTE These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

Table 1. Land classified according to use capabilities, land in farms, by four major uses; land not in farms; and approximate total land area, TEXAS, 1939 1/

	Suitable for		uitable for	
	Continuous		razing or	Only for the second
Land Use	Cultivation	Cultivation V	foodland Use	Wildlife Total
	Classes	"Class	Classes	Class
	I. II. & III		VI, & VII	VIII
1.5	(1,000)	(1,000)	(1,000)	(1,000) $(1,000)$
	(Acres)	(Acres)		(Acres) (Acres)
LAND IN FARMS	64,946	1,822	66,863	1,082 134,713
(a) Cropland 2/	27,867	764	3,836	416 32,883
(b) Grazing Land 5/		1,058		666 100,373
(c) Woodland 4/	649	•	808	— 1,457
(d) Other Land in		•	. ""	
Farms				
LAND NOT IN FARMS			•	
APPROXIMATE TOTAL LA	, CDV	## ·		
AREA 5/	64,946	1,822	66,863	1,082 134,713

^{1/} These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

Grazing land includes plowable pasture, pastured woodland, and other land in farms used for grazing purposes. 4/1939 woodland acreage adjusted.

Table 2. Conservation needs for land in farms; quantities of practices, and amounts of labor, equipment, and materials required in their application, TEXAS, 1943 (SEE FOOTNOTE 1/)

1 1 1 4 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		Remaining	Skilled &	Motor	Horse		Trees
Practices According		To Be	Unskilled	Equip-	Equip-	**	Shrubs
To Land Use	Unit	Done	Labor	ment	ment	Seed	Plants
No. 6 April 1985		(1,000)	(Man Yrs.)	(Yrs.)	(Yrs.)		(1,000)
CROPLAND							1.0
Contour Planting	Acre	18,195	273	51	97		
Cover Crops	11	9,073	1,830	900	2.102	100,057	
Crop Residue Management	Ħ	28,330	2,016	1,350	1,470		
Crop Rotation	Ħ	27,587	-			-	
Clearing & Grubbing	Ħ	585	814	-		_	
Drainage	Ħ	947	4,084	666	3,132		
Emergency Tillage	, ti	1,765	154	109	156		•
Green Manure Crops		16,657	26,079		42,109	179.292	
Irrigation Development	91	576	2,972	2,061	313		
Management of Odd Areas	H .	489	2,935	210	1,610	597	64,064
Management of Spoilbanks	11	14	200	40	39	102	1,814
Mulching	19	114	5,447	-	1,599	/	-,
Noxious Plant Control	11	309	1,997	1,498	1,296		-
Outlets & Farm Watercourse	s #	113	10,758		16,421.	321	
Rodent Control	11	5,028	587		-		
Reorganization of Fields		2,000	30.				
Obstruction Removal	11	120	1,424	20	362		-
Fencing Required	Mile	90,	10,946				
		(0	ver)				

^{5/34,017,000} acres of approximate land area; 31,049,000 acres of land not in farms; 2,969,000 acres of land in farms; 2,079,000 acres of other land in farms; 3,000 acres of woodland; 753,000 acres of grazing land; and 134,000 acres of cropland are not included in these data.

Practices According	Remaining Skilled & Motor Horse	Trees
To Land Use		Shrub:
(1,000) (Man Yrs.) (Yrs.) (Tons) Rotation Hay or Pasture Shelterbelts & Windbreaks 7,742 7,332 4,406 9,088 89,771 1,142 683 1,925 — Strip Cropping 13,247 1,142 683 1,925 — Streambank Management 7 7 194 26 51 1,700 23,547 8,643 42,866 — Wildlife Borders 7 99 104 27 166 1,046 27 167 1,046 27 1,046 27 167 1,046 27 167 1,046 27 167 1,046 27 167 1,046 27 167 1,046 27 167 1,046 27 1,047	Unit Done Labor ment ment Seed	Plants
Rotation Hay or Pasture Shelterbelts & Windbreaks Acre 7,742 7,332 4,066 9,098 89,771 Strip Cropping " 13,247 1,142 683 1,925 — Streambank Management " 16,097 23,547 8,643 42,806 — Terracing " 11,770 494 152 1,366 — Wildlife Borders " 99 104 27 166 1,046 CRAZING LAND Acre 4,850 7,199 885 16,405 — Contour Furrowing Acre 4,850 7,199 885 16,405 — Clearing & Grubbing " 10,206 219,805 — 11,167 — Deferred Grazing " 62,260 1,354 — — — Clearing & Grubbing " 10,206 219,805 — 11,167 — Deferred Grazing " 62,260 1,354 — — — Clearing & Grubbing " 10,206 219,803 — 11,167 — Deferred Grazing " 12,252 4,213 282 — — — — — — — —	(1,000) (Man Yrs.) (Yrs.) (Yrs.) (Tons	$(1,\infty)$
Shelterbelts & Windbreaks		
Strip Cropping		34,23
Streambank Management		
Terracing " 16,037 23,547 8,643 42,806 — Tillage for Impound.Water " 11,770 494 152 1,356 — Wildlife Borders " 99 104 27 166 1,046 GRAZING LAND Contour Furrowing Acre 4,850 7,199 885 16,405 — Clearing & Grubbing " 10,206 219,803 — 11,167 — Deferred Grazing " 62,260 1,354 — — — — Exclusion for Eros. Cont. Acre 4,043 882 — — — — Exclusion for Eros. Cont. Acre 4,043 882 — Fertillizing Grazing Land " 12,527 4,213 28 4,512 — Exclusion Development " 2,754 3,177 — 5,177 — Trigation Development " 22,754 3,177 — 5,177 — Trigation Development " 22 27 753 — — — — — — — — — — — — — — — — — — —	7 194 - 26	1 4,218
Mildlife Borders " 99 104 27 166 1,046 GRAZING LAND Contour Furrowing Acre 4,850 7,199 885 16,403 — Clearing & Grubbing " 10,206 219,805 — 11,167 — Diversions Mile 52 955 387 1,715 — Exclusion for Eros. Cont. Acre 4,043 862 — — — — Fire Protection " 94,546 1,833 59 882 —<	" 16,097 23,547 8,648 42,806	,
## ## ## ## ## ## ## ## ## ## ## ## ##		
Contour Furrowing		6
Clearing & Grubbing		
Clearing & Grubbing	Acre 4,850 7,199 885 16.403 -	
Deferred Grazing		
Diversions	" 62,260 1,354 —	
Exclusion for Eros. Cont. Acre 4,043 882		_
Fire Protection		_
Fertilizing Grazing Land		
Liming Pastures " 2,754 3,177 — 5,177 — 1771 — 5,177 — 5,177 — 1771 —		
Irrigation Development		_
Maintaining Feed Reserves Ton 2,196 1,982 25 — — Maintain, Forage Reserves Acre 9,637 — — — — Wowing Grazing Land " 17,515 5,981 1,700 8,176 — Noxious Flant Control " 9,830 68,506 — — — Proper Stocking " 102,739 — — — — — Pond Management " 109 720 —		
Maintain, Forage Reserves Acre 9,637 Wowing Grazing Land " 17,315 5,981 1,700 8,176 — Noxious Plant Control " 9,830 68,506 — — — — — — — — — — — — — — — — — — —		
Wowing Grazing Land " 17,315 5,981 1,700 8,176 — Noxious Flant Control " 9,830 68,506 — — — — Proper Stocking " 102,739 — — — — —		
Noxious Flant Control	" 17,315 5,981 1,700 8,176 -	
Proper Stocking Pond Management Pond Management Proper Management	9,830 68,506	
Pond Management " 109 720 — 305 Perennial Hay Crops " 259 1,068 117 1,378 2,377 Rodent Control " 13,701 1,758 — — — Rotation Grazing " 92,724 9,921 — — — Salting " 102,739 — — — — Seeding Range & Past. Plts. " 21,017 10,187 1,643 13,164 184,638 Sodding " 4,437 55,439 2,658 40,146 — Streambank Management " 8 328 — — — Stockwater Development No. 122 12,559 1,705 4,929 — Water Spreading Acre 476 399 349 200 — WOODLAND Field & Gully Planting Acre 69 626 — 24 — Harvest Cutting " 1,495 — — — — — Reinforce. of Exist. Wood. " 6 10 — — — — Prevention of Graz. Damage 1,410 — — — — Fencing Required Mile 6 814 — —		
Perennial Hay Crops		5 1,538
Rotation Grazing		
Rotation Grazing		
Salting	" 92.724 9.921	
Seeding Range & Past. Plts. " 21,017 10,187 1,643 13,164 184,638 Sodding " 4,437 35,439 2,658 40,146 — Streambank Management " 8 328 — — — Stockwater Development No. 122 12,559 1,705 4,929 — Water Spreading Acre 476 399 349 200 — WOODLAND Field & Gully Planting Acre 69 626 — 24 — Harvest Cutting " 1,495 — — — Reinforce. of Exist. Wood. " 6 10 — — — Prevention of Graz. Damage " 1,410 — — — Fencing Required Mile 6 814 — — — Fire Protection Acre 1,511 84 1 — — Improvement Cuttings " 1,407 — — — TWO OR MORE LAND USES		
Sodding " 4,437 35,439 2,658 40,146 — Streambank Management " 8 328 — — — Stockwater Development No. 122 12,559 1,705 4,929 — Water Spreading Acre 476 399 349 200 — WOODLAND Field & Gully Planting Acre 69 626 — 24 — Harvest Cutting " 1,495 — — — — Reinforce. of Exist. Wood. " 6 10 — — — Prevention of Graz. Damage " 1,410 — — — — Fire Protection Acre 1,511 84 1 — — Improvement Cuttings " 1,407 — — — — TWO OR MORE LAND USES " 1,407 — — — —		3 —
Streambank Management # 8 328 — — — Stockwater Development No. 122 12,559 1,705 4,929 — Water Spreading Acre 476 399 349 200 — WOODLAND Field & Gully Planting Acre 69 626 — 24 — Harvest Cutting # 1,495 — — — — — Reinforce. of Exist. Wood. # 6 10 — — — Prevention of Graz. Damage # 1,410 — — — Fencing Required Mile 6 814 — — Fire Protection Acre 1,511 84 1 — Improvement Cuttings # 1,407 — — — TWO OR MORE LAND USES		~
Stockwater Development No. 122 12,559 1,705 4,929 — Water Spreading Acre 476 399 349 200 — WOODLAND Field & Gully Planting Acre 69 626 — 24 — Harvest Cutting " 1,495 — — — — — Reinforce. of Exist. Wood. " 6 10 — — — — Prevention of Graz. Damage " 1,410 — — — — — Fencing Required Mile 6 814 — — — Fire Protection Acre 1,511 84 1 — — TWO OR MORE LAND USES " 1,407 — — — — —		7,660
Water Spreading Acre 476 399 349 200 — WOODLAND Field & Gully Planting Acre 69 626 — 24 — Harvest Cutting " 1,495 — — — — Reinforce. of Exist. Wood. " 6 10 — — Prevention of Graz. Damage " 1,410 — — — Fencing Required Mile 6 814 — — Fire Protection Acre 1,511 84 1 — Improvement Cuttings " 1,407 — — — TWO OR MORE LAND USES		
Field & Gully Planting Acre 69 626 — 24 — Harvest Cutting " 1,495 — — — — — Reinforce. of Exist. Wood. " 6 10 — — — — — — Prevention of Graz. Damage " 1,410 — — — — — — — Fire Protection Acre 1,511 84 1 — — — — Improvement Cuttings " 1,407 — — — — — — — — — — — — — — — — — — —		-
Harvest Cutting		
Harvest Cutting	Acre 69 626 24	68,911
Reinforce. of Exist. Wood. " 6 10 — — — — — — — — — — — — — — — — — —		
Prevention of Graz. Damage " 1,410 — — — — — — — — Fencing Required Mile 6 814 — — — — — — Fire Protection Acre 1,511 84 1 — — — — Improvement Cuttings " 1,407 — — — — — IWO OR MORE LAND USES		1,132
Fencing Required Mile 6 814 — — — Fire Protection Acre 1,511 84 1 — — Improvement Cuttings " 1,407 — — — — IWO OR MORE LAND USES	•	
Fire Protection Acre 1,511 84 1 — — Improvement Cuttings 1,407 — — — — — — — — — — — — — — — — — — —		
Improvement Cuttings " 1,407 — — — — — — — — — — — — — — — — — — —		
TWO OR MORE LAND USES		
	-,	
	78,420 12,201 91,090 1,48	.
TOTALS 574,063 51,485 322,882 560,019	574,063 51,485 322,882 560,01)

^{1/} Based on farm planning experience, land capability recommendations and land use acreages after cropland, not suitable for cultivation, has been converted to grazing or woodland use.

MOTE These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

Table 1. Land classified according to use capabilities, land in farms, by four major uses; land not in farms; and approximate total land area, <u>UTAH</u>, 1939 1/

Land Use	Suitable for Continuous Cultivation Classes I, II & III	Suitable for Occasional Cultivation Class IV	Suitable for Grazing or Woodland Use Classes V, VI & VII	Suitable Only for Wildlife Class VIII	Total
	(1,000) (Acres)	(1,000) (Acres)	(1,000) (Acres)	(1,000) (Acres)	(1,000) (Acres)
LAND IN FARMS	1,605	451	4,404	843	7,303
(a) Cropland 2/ (b) Grazing land 3/	1,164 404	111 336	79 4,261	13 496	1,367
(c) Woodland 4/ (d) Other land in fa	-		30 .		30
5/	37	4	34 .	334	409
LAND NOT IN FARMS APPROXIMATE TOTAL		2,854	32,990	9,555	45,399
LAND AREA	1,605	3,305	37,394	10,398	52,702

These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

Table 2. Conservation needs for land in farms; quantities of practices, and amounts of labor, equipment, and materials required in their application, UTAH, 1943 (SEE FOOTNOTE 1/)

Practices According To Land Use	Unit	Remaining To Be Done	Skilled & Unskilled Labor		Horse Equip- ment	Seed	Trees Shrubs Plants
		(1,000)	(Man Yrs.)	(Yrs.)	(Yrs.)	(Tons)	(1,000)
CROPLAND							•
Contour planting	Acre	325	7				-
Crop residue mgmt.	Ħ	650					
Crop rotations	W	1,200					
Drainage	n	270		-			وه موجي
Green manure crops Outlets and farm	Acre	100	22	9		1,000	
watercourses	Ħ	2/	3 /	3/		3/	
Perm. Hay & Pasture		150					-
Rodent control	11	150	79				

^{3/} Grazing land includes plowable pasture and other land in farms used for grazing purposes.

^{4/} Woodland not pastured in 1935. 13 acres listed as Woodland not pastured in 1935 not included in these data.

^{5/} Other land in farms in 1935. 3,322 acres listed as Other Land in farms in 1935 not included in these data.

Utah - Table 2 - Continued

	•	Remaining	Skilled &	Motor	Horse		Trees
Practices According		To Be	Unskilled	Equip-	Equip-		Shrubs
To Land Use	Unit	Done	Labor	ment	ment	Seed	Plants
		(1,000)	(ManYrs.)	(Yrs.)	(Yrs.)	(Tons)	(1,000)
Soil saving dams	No.	<u>2</u> /					
Strip cropping	Acre	125	·		-		
Terracing	W	47	137	33			
Irrigation Development							
and improvement	Ħ	1,100	7,982	,			
Canal lining & PipeL.	L.F.	750			·		
Distribution systems	L.F.	21,000					
Land Leveling	Acre	825	~	•			
Overnight storage	No.	1					
Soil saving dikes	Acre	225	•				
Structures	No.	3,003					
Toxic salt reduction GRAZING LAND	Acre	70					
Clearing & Grubbing	Acre	750	2,622	50 1			
Contour furrowing	WCLA	_		524			
Deferred & rot. grazing	. #	140 4,000	92	. 12	-		
Excl. for Eros. Control		500					
		-	4mm				
Fencing	Mile	3 (20	677		-		
Maint. Forage Reserves	Acre	3,420			-		
Mowing grazing land		206			******		
Proper stocking	**	5,400					
Rotation grazing	**	2,879					
Scattering droppings	_# '	206	72		1		
Seeding Rge. & Past. Plant		2,000	1,748	114		5,000	
Stockwater development	No.	5	1,128	472			
Water spreading	Acre	50	·55	n			
VOOILAND			*				
Field & gully planting	Acre	. 1		-	-		
Fire protection	**	30	<u>2</u> /				
Harvest cutting	••	25					
Shelterbelts & Windbr.	17	4	51				4,800
TWO OR MORE LAND USES		- 1					
Diversions	Mile	<u>2</u> /_	88	44			
Marsh management	Acre'	5					
Mgmt. of odd areas	11	10		*****			
Noxious plant control		460	5,026				
Pond management	*	2					
Streambank management	H	8	103			-	9,728
Streambank protection	Mile	<u>2</u> /	635	75			
TOTAL			20,524	1,294	1	6,000	

Based on farm planning experience, land capability recommendations and land use acreages after cropland, not suitable for cultivation, has been converted to grazing or woodland use.

2/ Less than 1,000.

3/ Less than 1.

NOTE: These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

Table 1. Land classified according to use capabilities, land in farms, by four major uses; land not in farms; and approximate total land area, <u>VERMONT</u>, 1939 1/

	Suitable for	Suitable for	Suitable for	Suitable	
•	Continuous	Occasional	Grazing or	Only for	• .
Land Use	Cultivation	Cultivation	Woodland Use	Wildlife	Total
	Classes	Class	Classes	Class	
	I, II, & III	<u>IV</u>	V, VI, & VII	VIII	·.
	(1,000)	(1,000)	(1,000)	(1,000)	(1,000)
	(Acres)	(Acres)	(Acres)	(Acres)	(Acres)
AND IN FARMS	1,486	254	1,928		3,668
(a) Cropland 2/	912	110	56		1,078
(b) Grazing land 3/	425	94	808		1,327
(c) Woodland	96	43	1,035		1,174
(d) Other land in fa		7	29	-	89
LAND NOT IN FARMS	310	77	1,879	4	2,270
APPROXIMATE TOTAL LAN	D		•	-	•
AREA	1,796	331	3,807	4	5,938

These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

Table 2. Conservation needs for land in farms; quantities of practices, and amounts of labor, equipment, and materials required in their application, VERMONT, 1943 (SEE FOOTNOTE 1/)

Practices According To Land Use	Unit	Remaining To Be Done	Skilled & Unskilled Labor		Equip		Trees Shrubs Plants	*
To Daily Goo	UIIIU	(1,000)	(Man Yrs)	(Yrs.)			(1,000)	
CROPLAND		(1,000)	(mort 119)	(110.)	(113.)	(10115)	(1,000)	
Contour planting	Acre	590	26	3/	26		. :	. •
Cover crops	11	344	263	<i>5</i> 4	126	3,439		
Crop residue mgmt.	11	673	===				4848	
Crop rotations	#	880	-					
Green manure crops	Ħ	479	293	86	203	4,787		÷
Perennial hay crops	18	87	440	205	663	875	1.4 - Chapter	
Rotation hay or pasture	Ħ	496	1,246		1,885	6,196		
Strip cropping GRAZING LAND	Ħ	583	41	-	21			
Contour furrowing	Acre	77	48	4	56	-		
Deferred grazing	#	1,130						
Fert.estab.graz.land	Ħ	1,362	631	119	667			
Liming estab.pastures	11	1,163	762	51	406		-	
Mowing of graz.land	#	775	460	44	833			
Rotation grazing	11	1,151						

^{2/} Cropland includes land used for crops and idle or fallow.

^{3/} Grazing land includes plowable pasture and other land in farms used for grazing purposes.

Verment - Table 2 - Continued

	R	emaining	Skilled &				Trees
Practices According	-	To Be	Unskilled	Equi;	- E dip	-	Shrubs
To Land Use U	nit	Done	Labor	ment		Seed	Plants
		(1,000)	(Man Yrs)	(Yrs.)	(Yrs.)	(Tons)	(1,000)
Scattering droppings A	cres	108	38	10	57		
Seeding rge.&past.plts	. "	614	2,792	322	4,928	9,212	
Stockwater development	No.	38	985	105	48		
WOODLAND							
Field& Gully Planting	Acre	135	1,562		42	152	214,418
Harvest cutting	#	677	118				
Improvement cuttings	97	913	2,713				
Pruning	91	122	427	-			
Reinf.of Exist.Wdlds.	77	20	79		2	8	11,970
Prevention of graz.dam	. "	317	1,761	8	45		
White pine blister		•					
rust control	Ħ	501	142				
TWO OR MORE LAND USES		-	·				
Clearing & grubbing	Acre	167	4,819	720	422		
	Mile	i	402	29	· 3		
Drainage	Acre	106	1,895	344	622		-
Fire protection	91	1,555	3,536	320	487		
	in.Ft.	5,845	68				5,845
	Acre	38	3/			270	75,356
Mgmt. of spoil banks	\$1	2/			-		
Mulching	11	1 5	531	16			
Outlets & farm w.cours	es"	5	930	49	155	53	
Roadside eros.control		,	586	92		74	14,819
Farm pond management	Acre	2	14	2	4	14	233
Reorganization of fiel		_				•	~,,
Obstruction removed		146	2,643	51			
	Wile	2	894	ĩ	9		
Shelterbelts & w.brks.		. ī	3/		3/	1	82
Streambank erosion		-	4 .	•	2	_	
	Acre	44	391	13	6		22,600
Terraces	#	58	261	62	10		
Wildlife borders	11	6	73		3	22	6,213
TOTAL			31,870	3,249	11,729	25,093	

^{1/} Based on farm planning experience, land capability recommendations and land use acreages after cropland, not suitable for cultivation, has been converted to grazing or woodland use.

^{2/} Less than 1,000 3/ Less than 1.

NOTE: These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

Table 1. Land classified according to use capabilities, land in farms, by four major uses; land not in farms; and approximate total land area, VIRGINIA, 1939 1/

	•		and the second s		_
• \	Suitable for	Suitable for	Suitable for	Suitable	
	Continuous	Occasional	Grazing or	Only for	
Land Use	Cultivation	Cultivation	Woodland use	Wildlife	Ţotal
	Classes	Class	Classes	Class	
	I, II & III	IV	V, VI & VII	VIII	
	(1,000)	(1,000)	(1,000)	(1,000)	(1,000)
	(Acres)	(Acres)	(Acres)	(Acres)	(Acres)
LAND IN FARMS 6/	6,548	2,000	7,881	3	16,432
(a) Cropland 2/	3,439	500	823	3	4,765
(b) Grazing Land 3/		378	1,459	8/	3,187
(c) Woodland 4/	1,327	861	4,573		6,761
(d) Other land in Fa	rms				•
	5/ 432	261	1,026		1,719
LAND NOT IN FARMS	1,914	1,658	5,424		8,996
APPROXIMATE TOTAL LAN					
AREA 7 /	8,462	3,658	13,305	- 3	25,428

^{1/} These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

8/ Less than 1,000

Table 2. Conservation needs for land in farms; quantities of practices, and amounts of labor, equipment, and materials required in their application, VIRGINIA, 1943 (SEE FOOTNOTE 1/)

		Remaining	Skilled &	Motor	Horse		Trees
Practices According		To Be	Unskilled	Equip-	Equip-	•	Shrubs
To Land Use	Unit	Done	Labor	ment	ment	Seed	Plants
-		(1,000)	(Man Yrs.)	(Yrs)	(Yrs.)	(Tons)	(1,000)
CROPLAND							
Contour planting	Acre	851	1,115				
Cover crops	11	6 9 0	604				
Crop residue managemen	it #	416	364				***
Crop rotations	#	3,604	157				
Green manure crops	11	941	617		411	14,110	
Perennial hay crops	11	369	2,178		1,936	5,538	184,604
Rotation, hay or pastu	ıre"	29	42		40	433	
Strip cropping	11	1,110	2,280				
Grubbing	11	7 99	10,130		~~~		
Drainage (Farm)	11	167	2,168	12	342		
Drainage (Community)	11	7	15	3			

^{3/} Grazing land acreage is the Census plowable pasture. 3,757 acres listed as plowable pasture not included in these data.

^{2/} Cropland includes land used for crops and idle or fallow. 5,740 acres listed as Cropland in 1939 not included in these data.

^{1,768} acres listed as Woodland in 1939 not included in these data.

7,781 acres listed as other land in farms in 1939 not included in these data.

^{6/13,046} acres listed as all land in farms in 1939 not included in these data. 7/ 106,880 acres listed as approximate land area in 1939 not included in these data.

Virginia - Table 2. Continued --

						
	Remaining	Skilled &				Trees
Practices According	To Be	Unskilled		- Equip-		Shrubs
To Land Use Uni		Labor	ment	ment	Seed	Plants
	(1,000)	(Man Yrs.) (Yrs.	, , ,	• • •	(1,000)
Outlets (Meadow Strips) Acr		1,864		1,747	2,332	
Reorganization of Fields		2,673			-	
Terracing (horse)	1,424	9,338		3,113		
Terracing (Heavy tractor)		1,125	422			
Terracing (light tractor)	1,424	4,980	1,876		•	
GRAZING LAND		_				
Contour furrowing	~~	85		71		
Deferred grazing	20	3				
Fertilizing grazing land	3,422					
Liming Pasture	3,444					
Mowing grazing land	<i></i>					
Scattering droppings "	338					
Seeding of range and						
pasture plants "	15	35		73	227	
Stockwater development No	. 5	934	-	412		
Mulching Acr	e 35	382	-	380		
WOODLAND						Ž.
Field & gully planting "	270	2,983				323,671
Harvest cutting "	1,410	31,440		4,314		
Improvement cuttings "		97:999		23,902		
Pruning "		114				
Reinforcement of						
existing woodland "	76	233				22,832
Prevention of grazing	, ,	~,,				,0)-
damage "	7,174	3,135		1,568	-	
Fire protection "		4,191		2,095		
TWO OR MORE LAND USES	73177	4,1-/-		2,0,0		
	ft. 2/	3/			_3/	5
Roadside erosion control A		-3 6		14	<u> </u>	
Dune & beach erosion		J 0				
control Acr	e 23	318				
Management of odd areas	39	344				
Management of spoil banks	<i>J</i> 9 ,	بنبدر				
Grass "	2/	3/		3/	1	
Kudzu #		$\frac{-3}{2}$		=		13
Pond management "		912	205			
Streambank management **	. 1	912	20)			
Wildlife borders "	_	808	138	622	1,576	
Hedges "	_	808 87	130	70	1,570	
	20				2/ 217	
TOTALS		183,753	2,656	41,110	24,217	

^{1/} Based on farm planning experience, land capability recommendations and land use acreages after cropland, not suitable for cultivation, has been converted to grazing or woodland use.

^{2/} Less than 1,000 3/ Less than 1.

NOTE These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

Table 1. Land classified according to use capabilities, land in farms, by four major uses; land not in farms; and approximate total land area, WASHINGTON, 1939 1/

	Suitable for	Suitable for	Suitable for	Suitable	
	Continuous	Occasional	Grazing or	Only for	
Land Use	Cultivation	Cultivation	Woodland Use	Wildlife	Total
,	Classes	Class	Classes	Class	
	II. & III	IV	V, VI, & VII	VIII	
	(1,000)	(1,000)	(1,000)	(1,000)	(1,000)
	(Acres)	(Acres)	(Acres)	(Acres)	(Acres)
LAND IN FARMS	4,863	1,796	7,953	571	15,183
(a) Cropland 2/	4,391	1,463	376		6,230
(b) Grazing Land 3/	446	315	6,160	C	6,921
(c) Woodland	26	18	1,417		1,461
(d) Other Land in	• •		•		
Farms 4/	~	·		571	571
LAND NOT IN FARMS			24,981	2,702	27,683
APPROXIMATE TOTAL LAND			•	• •	•
AREA	4,863	1,796	32,934	3,273	42,866

^{1/} These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

4/ Other land in farms in 1935.

Table 2. Conservation needs for land in farms; quantities of practices, and amounts of labor, equipment, and materials required in their application, <u>WASHINGTON</u>, 1943 (SEE FOOTNOTE 1/)

		Powed ad a c	Cirillad 6	Maham	Transa		Man a a
Deschios Assembles			Skilled &	Motor	Horse		Trees
Practices According		To Be	Unskilled	Equip-			Shrubs
To Land Use	Unit		Labor	ment	ment	Seed	Plants
		(1,000)	(Man Yrs.)	(Yrs.)	(Yrs.)	(Tons)	(1,000)
CROPLAND		,					
Contour Planting	Acre	2,896	66				****
Cover Crops	11	118	76	-		4,720	 -
Crop Residue Management	76	2,278	218	532			
Crop Rotation	11	2,420	699	349	349		
Diversions	Mile	2/				-	
Emergency Tillage	Acre		-	****	١		
Green Manure Crops	11	918	370		• •	4,590	
Irrigation		020	0.0			1,000	
Development	11	1,300					
	Ħ	400	176	235	176		
Improvement				_			
Land Preparation		1,250	33	65	65		
Method of Water Applicati		250	114	76	19		
Farm Distribution System	s ¹¹	301		-			_
Group Distribution System	ns "	125		-			
Springs	No.	7					
Wells	11	5					
Mulching	Acre	40					
		(Over)				

^{3/} Grazing land includes plowable pasture and other land in farms used for grazing purposes.

		Remaining	Skilled &	Motor	Horse		Trees
Practices According		To Be	Unskilled		Equip-		Shrubs
To Land Use	Unit		Labor	ment	ment	Seed	Plants
10 2000	<u> </u>	(1,000)	(Man Yrs.)		(Yrs.)		(1,000)
Perennial Hay Crops	Acre	1,068	632			•	(_,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Rotation Hay or Past.	H	625	35 4			5,340	4,
Strip Cropping	Ħ	378				3,125	
Terracing	86	18					
Tillage for Imp. Water	15	340					
GRAZING LAND	-						
Deferred Grazing	Acre	4,226	47	-			
Fertilizing Graz.Land	If	851	81	31	31		
Liming Pastures	99	68	-				
Maint. Feed Reserves	Ton	19			-		
Maint. Forage Reserves	Acre	263					
Mowing Grazing Land	11	378	7	5	. 5	-	
Proper Stocking	19	5,910	141				
Rotation Grazing	M	4,225	297				
Salting	Ħ	5,195	144		-		
Scattering Droppings	Ħ	378	5	-	. 4		
Seed. Rge. & Past. Plt	.s. #	730	126	-		3,650	
Stockwater Development		2	3	4	1	-,	
WOODLAND					. –	*	
Field & Gully Planting	Acre	90	274				90,000
Harvest Cutting	Ħ	2,500			-		
Improvement Cuttings	85	250					-
Prevent. of Graz. Damag	A 11	2,500	1,237				_
Reinforce. of Exist.Wo		50	338			-	75,000
THO OR MORE LAND USES		•					.0,000
Clearing & Grubbing	Acre	138		-	_		
Drainage	88	450					-
Dune & Beach Eros. Cont	. 11	15	475	568		270	871,500
Marsh Lanagement	**	6		_	-		
Fire Protection	. 11	5,000	9	3	-		
Management of Odd Area	S #	36	34	43	14		
Noxious Plant Control	11	30	179	_			
Outlets & Farm Watercou	rses#	15	****			10	
Management of Spoilban		5	-				
Pond Management	11	2					
Roadside Eros. Cont.	Mile	5	33	34		5	-
Rodent Control	Acre	179	3/				-
Reorganization of Field		3,387	49	8	8		-
Shelter, & Windbreaks	 11	13	24		_		3,000
Soil Saving Dams	No.	. 3	3	1	3/	-	
Streambank Management	Acre	20	99	26	<u> </u>		4,000
Wildlife Borders	H	10					-,
Pond Construction		5				_	-
	No.						
Present to a	0~~~						
Pruring TOTALS	Acre	125	6,541	1,780	672	21,710	

^{1/} Based on farm planning experience, land capability recommendations, and land use acreages after cropland, not suitable for cultivation, has been converted to grazing or woodland use.

2/ Less than 1,000.

^{2/} Less than 1,000. 3/ Less than 1.

NOTE These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

Table 1. Land classified according to use capabilities, land in farms, by four major uses; land not in farms; and approximate total land area, WEST VIRGINIA, 1939 1/

·					
	Suitable for	Suitable for	Suitable for	Suitable	
•	Continuous	Occasional	Grazing or	Only for	
Land Use	Cultivation	Cultivation	Woodland Use	Wildlife	Total
•	Classes	Class	Classes	Class	
	I, II, & III	IV	V, VI, VII	VIII	
	(1,000)	(1,000)	(1,000)	(1,000)	(1,000)
	(Acres)	(Acres)	(Acres)	(Acres)	(Acres)
LAND IN FARMS	3,065	1,629	4,202	13	8,909
(a) Cropland 2/	1,250	269	309	•	1,828
(b) Grazing Land 3/	1,203	716	1,792	2	3,713
(c) Woodland	433	560	1,994	8	2,995
(d) Other Land In Farms	179	84	107	3	373
LAND NOT IN FARMS	1,365	1,156	3,958	30	6,509
APPROXIMATE TOTAL LAND ARE		2,785	8,160		15,418
	1.				

^{1/} These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

Table 2. Conservation needs for land in farms; quantities of practices, and amounts of labor, equipment, and materials required in their application, WEST VIRGINIA, 1943 (SEE FOOTNOTE 1/)

		Remaining	Skilled &	Motor			Trees
Practices According		To Be	Unskilled	Equip-	Equip-		Shrub s
To Land Use	Unit		Labor	ment	ment	Seed	Plants
		(1,000)	(Man Yrs.)	(Yrs.)	(Yrs.)	(Tons)	(1,000)
CROPLAND		8					
Contour Planting	Acre	1,188	81	80	68		
Cover Crops	11	213	163	34	78	2,133	-
Crop Rotation	. 11	1,363			-	· —	
Crop Residue Management	. 11	1,296		-	-		-
Green Manure Crops	Ħ ,	229	140	41	97	2,289	
Perennial Hay Crops	tt	161	807	305	1,217	1,606	
Rotation Hay or Pasture	11	702	1,764	767	2,669	8,774	
Strip Cropping	Ħ	1,221	85		43	-	
GRAZING LAND	:		•		•		•
Contour Furrowing	Acre	462	291	26	340	~	
Fertilizing Grazing Land	11	3,760	1,742	329	1,840	-	
Liming Pastures	11	3,685	2,416	161	1,288	-	
Mowing Grazing land	Ħ	2,009	1,194	114	2,160		
Rotation Grazing	11	2,002	-	-	-		
Scattering Droppings	11	220	- 77	192	115		
Deferred Grazing	11	3,402	-	-		 .	

^{3/} Grazing land includes plowable pasture and other land in farms used for grazing purposes.

		Remaining	Skilled &	16 a A	77		
Practices According		To Be	Unskilled	Motor			Trees
To Land Use	Unit	Done	Labor		Equip-		Shrubs
TO TAIN USE	UILL U	(1,000)	(Han Yrs.)	(Yrs.)	(Yrs.)	Seed (Tons)	Plants (1,000)
Seeding Range & Past.Plts	Acre	1,412	6,418		11,330	•	(1,000)
Stockwater Development	No.	119	4,259	517	205	21,179	
WOODLAND	110.		49.00	317	205		
Field & Gully Planting	Acre	1,326	14,271		378	2	2,101,771
Harvest Cutting	11	361	63		_		
Improvement Cuttings	10	1,660	4,932				
Pruning	85	55	193				~
Reinforce. of Exist. Wood.	11	506	1,956		53		296,172
Prevention of Graz. Damag	е #	1,393	773	37	195	-	
White Pine Blister Rust		•		-	,		
Control	98	142	40		-		
TWO OR MORE LAND USES							
Marsh Management	Acre	<u>2/</u> 270	. 8	3/			
Clearing & Grubbing	. 11	270	948	916	502	-	
Diversions	Mile	5	892	63	8		
Drainage	Acre	100	1,546	192	524		~
Fire Protection	Ħ	7,517	12,818	1,161	1,766		
Hedges L	in.Ft.	24,750	233				24,750
Management of Odd Areas	Acre	71	85 7			321	142,644
Management of Spoilbanks	11	7		-			´ <u> </u>
Mulching	11	30 .	1,077		32		
Outlets & Farm Watercours	es"	3	` 1 73	12	.7	26	
Roadside Erosion Control			5,191	40	-	41	42,602
Farm Pond Management	Acre	16	77	<u>3</u> /	3	2	1 60
Reorganization of Fields		•		_			
Obstruction Removal	Acre	198	3,807	692	-		
Fences Changed	Mile	2	984	1	12		
Shelterbelts & Windbreaks	Acre	2/	3/			3/	5
Streambank Eros. Cont. Mgt		2/ 11	670	42	<u>3/</u> 12	<u>3</u> /	37,400
Terracing	11	18	8	2	3/		
Wildlife Borders	11	23	272		<u>3/</u> 10	80	22,659
TOTALS			71,226	6,464	24,952	36,453	

Based on farm planning experience, land capability recommendations and land use acreages after cropland, not suitable for cultivation, has been converted to grazing or woodland use.

^{2/} Less than 1,000.

Less than 1.

NOTE These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

Table 1. Land classified according to use capabilities; land in farms, by four major uses; land not in farms; and approximate total land area, <u>WISCONSIN</u>, 1939 1/

		•			
	Suitable for	Suitable for	Suitable for	Suitable	
	Continuous	Occasional	Grazing or	Only for	
Land Use	Cultivation	Cultivation	Woodland Use	Wildlife	Total
	Classes	Class	Classes	Class	
	I, II & III	IV	V, VI & VII	AIII	
	(1,000)	(1,000)	(1,000)	(1,000)	(1,000)
	(Acres)	(Acres)	(Acres)	(Acres)	(Acres)
LAND IN FARMS	12,355	3,804	6,717	-	22,876
(a) Cropland 2/	8,397	2,002	1,569		11,968
(b) Grazing land 3/	2,306	1,043	2,017	-	5,366
(c) Woodland	1,089	533	2,496		4,118
(d) Other land in farms	563	226	635		1,424
LAND NOT IN FARMS	291	3,527	8,324	~	12,142
APPROXIMATE TOTAL LAND	D	•			·
AREA	12,646	7,331	15,041		35,018

^{1/} These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

3/ Grazing land includes plowable pasture and other land in farms used for grazing purposes.

Table 2. Conservation needs for land in farms; quantities of practices, and amounts of labor, equipment, and materials required in their application, WISCONSIN, 1943 (SEE FOOTNOTE 1/)

		Remaining	Skilled &	Motor	Horse		Trees
Practices According	•	To Be	Unskilled	Equip-	Equip-		Shrube
To Land Use	Unit	Done	Labor	ment	ment	Seed	Plants
		(1,000)	(Man Yrs)	(Yrs)	(Yrs)	(Tons)	(1,000)
CROPLAND			•			•	
Contour planting	Acre	5,554			~		
Crop residue mgt.	*	777	-		-		-
Crop rotation	•	7,765			-		
Rotation hay or past.	W	3,831	5 0	167		-	
Strip cropping	W	3,336	_		-		~
Terracing	. #	435	447	447	•		
GRAZING LAND							i
Fort. grazing land		5,882	79	263	-		-
Liming pastures	W	5,485	••				-
Mowing grazing land		822	216	216	_		-
Proper stocking	•	7,585	-	-			-
Seeding rgs. & past.	plts.		139	313		53,697	-
Stockwater developmen			11	6	٠ ـــ	-	

^{2/} Cropland includes land used for crops and idle or fallow. 1939 cropland and grazing land data were adjusted by shifting the acreage of rotation pasture from grazing land to cropland.

- 107 -

		_	
Wisconsin -	Table	2 -	Continued

	1	Remaining	Skilled &	Motor	Horse		Trees
Practices According		To Be	Unskilled	Equip-	Equip-		Shrubs
To Land Use Un	nit	Done	Labor	ment	ment	Seed	Plents
		(1,000)	(Man Yrs)	(Yrs)	(Yrs)	(Tons)	(1,000)
KOODLAND		•					
Field & gully planting A	cre	529	7,609	965	-	940	598,605
Harvest cutting	W	327	409	110			
Improvement cuttings	#	3,959	12,004	3,461			
Reinf. of exist. woodlds.	. #	564	3,652	494	162	486	86,348
Prevention of graz. dam.		3,686	1,199				
TWO OR MORE LAND USES						~ .	
Roadside erosion control			2,551	1,308		1,325	
Drainage	lcre	23	453		35		~
Fire protection	W	1,872	703	164		-	
Mgt. of odd areas	Ħ	72	818	-		175	35,039
Mgt. of spoilbanks	Ħ	2	43	-	~	7	1,175
Outlets & farm watercrs.	Ħ	540	3,462	1,862		6,535	
Pond management	W	1	13			2	465
Shelterbelts and			_				, , ,
Windbreaks	#	5	103	11	7		3,074
Soil saving dams	No.	12	4,808	1,035	-	-	_
Streambank control	Acre		276	144	-		3,286
Wildlife Borders	n	84	318	-	132	376	11,382
TOTALS			39,363	10,966	336	63,543	-

Based on farm planning experience, land capability recommendations and land use acreages after cropland, not suitable for cultivation, has been converted to grazing or woodland use.
2/ less than 1,000.

NOTE These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

Table 1. Land classified according to use capabilities, land in farms, by four major uses; land not in farms; and approximate total land area, <u>WYOWING</u>, 1939 1/

I and Use \	Suitable for Continuous Cultivation Classes . II & III	Suitable for Occasional Cultivation Class IV	Suitable for Grazing or Woodland Use Classes V. VI. & VII	Suitable Only for Wildlife Class VIII	Total
	(1,000)	(1,000)	(1,000)	(1,000)	(1,000)
•	(Açres)	(Acres)	(Acres)	(Acres)	(Acres)
IAND IN FARMS	2,576	741	23,733	976	28,026
(a) Cropland 2/	1,511	195	348	-	2,054
(b) Grazing Land 3/	996	532	22,744	935	25,207
(c) Woodland	13	1	575		387
(d) Other Land in Far	ms 56	13	268	41	378
LAND NOT IN FARMS	70	55	29,133	5,244	32,502
APPROXIMATE TOTAL LAND AREA 4/	2,646	7,96	52,866	4,220	60,528

^{1/} These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.

Table 2. Conservation needs for land in farms; quantities of practices, and amounts of labor, equipment, and materials required in their application, <u>WYOMING</u>, 1943 (<u>SEE FCOTNOTE 1</u>/)

Practices According To Land Use	Unit	Remaining To Be Done	Skilled & Unskilled Labor	Equip- ment	Seed	Trees Shrubs Plants
		(1,000)	(Man Yrs.)	(Yrs.)	(Tons)	(1,000)
CROPLAND			•			
Contour planting	Acre	269	· —			-
Crop residue management	11	1,354	-			
Diversions	Mile	6	103	103		
Drainage	Acre	67	35	35		
Outlets & farm water						
courses '	11	12	5 0	15	115	
Rotation hay or pasture Shelterbelts and	11	568			******	
windbreaks	19	3 0	511	26		29,680
Strip cropping	11	572				-
Terracing	11	6	7	7	-	-

^{2/} Cropland includes land used for crops and idle or fallow.

^{3/} Grazing land includes plowable pasture and other land in farms used for grazing purposes.

^{4/} Does not include 1,875,840 acres in Yellowstone National Park.

Wyoming - Table 2. - Continued

wyoming - Table 2 Continu		Remaining	Skilled &			
Practices According		To Be		Da		Trees
			Unskilled	Equip-		Shrubs
To Land Use		Done	Labor	ment	Seed	Plants
		(1,000)	(Van Yrs)	(Yrs.)	(Tons)	(1,000)
Irrigation - div. dams	No.	<u>2</u> /	66			
Irrigation - farm dist.	Acre	203	311	4		
Irrigation - land						
preparation	**	109	190	95		
Irrigation - main laterals	. Wile	1	276	50		_
Irrigation - method of wat	ær					
application	Acre	104		_		
Irrigation - pump from						
streams	No.	2/	1			
Irrigation - storage dams	11	2/ 2/ 2/	1,079	111	_	_
Irrigation - wells	17	2 /	4	1		
GRAZING LAND		=	-	-		_
Fire protection	Acre	16,124				
Contour furrowing	11	515	68	 68	_	
Proper stocking	#	16,065			_	-
Rotation & deferred grazing	•	8,807	·		-	_
Seeding of range and	5	0,007	. 			
pasture plants	91	335	73	79	1 000	
Stockwater development	No.	15		7 3	1,673	_
	NO.		837	266		
Stock. dams, springs		12	698 7.50	233		
Stockwater wells	4	3	139	33		_
Water spreading WOODLAND	Acre	300	603	402	-	_
	**			•		
Fire protection	*1	264	2			
Harvest & improvement						
cuttings	***	255	557			_
Prevention of grazing dama TWO OR NORE IAND USES	ge #	84		, -		_
Pond management	Ħ	15	50	 ,		1,270
Varsh management	**	24	45		59	2,356
Vildlife borders	11	6	12	3	15	1,851
Management of odd areas	11	101	199	_	101	10,111
Streambank management	11	23	55			2,282
Roadside erosion control	Mile	2	53	16	121	
Fencing	11	ĩ	35	_		
TOTAL			5,022	1,275	2,084	

^{1/} Based on farm planning experience, land capability recommendations and land use acreages after cropland, not suitable for cultivation, has been converted to grazing or woodland use.

^{2/} Less than 1,000

NOTE These data are preliminary, tentative, and subject to revision and inclusion of additional information when available.