FOURTH PLAN

PLANNING GROUP ON MACHINERY INDUSTRIES

At the instance of the Planning Commission, the Department of Heavy Industries in the then Ministry of Steel and Heavy Ridustries (now the Department of Industry in the Ministry of Industry and Supply) constituted a Planning Group on Machinery Industries in their O.M. No. 2070-DS (HS) 62 dated the 27th June, 1962. The composition of the Planning Group is as given below:

Chairman

- 1. Shri N. Subrahmanyam, Additional Secretary, Department of Industry.
- 2. Dr. G. P. Kane, Dy. Director General (Chemicals), Directorate General of Technical Development.
- 3. B. D. Kalelkar, Dy. Director General (Engineering), Directorate General of Technical Development.
- 4. Shri X. B. Rao, Officer on Special Duty, Ministry of Industry and Supply.
- 5. Shri C. S. Sridharan, Deputy Adviser, Soil Conservation (Engg.), Ministry of Food & Agriculture.
- 6. Shri M. N. Bery, Director (Planning), Railway Board.
- 7. Shri K. P. S. Nair, Vice Chairman, Central Water & Power Commission.
- 3. Shri Balram Sethi, Director (Production), Ministry of Defence.
- Shri N. C. Shrivastava, Secretary, Department of Mines and Metals.
- 10. Dr. A. Nagaraja Rao, Adviser (I&M), Planning Commission-Dr. D. Swarup, Chief (I&M), Planning Commission.
- 11. Shri G. Ramanathan, Joint Secretary, Deptt. of Iron & Steel.

During the chairmanship of Shri T. Swominathan, the Group met a number of times and had finalised a tentative list of major groups of equipment which are homogenous from the point of view of production.

In order to get a detailed analysis of the demand for various groups of equipment and suggest a programme for development during the Fourth Plan period, it was decided to set up separate Working Groups for each group of equipment. For this purpose, the following groups of equipment were decided upon:—

- 1. Electrical Power Equipment.
- 2. Transport Equipment.
- 3. Steel & Metallurgical Industries Equipment
- 4. Mining and Drilling Equipment
- 5. Fertiliser and Chemical Equipment
- 6. Machine Tools
- 7. Industrial Machinery

- 8. Textile Macninery
- 9. Structurals.
- 10. Engineering Industries

In respect of earth moving machinery and agricultural machinery, no Working Group was formed; instead the Directorate General of Technical Development was requested to prepare a report on these items.

The Working Groups were requested to prepare preliminary reports on the subjects assigned to them. Based on these preliminary reports, the Planning Group prepared a preliminary report embodying the findings of the Working Groups. This Report, appended to this Final Report, was submitted to the Planning Commission on..... for their scrutiny and comments.

After receiving the general comments from Planning Commission and in the light of the Memorandum on the Fourth Five Year Plan prepared by the Planning Commission, the Working Groups were asked to prepare Final Reports on the items of machinery studied by them.

Mainly based on the findings and recommendations of the Working Groups, but modified or adjusted wherever the Planning Group found this necessary, the Draft Report of the Planning Group on Machinery Industries was prepared. The Draft Report was then circulated for comments. The Draft Report, along with the comments, were discussed by the Planning Group for finalisation. The Final Report has been prepared incorporating all the modifications accepted or recommended by the Planning Group, and is enclosed herewith for the consideration of the Planning Commission.

Sd. N. SUBRAHMANYAM,

Chairman

CONTENTS

	PI	LANNING	GROUP	FOR	MAC	HINEF	RY I	NDU	STR	IES	PAGES
1.	Strateg Tables	y and progra	mmes of de	velopm	ent	•			•	•	1—8
	1.1	Targetted I	ndex of Inc	dustrial	Produc	tion					5
	1.3	Requiremen	nts of Capit	al Equi	pment						6
	1 · 3	Supply of C	Capital Equ	ipment			•				7
	1 · 4 · (a) (b) (c)	Targets ac	Programmendations of lopted by Poievements	III Plai	n Plann	ing Gro	up		٠	•	8—1 t
FO	URTHI	PLAN PROC	GRAMME								
	1 · 5	Capacity tar	gets and in	vestmer	it IV Pl	an .					12—14
	1.6	Share of inv	estment in	various	sectors	of ecor	iomy				15
	1.8	Allocated Ir nomy perce Demand Pr Exports	ntages		• •	variou	s s	ectors	of	•co-	16 17—20 21—22
	1 · 9	Export targ	et—1 9 70-7	1 .				,			22-24
	_		olic Sector		—Four	th Plan			•		25—30
		Scheduling	g of Public	Sector 1	Projects	-Four	th P	lan		30(£	1)30(d)
П.	Impler	nentation of	Public Sect	or Proje	cts						31-38
111		nale for the s mary of the		-) .					39—152

PLANNING GROUP FOR MACHINERY INDUSTRIES

FINAL REPORT

- 1.1. The Memorandum on the Fourth Five Year Plan has defined the policy regarding the industrial development in these words. "The strategy of industrial development during the Fourth Plan will by and large have to be along the lines outlined and incorporated in the Third Five Year Plan. It should, on the one hand, provide for an adequate expansion in the supply of consumer goods, particularly those which cater to the needs of the mass of the people. At the same time basic and heavy industries, supplying the capital goods and intermediate goods should continue to be expanded at a rapid pace so that the economy might be in a position to sustain an adequately high rate of development within the constraints imposed by the limited supply of foreign exchange."
- 1.2 In the First Five Year Plan the investment on industrial sector was less than Rs. 4,000 million. Almost all the machinery and equipment for this industrial development was imported. This strained developmental efforts tremendously and brought into sharp focus the necessity of developing basic industries. Accordingly the basic industries were given high priority during the Second Five Year Plan in which the industrial investment was stepped up to approximately Rs. 16,000 million. Notable progress was achieved in this period. The value of all kinds of industrial machinery and transport equipment produced in the country rose from Rs. 400 million in 1951 to about Rs. 2,000 million in 1960.
- 1.3 The emphasis on basic industries continued in the Third Plan. Since purchase of heavy machinery was and continues to be one of the principal drains on foregn exchange, the most significant growth in the Third Plan was envisaged in machinery and engineering industries (Table 1.1). In pursuance of the basic strategy of developing machine building industries, a sound base has been established during the Third Plan for the production of a wide range of capital goods as well as intermediates (See table 1.4). The steps taken in the development of machine building capacities in respect of various equipment, items of machinery e.g., power generating equipment, diesel engines, pumps, coal mining machinery, machine tool etc., are comprehensive enough to bring the goal of self-sustained growth within sight. While the progress achieved is undoubtedly impressive, since we had started from a very narrow base, these developments still fall short of our requirements.
- 1.4. An assessment of the overall requirements of machinery can be obtained by applying the past norms of utilisation of capital equipment in various sectors of economy (Table 1.2). These can of course be taken only as indicative of the order of magnitude. An attempt has been made to estimate the approximate share of indigenous equipment in the total supply of capital equipment based on proposed development (Table 1.3).

- 1.5. Even though these are approximate figures, yet they help us to focus our attention in the right direction. Keeping in view the requirements and feasibility of developing that industry in the specified span of time, it is possible to assign priorities and goals. While suggesting targets, not only demand was a factor but the feasibility of achieving these targets, not only in a technical sense, but also with reference to organisational and other resources were consider-Another aspect which has to be clearly understood is the role which imports will be allowed to play in the supply of capital equipment. In certain industries it is desirable that certain requirements are met from imports. The reason may be one of many. It may be that the demand for such machines is so small that production cannot be justified on economic grounds or that the developments and innovations in other countries are being made so rapidly that to maintain a competitive position, the user industry must import them from the best source available. Examples of equipment which fall in this category are special machine tools, textile machinery, chemical equipment, instruments and control equipment etc. etc. On the other hand, in respect of a large number and variety of equipments, we can strive to be not only self-sufficient but to export in substantial quantities.
- 1.6. This second group will comprise equipment where lack of latest technology is not a significant handicap or the techniques could be readily obtained and applied. Transport equipment, power and other electrical equipment, certain industrial plants (sugar, cement), structurals and other intermediate products etc. could be grouped in this category. The potential internal market for most of the equipment is on a big enough scale to make the manufacture of most of economically feasible and desirable. Broadly speaking, while suggesting targets in respect of certain items, it has been deliberately planned to meet approximately 20-25 per cent of the requirements by imports, while in respect of others, the suggested targets include a cushion for exporting upto 10 per cent of the output after meeting internal demand.
- 1.7. The capital equipments required comprise a wide variety of plant and machinery. To make the data meaningful for the purpose of planning, it becomes necessary to disaggregate the total equipment into equipment specific to any particular industry (e.g. textile machinery, printing machinery etc.) and the rest into groups comprising of equipment, homogenous from the point of view of production, rather than in terms of their end use. Such an analysis is given in the Interim Report of the Group.
- 1.8. From tables 1.2 and 1.8 it will be seen that among the groups of specific equipment, transport equipment forms the most important group in terms of value. The requirements of transport equipment constitute approximately 25 per cent of the total equipment required in the economy. The second largest group is of electrical equipment, both for the generation, transmission and utilisation of electrical energy. The share of this group of equipment in the total requirements of capital equipment may be around 18 per cent. Next in value, probably, machine tools would form the single largest group (7 per cent). However, it is not only the large

demand which emphasises the significance of these equipments, but the tremendous multiplier effect which sufficient availability of transport and power has on the development of economic activities, and the role of machine tools as mother machines further enhances the importance of the industries which manufacture them.

- 1.9. These factors were highlighted by the Planning Group on Industries for the Third Plan also and the Plan had taken full cognizance of these priorities. Table No. 1.4 (p. 12) shows the recommendations of the Planning Group for Third Plan, Targets accepted by Planning Commission and the latest estimates of likely achievements by the end of Third Plan. The result is that during the Third Plan, a sound base has been established for the development of heavy machine building industries. Most important of all during this period, valuable experience has been gained in the construction and operation of large and complex undertakings.
- 1.10. Realising the deficiencies and defects and yet encouraged by the past achievements, it is now proposed to intensify these priorities during the Fourth Plan period. At the same time, it is proposed to initiale corrective steps to rectify the deficiencies and defects, which have impeded in any way our progress in the past. By continuing to assign priorities to the developments in these fields, as suggested in this Report, there is every prospect that during the Fourth Plan, we can achieve a major degree of self-sufficiency in these fields. While recommending targets for the Fourth Plan, the experience of the past has been fully kept in view. Broadly speaking, the aim has been (a) to reach the goal of self-sufficiency and strive for exports in respect of those industries which are fairly well developed ie.g., transformers, motors, pumps, diesel engines, commercial vehicles, wagons, industrial plants etc.); please see table 1.9. (b) consolidate the position and establish sound bases for future expansions in respect of capital intensive and complicated industries, not yet adequately developed, e.g. steel plant equipment and (c) to start nuclei for the development of industries in which progress is lagging far behind; e.g., heavy pumps and compressors, heavy plate work equipment etc. etc.
- 1.11. Within the scope of these broad aims fixation of targets is influenced by other factor also. The development of capacity for machine building is a continuous and long drawn process. neither possible nor desirable to fragmentate it in Five Year Segments. In respect of many industries, the gestation period is so long that the Fourth Plan targets have to be related to the demand during the Fifth and subsequent plan periods rather than in the Fourth Plan The priority which is being accorded to agriculture has its own repercussion on the machine building industries. plants to manufacture agricultural machinery like tractors. power tillers, pumps etc. which are direct inputs for agriculture sector, have to be established (and there is no reason why we should not be self-sufficient in these items). At the same time, fabrication shops to manufacture chemical plants which will produce different inputs for agriculture and consumer products have to be assigned priority

- conditions for the optimal utilisation of established machine building capacity. The experience has been that due to insufficient availability of intermediate products like castings, forgings, gears, bearings, pipes and tubes, etc. the machine building capacity has been grossly under-utilized. This is a national loss and the Group feels that establishment of such industries which will optimise the utilisation of existing or proposed machine building capacities should be accorded the highest priority. A very important step in optimising production capabilities is the development of engineering and design facilities. Development has to be in a sequence in which capacity for production and capacity for making the equipment for such production, as well as the ability to design and the ability to produce follow each other in close harmony.
- 1.13. It is felt that this pattern of diversified investment in the field of heavy engineering will not only add to the strength of the economy, through a more balanced base for further development, out will also, across the field, give early and improved returns on the heavy investments that we are making and will have to continue to make for some time to come.
- 1.14. Based on the recommendations of the Working Groups, modified or adjusted wherever the Planning Group found this necessary of desirable, the programme for the development of heavy engineering industries has been formulated as is summarised in the following table No. 1.5 and the corresponding investment and foreign exchange are summarised in Table No. 1.6.
- 1.15. The figures of estimated installed capacity in 1965-66 based on the latest information available with the Department of Heavy Engineering. The investment required during the Fourth Plan is estimated on the basis of above-mentioned achievements by the end of the Third Plan period. However, wherever reliable information was available, the addition to acapicity, in excess of that indicated in the tables for 1965-66, likely to materialise in Fourth Plan in consequence of investments already made or likely to be made before the end of Third Plan, has been taken into account in assessing the Fourth Plan gap requiring additional investment. calculating the investments required, the data have been obtained from specific project reports or estimates wherever available and otherwise, available norms of investment have been applied. investment in public sector projects, during the Fourth Plan period. includes balances of investment needed for completion The total on this account comes to Rs. 1456 million out of the figure of Rs. 5483 million in the public sector. ment shown does not include investment on townships or inventories.
- 1.16. With the implementation of recommended programmes, the share of investment in machine building industries over the span of four plan periods will be as shown in the Table No. 1.7. The corresponding output estimates are shown in Table No. 1.8.
- 1.17. In the overall frame work of development, a tentative development plan for the public sector has been suggested. Based on

general industrial policies and the role of the public sector in machinebuilding industries, this tentative list is put forward as the Group's best judgement up to date. This cannot, however, be taken as the final list not subject to modifications. It is quite possible specially if in certain sectors where large expansion is called for and private sector is unable to meet the gap, new projects in sector may have to be initiated. For example, possibility of facturing transformers below 33 kv, motors below 150 kw, gas cylinders, scooters, industrial valves, additional foundry forge facilities, structural fabrication, construction machinery, etc. in the sector cannot be ruled out. At the same time the possibility of modifying the scope of certain project or their elimination altogether might have to be considered in the light of lower resources or changes in the programme of machinery using industries. example if it is decided that the capacity for the manufacture of woollen textiles will not be augmented during the Fourth Plan, the textile machinery project may have to be deferred. Similarly a reduced power generation and distribution programme may significantly alter the electrical equipment demand and consequently the manufacturing programme.

TABLE 1-1-Targetted Index of Industrial Production 1950-1965

				50-51	55 - 56	60-61	65=66	70+71
All commodities				100	139	194	329	_ _
Iron and Steel	•	•	•	100	122	238	637	
Chemicals	•	•	•	100	179	288	720	
Cotton Textiles				100	128	133	157	
Machinery (All types)		•		100	192	503 (460)*	1224 (1290)*	3000♥
Items under Dept	t. of l	н. Е.		100	180	450*	1050*	3000°

⁽¹⁾ Source—Third Five Year Plan p. 452.

^{*}Latest estimates of the Group.

TABLE-1.2 Requirements of Plant, Machinery and Indicative Assessment

(Rs. Million)

		Investment	during pla	n period	% of cost of plant		nt Machiner quipment	y and
	HEAD	II Plan•	III Plan*	IV Plan†	and - equip- ment			V Plan
- 1.	Agriculture and Community including irrigation	. 12550	2400	32250	8·4	1050	1770	2710
2.	Power	. 4850	10620	20000	65	3150	6900	13000
3.	Village and Small Industries	. 2650	4250	6800	50	1325	2125	3400
4.	Organised Industries—Minerals	. 15450	25700	56000	50	7725	12850	2800
5.	Transport and Communication	. 5500	5960	16500	18	990	1070	297
6.	Railways	. 8600	11400	20000	53	4360	6040	1060
7.	Social services and Miscellaneous	. 12900	16970	36200	8	1030	1360	290
8.	Inventories	. 5000	8000	12000	5	250	400	60
9.	Tetai	. 67,500	1,04000	199,750	,	20080	32515	6418

Source-Third Five Year Plan-59

^(†) Memorandum on the Fourth Five Year Plan, p. 10.

Table 1.3—Supply of Plant, Machinery and Equipment approximate
Assessment.

									Rs. Mill	ions/Year
								1960-61	1965-66	1970-71
Total requirem	ents		•			•	•	5,635	9,205	19,370
additional capa	city (1)		•	•	•	•	•	5,000	8,130	16,045
replacement(2)	•	•	•	•	•		•	600	975	1,925
exports .						•	•	35	100	1,000
Indigenous Pa	roductio	on (3)	•		•	•	•	2,440	6,782	17,500
of which of ite	ems un	der De	partr	nent (of H.I	Ξ.		(1967)	(4782)	(13,998)
Imports: Ma	chinery		•		•	•	•	3,195	2,423	1,870
compone	ents and	d raw n	nateri	ials (4)		•	490	1,356	2,625
					Тот	AL	•	3,685	3,779	4,495
Share of Indige cent	nous F	roduct •	ion ir	totai •	suppl	y—pe •	r- •	36	59	77

- (1) The last year requirements are assumed to be 25 percent of the total plan periods.
- (2) On the assumption that depreciation funds are related to replacement expenditure, an average figure of 12 percent of investment on plant and machinery for establishing additional capacity is adopted for assessing replacement requirements. This works out to approximately 1.5 per cent of the stock in the beginning of that year.
- (3) This is value of finished machinery plus 15 percent of the value of intermediates which will go as replacement parts or independent items. In the transport equipment output of passenger vehicles, scooter etc. is excluded.
- (4) For 1960-61, 25 percent of output of items under Department of HE., for 1965-66 and 1970-71, 20 and 15 percent respectively of total indigenous production. This is to account for the imports required for the manufacture of diesel and electric locomotives and mer railway equipment.
- (5) Please also see table 1.8. The demand for items under Department of Heavy Engineering add upto approximately Rs. 15,350 million. Adding to this the requirements of other items of capital equipment, e.g., Railways, cables, instruments, etc., etc., as available from various reports, the total requirements and upto approximately Rs. 18,850 million.

Table 1'4—Heavy Engineering Industries Third Plan Programmes

s		Item			•				Unit			III Plan			lik		nates ievemen s
	io,	Item	1						Unit			Group Output	Commiss: Targets		Capa- city	Out- put	Value of out put
	·												Capacity	Output	City	put	Rs, million
1		2						-	3			4	. 5	6	7	8	9
	I. Electrical	Mach	inery														
I	Boiler—power	•	•	•			•		mKW			1.35	under i	tem	1 · 1	0.30	61
2	Turbines—steam	•	•	•	•	•	•	•	mKW			1.2	(40) Heavy el Equipn		0.6	(2)	
3	Turbines-hydro				•		•		mKW			0.6	Rs. 800 details	million	0.2	••	
4	Generators-steam	(includ	ling s	synch	голоц	is con	denso	rs)	m KW ∞∞·KVA	1		1.8			0.6		
5	Generators—hydro		•	•	•	•	•	•	mKW	}		1.0			90 0·5	••	
6	Motors-above 150	KW	7	•	•	•	•	•	mKW	1		ا 1.8		J	1 . 95] 1.68	3 210
7	Motors—upto 150	ΚW		•	•				mKW	}		2.5	1.6	, }		}	
8	Traction Motors	•					•		Nos.			n.a.			800	439	9 3:
9	Transformers—at ove	e 33	ΚV				•		mKVA	3		5.4	included	under	7.45) 5	9 20
0	Transformers—upto	33	ΚV		•	•	•		mKVA	}			H.E.	4.0	3.5	}	
I	Capacitors				•		•		mKVAR			0.18	n.a.	n.a.	0.12	0.1	14 7
2	Switchgear and C	ontrol	gear		•	•	•		m. Rs.		56	(given ir	numbers)		180	16	50 160
																	677

^

I	2		3	4	5	6	7	8	9
	II. Transport, Construction and Agricultural Mach	inerv					· · · · · ·	· · ·	
13	Commercial vehicles	•	th. nos.	40	60	60	44	42.2	971
14	Jeeps and station wagons		th. nos.	n.a.	10	10	10	10	134
15	Passenger cars	•	th nos.	n.a.	30	30	26	25	225
16	Motor cycles and scooters	•	th nos.	n.a.	60	50	75	50	100
17	Trailors		th.nos.	10	2.5	2.5	7.5	n.a.	• •
18	Automobile ancillaries (including foundry forge facil	ities)	m. Rs.	n.a.	n.a	n.a.	100	330	330
19	Crawler and rubber tyred tractors	•	nos.	n,a.	600	500	• •	• •	. •
20	Dumpers and Scrapers		nos.	n.a.	600	500	• •		• •
2 I	Excavators and shovels	•	nos.	2000	125	100	100	100	50
22	Road Rollers		Nos.	300	800	700	1780	1600	72
23	Agricultural tractors		th. nos.	9	12	10	11.0	6.0	42
24	Power tillers		th. nos.	n.a.	n.a.	n.a.	3	1	3
25	Tractor drawn implements		m. Rs.	20	n.a.	л.а.	20	n.a.	
								_	1927
	III. Machine Tools								
26	Machine tools		m. Rs.	300	300	300	376)	300	300
27	Small tools and hand tools		m. Rs.	n.a.	n.a.	n.a.	200 }		300

.

* 	•				3	4	5	6		8	è
IV. Industrial Machin	ery and Engi	nearing	Indu	stries		-					
28 Metallurgical and	other heavy	equip	nent		. th. tons.	75	80	n.a.	n.a.	16	56
29 Coal and other mini	ng machinery				• 33	50	45	30	45	20	88
30 Heavy plate and	vessels				• 23	n.a.	40	30	••	••	••
31 Chemical machine	. ·		•	•	. m. Rs.	150 i	ncluded und (28 and		135	85	85
32 Heavy pumps an	d compresso	re			. th. tons	n. 2.	n.a.	n.#.	••		••
33 Textile machinery		•	•		. m. Rs.	300	220	200	400	300	3∞
34 Jute machinery			•		, m. Rs.	25	25	25	50	40	40
35 Paper machinery		•	•	•	. m. Rs.	79	85	70	73	30	30
36 Sugar machinery			•		. m. Rs.	100	120	100	175	90	90
37 Cement machinery		•			. m. Rs.	35	45	45	178	60	60
38 Dairy machinery			•		. m. Rs.	9	25	25	20	20	20
39 Printing machinery		•	•		. m. Rs.	50	п.2.	n.a.	30	11	11
40 Industrial boilers		•	•	•	. m. Rs.	90	290*	250*	108	80	80
41 Tea Processing m	achinery .	•	•		. m. Rs.	30	n.a.	n.a.	21	18	18
42 Diesel engines .		•	•	•	. th. nos.	60	72	66	150	80	164
43 Power driven pur	nps	•			, th. nos.	120	184	150	200	180	450
44 Iron castings		•	•		. m. tons	n.a.	1.3	1.3	1.3	o·8	80 0

T			2						3	4	5	6	7	8	9
45	Iron rolls	•							th, tons	n.a.	n,2.	n.a.	••	••	
46	Steel castings					•			m. tons	n.a.	•20	•20	0.17	•09	135
47	Steel forgings				•	•	•	•	Do.	n.a.	•20	•20	0.14	-09	225
48	Iron pipes .		•	•	•	•	•		Do.	л.а.	0.8	0.8	.47	•35	152
49	Steel pipes and	tubes		•	•	•		•	m. tons.	n.a.	0.21	0.45	•65	•30	600
50	Wire ropes .	•	•			•	•		th, tons	n.a.	40	40	25	n.s.	n.a.
51	Ball and roller	bearing	ge.		•		•	•	m. number	n.a.	10	14	12.2	10	120
52	Gears	•	•	•	•		•	•	m, Rs.	n.a.	n.2.	n.a.	21.8	12.5	12*
53	Steel structurals		•	•	•	•	•		m. tons.	n.a,	1.1	1.0	0•3	0.29	435
54	Cranes .			•	•	•			th, tons.	50	60	60	20	15	58
55	Wagons (4 whee	lers)			•				th, numbers	35	33 · 5	28	40	37	629
	•													-	475

⁽¹⁾ Third Five Year Plan, pp. 502-509: Programme of Industrial Development 1961-66,

^{(2)—}indicates nil, n.a.—indicates that the source quoted did not provide data,

[•] includes power boilers.

Table No. 1.5

HEAVY ENGINEERING INDUSTRIES

FOURTH PLAN

TARGETS AND INVESTMENTS

			Installed	capacity	Total	
SI. No.	Item	Unit	1965-66	1970-71	fixed invest- ment during IV Plan (Rs. m)	Total Foreign Exchange
I	2	3	4	5	6	. 7
1	. Electrical Machinery					
1	Boilers—power .	m. KW	1 - 1	3 · 7	300	70
2	Turbines—steam .	m.KW	0.6	4.0	400	175
3	Turbines-hydro .	m.KW	0.5	1 · 7	105	40
4	Generators—steam (in- cluding synchronous condensors)	m.KW′ oooKVA	0.6	. 4*3	230	150
5	Generators—hydro	m.KW	0.2	1.7	105	45
-6	Motors—above 150 KW	m.KW }	1 95	2.0	26 6	96
7	Motors-upto 150 KW	m.KW ∫		4.0	150	30
8	Traction Motors .	nos.	800	2000	40	11
9	Transformers—above 33 KV	m,KVA		15.0	- 156	50
10	Transformers—upto 33 KV	m.KVA	7 (15	9.0	140	30
11	Capacitors	m.KVAR]	0.15	1.0	45	6
12	Switchgear and control gear	m.Rs.	130	650	400	138
13	Other electrical ma- chinery (including specialised toundry and forge facilities).	m.Rs.			290	60
Γοτλί.	-Electrical Machinery				2627	901

1	2	3	4	5	6	7
II.	Transport Construction and Agricultural Ma- chinery					
14	Commercial vehicles .	th. nos.	44	120	908	7 502
15	Jeeps and station wa-		10	20	60	32
16	Passenger cars	th. nos.	26	80	322	175
17	Motor cycles and				•	
_	scooters	4)	75	150	51	J 29
18	Trailers ,	th. nos.	7.5	15	10	3
19	Automobile ancillaries (including foundry forge facilities)	m.Rs.	400	2000	300	138
20	Crawler and rubber tyred tractors	nos.	• •	1000	150	75
21	Dumpers and scrapers	nos.	••	1000	100	65
22	Excavators and shovels	nos.	100	250	50	30
23	Road Rollers .	nos.	1780	1800	25	5
24	Agricultural tractors .	th.nos.	15.5	40	200)
25	Power tillers .	th.nos.	3	60	150	}
26	Tractor drawn implements	m.Rs.	20	100	50	157
Total	L—Transport construc- tion and agricultural machinery				2637	1211
III.	. Machine Tools					
27	Machine tools .	m.Rs.	376	1250	1100	406
28	Small tools and land tools	m.Rs.	200	500	150	50
7	Готал — Machine Tools				1250	456
IV.	. Industrial Machinery an Engineering Industries	nđ				
29	Mettalurgical and other heavy equipment .	th. nos.	n,a,	100	800	146
30	Coal and other mining machinery	th. tons	45	75	150	38
				_		-
31	Heavy Plate & Vessels	th. tons	• •	60	30 0	65

1	2	3	4	5	6	7
***		••				
3:	Heavy pumps and con Pressors	n- . th.tons		17	135	63
34	4 Textile Machinery	. m.Rs.	400	700	200	115
3:	Jute Machinery	. m.Rs.	50	100	50	7
36	Paper machinery	m. Rs.	73	400	250	150
37	Sugar machinery	m.Rs.	175	250	50	45
38	Cement Machinery	m.Rs.	178	300	50	20
39	Dairy machinery .	m.Rs.	20	50,	15	5
40	Printing machinery .	m.Rs.	30	120	80	35
41	Industrial boilers .	m.Rs.	801	275	7 5	25
42	Tea Processing machi- nery	D -	21	21	••	••
43	Diesel engines .	. nos.	150	200	150	55
44	Power driven pumps	th. nos.	180	350	100	20
45	Iron castings	m.tons	1.5	3.0	600	100
46	Iron rolls	th, tons		45	150	70
47	Steel castings .	m. tons	0.17	0.5	750	230
48	Steel forgings .	Do.	0.14	0.4	750	240
49	Steel pipes & Tubes	Do.	0.65	1.5	400	130
50	Iron pipes .	Do.	0.47	1.2	250	150
51	Wire ropes .	th, tons 7	25	60	50	20
52	Ball and roller bearings	m.nos.	12.2	40	400	220
53	Gears .	m.Rs.	200	500	too	55
54	Steel structurals .	m.tons.	0.3	1.25	400	161
55	Cranes	th. tons.	20	90	250	65
56	Wagons (4 wheelers)	th. nos.	50	55	45	10
TOTAL	—Industrial Machinery and Engineering In-					
	dustries			-	6780	2280
T_0	DTAIA.					

TABLE 1.6
FOURTH PLAN

INVESTMENTS AND FOREIGN EXCHANGE

MACHINERY INDUSTRIES

Rs. Million

	Fixed 1	Investn	nent d	uring	IV Plar	1 Forie	gn exc	hange	during	IV PI	anTota	l For	eign	exchang	ge
Groups	Total	Pub	lic sect	or		Cap	ital acc	count	М	lainten	ance	Capital	Ma	intenanc	 -
		Total	Spil N over s				l Spill	priva New schem		lic I	Private		Total	Com- po- nents	raw mater ials
I. Electrical Machinery Industries .	. 2627	1918	638	1286	709	736	238	498	165	1298	562	901	1860	1070	790
II. Transport, construction and agri- culture machinery industries	. 2376	550	••	550	1826	247		247	964	I	2873	1211	2873	1390	1483
III. Machine Tools	. 1250	767	160	607	483	286	80	206	170	6 <u>1</u> 3	770	456	1383	1002	381
IV. Industrial Machinery	. 2635	1320	630	690	1315	337	94	243	492	429	1811	829	2240		
V. Engineering Industries	. 4145	960	••	960	3185	386	• •	386	1065	214	1112	1451	1326	} 1467	3099
Total	13033	5515	1397	4118	7518	1992	412	1580	2856	2554	7128	4848	968:	2 492 9	4753

6

Table No. 1.7—Allocated avestment distribution in various sectors of economy percentage

Sector						II P <u>lan</u>	III Plan	IV Plan	
. Agriculture and Community Developm	ent				•	12	14	12	
. Major and Minor Irrigation .		•		•	•	6	6	_ 5	
. Power	•			•	•	7	10	10	
. Village and Small Industries .			•		•	4	4	3	
 Organised mining and manufacturing in Department of Heavy Engineering 	ndus •	tries •				23 (1·65)	25 (5)	28 (6·5)	
. Transport and Communication				•	•	21	17	18	
. Social services and miscellaneous		•			•	19	16	18	
. Inventories	•	•	•	•	•	8	8	6	
		Тот	AL			100	100	100	

Table No. 1 8-Demand and Output during 1970-71

								Value in Rs. n	nillion	
Items			Demand 1970	-71	Output du	ring 1970-71		Value of	production	
ACMI		Unit	Quantity	Value	III Plan Schemes	IV Plan Schemes	Total	1970-71	Ultimate	
I		2	3	4	5	6	7	8	9	
1. Electrical Machinery				3065				2521	4144	
Boilers Power		MKw	2.2	563	I · I	0.4	r·5	335	832	
Turbines steam		"	2.5	350	1.71	• •	1.71	239	560	
Turbines Hydro	•	,,	1.0	60	1.0	••	1.0	60	102	-
Generators steam	•	3.	2.5	150	1.71	••	1.71	103	258	_
Synchronous Condensors	•	000Kva	300	30	90	••	90	9	30	
Generators Hydro		MKw	1.0	60	1.0	••	1.0	60	102	
Motors above 150 Kw	•	,,	2.0	250	1.0	0.75	1.75	220	250	
Motors upto 150 Kw		>>	3.0	375	1.75	1.25	3.0	410	500	
Traction Motors		Nos.	1600—1800	135	800	1000	1800	135	150	
Transformers above 33 Kv	•	MKva	12	240	4	6	10	200	300	
Transformers upto 33 Kv	•	>>	7 · 8	912	4	4	8	320	360	
Capacitors		MKVAR	.8	40		•4	•6	30	50	
Switch gear and control gear	•	m. Rs.	500	500	200	200	400	400	650	

1		 2	3	4	5	6	7	8	9
Transport, Construction and chinery	Agricultural	 . —	6167				6122	7186	
Commercial vehicles .		 000 nos.	110	2530	61	49	110	2530	2760
Jeeps and station wagons		 "	20	268	10	10	20	268	268
Passenger cars		 2)	80	720	30	30	60	540	720
Motors, cycles and scooters		 33	150	300	75	75	150	300	3∞
Trailors		 29	15	45	7.5	2.5	10	30	45
Automobile ancillaries .		 m. Rs.	` 1500	1500	400	1100	1500	1500	2000
Crawler and hobble tyre tractors		 nos.	900	126	200	700	900	126	140
Dumpers and Scrappers.		 nos.	1100	187	425	675	1100	187	187
Excavators and Shovels		 nos.	200	100	200	••	200	100	125
Road Rollers		 nos.	1800	81	1800	• •	1800	81	81
Agricultural Tractors .		 000 nos.	30	210	16	14	30	210	280
Power Tillers		 "	n.a.	n.a.	3	47	50	150	180
Tractor drawn implements	•	 m. Rs.	100	100	25	75	100	100	100
Machine Tools .				1650				1400	1750
Machine Tools		 m. Rs.	1300	1300	450	550	1000	1000	1250
Small tools and hand tools		 m. Rs.	350	350	200	200	400	400	500

1		2	3	4	5	6	7	8	9
4. Industrial machinery	•			15783				14764	17711
Metallurgical and other Heavy Machinery	•	ooo tons	110	660	50 m	erg	50	250	480
Coal and other mining machinery .		»	55	242	60	••	60	264	330
Heavy Plate and Vessels		>>	50	150	••	40	40	120	180
Chemical machinery		m. Rs.	300	300	135	175	310	310	310
Heavy Pumps and Compressors		ooo tons 🖁	12	120	••	2	2	20	160
Textile Machinery		m. Rs.	610	610	400	170	570	570	700
Jute Machinery		,,]	80	80	50	30	80	80	100
Paper Machinery		1	400	400	75	125	200	200	400
Sugar Machinery		22]	225	225	170	55	225	225	250
Cement Machinery		,, }	250	250	180	70	250	250	300
Dairy Machinery		! .,	40	40	25	15	40	40	50
Printing Machinery		»	120	120	30	30	60	60	120
Tea Processing Machinery		Į.,	18	18	21	••	21	21	25
Industrial boilers	•	1 ,,	200	200	100	100	200	200	275
Diesel Engines		000 nos. I	190	390	150	50	200	410	410
Power driven pumps		>>	320	800	180	150	330	825	875

	I						2	3	4	5	6	7	8	9
Iron Castings ,							m. tons	2 · 2	2200	1.2	0.7	2 · 2	2200	3000
Iron Rolls .	•			•			ooo tons	45	135	••	30	30	90	135
Steel Castings ,		•	•		•		m. tons	-475	713	0.5	- 275	. 475	710	750
Steel Forgings		•					m, tons	•40	1000	0.17	-2 30	•40	1000	1000
Iron Pipes .			•	•			> >	1.2	675	0.6	0.4	I · O	450	540
Steel Pipes and	Tut	cs			•		2)	1.5	3000	0.75	0.75	1.2	3000	3000
Wire Ropes .	••					•	ooo tons	55	165	30	25	55	165	180
Ball and Roller	bear	ing#	•		•	•	m. nos.	38	456	15	15	30	360	480
Gears			•				m. Rs.	400	400	200	200	400	400	500
Steel Structurals		•					m, tons	1.0	1500	0.4	0.6	1.0	1500	187
Cranes			•	•			000 tons	60	2 34	20	40	60	234	35
Wagons .			•				ooo nos.	50	850	40	10	50	850	93

EXPORT

The scarcity of foreign exchange has been and will continue to be an impediment against our efforts to develop the economy at the desired rate of growth. Traditionally India has been exporter industrial materials crops. raw some cash industrial products. Competition from other countries exporting these commodities as well as synthetic substitutes is increasing and it seems that further increase in the exports of traditional items to any striking extent may be increasingly difficult. Moreover, lately there has been often a steady decline in the prices of these items while the prices of capital goods has increased, thus worsening our balance of payment position. In view of these difficulties, while preparing a plan for the development of machine building industries, one of the main considerations will have to be not only to achieve import but self-sufficiency to the extent possible to reduce the also to start exporting capital goods as much as possible, to open new avenues for earning foreign exchange.

It is realised that this will not be easy since we will have to compete with advanced countries in markets already held by them. However, there are certain factors in our favour and we must take full advantage of them. For example, the advanced countries are diverting their resources for the production of highly complicated and expensive machines and find it unremunerative to manufacture simpler types of equipment, specially if they are labour intensive and yet these equipments or intermediate products are needed in every country. Many under-developed countries would rather save American or European currency if they could get the same things from soft currency areas. Thirdly, in many under-developed countries conditions are similar to those existing in India and Indian made equipment, though based on imported technology but modified to suit our conditions, may prove better than those obtained from advanced countries. For example, it has been reported that some makes of Indian built commercial vehicles have proved more successful in our neighbouring countries than those built in collaborators' countries. Since a large number of Indian products have internationally known brand names also, they will not be unknown in the market.

The high cost of production and the growing unsatisfied demand in India prove an obstacle in export promotion. The Group recommends that Government should take every possible action to promoteexports inspite of these difficulties and handicaps. It is felt that the vastness of our internal market is such that, if properly planned, sooner or later it should be possible to manufacture most of the products at internationally competitive prices and the output can be planned in excess of internal demand. To an increasing extent, the device of deliberate lower prices for export at the cost of comparatively higher price for internal consumption should also be followed. It is by such developments that progressively large scale exports will become feasible. But since the market cannot be created overnight, It is necessary that we start building the base right now. It is estimated that at present approximately 3 per cent of the output of engineering industries is exported, however the share of machinery industries is low.

While suggesting export targets, the Planning Group took into account the recommendations made by (a) the Study Group of the Export Sector Committee for Minerals, Steel and Engineering Industries; (b) Engineering Export Promotion Council and (c) Indian Institute of Foreign Trade.

Based on the various factors the Group suggests the following export programme. According to this programme, the export of engineering machinery and equipment (listed in the following table) will have to be increased from the present level of approximately Rs. 60 million to about Rs. 700 million by 1970-71. Even this forms only 5 per cent of our production and is a comparatively small percentages considering our export needs. A 10 per cent export target will be more commensurate with our foreign exchange. Yet unless energetic effort on a continuing basis are carried on even the more modest target may prove difficult to achieve.

TABLE 1.9

EXPORTS

HEAVY ENGINEERING INDUSTRIES

FOURTH PLAN

Exports target 1970-71

(Rs. million)

								(1)	3. 111111	ion)
SI. No.	Item								1	970-71
1	2						_		 -	3
	I. Electrical Machinery					<u>,</u>				
I	Boilers—power ,	٠		٠.			•	•	•	
2	Turbines—steam .		٠.				•		•	
3	Turbines-hvdro .			•			•			
4	.Generators-steam (includin	g sy	nchror	ous (conde:	nsers)				
5	Generators-hydro .					•	•			• •
6	Motors-above 150 KW		•						•	• •
7	Motors—upto 150 KW			•			•		•	20
8	Traction Motors .		•	•		•				
9	Transformers—above 33 KV			•	•	•				20
0	Transformers—upto 33 KV		•			•				20
I	Capacitors .		•	•			•			
2	Switchgear and control gear			•						20
3	Other electrical machinery (in facilities)	clu	ling s	peciali	ised f	oundr	y and	for	ge	
	Total—	Ele	ctrical	Mach	inery				•	80

I			2						3
	II. Transport, Construction and	1gric	ultura	l Mac	hiner	,			
14	Commercial vehicles			•	•	•	•	•	150
15	Jeeps and station wagons			•			•	•	10
16	Passenger cars	•	•	•		•		•	••
17	Motor cycles and scooters	•		•	•	•		•	30
18	Trailers	•		•		•			1.0
19	Automobiles ancillaries (including	for	ındry f	orge	faciliti	cs)		•	30
20	Crawler and rubber tyred tractors			•			•	•	
21	Dumpers and scrapers		•			•	•	•	• •
22	Bacavators and shovels	•		•					10
23	Road Rollers			•		•		•	5
24	Agricultural tractors					•	•	•	15
25	Power tillers		•	•		•		•	••
26	Tractor drawn implements	•	•	•	•	•	•	•	3
	Total—Transport, construct	ion :	and ag	ricult	ural n	nachir	егу		554
								_	254
I	II. Machine Tools								
27	Machine Tools								1000
28	Small tools and hand tools		•	•		•		•	20
29	Total—Machine Tools	•	•	•	•			. –	120
1	V. Industrial Machinery and Engin	eerin	g Indu	stries					
30	Metallurgical and other heavy equ	uipm	ent		•	•	•	•	• •
31	Coal and other mining machinery	•		•	•	•		•	20
32	Heavy plate and vessels	•	•	•	•	•	•	•	••
33	Chemical machinery		•			•		•	10
34	Heavy Pumps and compressors		•	•		•	•	•	• •
35	Textile machinery	•	•				•		40
36	Jute machinery		•	•					5
37	Paper machinery	•		•					. •
38	Sugar machinery		•	•					•
39	Dairy machinery	•	•		•				

I	2	3	4	5	6
3.	HEL, Ramachandrapuram		<u></u>		
	(a) Completion of III Plan Scheme		87		
	(b) Capacity for large sized motors and turbo-				
	blowers	0.5 m. KW	40		
	Total—HEL, Ramachandra Purai	M	127	40	•
4.	HEL, Hardwar				
•	Completion of III Plan Scheme		510	215	
5.	H.T. Switchgear Project (ASEA)	Airblast circuit breakers (132/ 230 KV) 200 Nos.	25	4.0	
6.	Central Foundary Forge for heavy electrical equip- ment	Steel castings 15,000 tons.	210	63	
		Steel forgings 15,000 tons			
7.	New unit for power boilers	1·0—1·5 m. KW.	180	50	This unit is intended to meet gap after expansion of AVB and HEL, Trichy, and will cover large capacity thermal boilers of 200 MW and above and also nuclear power equipment.
В.	New unit for heavy electrical rotating equipment.	Steam turbines and gas turbines; generators; synchronous con- densors; and large size indus- tiral motors—2.0 m. KW	350	215	
9.	New unit for heavy electrical stationary	Transformers —6 m. KVA	22		This unit is intended to meet gaps
	equipment.	Capacitors —0.4 m. KVAR.	250	100	in stationary equipment. The alternatives between combining
		Switchgear and control-gear Rs. 150 m.			these products in one unit, with common facilities, including testing and research, or taking them up separately in existing or new projects will be examin- ed.

I	2		3	4	5	6
10.	Passenger cars	•	50,000 units Passenger cars and light commercial vehicles	350	150	
11.	Agricultural tractors and power tillers	•	Tractors—12,000 Nos. Tillers—15,000 Mps. Implements—50,000 Nos.	200	97	
12.	HMT, Pinjore Completion of III Plan					
	Scheme (Expansion)	•		25	10	
_	HMT, Kerala Expansion		Rs. 50 m. to Rs. 100 m.	35	12	
14.			Rs. 50 m. to Rs. 100 m.	35	12	
15.	·		Rs. 50 m.	77:5	22	·
16.			Rs. 50 m.	80	22	
17.	New Czech assisted Machine Tool Factory-	_I .	Rs. 70 m.	120	49	t:
18.	New Czech-assisted Machine Tool Factory	-II .	Rs. 40 m.	60	27	
19.	Additional capacity for machine tools	•	Rs. 150 m.	200	50	It is intended to take up new machine tool projects with GDR, Polish and US assistance.
20.	Heavy Machine Tool Project, Ranchi.					
	Completion of III Plan Scheme		••	135	80	
21.	HEC, Ranchi					
	(a) Completion of III Plan schemes			557	86	
	(b) Structural shop	•	Associated structurals 10,000 tons	337		
	(, c	•	Medium structurals 8,000 tons	25	6.5	
			Technological structurals 7,000 tons			
			25,000 tons			

2	3	4	5	6
(c) Rationalisation of heavy machine building capacity	••	20	10	As indicated in the Babich Report on the Heavy Machine Building Plant, it is intended to review the capacity and production programme of HMBP and FFP, as now set up, with a view to maximise production of heavier items and facilitating higher output. For this purpose, a detailed technical appraisal will be necessary.
Total—HEC, Ranchi		602	102.5	
22. Additional capacity for Heavy machinery	••	200	50	Related to the rationalisation and maximisation of output a HMBP, it is proposed to plan additional capacity mainly for items such as heavy excavators oil drilling rigs, crushers, an grinders, hydraulic presses an smaller rolling mills. This intended to augment and complement HMBP in certain ranges.
23. CMMP, Durgapur— Completing of III Plan Scheme	••	73	8	
24. Coal and mineral handling and processing equipment	••	50	15	ī

1	2		3	4	. 5	6
25.	Heavy Plate & Vessels Project—IX .		Plate & Vessels, including blast furnance shells etc., 15,000 tons	75	25	
26.	Heavy Plate & Vessels Project-II		Plate and Vessels including heavy chemical equipment and associated structurals 25,000 tons.	60	20	
27.	Fabrication Shop for Fertilizer and Equipment.	Chemical	15,000 tons	45	17.5	
28.	Heavy pumps & compressors		16,700 tons (including 25,000 tons grey iron castings) .	135	63	
29.	Textile machinery		Rs. 75 m.	50	15	
30.	Printing machinery		Rs. 50 m.	30	10	
31.	Diesel engines		200 to 1000 H. P. engines 1000 nos.	50	15	Mainly to meet requiremen's of earth moving equipment, mobile generating sets, meter gauge locos and shunters etc.
32.	Cast Iron rolls		10,000 tons	50	20	
33.	New Foundry Forge, Wardha	• •	Steel forgings (including moulds for C.I. spun pipes)—8,300 tons steel casting and alloy steel castings 12,000 tons.	160	70	
34-	Scamless pipes		50,000 tons	100	40	It is intended to cover the gap to meet requirements of high pres- sure boilers, heat exchangers etc., including alloy steel pipes and pipes for core drilling both for irrigation wells and ONGC.

29

1 /	2				3	4	5	6
35.	Ball & roller bearings project .		•	•	22.5 m. nos.	305	165	
36	Gears	•	•	•	Rs. 75 m.	50	15	Mainly to meet requirements of new M.T. factories and for pro- duction of standard sized gears.
37-	Heavy Structural Project	•	•	•	25,000 tons, including hydraulic structures.	45.	15	
38.	Structural Design Bureau	•	•		•-	• •	5	To be attached to Heavy Struc- tural project.
39.	Gantry Cranes & hoists	•	•	•	25,000 tons, including medium structurals.	110	30	includes manufacture of standard mechanical equipment for hoists and cranes.
40,	Harbour and construction crane	3. •	•	-	25,000 tons, including heavy structurals.	90	20	
					TOTAL	5491	1988	
					3 m. KV ₂ power transformers (Project not identified)	24	4	
						1515	1992	

FOURTH PLAN

SCHEDULING OF PUBLIC SECTOR PROJECTS

	PROJECT	PROJECT NO.	64	65		67	68	69	70 	71 72	, , , , , , , , , , , , , , , , , , , 	
•	HEL - Bhopal B) TRANSFOR/KERS (Expansion) b) TRACTION MOTORS (Expansion)	1		DPR	ACC E O	cw	E É	PRDN		C		NO/AENCLATURE!
	TIRUCHI BOILERS (Expansion)	2		DPR	ACC	FO	C /A E E		PROM	0		ACC ACCEPTED BY GOVT. APP APPROVED BY GOVT. SS SITE SELECTION FS FEASIBILITY STUDY
	RAMACHANDRAPURAM MOTORS & TURBO BLOWERS	3		DP		cc	EO	C IV	P P P M			DPR DETAILED PROJECT REPORT PO APPOINTMENT PROJECT OF CA COLLABORATION AGREEME
	ASEA SWITCHGEAR	5		ACC	C IA	EO	PROM					ED EQUIPMENT DETAILS ED EQUIPMENT ORDERED EE EQUIPMENT ERECTION
	HEL- FOUNDRY FORGE	6	PPR 55	c /	Acc	E.O		E E		** DW		PRDIA PRODUCTION BUILD-UP A START OF PRODUCTION O FULL PRODUCTION
	NEW BOILER PLANT	7		FS	APP SS CA	DPR CO	ACC EO	cıv	E E	PRO		
	HEW HEL- ROTATING EQUIPMENT	8	D R	ACC CA COM	55		C /A	€ E			01	
	NON ROTATING EQUIPMENT	9		F 5	D > 1	ACC	EO	A	P 7 N			
	PASSENGER CAR/LIGHT COMMERCIAL VEHICLE	10		DISCUSSIONS	E' CA 55	DPR	EO CO:AP	C.1V	F 2	P 0 17 M	0	

NO.	PROJECT	PROJECT NO.	64	65	c _G	G)	68 69	70	71 72	7.5 .	
φ.	H M B P. RATIONALISATION	21 (c)				F.S.	APP	€ €	FR 3N		
,,	HEAVY MACHNERY ADDITIONAL CAPACITY	2.2				F. 5	APP DPR 53 A	E 0	g B		NOMENCLATURE: A.C.C. ACCEPTED BY GOVT, APP. APPROVED BY GOVT,
z	HEAVY PLATE & VEBBELS I	25		FROPOSAL	A P P 5 5 5 C A	PO CO		E.5	ADN O		SS SITE SELECTION FS FEASIBILITY STUDY TS TECHNO- ECONOMIC STUDY DPR DETAILED PROJECT REPORT.
3 .	HEAVY PLATE É VESSELS II	26.			F5 35	R	ACC EO COMP	E E	PRON		PO PROJECT REPORT CA COLLABORATION AGREEMENT. COMP. COMPANY PORMED CW CIVIL WORKS ED EQUIPMENT DETAILS
24.	FERTILIZERS E CHEMICAL EQUIPMENT	2.7		P 5 A PP	B5 COMP	<u>E</u> <u>O</u>	C W	PROM			EO EQUIPMENT ORDERED EE EQUIPMENT ERECTION. PRON, PRODUCTION BUILD UP: A START OF PRODUCTION
5,	HEAVY PUMPS & COMPRESSORS	2.8			PO PO	ACC CC 17	10	€ E			
6.	TEXTILE MACHINERY	ERY 29.									
7	PRINTING MACHINERY	30			F 5	С. ДРР Р	' 	COMPEO	C W	FRDN	
6	DIESEL ENGINES.	31.			TS PO	5 P R	ACC	EO E		PRDN	
			64	65	GG	67	68 69	70	7i 72	73	

NO.	PROJECT	PROJECT No:	4	
9	CAST IRON ROLLS.	3 2	PS PO DER COMP EC COMP EE COMP	
o.	FOUNDRY PORGE (WARDHA)	33	FS CA EE PACN. PO COMP COMP	HOMENCLATURE A.C.C. ACCEPTED BY GOVT. A.P.P. APPROVED BY GOVT.
	S S AM LESS PIPES.	34	APA COMP COMP COMP	SS SITE SELECTION. FS FEASIBILITY STUDY. TS TECHNO ECONOMIC STUDY DPR DETAILED PROJECT REPORT PO APPOINTMENT OF PROJECT OF
	BALL & ROLLER BEARINGS.	55	APR	CA COLLABORATION AGREEMENT COMP. COMPANY FORMED CW CIVIL WORKS ED EQUIPMENT DETAILS: EO EQUIPMENT OFDERD
5 .	GEARS.	5G .	PD 44C ES	PRON PRODUCTION BUILD UP A START OF PRODUCTION. O FULL PRODUCTION.
	HEAVY STRUCTURALS (TRIVENI)	37	OPR 56 EO EE ACC CA COMP CW	EQUIPMENT LIBT.
	GANTRY CRANES & HOIGTS	3 9	PS DPR FC CMP CM FREN O	
	HARBOUR & CONSTRUCTION CRANES	40	PO COMP FO CW CW CW C	

IMPLEMENTATION OF PUBLIC SECTOR PROJECTS

The Planning Group would like to again repeat that it attaches prime importance to creation of conditions for achieving maximum benefits in the shortest possible time from both existing and proposed projects. The problem can be divided in two broad heads: (a) preproduction phase and (b) production phase. These are discussed below:

I. IMPLEMENTED OF PROJECTS

A tentative time schedule for the new projects proposed for implementation during the Fourth Plan is shown in Appendix 'A'. The procedure for processing the projects is assumed to be, more or less, the same as exists today, except that certain steps not considered necessary in future have been omitted. In preparing this time table, the periods, allotted for various steps are considerably less than the actuals in the past based on the hope that all stages will follow smoothly without any bottlenecks or unnecessary delays. In spite of these optimistic assumptions, it will be seen that for most of the projects, construction cannot start in less than 2 to 3 years and the production cannot commence in less than 3½ to 4½ years. In respect of some projects, production may start only in the Fifth Plan. The Group feels that the procedure for processing the projects should be modified to shorten these periods considerably.

The very first step for achieving this aim would be to analyse whether it is necessary to go through all these steps in respect of all projects or in certain cases, the scope of some of the steps can be modified and some may be omitted altogether, without any adverse effect on the technical or financial aspects of the projects.

The various projects may be grouped in two broad categories:

- I. The industry is being established for the first time in the country or has been established only in recent past. This implies that the technical know-how or organisations to implement this industry does not exist in the country.
- II. The industry is well established in the country;
 - (a) but the technical know-how and organisations for establishing such industry is lacking,
 - (b) competent organisations equal to the task exist.

It can be concluded that, by and large, in case of category I projects, most of the help will have to be obtained from abroad, while in case of category II the extent and type of help will vary from case to case. Another factor which again influences the scope of external aid is the indigenous availability of capital equipment and the availability of foreign exchange for importing the balance of capital equipment from desired sources. To account for these factors, the projects may be divided into following categories:

- (1) projects for which external aid is required for construction, operation and financing;
- (2) projects for which aid is required for construction and operation, but not for financing.

- (3) projects for which aid is required only for establishing the plant.
- (4) projects for which only operational know-how has to be acquired.
- (5) projects for which only financial assistance is required.
- (6) projects for which no external aid is required.

In the first case where it is essential to obtain technical and financial aid, generally both are obtained from the same source. In this case the details of the equipment to be incorporated in the project, specifications of the plant and machinery and to a large extent, the prices of equipment are decided by the aid giving country. In spite of these factors and the lack of expertise in our country, generally an ad hec committee is appointed to pass judgement on the Report submitted by foreign experts. In the past some of the such ad hoc committees have provided valuable guidance. Yet while there is no assurance that the recommendations of the ad hoc committee will result in sound decisions, the implementation is certainly delayed. The Group feels that instead of ad hoc committees an Indian firm of engineers and consultants should be assigned this role, and they should be associated with the project till its completion. In order to check and ensure the economics of the project their scrutiny will be very helpful. Within these constraints it seems on the whole better to give foreign consultants a free hand in technical matters and hold them responsible for the promised production at promised cost. This may reduce the project implementation period and at the same time impart technical know-how to Indian engineers.

The Group feels that by modifying the procedure even in respect of these projects, processing time and expenditure in foreign exchange can be reduced without in any way jeopardising the soundness of the project. At the same time this may initiate a process by which expertise also may develop in the country.

For this purpose the Group feels that when the demand studies indicate the necessity of a project an Indian organisation (if considered necessary, help of a foreign organisation or experts may be solicited by the Indian organisation) should be asked to prepare a technical feasibility report. This report should be in greater details than the prevailing practice, specially the economic aspect of the project. In addition to the data included at present, it should contain information on (a) need and scope of collaboration, (b) possible and desirable collaborators, (c) possible and most suitable site, and (d) a draft memorandum of instructions for the preparation of the project report. (In case the project is already earmarked under any specific aid, association of some experts from aid giving country in the preparation of the feasibility study may be desirable). This Report should form the basis for administrative and financial decision by the Government on the implementation or otherwise of the project. As soon as this Report is accepted by the Government and a decision is taken in principle to go ahead with such a project several actions can be initiated simultanously, e.g., negotiations with the foreign collaborators, appointment of plant manager, land acquisition, financing arrangements etc. Once these formalities are over, the chosen foreign consultants may be asked to scrutinise and finalise the Project Report incorporating such modifications as they feel necessary.

Generally the practice has been that after the Project Report has been approved by the Government the agency is asked to go ahead with the preparation of working drawings. If this procedure is to be followed the Group feels that the scope and extent of details in the Detailed Project Report should be modified so that this Report could be completed in a much shorter period. Te proposal is that details like electrical wiring diagram, cross sectional drawings of buildings, air, gas and water supply piping diagrams, detailed bills of material etc. etc. should be deleted from the Report. These details are unnecessary for judging the technical or financial soundness of the project. At the same time they are insufficient even for the purpose of inviting tenders. For the purpose which normally a project report is supposed to serve, only the various parameters should be explicitly defined in the Report. For example, it must indicate the major details of the project, a list and broad specifications of major equipment, total investment, phasing of investment, foreign exchange, capacity, product mix, cost and phasing of production. It must indicate the details of power supply, energy consumption, the details of all inputs, space, transport, man power etc. but not those details which are repeated again and in greater details in the working drawings. Such a Report can be expected to be prepared in less than six months.

Such a document will enable the implementing authorities to scrutinise technical and financial aspect of the project, obtain financial sanction, and make arrangements for the provision of foreign exchange for procuring equipment and services from abroad and also place orders for the major part of equipment. If possibilities exist for obtaining such project reports and offers from more than one source, it will certainly be advantageous to get them.

Another advantage this procedure will offer is that while Working Drawings are being prepared, orders for the supply of equipment can be placed thereby shortening the pre-production period substantially.

Another modification the Group would like to suggest is in respect of division of work between Indian organisation and foreign consultants for the preparation of Working Drawings. It is suggested that Foreign Organisation should prepare the "scope drawings" and then pass them on to Indian organisation along with all necessary information for the preparation of detail drawings. In respect of civil engineering building construction, utilities and services, the knowhow in India is at par with advanced countries and Indian Organisations are naturally much better informed about various by-laws governing civil construction, electrical distribution system, water supply transport, etc in India. In respect of specialised designs; e.g. foundation of heavy machinery etc., the approval of collaborators/ machinery suppliers may be obtained. This procedure will, therefore, not only ensure better and readily acceptable designs but will ensure optimum utilisation of Indian material and effect substantial savings in time and foreign exchange.

In respect of other categories of projects the procedure will vary with each project. By and large, it is felt that if operational know-how is indigenously available, foreign assistance will be needed only for financing the imports. It certainly is possible that even though the expertise in the country is available it may not be on large enough scale to meet the entire load and as such some foreign help may become necessary for these industries also.

In case operational know-how is not available indigenously, the Group feels that the extent to which collaboration agreement should be entered should be carefully examined. In any case, the Group feels that feasibility reports and project reports should be entrusted to Indian Organisation as long as they have the capacity to meet the demand. If foreign help is considered necessary in executing these studies, it should be channelled through these Indian Organisations which should be entrusted with the responsibility of preparing these Reports.

As mentioned earlier, while the above detailed procedure may be accepted in principle the indigenous engineering, designing and drafting facilities may not be sufficient to meet the entire work load. The Group recommends that while steps should be taken to augment these facilities, a selective approach may be adopted in assigning the work to Indian parties in the following order of preference till the entire Indian capacity is fully occupied.

- (1) The projects for which no foreign technical aid is necessary
 - (a) majority of equipment is indigenously available,
 - (b) major portion of equipment has to be imported. Projects like seamless tubes, gears, etc. could be classified in this category.
- (2) The projects for which foreign assistance may be necessary only to the extent of procurements of designs and some technicians for teaching certain operational techniques. Projects like structural shops, crane shops, plate & vessel shops etc. could be classified in this category.
- (3) Rest of the projects. The larger the dependency on external help, the lower the priority they should be accorded for assigning it to an Indian party.

In this connection it is felt that our industrial development has reached a stage that while planning for new projects we should avoid entering into contracts with foreign parties for setting up composite plants the like of which already exist in the country. Because in such an arrangement it is likely that foreign party will ignore the aspect of coordination and will be unmindful of the nature of specialised equipment available elsewhere in the country which may not be even fully used. Since we have to conserve foreign exchange, a degree of care is necessary to ensure that a specialised equipment of an expensive nature is installed in a new unit only when it is found by reviewing the available resources that it is unavoidable.

II. PROJECT IMPLEMENTING AGENCY

The failure to appoint the top management group for the project as soon as the decision to proceed with it is taken causes good deal of delays. Fortunately in respect of some major industries there are already a few large corporations in the public sector, and it is suggested that in the early stages of new projects, the help of corporations dealing with an industry may be sought for organising the task. As the work develops a new nucleus can be formed. If no such agency exists then it will be necessary to appoint project authorities so that they could be associated with the project from a fairly early stage.

Since in the very early stage the work load may not justify appointment of an agency, at least a project officer should be assigned as soon as a firm decision is taken to implement the project.

The Group has recommended approximately forty schemes for implementation during the Fourth Plan. Out of these at least 22 schemes would require fresh implementing agencies. Since most of them are in embryonic stages, even appointment of project officers for each may not be necessary. It is suggested that all these projects should be aggregated into few groups comprising of projects of similar nature. Officers may be appointed for the intensive follow up of these groups of projects and as the project processing shapes up individual project officers may be appointed and gradually project implementing agencies may be developed around these officers. It is also suggested that the same groupings of similar projects be kept and corporations formed so that the same corporation looks after projects engaged in similar work or mainly catering to the needs of the same group of industries. This will enable better coordination of effort on similar work and reduce the need for a very large number of highest level management personnel.

III. PROJECT CONSTRUCTION AGENCIES

One factor that seems to create difficulties in the way of construction going ahead speedily is the failure to make arrangements for essential preliminary tasks in good time. It is hoped that with the early appointment of project personnel, as outlined above, the deficiencies might be eliminated.

In most projects a large part of the construction work is carried out through contractors. This is useful. These contractors, however, do not often have the capabilities for undertaking the construction of many major items of work which involve either special technical know-how or special equipment or both. This may be due to their not possessing the means to acquire these or because of the uncertainty about the continuity of jobs, on account of which they do not wish to risk larger liabilities. Another consequence is that most of the workers employed are either absorbed in the project in some capacity or are dispersed. The Group feels this is not a particularly happy way of developing construction skill and know-how in the country.

During the Fourth Plan over Rs. 5,000 million will be invested in public sector projects under this Department and another Rs. 8,000 million in private sector. The expenses incurred on construction and erection of machinery in public sector projects alone may exceed Rs. 75 million per annum. The Group feels that in view of the large programme establishment of a project construction organisation specialising in the erection of engineering industries projects should be given serious consideration. They may equip themselves adequately with necessary facilities and develop a cadre of skilled personnel on a continuing basis.

IV. MAXIMISING THE CAPACITY UTILISATION

This relates to the post construction phase. It has been the experience that the existing production capacity has been continuously under-utilised. The Group feels that perhaps not enough emphasis is being attached to the fullest utilisation of capacity already established or projected as compared to the establishment of additional capacity. In major projects, more especially heavy engineering projects, full production will not follow the establishment of physical manufacturing capacity, as a matter of natural course or even by offlux of time, but needs deliberate and sustained effort, not only at the plant, but elsewhere also. This involves building up design and engineering skills at the plant, and coordination between the user and the manufacturing units. Such coordination has to be not only intimate and continuing in the present, but with reference to plans and programmes several years ahead.

Insufficient supply of raw materials and foreign exchange for the Import of raw materials and components has been a major cause for under-utilisation of machine-building capacity. The Group would, therefore, like to draw the attention of concerned Ministries and Departments to this deficiency and hopes that effective steps will be taken to produce basic raw materials in sufficient quantities develop ancillary and auxiliary industries or plants for manufacturing specialised products on priority basis. At the same time the Group would like to point out that our industries are not following enthusiastically the policy of import substitution in the use of scarce raw materials. The industry is slow in adopting latest innovations which may result in substantial reductions in the requirements of raw materials. The Group feels that Government should take positive steps to ensure that all designs and technologies resulting these savings should be speedily adopted. However, till such time It is necessary that existing manufacturers are provided with adequate foreign exchange enabling them to operate the plants at full capacity. It will be easier for the authorities to allocate foreign exchange in the most judicious manner if all the manufacturers supply the details of their import requirements along with their production programme well in advance. In respect of general purpose machinery and equipment like standard machine tools, pumps and compressors, distribution transformers and motors, transport equipment, agricultural machinery and various intermediate products etc. this could be done easily on the basis of past sales, irrespective of whether or not the manufacturers have firm orders. However, a large variety of equipment are tailor made and unless firm orders with detailed

specifications are placed the manufacturers will be in no position to formulate a production programme. Heavy electrical equipment, metallurgical equipment, equipment for chemical industries, cranes, mining and drilling equipment, industrial plants etc. etc. fall into this category. Further, it happens that most of these equipment require two to three years, after order has been placed, for designing and machining before they could be delivered to the customers. Thus, in all probability plants like HEL and HEC cannot operate at optimum level unless they have orders for at least five years in advance and continuity of orders is maintained, thus emphasising the need for coordination between user and manufacturing units on an intimate and continuing basis.

Efforts at intermediate levels in various Ministries and Departments have not as yet yielded the desired results. Instances of mutually agreed solutions can be cited e.g., the manufacture and supply of 120 KW boiler and turbogenerator set involving a private firm, a public enterprise and a Government agency. At the same time examples of failures can also be given. No systematic formula has so far been devised to ensure a coordinated planning by the producers of the heavy capital equipment and the user industries even though in many cases both are Government agencies. While such ad hoc committee might continue to render useful service, it is felt this may not be the best way of handling these problems. The Group feels that a committee at high enough level should be entrusted on a continuing basis with the task of coordinating the supply of equipment to user industries ensuring the full utilisation of indigenous machine building capacity.

The second and very important aspect is the dvelopment of consultancy, designing and engineering organisations at appropriate places. The designing organisations required by various industries vary in type and scope. These are discussed in detail along with development plan for the particular industry later in the Report, while some aspects regarding the consultancy services have already been discussed earlier. Here only design and other facilities which machinery fabricators should develop are briefly discussed.

These could be grouped into two categories, viz. (a) suppliers of complete plant (not necessarily fabricators of all equipment) and (b) suppliers of equipment for certain sections of the plant. In the first group industrial plants like sugar plants, cement plants and paper plants etc. are included. In these industries even though the main plant manufacturers may fabricate only approximately 50 to 60 per cent of the equipment in the total plant supplied by them it is necessary for them to design the complete plant. In respect of bought out items normally it should not be necessary for them to prepare the manufacturing designs. In respect of these industries it is felt that though these facilities are developing, yet there is much to be desired. The main plant fabricators should have sufficient facilities to design all necessary equipment, manufacture certain equipment, purchase others, erect the plants and undertake the performance guarantee. In respect of the second category the position is not very happy. This group of equipment includes general-purpose ready made machi-

nery and tailor made machinery also needed for all kinds of industries including metallurgical and chemical industries, power transportation. The Group feels that machine building plants for these industries need not establish facilities for plant designs but develop expertise for designing individual pieces of equipment along with their necessary adjuncts. However, in certain cases it may be necessary to create facilities for the supply of identifiable units of the plant, for example, coke oven batteries, oxygen plant, material handling plant etc. on a turn-key basis. This generally holds true for plants manufacturing equipment for large industries like metallurgical industries, refineries and fertiliser plants, power plants etc. The various aspects of the facilities connected with these industries are discussed later in the Report. It has been observed that there are number of small general purpose fabrication shops in the country which can undertake the manufacture of various other equipment or components and parts provided they are supplied with designs and drawings. They themselves are not in a position to undertake the investments on these facilities. The Group would like therefore to recommend that (a) near complete plant manufacturers should have a full-fledged organisation to enable them to supply customers the plants on a turn key basis, (b) all such fabrication shops in the public sector should have a full-fledged design bureau attached to their shops, (c) they should develop a purchasing and commercial organisation so that some identifiable units of the plants could be supplied by them on turn-key basis, (d) large plants in private sectors should be urged to develop these facilities and (e) engineering and designing organisations should be encouraged so that the productive capacities of small fabricators could be fully exploited.

Another bottleneck is the capacity of trained personnel. Generally, public sector projects have training facilities, but not all private sector plants provide these facilities. The Group suggests that steps should be taken to ensure that private sector industries also fulfil their obligations. The Group further suggests that all industrial plants should make arrangements for the students to have some practical training in between academic sessions in these plants. It is felt that if public and private, enterprises join hands in establishing such facilities on a co-ordinated basis, this deficiency may be eliminated in the near future.

GROUP I

ELECTRICAL POWER EQUIPMENT

1. Introduction:

The capacity required for the manufacture of heavy electrical equipment has been estimated keeping in view of growth of power generating capacity in the country, the time lag between the production of these equipments and their commissioning in the generating and distribution systems, and the extent of utilisation of the established manufacturing capacity.

The data supplied to the group indicates that the annual rate of addition to the power generating capacity may be approximately 2, 3, 4 to 4.5 and 5 to 6 millions KW by 1965-66, 1970-71, 1975-76 and 1930-81 respectively. Taking into account the time taken for erection and commissioning period, the output of various equipments will have to keep ahead of the generating capacity and it is required to be approximately 2.3, 3.4, 4.5 and 6 million KW per annum respectively for the years specified above.

2. Demand and Existing capacity:

21.1. Turbo-generator sets.—The group of equipment may be divided into two main groups; viz. thermal and hydro. From the available data it appears that the average annual demand for hydro turbogenerators is not expected to exceed 1.5 million KW even upto the end of the 5th or 6th Plan. On the basis of known plans up to 1970-71 and on the understanding that beyond 1970-71, the addition to generating capacity by hydro power will average around 5 million KW for each plan period, it seems that the output of thermal generating sets, including for nuclear power stations, should be planned to be of the order of 1.6, 2.5, 3.5 and 5 million KW/year by 1965-66, 1970-71, 1975-76 and 1980-81 respectively.

At present there are three Heavy Electrical Equipment plants being set up to manufacture turbo-generator sets. The manufacturing capacities of these plants will be as follows:—

Plant	Hydro	Thermal	Total
Bhopal .	. 0.5	0.6	1.1
Hardwar .	. I · 2	t·5	2.7
Hyderabad	,	0.8	0.8
	1 · 7	2 9	4.6

TABLE I .- Turbo-generator sets-million KW.

This is an industry which inherently has a long gestation period and even after all the facilities in the plant are set up the production build-up takes a number of years before full capacity production can be achieved. It was, therefore, considered advisable to plan the manufacturing capacity on the assumption that by 1975-76, actual production would not exceed 90 per cent of the rated capacity. On this basis, it can be seen that while in respect of hydro turbo-generators, capacity already planned will be sufficient, in respect of thermal turbo-generators it will be necessary to plan additional capacity. To manufacture turbo-generator sets with an aggregate capacity of 3.5 million KW/year by 1975-76, it will be necessary to establish a capacity of about 4 million KW by 1970-71. This capacity should enable the country to be self-sufficient from about the middle of the Fifth Plan.

2.2. Power Boilers.—The output of boilers has to match the requirements of steam turbo-generators, which may be approximately 2.5 and 3.5 million KW per year by 1970-71 and 1975-76 respectively. To achieve an output of 3.5 million KW by 1975-76, it is suggested that a capacity of 3.7 million KW may be planned for 1970-71. It is estimated that with the establishment of this capacity by 1970-71, it may be possible to be self-sufficient in respect of this item during the Fifth Plan period.

At present there are two major units in the field of power boilers; the capacities are given below:—

 AVB Works, Durgapur HEL, Tiruchi 	0.35 million KW/year 0.75 million KW/year
Total	1.1 million KW/year

Thus, it will be necessary to plan for an additional capacity of 2.6 million KW/year during the Fourth Plan period.

2.3. Transformers.—For an annual addition of 2, 3, and 4 million KW generating capacity the requirements of transformers as estimated by the Group are reproduced below:—

TABLE 2.—Requirements of Transformers (million KWA)

	66-67	70-71	75-76
1. Estimated addition to generating capacity—million KW	2.0	3.0	4.0
2. Estimated demand for transformers —66 KV and above.	8·o	I2 0	16.0
3. Estimated demand for transformers —33 KV & below	5.2	7.8	10-4

Taking into consideration the time taken for production buildup in new plants, and the time lapse between the production buildcommissioning of transformers it is suggested that a capacity to produce 15 million KVA for transformers classified as 66 KV and above and 9 million KVA for transformers below 33 KV should be able to meet the entire demand. At present in the public sector facilities exist only at Bhopal plant which has a capacity to produce transformers (above 33 KV) with an aggregate capacity of 3.0 million KVA. While, broadly speaking, it was envisaged that public sector will concentrate in the manufacture of transformers of sizes over 33 KV and private sector will produce sizes below 33 KV, some private firms have established capacities to manufacture transformers in the range over 33 KV also. The total capacity in the private sector is reckoned at about 2.9 million KVA, of which about one million KVA is for transformers in the higher ranges.

Thus, the gap that has to be filled during the Fourth Plan will be:

1. Transformers 66 KV and above

11 million KVA

2. Transformers upto 33 KV

7.1 million KVA.

2.4. Motors—Industrial.—On the basis of overall power development programme, the proportion of power consumption by industries and agriculture, the load factor between the power demand and the installed motor capacity in industries and a broad division between motors in the bigger and smaller ranges. The Group has assessed that the demand for motors will increase to about 5 million KW per annum by 1970-71, of which approximately 2 million KW is estimated to be for motors above 150 KW. Accordingly, a capacity target of 6 million KW is suggested, 2 million KW for motors above 150 KW and 4 million KV for motors upto 150 KW.

By and large the capacity available in the private sector is for motor in sizes below 150 KW. This capacity is estimated to be about 1.2 million KW by 1965-66 and as such, an additional capacity of 2.8 million KW will have to be established during the Fourth Plan period.

In regard to large motors, Bhopal and Hardwar plants are establishing facilities to manufacture motors aggregating to about 740,000 KW, even though by 1965-66 the established capacity is not expected to exceed 250,000 KW. Thus the gap that has to be filled by establishing additional capacity is approximately 1.25 million KW.

- 2.5. Traction Equipment.—The Railways are planning to manufacture 300 motors for A.C. freight locomotives at Chittaranjan works and procure traction equipment for Diesel locomotives and EMVs from Bhopal. The facilities at Bhopal plant were planned to manufacture about 800 traction motors annually. In view of the enhanced requirements emerging now, it will be necessary to establish capacity to manufacture approximately 2,000 motors, generators etc., by the end of the Fourth Plan. Thus an additional capacity for 1,200 units will have to be established during the IV Plan.
- 2.6. Capacitors.—The Group has estimated that there will be an annual average demand of 330,000 and 700,000 KVAR for synchronous condensers during the Fourth and Fifth Plans respectively. In Western countries, there has been a switch over from

synchronous condenser to static condenser, along with its automatic switching arrangement. The Group is of the view that India may not go in a big way in adopting static condensers in their power generating system. Keeping these various factors in view, a capacity target of 300,000 million KVAR for synchronous condensers and one million KVAR for static capacitors (all ranges) has been recommended.

The Heavy Electrical Plant at Bhopal is the only unit in the country with facilities to manufacture synchronous condensers. Its capacity is for 90,000 KVAR. For static capacitors, a capcity to produce capacitors of 150,000 KW capacity is likely to materialise by 1965-66.

Thus during the Fourth Plan an additional capacity for approximately 210,000 KVAR synchronous condensers and for 850,000 KVAR static condensers will have to be established.

2.7. Switchgear and Control gear.—This group of equipment includes all types of circuit breakers and control gears required in generation, distribution and utilisation of electrical energy and therefore covers a wide range of equipment. The Report of the Working Group has analysed the requirements of these various categories in detail and suggested development plans for them. For the purpose of this report, the total requirements have been converted into value terms and the aggregate figures are given here.

From the available data it appears that the installed capacity for the manufacture of this group of equipment will be of the order of Rs. 180 million by the end of III Plan. A capacity target of Rs. 650 million has been suggested for 1970-71.

3. Fourth Plan Programme:

3.1. Turbo-generators.—In respect of hydro turbo-generator sets, as pointed out earlier, the capacity being established at Hardwar and Bhopal Heavy Electrical Plants will be sufficient to meet our entire requirements when these plants achieve full production.

In respect of Thermal turbo-generators, it is felt that additional capacity of around one million KW should be established during the Fourth Plan period. Since the present under construction plants will reach their capacity production only during Fifth Plan period, it is difficult to foresee the extent to which these plants can be expanded. The output, however, is quite likely to be in excess of the capacities indicated since later units of much larger sizes will be manufactured in these plants. This aspect should be thoroughly investigated and if still a gap remains steps should be initiated immediately to establish fresh capacity. Accordingly, it is suggested that a new plant should be initiated during this Plan period. specialising in higher ranges, i.e., in unit sizes over 200 MW and these suitable for nuclear power plants. The Planning Group, however, feels that first efforts should be directed towards achieving maximum possible, production from existing plants in shortest possible time. If possible, all necessary steps should be taken to meet the entire demand from existing plants, both quantitatively and qualitatively.

3.2. Power Boilers.—The additional capacity of 2.6 million KW to be established during the Fourth Plan period will be obtained partly by expansion of existing plants and partly by a new unit. It is expected that AVB works will expand their manufacturing capacity to 0.5 million KW per year. Studies a examine the expansion of Tiruchi boiler plant, Studies are under way Only after the report of the experts studying Tiruchi expansion is available can a firm view about its final capacity be taken. At present it has been centatively assumed that this plant is capable of being expanded to 1.5 to 2 million KW. It is further assumed that some of the units in private sector, at present engaged in the manufacture of Industrial boilers, may contribute upto 200,000 KW per annum by 1970-71. An analysis of the power development plan indicates that the demand for boilers required for turbo-generator units of sizes below 200 MW may not exceed 2-2.25 million KW per annum. The rest of the demand will be for boilers to match the large size turbines planned to be manufactured in the Hardwar plant and in the new proposed plant. Thus qualitative analysis indicates that it may not be desirable to expand the facilities at Tiruchi plant to beyond 1.5 million KW. If that plant still has spare capacity, it seems better to utilize it for the fabrication of high pressure equipment for chemical industries.

For meeting the requirements of higher size boilers it is suggested that a new plant of capacity 1.5 million KW/year may be installed. It is suggested that this plant should specialise in the manufacture of boilers of higher capacities, i.e., those suitable for turbo-generator sets of 200 MW and above and, if possible, the steam raising equipment for nuclear power stations.

3.3. Transformers

1. Above 33 KV.—The gap of 11 million KVA in this range is planned to be filled by (a) expanding the capacity at Bhopal HEL from 3 million KVA to 6 million KVA, (b) establishing a new plant of capacity 6 million KVA at Hyderabad and (c) by allowing the private sector to expand their production by another 2 million KVA.

In this connection it may be mentioned that when setting up additional capacity for the manufacture of transformers, the possibility of including the manufacture of other non-rotating electrical equipment in this plant may also be kept in view.

2. Below 33 KV.—The gap in this range also is quite high and expansion by about 4.5 times is required to meet the anticipated demand. The Working Group is of view that the private sector would be able to establish targetted capacity and hence no public sector project is recommended. However, in the light of such large scale expansion and the implication of technological innovations such as use of cold rolled grain oriented sheets, these recommendations may have to be reviewed at an appropriate time.

3.4. Motors

1. Above 150 KW.—The additional capacity required to meet the Fourth Plan targets is approximately 1.25 million KW. It is proposed that facilities should be established at Ramachandrapuram

plant to manufacture large industrial motors with a total capacity of 0.5 million KW per year. For the rest, it is proposed that the new heavy electric plant for the manufacture of thermal turbogenerator set should also establish capacity to produce motors sufficient to meet the balance of requirements.

- 2. Below 150 KW.—The present thinking is that, by and large, the production of these motors should be left to the private sector. However, in view of (a) the rapid expansion envisaged and (b) the poor progress shown so far in adopting more compact and efficient designs and in economic use of scarce raw materials, this position may have to be reviewed at an early date.
- 3.5. Traction Motors.—The Bhopal plant has at present a capacity to manufacture 800 motors per annum. It is recommended that this plant be enlarged to a capacity of 2,000 Nos. per annum.

3.6. Capacitors.—

- (a) Synchronous condensors.—It is suggested that the new heavy electrical plant for rotating equipment should establish sufficient capacity for the manufacture of synchronous condensors to meet the demand in conjunction with the Bhopal plant, which will be the only other unit in the country manufacturing synchronous condensors.
- (b) Static capacitors.—In view of the large gap of about 850,000 million KVAR, that has to be met during the Fourth Plan, it is suggested that a capacity to manufacture capacitors of 0.4 to 0.5 million KVAR capacity per annum may be established in the public sector. It is further recommended that inclusion of its production in the new transformer plant should be examined.

It is presumed that the private sector will be able to expand its production to meet the remaining gap.

- 3.7. Switch Gear and Control Gear.—At present, Bhopal HEL is the only public sector plant which has facilities to manufacture switch gears and control gears of large capacities. Recently, a proposal of Bhopal HEL to manufacture 132/230 KV air blast circuit breakers, in collaboration with ASEA has been finalised. The Group recommends its implementation with the utmost speed. In view of the large gap, the Group has recommended that possibility of producing these equipments, suitable for high tension operations, of a total value of approximately Rs. 150 million should be considered. Accordingly, it is recommended that possibility of setting up a new unit for heavy electrical stationary equipment may be examined. This plant may include the production of:—
 - (a) transformers—6 m KVAR.
 - (b) capacitors—0.4 m KVAR.
 - and (c) switch gear and control gear and silicon rectifiers—Rs. 150 million capacity to be assumed.

If this product mix does not present any definite advantages, then the group recommends that plants specialising in one type of product may be examined for speedy implementation.

4. Investment

Table No. 3 shows the capacities covered under Third Plan schemes and additional capacities that will have to be established during the Fourth Plan period. In many cases, the Third Plan schemes will not be completed before end of Third Plan and such listed capacities will not be installed by 1965-66. Accordingly the investment shown for Fourth Plan includes the outlay required for completing the Third Plan public sector schemes also. This table summarises the development of programme for the Heavy Electrical equipment.

46

TABLE 3.—Development of Heavy Electrical Equipment

Items	Unit	19	70-71	III Plan	Gap	Total F. E.	Estimated	output
		Demand	Capacity	- scheme capacity		investment Rs. million	1965-66	1970-71
z. Boilers mill	l. KW.	2.5	3.7	1.1	2.6	300	0.3	z· 5
2. Turbines steam ,	,,	2.5	4.0	2.9	1.1	400	••	2.71
3. Turbines-hydro	30	1.0	1.7	1.7	• •	105	nii.	1.0
4. Generators-steam ,	,,	2.5	4.0	2.9	1 · I	}	nil.	
Sync. condensors M. K	CVAR	0.3	0.3	0.09	0.31	} 230	nu.	0.09
g. Generators-hydro Mil	1. KW	1.0	1.7	1.7		105	nil.	1.0
5. Motors above 150 KW.	,,	2.0	2.0	0.75	1.25	266 J	1.68	1.75
. Motors below 150 KW . ,	10	3.0	4.0	1.8	2.3	150		3.00
. Traction Motors Nos	3.	2000	2000	800	1200	40	439	1800
Transformers above 33 KV M.	KVA	12	15.0	4.0	11	156]	6.0	. 10
o. Transformers below 33 KV.	•	7.8	9.0	1.9	7·I	140	5.9	8
r. Capacitors M.	KVAR.	o·8	1.0	0.12	0.85	45	0.14	c-6
2. Switchgear/conrtol gear. Rs.	. mill.	500	650	180	470	400	160	400
3. sc. incl. F.E	>>					- 290		
-				TOTAL		2627 includes	spill over in p	ublic secto

Specific projects in the Public Sector and the Corresponding Investments

Project	cope				Investmen Rs. million					
I. Third Plan Schemes completic	n of :				•			,		
r. Bhopal										25
2. Tiruchi					•		•			10
3. Ramachandrapuram .	•						•			87
4. Hardwar							•			510
				Тота	L					622
II. New Schemes:										
r. Bhopal:										
Power Transformers—expa traction Transformer.	nsion 8	ķ	3 mil	lion K	CVA to	o 6 mi	llion F	ζVA	•	32
Traction motors—expansion			800 to	2000	Nos.		•	•		39
Balancing facilities, stores, too	ols, etc.									26
Steam turbine facilities .	٠									150
2. Tiruchi:										
Expansion	•		from o				0 1 · 5	to		
3. Ramachandrapuram:			2	millio	n Kv	٧.	•	•		110
Large size motors, turbo blowe	ers		0.5 m	illion	KW.					40
4. High tension switch gear pro	ject		Air bi 132/2	ast ci 30 KV						25
5. New unit for electrical rotatin	g equipn	nei	syn	. cor ustrial	idensc	ors la	enerat irge s o mill	size		350
6. New unit for heavy electrical rotating equipment.	non-		Transf Cap Sw 150	acitor itchge	8 0	4 m.	/A KV. l gear	AR Rs.	}	250
7. New power boiler plant .	•		I · o to	1·5 r	nillior	ı KW	•	•		180
8. Foundry Forge for Heavy Ele Equipment	ctrical •		Steel of							210
			Total Grant			НЕМЕ	s .			1262 1894
			the	ver tra	ansfor je <mark>ct</mark>	mers	IKVA for w not l	hich		24
										1918
										- 7.0

RAW MATERIALS AND COMPONENTS

The requirements of components and raw materials, commensurate with the installed capacity for the manufacture of heavy electrical equipment by 1970-71 are summarised below:

Requirements of raw materials and equipment

Item			Unit	Annual requirements
1. Steel castings			. Tonnes	26,000
2. Steel forgings			. Tonnes	24,000
3. Tubes			. Tonnes	35,000
4. Boiler quality plates and other spec	cial st	te el	•	
5. Conductors			. Tonnes	4,000
6. Transformers strip wires .			. Tonnes	30,000
7. Enamelled wires & stripes .		•	. Tonnes	25,000
8. Transformer grade electrical sheet	8		. Tonnes	55,000
9. Dynamic grade electrical sheets			. Tonnes	135,000
to. Stampings for rotating equipment			. Tonnes	60,000
11. Transformer lamination .			. Tonnes	40,000
12. Porcelain for bushing & insula	lors.			
13. Insulating material				
14. Tissue paper and aluminium foil			•	
15. Instruments, meter, relays, etc.		•	•	
16. General engineering items		•	•	

In order to meet the requirements of castings and forgings a plant is contemplated in the public sector. It is expected that with the commissioning of this plant there will be no gap left. While it seems there will be no difficulty in procuring tube indigenously the supply position of quality plates for boilers is a cause of concern. In respect of wires and strips capacity is insufficient specially for multi-layer electrical sheet no arrangements so far been made for the production of cold rolled grain oriented sheets. Even in respect of dynamo grade sheets capacity is insufficient Sankey Electrical Stampings Ltd. are the principal producers of lamination and stampings in the private sector. In the public sector Bhopal and Hyderabad units have these facilities. On the whole it is felt that additional capacity will have to be established to meet the demand. The largest deficiency exists

in respect of insulating materials. It will be necessary to make arrangement for the supply of latest types of insulating insterials which are now replacing older techniques, e.g. using class E type insulation in the manufacture of motors. Tissue paper and aluminium foil are required for the manufacture of condensors. The quality of these products as now produced in India is not suitable for this purpose.

Public sector plants are being established to manufacture various types of instruments. Instrument plants are established in private sector also, but it is not clear whether these plants cover all types and ranges required in power plants. Besides manufacturing of instruments the major problem is "instrumentation engineering" facilities. Unless these facilities are provided instruments might have to be imported.

In regard to general engineering items the Working Group has pointed out that the manufacture of Feed waterheaters Economisers, Air pre-heaters, etc., would have to be obtained from outside as these are outside the scope of HEL programme. The Planning Group does not agree with this promise. It is felt that the Tiruchi Boiler Plant should undertake the manufacture of these items also. In respect of other items, the Working Group feels private sector may establish sufficient capacity. In any case the situation should be reviewed again.

GROUP II

TRANSPORT EQUIPMENT

The assessment of the requirements of various types of transport equipment has to be based on a comprehensive view of the growth of the economy; the related growth of goods and passenger traffic; economics and technology of transport etc., unless the programme of development of other sectors of economy are finalised, the assessment of transport equipment remains tentative. Based on several studies done in the past year on the growth of traffic, the Working Group adopted the following pattern for estimating the demand for transport equipment.

TABLE I

1. Volume of Good	ds traffic			1970-71
Total—billion to	onne kilometers	-approx. of which	ı	300
Railways	1)	")	184
" (originating	traffic million t	connes billion tonn	e kilometers)	365
Motor transport	.,,	**	11	70
Others	"	**	33	20
2. Volume of passeng	ger traffic			
Total—billion	passenger kilon	ncters—approx. of	which	260
Railways	**	,, <u>,</u>	1)	120
Motor transport		3)	**	140

Road Transport

While assessing the demand for transport equipment and suggesting a production programme the Group took full cognizance of the dominating role transport plays in vitalising the economy of a country. Assuming the above stated volume of traffic will materialize and taking into account the Defence requirements, the following production programme for the road transport equipment has been suggested.

TABLE 2.—Road transport equipment.

Type of vehicle

- , .								1970-71	
						•	Demand	Capacity	Production
τ.	Commercial vehicles Total—Nos.		•		•	•	120,000	1, 20,000	110,00
	of which over 9 tonners	•		•	•	•	5,000	5,000	5,cco [']
	3—9 tonners			•		•	85,000	85,000	80,cco
	below 3 tonners						30,000	30,00	25,000
2.	Passenger vehicles Total—Nos.				•		100,000	100,000	80,00
	of which jeeps Nos.				•		20,000	20,000	20,000
	cars Nos						80,000	80,000	60,000
3.	Motor cycles/scooters etc	No.					150,000	150,000	150,000
4.	Ancillaries—Rs. million						1,500	2,00	1,500

If the above programme is implemented, the growth of the automobile industry over the 20 years of planned development in the country will be as shown below:

Types of vehicles	1950-51		1955-56	1960-61	1965-66	1970-71
Commercial vehicles		8,600	9,900	28,200	42,250	110,000
Jeeps & Cars	-	7,900	15,400	26,600	35,000	80,000
Motor cycles/scooters etc.		Nil	1,500	18,000	50,000	150,000

The working Group has recommended a production target of 8,000 trailers by 1970/1971 however the Planning Group feels that 15,000 nos. will be a better target.

Investment

For establishing the desired production capacity by 1970-71, the investment required during the Fourth Plan will be as follows:—

I. Main manufacturers

Rs.

			'						1701
Tot	al for	Fourth	Plar	١.		•	•		1150 million
of v	vhich	foreign	exch	ange	•			•	612 million
Spil	l ove	r,	•				•	•	234 million
of v	vhich	foreign	exch	ange	•	•	•		130 million
2. Ancilla	ıry m	anufacti	ners						
Tot	al .	•						•	300 million
of '	which	foreign	excl	nange	•				138 million
<u> </u>			1 4		,				

Out of this total foreign exchange requirements of Rs. 880 million, commitments have already been made for Rs. 304 million. Out of which approximately Rs. 175 million will have been spent before the end of III Plan, rest is shown above as committed spill over. Thus

it will be necessary to arrange Rs. 750 million in foreign exchange for the import of capital goods during the first two years of the Fourth Plan.

Mantenance Imports

For the production of automobile and ancillaries at the suggested level, it will be necessary to import components, parts and raw materials. During this period, the indigenous content is expected to rise from 90 per cent to 95 per cent. The foreign exchange required for the import of raw materials is computed on existing availability. The requirements of foreign exchange for this purpose will decrease to the extent of increased availability of raw materials indigenously.

TABLE 3.—Foreign exchange required on maintenance account during IV Plan.

(Rs. million) 1966-67 1967-68 1968-69 1969-70 1970-71 I. Main manufacturers (a) Components 104 126 99 (b) Raw materials 464 182 197 272 358 2. Ancillary manufacturers Row materials 110 126 171 181 225 TOTAL 396 472 544 665 818

The total annual requirements of ferrous products by 1970-71, required by main manufacturers, including ordnance factories, are expected to be approximately as follows:—

TABLE 4.—Estimated annual requirements of ferrous products 1970-71

Category			Quantity (tonnes)						
Sheets & plates		-11-3			•	•	•	•	180,000
Bars, billets, tul Fotal		olica	sectio						200,000
of which carbon	steel			•	•		•	•	90,000
alloy steel .	•						·		110,000
Steel castings	•		•						7,500
Iron castings									90,000

Man Power Requirements

It is estimated that a total number of approximately 50,000 persons may be absorbed by automobile industry excluding the ancillary manufacturers for which no data were available.

According to existing pattern, semi-skilled and skilled personnel constitute approximately 52 per cent of the total strength. However, it is felt that in the additional employment, the percentage of skilled and semi-skilled workers may be as high as 75 per cent.

Railways

Based on the assumption that the originating goods traffic would increase to about 365 million tonnes by 1970-71 and the passenger traffic to increase by 4 per cent per annum over the plan period, Railway Board has assessed the requirements of rolling stock as given below:—

TABLE 5.—Requirements of rolling stock for Railways... Fourth Plan period.

Item	Item Additiona					Additional	Replacement	Total		
I. Locomotive					-					
(i) Steam			•		•			Nil	804	804
(ii) Diesel	•		•			•		• •	• •	1,158
(iii) Electi	ric	•	•	•	•	•	•	555	57	612
II. Wagons	•		•	•		•	•	155,700	59,900	215,600
III. Coacnes	•		•	•	•	•		9,710	8,090	17.800
IV. EMJ	•	•	•	•		•		699	158	857
V. Rail Cars								400	Nil	40

^{*}The figures for steam/diesel/electric locos are approximate and the inter se num lor may change.

According to the plans made by Railways, the plants they are establishing will be in a position to manufacture annually 250 diesel locomotives and 150 electric locomotives by 1970-71. Except Talco, locomotive manufacturing facilities are in public sector. It is expected that by 1970-71 India will be, more or less, self-sufficient in respect of all rolling stock required by the Railways. Since the Ministry of Railways is incharge of the development of these items, their development programme is not discussed here. However, a number of ancillary items and components will have to be produced out side Railway plants and these are discussed in the Working Group's Report. The DGTD is studying the possibility of producing these items in the country. Wagon manufacturing is mostly confined to the private sector. It is estimated that by 1965-66, a capacity to produce 40,000 wagons (in terms of four wheelers) will have been established in the country. It is recommended that by 1970-71 this capacity should be increased to 55,000 nos. for which an investment of Rs. 45 million may suffice.

General Recommendations

The Group feels that light duty commercial vehicles have not been allowed to play their role properly in this country. The Group recommends that a total production of 30,000 per annum should be reached by 1970-71. Group feels that the additional passenger vehicle production capacity should be obtained by concentration in one plant rather than by piecemeal expansion of existing plants. Group suggests that, in order to reduce the production cost of the additional capacity, the production of light duty trucks and passenger vehicles muy be included in one and the same plant. These two vehicles should use the same engine (with different bore sizes) and transmission. If possible, production of industrial trucks, delivery vans, ambulances etc. also may be included in the production programme of this plant. The engine, transmission and many other parts, of course, should be common to all products of this plant. The Group likes to emphasise the fact that the existing facilities for car production in India are out-dated and expensive. The car demand is bound to grow and unless proper actions are taken now, it will not be possible ever to take advantage of the economy of size. The investment that will be made during the next decade will be much more than the existing figure; therefore, care should be taken that the existing investment does not prove a hurdle in rationalising the manufacturing facilities in this industry.

It is felt that the bullock carts will continue to play major role in the economy of rural areas. It is recommended that their efficiency should be improved by providing them pneumatic wheel assembly at reasonably low cost.

GROUP III

STEEL AND METALLURGICAL EQUIPMENT

The pivotal role occupied by iron and steel industries in the economy of country places the metallurgical equipment industry in a very important position. Since the iron and steel industry will be growing at the present or even faster pace for decades to come, it is obviously necessary that machine building industry should be geared to meet these requirements. But equally clearly there are limits to this pace of development of the indigenous industry, taking into account all the connected problems of investment, technical and technological skills, consolidation of established capacity and its fullest utilisation as quickly as possible. On the other hand, it has to be ensured that such inevitable limitations on the growth of indigenous machine building potential does not retard the development of metallurgical industries themselves. Though in a fully developed technological stage, there will be no such dilemma, in the present stage of development in our country, these different purposes and objectives need to be properly reconciled. The Group attaches the greatest importance to the striking of a proper balance in this connection.

The Working Group has assumed that the steel production capacity will be increasing at the rate of 2 million ingot tonnes per annum. Of this, one million tonnes will be by establishing new capacity and another million tonnes by expansion of existing plants. On these assumptions, the Working Group has assessed the average annual requirements of equipment as given below:—

APPROXIMATE AVERAGE ANNUAL REQUIREMENTS FOURTH PLAN
Tonnes 'Year

Group of equipment		_		Total	Of type included in HMBP programme	HMB capacity
I. Cike Oven and by-product plant				22,500	13,700	7,700
2. Sintering plant				5,500		• •
3. Blast furnace				19,000	10,000	5,500
4. Refractory material plant .				3,000		
5. Steel melt shop		•		30,000	14,000	7,000
6. Rolling mills				55,000	46,000	34,500
7. Ancillary services	•	•		10,000		
8. Crushing and grinding equipmen	t.			10,000	7,000	3.150
g. Cranes				11,000	9,000	6,570
10. Electrical and power equipment				25,000		
11. Transport equipment		•		n.a.		
12. Pure structurals				1,50,000	• •	
13. Piping				12,000	• •	
14. General engineering equipment	•	•	•	5,000	• •	• •
Total—(rounded)				360,000	100,000	65,00
Spares etc	•	•	•	15,000	8,000	1,10
Тота	L.			375,000	108,000	66,00

In regard to structurals, piping and transport equipment, the Working Group has made recommendations and it is felt that if the recommendations are adopted, then we will be, by and large, selfsufficient in respect of these items. The main problems arise in regard to mechanical and electrical equipment. Four heavy electrical equipment plants in the public sector are in various stages of construction. It is expected that when these plants reach their rated output, indigenous industry will be in a position to meet almost all the requirements of electrical equipment for steel industry. of course, is on the assumption that the mechanical equipment, of which electrical equipment forms part of or is associated with, will be manufactured in India. Otherwise, certain electrical equipment may have to be imported as part of connected mechanical equipment which is imported. Thus restricting the import of electrical equipment depends to a great extent on the development of mechanical equipment production.

Thus, the main group of equipment which may continue to be source of drain on foreign exchange seems mechanical equipment. It appears that if the indigenous industry supplies all mechanical equipment required by iron and steel industry, we may become, more or less, independent of imports for developing metallurgical industries.

This group of equipment (mechanical equipment) has been divided into two main categories—one comprising these which are included in the production programme of HMBP, and the other covering the rest.

The Heavy machine Building Plant at Ranchi has a capacity to fabricate 80,000 tonnes of equipment, of which approximately 65,000 tonnes is for iron and steel industry. A million ton steel plant has approximately this quantity of equipment in it. If the rest of the equipment is available in the country, HMBP can supply a complete one million ton steel plant every year from indigenous sources. The requirements are however close to 100,000 tonnes per annum, since the steel production capacity is planned to increase at the rate of 2 million tonnes per annum. This shows clearly the necessity of expanding suitably the capacity for the manufacture of this group of equipment.

It is estimated that by 1966, all machinery and equipment will have been installed in HMBP. The Group has estimated that by 1973, the annual output of the plant will reach capacity production. It appears that while it may be possible to shorten this period by a year or two, it generally takes a plant of this nature a number of years before it can reach optimum production level. The reasons are discussed in the working Group's report. In view of this long gestation period, the Group has for the present neither recommended the doubling of the HMBP capacity, nor establishing another similar plant even on a smaller scale. The Group feels that following approach might be most appropriate:—

(a) Allow HMBP to follow the production programme as given in the DPR for say, 3 or 4 years.

- (b) While following the agreed production programme, the plant may farm out the fabrication of smaller and lighter items, thereby increasing its output of heavier items and in turn, the total output of heavier equipment.
- (c) After a couple of years of operational experience, try to reduce the production of non-metallurgical equipment, and correspondingly increase the output of metallurgical equipment, even if it involves addition of some balancing equipment.
- (d) Lastly, the possibility of only manufacturing metallurgical equipment in this plant may be considered. It is estimated that by marginal expansion of this plant; i.e. by adding certain balancing facilities, this plant may be able to produce approximately 100,000 tonnes of equipment every year and as more experience is gained, output may further increase.
- (e) Along with the rationalisation programme as suggested in (d) above, steps should be taken to set up units for the production of items withdrawn from HMBP production programme, to which may be added manufacture of suitable types of other specialised metallurgical equipment, to make the plants as a whole, economic and well-proportioned, apart from filling in the relevant gaps in the requirements of such machineries for the country's needs.

In order to accomplish the above aims, it is suggested that a competent body be assigned the task of studying the HMBP production for the next two or three years with the aim of suggesting the most appropriate manner in which the output of heavy machinery can be increased to meet our requirements in the shortest possible time.

Technological structurals (e.g. blast furnace shell) is another item where further facilities will have to be developed. It may be noted that facilities available with M/s. Utmals are complimentary to HMBP and as such a close liaison should be established between the two. Besides this it will be necessary for HMBP to increase its technological structural fabrication capacity.

Regarding building structurals, the Group strongly feels that we should strive not only for self-sufficiency, but also some exports. The Group feels that as a rule n structural plant of capacity of around 25,000 tonnes per annum should precede the construction of an iron and steel complex on a new site both to serve the needs of that steel plant in the first instance and then on a permanent basis, contribute to additional heavy structural expacity, based on the supply of steel on the spet.

General purpose machinery and equipment are produced in the country in various sizes and designs. For most of the equipment, plans are under way for their manufacture in sizes and designs acceptable to steel plants. At present, however, many of these equipment are not produced in sizes and designs required by steel plants, and it is felt that unless HMBP becomes the main supplier of plant

and equipment to steel industry, growth of these other engineering equipment will remain uncertain.

Turbo blower is one item which is mainly required for the production of iron, but is not included in the manufacturing programme of HMBP. The Heavy Electricals Equipment Plant at Ramachandrapuram is in a position to manufacture these equipment with, more or less, existing facilities. The Group strongly recommends that BHEL should be urged to undertake the manufacture of this item expeditiously.

From the available information, it appears that physical facilities to manufacture most of the equipment required in a steel plant are established or are being established. In case of certain equipments, the capacity is sufficient and in case of other some expansion may becomes necessary. However, actual production seems well below capabilities and this underutilisation is attributed to lack of orders. It appears while the buyers have reservations about putting their faith in indigenously manufactured equipment, produced necessarily for the first time in India, the main reason seems to be that while manufacturing facilities are being established, the associated facilities like design and engineering services, an organisation which could produce component parts and equipment and supply a complete plant, etc. etc. are lagging far behind. The Working Group has discussed this problem in some detail, but this Group feels that this problem needs much more extensive and deeper study and more clear-cut recommendations. The Group therefore recommends that this aspect be studied explicitly and necessary steps should be initiated for establishing the necessary organisation at appropriate places so that optimum use could be made of indigenous manufacturing capacity.

The Group attaches the highest importance to the maximination of production from existing facilities. It can be easily seen that a plant like HMBP, built mainly to produce such heavy equipment which require 20 to 30 months of processing in various shops, can maximise its production only if it has orders for at least five years and continuity of orders is maintained. Repeat orders would, of course, further increase the productivity. But unless this sort of perspective planning is done, the nature of manufacturing process is such that plant will not be able to achieve a high degree of utilisation of the capacity.

In this report the Working Group has another suggestion to offer. It feels that while it should not disturb its production programme of main equipment (e.g. blast furnace equipment, rolling mills, etc.), it should try to manufacture independent items of equipment; e.g. cranes, ladle cars, charging cars, crushing and grinding equipment etc. etc. in sufficient quantities to meet the entire demand as early as possible. Then in respect of such items import should be completely banned.

It is estimated that approximately Rs. 555 million will be spent during the Fourth Plan for completing the Foundry Forge & HMBP, of which the import content will be Rs. 86 million. For the supplies

coming from USSR and Czechoslovakia, payment will be in rupces. Besides this expenditure, the Group has suggested an ad hoc provision of Rs. 20 million for the rationalisation of HMBP's production programme. If it is decided that at a later date, HMBP should concentrate only on certain metallurgical equipment, new plants may have to be set up specialising in the production of other specific equipment going out of HMBP's programme. For this purpose, an ad hoc provision of Rs. 200 million is suggested. Besides these financial provisions, following projects are suggested for implementation during Fourth Plan.

(Rs. million)

Fourth Plan Schemes Investment Foreign Total Project Scope exchange 25,000 tonnes/year technological I. Structural Shop at Ranchi 25 7.9 associated and medium structurals 2. Heavy Structural project 25.000 tonnes year includes 45 15 facilities for technological structurals 25,000 tonnes year includes 30 3. Cranes 110 facilities for hoisting mechanisms etc. 4. Building Structurals . 25,000 tonnes year 20 5 TOTAL 2CO 57.9

GROUP IV

MINING AND DRILLING EQUIPMENT

1. Introduction

This group—Mining and Drilling Equipment and associated machinery, covers a wide variety of equipment for coal mining, under-ground and open cast, mining of other minerals and drilling equipment of different categories. It also includes equipment required for preparation and handling of coal and iron ore. While specific equipment is required for some of the operations, a large variety of equipment such as earth moving machinery, conveyers, crushers, screening equipment, etc. are common for a range of operations for different minerals. Besides, other sectors of economy also are large users of these machineries. The requirements are, however, assessed separately for the main mining and drilling activities classified broadly as:

- (1) Coal Mining
 - (a) Underground
 - (b) Open cast
- (2) Coal Washery Equipment
- (3) Ore Mining
 - (a) Iron Ore
 - (b) Copper
- (4) Drilling (Prospecting and drilling operations by Indian Bureau of Mines, Geological Survey of India, National Mineral Development Corporation, National Coal Development Corporation, State Governments, Oil and Natural Gas Commission as well as for deep well drilling.)

The Working Group report has attempted to give phased annual requirements based on the estimated annual activities in mining and drilling during the Fourth Plan period. The estimates of demand of mining machinery and drilling rigs are based on the following targets of production and capacity.

II. Targets of mining operation:

1. Coal.—The latest information regarding the development of coal industry available to the group was as given below:

TABLE 1—Coal production	target —	Million tonnes
Method of mining Opencast Underground of which (a) development (b) depillaring	1965-66 15.50 40.50 32.00 28.50	1970-71 26.00 110.00 44.50 60.50
	76.00	136.00

Keeping in view the key-role of this industry for an overall growth of industrialisation and the long gestation period required for developing mining capacity, it was decided by the Working Group for assessment of machinery requirement, to adopt the following capacity targets:

Table 2—Coal capaci	ty target	Million tonnes
Method of mining	1965 -66	1970-71 -
Opencast	18	29
Underground of which	66	121
(a) development	35	53
(b) depillering	31	68
Total	84	150

- 2. Iron Ore.—Against a likely production of 22 million tonnes and capacity of about 25 million tonnes by 1965-66, it has been assumed that the capacity will be increased to about 60 million tonnes of iron ore by 1970-71.
- 3. Bauxite.—The capacity for mining of bauxite will have to be raised from about 0.5 million tonnes in 1965-66 to 1 million tonnes in 1970-71.
- 4. Other Ores.—(a) Copper.—It is proposed to develop two mines namely Kolihan and Rakha to augment capacity by about 1 million tonnes during the Fourth Plan period. This would be in addition to the copper ore mines which are already under development.
- (b) Lead and Zinc.—The main development for these will have to be based on imported concentrates apart from the development and expansion of mining operations already in hand at Zawar.
- 5. Limestone.—The output of limestone quarries will have to be raised from about 25 million tonnes at the end of the Third Plan to about 60 million tonnes at the end of the Fourth Plan.

III. Assessment of demand:

While the development of manufacturing capacity for mining, washing and dressing and drilling equipment along with some allied items are discussed here, no specific suggestions are made in respect of those items which are also required by other sectors of economy in much larger quantities like earth moving machinery, which is covered by a separate Report.

MACHINERY & EQUIPMENT: REQUIREMENTS vs. MANUFACTURING CAPACITY

6. Coal—Underground.—The detailed assessment based on available norms indicate that the total requirement of equipment and machinery specific to this sector i.e. excluding electrical items, general engineering and earth-moving machinery add up to approximately 30,000 tonnes per annum by 1970-71. Of this total, the type of equipment included in the manufacturing programme of CMMP Durgapur, add up to approximately 23,000 tonnes. Against this quantum of demand CMMP has a capacity of 38,000 tonnes, out of

a total capacity of 45,000 tonnes) i.e. excluding about 7000 tonnes of capacity now proposed to be utilised for wasnery equipment. Private sector is expected to develop a capacity to fabricate 8000 to 10,000 tonnes by the end of the Fourth Plan. Table 3 gives the details of this assessment. From the available information it may be concluded that with the capacities already planned for the manufacture of underground mining machinery we will attain a stage of self-sufficiency.

7. Coal Washery Equipment.—The number of washeries to be installed during the Fourth Plan is estimated to be about 15. The equipment for some of the washeries have already been ordered out. Against these requirements the total manufacturing capacity in the country is estimated to be approximately 5 to 6 washeries per annum. What appears to be, however, lacking is the Design & Engineering organisation for designing and coordinating supplies and delivering complete washery to the users. To fill this gap, talks are now being held with a Polish Team for setting up an organisation essentially for Design, Drawing and erection of complete washeries.

With regard to mining of coal by open cast methods, iron ore mining and quarrying etc., the requirements are largely for removal of top surface, drilling operations, blasting, crushing conveying. The bulk of the requirements is for the earth moving equipment. As this equipment is also required in large quantities by other sectors of economy, no specific suggestions are made, beyond stating that steps should be taken to create sufficient capacity for meeting the requirements. With regard to the crushing equipment, sufficient capacity has been licensed both in the Public (HEC) and Private Sectors to meet the requirements of various kinds of crushers.

In regard to conveyor equipment, CMMP, Durgapur has provided a capacity of 10,000 tonnes of belt conveyors. Capacity licensed in the Private Sector is about 20 to 25,000 tonnes per annum and it is assumed that at least half of this capacity i.e. 10,000 tonnes per annum should materialise by 1970-71. This capacity is expected to be adequate for meeting the requirements of coal mining, coal washeries, steel plants, other minerals and allied users.

TABLE 3 .- Mining and drilling equipment-Requirements and manufacturing capacity:

Equipment	Ann	ıal requir	ements	Manui	Licensed		
raphen	65-66 Nos.	70 Nos.	Tonnes	CMMP Nos. Tonnes		Private Nos.	Total Nos.
ī	2	3	4	5	6	7	8
T. Coal cutters	240	450	1575	440	2160	200	640.
3. Cutter loaders/Shearers/cont. miners	7	18	360	•			·
3. Mechanical loaders	9	22	154	250	1370		

	2	3	4	5	6	7	8
_ :	75	200	7920 5150 2770		24,000	250	1130
	220	285	1575	400	3770	400	ಕರಣ
	130 90	200 85	1140	• •			
	17	45		160	1200	•	160
·	•		-	-	1,00	• •	.00
•	_	_	-	•			
•	=	•	• -	•			
•	•	-	-	•			
•	125	180	130	•			
חי	125	180	125		2000		
la-	185	295	2265	350	I 200		
	20	40	2000			several s	manulaca
:	-						manurus -
•	115	175	90			*********	
	1165	1520	1625	1555		Do).
	-	•	-	ر از ر ب			•
	280	•					
	700	900	455				
•	18	30	60				
	8	12	550	25	1165	12	37
	12,000	27,000		•			
	-	•	•	•			
		•					
•	10	24	240			chemical	indus try
		-	23,000		ry equi	pment, sp	
	765	1400	••	••		1200	
	560	935				300	
ia-							•••
			••	• •			
•	•		• •	• •			• •
•	••	100	• •	• •	• •	43	• •
	••	15	,	50 (HMBP)			
			,	(TITATILE)			
	180	300		•			
	180 140	300 230	••	•	• •	• •	• •
		. 115 . 75 . 40 . 220 . 130 . 90 . 17 . 25 . 30 . 240 . 125 . 125 . 185 . 30 . 40 . 115 . 185 . 185 . 280 . 700 . 18 . 8 . 12,000 . 390 . 18 . 8 . 12,000 . 390 . 18 . 765 . 560 ia	. 115 300 . 75 200 . 40 100 . 220 285 . 130 200 . 90 85 . 17 45 . 25 30 . 30 50 . 240 300 . 125 180 . 125 180 . 125 180 . 125 180 . 140 60 . 115 175 . 1165 1520 . 185 250 . 280 350 . 700 900 . 18 30 . 8 12 . 12,000 27,000 . 390 630 . 18 24	. 115 300 7020 . 75 200 5150 . 40 100 2770 . 220 285 1575 . 130 200 1140 . 90 85 435 . 17 45 450 . 25 30 360 . 30 50 2385 . 240 300 630 . 125 180 130 . 125 180 125 la 185 295 2265 . 30 60 2000 . 40 60 175 . 115 175 90 . 1165 1530 1625 . 185 250 740 . 280 350 370 . 700 900 455 . 18 30 60 . 8 12 550 . 12,000 27,000 1320 . 390 630 7 . 18 24 240 . 23,000 . 765 1400 . 560 935	. 115 300 7020 880 . 75 200 5150 . 40 100 2770 . 220 285 1575 400 . 130 200 1140 . 90 85 435 . 17 45 450 160 . 25 30 360 • . 30 50 2385 • . 240 300 630 • . 125 180 130 • . 125 180 125 la 185 295 2265 350 . 30 60 2000 . 40 60 175 . 115 175 90 . 1165 1520 1625 1555 . 185 250 740 . 280 350 370 . 700 900 455 . 18 30 60 . 8 12 550 25 . 12,000 27,000 1320 • . 390 630 7 . 18 24 240 . 23,000 . 765 1400	115 300 7020 880 24,000 75 200 5150 40 100 2770 220 285 1575 400 3770 130 200 1140 90 85 435 17 45 450 160 1300 25 30 360 * 30 50 2385 * 240 300 630 * 125 180 130 * 1125 180 125 2000 18- 185 295 2265 350 1200 1165 1520 1625 1555 185 250 740 280 350 370 700 900 455 18 30 60 8 12 550 25 1165 18 30 60 8 12 550 25 1165 12,000 27,000 1320 * 390 630 7 18 24 240 23,000 38,000 ry equit miscell: - 765 1400 75 190 500 100 100 155 50	. 115 300 7020 880 24,000 250 . 75 200 5150 . 40 100 2770 . 220 285 1575 400 3770 400 . 130 200 1140 . 90 85 435 . 17 45 450 160 1300 25 30 360 * . 30 50 2385 * . 240 300 630 * . 125 180 130 * . 125 180 125 2000 . 18 185 295 2265 350 1200 . 40 60 175 . 115 175 90 . 1165 1520 1625 1555 Do . 185 250 740 . 280 350 370 . 700 900 455 . 18 30 60 . 8 12 550 25 1165 12 . 12,000 27,000 1320 * . 390 630 7 . 18 24 240

Note: The weights under demand column are based on controller.

The weights shown under CMMP programme are based on its D.P.R.

^{*}CMMP can undertake the manufacture of these items also.

a total capacity of 45,000 tonnes) i.e. excluding about 7000 tonnes of capacity now proposed to be utilised for wasnery equipment. Private sector is expected to develop a capacity to fabricate 8000 to 10,000 tonnes by the end of the Fourth Plan. Table 3 gives the details of this assessment. From the available information it may be concluded that with the capacities already planned for the manufacture of underground mining machinery we will attain a stage of self-sufficiency.

7. Coal Washery Equipment.—The number of washeries to be installed during the Fourth Plan is estimated to be about 15. The equipment for some of the washeries have already been ordered out. Against these requirements the total manufacturing capacity in the country is estimated to be approximately 5 to 6 washeries per annum. What appears to be, however, lacking is the Design & Engineering organisation for designing and coordinating supplies and delivering complete washery to the users. To fill this gap, talks are now being held with a Polish Team for setting up an organisation essentially for Design, Drawing and erection of complete washeries.

With regard to mining of coal by open cast methods, iron ore mining and quarrying etc., the requirements are largely for removal of top surface, drilling operations, blasting, crushing conveying. The bulk of the requirements is for the earth moving equipment. As this equipment is also required in large quantities by other sectors of economy, no specific suggestions are made, beyond stating that steps should be taken to create sufficient capacity for meeting the requirements. With regard to the crushing equipment, sufficient capacity has been licensed both in the Public (HEC) and Private Sectors to meet the requirements of various kinds of crushers.

In regard to conveyor equipment, CMMP, Durgapur has provided a capacity of 10,000 tonnes of belt conveyors. Capacity licensed in the Private Sector is about 20 to 25,000 tonnes per annum and it is assumed that at least half of this capacity i.e. 10,000 tonnes per annum should materialise by 1970-71. This capacity is expected to be adequate for meeting the requirements of coal mining, coal washeries, steel plants, other minerals and allied users.

TABLE 3 .- Mining and drilling equipment—Requirements and manufacturing capacity:

Equipment	Annı	ıal requir	ements	Manui	acturing	capacity	Licensed	
	65-66 Nos.	70- Nos.	Tonnes	CMMP Nos. Tonnes		Private Nos.	Total Nos.	
1	2	3	4	5	6	7	8	
t. Coal cutters	240	450	1575	440	2160	200	640.	
a. Cutter loaders/Shearers/cont, miners .	7	18	360				•	
d. Mechanical loaders .	9	22	154	250	1370			

	1]		2	3	4	5	6	7	8
4.	Conveyors (a) chain (b) belt,	:	•	115 75 40	300 200 100	7920 5150 2770		24,000	250	1130
5. l	laulages .			220	285	1575	400	3770	400	ಕರಣ
	(a) direct (b) endless		:	130 90	200 85	1140 435	·			
6.	Mine locos			17	45	450	160	1300		160
7.	Shuttle cars			25	30	360	•			
8.	Mine cars			30	50	2385	•			
9. (Cages			240	30 0	630	•			
	Cage keps		·	125	180	130	•			
		rvisi	on	125	180	125		2000		
	Mechanical tors	vent •	ila-	185	295	2265	350	I 200		
	(a) main fan:	s		30	60	2000			several n	nanotuz:
	(b) Booster f	ans		40	60	175			turers	
	(c) auxilliary	lans	٠	115	175	90				
13. I	Pumps			1165	1530	1625	1555		Do	
	(a) main			185	250	740				
	(b) intermedi	ate	•	280	350	370				
	(c) face (d) sand pum	ips	:	700 18	900 30	455 60				
14. 3	Winders			8	_					27
	t ce l supports	•	•	-	12	550	25	1165	12	37
	rop with dra		•	12,000	27,000	1320	•			
	Ball mills	weis	•	390	630	7	•			
	san nuns Exploders	•	•	18	24	240			chemical i	n.lustr v
	•	•	•			-			·	ilitiaat, j
						23,000			excluding pment, spane incous	
	lectric coal d			765	1400	••			1200	
20. E	lectric drill p	anel		560	935				300	
	ore drilling r	igs (d	lia-						.	
	ock drills	•	•	***	75	• •	• •	• •	385	
	Tell drilling r	· iæa	•	190	500	• •	• •	• •	2075	• •
	oll drilling an			••	100	• •	• •	• •	43	• •
p	ecting.			• •	15		50 (HMBP)			
_	Vinches	•		180	300		• •	• •		
	ulley blocks			140	230					
	creening plan complete)	its •		7	20					

Note: The weights under demand column are based on controller.

The weights shown under CMMP programme are based on its D.P.R. *CMMP can undertake the manufacture of these items also.

TABLE 4 .- Requirements of electrical equipment

Equipment									1965-66	Nos. 1970-71	
Transformers											
High tension					•				28	65	
Mining type									85	120	
Industrial type.									85	120	
Lighting type	•		•				•		180	300	
Motorrs (replacement o	only)									
Open type .		•			•				180	350	
F.L.P. type	•	•	•			•			135	250	
Switchgear											
High tension (oil)								260	520	
Low tension (oil))					•			410	775	
Air-break ,									550	1050	

IV. Investment:

It is estimated that the total investment on this industry during the Fourth Plan would be of the order of Rs. 150 million. Of this, Rs. 73 million is for the completion of CMMP project, and the rest for the completion or expansion of schemes in the private sector. This amount also includes provision for setting up a Drawing and Design Bureau for coal washeries in the Public Sector, as an independent unit of the Coal Mining & Machinery Project.

V. Raw materials:

The requirements of major raw materials and components are listed below:

Sl. No.	Ra	Raw material, components, etc. Unit										
	Ball and rolle		aring				•			Rs. million	7:5	
2	Cutting tool		•	٠.	•		•			33	3.0	
3	Flame proof	mot	ors an	d swi	tchgear	r				>>	7·0	
4	Hydraulic C:	upl	ings, f	itting	s etc.					33	1.5	
۲	Lubricating	pum	ps and	i elen	rents		•			. 39	0.7	
6	Instruments				•	•				>>	0.8	
7	Mild steel				•	•				Tonnes	42,000	
8	Pig iron		•	•		•	•		•	"	23,000	
9	Scrap iron	•	•	•			•			>>	15,000	
10	Alloy steel		•	•	•		•			"	20,000	
11	Coke	•								>>	7,000	
12	Steel tubes	•			•))	3,000	

VI. Man power requirements:

At full operational level, CMMP, Durgapur, will have a staff of 4391. At present 3220 persons, including 486 as construction staff, are employed. It will need to recruit another 150 engineers and technicians and probably another 2,000 skilled and unskilled labour. No

arm estimates are available for private sector plants. Preliminary estimates are that the additional requirements during the Fourth Plan period may be of the order of 50 engineers and technicians and about 500 skilled and unskilled workers.

VII. Special recommendations:

- (i) The indigenous capacity for the manufacture of coal mining machinery of the types included in the production programme of CMMP, Durgapur, is sufficient to meet our requirements during and at the end of the Fourth Plan period.
- (ii) On the other hand, the group feels that the manufacturing capacities at CMMP may not be fully utilised and to avoid this, its production programme should be diversified. A welcome feature in this regard is to allocate about 7000 tonnes of capacity for washery equipment. It should also be possible for CMMP, Durgapur, to produce part of its requirements for electrical items like flame proof motors, mainly of integral types, gate-end boxes etc., making use of its existing foundry and machining capacity.
- (iii) The manufacture of ball-mill should be reincluded in the production programme of CMMP, Durgapur.
- (iv) The requirements of various kinds of drilling rigs seem to be concentrated by the user organisations in one or two years. These should be properly phased as far as possible to give due weightage to the indigenous manufacturing programme.
- (v) HMBP, Ranchi, has more than sufficient capacity to meet all the requirements of drilling rigs for O.N.G.C. and it is in a position to get the necessary documentation and guidance in the manufacture from Russian experts. A firm arrangement should be made to ensure that O.N.G.C. places order for all its requirements with HEC will in advance to enable HEC to draw up a manufacturing programme to suit O.N.G.C.
- (vi) Capacity is also required for the manufacture of about 50 to 60 drilling rigs for drilling of deep wells. To the extent that the manufacturing facilities in HMBP will not be full utilised for oil rigs, manufacture of these deep well rigs in HMBP should be explored, both in order to meet the demand for the latter and avaid idle capacity in HMBP.

GROUP V

HEAVY PLATES & VESSELS

A plant to fabricate equipment out of heavy plates is termed here as Heavy Plates and Vessels works. Chemical Industries (including fertiliers, petroleum refining and petrochemical industries) are the largest consumers of these equipments (e.g. heat exchangers, reaction vessels, towers, tanks, dist.llation and fractioning equipment, filters, driers, crystallizers, agitators, other cylinderical vessels etc. etc.) Besides chemical equipment, these shops sometimes fabricate ductings, piping and structurals also. Steel industry is another important consumer of plate work equipment. Blast furnace shell, coke ovens, steel melt furnaces, gas holders, etc., are examples of plate work. Other metallurgical industries also require good deal of equipment fabricated out of heavy plates.

During the Fourth Plan period at least Rs. 10,000 millions will be invested on chemical and allied industries. The Planning Group on Chemical and Allied Industries has estimated an investment of more than Rs. 16,000 millions during the Fourth Plan period. ing the requirements of equipment, in this note, it has been assumed that investment in chemical and allied industries (including petro-Icum refining) will be of the order of at least Rs. 10.000 million during Fourth Plan and Rs. 10,000 million during the Fifth Plan. If higher investments are contemplated, the demand for equipment will be proportionately higher. Of the total investment, approximately 50-60 per cent will be the cost of plant and machinery. For the present calculations, the cost of plant and machinery has been assumed to be 50 per cent of the total fixed investment on the plants, excluding townships and similar expenses. It is estimated that the share of plate work equipment in the total plant and machinery would be of the order of 30 to 35 per cent—i.e., the cost of plate work equipment will be approximately 15-17 per cent of the total fixed investment. Accordingly, the total requirements of this group of equipment during the Fourth Plan may be of the order of say Rs. 1600 million and during the Fifth Plan approximately of the order of Rs. 2500 million. The anual requirements may thus rise from about Rs. 100 million per annum during 1965-66 to approximately Rs. 400 million per annum by 1970-71 and Rs. 600-650 million per annum by the end of Fifth Plan. Adding replacement requirements, the demand by 1970-71 may be of the order of Rs. 5000 million per annum, and Rs. 800 million per annum by 1975-76.

For the purpose of planning the manufacturing facilities, further relevant data are (a) the thickness of the plate, (b) the diameter of the vessel or equipment to be produced. (c) its length, and (d) the material of construction etc. It is assumed here that small fabricating shops would be able to fabricate plate upto 20 mm (may be 10 mm will be the more appropriate size) and vessel diameters upto 2

meters (category I). The second category of fabrication shops is assumed to have facilities to handle plates upto 40 mm thickness. It is further assumed that these shops will fabricate equipment of plate thickness below 20 mm, provided the vessel diameter are over 2 meters (category II). The third category of shops is assumed to be for plates over 40 mm thick (category II). These classifications, however, need to be carefully examined and adjusted accordingly.

There is no precise data available about the shares of various categories (defined above) in the total demand. However, from the available data it is concluded that, by value the shares of equipment falling into the first category (0-20 mm thick—upto 2 mm dia) will constitute approximately 30 per cent of the total plate work equipment, that of category two approximately 60 per cent and approximately 10 per cent is the share of heavier equipment in the third category. These figures, however, need verification by a detailed analysis.

According to these assumptions, the demand for equipment in different categories would be approximately as given below:—

Туре	Annual (Rs. million) demand 1970-71 1975-76		
Category I .			
0-20 mm thick 0-2 meter dia	. 45	150	240
Category II			
0-40 mm thick 2-4 meter dia for 0-20 mm 0-4 meter dia for 20-40 mm	90	300	420
Category III			
heavier than 40 mm	. 15	50	80
Total	150	500	800

In order to meet the total demand indigenously, the total value of production will have to be aproximately Rs. 500 million by 1970-71. However, it may not be desirable to do away completely with imports of chemical equipment. The technology in chemical and allied industries is improving every day; new products and processes are being introduced continuously. To utilize the newer and improved processes the design of equipment also is changing, and by alowing imports of such processes and equipment, our industries will be able to keep pace with other countries. Therefore, certain amount of imports is highly desirable. At the same time, provision for export of simpler and standard items and even plants should be made while planning for their manufacturing facilities. Based on these considerations, a capacity target of Rs. 450 million per annum on double shift operation is suggested for 1970-71.

The above estimates indicate that the requirements of plate work equipment in ranges covered by cotegory (II) may be approximately Rs. 300 million per annum by 1970-71. If a production traget of

Rs. 250 million is aimed at the capacity target on two shift basis may have to be planned for Rs. 300 million. Assuming an average price of Rs. 5,000 per ton the capacity for plate work will have to be for approximately 60,000 tons per annum. Allowing on one hand for the weight of the tubes in heat exchangers and on the other hand, providing extra capacity for catering to the demand for the plate work required in the construction of blast furnace, steel smelting equipment, coke oven, gas holders, etc. a capacity of 70,000 tons per annum is suggested.

The requirements of fabrication of the plate and vessels type of equipment have been independently assessed by two of the Working Groups appointed, namely the Working Group for Fertilizer Heavy Chemical and Petroleum Refining Industries and the second partly of the working group on steel and matellurgical equipment. Both these groups have studied the expected requirements of the respective industries as well as the present available capacity for these types of work and have estimated the additional capacity to be established at over 75,000 tons per annum as follows:—

(a) Fertilizer, Chemical and Petroleum and other Units:

										per annum Tons
Class I Vessels										5,000
Class II Vessels	•		•		•	:	•	. •	•	4,500
Class III Vessels	and mis	scella	ucons	plate	work					12,500
Heat Exchangers			•						•	3,000
S. S. and Alloy	Steels	•	•			•		•		1,500
										26,500

To account for the requirements of petrochemicals and other heavy chemical industries the requirements have been rounded off as 30,000 tonnes per annum. It is felt that the demand may be higher than assumed here.

(b) The Working Group for Steel and Metallurgical equipment has recommended that in addition to the present fabrication capacity and the proposed additional capacity to be installed in the Heavy Machine Building Plant, six units with capacities between 6,000 to 10,000 tons per year—say a total of 50,000 tons per year may be established. This quantity of 50,000 tons per year may be expected to include the following items of work:

										Tons
Plate work about 25	mm l	but le	ss tha	n 75 r	nm					13,000
Less than 25 mm	•	•	•		•	•	•			13,000
Pressed ends etc.	٠	•	٠	•	•	•	•			8,000
										34,000
Total of (a) and (b)		•	• .	•	•	•	•	_	0,000 1,000	
								 64	,000	tons per

To meet the above requirements, it is being proposed to construct one fabrication shop which will be oriented towards the fabrication of pressure vessels, heat exchangers, etc., including stainless and other alloy steel fabrication as usually required by the fertilizer, petrolum and other chemical units and two more fabrication shops for handling heavy plate and vessels type of work towards the requirements of steel and metallurgical industries including a considerable volume of equipment for the coke even by-product plant, tar distillation, gas purification plants etc. which are essentially chemical plant type of equipment. Each of these shops will have an ultimate capacity of between 16,000 and 20,000 tons per annum, thus establishing a total fabrication capacity of 50,000 to 60,000 tons per annum while working on full two shift

although in the initial stages, the shops will work on a single shift basis to enable sufficient number of skilled workmen, supervisory staff, etc., to be trained for complete manning of the projects.

Sometimes back when it was decided to establish just one heavy plates and vessels shop, the scope of work included the full range of equipment required for chemical as well as metallurgical industries. But the present proposal, it will be noticed, suggests shops which will more or less be specialised in the respective lines. The chemical plant vessels shop will fabricate mostly equipment such as pressure vessels and heat exchangers, a very high percentage of which will be shop assembled, welded, tested and despatched as complete units, whereas the shop fabricating metallurgical equipment will be called upon to supply a higher percentage of re-formed and trial assembled plate work which will have to be assembled at site and welded. This shop will also have to handle a comparatively higher percentage of structural work forming an integral part of the equipment being fabricated. This variation in the scope and constitution of the output makes it advisable to have the shops specialising in particular field and not a general shop to handle all types of equipment.

With this in view it is proposed to include the following projects for implementations:—

- (1) A fabrication shop for fertilizer, petroleum, refining and other heavy chemical industries with an ultimate capacity of 16,000 to 20,000 tons per annum fabricating pressure vessels, heat exchangers, etc. in carbon steel as well as alloy steels.
- (2) Two Heavy plate and Vessels shops catering mainly to the requirements of steel and metllurgical industries with necessary structual fabrication facilities and an annual capacity of between 16,000 and 20,000 tons each.

It may be noted that Tiruchi Boiler Plant may have excess capacity for the fabrication of high pressure drums and for bending tubes. Therefore while planning these new projects these factors should be taken into consideration to avoid duplication of facilities and to obtain better utilisation of existing facilities.

GROUPS VI

MACHINE TOOLS

The Planning Group attaches greatest importance to this Industry due to its vital role in the development of machine building industry which in turn lays the foundation for a self-sustained growth of industries. Due to rapid growth in the industrial sectors there has been a very steep rise in the demand for machine tools. In the past decade the Indian macine tools industry has made rapid progress and it is expected that by the end of Third Plan indigenous production will be worth approximately Rs. 300 million per year. Inspite of this, the indigenous production will be slightly less than half of our requirements. The Group feels that as this industry occupies a pivotal role in the process of industrialisation, the country should attain near self sufficiency i.e., approximately to the extent of 85 per cent of the overall demand by the end of Fourth Plan.

The Working Group on Machine Tools has suggested that, in order to achieve the above mentioned goal, and also keeping some provision for exporting approximately 10 per cent of the output, following targets should be accepted.

Machine Tools Targets 1970-71

Rs. million

Item:	Capacity	Production	demand
Machine tools—total of which	1310	1190	1650
1. Group (A) metal cutting and forming type	1130	1030	1320
2. Group (B) metal forming, foundry, hand tools etc.	180	160	330

2. It is expected that by the end of the Third Plan a capacity to manufacture machine tools worth Rs. 375 million will have been established, while the investments already made by III Plan schemes will eventually establish a capacity of Rs. 450 million.

This leaves a gap of Rs. 860 million to be filled in during the Fourth Plan period and unless actions are initiated immediately, the targets may remain beyond reach. The response to the questionnaires sent to various machine tool manufacturers indicate that it should be possible to achieve these targets without any great difficulty. The Working Group feels that the production projections as supplied by private sector are optimistic. It is felt that

the Public Sector should gear itself to shoulder a major share of this expansion. Schemes to increase the production of tools in the Public Sector (in H.M.T. and H.M.T.P.) from Rs. 165 million in 1965-66 to approximately Rs. 500 million by 1970-71 have been suggested by these organisations. To meet the Plan targets, the private sector will have to increase its production from Rs. 135 million in 1961—66 to Rs. 690 million by 1970-71. Even though the past progress in the private sector has been quite remarkable, it is felt this order of expansion in the private sector may not be possible. The Planning Group would like to, therefore, recommend that Public Sector should prepare itself to attain a capacity to produce machine tools with an aggregate value of Rs. 700 million by the end of Fourth Plan, in case private sector progress lags behind schedule. This means a capacity target of Rs. 850 million may be recommended for public sector.

The Working Group has broadly classified machine tools into two main categories namely, metal cutting and major metal forming machine tools and another category comprising some metal forming machines, foundry machines, portable tools, machine tool accessories etc. Out of a total production of Rs. 1190 million, Rs. 1030 million will be of first category and Rs. 160 million of second group.

The respective figures for the year 1965-66 are expected to be about Rs. 280 million and Rs. 20 million. Thus, while in respect of first group a 3½ fold increase is envisaged, in respect of second group 8 fold increase is necessary. Even after this rapid increase, indigenous production will meet only half of the total demand, in the second category of machine tools. Early steps should be taken both in the public and private sectors to organise production of these items in sufficient measure, if imports are to be avoided.

The Group has attempted to subdivide the demand of machine tools into about 25 categories. However, the Group has stated that this division is only indicative and tentative. The Group feels that in order to plan a rational development of the industry it is necessary to undertake a census of machine tools installed upto 1964. This would give the present pattern of machine tools installed and reflect the change in pattern over the last ten years. The last census was taken in 1954. From the available information it has been concluded that major gaps exist in respect of drilling, lapping and honing, lathes, capstan and turrets, milling machine tools and presses.

Investment and foreign exchange.—For establishing an additional capacity of Rs. 1010 million, an investment of Rs. 1050 million will be necessary, of which Rs. 440 million will be in foreign currency. Of this, Rs. 140 million will have to be released before 1966. In respect of maintenance imports, the Working Group has estimated that approximately 25 per cent of the value of machine

tools produced in the country will have to be spent on the import of raw materials and components.

Specific projects in public sector

Schemes	Scope	Investment Rs. million
1. HMT Kerala expansion	on Rs. 50 million to Rs. 100 million	35
2. HMT Hyderabad expansion	-do-	35
3. 5 New Machine Tool Plants	Rs. 250 million	350
	Rs. 350 million	420 million

With these seven schemes, the capacity covered will be for approximately Rs. 850 million. However, the installed capacity by 1970-71 is not expected to exceed Rs. 700 million. Essentially the suggested schemes include advance action for Fifth Plan also.

Special Recommendations:

- (1) The Working Group recommends that a machinery for taking machine tool census should be set up so that a new census would be possible every five years. It is proposed that this study should be comprehensive enough to provide sufficient data for forecasting the demand over the next 10 to 15 year period keeping in view the changing technologies in various manufacturing industries. Taking full cognizance of the likely availability of skills and technical knowledge in the country it should suggest a programme for the development of machine tool industry. Any assistance from abroad should be welcomed in this study.
- (2) Procedure recommended by the Engineering Capacity Survey Committee be adopted for the collection of statistics of imported and indigenous machine tolls.
- (3) Special attention should be paid to the development electronic and hydraulic controls for the machine tools.
- (4) It is recommended that machine tool manufacturers should be encouraged to modify their production pattern to suit latest technological innovations.

GROUP VII

INDUSTRIAL MACHINERY

This group—industrial machinery—includes only sugar plants, cement plants, paper plants, industrial boilers, tea machinery and dairy machinery.

1. DEMAND

1. Sugar Plants.—The demand for sugar plant machinery has to be correlated to the annual increase in the sugar making capacity, which has remained a controversial subject. The Memorandum in the Fourth Plan has assumed that sugar capacity will increase from 3.2 million tonnes in 1965-66 to 4.5 million tonnes in 1970-71, implying a rate of growth of approximately 7 per cent per annum. It is assumed that the rate of growth of sugar industry in the Fifth Plan will not be less than that assured for Fourth Plan. On these assumptions, the annual addition to sugar making capacity would be about 220,000 tonnes by 1965-66 and approximately 300,000 tonnes per annum by the end of Fourth Plan.

Approximately 18 months lapse between the manufacture of the equipment and its commissioning for sugar production. To this extent machinery manufacturing capacity will have to be ahead of sugar production target and will have to be for about 325,000 tonnes sugar per annum by 1970-71.

At present the indigenously manufactured standard sized sugar plants have a cane crushing capacity of 1000/1200 tonnes per Depending upon the location of the plant the annual output of sugar may vary between 14,000 and 18,000 tonnes. An average figure of 15,000 tonnes per annum has been assumed. The total cost of such a plant has been assumed to Rs. 8.5 million. The production of sugar plants with an aggregate capacity of 325,000 tonnes per annum, amounts to the manufacturing of 22 plants per annum, i.e. an anmual production of machinery worth Rs. 186 million. Allowing for normal maintenance needs and spares, the demand may be placed At present they are close to at about Rs. 200 million per annum. 2:00 plants in operation and majority of them are fairly old and may require substantial equipment for replacement or modernisation. Keeping this factor in mind, a capacity target of Rs. 250 million has been suggested. The Group considered the argument

that by installing 2000 tonnes plant instead of 1000 tonnes/day plants, the total requirement of equipment will be reduced, but agreed to retain the figure of Rs. 250 million.

According to present practice, sugar plant manufacturers fabricate approximately 55 per cent (by cost) of the plant, import 15 per cent und procure the rest indigenously. In order to supply plants and equipment totalling Rs. 200—225 million per annum by 70-71, the output of plant manufacturers will have to be around Rs. 120 million.

2. Cement plants.-The Fourth Plan targets for cement have been modified on different occasions. The Memorandum the Fourth Five Year Plan has suggested that cement production should increase from 14 million tonnes in 1965-66 to 30 million tonnes in 1970-71. The machine building capacity cannot be correlated to any one particular Plan target but has to be established on the basis of continuous annual demand. In case requirement in any particular year or over some period differ from machine building capacity, then the shortfall will have to be met by diverting some other machine building capacity for the production of deficient items or by imports. Therefore, for the purpose of planning the manufacturing capacity for cement plants, it has been assumed that the annual rate of commissioning additional cement making capacity would be about 1.5 million tonnes in 1965-66 and this will have to be raised to 2.5 to 2.75 million tonnes by 1970-71. Accounting for the time required for erecting a cement plant-approximately 18 months to 20 months-the output of the cement machinery manufacturers should be for an aggregate capacity of 2.8-3 inillion tonnes per annum by 1970-71. In terms standard 600 tonnes per day, rotary kiln type plants, production of 15 plants per annum will be necessary. The total ex-factory value of these plants would be approximately Rs. 225 million, excluding the cost of quarrying machinery and power generating equipment, if any. Allowing for maintenance and replacement requirements, an output of Rs. 250 million per annum and a capacity target of Rs. 300 million per annum is suggested for 1970-71.

According to available information, at present approximately 30 per cent of the plant (by cost) is imported, about 50--60 per cent is fabricated by the plant manufacturers and the rest is procured from other indigenous sources. By 1970-71 in order to supply cement plants valued at Rs. 250 million, the output of main plant manufacturers will have to be of the order of Rs. 150 million.

Various suggestions have been made in regard to size of the plants. It is recommended that 1200 tonnes/day plants should be encouraged. If larger capacity plants are fabricated, then the total number of plants required as well as the total cost will be lower than estimated above.

3. Paper plants.—The earlier targets for paper, paper board and newsprints furnished to the Group have since been revised. The

Memorandum on the Fourth Plan has adopted the following targets:

		-					Target	Target in tonnes		
							65-66	70-71		
Paper and pa	per b	oard	•	•	 •		680,000	1,350,000		
Newsprint	•		•		•		30,000	165,000		
					Tota	ıl	710,000	1,515,000		

This indicates a rate of growth of slightly more than 16 per cent per annum. In view of very low per capita, consumption at present and Government's emphasis on increasing literacy, it is assumed that the annual increment during Fifth plan will not be less than the annual increment during 1970-71. These assumptions imply that the annual rate of commissioning additional paper making capacity should be approximately for 110,000 tonnes at the beginning of Fourth Plan and about 250,000 tonnes per annum by the end of Fourth Plan, which in terms of value amount to Rs. 400 million per annum. It is estimated that the contribution of main plant manufacturers would be around Rs. 200 million.

- 4. Industrial boilers.—The Working Group has estimated the annual average demand for industrial boilers during the Fourth Plan period at Rs. 18.5 million. It is possible that during the later half of Fourth Plan the demand may be higher. The second aspect which the Group considered in suggesting the Fourth Plan capacity target is the very high replacement requirements of the textile industry. At present most of the units have boilers designed for high grade coal, while they are being supplied high ash coal resulting in inefficient operation. If boilers are designed to use high ash coal and in some case oil fired boilers are available from indigenous sources, it is learnt that most of the textile mills, for away from coalfields, will replace their boilers. Keeping all these factors in view a capacity target of Rs. 275 million is suggested.
- 5. Printing Machinery.—Some time back a panel of experts was appointed to assess the demand for printing machinery. This panel assessed the annual demand as Rs. 73 million for 1965-66 and Rs. 120 million by 1970-71. The Working Group has adopted these figures. In this industry it may not be possible nor desirable to be self-sufficient. However, it is felt that indigenous production to the tune of 80 per cent of the total demand may be aimed for. Accordingly, a capacity target of Rs. 120 million has been suggested.
- 6. Tea processing machinery.—The Working Group has expressed the view that this industry is well established in the country. It cannot only meet internal demand, but is in a position to export tea machinery also. It is expected that indigenous production of tea machinery will exceed Rs. 20 million/annum by 1970-71.

Manufacturing Facilities.—The Working Group has given the following assessment of indigenous manufacturing capacity likely to

be established by 1965-66 and the corresponding estimated production for the industrial plants.

Betimated production of industrial machinery

Rs. million

W 1 . 1 1 mi		1965-66		19	66-67	196	7-68
Industrial Plants.	Likely capacity 1965-66		Maint, imports	Prod.	Maint. imports.	Prod.	Maint imports
	2	3	4	5	6	7	8
1. Sugar Plants	. 172	90	15	105	17:5	120	20
2. Cement plants	. 178	60	18	75	22.3	90	27
3. Paper plants	. 73	30	12	40	16	50	20
4. Industrial boilers	, 83				• ••		
5. Printing machinery	. 6	3	0.75	5	1.25	10	2.
6. Tea machinery	. 21	18	2.7	19	2.8	20	

The above table clearly indicates that the indigenous production will not be able to meet the demand unless immediate steps are taken (a) to maximise the production from existing units and (b) to augment the production capacity. It is rather disappointing to note that capacities established by 1965-66 will not achieve more than 70 per cent capacity utilisation even as late as 1968. The first reason is, particularly in respect of cement industry, the lack of orders from the cement manufacturers for expansions and for new units on account of difficulties in finding financial resources and the reported unattractive. Another reason is insufficient supply of raw materials indigenously and foreign exchange for the import of raw materials and components. In the interest of both timely development of these vital consumer industries and the corresponding machinery manufacturing capacities, the Group would strongly recommend elimination of these bottlenecks. Another reason may be double counting of the capacity. A glut in the sugar industry a few years back rendered the sugar machinery manufacturing capacity idle. To utilise their manufacturing capacities they diversified their production and have included cement plants and chemical equipment also in their production programme. This is no doubt a healthy and desirable pattern of development. However, for planning exercise care should be taken not to double count the capacity.

According to licensed capacity, the facilities available are for the production of plants of aggregate value Rs. 506 million (sugar 172, cement 178, paper 73, industrial boilers 83). Of this probably Rs. 250 million will be the cost of items fabricated by main plant manufacturers. This will imply a fabrication capacity of 50,000 tonnes per annum. It is doubtful that physical facilities to fabricate 50,000 tonnes per annum exists with the firm whose capacities are discussed above.

In order to meet the Fourth Plan targets, it is necessary that main plant manufacturers have a fabrication capacity of approximately 130,000 tonnes per annum by 1970-71.

On maintenance imports, the Planning Group feels there is no reason why the percentage of imported components should not decrease as the indigenous production of large size castings, forgings, gears, electric motors etc. increases as programmed below:

Industry			C	Capacity Rs.	. Million I	nvestment F during IV Plan	Rs. Million
				1965-66	1970-71	Total investment	of which foreign exchange
1. Sugar machinery				172	250	80	45
2. Cement machinery		•		178	300	120	80
3. Paper machinery			٠	73	400	300	200
4. Industrial boilers	•	•		83	275	250	150
5. Printing machinery		•		6	120	150	100
6. Tea machinery				21	21	n.a.	n.2.

The Planning Group is of the view that with the development of other engineering industries, the share of main plant manufacturers in the total cost of the plant will decrease. Accordingly, it is felt that it should be possible for them to meet the targets with a lesser investment than indicated by the Working Group. The estimates of the Planning Group are as given below:—

Industrial machinery-Fourth Plan

7			Cap	acity	Rs. million P	n 1970-71	
Item			likely by 1965-66	Targetted 1970-71	Investment	No.	Rs. millio:
1. Sugar machinery	•		170 (20)	250 (24)	80	22	225
2. Cement machinery			180(11)	300 (17)	50	(15)	250
3. Paper machinery	• ·		70 (1.5)	400 (8)	250	(4)	200
4. Industrial boilers			8 o	275	75	• •	200
5. Printing machinery		•	5	120	80	• •	60

The figures in paranthesis indicated number of standard size plants:

I. Sugar . . 1000/1200 tonnes/day.

^{2.} Cement . . . 600/1200 tonnes/day.

^{3.} Paper. . . 100/1200 tonnes/day.

The values include the values of spares and components supplied for replacement and maintenance.

³³ I. & S.—6.

Raw materials.—The Working Group has assessed for the manufacture of sugar, cement and paper plants as programmed the annual requirements of castings and forgings by 1970-71 will be as given below:—

Item	Tonnes year
Grey iron castings	20,000
Steel castings	10,000
Forgings	2,500

These are weights of finished items.

Special recommendations:

- (1) Supply of raw materials and components should be ensured to the manufacturers. If these items are not available indigenously, adequate foreign exchange in proper time should be provided.
- (2) All steps necessary to optimise the production of existing firms should be expeditiously taken.
- (3) The capacity of existing plant manufacturers should be assessed on realistic basis and suggestion for its increase should be obtained.
- (4) The facilities available with other fabricators should be fully utilised for augmenting the production of main plant suppliers. For example, HEC can supply all heavier components, crushing and grinding equipment for cement plants, rolls and rolling stands etc. to paper and sugar plants etc. etc. The possibility of fabricating complete cement plants at HEC also may be explored.

GROUP VIII

TEXTILE MACHINERY

I. Introduction

The requirements of textile machinery are correlated to the increase in the textile production capacity and also rehabilitation and modernisation of existing mills. In the opinion of the Group modernisation on a very large scale is necessary, and according to their estimates, investment on modernisation will have to be almost of the same order as on expansion. The development of textile industry as assumed by this Working Group is summarised below:—

TABLE I .- The programme of textile industry

Y		7 T : e		Capacity	city		
Item		Unit	Present position 1963-64	Likely achievement 1965-66	Target 1970-71	. •	
r. Cloth (mill made)	•	. mill, metr	es 4450	5000	5650(')		
2. Yarn		. mill. kg.	890	990	1250		
3. Woollen Worsted Woollen fabric	fabric	mill, metro	es 34	34	25·5 }	37 5	
4. Worsted yarn		. mill.Kg.	9	10	18		
Woollen yarn		. ,,	7.3	7-5	12.5		
Shoddhy yarn		,	4.5	4.5	8 · 5		

⁽¹⁾ Textile group has fixed a target of 6,350 million metres.

II. Requirements of Machinery:

Commensurate with these textile targets, the Group has assessed the in-position number of major machinery as given below:—

TABLE 2.—Installed machinery programme

Item	Unit	Present 1963-64 by	Likely 1965-66	Requirement 1970-71
I. Cotton industry .				······································
1. Looms	, th. nos.	200	218	248(1)
2. Spindles	mill.nos.	13.66	16.5	19 7
I. Woollen Industry				
1. Power looms	. nos.	3130	3130	3430
2. Worsted spindles	th. nos.	141	141	151
3. Woollen spindles4. Shoddy spindles5. Combing	: } th. nos.	66·4 No expans	66·4 ion necess	69·4 ary,

⁽¹⁾ Textile group has assessed this figures as 254.

Based on the above requirements for expansion of the textile industry and adding to them the rehabilitation requirements, the total demand during the Fourth Plan period may be summarised as follows:—

TABLE 3 .- Textile machinery requirements, 1966-71.

Item t	Unit	Expansion	Rehabilita- tion	Tota
Cotton Industry				
I. Looms				
Powerlooms th	1. nos.	30(¹)	33	63
Power looms			7.5	7.5
		_	40.2	70.5
2. Spindles	mill. nos.	3·2	2.7	5·9
Woollen Industry				
t. Powerlooms	nos.	300	1500	1800
2. Worsted spindles .	th. nos.	10	75.6	85.6
3. Woollen and shoddy spine les.	d- ,,	}		

^(*) The Textile Group has assessed the requirements as 38,000 nos.

In respect of artificial fibre, the equipment required for the production of fibre (i.e., pre-spinning section) is more of the nature of chemical equipment rather than textile machinery and as such is not discussed in this note. The Textile Fibre Group has not suggested any provision of machinery for the spinning and weaving of artificial fibre on the assumption that cotton industry has sufficient capacity for processing artificial fibre also, while the Textile Machinery Group has shown it separately. This may perhaps be the reason for a part of the difference in the assessment of the requirements of looms for cotton textile industry. The Machinery Group has not estimated the requirements for additional capacity; for rehabilitation the assessments are 6,000 plain looms, 8,000 automatic looms and 1,000 special looms along with corresponding equipment in other section. The total value of all kinds of machinery required for rehabilitation of this industry is assessed at Rs. 200 million for the Fourth Plan period.

III. Manufacturing Capacity

1. Cotton Textile Machinery.—There are at present 18 firms licensed for the production of textile machinery, of which 15 are in production. Based on their past performance, the Group has estimated the likely output from the 15 plants, and is shown in Table Nos. 4 and 5. On the assumption that the annual demand for machinery will be more or less constant for the next decade, the gap between demand and supply for each year of the Fourth Plan has been assessed and is shown in Table No. 4.

COTTON TEXTILE

TABLE

Average annual demana

	Den	nand				Lic	censed
	Expan	sion	Rehabilita	tion	Total		pacity
Item of machinery -	No.	Value	No.	Value	No.	Value	
r. Blooming room ma- chinery .	51	20.5	44	17.6	95	38.1	66
2. Carding Engines Conv. H.S.	1066 355	19·2 14·2		16·5	1983 661	35·73 26·4	} 2976
3. Comber set .	26	10.5	22	8 8	48	19.0	60
4. Draw frame set	154	10.8	132	9 2	286	20.0	490
5. Speed frame .	256	19.2	220	16.5	476	35.7	858
6. Ring frames (400 sp.) .	1600	76.8	1375	66	2975	142.8	3856
7. H. S. Winding m/c.	137	12.3	115	10.3	252	22.6	120
8. H. S. Warping m/c.	30	2 · I	41	2.9	71	5	60
9. Auto prin winder (spindles) .	1800	1 · 8	2000	2	3800	3 · 8	3000
Total							

COTTON TEXTILE

Demand		Phas	ed Prod	uction an	d Gap—N	lumbers	
Item of machinery	Expan No.	sion Value	Rehabil No,	itation Value	Total No.		censed capacity
1. H.S. sizing machine	30	7.5	41	12.6	71	20.1	104
2. Plain looms	2400	7.2	4100	12.3	6500	19.5	5640
3. Auto looms	3600	36	4000	40	7600	76	5100
4. Processing/finishing (Rs. million)	30			41		71	n.a.

Note:—It may be noted that the output of ring frames and looms is shown in excess be taken as indicative of production capabilities rather than the actual production.

.MACHINERY

-4
-avid likely production

Production & Gap—Numbers						ning s. mi	Manufacturer's estimate					
66	-67	67-0	58	68-6	9	69-7	0	70-71		Gap		Pro-
Prod.	Gap	Prod.	Gap	Prod.	Gap	Prod.	Gap	Prod.	Gap	Nos.	Value	duc- tion 70-71
28	 57	44	— 51	57	 38	64	-31	64	—31	+231	12.5	86
1880	 764	2125	<u>—519</u>	2200	 444	2250	—400	2300		—350		294
	<u>48</u>	18	— 30	36	 :	12 36	—I2	36		— 12	4.7	
104	82	128	—1 58	133	153	139	 147	145		<u> </u>	9.9	192
267	209	342	<u> </u>	369	—107	423	53	441	•	—35	2.6	588
2607	368	3037	+62	3409	+334	3544	+569	3675		+700	33 · 6	4900
182	<u>—72</u>	200	<u>—52</u>	220	32	240	<u>—12</u>	240		<u>—12</u>	1.1	240
45	— 26	50	<u></u> 2I	55	16	60	<u>—11</u>	. 60		-11	0.8	60
1800	2000	2000	1800	2000 -	-1800	2200 -	—1600	2400	-	1400	1.4	2400

MACHINERY

		Weaving	Section (Va	lue in Rs. mil	lions)	
6	6-67	67-68	68-69	69-70	1970-71	- Manufacturers
Prod.	Gap	Prod. Gap	Prod. Gap	Prod. Gap	Prod Gap No. value	– estimate
31	— 40	36 — 35	49 —22	54 —17	54 17 4.2	72
6000	500	6200 —300	6400 —100	.8600 1100	6800 +300 0.9	5330
6500	—I 100	7000 —600	7500 —100	8000 +400	8500 +900 9.0	6300
30	41	40 31	50 21	60 11	70 —II	<i>i</i> 5

- 2. Woollen Textile Machinery.—In respect of woollen textile machinery, development of indigenous capacity has been slow. Against an anticipated demand for approximately 86,000 spindles during the plan period the indigenous output, based on present schemes, is not expected to exceed 45,000 nos. The licensed capacity is for 8,000 units per annum and the current production is about 1600 units/year. In regard to looms, no indigenous production is expected, while in respect of finishing, processing and miscellaneous preparatory equipment for felt, combing, carpet industry etc. the indigenous production is not expected to exceed 10 per cent. of the requirements.
- 3. Artificial fibre textile machinery.—A comprehensive demand picture for this industry is not available. The Machinery Group has assessed the requirements us 15,000 looms (see p. 3), along with its corresponding equipment in other sections for rehabilitation purposes during the Plan period.

The licensed capacity is for 2280 plain looms and 1200 automatic looms. The established capacity for plain looms is 2,160 and the production in 1963 was 35 looms. There seems to be no installed capacity in respect of automatic looms and indigenous availability during the Fourth Plan is assumed nil.

TABLE 5.—Textile machinery—Fourth Plan Demand vs. indigenous production

(Rs. million)

Industry			Е	xpansion R	chabilita- tion	Total*	Indigenous Production (P)
1. Cotton textile		•	,	1339	1326	2665	22 52
2. Woollen textiles	•	•		92	120	212	9.5
3. Man made fibre	•	•	•	n.a.	172	172	67
			_	1431	1618	3049	2328.5

^{*}This does not include investment on other facilities like humidification, heating power, lighting etc.

Machinery

The phasing of production is expected to be as:—

	Production of Textile
Year	Rs, million
1966-67	3 50
1967-68	410
1968-69	470
1969-70	530
1970-71	570
•	2330

IV. Fourth Plan Programmes

The major gaps seem to be in respect of woollen textile machinery, which may be around Rs. 50 million per annum by 1970-71, and is likely to grow during the Fifth Plan period. There do exist gaps

⁽P) Please see over.

in respect of some equipment for cotton and man made textile also, but it is difficult to say whether the existing manufacturers would be able to increase their production to meet the entire demand and if not, whether the gap is large enough to establish an economic sized new unit. Besides it may not be desirable to completely stop the import of all kinds of textile machinery. The technologies are developing so rapidly that in order to increase or even maintain exports of textiles, import of certain types of machines will be necessary.

It is therefore, suggested that a competent body should be asked to assess the manufacturing capabilities of existing firms and estimate the likely gap that may exist by 70-71 and beyond. This study should clearly point out the machines in respect of which we should strive for self-sufficiency and exports, and those in which some imports will be always desirable. It is felt that it will be necessary to establish a plant for the manufacture of woollen textile machinery. What other equipment this plant could conveniently include in its production programme, what its product mix, scope and size should be, may be left to this agency to suggest. Accordingly, the Group is provisionally recommending a public sector project, with an output of approximately Rs. 50 million. An ad hoc provision of Rs. 75 million is made for investment on this plant.

V. Investment

Besides Rs. 75 million provided for a new plant, the existing plant may invest Rs. 125 million on machine tools during the Fourth Plan period. The total investment in this industry is likely to be of the order of Rs. 200 million.

VI. Foreign Exchange

On capital account the foreign exchange is likely to be of the order of Rs. 100 million. It is estimated that for the import of raw materials and components, this industry will need Rs. 550 million in foreign exchange during the Plan period.

VII. Raw material

It is estimated that by 1970-71 the annual requirements would be as follows:—

1. Pig Iron 85,000 tonnes 2. Coke 32,000 tonnes 3. Power 36,000 kw.

VIII. Special recommendations

1. In respect of cotton textile machinery, the licensed capacity seems, more or less, sufficient to meet the entire demand, specially if rehabilitation is properly phased. The production is far below capabilities. The Group suggests that special attention should be paid to maximise the output as early as possible. It may be possible for these units to meet the requirements of art silk industry also. A close

liaison between textile industry and textile machinery manufacturers should be established to ensure maximum utilisation of indigenous capacity.

- 2. A study should be immediately initiated to
 - (a) suggest the means for achieving abovementioned objectives;
 - (b) estimate the gap in respect of various equipment and suggest how it could be met, to the extent desirable; and
 - (c) if a new plant has to be established, what its capacity and product mix should be.

GROUP VIII-A

JUTE MACHINERY

The Working Group has assumed that production of jute goods will increase from 1.3 million tonnes in 1965-66 to 1.7 million tonnes by 1970-71.

In calculating the requirements of machinery and equipment for expansion and modernisation during the Fourth Plan period, the Group has taken into account the additional supplier of equipment to this industry that have taken place upto September 1964 and those likely to materialise by March 1966. According to the Working Group, machinery valued at Rs. 345 million may be required during the Fourth Plan period. The demand and availability for each type of machine have been assessed in detail and it is concluded that, by and large, the existing firms, with marginal expansions, can meet the entire demand, except for some special kinds of machines. The present facilities show gap in respect of carding machinery and cop-winders, but it is felt that schemes are under way which may wipe off this deficit. At the same time indigenous production capabilities in respect of drawing frames, spinning frames, prebeamers, dressing and carpet backing loom will be in excess of internal demand. It is necessary that immediate steps are taken to find export market for these items otherwise the plants will not be able to operate at optimum level. It is felt that unless additional production capacity in respect of carding machinery and cop-winders is established soon the total production of jute machinery during the Fourth Plan period may not exceed Rs. 275 million.

The estimates of the Working Group regarding the production build up, foreign exchange on capital and maintenance account etc. are given in the following table.

Production during IV Plan

·	Year 						Output Rs. million	Imports of c and raw n % (Rs	
1966-67							49	20	9.8
1967-68	•		•		•		59	20	11·8
1968-69	•						79	15	11.85
1969-70	•						79	12	9.48
1970-71	•	•	•	•	•	•	79	10	7.9
To	DTAL	•	•	•	•		345		50.83
Accessori	es sp	ares	etc.	•	•	•	184	10	18-40
							529		69.23

The Group feels that approximately Rs. 75 million worth of specialised itmes of machinery may have to be imported during the Fourth Plan period.

It is estimated that for establishing the contemplated additional capacity, import of capital equipment may be approximately Rs. 7 million. Total investment in this industry may not exceed Rs. 50 million during the Plan period.

Note:—Investments shown here differ from those given in various Working Groups reports because of the changed budgetary allocations for the year 1965-66. These are the latest estimates.

It is difficult to foresee the extent to which these plants can be expanded. This aspect should be thoroughly investigated and if still a gap remains steps should be initiated immediately to establish fresh capacity.

GROUP IX

STRUCTURALS

The demand for structurals has been assessed for various major users, based on their physical requirements or are derived from investments incurred in those sectors. The result of the analysis are reproduced below:—

Demand for Structurals 1970-71

	Co	nsuming	g sect	or								Demand
					-				-			onnes/Yr.
1. Steel plant (inch	ludin	ig plant	buile	ding)		•		•		•		200,000
2. Other metallur	gical	industri	es			•						10,000
3. Chemical plant	s (ass	ociated s	truc	turals)		•						65,000
4. Factory building	ng (e	xcluding	grat	oove)		•						325,00
5. Power plants	(a)	Therma	ıl					•				60,000
•	(b)	Hydro	•	•	•	•	•	•		•	•	50,000
.6. Transmission t	over	rs		•				•			•	150,000
7. Railways												
,	(b)	Buildin Bridges Electrifi	Š	on	:	•	:	•		•	•	105,000
8. Road bridges	•	•		•				•		•		10,000
9. Material conve	ving											
7	(a)	Convey										20,000
	(b)	Ropewa	ays	•	٠							5,000
•	(c)	Cranes	•	•		•					•	65,00
10. Irrigation			,						•			36,000
						TOTAL						1,100,000

In order to take care of duplications on the one hand and omission on the other, a figure of 1.2 million tonnes has been accepted. No difference has been made between capacity and production. The view was expressed that under ideal conditions, production would be more than capacity.

Manufacturing Capacity

It may be noted that the demand estimates do not cover all users of structurals but only selected ones. The main purpose of this analysis is to study the demand and manufacturing capacity for that group of structurals for which well organised structural fabrication shops are necessary. Therefore neither the demand nor manufacturing capacity for those kinds of structurals are included which could be either site fabricated without the support of an organised shop or which could be processed in small scale sector or which could not be wholly classified as structurals, e.g. large diameter pipes, penstocks etc.

For this specified range of structurals it is estimated that at present, the existing capacity on single shift basis is as follows:

						t	onnes/year
I. Calcutta region	•	•	•	•	•		,
2. Bombay region			•	•	•		64,000
3. Southern region	•		•		•	•	14,000
				Тот	AL	-	151,000

or say 300,000 tonnes per annum of multiple shift basis. The total production in 1963 was approximately 180,000 tonnes.

Fourth Plan Programmes

- (1) Maximising output.—The Group assigns first priority to finding ways and means to optimise the output from the existing plants. Most of the plants at present are handicapped by lack of raw materials and matching steel and shortage of power. If these deficiencies are eliminated, these plants could work on multiple shift, thereby increasing their output by at least 60 per cent. Secondly, if this industry is supplied with broad flanged beams, the output will automatically increase due to decrease in processing time. Standardisation is another factor which helps in increasing output.
- (2) Additional capacity.—It is felt that under ideal conditions, the existing capacity can be rated equivalent to 300,000 tonnes per annum. The Panel for Structural Fabrication Industry has assessed the present effective capacity as 326,150 tonnes per annum. Thus, measures have to be taken to establish additional capacity for fabrication of 900,000 tonnes structurals per annum by the end of Fourth Plan. Of this probably 400,000 tonnes will be light structurals. for which in most of the cases, no large scale plants are necessary. A large percentage of this type of fabrication is done on site. Thus planners may focus their attention on the development of medium and heavy structurals for which a gap of approximately 300,000 tonnes may exist. The plants for the fabrication of medium and heavy structurals can not function properly unless backed up by a well developed design organisation. Further more these types of plants have comparatively large gestation period making the capital input-output rates in the early years of operation unremunerative. The progress in the past discourages hopes regarding the role of private sector in meeting the gap in these ranges. It is felt that unless the public sector enters this field to bridge a major share of the gap, large scale imports will be inescapable. The manufacturing faciliues and techniques required for this industry are comparatively less complicated and as such, this is one industry in which we should be not only self-sufficient as early as possible but also plan for export of these products in substantial quantities. While in the case of heavy and complicated structural plants, foreign collaboration necessary, a good portion of the requirements could be met from plants designed and established without any external help.

In order to increase the indigenous capacity, the following projects are suggested.

 One structural fabrication plant, with a capacity of 25,000tonnes per annum should be established close to each new steel plant.

- 2. Two neavy structural plants with facilities to fabricate hydraulic structures, penstocks and other heavy plate febrications. The capacity of each plant may be 15,000 tonnes per annum, with provision for expansion to 55,000 tonnes.
- 3. Two plants specialising in crane fabrication, with sufficient capacity to manufacture medium or heavy structurals. Capacity of these plants may be 25,000 tonnes each.

It may be pointed out here that most of the structural fabrication shops can fabricate the bridge of the crane provided they have the drawings. But to complete a crane they would require heisting mechanisms, wheels, etc., for which no specialised plant exists in the country and as such they are imported. It is, therefore, recommended that one of these crane plants should have facilities to manufacture hoisting mechanism for its own needs and for other crane manufacturers also.

- 4. Besides these specific schemes, it is recommended that four plants of capacity 10,000 to 15,000 tonnes, one each in the four regions of the country should be established to meet the requirements of factory building structurals, associated structurals for chemical and metallurgical plants and other users. Preferably these should be, if possible, located at or near the site for the future steel plants, and should precede the construction of the steel plant.
- 5. The above plants should be processed with the utmost speed and should be considered as advance action projects. After another couple of years if progress in the private sector is found to be unsatisfactory, more plants in the public sector will have to be planned.

It is possible that even after implementing these projects shortage may continue in respect of medium and heavy structurals depending upon the extent of expansions in the private sector fabrication capacity. It is suggested that the position should be reviewed again a couple of years later and if found necessary more plants should be established in the public sector. In order to achieve better utilisation of facilities in the private sector it is suggested that public sector fabrication shops should provide designs and drawings to fabricators in the private who lack such facilities. Another suggestion is that public sector projects requiring large quantities of structurals should provide certain facilities to the fabricators which may increase their efficiency and output. This may include renting of equipment to the fabricators which may later be used in projects maintenance shop. This would be in the interest of the project itself.

Investment.—The total investment on all these plants with a combined capacity of 200,000 tonnes per annum is estimated to be approximately Rs. 400 million, while the total investment in this industry during the Fourth Plan period may be of the order of Rs. 600 million. The norms of investment are spelt out in the Working Group's Report.

Foreign Exchange.—The Working Group has expressed the view that approximately 40 per cent. of the capital equipment can be procured indigenously. Accordingly, the total foreign exchange on capital account may be of the order of Rs. 200 million for this industry.

Raw materials, components, power and transport requirements.— For an output of 1.2 million tonnes fabricated structurals, approximately 1.35 million tonnes of structurals and plates would be required. The demand for fasteners and welding wire will rise rapidly. Steps should be taken to establish sufficient capacity for these items. Similarly, this industry is unable to get sufficient quantities of castings and forgings. Capacity for the manufacture of electric control gears is insufficient. The power requirements of this industry may add up to approximately 150,000 kw. Regarding transport requirements, it is suggested that while for incoming material provision for indicated tonnage may be sufficient, in respect of outgoing products, the provisions for transport will have to be for twice the quantity, the reason being that by the nature of the product the wagons and lorries remain underloaded. Special types of wagons for heavier and bigger pieces will also have to be arranged by the Railways.

Imported components are required mainly for cranes and hydraulic gates. The percentage of imported components varies from 5 to 30 depending on the end use of the product. It is however expected that after the implementation of above suggested crane-plant with facilities to manufacture hoisting devices etc., the imports of components may altogether cease.

Special Recommendations

- 1. It is suggested by the Working Group that a panel comprising of representatives of fabricating firms, Iron and Steel Controller, Railway Board, D.G.S. & D., Ministry of Steel, Department of Heavy Engineering, Ministry of Finance and D.G.T.D. should be appointed to assess the installed capacity of each plant and ensure that they are evenly booked as far as practicable. This panel may also coordinate the raw material supply, both indigenous and imported and help the industry in import of capital goods whenever necessary.
- 2. Facilities for the fabrication of light structurals, specially those required for material handling equipment should be separately established and firms capable of fabricating medium and heavy structurals should be discouraged from undertaking these kinds of jobs.
 - 3. As far as possible site fabrication should be encouraged.
- 4. Public Sector structural shops should provide designs and drawings to the fabricators in the private sector who lack such facilities.

GROUP NO. X

ENGINEERING INDUSTRIES

The Working Group has, in its studies, covered the following semi-products:

- (i) Iron castings.
- (ii) Malleable castings.
- (iii) Steel castings.
- (iv) Non-ferrous castings.
- (v) Cast iron pipes.
- (vi) Steel forgings.
- (vii) Steel pipes and tubes.
- (viii) Gears.
- (ix) Patterns.
- (x) Forging dies.
- (xi) Rolling contact bearings.

The Group attaches great importance to this group of products and is of opinion that every effort should be made to be self-sufficient in these industries as early as possible. Without proper development of these products, it will not be possible to ensure optimum utilisation of machine building facilities without dependence on imports.

The programme of development and the corresponding investments as suggested by the Working Group are summarised in the table No. 3.

The specific projects the Working Group has suggested are:—

- (1) A foundry forge plant to meet the requirements of heavy electrical equipment plants—Capacity—20,000 tonnes.
- (2) In addition to facilities at HEC, additional capacity for the manufacture of 45,000 tonnes of iron based rolls per annum should be established.

- (3) To meet the specialised requirements of heavy pumps and compressors, large diesel engines etc. a G.I. Foundry with a capacity of 25,000 tonnes per annum.
- (4) Several plants, each of capacity around 10,000 tonnes, of aggregate capacity 170,000 tonnes for the production of thin walled castings.
- (5) Additional capacity by establishing new plant(s) for the production of 40,000 tonnes per year of malleable castings.
- (6) A plant(s) for the production of 25,000 tonnes per annum of steel rolles.
- (7) Two plants (each around 10,000 tonnes/Year) for the production of specialised steel castings required for heavy pumps and compressors, large diesel engines, marine diesel engines, cranes etc. etc.
- (8) Two plants (each around 30,000 tonnes/year) for the manufacture of spun iron pipes.
- (9) The plant suggested above for supplying castings to heavy electrical plant may include forging capacity—of about 11,000 tonnes per annum.
- (10) Two plants, each around 6,000 tonnes capacity, for the production of pipe moulds.
- (11) Another plant(s) for the production of forged rolles—capacity 8,200 tonnes/year.
- (12) A forge plant for meeting the requirements of pumps, compressors, diesel engines etc.—capacity 5,600 tonnes/ year.
- (13) New units, each of capacity 75,000 tonnes to 100,000 tonnes, of aggregate capacity 220,000 tonnes for the manufacture of pipes over 200 mm. diameter.
- (14) New units, each of capacity around 24,000 to 30,000 tonnes, with an aggregate capacity of 630,000 tonnes for pipes below 300 mm.
- (15) One new plant for the production of rolling contact bearing. It may have a capacity of 10 million bearing per annum with adequate provision for expansion.
- (16) In case the existing firms do not increase their combined capacities to around 20 million bearings per annum, additional capacity elsewhere will have to be established to meet the deficit.

The Planning Group has analysed the report submitted by the Working Group and after taking other relevant factors into consideration has proposed the following programme.

TABLE No. 1

Development of Engineering Products Tearth Ila

Itcm		Un	it	Capaci 1965-66	ity 197 0-7 1	Investment Rs. million
		 			·	
Iron Castings .		•	th. tonnes.	1500	3000	600
Iron rolls			,,		45	150
Steel Castings			,,	170	500	750
Steel forgings	•		"	140	400	750
Iron pipes			,,	600	1500	250
Steel pipes & tubes			,,	500	1500	400
Gears			Million Rs.	200	500	100
Rolling contact bear:	ings		Million Nos.	15	40	400

It will be seen that in certain cases, the capacities and investment shown here are at variance with those given in the Working Group's report. The capacities and investments given here are exclusive of the facilities for the production of these items in captive capacities, while the Working Group has given an overall picture. The Group does not have sufficient data to suggest a programme for forging dies, wood patterns, malleable and non-ferrous castings and as such, has offered no comments. It is suggested that a study to analyse these industries to prepare a comprehensive development programme should be undertaken as early as possible. Similarly, the position regarding gears is not quite clear. It appears that most of the major gear users, e.g. the manufacturers of machine tools, automobiles, steel plant equipment, mining machinery etc. have their own gear making facilities. Furthermore, it appears that the capacities these captive facilities are in excess of their requirements. On the other hand, there is a large import of gears. One of the reasons for this anomaly might be that these manufacturers cover only a limited range and are not known as gear manufacturers. To reduce this under-utilisation of existing capacity and eliminate imports as far as possible, it is suggested that (a) plants with gear making capacities should be urged to advertise their capacity and (b) instead of future

public sector plants having captive gear making plants in each case, a centralised gear plant should be established, which should produce standard gears for various users. The Group recommends the following public sector projects for this group of industries:—

TABLE NO. 2

List of Public Sector Projects—Fourth Plan.

Projects	Scope	Investment: Rs. million.
1. Foundry Forge for HEL	. Steel Castings	15,000 230 (¹) tonnes !
2. Cast Iron Rolls	. Steel forgings 10,000 tonnes	15,000 · 50
3. Foundry Forge, Wardha	Steel Castings.	12,000 tonnes.
	Steel Forging includ- ing pipe moulds .	8,300 130 tonnes
4. Foundry Porge for pumps and	1	
compressors etc.	G. I. foundry.	Included in Pumps and Compressor Plant investment.
5. Sermless pipes	. 30,000 tonnes.	100
6. Gears	. Rs. 75 million	50
7. Rolling contact bearings	. 22.5 million Nos.	305

⁽¹⁾ Of this total, Rs. 20 million will have been spent during the Third Plan.

Table No. 3

Development of Engineering Projects—Fourth Plan.

•.	TT . ta		Estimated annual demand?		Capacity		Investment Rs. million		
Item		Unit	65-66	70-71	· Likely hy 65-66	Target- ted:	Indian curren-	Foreign exchan-	Total
r		2	3	4	5	1970-71 6	7 ————	ge 8	9
Iron Castings	•	rooo tonnes	1300	2270	1500	2800	610	380	990
Malleable iron castings.	•	,,	50	110	80	140	63	43	106
Steel Castings		3>	232	475	200	590	643	480	1073

r	2	3	4	5	6	7	8	9
Non-ferrous cast- ings	I,000 tonnes	25	55	n.a.	(31)68	24		24
Cast iron pipes	>>	620	940	900	1130	2 I	32	53
Steel forgings .	>>	234	395	170	440	610	390	1000
Steel pipes and tubes	,,	700	1450	480	1500	319	200	519
Gears .	Million Nos.	6.4	13.4	n.a.	(7)15	80	200	280
Forging dies .	>>	10.6	29·4	n.a.	(10) 29·4	5	10	15
Wood patterns .	23	270	510			20		20
Rolling contact bearings	»	19	37.4	15	40	180	220	400

GROUP No. XI

CONSTRUCTION MACHINERY

At the request of Planning Group, the Automobile Division of the D.G.T.D. prepared a paper dealing with the development of the following items:

- 1. Road rollers.
- 2. Crawler and rubber tyred tractors.
- 3. Motorised scrapers.
- 4. Motorised dumpers.
- 5. Motorised graders.
- 6. Loaders.
- 7. Excavators.
- 8. Mobile cranes.

For estimating the demand, the requirements of irrigation and power, mining, road and agricultural development have been taken into account. The estimates of demand, licensed capacity, investment during the Fourth Plan, likely production by 1970-71 and the requirements of foreign exchange as given in this paper are summarised in Table 1.

TABLE No. 1

Development of Construction Machinery—Fourth Plan (D.G.T.D.)

Item	Unit	1970-71 Annual	Licen- sed/ap- proved	Investment during IV Plan Rs. million		1970-71 Anticipated pro- duction	
		, , ,	•			Rs.	F.E. @
						millio	n Rs. million
r. Road Rollers .	. Nos	1800	2100	Nil	18co	81	1.8
a. Crawler tractors	. ,,	7 7 5	440	68	800	110	32
9. Rubber tyred trac		100	250	7.5	100	15	3
4. Dumpers and Scray	pers "		665	101	1100	186	50
5. Graders	• 33	300	• •	11.3	300	. 22	3·6
6. Loaders.	,	125	300	7	125	13	2.2
7. Excavators and sho)-			× 4.1			
vels 8. Mobile Cranes	. ,,	200	200	Nil	200	100	15
a. Mobile Cratics	. 31	125	195_	5	125	25	1.3
				200	-	552	109
			_	50		110	11
9. Ancillaries				250°	'	662	120

Of this approximately Rs. 175 million will be in foreign exchange.

[@] For the import of raw materials and components.

The Group analysed the progress of the licensed firms, and in the light of the D.G.I.D. paper has pictured the development of this group of equipment as given below:

TABLE No. 2

Construction Machinery—Development of

Item		Unit	Capac	Investment	
			Existing	Targetted	Rs. million
1. Crawler and rubber tyred tractors		Nos.	Nil	1000	150
2. Dumper and Scrapers .		Nos.	Nil	1000	100
3. Excavators and shovels .		Nos.	Ico	250	50
4. Road Rollers		Nos.	1000	1800	25
			To	OTAL _	325

GROUP No. XII

AGRICULTURAL MACHINERY

The items included in this Group are:-

- 1. Power driven pumps.
- 2. Diesel engines.
- 3. Tractors.
- 4. Power tillers.
- 5. Tractor drawn implements.
- 1. Power driven pumps.—No working Group was asked to study this industry. The Planning Group has based its recommendations on the basis of the report of Development Council and information available elsewhere. The pump industry is well-developed in this country and it is expected that by 1965-66, the indigenous production will be approximately 180,000 Nos. The Development Council has estimated an annual demand of 320,000 pumps by 1970-71. In view of the enhanced priority being given to agricultural development, it is felt that pump demand may exceed Council's estimates. Accordingly, a capacity target of 350,000 Nos. per annum for the Fourth Plan is suggested. It is expected that if demand warrants, the industry can achieve a production level higher than the indicated capacity. It is estimated that the industry may invest approximately Rs. 100 million to meet the Fourth Plan targets.
- 2. Diesel engines.—The Group's recommendations for this industry are primarily based on the recommendations of the Development Council.

At present, the installed capacity (on single shift) for the manufacture of diesel engines, in the organised sector, is approximately for 78,000 Nos. The Development Council has estimated that the production of diesel engines, both in the organised and small scale sectors together, may be of the order of 100,000 Nos. by 1965-66. The horse power per engine averages to about 7 to 8. According to the Council's estimates, the demand by 1970-71 may be approximately 190,000 Nos. and has recommended a capacity of 210,000 Nos. for 1970-71. The Group has suggested a capacity target of 1.75 million horse power for 1970-71.

Based on the past progress of this industry, there is every hope that these targets will be fulfilled. Qualitatively speaking, it is felt that the industry will not be able to meet the demand for engines over 200 h.p. It is expected that the schemes approved for the production of heavy earth moving equipment will commence production during the Fourth Plan. The requirements of diesel engine for earth moving machinery, meter and narrow gauge diesel locomotives,

shunters and diesel power generating sets etc., may be of the order of 2,000 Nos. per annum during the later part of Fourth Plan. It is, therefore, recommended that one plant for the manufacture of diesel engines in the horse power range 200—1500, may be established in the public sector, with a capacity of 1,000 engines per annum. The total investment on this plant is estimated to be approximately Rs. 50 million, while the investment on this industry as a whole, during the Fourth Plan is estimated to be about Rs. 150 million.

- 3. Agricultural Tractors.—It is estimated that the average annual demand for tractors during the Fourth Plan will be approximately and to meet this demand, it would be desirable to have a licensed capacity of 40,000 Nos. per annum. There present, four units licensed for the manufacture of tractors. of them has not made any progress in implementing the The other three have started regular manufacture of tractors with varying percentage of indigenous content. Recently, another party has been given a letter of intent for the manufacture of tractors and the three existing units have been allowed to double licensed capacity. These units will together account for the entire capacity in the ranges over 20 H.P. leaving a gap of 12,000 Nos. per annum in the range below 20 H.P. The position is summarised in the following Table No. 1. The gap is proposed to be covered by the establishment of a plant in the public sector with a capacity of about 12,500 tractors per annum together with about 30,000 implements.
- 4. Power Tillers.—Various agencies have estimated the demand for power tillers at different levels, but as yet an agreed figure has not been arrived at. Based on the available figures, the group is suggesting a target of 60,000 power tillers per annum for the Fourth Plan. At present there is only one licensed unit with a small capacity of 3,000 power tillers per annum. This unit has just started production and proposes to expand its capacity to 6,000 Nos. per annum. A large number of schemes proposed in the private sector are under consideration. There is also one scheme in the State Sector. It should be possible to select three or four out of these schemes to make up a total capacity of 60,000 power tillers.
- 5. Tractor drawn implements.—It is estimated that with the increased availability of tractors and power tillers, the demand for implements may be of the order of Rs. 100 million per annum by 1970-71. There are already a number of units in the private sector manufacturing tractor-drawn implements. Even so, it is suggested that the public sector project for tractors may include in its scope the production of a variety of implements also.

TABLE

AGRICULTURAL

DEVELOPMENT PROGRAMME—

	T	TT in	Fourth	Plan	Licensed/	
	Items	Unit	Annual demand	Recommend capacity	approved led capacit y	
τ.	Power driven pumps .	Nos.	320,000	350,000	180,000	
2.	Diesel engines .	h. p.	1,500,000	1,750,000	900,000	
3.	Tractors	Nos.	30,000	40,000	27,000	
	1. 12—18 DBHP .	Nos.	9,000	12,000	1,000	
	 20—30 DBHP 33 & above DBHP 	Nos.	16,000 5,000	23,000 5.00 0	24,000 2,000	
4 · 5.	Power Tillers Implements	Nos. Rs. m.	n.a. 100	60.000 100	18,000	

No i

MACHINERY

FOURTH PLAN

Effective capacity 1965-66 (multiple shift)	Gap	Investment Rs. million	Remarks
200,000	150,000	100	 Production of heavier pumps inclu- ded in the public sector pumps and Compressor project.
900,000	{ 850,000	150	2. A public sector project proposed— 200—1500 h.p. 1,000 Nos./Year.
11,000	29,000	200	3. (a) A public sector project proposed:
Nil	12,000(a)	•	(i) Tractors—12,000 Nos./Year. (ii) Implements—30,000 Nos./Year.
9,000	14,000(b)		(b) This gap has been covered by expansion of existing units and licensing of an additional unit.
2,000	3,000(c)	(c) This gap need not be specifically covered by additional licensing. The only licensed unit in this range can be expected to plan production according to demand.
3,000	57,000	150	
30	8 0	_50	

APPENDIX

TO

REPORT OF THE PLANNING GROUP FOR MACHINERY INDUSTRIES (PRELIMINARY REPORT)

PLANNING GROUP ON MACHINERY INDUSRIES

PRELIMINARY REPORT

I. Introductory

At the instance of the Planning Commission, the Ministry of Steel & Heavy Industries (Department of Heavy Industries) constituted a Planning Group on Machinery Building Industries in their O.M. No. 2070-DS (HS)/62 dated 27th June 1962. The composition of the Planning Group is shown in Annexure I. The Planning Group was required to undertake studies in respect of various machinery building industries and to prepare estimates of demand and recommend targets of production for the Fourth and Fifth Five Year Plans.

2. Even in initiating this formidable task, the Group faced serious difficulties. Firstly, in order to arrive at realistic programmes for the Fourth Plan, having regard to the gestation period of these industries, it was necessary to have a clear idea of the likely targets and rate of growth of the major user industries in the Fifth and subsequent Plans. The Group did not have before it definite information on these, and indeed it was known that final conclusions had not been reached on the overall dimensions or specific targets even for the Fourth Plan. Secondly, while for the purpose of arriving at requirements of machinery, the basis of end use would be adequate, it was necessary, for the purpose of indicating the way in which manufacturing facilities may be established, to classify such equipment, having regard to similarity of manufacturing facilities and skills The Machinery Working Group for the Third Plan had stated that "a break-up of projects and industries in terms of different categories of equipment is important for grouping allied items with a view to making arrangements for their bulk manufacture. equipment that do not lend themselves for such arrangements are to be isolated and endeavours made to develop their production on jobbing basis. Studies connected with both aspects assume considerable importance against the self-sufficiency objective". The Group was faced with the problems that such studies had not been conducted so far, nor had the Group at its disposal any agency which could undertake this work in any detailed manner. At the request of the Group, the Perspective Planning Division prepared certain tentative estimates regarding the likely targets in the Fourth Plan for major manufacturing and mining industries and the total requirements of plant and machinery for achieving these targets and for maintenance and replacement. These estimates necessarily proceed on certain assumptions and the Group considers that these assumptions should The estimates postulate a certain rate of assume that the pattern of development followed in the Third Plan would broadly continue, at higher levels. Wherever tentative targets had been worked out by the Ministries and other agencies, these had been taken into account. Care had been taken to ensure internal

balance between different sectors. The requirements of plant and machinery in the various sectors were then determined, and, in turn, classified into nineteen different groups, some of which are specific to individual industries and others common to more than one industry, such as process equipment; material handling equipment; machine tools etc. In determining these requirements making this classification, norms were adopted either on the basis of actual experience in projects or on the basis of general experience and judgment. After considerable discussion, the Group came to the conclusion that these estimates would provide a working basis for its further work. The limitations of such an approach were realised, and it would, in any case, be necessary, after the detailed studies are completed, to fit them into a composite plan for machinery industries, related to the dimensions and programmes for the Fourth Plan, which may, by then, have emerged. These estimates were given wide circulation and have been scrutinised by the officers of the Department of Technical Development and others, and modifications suggested by them have also been incorporated. A copy of this paper is annexed to this report (Annexure II).

- 3. For the purpose of undertaking detailed studies in different sectors, the Planning Group set up ten Working Groups as indicated below:
 - I. Electrical Power Equipment
 - II. Transport Equipment
 - III. Steel & Metallurgical Industries Equipment
 - IV. Mining & Drilling Equipment
 - V. Fertiliser and Chemical Equipment
 - VI. Machine Tools
 - VII. Industrial Machinery.
 - VIII. Textile Machinery
 - IX. Structurals
 - X. Engineering Industries

The terms of reference and scope of work are indicated in Annexure III. The Working Groups are currently engaged in making the studies entrusted to them.

4. The Planning Group has been requested to submit a preliminary report urgently in regard to (i) a provisional list of important projects/schemes which are proposed to be started during the first and second years of the Fourth Plan and the broad supply and demand position in their respective sectors during those years; (ii) the provision that has to be made in the annual plan for 1964-65 for advance action in regard to those projects/schemes and for meeting anticipated demands; and if possible, (iii) a broad idea of the objectives and tentative programmes for the Fourth Plan as a whole which the group may have generally in mind. Information regarding (ii) above has to be in time for inclusion in the Annual Plan

and Budget for 1964-65. The Working Groups were accordingly requested to make interim recommendations on these points. While the Working Groups have had to work under severe limitation of time, most of them have submitted interim reports, which are enclosed.

5. The Planning Group has not been able to examine in detail the various recommendations made by the Working Groups, and for the purpose of this present report, considers it adequate to high-light some of the important issues that would need the urgent consideration of Government and to enumerate the specific projects and programmes on which urgent action will have to be taken.

II. GENERAL CONSIDERATIONS

- 6. The Planning Group would like to draw the attention of Government to certain important general considerations relevant to the planning, establishment and utilisation of machinery industries. The Third Plan Machinery Working Group has also dealt with some of these points. The Group considers that our present arrangements for the planning and execution of major projects and programmes are, in many respects, hardly adequate in relation to our needs and the magnitude of the investments involved. Broadly, the processing of a project would fall into four stages:
 - (1) The preparatory work, up to the point when the need and the technical and economic feasibility of the project are established.
 - (2) The preparation of the detailed project report, that is to say, the finalisation of the products, equipment, investment, location etc.
 - (3) Execution, that is to say, construction, installation and completion.
 - (4) The attainment of full production.

In the first or preparatory stage, not merely technical issues are involved. An overall view of development in different sectors and the place of the particular project or programme in this overall context; an economic evaluation of costs and benefits; and a sense of priorities, with reference to available resources, are required. Such an evaluation and judgment has to be exercised on the basis of various alternative possibilities, resulting from systematic and continuing studies on needs and possible lines of action. In the various discussions in the Planning Group, it was felt that our arrangements for such preparatory studies and evaluation were not adequate and that measures should be instituted to handle this stage of the work more purposefully.

7. For the second and third stages, namely preparation of detailed project reports and execution, we have at least some agencies in the major public sector undertakings, and we can also enlist the assistance of other agencies. Here, the main needs are to ensure higher standards of accuracy in estimating and scheduling, and to enforce greater rigour in implementation and evaluation of progress. It is also of the utmost importance that the agency or officer to whom the

project will be entrusted is designated and put in position at the earliest possible stage.

- 8. The Group feels that perhaps not enough emphasis is being attached to the fullest utilisation of capacity already established or projected, as compared to the establishment of additional capacity. In major projects, more especially heavy engineering projects, full production will not follow the establishment of physical manufacturing capacity, as a matter of natural course or even by efflux of time, but needs deliberate and sustained efforts, not only at the plant, but elsewhere also. This involves building up design and engineering skills at the plant, and coordination between the user and the manufacturing unit. Such coordination has to be not only antimate and continuing, in the present, but with reference to plans and programmes several years ahead. This can be ensured only by or under the highest authority.
- 9. Flanning is not merely an assessment of needs, but also a determination of priorities with reference to resources. While the Group is required and will make un estimate of demand, it considers that these should be fitted in to some scheme of priorities. Next in importance to securing maximum production from established capacity as already stated, priority should be given to the production of basic raw materials and intermediate products. Under this category would come pig iron, tool and alloy steels, castings and forgings, pipes and tubes, ball bearings etc. The next priority should be assigned to missing items to match existing lines of production or those that will ensure better balance of established capacity. While expansion and creation of new capacity to meet increasing needs would follow the Group does not mean to suggest that creation of new capacity in any field should await attainment of full production in all fields, Any system of priorities has to be applied with discrimination, with reference to the field in question and available alternatives. In recommending the projects and programmes requiring urgent action. the Group has broadly kept in mind the above considerations.

III. RECOMMENDATIONS

- 10. On the basis of studies carried out so far by the Working Groups and other agencies, the Planning Group recommends urgent action in respect of the projects and programmes enumerated below. In respect of some of them, project studies of a more or less detailed nature have been carried out, and they could, therefore, be taken up for implementation straightaway. In respect of others, the Group recommends that detailed studies be initiated by the concerned agencies straightaway.
- 11. Among the projects included in the Third Plan, the Group considers that the Heavy Pumps and Compressors project should be implemented expeditiously. The Group understands that the Marine Diesel engine project, which has advanced in many respects, is held up due to the uncertainty about the Second Shipyard. The Group suggests that the possibility of making a beginning by way of manufacture of parts and assembly to meet current requirements may be examined. On the Heavy Plates and Vessels and Heavy Structurals projects, also included in the Third Plan, the Group has further recommendations to make.

- 12. Foundry Forge for Heavy Electricals.—The heavy electrical plants, established and under construction, will require considerable quantities of medium, heavy, and very heavy forgings, some of them of a specialised nature, to match their output of electrical equipment. No capacity exists today, nor will that of Heavy Engineering Corporation be adequate, except in the very heavy range. It is also understood that the collaborators have advised that they will not be in a position to supply the castings and forgings, so that even imports are ruled out. This project has been under consideration since 1961 and the Group considers that this should be taken up for implementation without delay. Heavy Electricals has prepared a project outline, and the production programme and other aspects have been examined in detail by a committee headed by Dr. Kalelkar, Group recommends that simultaneous action be taken regarding location and preparation of site; preparation of list of equipment required by Heavy Electricals; and arrangements for foreign collaboration for production and foreign exchange for equipment.
- 13. Power Boilers.—The study made by the Working Group shows a large gap in power boilers. Available and projected capacity will not match indigenous production of steam turbines. The Planning Group recommends that the question of expanding the Tiruchi Boiler plant to about 2 million k.w. may be examined. While undertaking this expansion, the need and the feasibility of including L.D. vessels and heavier pressure vessels for the fertiliser and chemical industries may be considered.

The A.V.B. boiler plant may be permitted to expand to about 0.5 million k.w.

- 14. Steam turbines.—Studies made so far indicate that there is likely to be a considerable gap in steam turbines. The Group understands that Government are intending to establish a new unit, to include also nuclear power equipment. The Group, at present, thinks that we will have to plan in terms of a unit of economic size, so as to include 300,000 k.w. of nuclear power equipment and possibly also other items. This is a field in which knowhow and technology are of crucial importance. Having regard to the long term significance of such a project, the Group recommends that this be implemented as early as possible.
- 15. Industrial Motors.—There will be need for additional capacity for large sized industrial motors to the extent of about 1.5 million H.P. The possibility of establishing this capacity either at Ramachandrapuram or elsewhere may be examined.
- 16 Flameproof motors.—There is likely to be a very large demand for flameproof motors. The establishment of a capacity exclusively for this purpose may be examined.
- 17. Synchronous condensers.—The capacity for synchronous condensers will have to be increased from 90,000 KVAR to about 375,000 KVAR by establishing capacity either at Ramachandrapuram or elsewhere.

18. Power transformers.—The capacity for power transformers at Bhopal may be increased from 3 million KVA to about 6 million KVA.

Even so, there is likely to be a gap in power transformers. The Group is not yet in a position to make further recommendations in the nature of projects, but, however, suggests that any proposals for expansion by existing units, calculated to secure economic production, should be considered favourably.

19. Switchgear.—The Planning Group understands that Heavy Electricals is proposing to set up a plant for the manufacture of high voltage switchgear, in collaboration with a reputed manufacturer. In the context of increasing requirements, the Group recommends approval of this proposal.

In regard to switchgear also, the Group would support favourable consideration of proposals for expansion and diversification by existing manufacturers.

- 20. On electrical power equipment generally, the Group would observe that there is every possibility of achieving a major degree of self-sufficiency within the next decade. It will be worthwhile to concentrate our efforts in rounding off development in this strategic sector, by covering the gaps and missing items. As already referred to, availability of castings and forgings to match indigenous manufacture of heavy rotating machinery should be ensured. Mechanical equipment, such as condensate, feed water and other pumps etc. to go with turbines and boilers will have to be covered. Above all, production of electric sheet steel, especially cold rolled grain oriented sheets, should be given high priority.
- 21. Commercial Vehicles.—The Planning Group understands that, on the basis of arrangements already made or expected to be made for the import of capital equipment, the capacity for the manufacture of medium range vehicles, with a pay load of up to 7 tonnes, will go up to about 54,000 nos. per annum. The expansion of capacity for the manufacture of heavy duty vehicles, with a pay load of up to 9 tonnes to 600 nos. per annum is currently under implementation. Government have also recently approved the manufacture of extra heavy duty vehicles, with a pay load of about 11 tonnes.

With the implementation of these schemes, there will be considerable improvement in the road transport situation in the early years of the Fourth Plan.

Apart from further expansion in the above ranges to meet requirements in the later years of the Fourth Plan, the Planning Group considers that the question of additional capacity for commercial vehicles in the light range, with a pay load below 3 tonnes, at economic prices, needs detailed examination.

22. Diesel Locomotices.—The Railway Board has made an assessment of requirements of rolling stock during the Fourth Plan period. These are based on their own tentative estimates of volume of traffic.

which are somewhat at variance with those made by the Perspective Planning and Transport Divisions of the Planning Commission, being generally lower. On the whole, however, there is a remarkable similarity in the assessment of requirements of rolling stock. The Railways have proposed that the capacity for the production of diesel locomotives be expanded to 250 nos per annum. Having regard to the need and importance of diesel locomotives and the necessity to take advance action for the manufacture of the numerous ancillary items, the Planning Group recommends that early action be taken for the creation of the additional manufacturing facilities.

- 23. Electric Locomotives.—The Railways propose to expand production of electric locomotives to about 100 nos. per annum and the Group endorses the proposal.
- 24. Traction Motors.—The production of traction motors should match the output of rolling stock and replacement requirements. It will be necessary to expand production of traction motors at Bhopal from 800 nos. to about 2400 nos. per annum.
- 25. Machine Tools.—The Working Group has tentatively assessed that capacity will have to be established for an output of about Rs. 1000 million by the end of the Fourth Plan, as against an estimated production of about Rs. 250 million at the end of the Third Plan. This will require tremendous effort.
- 26. A part of the shortfall in the Third Plan will be attributable to the slow progress of the Heavy Machine Tool plant at Ranchi and every effort should be made to complete this project with utmost speed.
- 27. Hindustan Machine Tools accounts for about half the production in the country and its further expansion should be given high priority. The Group understands that, in the Fourth Plan, Hindustan Machine Tools has proposals to set up five units, that is, one a year. It will be necessary to sanction, in 1964-65, two such units, for which proposals are reported to have been finalised, so that they could be commissioned in the early part of the Fourth Plan. Another such unit will have to be sanctioned in 1965-66.
- 28. The part played by Hindustan Machine Tools in expansion in this field has been commendable. The technical resources and surpluses built up at Bangalore have, in a considerable measure, contributed to this. We should now also look to the newer units for similar and more rapid development. Consideration may be given to making a start with a second nucleus—possibly at Pinjore, around which further expansions could be planned by the latter part of the Fourth Plan. In this industry, there is no particular economy of scale, beyond a certain size, nor is there any decisive advantage in a monolithic structure managing more than four or five units. The necessary coordination in production and other matters could be secured at Government level.
- 29. We will still have to rely on considerable expansion in the private sector, despite the hitherto tardy progress. While liberal flicensing has to continue, this should perhaps be more selective.

This is a field where foreign collaboration is important and where foreign investment will have a useful role. The pattern of this industry in developed countries comprises of a large number of relatively small units, specialising in particular items or groups. Many of them spend a considerable part of their income on development and research. Rapid changes of technology in design, production and usage, obsolescence and fierce competition between units and countries are normal features. The Planning Group feels that foreign investment by reputed manufacturers, in selected items, should be made specially welcome, and that, for this purpose, terms of collaboration and investment may be liberalised to the necessary extent, having regard to the features of this industry. It may be useful to enlist the services of the Investment Centre to make an organised effort and register a special impact in this field.

- In working out the detailed pattern of demand by types, sizes etc., the Working Group is facing some difficulties. The Group has to assess the past trends in machine tool using industries; the planned investment and pattern of development in the Fourth Plan; and likely plans over a longer period. The Group has recommended that a census of machine tools in the country be undertaken as early as possible. The last census was undertaken nearly ten years ago and there must have been considerable changes in the pattern of usage since then. The automobile industry is already reaching a stage, where semi-automation is becoming important. It should be noted that the pattern of demand for machine tools will depend not merely in total metal production or overall industrial development, but also on the level of development and consequently themethods of production adopted in individual units and industries. The Planning Group endorses the recommendation for instituting a survey of machine tools in the country. It will be necessary, on the basis of such a survey, which should therefore be purposively directed, to make projections of a somewhat detailed and sophisticated kind, taking into account likely patterns of development and usage in the country and possible trends in machine tool technology abroad. For this purpose, it may be necessary to seek the services of a suitable and competent agency.
- 31. Castings.—The studies made by the N.I.D.C. indicates large gap in various kinds of castings. A major portion of existing production of steel castings and a substantial portion of grey iron castings are today consumed to meet railway requirements and these will substantially increase in the future. To the extent additional capacity has to be created in these fields, there is much to be said for ensuring that at least a portion of this additional capacity is of a kind capable of meeting the specialised requirements of railways, particularly of standard repetitive items of large volume, at economic prices, on the basis of modern and mechanised methods of production. The Group is also in favour of such capacity being under the control of the Railways, to secure control over design, quality, prices and deliveries. There are other advantages also. Today, the Railways constitute a substantial source of scrap, which is sold to collecting agents and in turn to foundries, and which again sell the same to the Railways in the shape of castings, at possibly excessive prices.

- 32. The Group would recommend substantial expansion of the existing railway foundries. In addition, the Group recommends that the Railways may establish new foundries, with modern equipment, for large scale production of standard items. The Group understands that the Railways have already a proposal to establish a new steel foundry, with a capacity of about 10,000 tonnes. The Group would suggest that the possibility of increasing the capacity to about 20,000 tonnes, either initially or by expansion at a later stage, be seriously considered. The Group would also advise that the production programme should be determined, not merely to match Railways' own manufacturing facilities, but rather on a selection of items used in railway stock, wherever manufactured.
- 33. The Working Group has also suggested a central railway foundry for grey iron castings with a capacity of 75,000 tonnes, mainly for sleepers. The Planning Group is, however, not certain that, in grey iron castings and particularly for sleeper quality, a modern central foundry would necessarily be cheaper than small and even antiquated foundries with low depreciation and overheads. In any case, the Group considers that the Railways should examine and if possible resort to alternative kinds of sleepers to a greater extent. On steel castings, however, the Group is of the decided view that the establishment of additional capacity by the Railways would be, by far, the best course. Even so, a major portion of their requirements will still be secured from outside sources.
- 34. Structurals.—The Working Group has made an estimate of the demand for structurals, project-wise and category-wise, and has recommended that, in addition to expansion of existing units, there is scope for setting up further new heavy and medium structural manufacturing units, as a long term measure. Qualitatively, the gap is very large under heavy structurals. There is a particularly steep increase in the requirements of structurals of various kinds by the steel plants and other public sector projects, which the Working Group has estimated at nearly a million tonnes by the enc of the Fourth Plan and which more or less equals the total increase in requirements during the Plan period-
- The Planning Group recommends that the following projects, which, the Group understands, are already under the consideration of Government be taken up for urgent implementation. Hindustan Steel has proposed to set up, at Bokaro, a heavy and medium structurals plant with a capacity of 24,000 tonnes per annum. A technical committee, convened by Dr. B. D. Kalelkar to consider the scope of indigenous supply for the Bokaro steel plant, has estimated its requirements, for the 1.5 million tonne stage, at 145,000 tonnes, of which, as things stand, about 55,000 tonnes will have to be imported. The committee has, accordingly, recommended that a plant of the capacity as above be set up urgently. The output of such a plant, if set up within two years from now, will, over a period of three to four years thereafter, be more or less fully engaged in meeting the requirements of the Bokaro steel project. Thereafter, apart from any requirements for the expansion of Bokaro. the plant will be located at a source of supply for plates and in an area of large demand for heavy and medium structurals.

Steel has prepared a project outline and it will not be difficult to finalise the list of equipment and to purchase the same from an appropriate source. No collaboration will be required and the necessary designs can be supplied by Hindustan Steel.

- 36. The Heavy Engineering Corporation has proposed to add a structural bay at Ranchi, with a capacity of about 10,000 tonnes. The requirements of associated structurals, to match machinery output at Ranchi, will be about 8,000 tonnes in the first stage and about 18,000 tonnes at the final stage. It will be possible to manufacture some of the associated structurals in the present shops in H.E.C. in the initial period, but this will not be desirable for any length of time. It may be possible to procure some of the associated structurals from outside sources, and in any case, this will have to be done to a considerable extent. It will be necessary, from the point of view of production control in respect of critical items, and to enable H.E.C. to adhere to delivery and guarantee terms, that H.E.C. has its own source of supply. As the design organisation and other available facilities can be utilised, the additional investment and overheads will be smaller. The Group recommends that H.E.C. be requested to proceed with this proposal straightaway. Here again, a list of equipment required, which should not amount to an unduly large sum, can be prepared, and purchased from an appropriate source, including U.S.S.R.
- 37. There has been a proposal to set up a heavy structurals plant at Wardha. The Group understands that the production programme of this project has been modified, so as to provide for a certain portion of heavy and medium structurals, and, more importantly, to include specialised fabricated structural items, such as wharf and other cranes, sluice gates, penstock pipes, and certain other structurals items pertaining to steel plants. Discussions are being held with Voests of Austria for technical collaboration and possible investment, to cover import requirements, in full or in part. The capacity may be between 12,000 to 24,000 tonnes, depending on the detailed production programme and other factors. The Planning Group considers this to be a sound approach and commends that this be pursued with all possible speed.
- 38. The Working Group has enumerated various difficulties that stand in the way of full utilisation of existing installed capacity. Some of these, like the shortage of matching sections, have prevailed, in varying degrees of acuteness, for some considerable time. The Planning Group considers that sporadic attempts to review and resolve such difficulties will not answer the situation and that must be handled on a more abiding basis. As a long term measure, the Group suggests that steel sections used in structural fabrication should be rationalised. The Indian Engineering Association has undertaken detailed studies and made some proposals for rationali-The Group recommends that these be considered, in consultation with those concerned, and early decisions taken, should be adopted, after due notice, both for future production plans and design of structurals. Even so, short term adjustments will be called for. As the situation is likely to vary from time to time and from the firm to firm, the Group considers that the only point at

which such adjustments can be made, effectively and with maximum speed and economy, is at the individual firm. The Group, therefore, recommends that some limited amount of foreign exchange and discretion, for the import of matching sections, be given to firms engaged in the fabrication of medium and heavy structurals. What the Group envisages is that the Iron & Steel Controller will publish, each half year, a list of banned sections, the availability which is fully adequate to meet requirements, and that, subject to this and the limit of foreign exchange allocation, the firm should have freedom to import matching sections, without further scrutiny or formality. The distribution of the foreign exchange made available for this purpose, as between different firms, could be channelised, as suggested by the Working Group, by an Advisory Panel. The Planning Group also endorses the recommendation Working Group for the constitution of such a Panel, to deal with the above and other functions, the most important of which would be coordination between the steel industry and structural fabrication industry, in regard to rolling programmes, ordering, despatches etc.

- 39. The Third Plan Machinery Working Group recommended that, as a necessary adjunct to the Heavy Structurals Works, there should be a Design Bureau for designing structurals for heavy industry on an efficient and economic basis. The Planning Group would reiterate this recommendation and suggest that such a Bureau be established at an early date. The Bureau may also be responsible for rationalising steel sections, evolving designs based on such sections and other Indian conditions, and generally act as a service agency for industries in the public and private sectors.
- 40. Fabrication Shop for Fertiliser and Chemical Equipment.— The interim report of the Working Group is in the form of a self-contained project outline. The Planning Group has little to add to it, except to say that it is a realistic proposal, calculated to secure the maximum benefits in the shortest possible time. Here again, the Group would recommend simultaneous action regarding the selection of a suitable agency to execute the project; location and preparation of site; preparation of the detailed project and list of equipment; and initiation of discussions with selected foreign manufacturers, with a view to secure technical collaboration and possibly also investment to cover import of capital equipment.
- 41. Coal Mining Machinery.—Government have already under consideration a second coal mining machinery plant, with Polish collaboration. After a study of requirements during the Fourth Plan, the Working Group on Mining and Drilling Equipment has made some suggestions on the scope and products, more particularly regarding provision of chain and belt conveyors and bulk material handling equipment. The Planning Group suggests that these he considered and final decisions, on the production programme, be taken, in consultation with experts concerned.
- 42. Industrial Machinery.—In regard to industrial machinery, the capacity, existing and in sight, for sugar and cement machinery is, on the whole, adequate to meet requirements in the foreseable future. Additional capacity will need to be sanctioned for paper and

pulp machinry. Apart from the adequacy of capacity to meet futurerequirements, the Planning Group would like to draw attention to the imperative need to ensure the fullest utilisation of such capacity as exists. Paper machinery and coal washery equipment are examples of unutilised capacity in industries of admitted importance. There is not, as yet, in the view of the Group, a sufficient recognition of the nature and problems of these newly emerging capital equipment industries. These need to be identified and our policies and measures suitably adjusted, if these industries are to take root and grow in strength. Firstly, machinery industries are critically dependent on the rate of growth and investment in user industries, and to the extent there are fluctuations, machinery industries falter and lose in confidence. To some extent, this can be met by greater diversification of manufacturing capacity to general purposes. However, diversification of design and engineering skills, which constitute an integral part of machinery industries and which are inherently more specialised, will present difficulties. Secondly, the custom-built nature, large unit value and the long interval between order and delivery, especially under Indian conditions, raises problems in regard to standardisation, ordering, price, release of foreign exchange etc., which need a unified approach and coordination. Perhaps, a compact standing committee in respect of each of these industries, including representatives of manufacturers users, may be of assistance in resolving some of these problems, which are of a detailed and operational nature, rather than of a general or policy kind. Lastly and perhaps most importantly, there is the problem of finance. It would seem that the specialised requirements of this group of industries would need to be handled in some special way.

43. Rolls.—The Department of Technical Development has estimated requirements of rolls by 1970-71 as follows:

		<u> </u>			(18	Steel million tonnes)	Other Industries	Total
Forged .						10,800	• •	10,800
Stœl .	•					15.120	10,000	25,120
Cast Iron	•	•	•	•	•	33.030	9,000	42,030
	Total	١.		•		58,950	19,000	77.950

The planned capacity at Ranchi is as follows:

							Own require- ments	For outside supply	Total
Forged					•		2,450	1,120	3.470
Steel				•			200	6,000	3,570 6,200
Cast Iron	1	•	•	•		•	240	11,300	11,540
		Total					2,890	18,420	21,310

Full production to this level is likely to be reached by about 1972-73. A few schemes have been sanctioned in the private sector, but the

Group understands that the prospect of any capacity materialising is not bright, except, perhaps in the case of TISCO. The Group considers that additional capacity should be planned even now, having regard to the substantial overall gap and more especially because of increasing requirements of a variety of chilled, grain and other rolls, based on diverse technologies.

- 44. At Ranchi, the limiting factor will be the machining capacity, and the Group is not sure that this should be increased, at any rate, for some time to come. Up to the limit of this capacity, Ranchi should meet all requirements of forged rolls, as this increases, and we need not plan for another centre for forged rolls. For the rest, Ranchi could produce steel and cast iron rolls, according to circumstances.
- 45. The gap will thus be mainly in cast iron rolls. The Group suggests that a roll foundry, of appropriate size, should be established, possibly at one of the plants of Hindustan Steel. As technical collaboration is important and foreign investment is also a possibility, a joint enterprise could be considered.
- 46. Heavy Machine Building Capacity.—A preliminary assessment indicates that for steel expansion, replacement and other demands, total requirements of heavy equipment of the kind in the scope of Ranchi, will be over 300,000 tonnes by the end of the Fifth Plan. This could mean that Ranchi should be doubled from 80,000 to 165,000 tonnes, and another plant, similar in size and scope, will be needed.
- 47. In the preliminary report on Ranchi, the Russian experts, headed by Mr. Babich, had assessed that for steel expansion, at the rate of 2 million tonnes per annum, for replacement and for other demands, total requirements would be about 165,000 tonnes. This included 20,000 tonnes of rolls. As a plant of this size could not be projected at one go, they recommended a plant of 80,000 tonnes in the first instance, capable of expansion to 165,000 tonnes at a later stage. However, on our insistence, mainly with reference to availability of resources, it was decided to go ahead with 45,000 tonnes in the first stage, expanding to 80,000 tonnes at the next. The Babich report visualised that the plant will still go to 165,000 tonnes after the established capacity has been achieved. For further requirements, the experts recommended specialised plants, covering the following items:
 - (a) Excavators and other earth handling equipment.
 - (b) Crushing and grinding equipment.
 - (c) Oil extracting equipment.
 - (d) Auxiliary equipment for iron and steel works.
 - (e) Press forging equipment. Small and medium size machinery.
 - (f) Mechanical handling equipment.

The intention was that, when relieved of the manufacture of the above equipment, Ranchi could correspondingly increase production of major machinery for steel works and heavy parts and assemblies.

for other industries. For plants manufacturing the specialised items listed above, there will be need for additional casting and forging facilities.

- 48. The Detailed Project Report and project now under construction at Ranchi cover the 80,000 tonnes stage. There is provision for expansion to 165,000 tonnes, but no details have been worked out.
- 49. The planned development of machinery output at Ranchi is expected to be as follows:

Year	Output (tonnes)
1963-64 1964-65 1965-66 1966-67 1967-68 1968-69 1969-70	1.800 16,000 22,500 20,000 35,000 50,000 65,000 80,000

The output in the foundry forge plant is expected to be as follows:

Year	Output	(tonnes)
1964-65	1,275	
1965-66	9,650	
1966-67	28,000	
1967-68	50,160	
1968-69	73,290	
1969-70	89,260	
1970-71	111,430	
1971-72	120,040	
1972-73	124,221	(full planned output)

Thus, Ranchi will reach its full output, for its present facilities, only at the end of the Fourth Plan. Even in developed countries, plants of this kind take many years to reach full output. Ranchi is a large plant by any standard. Under our conditions, where design and specialised skills, co-ordination between steel expansion and manufacturing programmes at Ranchi and elsewhere, and productivity are still to be built up, our efforts will have to be concentrated on these aspects.

50. It would also appear that when Ranchi is enlarged, this should not be by way of a straight expansion of its present production programme, but by way of extension, qualitatively and quantitatively, in the heavier and larger range of equipment, so that the heavy duty production machines, presses, cranage etc. are utilised to the fullest extent. For this top range of equipment, Ranchi should be our only source, and we need not plan on capacity elsewhere for many years to come.

- 51. What we may now do is to undertake detailed preliminary studies as to what extent production of the heavier and larger range of equipment could be stepped up at Ranchi, and what items of equipment could, in consequence, be taken out. The feasibility of establishing separate centres of production for the items so taken out should also be studied. With reference to the weight and size range of the component parts, total requirements and methods of production involved, excavators and other earth handling equipment, oil extracting equipment, and mechanical handling equipment could be among such items. It should be noted that some component parts in the top weight or size range comprised in such items will still have to be manufactured only at Ranchi. In other words, the proposed centres will not be completely self-sufficient, and Ranchi will have to be complementary to them. Accordingly, the production programme of these centres and Ranchi will have to be co-ordinated, and for this purpose, they should probably be under the H.E.C.
- 52. If these preliminary studies justify the feasibility of such an approach, our next step should be to prepare detailed proposals for the new centres and the detailed project report for extension of Ranchi on this basis. The implementation of the projects should be carried out in such a way that there will be balanced utilisation of capacity at these places. It may be possible that additional production of the relatively smaller items at the new centres is established first and the full extension of Ranchi taken up towards the latter part of the Fourth Plan, by when Ranchi will have reached over 50 per cent of capacity.
- 53. In a matter of this complexity and significance, no conclusions can be drawn till detailed studies are completed. Such studies can hardly be undertaken by any group consisting of part-time personnel. Probably, the assistance of Russians, who know the capacity and potential of Ranchi best, should be sought. The Planning Group recommends that these suggestions be given serious consideration by Government, and, if they are found acceptable, the necessary detailed studies may be initiated forthwith.
- 54. There are certain other items for which a project or programme approach may be needed, in the light of likely requirements and past progress, namely:
 - (1) Tractors and earthmoving equipment.
 - (2) Presses.
 - (3) Furnaces.
 - (4) Hydraulic equipment.
 - (5) Textile machinery.

The Group has, however, not been able to formulate any specific proposals on these.

55. The Group is conscious that the projects and programmes outlined in this report and which the Group has carefully selected with reference to their importance and priority, add up to a substantial

- total. The Group is convinced that, if pursued vigorously and implemented during the remaining years of the Third Plan and the first two years of the Fourth Plan, these will strengthen the heavy engineering base of the country and take the economy to higher levels of development in the years to come.
- 56. As for industries in the private sector for which advance licensing will be necessary, to meet requirements in the first two years of the Fourth Plan, the Group understands that this is under the consideration of the Planning Commission, in consultation with the concerned Ministries and the Department of Technical Development. In any case, this is a matter where short term reviews and adjustments will be necessary.
- 57. It is the intention of the Group to submit further supplementary reports, for advance or urgent action, if any items of importance, come to its notice, in the course of further studies.

ANNEXURE I

- 1. Additional Secretary, Department of Heavy Industries, Ministry of Steel and Heavy Industries—Chairman.
 - (Shri T. Swaminathan, Addl. Secretary). (Shri N. Subrahmanyam, Addl. Secretary).
- 2. Senior Industrial Adviser (Chemicals) (Dr. G. P. Kane).
- 3. Senior Industrial Adviser (Engineering) (Dr. B. D. Kalelkar).
- 4. A representative of the Ministry of Commerce and Industry (Shri K. B. Rao, Officer on Special Duty).
- 5. A representative of the Ministry of Food and Agriculture [Shri C. S. Sridharan, Deputy Adviser, Soil Conservation (Engg.)].
- 6. A representative of the Ministry of Railways (Shri M. N. Bery, Director, Planning).
- 7. A representative of the Ministry of Defence [Shri S. S. Jauhari, Director (Production), Shri B. R. Sethi, Director (Production)].
- 8. A representative of the Ministry of Irrigation and Power (Shri K. P. S. Nair, Member, C.W. & P.C.).
- 9. A representative of the Ministry of Mines and Fuel (Shri N. N. Kashyap, Joint Secretary).
- 10. A representative of the Department of Iron and Steel (Shri G. Ramanathan, Deputy Secretary).
- 11. A representative of the Planning Commission [Shri N. C Shrivastava (Adviser), Dr. D. Swarup, Chief (Industry and Minerals Division)].

ANNEXURE II

MANUFACTURING AND MINING INDUSTRIES PROGRAMME OF DEVELOP-MENT 1960-70

- 1. As desired by the Sub-committee of Machinery Planning Group, a set of tables as worked out in the Perspective Planning Division, are presented to provide provisional estimates of
 - (a) the capacity in 1960-61 and targets for 1965-66 and 1970-71 in respect of major manufacturing and mining industries;
 - (b) the total investment on plant and machinery during the Fourth Plan period for achieving the contemplated targets and for the maintenance, replacement of the aged plants;
 - (c) the total cost of plant and machinery, its break-up into several district groups, and group-wise requirements for 1960—71.
- 2. The targets of capacity have been derived from the general strategy of development designed to achieve a rate of growth of about 7 per cent per annum in the national income during the Fourth Plan period. The pattern of development corresponds to the strategy outlined in the Third Plan and aims at maintaining a rate of growth of this order in the subsequent period with net foreign assistance reduced to a much smaller quantum, if not eliminated altogether by 1970-71.
- 3. No attempt is being made in this paper to explain the rationale of individual targets. It will take too much space to do so. The industrial targets have, however, been formulated to ensure an adequate balance of supply and demand for commodities as the economy moves to higher levels. The consistency between saving and investment targets and the need for balance in foreign trade have also been kept in view.
- 4. After fixing the targets for 1970-71 a view has been taken as to how the gap between the capacities existing at 1965-66 and those required by 1970-71 will be achieved. To meet the gap, existing units would be expanded to the extent necessary to benefit by economies of scale. It is assumed that new units would be set up with a view to achieving lowest cost production and would, therefore, be located properly and have optimum scale of operation. The calculations of needed total investment and/or plant and machinery have been based on these assumptions.

Certain norms (cols. 10, 11 of Table 1) have been worked out showing the relationship between investment per unit of output of major industries separately for increase in output arising from (a) substantial expansion of existing units and (b) newly established units. These have been applied to the marginal addition to capacity contemplated for the Fourth Plan (cols. 12—14 of Table 1).

The probable annual requirements of plant and machinery for the year 1970-71 are estimated by assuming a certain rate of growth for individual industries in the Fifth Plan period. For these industries in which the rate of growth will continue at the same or higher rate than in the Fourth Plan it has been assumed that the last year requirements will be 25 per cent of the total Fourth Plan period demand. For industries in which the addition to capacity in the Fifth Plan will be more or less the same as in the Fourth Plan the yearly demand in 1970-71 is assumed as 20 per cent of the total Fourth Plan period requirements.

In formulating the targets for industrial plant fabricating industries care has been taken to include the requirements of such equipment only which a factory can conveniently and economically manufacture. General items of machinery and materials e.g., pumps, compressors, instruments, machine tools etc. are deducted from the total plant value in order to estimate the output value of plant fabricating enterprises. Table 2 seeks to give a rough estimate of the current replacement cost of plant and machinery installed. Installed cost of plant and machinery has been calculated by building and deducting the cost of land, associated works from the total fixed investment. The replacement requirements for the year 1970-71 are related average lift of the plant and the growth in stock of particular plant over its life span. Replacement on account of industrial units to be established during the Fourth Plan period has been left out as being new equipment, actual replacement is likely to be very small.

The average annual replacement requirements for 1966-71 is the mean of the annual requirements for the year 1965-66 and 1970-71 and five times this mean gives the estimate of total replacement requirement in the Fourth Plan.

Table 3 presents an approximate breakdown, by value of specified type of plant and machinery required for the Fourth Plan capital investment programme of different industries. The value of the plant and machinery stands for the ex-works cost of the equipment. For this purpose the cost of erection, transport charges and other expenses, such as duty, insurance fee etc. have been deducted from the investment on plant and machinery. These figures have been cross checked, wherever data were available, with the physical quantity of equipment required and its cost for any particular enterprise.

This information has been put together in an approximate form by using (a) the structure of plant and machinery investment by groups of equipment for different industries in percentage terms set out in Table 4 and (b) the investment on plant and machinery for the Fourth Plan for different industries as given in Table 2. Similar analysis has been extended to plant and machinery requirements of electricity generation, transmission and distribution and of railway and motor transport during the Fourth Plan.

The main purpose of this study is to enable a start being made of systematic planning for the establishment of manufacturing facilities for various plant, machinery and equipment required to support the contemplated industrial growth. The tentative estimates presented in this paper are based on the results of a number of detailed studies done in the Perspective Planning Division of the Planning Commission, within the context of a unified approach. This has the advantage of assuring internal consistency of targets and throwing up order of magnitude which are realistic.

An important consideration in machinery and equipment production planning on a somewhat long-term basis is that of the extent of specificity and the level of aggregation which must be taken into ac-Obviously from the point of view of efficient production, count. taking advantage of economies of scale and specialisation of product, it is necessary to breakdown the requirements of machinery into groups and/or components of more or less similarly constructed equipment requiring same or similar manufacturing facilities, technical know how and skills, irrespective of the final use to which the This it is more meaningful to disaggreequipment or part is put. gate equipment by these groups, which are homogeneous from the point of view of production rather than to think in terms of planning production of equipment by its use in different industries except for items which are specific to that industry.

With this basic consideration in mind, it is desirable to plan production capacities in muchine building and engineering industries in such a way as to provide maximum flexibility which should permit efficient response to changes in demand for products or a group of products.

It is to draw attention to this whole range of problems that the present exercise has attempted a detailed breakdown by nineteen groups on the basis of whatever material was available. This work needs to be greatly strengthened and can be advanced significantly further only if a much larger group of technical experts extends their serious co-operation.

ANNEXURE

CLASSIFICATION OF PLANT AND MACHINERY ITEMS BY 19 GROUPS

(As adopted in Table 3)

- 1. Equipment specific to industry, e.g. textile machinery.
- 2. Process equipment, e.g. pressure vessels and cylinders, distilling and fractioning eq., filters, driers, heat exchangers, reactors, autoclaves, crystalizers and solidifiers etc. etc.
- 3. Process machinery—e.g. grinding and crushing eq., mixing eq., screening eq., centrifugals etc. etc.
 - 4. Pumps, compressors, blowers, exhausters, fans etc.
- 5. Boilers and large heat exchangers, e.g., condensers, air preheaters, economizers etc.
- 6. Machine tools—cutting and forming, foundry and forging eq., tools, fixtures and dyes.
- 7. Mat. conveying eq. e.g. cranes, conveyors, elevators and allied structurals.
- 8. Mat. handling eq., fork lift trucks, pallot lift, industrial fractors, furnace chargers, metal handlers, industrial shovels and allied eq.
 - 9. Structurals including tanks, industrial furnaces etc.
 - 10. Pipes, valves, fittings etc.
 - 11. Rotating electrical machinery, e.g. motors generators.
- 12. Non Rotating electrical machinery e.g. transformers, switch gear.
 - 13. Electrical material, e.g., cables, wires, insulators etc.
 - 14. Prime movers—e.g., I.C. engines, turbines.
 - 15. Industrial Refrigeration and airconditioning equipment.
 - 16. Transport equipment e.g. locomotives, wagons, trucks etc.
 - 17. Instruments, testing equipment, laboratory equipment.
 - 18. Misc. Ind. machinery.
 - 19. Misc. material, e.g. refractories.

Note.--Alterations in investment figures have not been made as a result of change in capacity targets.

Table 1: Production capacity in 1960-61 planned for 1965-66 and proposed for 1970-71 and estimated fixed investment in manufacturing and mining industries in the Fourth Plan (1966-71)

SI.	Industries	Metric unit		C	epecity		_			investmen unit (Rs.)	nt 1	Fixed investment during Fourth Plan (Rs. million)					
			60	-61 6	5-66 70-7	I _edd	ed during	IV Plan	unit	NU	SE	NU	SE	total	replace-		
						total	new unit (NU)	expan- sion (SE)	<u> </u>				<u> </u>		ment	grand total	
(0)	I	2	3	4	5	6	7	8	9	10	11	12	x 3	14	15	16	
1	Iron ore mining	thou.	10,700	32,000	70,000	38,000	20,000	18,000	ton.	13	10	260	180	440		••	
2	Coel mining	tons	60,000	97,000	180,000	83,000	63,000	20,000	97	50	98	B 3,150	760	3,910	••	••	
3	Coal washeries (raw coal washed) .	*	11,000	21,000	80,000	59,000	50,000	9,000	•	20	16	6 1000	144	1,144	••	••	
4	Soft coke (low temp. carbonization)	99		2,000	3,000	1,000	500	500		133	80	67	40	107	••		
5	Nayveli lignite integrated proj.																
	T. Brkquetting & carbonization plant	ni Ni	••	38p	600	220		220		••	237	7	52	52	••	••	
	2. High temp. carb. plant .	•		1,000	1,000				"	••	• •		••	••	••	••	
6	Hard coke (by-product process) .	79	620	1,160	5,000	3,840	2,800	1,040	>>	90	6	0 <u>252</u> 4,729	62 1,238	314 5,967	1,390	7,36	
7	Petroleum refining	**	6,000	17,000	30,000	13,000	7,000	6,000	**	150	75	¥,050	450	1,500	••	••	
8	Lubricating oils	*1	••	100	800	700	600	100	•	790	500	0 420	50	470	••	••	
9	Crude oil ,	,,	••	6,000	14,000	••	••	••	1)	••	••	1,470	500	2,000 3,970	400	4.37	
10	Steel (Ingot)	**	6,000	89,000	19,000	10.100	5,140	4,960	P3	1,610	1,00	5 8,275	4,985	13,260	••	••	
11	Alloy tool and spl. steel (ingot) .	22,		200	500	300		300	"	5,000	3,000	·	900	900	••		
12	Aluminium	*1	18	125	250	125	50	- 75	*>	10,000	7,50	0 500	560	1,060	••		
13	Others (incldg. copper, zinc lead etc.)	.,	••	••	••	••	••	••		••	••	8,775	6,445	490 15,620	1,880	17,50	

128

i4	Fertilizers—N.		thou. tons	240	1,000	2,000	1,000	900	100	ton.	2,600	2,000	2,340	200	2,540	••	e i
#5	Fertilizers—PaOs .		. "	57	500	¥,250	750	600	150	**	500	300	300	45	345	••	
16	Caustic sods—chemical		. ,,	27	50	80	30	30	••	**	500	400	15	••	15	••	••
17	Caustic soda-electrolytic		. 2.	100	350	620	270	100	170	**	1,500	į 1,250	£50	213	363		••
18	Soda ash	•		270	530	800	270	220	50]	700	230	154	12	166		
19	Sulphuric scid		. ,,	526	1,750	3,700	1,950	1,700	250		120	90	204	23	227	••	• •
20	Dye-stuffs		. ,,	8	11	16	5	••	5	,,,	30,000	20,000	••	100	100	••	
31	Drugs and pharmaceuticals		. Ra. million	200	500	800	300	100	200	Rs. thou.	750	500	75	100	175	••	••
22	Intermediates		. thou. tons	••	25	40	15	••	15	ton	4,400	3,500	••	52	52	••	••
23	Plastics		- 33	15	85	250	165	100	65	**	5,000	4,000	500	260	760		••
24	Auto tyres		, mill. nos.	1.6	3 · 7	7.5	3.8	2.0	1·8	No.	135	90	270	162	432	.,	••
25	Cycle tyres		4 20	15	39	60	21	16	5	27	4	3	65	15	So	••	••
26	Synthetic rubber .		. thou. tons	••	50	140	90	90	••	ton	5,000	••	450	••	450	••	••
27	Paper and paper board		. ,	410	800	1500	700	500	200	.,	2,250	1,700	1,125	340	1,465		••
28	Newsprint	•		30	150	240	90	••	90	**	2,400	1,350	• •	122	T22	••	••
39	Cement		. "	9,200	15,000	26,000	11,000	9,000	2,000	**	125	75	1,125	150	1,275	••	••
30	Glass and glass were .		. »	380	600	1,000	400	••	400	**	560	400		160	160		••
31	Opthalmic glass .	•	. tons	••	300	450	150	••	150	-	87,000	70,000	••	10	10	••	••
32	Refractories	•	. thou tons	820	1,800	2,800	1,000	400	600		200	45	8o	27	107	••	••
33	Others	•	. thou, tons	••	••	••	••	••	••	••	••	••	6,853	 1,991	1,000 9,844	1,980	7 1,820
34	Sugar .		**	2,250	3,500	4,500	1,000	500	500	J o	725	600	362	300	662	58o	1,240
95	Cotton yarn			950	1,020	1,360	340	180	160		2,646	2,095	476	335	811		••
36	cotton cloth .		, mill.	4,845	5,300	6,400	1,100	550	550	th. met.	437	164	240	90	330	••	••
37	Rayon and staple fibre		metres th. tons	45	100	170	70	40	30	ton.	15,000	11,000	600	330	930	••	••
38	Chemical pulp	•	• *	••	120	250	130	••	130		2,000	1,500	1,316	195 950	195 2,266	920	3,190
39	Steam Locomotives .	•	. Nos.	300	250	100	••	••	••	No.		••		••		••	••

•	•
c	ď
=	Ξ

						c	apacity					investme mit (Rs.		Pixed	investmer (Ra	et durin . million	ng Fourth a)	Plan
5 L)	No. Industri	: 4		Mettic unit	6-6-	1-15		Adde	d during	IV Plan	- Unit	NU	SE				D loos	Grand
					60-61	65-66	70-71	Total	New unit (NU)	Rxpan- sion (SE)		110	32		SE	Total	Replace- ment	total
(0)	ī			2	3	4	5	6	7	8	9	Io	11	12	13	14	15	16
40	Diesel locomotives .			Nos.		150	300	150		150	No.	••	450,000		70	70	••	
41	Electric locomotives .	•			••	70	200	130	••	130		••	550,000	••	70	70	•••	••
42	Wegons			Thou. Tons	26	45	60	15	15	••	••	4,000	• •	60	••	60	••	••
45	Railway coaches .	•		Nos.	1,300	1,400	2,200	800	••	800	No.		200,000	••	160	160		••
44	Motor cars			Thou. Nos.	20	30	45	15	••	15	No.		4,500	••	68	68		
45	Jeeps and station wage	n s .		. "	5	10	15	· 5		5	,,	••	4,500	••	22	22	••	
46	Commercial vehicles			• ••	28	60	150	90		90	94	••	12,500	••	1,125	1,125	••	
47	Ancillaries, components including foundry and	k par l forg	ts e .	Rs. million	••		••	••	••	••	••	••	••	••	ua.	500		••
48	Motor cycles & scooters			Thou Nos.	23	60	150	90	••	90		••	300	••	27	27	••	••
49	Bicycles			, ,,	2,200	2,200	3,500	1,300		1,300	n		25	••	33	33	••	
50	Merchants ships .			Thou.	80	60	120	60	15	45	GRT	9,000	5,000	135	225	360	••	••
<1	Metric diesel engine			GRT Thou. HP	••	75	200	125	••	125	HP		240	••	30	30		••
52	Aircraft, completed & co	npon	ents T	Rs. mill.	••	••	20 0	••	••	••	Rs. thou.	••	••	195	1,830	100 2,625		2,87
53	Generators:																	
	I. Steam			Thou, KW		1,000	2,600	1,600	600	1000	KW	150	90	90	90	180	••	••
	2. Hydro			**		850	1,700	850		850	19	125	75	••	64	64		••
54	Elec. motors:																	
	I. (below 150:KW)			63	859	2,775	[8,000	5,225		5,228	,,=	50	25	••	130	130	••	••
	2. (above 150: KW)	_		_		500	2.000	1,500		[1,500	**	140	100	£+ø	150	150	••	••

_	
Û	
\rightarrow	

55	Transformers:	:																		
	1. (upto 33 K	(V)	•	•		Thou. KV	1,400	4,200	8,500	4,300	••	4,300	KVA	20	15	••	65	65	••	••
	2. (above 33)	KV)	•			**	••	2,000	16,500	14,500	••	14,500	22	35	25	••	362	362	••	
56	Capacitors					Rs. mill		3	65	62	••	62	Rs. Thou	800	600		37	37	••	
57	Switchgears		•		•	**	40	180	600	420	••	420	**	1,100	800	••	336	336	••	••
58	Turbines:		-																	
	1. Steam	•	•	•	•	Thou. KW	7	1,000	2,600	1,600	600	1,000	kw	250	150	150	150	300	••	• •
	2. Hydro	•	•	•	•	22		850	1,700	850	• •	850	>>	125	80	••	68	68	••	••
59	A.C.S.R. conductors)	uctor	(incl.	AA .	con-	Thou. tons	20	55	125	70	••	70	Ton	400	260		18	18	••	
60	VIR & plastic	coate	d wire:	S	•	Mill. Meters	420	700	1400	700	200	500	Thou. Mct.	164	110	33	55	88	••	••
61	Winding wires	8.		•		Th. tons	77	30	60	30	••	30	ton	2,110	1,750	••	52	52	••	
62	Bare copper co	onduc	tors		•	92	20	10	5	••	••	••	• •	••	••	••	••	••		
63	Paper insulate	d cat	oles	•	•	Kilo. Meter	1.420	7,200	16,000	8,800	3,200	5,600	Kilo. m.	6,700	4,350	21	24	45	• •	-•
64	Dry core cable	:\$	•	•	•	p2	1,500	4,000	8,000	4,000	2,000	2,000	**	24,850	21,750	50	44	94		
65	Coazial cables	•		•	•	**	480	480	650	170	••	170	"	24,850	21,750	••	4	4		••
66	Electric fans		•	•	•	Th. nos.	1,740	2,800	4,500	1,700	850	850	No.	17	10	14	9	23		
67	House service	metre	:	•	•	1>	760	2,500	2,500		••	••	• •	••	••	-•	••	• •	•,•	••
68	Lamps .	•	•	•	- 1	Mill. nos.	50	76	125	49	••	49	Th. Nos.	400	250	••	12	12		
69	Tubes	•	•		-	••	2.4	7	30	23	••	23	••	400	250		6	6		••
70	Radio receivers	•		•	•	Th. Nos.	560	900	1,500	600	••	600	No.	28	25	••	15	15	••	
71	Storage batteri	C\$	•	•	٠	Tnou.	760	900	2,000	1,100	••	1,100	No.	40	25		28	28	••	••
73	Dry batteries	•	•	•	•	Min. Nos.	450	459	650	200	••	200	tbou. no.	90	is	••	13	13	••	••
73	Retrigerators	•	•		•	Th. Nos.	28	56	120	64	••	64	no.	••	650		42	42	••	
74	Air conditione	:rs	•	•	•		50	50	100	50	••	50		••	700	••	35	35	• •	• •
75	Water coolers		•	•	•	37	10	20	30	10	••	10	**	••	700	358	1,816	2,174	·: 50	2,230

	_
ć	J
Ň	٥

il No.	Industries	Metric				Sepecity				investm unit (R			(Ru. 1	rtment du million)	ring Four	th Pien
			60-61	65-66	70-71	Added d	uring IV	Plans	Unit	บห	SB	NU	SE	Total	Replace-	
						Total	New unit (NU)	Expen- sion (SE)							ment	Total
(0)	I	3	3	4	5	6	7	8	9	10	11	13	13	14	15	16
76	Iron custings		600	1,200	4,000	2,800	r,600	1,200	Ton.	1,500	1,000	2,400	1,200	3,600		
77	Steel cartings	**	40	200	600	400	250	150	•	2,000	1,500	500	225	725	••	••
78	Porgings	**	40	200	800	600	400	200	**	3,000	2,000	1,200	400	1,600	٠.	
79	Structural fabrication	99	500	1,100	2,200	1,100	600	500		500	300	300	150	450		• •
80	Gear cutting (reduction gear unita)	Tons	1,000	5,000	15,000	10,000	10,000	••	29	6,000	••	60	••	60	••	
81	Cranes	Th. Tons	. 8	42	70	28	8	20	**	2,500	1,500	20	30	50	••	
82	Ball & roller bearings	Mill Nos.	2	11	37	26	15	11 '	Th. Nos.	15,000	10,000	300	165	465	••	••
83	Precision instruments	Rs. Mill.	40	200	700	500	300	200	Rs. Thou.	400	300	120	60	180	••	
84	Surgical instruments	Th. Piece	4	2,500	5,000	2,500	••	2,500	Piece	11	8		20	20		••
•	Machine tools	Rs. Mill	80	500	1,000	700	400	300 (Rs. Thou.)	2,000	1,500	800	450	1,250		
86	Diesel engines (excl. for transport eqpt.)	Nos.	48	72	140	68	••	68	No.	800	500	••	34	34		••
87	Powr driven pumps		128	180	300	120	30	90	217	1,800	1,200	54	108	162		••
88	Air compressors	Rs. Mill	25	75	200	125	100	25	(Rs. Thou	.) 600	400	60	10	70	••	
89	Power boiler (inclcoal prepara- tion etc.)	,	••	200	600	400	••	400	23	••	1,000		400	400	••	
90	Industrial boilers	Rs. Mill	. 40	100	300	200	100	100	Rs. Tho	u. 830	700	83	70	153	••	••
91	Heavy plate & vessels works -	Thou. Tons.	••	30	70	40	30	10	Ton	2,000	1,500	60	15	75	• ••	••
92	Chemical drugs & pharmaceutical machinery	Rs. Mill.		90	450	360	270	90	Rs. Thou.	600	500	162	45	307	••	

	_
7	٠.,
- 3	٠.

93	Metallurgical & other ment (Hathia)		vy eq	uip,	Thou Tops.		80	240	160	80	80	Ton	£ 000		490	160	٤		
	-	•			THOU LOUS-	••		- •-		80		TOM	6,000	20,000	430		640	••	••
94	Coal & other mining	maci	iner y	-	••	• •	45	90	45	••	45	**	8,000	6,000	••	370	270	••	••
95	Cotton textile machine	ETY	•	-	Rs. Miu	120	250	500	250	100	150 R	J. Thou.	500	400	50	60	110	••	••
96	Cement machinery	•				10	45	160	115	70	45	30	750	400	52	18	70	••	••
97	Sugar machinery	•	•	•	91	100	120	150	30	••	30	•	750	500	••	15	15		. •
98	Paper machinery	•	•	•		40	80	250	170	70	100		750	500	52	50	102	••	••
99	Printing machinery	•		•	**	20	30	100	70	50	20	20	1,000	750	50	15	65	••	
100	Jute machinery	•	•	•		25	25	35	10	••	to			400	••	4	4	••	••
101	Dairy machinery	•	•			3	25	50	25	••	25	••	200	150	••	4	4	••	••
103	Building & road const	tructi	onal •			16	46	90	44	20	24		600	500	12	12	24		
103	Crawler tractors			•	Nos.	••	600	1,200	600	••	600	No.	••	75,000	••	45	45	••	••
104	Dumpers & scrapers		•	•	*	••	600	1,200	600	••	600	20	••	75,000	••	45	45	••	••
105	Showels .	•	•		**	••	125	250	125	••	125	**	••	75,000		9	9	••	••
106	Road rollers .		•		-	800	800	1,500	700	••	700		••	3,000	••	2	2	••	••
107	Tractors ,	•	•	• '	Thou. Nos.	••	12	25	13	••	13	~	3,200	2,500	6,815	32 4,123	32 10,938	510	 11,448
	Grand Total		•	•											30,873	19,193	54,066	7,960	62,026

TABLE 2: Estimated investment on plant & machinery in manufacturing and mining industries India 1966-71
(Rs. million)

			i vestme nt V plan	during		Plant machine	& Ty 25	investo	ent on pl	int & ma	chinery		investm ma	ent on pla schinery (nt & 1970-71)
Sl. No. industries	upto 65-66	new unit	subs- tantial	total	upto 70-71	% of fi investme		upto 1965-66	during	IV plan		stock upto 70-71	New requi-	replace- ment	Total
		(NU)	expan- tion (SE)			NU	SE		NU	SB	total	,.,.	rement		
r	2	3	4	5	6	7	8	9	10	11	12	13	14	25	16
I Iron ore mining	400	260	180	440	840	73	85	300	190	153	343	643	86	32	118
2 Coal mining	4,610	3,150	760	3,910	8,520	60	75	2,880	1,890	570	2,460	5,340	492	267	759
3 Coal washeries	420	1,000	144	1,144	1,564	60	75	250	600	108	708	958	142	19	161
4 Soft coke (low temp. carbonization) .	265	67	40	107	372	65	90	170	44	36	80	250	20	5	20
5 Neyveli lignite integrated project. Briquetting & carbonization plant .	140	٠.	52	52	192	75	90	105		47	47	132	12	3	15
6 High temp. carbonization plant .	250	••		••	250	75		190		••	••	190	••	••	••
9 Hard coke (by product process) .	100	252	62	314	414	65	75	65	164 2,888	46 960	210 3848	275 	48 794	8 334	50 1,130
Petroleum refining	1,800	1,050	450	1,500	3,300	65	90	1,170	682	405	1,087	2,257	272	90	362
9 Lubricating oils	120	420	50	470	590	50	75	60	252	38	290	350	123	• •	123
o Crude oil	1,530	••	••	2,000	3,530	75	90	1,150	934	443	1,500 3,077	2,6 50	375 770	27 317	402 887
r Steel	12,575	8,275	4,985	13,260	25,835	65	90	8,900	5,379	4,486	9,865	18,765	2,466	375	2,841
2 Alloy coal and special steel	2,080	••	900	900	2,980	65	7:	5 1,350	• •	675	675	2,025	168	40	208
3 Aluminium	1,200	500	562	1,062	2,262	65	75	800	325	422	707	1,547	149	62	211
Others (incldg. copper, zinc, led etc.) .	410	••	••	400	810	65	••	270	5,704	5,583	260 11,547	530	65 2,848	21 498	86 3,34 6
5 Fertilizers (N2+P2O5)	2,765	2,640	245	12,885	5,650	55	65	1,250	1,452	159	1,611	2,861	403	143	546

16	Castic Soda .		•	•	•	520	165	213	378	898	68	75	365	112	160	272	637	68	32	100
17	Sods Ash .	•	•	•	•	310	154	12	166	476	65	90	210	100	11	111	221	28	16	44
18	Sulphuric Acid	•	•	•	•	190	204	23	227	417	85	90	165	173	21	194	359	48	18	66
E9	Dyestuffs .	•	·	•	•	320	••	100	100	420	75	90	240		90	90	330	18	1313	31
20	Intermediates	•	•	•		110	••	52	52	162	75	9 0	85	••	47	47	132	9	5	14
21	Drugs & Pharmaceut	ical	•		•	350	75	100	175	525	50	75	190	38	75	113	303	28	6	34
22	Plastics	•	•	•	•	405	500	260	7 60	1,165	75	90	315	375	234	609	924	152	28	180
5 3	Auto-tyres .				•	500	270	162	432	932	7 5	90	375	202	146	348	723	87	14	101
24	Cycle-tyres .		•	•	•	150	65	15	80	230	75	90	165	48	14	62	167	12	3	15
25	Synthetic rubber		•	•		250	450	••	450	700	60	75	150	270	••	270	420	68	8	76
26	Paper & paper boar	d		•		1,785	1,125	340	1,465	3,250	80	90	1,445	900	306	1,206	2,651	. 302	106	408
27	Newsprint	•			•	330	••	122	122	452	65	75	219	••	92	92	307	23	12	35
28	Cement .	•				1,835	1,125	150	1,275	3,110	65	85	1,205	731	128	859	2,064	215	103	318
39	Gless & glassware			•	•	350	• •	160	160	510	66	75	235	••	120	120	355	24	11	35
30	Refractories .	•	•	•	•	380	80	27	107	487	50	65	170	40	18	58	228	12	11	23
9 1	Others	•	•	•	•	1,000	••	••	7,000	2,000	70	••	700	 444 ^I	 1,621	700 6,762	1,400	175 1,672	≤ 0 579	225 2,251
\$2 33	Sugar	•	:	:	:	2,523 2,890	362 476	300 335	662 811	9,187 3,701	80 80	95 95	2,030 2,310	290 381	· 285 318	57 5 699	2,60< 3,009	115 140	130 90	245 230
14	Cotton cloth	•		•	•	2,258	240	90	330	2,585	80	98	1,810	192	88	280	2,090	56	53	119
85	Rayon & staple fibre	:		•	•	1,320	600	3,30	930	2,250	75	85	1,030	450	280	730	1,76=	182	38	270
96	Chemical pulp .	•	•	•	٠	200	••	195	195	395	75	90	150	1,023	175 861	175 1,884	325	44 422	<u>!</u> 0 251	54 673
37	Steam locomotives			•		100	••	••	••	100	65	••	65	••		••	65	••	••	••
38	Diesel locomotives			•	•	120	••	70	70	190	58	67	60		47	47	107	13	I	13
39	Electric lecomotives	•		•		20	••	70	70	90	50	65	5		45	45	50	11	ı	12
40	Wagon		•	•		140	60		60	200	60	60	80	36	••	36	116	9	1	10

134

(Rs. million)

TABLE 2: Estimated investment on plant & machinery in manufacturing and mining industries India 1966-71

														(
	•			vestment V plan	during		Plant machiner	y as	investu	ent on pla	ut & ma	chinery		investm ma	ent on pla chinery ()	nt & 1970-71)
2	SI. No. industries	upto 65-66	new ນກit	subs- tantial	total	upto 70-71	% of fit investme		upto 1965-66	during	IV plan		stock upto 70-71	New requi-	replace-	Totel
			(NU)	expan- sion (SE)			טא	SE		NU	SE	total	/0-/I	rement	ment	
	I	2	3	4	5	6	7	8	9	10	11	12	13	14		16
•	Iron ore mining	400	260	180	440	840	73	85	300	190	153	343	643	86	32	218
2	Coal mining	4,610	3,150	760	3,910	8,520	60	75	2,880	1,890	570	2,460	5,340	492	267	759
3	Coal washeries	420	7,000	144	1,144	1,564	60	75	250	600	108	708	958	142	19	161
4	Soft coke (low temp. carbonization) .	265	67	40	107	372	65	90	170	44	36	80	250	20	5	20
5	Neyveli lignite integrated project. Briquetting & carbonization plant	140		52	52	192	75	90	105	,.	47	47	132	12	3	15
6	High temp. carbonization plant .	250	••			250	75	••	190			••	190	••	••	••
7	Hard coke (by product process) .	100	252	62	314	414	65	75	65	164 2,888	46 960	210 3848	275	48 794	8 334	50 1,130
8	Petroleum refining	1,800	1,050	450	1,500	3,300	65	90	1,170	682	405	1,087	2,257	272	90	362
9	Lubricating oils	120	420	50	470	590	50	75	60	252	38	290	350	123	••	123
10	Crude oil	1,530	••	• •	2,000	3,530	75	90	1,150	93 4	443	1,500 3,077	2, 650	375 770	27 317	402 887
T	Steel	12,575	8,275	4,985	13,260	25,835	65	90	8,900	5,379	4,486	9,865	18,765	2,466	375	2,841
12	Alloy coal and special steel	2,080	••	900	900	2,980	65	7:	5 1,350	••	675	675	2,025	168	40	208
13	Aluminium	1,200	500	562	1,062	2,262	65	75	800	325	422	707	I,547	149	62	211
14	Others (incldg. copper, zinc, led etc.) .	410		••	400	810	65	••	270	5,704	5,583	260 11,547	530	65 2,848	21 498	86 3,34 6
15	Fertilizers (Na+P2O5)	2,765	72,640	245	12,885	5,650	55	65	1,250	1,452	159	1,611	2,861	403	143	546

16	Castic Soda	•	•	•	•	•	520	165	213	378	898	68	75	365	112	160	272	637	68	32	100
17	Soda Ash	•	٠	•		•	310	154	12	166	476	65	90	210	100	11	111	221	28	16	44
18	Sulphuric Ac	id		•	•	•	190	204	23	227	417	85	90	165	173	21	194	359	48	18	66
E9	Dyestuffs	•	•	•	•	•	320	••	100	100	420	75	90	240	••	90	90	330	18	1313	31
20	Intermediates	ŀ	•	•	•	•	110	••	52	52	162	75	90	85	••	47	47	132	9	5	14
21	Drugs & Phar	mace	utica	l•	•	•	350	75	100	175	525	50	75	190	38	75	113	303	28	6	34
22	Plastics	•	•	•	•	•	405	500	260	760	1,165	75	90	315	375	1234	609	924	152	28	180
29	Auto-tyres			٠	•	•	500	270	162	432	932	75	90	375	202	146	348	723	87	14	IOI
24	Cycle-tyres	•	•	•	•	•	150	65	15	80	230	75	90	165	. 48	14	62	167	12	3	15
25	Synthetic ru	bber	•	•	•	•	250	450	••	450	700	60	75	150	270	••	270	420	68	8	76
26	Paper & pap	er bo	ard		•	•	1,785	1,125	340	1,465	3,250	80	90	1,445	900	306	1,206	2,651	302	106	408
27	Newsprint	•	•		•	•	330	••	122	122	452	65	75	219	••	92	92	307	23	12	35
28	Cement	•	•	•	•	•	1,835	1,125	150	1,275	3,110	65	85	1,205	73 I	128	859	2,064	215	103	318
29	Glass & glass	Wate		•	٠	•	350		160	160	510	66	75	235		120	120	355	24	11	35
30	Refractories	•	-	•	•	•	380	80	27	107	487	50	65	170	40	18	58	228	12	TI	23
91	Others	•	•		•	•	1,000	••	••	1,000	2,000	70	••	700	••		700	1,400	175	50	225
	0							•				•			4441	1,621	6,762	.,	1,672	579	2,251
33	Sugar Cotton yarn	:	:	:	:	:	2,523 2,890	362 476	300 335	662 811	9,187 3,701	80 80	95 95	2,030 2,310	290 381	285 318	575 699	2,604 3,009	115 140	90	245 230
34	Cotton cloth		•	•	٠	•	2,258	240	90	330	2,585	80	98	1,810	192	88	280	2,090	56	53	119
85	Rayon & stap	le fit	re	•		•	1,320	600	3,30	930	2,250	75	85	1,030	450	280	730	1,76 0	182	88	270
36	Chemical pu	lp	•	•	•	•	200	••	195	195	395	75	90	150	1,023	175 861	175 1,884	325	44 422	<u>70</u> 251	54 673
37	Steam locom	otive			•	•	100	••	••	• •	100	65	••	65	••	••	••	65	• •	••	••
38	Diesel locom	otive	•		•		120	••	70	70	190	58	67	60	••	47	47	Ic?	12	I	13
39	Electric leco	moti	res		•	•	20	• •	70	70	90	50	65	5	••	45	45	50	11	1	12
40	Wagon	•			•		140	60		60	200	60	60	80	36	••	36	116	9	1	10

S. N	o Industri	æ				Jpto		investmer V plan	t during	Upto	Plant machine	ty es	_		on plant	t & machi	inery	Stock	Inve	unent o	n plant (1970-	I)
					6	5 -66	New unit	Subs-	Total	1970-71	% of f		Up t 		uring IV	plen		upto 1970-71	New requi-	Replace		A.
							ณีบัง	expan- mon (SE)			שא	SB		;	NU	SB	Total	l	tement			
_		2				3		3 4	5	6	7	8	,	-	10	11	12	* *3	, ,	4	15	16
- I	Railway coaches					250		10	io 160	410	65	7	5 15	50	••	120	12	0 37	70	30	5	35
3	Motor care .	•	•	•	•	165	s	•	S8 68	233	75	8	0 11	15	••	54	5	4 17	79	11	4	15
3	Jeeps & station t	regoni		•	•	55	••	2	2 22	77	75		• 4	JO	••	18	1	8 5	18	4	I	5
•	Commercial veh	icles		•	•	785	·	1,1:	5 4,125	1,910	75	8	o 61	0	••	900	90	0 1,51	r o 2	125	30	255
5	Apcillaties, com foundry & forge	poneni -	# & 1	perty i	ncldg.	42	5	••	Soc	925	65	••	27	75		••	32	5 6	> 0	1	12	9:
6	Motor tycles &	ecocte	n.		•	31	·	. :	17 2	7 57	65		io :	30	••	22	2	12 .	(2	6	1	-
,	Bicycles	•	•	•	•	90		. ;	33 33	123	65	7	s (60	••	25	1	is i	85	5	2	
8	Merchants ships		-	•	•	500	I	35 27	s 3 60	860	70	8	93	90	94	180	27	74 6	P4	55	12	G
•	Marine diesel en	gines	•	-	•	30		3	0 30	60	65	8	5 2	30	••	26	2	≥6 .	45	6	1	
•	Aircraft complet	ed & a	co po	ben#	•	••	••	••	100	100	55	••	••		 130	 1,437	I,94	55 17		 455	 72	2 55
E	Generators																					
	Steam .	•	•	-	•	150	•	96	90 180	330	55	. 1	10 S	80	49	63	2	12 1	92	28	••	2
	Hydro .	•	•	•	•	110	•	••	54 6	174	55	2	10	8 0	••	45		45 I	05	II	••	1
	El ectric motors																					
	(150 K W .)	•	•	•	•	130	•	. 3	90 I30	250	60	7	v	70	••	91 ;	: 1	91 I	61	23	2	2
	(ipo KW.)	•			•	7	D	. I	50 15	320	60	, ;	70	40	••	105	1	105	L 45	26	I	

1

53 Transformers

	(upto 33 kw) .				110	••	65	65	175	60	70	6e	••	45	45	105	Ħ	ı	12
	(* 33 kw) .	•	•		70	••	362	362	432	60	70	40	••	- 253	253	293	63	3	66
54	Capacitors				2	••	37	37	39	60	70	I	••	26	26	27	7	••	7
55	Switch gears	•	•		170	••	336	336	506	60	70	110	••	235	235	345	59	3	63
56	Turbines—																		
	Steam	-			250	150	150	300	550	80	85	200	130	127	247	447	62		62
	Hydro	•			100	••	68	68	168	75	80	75	••	54	54	129	14		14
57	A.C.S.R. conductors (in). A.A. conductors)		,		20		18	18	38	60	70	13		13	13	26	3	••	3
₹8	VIR and plastic cotted wire	٠.			120	33	55	88	208	50	60	59	16	33	49	108	12	t	13
59	Winding wires				60	••	52	52	112	60	70	40		36	36	7 6	9	I	IO
60	Bare copper conductors .				20	••	••		20	65	7 5	••				••			
61	Paper insulated cables .				45	21	24	45	90	60	80	28	13	19	32	60	8	1	9
63	Dry core cables	-			90	50	44	94	184	60	80	67	30	35	65	132	16	T	17
63	Coexial cables				15		4	4	19	60	80	3		3	3	6	I	••	T
64	Electric fans				50	14	9	23	63	70	80	30	10	7	17	47	4		4
65	House service meters .				T40	••	••	••	140	60	80	83				83		Í	I
66	Lamps	•		-	45	• •	13	12	57	60	75	25	• •	9	9	34	2	••	2
67	Radio receivers	•	-		25	••	15	15	40	60	85	17	••	13	13	30	3	- •	3
68	Tubes	-			6	••	6	6	12	60	75	3		4	4	7	t	••	Ŧ
69	Storage batteries .	•		•	35		28	28	63	60	75	21	••	21	21	42	4	••	4
70	Refrigerators			•	40	••	42	42	82	70	80	30	••	34	34	64	7	••	7
71	Air-conditioners			•	40	••	35	35	75	70	80	30		28	28	58	6		6
72	Dry betteries				30	••	13	13	43	60	75	17	••	10	10	27	2	••	4
79	Water coolers				15	••	7	7	22	70	8o	10	••	6	6	16	t		T

92 Metalli (Hathir	rgical & ot	•		·	•	480	480	160	640	1120	75	80	360	360	128	488	E48	112	3	130
93 Coal &	other minir	g m	schin	rry.	•	475		270	270	745	75	80	360	••	216	216	576	54	6	60
94 Cotton	textile maci	hiner	у.		•	125	50	60	110	235	65	80	80	32	48	80	160	16	3	19
95 Cemen	t machinery	,				35	52	18	70	105	75	80	25	39	14	53	78	13	1	14
96 Sugar	nachinery		•			75	••	15	15	90	65	75	50	. •	ıı	11	61	3	1	4
97 Paper	machinery		•			60	52	50	102	162	75	80	45	39	40	79	124	20	I	21
98 Printin	g machinery	,			•	'30	50	15	65	95	75	80	20	3\$	12	50	70	12	t	13
99 Jute m	chinery	•	•			30	••	4	4	24	65	80	10	••	3	5	13	1		1
100 Dairy	nachinery				•	5	••	4	4	9	75	80	4	••	5	3	7	1	••	1
101 Buildin nery	a a road cor	ıstru •	ction	mach	i- •	45	20	17	37	82	75	80	35	15	14	29	64	7	1	8
102 Crawlet	tractors		•	•		45	••	45	45	90	75	80	35	••	3 6	36	71	9	• •	,
103 Dumpe	n & scraper	\$		•		45	• •	45	45	90	75	80	35	••	36	36	71	y	• •	٥
104 Shovels			•			10	••	9	9	19	75	80	7		7	7	14	2	••	2
105 Road r	ollers			•		25	••	2	2	27	••	80	20	• •	2	2	22	1	••	I
106 Tractor	• •	•	•	•	•	40	••	32	32	72	75	80	30	4791	26 3290	26 8081	. 56 	5 2002	146	2148
1	Total					30926	19223	54149	••		••	••	••	20419	15795	39074	••	9461	2142	11630
Investment of ed for re	n plant and placement	med	hiner	, ted	ir-	••		••	7960	••	••			••	••.	6400	••	••	••	

٠.

	Industries	Upto 65-66	Fixed inv	estment IV plan		Upto 1970-71	Plant machin % of fi		Investm	ent on pla	nț& ma	chinery	Stock		ent on placery (197	
		0,00	New unit	Subs- tantial	Total	-9/- /-	investr		1965-66	During	IV plan		upto		Replace-	Total
			ດີຊີ່ໃນ	expan- sion (SE)		·	NU	SE	-	NU	SE	Total	- 70-7I	require- ment	ment	
	r	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
74	Iron castings	1725	2400	1200	3600	5325	65	75	1100	1516	900	2460	3560	615	36	651
75	Steel castings	380	500	225	725	1105	75	85	280	375	191	566	846	142	8	150
76	Forgings	565	1200	400	1600	2165	80	90	450	960	360	1320	1770	330	18	348
77	Structural	490	300	150	450	940	50	75	270	150	112	262	532	666	11	77
78	Pabrication															
79	Gear cutting (reduction gear thits) .	30	60		90	120	75	80	20	70	••	70	90	15	1	16
80	Cranes	20	20	30	50	70	65	80	15	13	,24	37	52	9	1	10
81	Ball & roller bearings	150	300	165	465	615	65	80	001	195	135	330	430	82	4	86
82	Precion instruments	80	120	60	180	260	75	80	60	90	48	138	198	34	••	34
83	Surgical instruments	30	• •	20	20	50	75	80	. 20	••	16	16	36	4		4
84	Machine tools	560	800	450	1250	1810	65	75	375	520	338	858	1,233	214	25	239
85	Diesel engines (excl. engines for trans- port eqt.)	55		34	34	89	80	85	40	••	29	29	69	7		8
86	Power driven pumps	290	54	108	162	452	65	85	150	35	92	127	277	32	6	38
87	Air compressors	95	60	10	70	165	80	90	75	48	9	57	132	11	5	14
88	Power boilers (including coal prepara- tion etc.)	300	••	400	400	700	65	85	200		340	540	540	85	5	90
89	Industrial boilers	220	83	70	153	373	75	80	165	62	56	118	283	30	3	33
90	Heavy plates & vessels works . ,	240	105	10	115	355	65	80	155	68	8	76	231	19	2	21
91	Chemical drugs & pharmaceutical mach	i 55	162	45	207	262	75	80	40	122	36	158	198	32		32

TABLE III. Requirement of plant and machinery by specified type so equipent in the

Industry		Plant mach					Bi	reakdown (of plant
and and a	•	total value stalled	of which cost of plant and equip ment- only ¹	equip- ment speci- fic to the industry	prime mov- ers exel- motors	Pro- cess- ing equip- ment	pro- cess- ing machi- nery	pumps comp- ress- ors blowers fans	mach- ine tools tool- jings fixure etc.
1	_	2	3	4	5	6	7	8	9
Iron ore mining		340	260	165		••	44	3	8
Coal mining		2,460	1,840	455			73	146	18
Coal washeries		700	460					••	
Coal and lignite carbonisation	etc.	340	240		••	••	••	••	
Sub-total .		3,840	2,800					• •	
e troleum refining etc		1,520	880		••	308	••	140	18
Crude oil		1,500	870		26	-		26	35
Sub-total .		3,020	1,750	-	••	••	•		••
Stee 1		9,860	6,820		136		136		205
Alloy tool and special steel		1,575	1,120	468			2		11
Aluminium		750	540						
Others (incl. copper, zinc, l	ead	,,,,	3,1						•
etc.)	•	260	180	••	••	••	••	••	• •
Sub-total	•	12,445	8,660	••	••	••	••	••	••
Pertilisers (N2+P ₁ O ₁)	•	1,610	980	••	•••	265	49	146	••
Caustic sods	٠	270	190	•	• •	72		20	••
ode seh	•	105	70	• ••	••	28	I	7	••
Sulphuric acid	•	170	110	•	••	30		5	••
Dyestuffs and intermediates	•	140	90	•	••	33	19	•	•
Drugs and pharmaceuticals	•	110	7	0 4	·	23	:	4	I
Plastics	•	610	439	•	••	••	• •	• ••	••
Rubber industries	•	680	48	0 90	•	••	1	77	19
Paper and paper board	•	1,270	979	0 29:	•	44	91	2 18	
Cement	•	860	60	0 11.	4	••	18	6 66	1:
Glass and glassware	•	300	220	9 44	٠.	••	:	2 9	7
Refractories	•	60	4	o	••	••	••	••	••
Other chemicals	•	700	50	0 3:	5	18	5 3	5 45	•
Sub-total	•	6,885	4.75	٠. ٠	••	••	••		••
Sugar	•	575	41	o	29	90	5	3 70	
Textile cotton	•	980	84	0 56	o	••	••	8	:
Synthetic	•	1,220	85	o	••	• •	••	••	••
Sub-total .	•	2,200	1,69	o	••		••	••	••

(Rs. million)

and	machinery	(col.	3)	bν	types.
	,	\	"	~,	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,

	rial con- vey-		rig- era-	struc- ture	na- ces	fitt-	tru-	sport equip ment		trı- cal	tri- cal mate-	ind- unt-	cella- nc- ous	pla-		
--	----------------------	--	--------------	----------------	------------	-------	------	------------------------	--	-------------	----------------------	--------------	----------------------	------	--	--

10	11	12	13	14	15	16	17	18	19	20	21	23	23	24	25
	5		••			1	••	18	•••	5	3	4	3		_
55	601	••	••	10	• •	18	36	55	••	36	200	10	127	••	• •
••	••	••	• •	••	••	••	••	• •	• •	• •	• •	••	••	••	••
• •		••	• •	••	••	••	••	••		••	••	••	••	••	• •
• •	••	••	••	• •		••	••	••	• •	••	• •	••	• •	970	3779
18	9	26	••	26	• •	157	62	10	• •	52	18	18	17	••	• •
9	35	••	••	35	••	421	35	9	••	9	9	44	26	••	••
• •	••	• •	• •	• •	••	••	••	••	• •	• •	••	••	••	240	1990
410	136	170	••	512	136	205	205	409	614	205	68	136	136	••	• •
33	44	•	••	44	140	33	11	33	33	120	33	54	33	**	• •
• •	••	12	• •	• •	••	••	• •	••	••	••	••	••	••	••	• •
• .	••	••	•	• •	••	••	• -	••	••	••	••	••	••	1320	998
• •	••	••	••	••	••	••	• •		••	• •	••	••	••	••	• •
45	19	60	••	60	••	78	49	10	29	10	20	20	20	••	
4	9	24	••	2	••	11	5	2	9	5	4	11	7	••	••
1	3	12	• •		••	3	ı	1	3	2	2	3.	2	• •	• •
••	• •	10	••	23	10	12	7	1	3	••	••	3	5	••	• •
2		••	1	6	••	10	4	1	••	I	1	4	3	••	• •
1	I	2	8	1	••	8	4	1	••	۰	1	4	••	••	••
••	••	••	• •	••	•	••	• •	• •	••	• •	•	••	••	••	••
53	10			16	\$G	5	10	•	••	107	I 4	43	24	••	••
9	36	220		70	••	36	18	9	27	44	01	18	18	••	••
60	50	••	••	36	• •	• •	6	10	42	12	2	6	12	••	• •
31	••		• •		88		7	2		10	2	8	10	••	••
		••	• •	• .	•	••	• •	• •	• •	• •	• •	••	••	••	••
10	ŧυ	10	••	40	5	45	20	5		20	15	15	10	• •	••
	• •	••	٠.	••	••		••	• •	•				••	1390	614
21	:	70	••	21	4	4	8		4	4	4	8	4	410	t:
8	•	160	••	15	••	8	8	16	15	8	8	15	9	••	
••	••	48	٠	••		• •	• •	•	•	• •	• •	• •	• •	660	2350
					٠.										

	_				В	reakdown	of plan	t and
	Plant Mac	of hin ery				_	· · · <u>-</u>	
Industry	total value inst- alicd	of which cost of plant and squip- nent only	equip- ment speci- fic to the indus- try		pro- ccss- ing equip- ment	pro- cess- ing machi- nery	pumps comp- ressors blow- ers fans	mach- ine tools jings fix- ture etc.
1	3	3	4	5	6	7	8	9
Locomotives diesei	50	40	1		••		•	32
Locomotives-electric	45	30	••				•	23
Wagon and coaches	160	120	, •	• •			2	97
Automobiles	1,000	720	2				7	587
Merchant ships	270	190	••	••		••	• •	
Foundry and forge for transport industry	330	230	10		••	15	5	••
Other transport industry .	80	55			•			•
Heavy rotating machinery .	460	320	26		,		3	••
Transformers	300	_ 210	46		٠.,		4	36
Motor	200	140	31	••	••		•	• •
Switchgear & capacitors .	240) 180	5			••	2	130
Boilers (Indus. & power)	460	310		••	••	.,	3	22
Wires, cables etc	200	140	••	••				
Electrical consumer goods .	75	55	• •				••	
Refrigeration machinery	70	50	••				•	40
Sub-total .	2,025	1,405					••	••
Castings & forgings	3,970		. 318		••	5:		
Structural fabrication	260		•		•••		, J3 2	
Machine tools	. 8Ka				••	• • • • • • • • • • • • • • • • • • • •	5 6	
Instruments	. 155		•			Ì		• • • • • • • • • • • • • • • • • • • •
Internal combustion engines .	55	40	т.		••	•	•	76 22
Pumps and compressors	180	130			•••	٠.	ı	
Chem & pharm machinery	255		-		•••	••	2	-
Metallurgical machinery .	490						3	_
Coal mining machinery	430				••		, , 5 g	
Cotton textile machinery .	. 8a		-					
Cement machinery	- 50			•		••	•	25
Sugar machinery	20			••	••	•••	. 1	-
Paper machinery	. 8o		2				•	

nate- rial iand- ling quip- ment	rial con- vey-	boil- ers	cts-	stuce r ture etc.	na- Vi ces V lì	ւլ_ —			~>~~	elect- el rical equi- pment	a 1	misc. indus- trial mach- inery	misce llane- ous		total Col. (; plus col. (24)
10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
•	3	••		•	. 1	•	1	1				••			 ·
2	3	••		•	•	••	•	•	••						••
2	5			1	1	I		1		2	2	4	2		٠.
14	29			2	7	7	7	7		14	7	_	17		••
••		••	••	••	••	••		••		••	••	••	••	••	•
														••	•
5	11	3	••	2	24	I	4	I	••	50	I	10	3	••	••
••	••	• •	••	• •	••	••	••	••	••	••	••		••	170	1555
3	6	••	••	••	3	••	33	15	••	7	6	3	6	••	
2	2	••	••	•	6	•	8	1	13	13	4	6	6	••	••
••	. 1	• •	••	•	3	•	4	1	1	10	3	3	3	••	- •
4	22	••	••	2		2	13	2	2	7	4	4	tz	••	••
3	25	•	••	3	12	3	••	3	••	6	6	10	10	••	••
••	••	•.	••	••	••	• •	••	••	-	••	••	••	• •	••	٠.
1	•	••	••	••	•	••	I	••	••	3	I	3	1	••	•
••	••	••	••	••	••	••	• •	••	••	••	• •	••	••	35	1440
80	132	••	••	80	239	26	26	53	••	80	106	132	••	••	••
14	30	••	••	13	4	2	4	4	2	7	7	2	r		
13	12	••	••	6	12	6	20	6		12	6	25	6		••
••	I	• •	5	2	4	ĭ	14	1	• •	2	2	10	2		٠.
2	3	••	••	I	1	•	1	•	••	x	ľ	t	••	••	٠.
5	10	. •	••	1	3	1	4	1	••	5	3	3	3	••	
13	5	••	••	9	4	2	5	2	••	7	4	\$	4	••	••
7 6		••	* *	3	10	3	10	3	:•	7	3	10	:0	••	• •
2	9 2	••	••	: I	9	3 1	9	3	••	3	6	. 9	7	•	•
1	2	••	••	•	1	t	2 1	•	••	I	1	3	•	••	
•	1	••	••		•	•	•	•	••	•	•	I I	, <u>r</u>	•	•.•

						Breakd	own of pla	nt and
		nt of inery						
Industry	Tota value inst- alled		Equip- ment speci- fic to the indus- try	Prime mov- ers exel. motors	Pro- cess- ing equip- ment	Pro- cess- ing muchi- nery	pumps compress ors blow- ers fans	Mach- ine tool jings fix- tyres etc.
	2	3	4	5	6	7	. 8	9
Constructional machinery .	. 30	20						16
Earth moving machinery	80	55	5	••	••	I	r	35
Agricultural machinery	30	20	1	`		•	•	15
Other industrial machinery .	. 515	360	7	• •	• •	4	4	251
Sub-total .	7,540	5,160	••	••	• •	••	••	••
Total	40,465	24.890	5,439	191	1,282	787	1,192	4,931
Stocks upto 1965-66	. 10,065	27,580	6,700	240	1,490	940	1,280	3,370
Stock upto 1970-71	80,600	54.020	12,300	420	2,830	1,680	2,500	7,880
Replacement requirement	7,960	4,780	750	25	500	400	150	500
Total requirement	48,425	29,640	6,180	216	1,782	1,187	I,342	5,431
Power generation, transmission dis- tribution.	15,740	10,650		690	•••	100	160	100
Transportation								
(a) Railways	10,000	9,300	50	••	••		20	400
(b) Roads	12,040	8,930	••	. •			••	540
(c) Replacement .	3,270	2,765	••	••	••	••	•	100
GRAND TOTAL	89,485	61,285	6,240	905	1,780	1,290	1,520	6,570

a. After deducting cost of freight insurance, duties and erection cost from total value of installed plant.

B Does not include the cost of motors supplied as part of driven equipment.

^{*.} Total, excluding Rs. 31 million as the cost of plant and machinery for which breakdows was not available.

*Amount less than Rs. one a illion.

machinery (col. 3) by types

date- rial hand- ling quip- ment	Mate- rial con- vey- ing	ers	Ref- ' rig- era- tion		na- ' ces (fi	val- n res (itt- c	nents (in- e	sport (gene- rator :	Elect- rical equip- ment	cal ma- leri- n	Misc indus- trial nach- inery	Misc Hane- ous	e- Re- pla- ce- ment	Col(3)
10	11	ī2	13	14	15	16	17	18	19	20	21	22	23	24	25
•			••	•	•		•	1		1	•	r	τ	•••	
I	2			1	1	1	2	T		1	1	2		••	
15	I	••		1	•		•	1	I	•		I		- •	••
18	7	• •		14	4	4	11	4	11	7	7	7	7	••	
••	••	••	••	••	••	••	••	••	••	••	••	••	• •	350	5510
,071	1,269	817	14	1,059	744	1,124	687	704	797	906	599	719	558	5.575	33,58
990	1,260	1030	20	1020	540	980	630	600	780	820	600	630	520		•••
2,040	2,680	1,500	30	2,090	1,270	1,740	2,30	00 1,2	60 I,	550 1,	69 0 I,	370	1,310	1,150	••
200	250	150	••	150	200	100	500	125	75	125	100	200	250	••	••
1,271	1,519	967	14	1,209	944	1,224	1,187	829	872	1,031	699	919	808		••
••	135	1,160		1,260	••	290	530	30	670	2,620	2,720		190	200	10,95
10	100			400		5	100	8,000		20	150	20	25	555	9,85
	••			••	••	.,		8,390		••	••			2,210	11,14
••	10	••	••		••	••	5	2,650	••	••	••	••	••	••	••
	_	2,130				_						•			_

Table 4: Structure of plant and machinery in Value of specified groups of equipment as per cent

Industry	Plant and machi- nery	Equip- ment speci- fic to the indus- try	Prime- movers excl, motors	Process- ing equip- ment	Proce- ssing machi- nery	Pumps compre- ssors, blow- ers, fans, etc.	Machine Tools. tool jigs, fix- ture etc.	Mate- rial hand- ing equip- ment	Mate- rial con- vey- ing
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)
Iron ore mining	100 G	2 63	••		17	1	3		2
Coal mining	100 d	7 25	•		4	8	1	3	33
Coal washeries	100		••		••	••	••		
Coal and lignite carbonisa- tion etc.	100	••	- •	• •	••	••			
Petroleum refining .	100	} ··	• •	.15		16	2	2	. 1
Crude Oil	100 4	•	3			3#	4	ı	4
Steel	100 ()	L) 37	2	3	2	4	3	6	
Alloy tool & special steel .	1004	1 4≥	••	••	•	2	r	3	4
Alluminium	100	• •	••						• •
Others (including copper, lead, zinc etc.)	100			,.		••			.,
Pertilizers	100 🖹	}	• •	27	5	15		15	2
Caustic goda	100 9	۹		38	2	11		2	5
Sodamah	100 0	3		40	I	10	••	1	4
Sulphuric acid	100 - 1	۶		27	r	4		• •	• •
Dyestuffs & intermediates	100 %	7	••	37	21	I	4	2	
Drugs and pharmaceuticals	100 (0	0 3	1	32	t	6	1	I	r
Plastics	100	••	••	••	••				
Rubber industries	100	; 18		••		16	4	11	2
Paper and paper board .	100 70			4	9	2	I	1	4
Cement	100 🕫	19	••	••	31	11	2 .	10	6
Glass and glassware .	100 -	1 20		••	Ţ	4	3	14	
Refractories	roo 30		• •	••		••	••	••	••
Other chemicals	100 J.	7 7		37	7	9	1	2	2
Sugar	100 4		7	22	13	17	2	5	
Textile—cotton	- IOO 5	•			••	1	1	I	••
-eynthetic	100		• •	••				••	••
_ocomotives —diesel .	100 lo	<u>ج</u> 2	••			•	88		8
-electric .	100	•	••	••			77	7	10
Wagons and coaches .	100 q	·				1	81	ī	4
Automobiles	- 1004	,	• •	• •	••	1	70	2	4
Merchant ships	100	••						••	•
Foundry and forge for trans- port industries	- 100 _U	o 4		••	7	2	37	2	5
ther transport	*100		••	••		••	••		

manufacturing and mining industries

of total value of plant and machinery

Boilers	Refri- gera- tion	Tanks struc- ture etc.	Fur- naces	Pipes valves fitt- ings	Ins- tru- ment (in- dus- trial)	Trans- port equip- ment	Motor gene- rator 2 etc.	Elec- trical equip- ment	Elec- tri- cal mate- rial	Misc. indus- trial machi- nery	Misce- llancous
(II) 	(12)	(13)	(14)) (15)	(16) (17)	(18) (19)	(20)	(21)	(22)
 -		•	••	•		₹	••	2		2	
•	••	•		ı	. 2	3		2	11	•	7
•	••	• •	••	••	••	••	••	••	••	••	••
• 4	••	••		••	••			••	••	••	••
3	••	13	7	18	7	1	••	6	2	2	. 2
••	••	4	••	49	4	1	••	1	I	*	. 3
2	••	8	2	3	3	б	9	3	1	2	2
••	•• .	4	12	3	1	3	3	11	3	5	3
<i>:</i> .	••	••	••	••	•	••	••	••	••	••	••
٠.	••	••	••	. •		••	••	••	••	••	••
6	••	6	••	8	5	2	3	1	2	` 2	2
13	••	1,	••	6	2	į	5	2	2	6	4
17	••	2	••	4	2	2	4	3	3	4	3
9	••	21	9	11	6	II	3	••	••		5 .
••	1	7	••	11	5	1	••	1	1	5	3
3	12	ĭ	••	12	6	1	**	13	ī	6	••
•	• •	2	2	1	4	2	••	27	3	9	. 5
23		7	••	4	2	11	3	4	I	2	2
••	• •	6	••	••	1	2	7	2	•	1	2
••	• •	••	40	••	ڎ	1	••	1	7	4	5
••	••	8	I	9	4	. 1	••	4	3	3	3
17	••	5	I	1	2	2	ı	1	γ	3	r
19	**	2	••	1	r	1	2	1	T.	2	1
••	••	••	• •	•		•.4	••	••	••		••
••	••	••	2		 2		••	••	••		••
••	••	••.	• •	•		.,	••	••			••
••	••	ı			••	1	••	2	2	3	3
••	:	•	I	1	¥.	- -	••	1	1		2 2
	•								•		
1	••	2	11	•	2	•	٠.	22		4	ı

Industry	Plant and machinery	Equipment specific to the industry	Prime movers excl. motors	Processing equipment	Proce- ssing mechi- nery	Pumps compr- essors blow- ers fans	Machine tools tools fix-tures et c. (8)	Mate- rial hand- ling equip- ments	Mate- rial con- vey- ing (10)
(1)									
Heavy rotating machinery	100	8	••			r	68	ı	2
Transformers	100	22	••	••		•	17	1	I
Motors	100 ,	22	••			•	5	2	I
Switchgears & capacitors .	100	3			••	ī	73	2	Ţ
Boilers (industrial & power)	100				••	1	73	1	3
Wires, Cables etc	100		••		••				
Electrical consumer goods	100		••	••	• •				
Refrigeration machinery .	100			••		•	80	2	•
Castings and forgings .	100	12	••	••	2	2	48	3	5
Structural fabrication .	100					1	40	8	17
Machine tools	100	8			1	1	70	2	2
Instrument	100			••	••		63		I
Internal combustion engines	100	3		••	•	•	70		7
Pumps and compressors	100	. 2		••	•	I	67	4	9
Chemical, drugs & pharm muchinery	100	••				t	66	7	3
Metallurgical machinery .	100	5			ī	r	70	2	. 3
Coal mining muchinery .	100	5		••	2	7	69	2	. 3
Cotton textile machinery .	100	4		••		2	683	4	4
Cement muchinery .	100	•		••		•	71	3	5
Sugar machinery .	100	•		••	•	7	72	•	7
Paper machinery .	100	. 3		••	2	2	67	2	2
Constructional machinery.	100			••		, <u>-</u>	8o	*	•
Earth moving muchinery .	100	9		••	2	2	64	2	3
Agriculural machinery .	100	5	••	• • • • • • • • • • • • • • • • • • • •	•	•1-	75	•	5
Other industrial machinery	100	2		••	1	ĭ	70	5	2

^{1.} Represents ex-works cost of equipment.
2. Does not exclude the cost of motors supplies as part of crizen equipment.
*Less than one per cent.

Boilers	Refri- gera- tion	Tanks struc- tures etc.	Furna- ces	Pipes valves and fitt- ings	Inst- rumen- ts (indus- trials)	Trans- port equip- ment	Motor gene- rator etc.	Elect- rical equip- ment	Elect- rical mate- rial	Misc. indus- trial machi- nery	Miscel- laneous
(11)	(12)	(13)	(14)	(15) (16)	(17)	(18)	(19)	(20)	(21)	(22)
			1		10	2		2	3	ı	2
4.		•	3	٠	4	•	6	6	ð	3	3
		•	3	•	3	T	r	7	2	2	2
٠,		1		ī	. 7	ı	I	4	2	3	1
		1	4	I	••	1		2	2	1	1
										• •	
	• •		•••		***					•••	
• •	• •	••	•	•	. 2	• •	• •	6	- 3	6	2
• •	• •	3	q	•	1 1	2		3	4	•	
• •	••	7	2	•	J 2	2	ī	4	4	1	T
	• -	1	2	t ;	3	ı		2	1	4	ı
	4	2	3	. :	1 11	1	• •	4	2	8	2
• •	• •	2	3	1	•	•		2	2		2
• •	• •	Ţ	2	2	3	1		4	, 2	: :	2
		5	, 2		1 3			4	. 2	, ,	1 2
		1	3	: :	1 3	1		. 2	1	1	1 }
		1	3	; :	1 3	. r		ı	2	: 1	3
	••	2	2	:	3	2		a	. 2	4	, 2
		•	3	3	3	•					2 2
	•		•	•	•	•		ı	• `	-	7 7
	• •	. 2	2	:	2 3	2				_	5 2
	••	•	•	٠.	. •	• •		2	s '	-	5 5
		2	:	2	2 3	. 2	ļ	2	3 2	ı	3
		5	. •	•	• .		5.	. •	• :	5 .	
	٠	4		I	1 .) 1	ť		3	2	2 2

ANNEXURE III

No. M.E. IND. 9(16)/63

GOVERNMENT OF INDIA

MINISTRY OF STEEL, MINES & HEAVY ENGINEERING

(Department of Heavy Engineering)

New Delhi, the 30th September, 1963.

FOURTH PLAN

PLANNING GROUP ON MACHINERY INDUSTRIES

WORKING GROUPS

Pursuant to the decision taken at the fifth meeting of the Planning Group for Machinery Industries held on the 18th September 1963, the following Working Groups, with the broad scope as shown below, are constituted:—

- I—Electrical Power Equipment.—Equipment required for electrical power generation, transmission and distribution, including thermal boilers, and heavy electrical equipment for electrical power utilisation, including large motors and electrical traction equipment.
- II—Transport Equipment.—Rail and road transport equipment, including railway rolling stock and commercial motor vehicles.
- III—Steel and Metallurgical Industries Equipment.—Equipment for steel plants and other heavy equipment for metallurgical industries.
- IV—Mining and Drilling Equipment.—Mining, drilling and other equipment for coal, mineral ore and oil industries, including beneficiation of ores, and coal preparation and washing.
- V—Fertiliser and Chemical Equipment.—Equipment for fertiliser, petroleum refining, petro-chemicals and other heavy chemical industries.
- VI—Machine Tools.—Machine tools, including hand tools, small tools and heavy machine tools; welding equipment; pressing equipment; and furnaces.
- VII—Industrial Machinery.—Equipment for cement, paper, sugar and other industries.
- VIII-- Textile Machinery.—Equipment for cotton, jute, woollen, silk and artificial fibre industries.

IX—Structurals.—Structurals, Cranes, sluice gates and related items.

X—Engineering Industries.—Items common to various industries such as castings and forgings, pipes and tubes, gears, ball and roller bearings etc.

Terms of reference.—The general terms of reference of the Working Group will be—

- (i) To make an estimate of the requirements of equipment falling within the scope of the Working Group, having regard to the production programmes and investment in the Sectors requiring such equipment envisaged during the Fourth and Fifth Plans, in so far as they are relevant to the establishment of capacity for the manufacture of such equipment during the Fourth Plan. In making this estimate, the requirements of replacements and possibility of exports should be taken into account.
- (ii) To make an analysis of these requirements, in terms of category of equipment and value.
- (iii) To work out in detail the requirements of each category of equipment, by type and by range, during each of the years of the Fourth Plan.
- (iv) To recommend the capacity and production targets for 1970-71, for each category of equipment, by type and by range, to the extent indigenous manufacture is considered feasible and desirable.
- (v) To make an assessment of the production capacity of existing and projected manufacturing facilities and to work out the gaps for each category of equipment.
- (vi) To investigate the best manner in which the gaps could be covered to the extent feasible and desirable by the end of the Fourth Plan and to make specific proposals to this end, by way of expansion or new projects etc.
- (vii) To make an estimate of the investment and foreign exchange on capital and maintenance account required for implementing the production programmes as recommended.
- (viii) To make an estimate of power, fuel, transport and other requirements of a significant order.
- (ix) To make an estimate of raw materials, components etc. required for the manufacture of such equipment and to suggest measures for the indigenous manufacture of such items.
- (x) To recommend measures by which utilisation of manufacturing capacity and programmes of production in the consuming sectors are coordinated to the fullest extent.
- (xi) To make such other recommendations as may be relevant.

Composition.—The composition of the Working Groups are being communicated separately to all concerned. In view of the urgency it has not been possible to consult all the individuals, departments and organisations concerned. It is hoped that the full cooperation of all will be extended. It is recognised that the successful completion of this task will depend not only on the individual members of the Working Groups, but also on the departments and organisations, with which they are associated. It is requested that the benefit of the work already carried out or which may need to be done in the departments and organisations may be made available to the Working Group. The Working Group may constitute subgroups and also coopt any persons to the Working Groups or subgroups.

Coordination.—It is essential that the work of the Working Group is coordinated, in regard to detailed scope as well as progress from time to time, with the work or other Planning Groups and Working Groups, concerned with the related consuming sector or complementary manufacturing sectors. Each of the Working Groups includes representatives of the Planning Commission and they will be of assistance in coordination and in feeding the information from other Planning and Working Groups. It is also intended that the Chairman and Conveners of the Working Groups will meet together to discuss points of common interest.

Time schedule.—It is essential that the work is completed within the strict time schedule laid down by the Planning Commission. Recommendations on the advance action to be taken is of the highest priority. It is requested that interim recommendations on advance action may be sent as and when they are ready and in any case not later than the end of November 1963. The final report of the Working Group may be sent before the end of January 1964. The Planning Group on Machinery Industries is expected to consolidate and submit its complete report to the Planning Commission before the end of March 1964.

General.—Copies of the proceedings of the Planning Group and the basic paper on Machinery Industries prepared by the Perspective Planning Division are being circulated to all concerned. Dr. B. N. Bhargava, Perspective Planning Division, Planning Commission, has also agreed to circulate a preliminary paper for the Working Group. While the main brunt of processing the work further in the Working Group will have to be borne by the Convener, any Secretarial or other assistance will be furnished by the Department of Heavy Industries (Shri I. V. Chunkath, Under Secretary, Telephone No. 34320, Room No. 178, 1st floor, Udyog Bhavan). Copies of all papers circulated and proceedings of the Working Group may kindly be communicated to the Department of Heavy Industries (Shri I. V. Chunkath, Under Secretary), Perspective Planning Division, Planning Commission (Dr. B. N. Bhargava, Director) and Industries Division. Planning Commission. Shri M. Satyapal, Director (Industry).

(Sd.) I. V. Chunkath.
Under Secretary to the Govt. of India.