

THIRTY-FOURTH ISSUE

DEPARTMENT OF STATISTICS, INDIA

Agricultural Statistics of India

1917=18

Volume I

Area, Classification of Area, Area under Crops, Live-Stock, Land Revenue Assessment, and Transfers of Land in British India

Published by order of the Governor-General in Council



CALCUTTA
GOVERNMENT PRINTING, INDIA
1920

Price-Rs. 2.

Publications of the Department of Statistics, India.

Obtainable from the Superintendent, Government Printing, India, 8, Hastings
Book Depot, 1, Temple Street, Calcutta. Remittances should be made by postal
order and should include forwarding charges as indicated in brackets opposite each

ANNUAL.

- of the Trade of India. As. 12. (2a.)
- Accounts relating to the Sea-borne Trade of British India for the Calendar year. As. 8. (2a.)
- Annual Statement of the Foreign Sea-borne Trade and Navigation of British India :—
- Vol. I.—Abstract and detailed Tables of Imports and Exports. R4-12. (R1.)
- Vol. II.—Abstract and detailed Tables of Trade and Shipping with each country and at each Port; and the Tables relating to the trade of Aden and of the French and Portuguese Possessions of India. R6-8. (12a.)
4. Annual Statement of the Coasting Trade and Navigation of British India. R3. (7a.)
5. Inland Trade (Rail and River-borne) of India. R1-12. (6a.)
6. Report on the Trade carried by Rail and River in Bengal. R3-3. (5a.)*
7. Report on the Trade of Bengal with Nepal, Tibet, Sikkim, and Bhutan. As. 13. (2a.)*
8. Prices and Wages in India. R2. (9a.)
9. Statistics of British India—Vol. I.—Commercial Statistics. R1-8. (5a.)
10. " " " Vol. II.—Financial Statistics. R1-8. (5a.)
11. " " " Vol. III.—Public Health. R1. (4a.)
12. " " " Vol. IV.—Administrative, Judicial, etc. R1-4. (4a.)
13. " " " Vol. V.—Education. R2. (5a.)
14. Agricultural Statistics of India—
- Vol. I.—British India. R2-8. 12(a.)
- Vol. II.—Native States. R1. (4a.)
15. Summary Tables of the Agricultural Statistics of British India. As. 4.
16. Estimates of Area and Yield of Principal Crops in India. As. 8. (2a.)
17. Preliminary Statement showing the Area and Yield of Principal Crops in India. Half anna.
18. Report on the Production of Tea in India. As. 8. (2a.)
19. Report on the Production and Consumption of Coal in India. As. 12. (2a. 6p.)
20. Statistics relating to Joint Stock Companies in British India and Mysore. R3-4. (2a.)
21. Variations in Indian Price Levels from 1861 expressed in Index Numbers. As. 12. (3a.)
22. Statistical Tables relating to Banks in India with a Map, Introductory Memorandum, and Banking Directory. R1-12. (1a. 6p.)
23. Cotton Pressing Factories and Cotton Spinning Mills in India. R1-10.

HALF-YEARLY.

24. Increase or decrease in the Capital of Companies incorporated in India and registered under the Indian Companies Act. Half anna.

MONTHLY.

25. Accounts of the Foreign Sea-borne Trade and Navigation of British India. R1-4. (2a.)
26. Review of the Sea-borne Trade and Navigation of British India. As. 4.
27. Accounts relating to the Trade by land of British India with foreign countries. As. 8. (2a.)
28. Statistics of Cotton Spinning and Weaving in Indian Mills. As. 2. (1a.)
29. Trade Fluctuations in selected articles. Anna 1 and pies 6.
30. Calcutta Trade Fluctuations. As. 2.
31. Customs Revenue Statement. Half anna.
32. Joint Stock Companies registered in British India and Mysore. Half anna.

FORTNIGHTLY.

33. Wholesale and Retail Prices of cereals, pulses, oilseeds, sugar, salt, etc., in India. As. 6.
34. Wholesale and Retail Prices of wheat in India. Anna 1 and pies 6.
35. Cotton Press Returns. Half anna.

WEEKLY.



36. Weekly Imports and Exports from Chief Ports of Wheat, Jute, Cotton and rice. Half anna.

MISCELLANEOUS.

37. Memorandum and Statistical Tables relating to the Trade of India with Germany and Austria-Hungary. As. 8. (2a.)
38. Large Industrial Establishments in India. R2-12.
39. Statistical Tables showing for each of the years 1901-02 to 1917-18 the estimated value of Imports and Exports of India at the prices prevailing in 1899-1900 to 1901-02. As. 8.
40. Memorandum and Statistical Tables relating to Prices and Freights in India since the outbreak of War. R2-8.
41. Prices and Freights during the first year of War. As. 12.
42. Prices and Freights after three years of War. Anna 1.
43. War Prices and Freights at the end of September 1917. Anna 1.
44. War Prices and House Rents at the end of December 1917. R1-4

NOTE: [Those marked with an asterisk (*) to be obtained from the Officer in charge.]

MAP SHOWING THE DEPARTURE OF CROPPED AREA AND THAT OF RAINFALL IN 1917-18.



NOTE:—For the actual figures of rainfall reference may be made to the publication entitled "Rainfall of India," issued by the Meteorological Department.


THIRTY-FOURTH ISSUE

DEPARTMENT OF STATISTICS, INDIA

Agricultural Statistics of India

1917-18

Volume I



Area, Classification of Area, Area under Crops, Live-
Stock, Land Revenue Assessment, and Transfers
of Land in British India

Published by order of the Governor-General in Council



CALCUTTA
SUPERINTENDENT GOVERNMENT PRINTING, INDIA

1920

CONTENTS

REPORT	PAGES
(1) Map of India showing the departure of cropped area and that of rainfall in 1917-18 from the average of the preceding ten years	i—x <i>Frontispiece.</i>
CHARTS illustrating—	
(2) Total area cropped, area under foodcrops; current fallows (reversed), and variations in rainfall as compared with normal	xi
(3) Total wheat area, unirrigated wheat area, and rainfall in wheat-growing tracts (June to February)	
(4) Total cultivable area, total uncultivable area, net area cropped, culturable waste other than fallow, and current fallows	
(5) Total area cropped, total area under food crops, total irrigated area cropped, and total area under non-food crops	
(6) Area under rice, wheat, millets, oilseeds, cotton, jute, and other crops	
(7) Total area cropped and area under different crops	
(8) Total live-stock divided between bovine, ovine, and others	
(9) Shares of provinces in the total area under principal crops	

SUMMARY TABLES

No.		Pages
1.	General summary, 1898-99 to 1917-18	2—3
2.	Area cultivated and uncultivated	4
3.	Area under irrigation	4b
4.	Area under different crops cultivated	5—6
5.	Number of live-stock, ploughs, and carts	7
6.	Area assessed and incidence of the land revenue assessment on area and population	8—9
7.	Number of transfers of property in land and area transferred	10
8.	Comparative Statement showing acreage under certain crops in various countries of the World	11

TABLE I.—AREA

9. British India	12—15
10. Bengal	16—17
11. Madras	18—19
12. Bombay	20—21
13. Sind	21
14. Agra	22—24
15. Oudh	24—25
16. Bihar and Orissa	25—26
17. Punjab	27—28
18. Upper Burma	29—30
19. Lower Burma	31—32
20. Central Provinces	33—34
21. Berar	35
22. Assam	35—36
23. North-West Frontier Province	37
24. Ajmer-Merwara	3b

TABLE II.—CLASSIFICATION OF AREA

25. British India	38—45
26. Bengal	46—49
27. Madras	50—53
28. Bombay	54—57
29. Sind	58—59
30. Agra	60—65

TABLE II.—CLASSIFICATION OF AREA—*contd.*

	PAGES
No.	66—67
31. Oudh	68—71
32. Bihar and Orissa	72—75
33. Punjab	76—79
34. Upper Burma	80—83
35. Lower Burma	84—87
36. Central Provinces	88—89
37. Berar	90—91
38. Assam	92—93
39. North-West Frontier Province	94—95
40. Ajmer-Merwara	

TABLE III.—AREA UNDER CROP AND SPECIFICATION OF CROPS

41. British India	96—107
42. Bengal	108—115
43. Madras	116—123
44. Bombay	124—131
45. Sind	132—135
46. Agra	136—147
47. Oudh	148—151
48. Bihar and Orissa	152—159
49. Punjab	160—167
50. Upper Burma	168—171
51. Lower Burma	172—175
52. Central Provinces	176—179
53. Berar	180—181
54. Assam	182—185
55. North-West Frontier Province	186—187
56. Ajmer-Merwara	188—189

TABLE IV.—LIVE-STOCK, PLOUGHS, AND CARTS

57. British India	190—191
58. Bengal	192—193
59. Madras	194—195
60. Bombay	196—197
61. Sind	} 198
62. Oudh	
63. Agra	199—200
64. Bihar and Orissa	201—202
65. Punjab	203—204
66. Upper Burma	205
67. Lower Burma	206
68. Central Provinces	207—208
69. Berar	208
70. Assam	209
71. North-West Frontier Province	} 210
72. Ajmer-Merwara	

TABLE V.—INCIDENCE OF THE LAND REVENUE ASSESSMENT ON AREA AND POPULATION

73. British India	212—223
74. Bengal	224—227
75. Madras	228—229
76. Bombay	230—231
77. Sind	} 232—233
78. North-West Frontier Province	
79. Agra	234—235
80. Oudh	} 236—237
81. Ajmer-Merwara	

TABLE V.—INCIDENCE OF THE LAND-REVENUE ASSESSMENT ON AREA AND POPULATION—*contd.*

No.	PAGES
82. Bihar and Orissa	238—241
83. Punjab	242—243
84. Upper Burma	244—245
85. Lower Burma	246—247
86. Central Provinces	248—249
87. Berar	250—251
88. Assam	252—253

TABLE VI.—TRANSFERS OF LAND

89. British India	254—257
90. Bombay	258
91. Sind	259
92. Agra	260—261
93. Oudh	262
94. Bihar and Orissa	263—265
95. Punjab	266—267
96. Upper Burma	268
97. Lower Burma	269
98. Central Provinces	270—271
99. Berar	272
100. Assam	273
101. North-West Frontier Province	} 274
102. Ajmer-Merwara	

APPENDICES.

APPENDIX A.—AVERAGE YIELD OF PRINCIPAL CROPS—

Introductory note	277—283
No.	
1. British India and Mysore State	284—287
2. Bengal	} 288
3. Madras	
4. Bombay	289
5. United Provinces	290—291
6. Bihar and Orissa	292—293
7. Punjab	294—295
8. Upper Burma	296
9. Lower Burma	297
10. Central Provinces and Berar	298
11. Assam	} 299
12. North-West Frontier Province	
13. Sind	} 300
14. Ajmer-Merwara	
15. Delhi	} 301
16. Coorg	
17. Mysore	
APPENDIX B—Changes in district and provincial boundaries	302—304
APPENDIX C—Glossary of vernacular terms used in the Volume	305—308
APPENDIX D—Alphabetical List of Crops cultivated in India with their classification in Table III	309—315
Index	316—321

APPENDICES

APPENDIX A

THE AVERAGE YIELD PER ACRE OF PRINCIPAL CROPS IN INDIA

A provisional return of the yield of principal crops cultivated in India was first compiled in 1892, from various statistical publications available at the time, such as agricultural and settlement reports, crop forecasts, gazetteers, replies to the enquiries of the Famine Commission, etc. To provide for the periodical revision of the estimates a system of experimental crop cuttings was prescribed by the Government of India, the results of which are reported by Local Governments and Administrations at the close of each quinquennium. The returns for the quinquennium ended 31st March 1917 have been received and scrutinised. These outturns per acre are of extreme importance since these will generally be used during the present quinquennium (*i.e.*, until 31st March 1922) in estimating the production of crops, for which forecasts are prepared.

2. The estimates are prepared in the following way. The estimate given is the average outturn on average soil in a year of average character, as deduced from the information obtained from experiments made during the period under review. (When, therefore, this average is multiplied by the average area sown, it is believed to give as near an approximation as possible to the outturn of the crop in an *average year*.) The Department of Agriculture or Land Records of each province has at its disposal provisional standard estimates of the average yield of land of average quality (usually under the two major heads of irrigated and unirrigated land) for the several crops in each district. The object of the experiments or investigations annually made is to test the accuracy of these estimates, and to enable the head of the Department in each province to revise his provincial estimates when necessary. Should it happen that the period has been one of unfavourable conditions or of exceptionally favourable conditions, which have affected the experiments reported, this would not necessarily involve the reduction or increase of the standard estimates for the district or for the province, unless there were other reasons for believing that, as estimates of average yield in an average year, they had been pitched too high or too low.

3. In 1913, on an examination of the returns of the quinquennium ending 1911-12, it was recognised that the results of experiments as conducted by the district revenue staff were generally unreliable. A change was accordingly made in the system. In 1915 the Government of India, in order to improve the returns, issued instructions to employ, as far as possible, the expert officers of the provincial Agricultural Department, for carrying out experiments on a well-ordered plan in each agricultural tract, and for the investigation of average crop outturns in the various provinces. It appears from the provincial reports that during the quinquennium under review experiments were regularly conducted by officers of the Agricultural Department in Madras, Bombay, and the United Provinces. In Bihar and Orissa crop tests by officers of the Agricultural Department were carried out on a small scale (as an experimental measure only) in a few districts. In Bengal the work was transferred from the district staff to the Agricultural Department, but owing to a reduction in the staff of the Department in consequence of financial stringency, the old system had to be reverted to. In the Punjab officers of the Agricultural Department were consulted in revising the standards, and it is stated that an improved system of conducting experiments has come into force from 1917. In Burma also new rules have been issued entrusting supervision of the experiments very largely to the Agricultural Department with effect from 1917-18. In Assam experiments were conducted according to revised rules framed in 1912 and slightly modified in 1915. In Mysore a system of checking the estimates by the results of experiments conducted by the Agricultural Department is, it is understood, to be introduced during the next quinquennium. No change in the system appears to have been made or contemplated in the remaining provinces.

4. It will thus be seen that in the majority of provinces, the orders of 1915 could not be fully carried out in the quinquennium under review. As a result of the experiments that were made, whether under the old or the new system, considerable changes have been made in the averages previously adopted, except in Bombay, Bihar and Orissa, and the Central Provinces and Berar. The changes

are generally in an upward direction. In Bengal the yield of winter rice has been raised from 983 to 1,036 lbs, and that of jute from 1,271 to 1,300 lbs. Barley in the United Provinces has been raised from 1,100 to 1,150 lbs, arhar from 750 to 800 lbs, and cotton from 160 to 170 lbs. In the Punjab wheat has been raised from 726 to 791 lbs, sugarcane from 1,686 to 1,933 lbs, and cotton from 118 to 135 lbs. Cotton in Sind has been raised from 125 to 170 lbs, and sugarcane from 4,233 to 8,142 lbs. In Assam the yield of autumn rice has been raised from 672 to 706 lbs, and that of sugarcane from 1,904 to 2,016 lbs. In the North-West Frontier Province wheat has been raised from 633 to 676 lbs, and sugarcane from 2,430 to 2,660 lbs. In a few instances the standards have been decreased. In Sind the yield of rapeseed has been put at 393 lbs; in Assam the yield of winter rice at 952 lbs, while the yield of jawar in the North-West Frontier Province is now estimated at 399 lbs.

5. The importance of accurate standards of average outturn cannot be exaggerated, since, as already noted, under the present system the estimates of yield in crop reports are based on these standards, and a small error of even one lb per acre may make a difference of thousands of tons in the estimated yield of a province. It has also to be remembered that the result of a single experiment, if not conducted with proper care, may vitiate the average for the district as well as for the province, since the district figure is calculated by averaging the outturns obtained from all the selected experiments in the district, and the provincial average is estimated by multiplying each district outturn by the area under the crop in each district and dividing the sum of the total outturns thus arrived at by the total area under the crop in the province. It is, therefore, extremely necessary that the instructions issued by the Government of India in 1915, referred to above, should be carried out to the fullest extent, as early as possible, where this has not already been done.

6. The statement below compares the average outturns of the major crops in the different provinces. The relative importance of each province in respect of each crop has also been shown by percentages representing the proportion of the total area under each crop in British India cultivated in each province. Tea has been included in this statement, although this crop is not dealt with in the quinquennial returns, the average outturns having been calculated from the special returns of tea production for the five years ending 1916.

Province	RICE		WHEAT		BARLEY		JAWAR		BAJRA	
	Percentage area to total area	Outturn per acre	Percentage area to total area	Outturn per acre	Percentage area to total area	Outturn per acre	Percentage area to total area	Outturn per acre	Percentage area to total area	Outturn per acre
Bengal	20.3	(a) 1,036 (b) 1,179 (c) 871	0.6	698						
Madras	14.1	1,385					24.3	606	22.5	624
Bombay	2.8	1,230	6.3	575			32.7	(f) 1,550 (g) 670	32.9	400
Madhya Pradesh	1.5	1,816	2.3	1,366	0.3	1,270	2.0	866	6.5	624
United Provinces	8.3	900	28.7	1,050	61.9	1,150	10.7	600	10.6	550
Bihar and Orissa	20.5	(a) 1,234 (b) 800 (c) 890	5.4	(d) 984 (e) 451	16.9	881				
Punjab	1.1	782	37.5	701	14.2	800	5.7	470	17.0	429
Upper Burma	2.7	1,034	0.1	545			2.7	448		
Lower Burma	10.6	1,083								
Central Provinces and Berar	6.4	624	14.6	600			10.6	664		
Assam	6.0	(a) 952 (b) 1,008 (c) 871								
North-West Frontier Province	0.1	1,203	4.1	676	3.9	907	0.4	399	1.2	552
Ajmer-Merwara					0.7	1,086	0.4	322		
Delhi			0.1	(f) 1,146 (g) 656	0.2	(f) 980 (g) 870	0.1	400	0.3	360
Cooch	0.1	1,425								

(a) Winter rice. (b) Spring or summer rice. (c) Autumn rice. (d) Bihar. (e) Chota-Nagpur. (f) Irrigated. (g) Unirrigated.

Province	RAGI		MAIZE		GRAM		LINSEED		SESAMUM (til or jinjili)	
	Per-centage area to total area	Outturn per acre	Per-centage area to total area	Outturn per acre	Per-centage area to total area	Outturn per acre	Per-centage area to total area	Outturn per acre	Per-centage area to total area	Outturn per acre
		lbs		lbs		lbs		lbs		lbs
Bengal	1.4	807	5.8	443	4.8	504
Madras	58.0	1,092	15.8	299
Bombay	15.0	(a) 1,400 (b) 1,060	4.1	(a) 1,200 (b) 410	4.8	360	5.5	400
Sind	0.9	604	1.1	242
United Provinces	36.8	1,100	40.5	800	28.9	500	25.0	280
Bihar and Orissa	20.0	820	25.0	820	10.0	331	21.1	402
Punjab	17.8	1,040	30.0	615
Upper Burma
Lower Burma	23.5	225
Central Provinces and Berar	8.6	532	37.1	226	16.0	224
Assam	0.3	2,128	0.4	448
North-West Frontier Province	6.7	1,276	1.4	480
Ajmer-Merwara	1.1	934
Delhi	0.04	840	0.5	650
Coorg
	RAPH AND MUSTARD		SUGARCANE (gur)		COTTON (cleaned)		JUTE		TEA	
	Per-centage area to total area	Outturn per acre	Per-centage area to total area	Outturn per acre	Per-centage area to total area	Outturn per acre	Per-centage area to total area	Outturn per acre	Per-centage area to total area	Outturn per acre
		lbs		lbs		lbs		lbs		lbs
Bengal	20.5	480	0.2	2,063	0.4	156	87.6	1,300	27.2	514
Madras	3.8	5,040	16.2	66	4.6	340
Bombay	0.1	625	2.0	6,050	27.7	102
Sind	4.1	(a) 303 (b) 370	0.2	8,142	1.0	170
United Provinces	39.7	600	53.0	2,600	8.9	170	1.4	324
Bihar and Orissa	11.5	492	11.0	2,460	0.5	155	9.2	1,200	0.4	128
Punjab	16.0	420	15.6	1,933	9.7	135	1.6	267
Upper Burma	1.7	84	0.4	51
Lower Burma
Central Provinces and Berar	0.0	2,569	32.0	86
Assam	4.8	504	1.5	2,016	0.3	163	8.2	1,320	44.4	583
North-West Frontier Province	1.9	450	1.3	2,660	0.3	164
Ajmer-Merwara	0.3	291
Delhi	0.1	(a) 400 (b) 280	0.3	2,000	0.04	(a) 120 (b) 70
Coorg

(a) Irrigated.

(b) Unirrigated.

The outturns of maize in Assam, of sugarcane in Sind, and of cotton in Ajmer-Merwara appear to be too high, as compared with other provinces, although the areas cultivated are insignificant. On the other hand, the outturns of linseed in the Central Provinces and of sesamum in the Central Provinces and Burma appear to be too low in spite of extensive areas being cultivated with the crops in these provinces.

7. In the following paragraphs the leading features of the provincial reports are summarised:—

Bengal.—In 1915 the work of conducting crop cutting experiments in Bengal was partially transferred from the district offices to the Agricultural Department, but owing, as already noted, to a reduction made in the staff of demonstrators attached to the Agricultural Department in consequence of financial stringency, the old system had to be reverted to. This transfer and retransfer of the work from the district staff to the Agricultural Department and back led to some confusion and resulted in fewer experiments being made in some districts than would otherwise have been undertaken. Nevertheless the total number of experiments made during the quinquennium under review with staple crops (rice, wheat, gram, linseed, rape and mustard, sesamum, sugarcane, and jute) was a record of 3,671, as against 2,814 in the previous quinquennium; and these experiments afforded sufficient data for a general revision of the standards previously adopted for the province. The average yield has been raised in the case of rice, sugarcane, and jute; while it has been reduced in the case of wheat, gram, rape and mustard, and also linseed. The important changes are the increase in the yield of winter rice from 983 to 1,036 lbs, of autumn rice from 807 to 871 lbs, and of jute from 1,271 lbs, to 1,300 lbs, and the reduction of the yield of wheat from 861 to 698 lbs. The returns do not distinguish between irrigated and unirrigated crops, the irrigated area being relatively very small in the province. A few experiments were also made with certain less important crops such as barley, maize, peas, *khesary*, *mung*, sunn hemp, and tobacco; but the data obtained were not sufficient to warrant the deduction of average yields per acre for the whole province.

Madras.—During the quinquennium under review experiments in Madras were conducted by the Agricultural Department, and it is stated that they may be taken as being on the whole more accurate than those conducted in former years by the officers of the Revenue Department. On the other hand, these are much fewer in number and in many cases are too few to admit of the results being accepted as a representative figure for any tract. It is further stated that the figures reported in the previous quinquennial returns, which were solely based on crop cutting experiments, have never been adopted in Madras for the purpose of calculating outturns in crop forecasts, season and crop reports, etc. For this purpose there exists a separate set of standards, which have been fixed and modified from time to time by the Board of Revenue, in consultation with the Director of Agriculture, on a consideration of the tabulated results of crop cutting experiments, the results obtained on Government farms, and, in the case of cotton, of the figures of total crop exported from certain areas. These standard figures have been reported (rightly) in the present return. The Director of Agriculture, however, remarks that these figures are in need of revision in many cases and that he has now under consideration this important question. For the above reason, no useful comparison can be made between the present and the previous figures, especially as a distinction was made between irrigated and unirrigated crops in the previous figures, whereas the present figures are averages for irrigated and unirrigated crops taken together, except in the case of sugarcane which is always an irrigated crop.

Bombay.—In Bombay the estimates of 1897 were prepared with great care, and the results of the experiments made in the two quinquennia ending 1901-02 and 1906-07 were not considered sufficiently reliable to justify any revision. In the quinquennium ending 1911-12, the system of crop cutting experiments conducted by the district staff was abolished, and a system of more scientifically conducted experiments on Government farms by officers of the Agricultural Department was substituted; but the results obtained on Government farms were too meagre to justify any revision of the provincial averages, although a few changes were made with great caution in the district figures. In the quinquennium under review a few changes have been made in the district figures, as a result of the experience gained by the Agricultural Department; and it is believed that the changes are in the right direction, although the matter is largely one of guess work. The only change made in the provincial averages is a very slight increase in the yield of cotton, namely, from 100 to 102 lbs, all other figures remaining unchanged. It is stated

that endeavours will be made during the next quinquennium to test other figures upon which it has not yet been possible to offer any definite opinion.

Sind.—The figures reported from Sind in the previous quinquennia were not the average outturns worked out from the yield of crops raised on different classes of lands and under various modes of irrigation, but were mostly the actual results of individual experiments (or mean figures where more experiments than one were made) by the settlement or divisional officers. The present return has also been prepared from similar data, but a distinction has been made between irrigated and unirrigated crops. The Commissioner remarks that in order to work out correct averages, a large number of experiments would be necessary for each crop under different modes of irrigation, and the aggregate cultivation under each mode of irrigation on different classes of lands would also have to be taken into account; but as these statistics are not yet available on a sufficiently large scale, there is no alternative but to accept the figures now communicated by the collectors. As compared with the previous figures the present estimates show an increase in the case of wheat, barley, gram, sugarcane, and cotton, and a decrease in the case of jawar, bajra, sesamum, and rapeseed. The most important changes are the increase in the average yield of barley from 1,076 to 1,279 lbs, that of gram from 476 to 604 lbs, of sugarcane from 4,233 to 8,142 lbs, and of cotton from 125 to 170 lbs; and the decrease in the yield of jawar from 1,396 to 866 lbs, of bajra from 971 to 624 lbs, and that of rapeseed from 602 to 393 lbs. The Commissioner states that it is not possible to explain these wide variations except that the increase in the case of sugarcane and cotton can be ascribed to a more regular supply of water following the many improvements in the canals. The figure for sugarcane (8,142 lbs) seems, however, to be extremely high. It is further stated that instructions have been issued to district officers to collect in future the data of outturn of normal (12-anna) crops raised on different classes of irrigation and to work out on a uniform system the average for the district by taking into account the area under each mode of irrigation.

United Provinces.—In the quinquennium under review experiments in the United Provinces were made regularly by officers of the Agricultural Department and some by settlement officers, in addition to those conducted by district officers. The results of these experiments have not necessitated a change in the previous standards except for barley, jawar, arhar, and cotton. The yield of barley has been raised from 1,100 to 1,150 lbs, that of arhar from 750 to 800 lbs, and that of cotton from 160 to 170 lbs. The yield of jawar, on the other hand, has been reduced from 650 to 600 lbs.

Bihar and Orissa.—In accordance with the Government of India Circular of 1915, referred to above, the execution of crop tests by officers of the Agricultural Department of Bihar and Orissa was started in that year as an experimental measure, and experiments were carried out on a small scale in seven districts as supplementary to those conducted by district officers. The crop tests conducted by the Departmental officers are stated to have shown better results than those conducted by district officers; but the information obtained by the small staff of the Department is not yet of sufficient volume to serve as an effective check on the figures returned by district officers. The experiments conducted by district officers, on the other hand, were, as usual, unreliable owing mainly to carelessness in the selection of typical plots, and the results of these experiments do not, therefore, justify any modification of the provisional standards previously adopted for the province on the basis of the estimates of 1892. In the consolidated tables for British India these unrevised standards have therefore been retained in the statement of provincial averages (Table No. 1), but in the detailed statement of district figures, the average outturns based upon the experiments conducted during the quinquennium under review have been shown for each district, irrigated and unirrigated crops being classified separately. The provincial Director remarks that the district officers' figures should be supplemented by the results of a larger number of experiments made by the trained staff of the Agricultural Department under the new system, before the present provincial standards can be safely revised.

Punjab.—The revision of 1912 in the Punjab was made on the basis of the overcautious estimates of settlement officers, and it was remarked

that the yields then fixed were in consequence too low. The results of the experiments made in the quinquennium under review have confirmed that opinion, and in the present revision these yields, as also the cautious estimates of settlement officers, have been regarded as minima. In consultation with district and settlement officers and the Principal of the Agricultural College, Lyallpur, and other officers of the Department of Agriculture, increases have been made where the results of crop experiments indicate that enhancement is required, provided that the number of experiments has been sufficient. The system of conducting crop experiments has been revised and greatly improved, but unfortunately the new system came into force only with the spring harvest of 1917, at least so far as experiments conducted by district officers were concerned. The present revision shows that a general increase in the provincial averages has taken place. The notable increases are in the yield of rice from 688 to 782 lbs, of wheat from 726 to 791 lbs, of barley from 716 to 809 lbs, of maize from 908 to 1,040 lbs, of sugarcane from 1,686 to 1,933 lbs, and of cotton from 118 to 135 lbs. The Punjab Government remarks "that the present normal yields, though possibly slightly on the low side, are fairly reasonable, and that though it is no doubt difficult to determine how far the results of particular crops in particular harvests vary from the normal, the estimates at least for the main crops are steadily becoming accurate."

Burma.—In the quinquennium under review crop cuttings in Burma were as usual carried out for the most part under the supervision of sub-divisional and township officers, with occasional assistance from the Superintendent of Land Records and the subordinate Land Records staff. On a consideration of the results of these experiments and of those made in the previous quinquennia, no change has been made in the previous provincial estimate for rice in Lower Burma; but in the case of Upper Burma the estimates for all the crops now reported exhibit considerable variations. The Director of Agriculture remarks that whatever be the value of the Lower Burma figures, in Upper Burma the number of experiments remains too small to justify confidence in the estimates. In order to show the main products only, the following deductions have, as usual, been made from the gross outturn of the crops, namely, for rice and jawar 33 per cent, and for cotton 70 per cent. The Local Government issued orders in 1916, in accordance with which new rules have been prescribed changing the whole system with effect from 1917-18, and entrusting supervision of the experiments very largely to the Agricultural Department. The results of the new system will be reported in the next return. It may be noted that the average outturns hitherto ascertained by the Director of Agriculture on the basis of crop cutting experiments have never been utilized for the purposes of estimating yields in crop forecasts, season and crop reports, etc, for which there exists a distinct set of normal outturns framed and revised from time to time by the Commissioner of Settlements and Land Records, Burma, mainly on the basis of settlement records. These normal outturns, which are published in the provincial Season and Crop Report, have been shown in the appended Table (No. 8) of district averages underneath the figures of crop cutting experiments reported by the Director of Agriculture, and have also been taken into account in calculating the averages for British India in Table No. 1. It is very desirable that one set of standard outturns should be framed, and revised or verified from time to time, on a consideration of data available from all sources and in consultation with the expert officers of the provincial Agricultural Department.

Central Provinces and Berar.—In the revision of 1912 experiments in the Central Provinces and Berar were selected with great care and due attention was paid to seasonal peculiarities and to classes of soil. In the quinquennium under review, as a result of a large number of experiments made with the rice crop in the Nagpur division slight changes have been made in the figures for that crop for the districts of that division. It has not, however, been considered necessary or advisable to make any change in the provincial averages for any crop.

Assam.—In consequence of the reformation of the province of Assam revised rules for the conduct of crop cuttings were framed in 1912, which were slightly modified in 1915. In accordance with the revised rules experiments were

conducted on all the crops of the province, for which forecasts are made, and also on certain other crops, such as *matikalai* (*phaseolus radiatus*), maize, and potato. The number of experiments made was much larger than in the preceding quinquennium, and their results are stated to have been on the whole satisfactory. The only district in which no experiments were made is the Naga Hills where the staff is stated to be inadequate for the purpose. As a result of the experiments made, the averages have been revised in most cases, the most important changes being the reduction of the yield of winter rice from 1,008 to 952 lbs, and the increase in the yield of autumn rice from 672 to 706 lbs, and that of sugarcane from 1,904 to 2,016 lbs. In the case of cotton a deduction varying between 40 and 50 per cent has been made in order to obtain the yield of lint.

North-West Frontier Province.—In the quinquennium under review experiments in the North-West Frontier Province were made by the district staff (Sub-divisional Officers, Tahsildars, and Naib-Tahsildars) in the two selected districts of Peshawar and Dera Ismail Khan. The results obtained from these experiments have been carefully scrutinized by the Revenue Commissioner, and, in cases where the figures were excessive, especially in Dera Ismail Khan, they have been modified after comparison with the settlement results when the experiments were conducted and worked out under the Settlement Officer's own supervision. For the other districts the averages previously adopted on the basis of experiments framed by Settlement Officers have been repeated. The provincial averages have been raised for all the crops except rice, jawar, and maize. The important changes are the increase in the yield of wheat from 633 to 676 lbs, of barley from 876 to 907 lbs, and of sugarcane from 2,430 to 2,660 lbs, and the reduction of jawar from 436 to 399 lbs.

Ajmer-Merwara.—The figures reported by Ajmer-Merwara are based mainly on the results obtained in 1916-17. The yield of jawar, maize, and cotton has been raised, and that of barley lowered; the most important changes being the increase in the yield of jawar from 137 to 322 lbs, and that of cotton from 170 to 291 lbs. The reported yield of unginned cotton has been reduced by two-thirds to obtain the yield of cleaned cotton (lint), but the figure still appears to be high. It is remarked by the Commissioner that the results of crop experiments, as they are at present conducted in Ajmer-Merwara, are of little, if any, value as a basis for estimating the average yield of any crop on average soil in a year of average character.

Delhi.—The return received from Delhi relates to the new province as constituted in 1912. The reported figures do not call for any special remark.

Coorg.—The only experiments made in Coorg have, as usual, been on rice. The average yield has been slightly lowered from 1,483 to 1,425 lbs, which is still very high in comparison with the reported yield of other provinces. The comparatively high yield of rice in Coorg was ascribed, in the previous return, partly to special attention being paid to rice cultivation since the decline of the coffee industry, and partly to the rice lands of Coorg being watered by hill streams which contain much manurial matter. The slight decrease in the present return is stated to be probably due to the selection of the crop and not to a decline in the productive capacity of the soil or bad years.

Mysore.—As a result of the experiments made in the Mysore State during the quinquennium under review, the averages for all the crops, except sugarcane, have been raised, the most important increases being in the outturns of rice (from 841 to 1,185 lbs), ragi (from 581 to 728 lbs), and cotton (from 79 to 122 lbs). The yield of sugarcane has been reduced from 3,138 to 2,559 lbs. The present figures are based only on experiments conducted by the Revenue Department. It is stated that arrangements have been made for checking the figures by the results of experiments conducted by the Agricultural Department, and the Darbar hope in future to be able to furnish more accurate statistics.

APPENDIX A—continued

No. 1.—AVERAGE YIELD (lb per acre) of PRINCIPAL CROPS in each PROVINCE of BRITISH INDIA

Province	Quinquennium ending	RICE (HUSKED) (<i>Oryza sativa</i>)			WHEAT (<i>Triticum sativum</i>)			BARLEY (<i>Hordeum vulgare</i>)			JAWAR (<i>Sorghum vulgare</i>)		
		Irrigated	Unirrigated	Both	Irrigated	Unirrigated	Both	Irrigated	Unirrigated	Both	Irrigated	Unirrigated	Both
Bengal	1901-02(a)	(c) 1,234 (d) 823 (e) 823	(f) 984 (g) 861 (h) 451	881
	1906-07(b)	(c) 1,234 (e) 800 (e) 983	(f) 984 (g) 861 (h) 451	881
	1911-12	(d) 1,104 (e) 807 (e) 1,038	861
	1916-17	(d) 1,179 (e) 871	698
Madras	1901-02	1,061	866	1,065	670
	1906-07	1,115	926	1,118	647
	1911-12	1,103	887	1,379	721
	1916-17	1,047	696
Bombay	1896-97	..	1,230	..	1,250	510	575	1,550	670
	1901-02	..	1,230	..	1,250	510	575	1,550	670
	1906-07	..	1,230	..	1,250	510	575	1,550	670
	1911-12	..	1,230	..	1,250	510	575	1,550	670
1916-17	..	1,230	..	1,250	510	575	1,550	670	
Sind	1896-97	944	962	..	853
	1901-02	1,066	965	..	1,798
	1906-07	1,229	1,076	..	1,238
	1911-12	1,340	1,076	..	1,396
1916-17	1,318	1,366	874	1,279	..	866	
United Provinces	1896-97	1,018	619	625	980	803	890	989	736	855	..	474	..
	1901-02	1,050	800	850	1,250	800	1,050	1,350	900	1,150	..	600	..
	1906-07	1,050	800	850	1,250	850	1,050	1,300	900	1,100	..	650	..
	1911-12	1,100	850	900	1,250	850	1,050	1,300	900	1,100	..	650	..
1916-17	1,100	850	900	1,250	850	1,050	1,350	900	1,150	..	600	..	
Bihar and Orissa	1911-12	(c) 1,234 (d) 800 (e) 800	(f) 984 (g) 861 (h) 451	881
	1916-17	(c) 1,234 (d) 800 (e) 800	(f) 984 (g) 861 (h) 451	881
Panjab	1896-97(g)	1,167	266	775	917	576	728	917	562	692	595	374	481
	1901-02(g)	1,126	734	979	935	642	770	903	520	617	552	388	425
	1906-07(g)	1,183	771	1,060	994	619	816	1,053	652	786	561	447	479
	1911-12(g)	782	474	688	808	555	726	1,018	592	716	488	381	406
1916-17	881	515	782	994	696	791	1,056	679	809	541	449	470	
Upper Burma†	1896-97	1,250	1,000	1,060	..	635	400	..
	1901-02	1,117	932	1,028	..	575	300	..
	1911-12	1,094	891	997	..	322	264	..
	1916-17	1,034	545	448
Lower Burma†	1896-97	..	1,139
	1901-02	..	1,200
	1906-07	..	1,178
	1911-12	..	1,140
1916-17	1,083	
Central Provinces and Berar	1896-97	(k) 670	(k) 925	(k) 570 (k) 754	(k) 600	(k) 570 (k) 815	..
	1901-02	(l) 687	600	(l) 688	..
	1906-07	580	600	638	..
	1911-12	624	600	664	..
1916-17	624	600	664	..	
Assam	1896-97	..	834
	1901-02	..	910
	1906-07(f)	..	(c) 1,064 (d) 1,120 (e) 672	784	672
	1911-12	..	(e) 1,008 (e) 672
1916-17	..	(e) 952 (d) 1,008 (e) 706	
North-West Frontier	1901-02	843	888	563	660	1,038	651	799	..	602	..
	1906-07	1,202	842	540	618	1,214	689	818	823	328	478
	1911-12	1,205	874	559	633	1,189	736	876	..	436	..
	1916-17	1,203	914	588	676	1,141	748	907	..	399	..
Ajmer-Merwara	1896-97	1,695	277	..
	1901-02	1,305	316	..
	1906-07	1,107	763	1,046	562	424	429
	1911-12	1,248	550	1,168	..	137	..
1916-17	1,148	656	..	1,086	322	..	
Delhi	1896-97	960	870	400	..
	1901-02	..	1,364
	1906-07	..	1,446
	1911-12	..	1,507
1916-17	..	1,483	
1916-17	..	1,425	
Average for British India	1916-17	1,062	830	1,047	797
Mysore	1896-97	940
	1901-02	880
	1906-07	879
	1911-12	841
1916-17	1,185	

NOTE.—(1) Average yield of both irrigated and unirrigated land is ascertained by multiplying the yield of irrigated land by the irrigated area cropped, and the yield of unirrigated land multiplied by the unirrigated area cropped, and dividing the sum of these products by the total area cropped.
(2) The superseded figures of the previous quinquennia have been inserted merely to show the trend of the revision made in each period on the information collected in 1902. The results of the experiments for the period ending 1916-17, as recorded in table No. 6, are not considered sufficiently reliable to justify a revision of the provincial estimates.
† The averages for Burma for 1916-17 are based on the normal outturns per acre given in the Season and Crop Report of Burma for 1916-17
(a) As constituted before 1906 (b) As constituted before 1912 (c) Winter (d) Spring (e) Autumn (f) Bihar (g) Bengal
(h) Chota Nagpur (i) Includes Delhi (j) Relates to Eastern Bengal and Assam (k) Central Provinces (l) Bihar

AVERAGE YIELD OF CROPS
(ALL PROVINCES)

INDIA and in the MYSORE STATE revised with reference to crop experiments made up to the year 1916-17.

BAJRA (<i>Pennisetum typhoides</i>)			RAGI (<i>Echinochloa crusgalli</i>)			MAIZE (<i>Zea Mays</i>)			PEAS AND BEANS			Quinquennium ending	PROVINCE
Irrigated	Unirrigated	Both	Irrigated	Unirrigated	Both	Irrigated	Unirrigated	Both	Irrigated	Unirrigated	Both		
..	820	820	881	1901-02	Bengal
..	820	820	1906-07	
..	1911-12	
..	1916-17	
766	545	..	1,298	798	1901-02	Madras
1,020	611	..	1,405	955	1906-07	
1,020	659	..	1,419	1,075	1911-12	
..	..	694	1,082	1916-17	
..	400	..	1,400	1,060	1896-97	Bombay
..	400	..	1,400	1,080	1901-02	
..	400	..	1,400	1,060	1906-07	
..	400	..	1,400	1,060	1911-12	
..	400	..	1,400	1,060	1916-17	
708	1896-97	Sind
763	1901-02	
776	1906-07	
971	1911-12	
624	1916-17	
..	384	983	1896-97	United Provinces
..	500	950	..	(m)1,150	(m) 600	(m)1,000	1901-02	
..	550	1,050	..	(m)1,150	(m) 600	(m)1,000	1906-07	
..	550	1,100	..	(m)1,150	(m) 600	(m)1,000	1911-12	
..	550	1,100	..	(m)1,150	(m) 600	(m)1,000	1916-17	
..	820	820	1911-12	Bihar and Orissa
..	820	820	1916-17	
590	365	375	1,213	608	898	1896-97	Punjab
635	378	407	1,133	841	943	1901-02	
595	445	462	1,170	850	1,001	1906-07	
521	365	379	1,112	768	908	1911-12	
568	418	429	1,324	822	1,040	1916-17	
..	1896-97	Upper Burma
..	1901-02	
..	1906-07	
..	1911-12	
..	1916-17	
..	1896-97	Lower Burma
..	1901-02	
..	1906-07	
..	1911-12	
..	1916-17	
..	1896-97	Central Provinces and Berar
..	1901-02	
..	1906-07	
..	1911-12	
..	1916-17	
..	1896-97	Assam
..	1901-02	
..	1906-07	
..	1911-12	
..	1916-17	
..	2,128	1916-17	
762	381	402	1,605	583	1,159	1901-02	North-West Frontier
693	482	497	1,841	745	1,342	1906-07	
704	489	502	1,856	735	1,292	1911-12	
784	540	552	1,770	735	1,278	1916-17	
..	1,501	..	1,021	1896-97	Ajmer-Merwara
..	956	1,428	980	1901-02	
..	905	980	714	1906-07	
..	946	885	868	1911-12	
..	998	827	984	1916-17	
..	360	840	1916-17	Delhi
..	1896-97	Coorg
..	1901-02	
..	1906-07	
..	1911-12	
..	1916-17	
..	..	502	1,059	1,025	869	1916-17	Average for British India
..	1896-97	Mysore
..	471	1901-02	
..	578	1906-07	
..	562	1911-12	
..	581	1916-17	

(m) Dolichos lablab

(n) Pisum sativum

(o) Phaseolus lunatus

(p) Dolichos lablab and represents the average of both Upper and Lower Burma

AVERAGE YIELD OF CROPS
(ALL PROVINCES)

APPENDIX A—continued

No. 1.—AVERAGE YIELD (lb per acre) of PRINCIPAL CROPS in each PROVINCE of BRITISH INDIA

PROVINCE	Quinquennium ending	ARHAR (<i>Cajanus indicus</i>)			GRAM (<i>Oicer Arietinum</i>)			LINSERD (<i>Linum usitatissimum</i>)			TIL OR JINJILI (<i>Sesamum indicum</i>)		
		Irrigated	Unirrigated	Both	Irrigated	Unirrigated	Both	Irrigated	Unirrigated	Both	Irrigated	Unirrigated	Both
Bengal	1901-02(a)	881	881	492
	1906-07(b)	881	881	492
	1911-12	881	492
	1916-17	887	443	504
Madras	1901-02	374	299	..
	1906-07	444	270	..
	1911-12	378	238	..
	1916-17	299
Bombay	1896-97	1,200	410	360	400
	1901-02	1,200	410	360	400
	1906-07	1,200	410	360	400
	1911-12	1,200	410	360	400
Sind	1896-97	478	269
	1901-02	469	448
	1906-07	469	448
	1911-12	476	894
United Provinces	1896-97	719	639	642	500
	1901-02	..	750	..	950	800	800	..	500	280	..
	1906-07	..	750	..	950	800	800	..	500	280	..
	1911-12	..	750	..	950	800	800	..	500	280	..
Bihar and Orissa	1911-12	881	881	492
	1916-17	881	881	492
	1896-97(c)	755	522	549
	1901-02(c)	835	634	659
Punjab	1906-07(c)	884	656	701
	1911-12(c)	625	584	549
	1916-17	725	588	615
	1896-97
Upper Burma	1901-02	645	269
	1906-07	778	200
	1911-12	414	224
	1916-17	229
Lower Burma	1896-97
	1901-02
	1906-07
	1911-12
Central Provinces and Berar	1896-97	(e) 550	(e) 220	(e) 200	..
	1901-02	(f) 695	(f) 397	(f) 378	..
	1906-07	(f) 662	(f) 456	(f) 389	..
	1911-12	525	205	230	..
Assam	1916-17	532	226	224	..
	1896-97	532	226	224	..
	1901-02	349
	1906-07(d)	450
North-West Frontier	1911-12	840	448	448	..
	1916-17	448	448	..
	1901-02	632	406	407
	1906-07	884	438	439
Ajmer-Merwara	1911-12	730	449	449
	1916-17	728	488	489
	1896-97
	1901-02
Delhi	1906-07
	1911-12
	1916-17	650
	1896-97
Goorg	1901-02
	1906-07
	1911-12
	1916-17
Average for British India	1916-17	840	720	357	280
Mysore	1896-97
	1901-02
	1906-07	212*	231	..
	1911-12	229*	215	..
Mysore	1916-17	257*	199	..
	1916-17	366*	252	..

* Relates to horse gram.
(a) As constituted before 1906
(b) As constituted before 1912
(c) Includes Delhi

(d) Relates to Eastern Bengal and Assam
(e) Central Provinces
(f) Berar

AVERAGE YIELD OF CROPS
(ALL PROVINCES)

and in the MYSORE STATE revised with references to crop experimen's made up to the year 1916-17—contd.

RAPE AND MUSTARD (<i>Brassica sp</i>)			SUGARCANE (GUR) (<i>Saccharum officinarum</i>)			COTTON (CLEANED) (<i>Gossypium sp</i>)			JUTE (<i>Corchorus sp</i>)			Quinquen- nium ending	PROVINCE
Irrig- ated	Unirri- gated	Both	Irrig- ated	Unirri- gated	Both	Irrig- ated	Unirri- gated	Both	Irrig- ated	Unirri- gated	Both		
..	..	492	2,460	75	1901-02	Bengal
..	..	492	2,460	155	1906-07	
..	..	492	2,905	155	1,271	1911-12	
..	..	490	2,983	155	1,300	1916-17	
..	5,127	45	1901-02	Madras
..	6,089	66	44	1906-07	
..	6,701	87	55	1911-12	
..	5,040	66	1916-17	
..	625	..	6,950	100	1896-97	Bombay
..	625	..	6,950	100	1901-02	
..	625	..	6,950	100	1906-07	
..	625	..	6,950	100	1911-12	
..	625	..	6,950	102	1916-17	
513	3,705	162	1896-97	Sind
653	4,315	102	1901-02	
590	4,233	102	1906-07	
602	4,233	125	1911-12	
393	379	..	8,142	176	1916-17	
..	..	450	2,239	169	123	135	1896-97	United Provinces
..	600	..	2,500	190	130	150	1901-02	
..	600	..	2,600	220	130	160	1906-07	
..	600	..	2,600	220	130	160	1911-12	
..	600	..	2,600	230	130	170	1916-17	
..	..	492	2,460	155	1,200	1911-12	Bihar and Orissa
..	..	492	2,460	155	1,200	1916-17	
439	373	383	1,652	962	1,484	100	57	83	1896-97	Punjab
380	330	331	1,727	1,390	1,655	109	80	103	1901-02	
404	205	254	1,607	1,288	1,534	78	64	74	1906-07	
498	330	396	1,748	1,487	1,686	126	95	118	1911-12	
540	339	429	2,038	1,520	1,933	143	104	135	1916-17	
..	80	1896-97	Upper Burma
..	88	1901-02	
..	122	1906-07	
..	(c) 84	1911-12	
..	1896-97	Lower Burma
..	1901-02	
..	1906-07	
..	1911-12	
..	1916-17	
..	(c) 2,540	(c) 75	1896-97	Central Provinces and Berar
..	137	1901-02	
..	2,390	..	144	1906-07	
..	2,589	..	100	1911-12	
..	2,589	..	86	1916-17	
..	534	1,700	1896-97	Assam
..	520	2,200	1901-02	
..	448	2,688	126	1906-07	
..	504	1,904	154	1,200	..	1911-12	
..	504	2,016	153	1,320	..	1916-17	
450	381	388	1,813	183	72	142	1901-02	North-West Frontier
516	398	407	2,673	169	73	142	1906-07	
544	411	418	2,430	173	142	160	1911-12	
622	435	450	2,660	191	115	164	1916-17	
..	272	1896-97	Ajmer-Merwara
..	192	1901-02	
..	169	30	110	1906-07	
..	180	127	170	1911-12	
..	324	93	291	1916-17	
400	230	..	2,000	1,440	..	120	70	1916-17	Delhi
..	1896-97	Coorg
..	1901-02	
..	1906-07	
..	1911-12	
..	1916-17	
..	..	467	2,754	102	1,232	1916-17	Average for British India
..	2,850	45	1896-97	Mysore
..	3,399	52	1901-02	
..	3,279	89	1906-07	
..	3,138	79	1911-12	
..	2,559	122	1916-17	

(c) Average both for Upper and Lower Burma

AVERAGE YIELD OF CROPS
(BENGAL AND MADRAS)

288

APPENDIX A—continued

No. 2.—AVERAGE YIELD (lb per acre) of PRINCIPAL CROPS in each DISTRICT of BENGAL

District	Winter rice	Autumn rice	Summer rice	Wheat	Gram	Rape and mustard	Linseed	Sesamum (li)	Sugarcane (gdr)	Jute
Bardwan	1,217	1,045	..	755	694	3,455	1,317
Birbhum	864	1,165	..	921	3,579	..
Bankura	1,220	1,011	1,016	1,093	603	2,229	..
Midnapur	1,051	946	900	412	8,613	984
Hooghly	1,172	823	4,087	1,186
Howrah	1,004	1,045	3,234	1,037
24-Perganas	1,055	865	2,869	1,064
Nadia	1,067	920	1,250	812	992	..	519	..	3,126	1,055
Murshidabad	1,021	1,112	..	652	659	452	371	486	2,583	923
Jessore	1,077	891	1,220	578	950
Khulna	1,187	1,052	400	..	1,283
Rajshahi	924	883	..	680	780	614	408	..	2,678	1,147
Dinajpur	918	855	655	2,615	1,356
Jalpaiguri	1,019	957	591	1,224
Darjeeling	1,108	728	1,153
Rangpur	1,058	779	484	2,537	1,722
Bogra	1,043	845	2,824	1,347
Pabna	987	798	780	544	..	411	3,238	1,331
Malda	972	649	823	919	635	544	1,162
Dacca	996	968	1,178	520	..	810	..	1,266
Maimensingh	942	1,099	1,216	424	..	449	2,577	1,296
Faridpur	986	936	1,230	393	4,252	1,542
Bakarganj	1,033	1,037	776	671	507	..	803	1,323
Chittagong	1,009	1,149	1,125	2,222	..
Tippera	1,109	881	1,174	240	2,723	1,533
Noakhali	1,007	806	1,968	3,620
Chittagong Hill Tracts	940
Average for the province (a)	1,033	929	1,146	803	817	482	541	492	3,207	1,371

(a) These figures are averages of the experiments made during the quinquennium ending 1916-17. The standards for the province adopted on the basis of all experiments made during the last two quinquennial periods are stated in table No. 1

No. 3.—AVERAGE YIELD (lb per acre) of PRINCIPAL CROPS in each DISTRICT of MADRAS

District	RICE (husked) (a)	JAWAR			BAJRA			RAGI			TIL OR JINJILI (Sesamum)	SUGAR-CANE (gdr)	COTTON (cleaned)	GROUND-NUT
	Irrigated and un-irrigated	Irrigated	Un-irrigated	Both	Irrigated	Un-irrigated	Both	Irrigated	Un-irrigated	Both	Irrigated and un-irrigated	Irrigated	Irrigated and un-irrigated	Irrigated and un-irrigated
Gaujam	992	1,200	900	800	1,200	650	650	700	700	700	280	5,040	50	1,120
Vizagapatam	1,116	1,300	800	800	1,200	850	850	1,000	1,000	1,000	336	5,040	50	1,120
Godavari	1,116	1,300	800	800	1,200	630	630	800	800	800	336	5,040	75	1,120
Kistna	1,116	1,300	700	700	1,200	630	630	1,400	900	980	336	5,040	75	1,120
Guntur	1,116	1,300	630	630	1,200	630	640	2,000	600	1,120	280	5,040	75	1,120
Nellore	930	1,300	600	610	1,400	700	1,150	1,650	550	1,440	280	5,040	75	1,120
Kurnool	992	1,400	630	640	1,200	550	610	1,600	500	1,310	224	5,040	50	1,120
Bellary	1,054	1,500	450	460	1,300	450	450	1,000	450	580	224	5,040	50	1,120
Anantapur	1,054	1,400	500	589	1,200	400	480	1,550	600	1,280	224	5,040	50	1,120
Cuddapah	1,116	1,500	630	700	1,300	700	820	1,850	600	1,370	224	5,040	50	1,120
Chittoor	1,178	1,500	600	1,250	1,100	650	690	1,900	750	1,260	280	5,040	50	1,120
North Arcot	1,116	1,500	600	1,000	1,100	650	680	1,250	800	1,110	280	5,040	55	1,120
Chingleput	930	1,400	600	620	1,000	650	720	1,100	600	940	280	5,040	50	1,120
South Arcot	1,054	1,500	600	700	1,000	700	710	1,500	700	1,130	280	5,040	55	1,120
Salem	1,178	1,500	600	700	1,300	600	600	1,500	900	980	280	5,040	55	1,120
Colombatore	1,116	1,500	900	980	1,200	400	480	1,700	1,400	580	280	5,040	55	1,120
Trichinopoly	1,116	1,500	500	700	1,200	500	630	1,300	600	980	336	5,040	55	1,120
Tanjore	992	1,300	500	1,250	1,200	700	740	1,100	500	960	336	5,040	90	1,120
Madura	1,240	1,300	700	810	1,000	450	580	1,400	600	1,000	280	5,040	90	1,120
Ramnad	1,116	1,500	400	910	1,000	400	450	1,700	500	1,530	280	5,040	90	1,120
Tinnevely	1,240	1,300	400	1,110	1,000	450	470	1,600	500	1,280	280	5,040	90	1,120
Nilgiris	1,116	1,500	500	500	1,500	600	600	280	5,040	..	1,120
Malabar	863	1,500	700	700	1,000	600	600	..	1,500	1,500	224	5,040	50	1,120
South Canara	930	800	800	280	5,040	50	1,120
Average for the Province	1,047	696	624	1,092	289	5,040	66	1,120

(a) The yield reported in unhusked rice has been reduced by 38 per cent

APPENDIX A—continued

No. 4.—AVERAGE YIELD (lb per acre) of PRINCIPAL CROPS in each DISTRICT of BOMBAY

DISTRICT	RISE (HUSKED)	WHEAT		JAWAR		BAJRA	RAGI		MAIZE	GRAM	
	Un-irrigated	Irrigated	Un-irrigated	Irrigated (a)	Un-irrigated	Un-irrigated	Irrigated	Un-irrigated	Un-irrigated	Irrigated	Un-irrigated
Ahmadabad	1,440	1,300	580	..	(b) 1,080	840	..	1,440	500
Kaira	1,320	1,300	600	..	(b) 1,050	970	..	1,440	500
Panch Mahals	1,200	1,300	700	..	(b) 1,100	825	..	1,420	1,190	..	600
Broach	900	..	600	..	(b) 1,160 (a) 820	700	..	1,500	500
Surat	1,560	..	560	..	(b) 760	600	..	1,200	500
West Khandesh	1,080	1,290	600	..	(b) 850	500	..	900	..	1,200	500
East Khandesh	1,080	1,280	600	..	(b) 650	380	..	900	..	1,200	500
Nasik	1,080	1,320	460	1,400	520	300	1,400	850	..	1,200	350
Ahmednagar	1,040	1,360	460	1,800	(a) 540	340	1,400	900	..	1,200	380
Poona	1,120	1,080	350	1,500	500	340	..	900	..	1,200	320
Sholapur	900	1,080	400	1,500	(a) 540	320	1,200	360
Satara	1,120	1,350	480	1,500	720	360	..	900	..	1,200	380
Belgaum	1,140	1,200	560	..	800	400	..	900	400
Bijapur	800	1,080	400	..	540	320	340
Dharwar	1,140	..	500	..	1,000	450	..	1,200	500
Thana	1,200	770	400
Kolaba	1,320	800	380
Ratnagiri	1,020	680	320
Kanara	1,320	1,470	480
Average for the Province	1,230	1,250	510	1,550	670	400	1,400	1,060	..	1,200	410

DISTRICT	LINSEED	SESAMUM (til or jinji)	SUGARCANE (gdr)	COTTON (cleaned)	RAPE AND MUSTARD	SPELT	KODRA (Paspalum Scrobiculatum)	GROUNDNUT	
	Unirrigated	Unirrigated	Irrigated	Unirrigated	Unirrigated	Irrigated	Unirrigated	Irrigated	Unirrigated
Ahmadabad	350	400	6,000	125	640	..	1,320
Kaira	..	400	6,000	115	675	..	1,275
Panch Mahals	360	400	5,000	100	600	..	1,130
Broach	..	450	7,000	130	1,025
Surat	..	400	7,000	120	1,120	2,500	1,000
West Khandesh	360	400	7,000	110	..	1,500	900	2,500	1,250
East Khandesh	360	400	7,000	110	..	1,500	900	2,500	1,250
Nasik	360	400	7,000	100	..	1,500	..	2,500	1,250
Ahmednagar	360	400	7,000	90	..	1,500	..	2,500	1,200
Poona	360	400	7,000	90	..	1,500	..	2,500	1,250
Sholapur	360	400	7,000	90	..	1,500	..	2,500	1,250
Satara	350	400	7,000	90	..	1,500	..	2,500	1,500
Belgaum	360	400	7,000	100	..	1,500	..	2,500	1,500
Bijapur	360	400	7,000	90	..	1,500	..	2,500	1,250
Dharwar	360	400	7,000	120	..	1,500	..	2,500	1,500
Thana	..	300	7,000	640	..	1,250
Kolaba	..	300	4,000	800	..	1,250
Ratnagiri	..	300	4,000	675
Kanara	..	300	6,000
Average for the Province	360	400	6,950	102	625	1,500	1,100	2,500	1,390

(a) Rabi

(b) Kharif

AVERAGE YIELD OF CROPS
(UNITED PROVINCES)

290

APPENDIX A—continued

No. 5.—AVERAGE YIELD (lb per acre) of PRINCIPAL CROPS

DISTRICT *	RICE (husked)		WHEAT		BARLEY		JAWAR	BAJRA	MAIZE	GRAM	
	Irrigated	Un-irrigated	Irrigated	Un-irrigated	Irrigated	Un-irrigated	Un-irrigated	Un-irrigated	Un-irrigated	Irrigated	Un-irrigated
Almora { Naini Tal Almora Garhwal Dehra Dun }	1,500	1,400	1,250	1,000
Moradabad { Moradabad Sabaranpur Bijnor Bareilly }	1,050	800	1,250	800	1,300	1,000	650	500	1,000	1,000	750
Muzaffarnagar { Muzaffarnagar Meerut }	1,000	800	1,300	850	1,500	1,000	650	450	1,200	1,000	800
Bulandshahr { Bulandshahr Aligarh }	1,000	700	1,300	900	1,500	1,000	650	650	1,200	1,000	800
Mainpuri { Mainpuri Etah Etawah Farukhabad }	950	700	1,250	700	1,300	800	650	550	1,200	1,000	700
Muttra { Muttra Agra }	850	550	1,200	700	1,400	750	650	650	800	1,000	700
Budaun { Budaun Shahjehanpur }	950	750	1,250	800	1,250	1,000	650	600	1,200	1,000	800
Sitapur { Sitapur Hardoi }	1,000	800	1,250	900	1,300	1,100	650	550	1,200	950	900
Bahraich { Bahraich Pilibit Kheri }	1,050	900	1,300	1,000	1,300	1,100	600	550	1,300	1,000	950
Unao { Unao Lucknow Rae Bareilly }	1,000	800	1,250	650	1,400	700	650	600	1,100	1,000	900
Sultanpur { Sultanpur Barabanki Paraganj Fyzabad }	1,100	900	1,250	650	1,500	800	650	650	1,100	1,000	950
Fatehpur { Fatehpur Cawnpur Allahabad }	1,050	800	1,250	600	1,300	700	650	550	1,000	1,000	900
Benares { Benares Jaunpur Mirzapur }	1,000	700	1,100	600	1,300	800	650	500	1,000	800	650
Balla { Ballia Ghazipur Azamgarh }	1,200	900	1,250	750	1,300	800	650	700	1,100	950	900
Basti { Basti Gonda Gorakhpur }	1,050	900	1,250	800	1,300	750	650	400	1,000	900	750
Jhansi { Jhansi Jalaun }	800	550	1,000	650	1,000	600	550	400	650	700	550
Banda { Banda Hamirpur }	800	700	900	550	1,000	500	550	400	650	800	750
Average for the Province	1,100	850	1,250	850	1,350	900	600	550	1,100	900	800
	900		1,050		1,150					800	

* The districts are grouped into agricultural regions, and the determinations made in the representative district of each region are applied to the whole of that region.

AVERAGE YIELD OF CROPS
(UNITED PROVINCES)

in each DISTRICT of the UNITED PROVINCES

PEAS*		ARHAR (Cajanus Indicus)	LINSEED	SESAMUM (oil or linseed)	RAPE AND MUSTARD	SUGAR- CANE (gar)	COTTON (cleaned)		INDIGO (dye)	DISTRICT
Irrigated	Un- irrigated	Un- irrigated	Un- irrigated	Un- irrigated	Un- irrigated	Irrigated	Irrigated	Un- irrigated	Irrigated	
..	{ Naini Tal Almora Garhwal Dehra Dun } Almora
750	500	..	400	320	430	2,450	..	120	18	{ Moradabad Saharanpur Bijnor Bareilly } Moradabad
800	550	350	490	2,800	220	140	19	{ Muzaffarnagar Meerut } Muzaffarnagar
1,000	650	350	400	2,500	230	130	10	{ Bulandshahr Allgarh } Bulandshahr
800	550	410	..	2,200	230	160	15	{ Mainpuri Etawah Etawah Farukhabad } Mainpuri
650	400	410	..	2,000	230	150	15	{ Muttra Agra } Muttra
650	400	..	400	320	430	2,400	..	120	18	{ Budaun Shahjahanpur } Budaun
1,000	650	600	500	300	570	2,700	..	110	..	{ Sitapur Hardoi } Sitapur
850	600	800	500	330	700	2,000	..	110	..	{ Bahraich Pilibit Kheri } Bahraich
1,150	650	700	400	300	490	2,800	..	120	..	{ Unao Lucknow Rae Bareilly } Unao
1,200	650	850	500	390	..	2,600	..	110	20	{ Sultanpur Barabanki Fatehgarh Fyzabad } Sultanpur
800	550	550	400	320	..	2,150	..	120	17	{ Fatehpur Cawnpur Allahabad } Fatehpur
1,200	550	700	500	280	..	2,600	..	100	19	{ Benares Jaunpur Mirzapur } Benares
1,200	650	900	650	280	660	3,200	..	100	19	{ Ballia Ghazipur Azamgarh } Ballia
1,200	600	700	500	280	570	2,500	..	100	19	{ Basti Gonda Gorakhpur } Basti
..	450	280	..	1,500	..	120	..	{ Jhansi Jalaun } Jhansi
..	..	500	500	280	..	1,500	..	120	..	{ Banda Hamirpur } Banda
1,150	600	800	500	280	600	2,600	280	130	18	Average for the Province
1,000							170			

AVERAGE YIELD OF CROPS
(BIHAR AND ORISSA)

292

APPENDIX A—continued

No. 6.—AVERAGE YIELD (lb per acre) of PRINCIPAL

DISTRICT	WINTER RICE		AUTUMN RICE		SUMMER RICE		WHEAT		BARLEY		MAIZE		RAOI OR MARUA		GRAM	
	Irrigated	Unirrigated	Irrigated	Unirrigated	Irrigated	Unirrigated	Irrigated	Unirrigated	Irrigated	Unirrigated	Irrigated	Unirrigated	Irrigated	Unirrigated	Irrigated	Unirrigated
Patna	(a) 758 (b) 534	(a) 665 (b) 411	773	861	658	1,126	1,875	677	..	1,313	948	785
Gya	(a) 693 (b) 534	(a) 818	734	577	2,032	730	..	634	597	745
Shahabad	(a) 748 (b) 531	(a) 626 (b) 304	..	(b) 579	630	464	426	836	736	639	786	800	313	617
Saran	(a) 401 (b) 544	(a) 524 (b) 511	..	(b) 622	774	702	795	592	919	1,013	..	636	401	442
Champaran	(a) 824 (b) 476	..	(a) 511 (b) 639	835	..	1,983	..	1,107
Muzaffarpur	(a) 563 ..	(a) 631 (b) 478	..	(b) 498	619	411	859	..	1,317	..	928	..	859
Darbhanga	(a) 843 ..	(a) 806 (b) 744	(a) 839 ..	(a) 769 (b) 719	464	653	415	757	843	1,065	822	991	..	336
Monghyr	(a) 686 ..	(a) 656 (b) 365	323	501	..	376	706	709	403	417
Bhagalpur	(a) 839 (b) 672	(a) 763 (b) 1,218	..	(a) 889 (b) 492	594	608	623	309	..	972	860	846	422	99
Purnea	(a) 1,176 (b) 1,006	(a) 652 (b) 606	..	(b) 618	612	..	1,975
Santhal Parganas	(a) 1,038 (b) 1,234	(a) 1,166 (b) 711	..	(a) 1,193	1,368	..	1,131	..	993
Cuttack	(a) 1,061 (b) 1,124	(a) 884 (b) 1,036	(a) 617 (b) 776	(b) 803	(a) 1,003
Balasore	(a) 630 (b) 659	(a) 726 (b) 523	(b) 563
Angul	(a) 1,771 (b) 1,956	(a) 974 (b) 1,318	..	(b) 405	518
Puri	(b) 1,071	(b) 1,003
Sambalpur	(a) 1,528 (b) 609	(a) 929 (b) 851	(b) 509	(b) 827
Hazaribagh	(a) 1,021 (b) 1,023	(a) 919 (b) 454	743	1,195	..	601
Ranchi	(a) 277 (b) 413	(a) 936 (b) 854	..	(a) 639 (b) 736	..	(b) 541	..	568	935
Palamau	(a) 652	(a) 131	372	451	323	..	695	294
Manbhum	(a) 1,434 (b) 1,804	(a) 1,269 (b) 960	(a) 874 ..	(a) 732 (b) 665	..	(b) 591	1,238	..	1,311	..	521
Singbhum	(a) 786 (b) 1,116	(a) 867 (b) 923	..	(a) 452 (b) 548
Average for the province	(a) 890 (b) 929	(a) 778 (b) 723	(a) 777 (b) 638	(a) 779 (b) 627	(a) 1,003	(b) 566	629	672	733	933	1,016	919	823	905	514	512

NOTE.—The provincial average is the sum of the district averages divided by the number of districts. The standards adopted for the province are stated in table No. 1 (also footnote to that table). (a) Transplanted (b) Broadcast

AVERAGE YIELD OF CROPS
(BIHAR AND ORISSA)

CROPS in each DISTRICT of BIHAR and ORISSA

ARHAR (<i>Gajanus Indicus</i>)		PEAS		MASUR		RAPE AND MUSTARD		LINSEED		POTATO		SUGARCANE (gr)		JUTE		DISTRICT
Irrig- ated	Unirri- gated	Irrig- ated	Unirri- gated	Irrig- ated	Unirri- gated	Irrig- ated	Unirri- gated	Irrig- ated	Unirri- gated	Irrig- ated	Unirri- gated	Irrig- ated	Unirri- gated	Irrig- ated	Unirri- gated	
453	781	578	724	427	1,207	582	..	144	313	2,088	Patna
..	274	249	158	1,617	Gya
..	20	15	Shahad
..	50	Saran
..	1,557	887 Champaran
..	903	405	481	..	189	15,631	8,825	1,028	Muzaffarpur
..	764	226	Darbhanga
..	905	Monghyr
..	1,390	851	711	Bhagalpur
..	801	1,899	432	783	Furnea
..	802	4,043	553	Santhal Parganas
..	804	983	Cuttack
..	845	1,150	Balasore
..	477	1,872	1,728	Angul
..	1,921	Puri
..	Sambalpur
..	Hazaribagh
..	225	Ranchi
..	514	Palamau
..	787	401	285	1,335	Manbhum
..	Singhbhum
453	824	578	815	350	717	463	622	138	145	15,631	5,362	1,811	1,643	694	872	Average for the Province

APPENDIX A—continued

No. 7.—AVERAGE YIELD (lb per acre) of PRINCIPAL

DISTRICT	RICE (HUSEED)		WHEAT		BARLEY		JAWAR		BAJRA	
	Irrigated	Unirrigated	Irrigated	Unirrigated	Irrigated	Unirrigated	Irrigated	Unirrigated	Irrigated	Unirrigated
Hissar	598	598	1,000	480	1,100	700	480	420	460	450
Rohtak	650	...	1,180	600	1,200	860	800	520	470	420
Gurgaon	1,040	570	1,340	650	600	440	520	340
Karnal	598	370	1,070	560	1,030	560	520	420	500	330
Ambala	715	468	1,060	720	1,000	560	520	420	520	360
Simla	600	560
Kangra	754	533	600	600	600	600
Hoshiarpur	975	585	900	750	1,000	750	530	350
Jullundur	715	533	1,200	720	1,100	800	500	420	410	330
Ludhiana	650	390	1,160	550	1,160	520	570	530	400	370
Ferozpur	650	390	960	600	1,060	640	520	420	480	400
Multan	845	...	900	600	900	560	600	420	600	420
Jhang	900	600	850	600	560	460	560	420
Mianwali	700	480	900	580	500	420	480	420
Lyalpur	780	...	1,040	480	1,000	...	600	...	580	...
Montgomery	780	748	960	600	900	620	500	420	500	400
Lahore	975	410	960	600	1,200	620	650	420	570	350
Amritsar	1,170	546	1,200	750	1,000	620	...	420
Gurdaspur	1,066	637	1,050	720	1,000	680	580	510	650	510
Siakot	1,040	780	960	600	1,000	700	...	420	600	500
Gujrat	858	748	900	700	1,000	700	540	480	680	500
Gujranwala	1,105	780	960	560	1,000	560	500	420	480	340
Shahpur	650	533	960	640	1,040	720	500	420	800	500
Jhelum	...	533	860	500	1,000	620	780	440
Rawalpindi	650	...	710	560	1,000	700	...	420	710	400
Attock	770	520	1,000	560	...	420	800	350
Dera Ghazi Khan	520	507	700	500	750	540	450	420	420	400
Muzaffargarh	650	520	700	500	720	520	500	420	450	330
Average for the Province	881	515	964	606	1,056	679	541	440	568	416
	782		791		809		470		420	

AVERAGE YIELD OF CROPS
(PUNJAB)

CROPS in each DISTRICT of the PUNJAB

MAIZE		GRAM		RAPESEED		SUGARCANE (GUB)		COTON (CLEANED)		DISTRICT
Irrigated	Unirrigated	Irrigated	Unirrigated	Irrigated	Unirrigated	Irrigated	Unirrigated	Irrigated	Unirrigated	
...	...	700	700	420	400	150	90	Hissar
...	...	820	570	500	440	2,650	1,740	180	110	Rohtak
...	...	900	610	600	370	1,720	930	140	120	Gurgaon
1,120	640	980	540	560	360	2,140	1,250	175	96	Karnal
1,120	800	980	640	560	500	2,140	1,840	150	130	Ambala
...	Simla
800	800	...	400	360	240	...	620	64	50	Kangra
1,400	900	820	600	480	360	2,000	1,500	180	100	Hoshiarpur
1,700	900	900	720	500	330	2,500	1,600	240	132	Jullundur
1,560	720	900	560	730	430	2,000	1,400	166	82	Ludhiana
1,400	600	700	500	500	400	120	84	Ferozpur
900	...	480	420	270	210	1,430	...	100	66	Multan
900	580	500	500	480	240	133	77	Jhang
...	...	480	430	330	330	78	72	Mianwali
1,280	...	900	600	640	240	1,760	...	175	...	Lyallpur
900	560	650	520	480	400	160	70	Montgomery
1,120	600	680	560	500	350	1,700	1,000	132	72	Lahore
1,140	700	740	670	720	560	2,200	1,150	170	90	Amritsar
1,230	900	820	820	630	350	2,400	1,640	150	100	Gurdaspur
1,020	720	600	600	500	320	2,000	1,400	135	96	Sialkot
1,000	750	600	600	480	320	1,300	...	144	100	Gujrat
900	600	620	620	480	350	1,280	1,070	102	80	Gujranwala
960	750	660	660	560	400	1,660	...	145	74	Shahpur
1,040	820	830	570	420	280	146	61	Jhelum
1,390	1,000	...	510	400	350	116	100	Rawalpindi
1,440	580	550	550	480	240	780	...	100	68	Attock
...	...	440	440	240	200	100	62	Dera Ghazi Khan
...	...	420	420	270	200	1,200	...	80	52	Muzaffargarh
1,324	822	725	588	540	339	2,038	1,520	143	104	Average for the Province
1,040		615		420		1,933		135		

APPENDIX A—continued

No. 9.—AVERAGE YIELD (lb per acre) of PRINCIPAL CROPS in each DISTRICT of LOWER BURMA

DISTRICT	RISE	SESAMUM (TIL OR JINJILI)	COTTON (CLEANED)	BEANS (Pegyi)*
	Unirrigated	Unirrigated	Unirrigated	Unirrigated
Akyab	{ 1,130 1,072
Kyaukpyu	{ 810 1,005
Hanthawaddy	{ 1,100 938
Sandoway	{ 1,050 1,005
Pegu	{ 1,110 1,139	... 612
Tharawadi	{ 1,300 1,206	... 322	...	375 360
Prome	{ 1,130 1,005	... 798	... 70	... 584
Maubin	{ 1,420 1,206
Pyapon	{ 1,220 1,206
Bassein	{ 1,050 1,139
Henzada	{ 1,330 1,273	400 534
Maungmya	{ 1,250 1,172
Amherst	{ 1,000 971
Tavoy	{ 960 904
Mergui	{ 1,010 904
Toungoo	{ 1,350 1,038	... 640
Thaton	{ 1,030 904
Insein	{ 1,010 1,005
Northern Arakan	{ ... 804
Rangoon Town	{ ... 938
Salween	{ ... 804
Average for the Province	{ 1,140 1,083

NOTE.—The figures in italics represent the normal outturns of crops reported in the Season and Crop Report of Burma for 1916-17
* Dolichos lablab

AVERAGE YIELD OF CROPS
(CENTRAL PROVINCES AND BERAR)

298

APPENDIX A—continued

No. 10.—AVERAGE YIELD (lb per acre) of PRINCIPAL CROPS in each DISTRICT of the CENTRAL PROVINCES and BERAR

DISTRICT	RICE (HUSKED)		WHEAT		JAWAR		GRAM		LINSBED	TIL OR JINJILI (RRSA-MUM)	SUGARCANE (GRR)		COTTON (CLEANED)
	Irrigated	Unirrigated	Irrigated	Unirrigated	Irrigated	Unirrigated	Irrigated	Unirrigated	Unirrigated	Unirrigated	Irrigated	Unirrigated	Unirrigated
Saugor	..	(b)500	1,000	600	280	150	1,500	1,000	55
Damoh	..	(b)495	..	600	580	..	500	..	200	150	1,500	1,000	55
Jubbulpore	..	{ (a)820 (b)405 }	..	620	580	450	480	580	250	150	1,500	1,000	60
Mandla	..	{ (a)650 (b)525 }	..	600	..	350	..	580	200	150	1,500	..	55
Seoni	{ (a)900 (b)930 }	{ (a)650 (b)545 }	..	620	..	450	..	580	250	150	1,500	..	55
Narsinghpur	..	(b)435	..	660	..	450	..	580	280	200	1,500	1,000	70
Hoshangabad	..	(b)435	..	620	..	450	..	520	250	250	1,500	1,000	70
Nimar	..	(b)620	1,000	640	..	600	..	500	200	250	3,500	..	85
Betul	..	(b)435	1,000	620	..	500	..	500	200	180	3,500	..	70
Chhindwara	..	(b)435	1,000	600	..	600	..	500	220	180	3,500	..	90
Wardha	..	(b)435	1,000	580	..	700	..	580	300	300	3,000	..	90
Nagpur	{ (a)990 (b)930 }	{ (a)650 (b)558 }	1,000	580	..	600	..	550	280	300	3,000	..	90
Chanda	{ (a)990 (b)930 }	{ (a)650 (b)558 }	..	600	..	650	..	550	250	300	3,500	..	80
Bhandara	{ (a)900 (b)837 }	{ (a)650 (b)558 }	..	450	..	450	..	460	200	300	1,500	..	45
Balaghat	{ (a)900 (b)837 }	{ (a)650 (b)558 }	..	550	..	350	..	550	200	300	1,500	..	45
Balpur	{ (a)990 (b)930 }	{ (a)620 (b)570 }	..	600	..	350	..	450	180	150	3,000	1,000	45
Bilaspur	{ (a)900 (b)930 }	{ (a)620 (b)570 }	..	600	..	350	..	450	180	150	2,500	1,000	45
Drug	{ (a)900 (b)930 }	{ (a)620 (b)570 }	..	600	..	350	..	450	180	150	1,500	1,000	45
Average for the Central Provinces	626		602		..	605	..	580	214	208	2,522		85
Akola	..	(b)435	..	580	..	700	..	550	330	300	3,000	..	90
Amraoti	..	(b)435	..	580	..	700	..	550	330	300	3,000	..	90
Bukiana	..	(b)435	1,000	580	..	700	..	550	330	300	3,000	..	85
Yeomal	..	(b)435	..	580	..	700	..	550	330	300	3,000	..	80
Average for Berar	435		580		..	700	..	550	330	300	3,000		87
Average for the Central Provinces and Berar	624		600		..	604	..	582	226	224	2,569		86

(a) Transplanted

(b) Broadcast

APPENDIX A—continued

No. 11.—AVERAGE YIELD (lb per acre) of PRINCIPAL CROPS in each DISTRICT of ASSAM

DISTRICT	RICE			Mati-kalai (Phaseolus radiatus)	Rape and Mustard	Linseed	Maize	Sugar-cane (gur)	Cotton (cleaned)	Jute	Potato
	Winter rice	Autumn rice	Spring rice								
Sylhet	896	672	1,008	...	448	448	...	2,240	100
Cachar (plains)	(a) 672 (b) 1,008 (c) 1,008	672	448	2,240
Goalpara	(a) 672 (b) 1,232 (c) 1,120	728	560	1,568
Kamrup	(a) 672 (b) 896 (c) 840	672	504	1,568
Garó Hills (plains)	(a) 672 (b) 1,232 (c) 1,176	728	448
Darrang	(a) 672 (b) 1,120 (c) 1,008	840	504	1,568
Nowgong	(a) 896 (b) 1,120 (c) 1,008	672	504	1,568	100
Sibsagar	(a) 672 (b) 896 (c) 896	672	560	2,240
Lakhimpur	(a) 672 (b) 1,008 (c) 1,008	672	560	2,240
Average for the plains districts	952	706	1,008	448	504	448	...	2,016	100	1,320	...
Khasi and Jaintia Hills	784	672	2,128	...	160	...	3,136
Lushai Hills	1,232	100
North Cachar Hills	896
Garó Hills (hills)	672	200
Average for the hills districts	1,120	672	2,128	...	170	...	3,136
Average for the Province	952	706	1,008	448	504	448	2,128	2,016	153	1,320	3,136

(a) Broadcast

(b) Transplanted

(c) Both

No. 12.—AVERAGE YIELD (lb per acre) of PRINCIPAL CROPS in each DISTRICT of the NORTH-WEST FRONTIER PROVINCE

DISTRICT	RICE (HUSKED)	WHEAT		BARLEY		JAWAR	BAJRA		MAIZE		GRAM		RAPSEED		SUGAR-CANE (GUR)		COTTON (CLEANED)	
		Irrigated	Irrigated	Unirrigated	Irrigated	Unirrigated	Unirrigated	Irrigated	Unirrigated	Irrigated	Unirrigated	Irrigated	Unirrigated	Irrigated	Unirrigated	Irrigated	Unirrigated	Irrigated
Hazara	1,234	741	478	782	535	..	494	329	1,916	741	432	329	1,975	93	57	..
Peshawar	1,162	977	689	1,230	900	339	2,119	681	492	2,841	200
Kohat	823	404	823	535	..	1,020	507	1,029	617	453	453	329	247	..	103	57	..
Bannu	741	514	700	458	..	617	412	864	..	741	412	412	288	1,975	113	57	..
Dera Ismail Khan	1,087	736	1,169	807	..	735	623	692	..	457	144
Average for the Province	1,203	676	588	1,141	746	399	784	540	1,770	735	726	489	622	435	2,660	101	115	164

AVERAGE YIELD OF CROPS
(SIND, AJMER-MERWARA AND DELHI)

300

APPENDIX A—continued

No. 13.—AVERAGE YIELD (lb per acre) of PRINCIPAL CROPS in each DISTRICT of SIND

DISTRICT	RICE		WHEAT		BARLEY	JAWAR	BAJRA	GRAM	SESAMUM (TIL OR JIRJILI)	RAPESEED		JAMBHO (Bruca sativa)	SUGARCANE (gur)	COTTON (CLEANED) (a)	POTATO
	Irrigated	Unirrigated	Irrigated	Unirrigated	Irrigated	Irrigated	Irrigated	Unirrigated	Irrigated	Irrigated	Unirrigated	Unirrigated	Irrigated	Irrigated	Irrigated
Karachi	(b)1,439 (c)1,031	1,279	1,222	..	246	4,285	..	11,200
Hyderabad	1,280	482	417	1,120	..	165	271	227	..	12,000	132	..	
Sukkur	1,101	856	605	..	769	598	526	..	509	
Larkana	1,879	(d)2,533 1,611	(e)1,148 (f) 309	751	
Upper Sind Frontier	1,200	(d)1,054	(f)1,000	..	800	720	1,040	320	400	..	480	
Thar and Parkar	1,320	1,528	402	241	..	
Nawabshah	1,280	(g)600 (d)1,120	(f)800	..	1,120	650	532	532	..	152	..	
Average for the Province	1,316	1,366	874	1,279	866	624	604	242	303	379	513	8,142	170	11,200	

* The provincial average is the sum of the district averages divided by the number of districts
(a) The yield reported in uncleaned cotton has been reduced by 67 per cent to allow for the removal of the seed
(b) Transplanted (c) Broadcast (d) Well (e) Sallabi (f) Basi (g) Flow

No. 14.—AVERAGE YIELD (lb per acre) of PRINCIPAL CROPS in AJMER MERWARA

DISTRICT	BARLEY	JAWAR	MAIZE			COTTON (CLEANED) (a)		
	Irrigated	Unirrigated	Irrigated	Unirrigated	Both	Irrigated	Unirrigated	Both
Ajmer-Merwara	1,086	322	998	827	934	324	93	291

(a) The yield reported in uncleaned cotton has been reduced by 66½ per cent to allow for the removal of seed

No. 15.—AVERAGE YIELD (lb per acre) of PRINCIPAL CROPS in DELHI

DISTRICT	WHEAT		BARLEY		JAWAR	BAJRA	MAIZE	GRAM	SUGARCANE (gur)		COTTON (CLEANED)		RAPESEED	
	Irrigated	Unirrigated	Irrigated	Unirrigated	Unirrigated	Unirrigated	Irrigated and Unirrigated	Unirrigated	Irrigated	Unirrigated	Irrigated	Unirrigated	Irrigated	Unirrigated
Delhi	1,148	656	960	870	400	360	840	650	2,000	1,440	120	70	400	260

APPENDIX A—concluded

No. 16.—AVERAGE YIELD (lb per acre) of PRINCIPAL CROPS in COORG

DISTRICT	RICE (HUSKED)	RICE STRAW (BYE-PRODUCT)
	Unirrigated	Unirrigated
Coorg	1,425	2,345

No. 17.—AVERAGE YIELD (lb per acre) of PRINCIPAL CROPS in each DISTRICT of the MYSORE STATE

DISTRICT	RICE (HUSKED)	RAGI	HORSE GRAM (<i>Dolichos biflorus</i>)	SESAMUM (TEL OR JINJILI)	SUGARCANE (gur)	COTTON (CLEANED)
	Irrigated	Unirrigated	Unirrigated	Unirrigated	Irrigated	Unirrigated
Bangalore	488	799	360	410	2,199	...
Kolar	1,081	680	317	136
Tumkur	729	710	287	...	1,773	27
Mysore	2,739	670	466	248	2,623	53
Hassan	983	773	415	225	2,175	...
Shimoga	876	607	487	228	1,315	68
Kadur	1,071	885	762	391	1,684	...
Chitaldrug	517	841	242	206	1,414	133
Average for the State	1,185	728	386	252	2,559	122

APPENDIX B

STATEMENT OF CHANGES IN DISTRICT AND PROVINCIAL BOUNDARIES

PROVINCE	District from which transferred	AREA TRANSFERRED, AND LAND REVENUE THEREOF		District and province to which transferred	Number and date of notification of transfer	
		Area in acres				Land Revenue ₹
		Cultivated	Total			
EXTERNAL TRANSFERS						
1911-12						
Eastern Bengal and Assam	Rajshahi	924,300	1,659,520	10,28,024	Bengal	
	Dinajpur	1,415,800	2,525,440	15,22,042		
	Jalpaiguri	967,300	1,893,737	8,10,213		
	Rangpur	1,510,400	2,226,511	10,16,878		
	Bogra	469,900	869,760	4,95,717		
	Pabna	774,200	1,179,888	4,22,879		
	Dacca	1,255,800	1,780,480	5,37,029		
	Mymensingh	2,517,300	4,062,352	8,70,016		
	Faridpur	895,000	1,459,840	6,28,049		
	Bakarganj	1,670,200	2,389,436	17,38,354		
	Tippera	1,123,400	1,599,360	11,02,205		
	Noakhali	1,015,200	1,052,084	7,07,471		
	Chittagong	632,900	1,594,892	11,94,909		
	Malda	775,800	1,212,801	4,38,376		
	Chittagong Hill tracts.	85,100	3,288,320	55,715		
	Hill Tippera State	(a)	2,615,040	(a)		
	Bengal	Patna	1,118,000	1,328,000		17,46,462
Gaya		1,922,900	3,015,660	14,82,097		
Shahabad		1,466,100	2,800,948	17,97,948		
Darbhanga		1,561,700	2,142,690	7,93,280		
Muzaffarpur		1,430,000	1,942,400	9,84,095		
Saran		1,236,100	1,711,286	12,73,712		
Champaran		1,322,700	2,259,840	5,16,060		
Monghyr		1,043,100	2,510,060	9,61,170		
Bhagalpur		1,655,900	2,663,319	6,58,180		
Purnea		2,164,800	3,196,153	11,86,381		
Santhal Parganas		1,637,400	3,466,100	4,76,200		
Cuttack		1,229,700	2,340,307	12,54,476		
Balasore		894,200	1,332,621	6,80,272		
Angul		243,800	1,089,260	1,24,677		
Puri		750,100	1,599,360	7,07,046		
Sambalpur		909,100	2,447,360	2,03,729		
Hazaribagh		1,859,500	4,493,440	1,33,161		
Ranchi	2,187,500	4,544,832	3,13,833			
Palamau	572,900	3,144,960	1,39,564			
Manbhum	1,497,800	2,654,080	83,886			
Singbhum	853,400	2,490,240	1,46,365			
Feudatory and Tributary States in Orissa and Chota Nagpur.	(a)	18,334,720	(a)			
1912-13						
United Provinces	Ballia	45	46	41	Shahabad, Bihar and Orissa.	
1913-14						
Bihar and Orissa	Saran	51	51	15	United Provinces	
Upper Burma	Yamethin	...	1,664	...	Southern Shan State.	
1914-15						
Upper Burma	Myitkyina	622,592	622,592	...	Patao Estate	
Delhi		14,703	29,447	18,247	Meerut, United Provinces.	
1916-17						
Bihar and Orissa	Saran	5,364	5,364	843	Ballia, United Provinces	
North-West Frontier Province		26	68	4	Punjab	
INTERNAL TRANSFERS						
1911-12						
Bengal (b)	Bakarganj	4,815	5,987	7,359	Faridpur Noakhali Lyallpur Ghar and Parkar Balaghat	
	"	4,218	12,108	11,193		
Punjab	Montgomery	14	2,564	59		
Sind	Hyderabad	...	99	...		
Central Provinces	Mandla	...	3,165	...		

(a) No information (b) Not given effect to in 1911-12
NOTE.—This statement is explanatory of the variations in the areas shown in Table I

APPENDIX B—continued

STATEMENT OF CHANGES IN DISTRICT AND PROVINCIAL BOUNDARIES—continued

PROVINCE	District from which transferred	AREA TRANSFERRED AND LAND REVENUE THEREOF			District to which transferred	Number and date of notification of transfer
		Area in acres		Land Revenue		
		Cultivated	Total			
INTERNAL TRANSFERS—continued						
1912-13						
Lower Burma	Pegu	121,172	449,920	3,05,944	Insein	No. 63, dated 17th February 1912
	Hanthawaddy	393,729	737,638	10,85,006	Rohtak	
Punjab	Delhi (old)	201,129	287,349	4,19,836	Gurgaon	No. 2944-S., dated 1st October 1912
	Ludhiana	122,146	178,833	2,21,137	Malerkotla State	
	Malerkotla State	40	75	71	Ludhiana	No. 429, dated 10th May 1913
	Montgomery	73	73	71	Lahore	
	"	1,005	5,958	690	Lahore	
Bombay	"	39,726	115,513	42,059	Lyalpur	No. 660, dated 15th July 1912, and No. 224, dated 11th March 1913
	Belgaum	1,252	1,311	1,033	Dharwar	
Sind	Hyderabad	42,293	143,899	14,387	Thar and Parkar	Nos. 222 and 223, dated 11th March 1913
	Thar and Parkar	79,382	304,427	2,51,573	Nawabshah	
Berar	Hyderabad	4,096	2,178,459	38,49,639	"	No. 10953, dated 29th November 1912
	Amraoti	180	1,267	170	Buldana	
"	"	180	18,765	8,089	Akola	No. 9707, dated 19th October 1912
1913-14						
Bengal	Mymensingh	369	407	(a)	Dacca	No. 25599, dated 7th March 1914
	Khulna	2,499	3,080	(b)	Faridpur	
Madras	Jessore	5,101	10,747	(b)	"	No. 2275, dated 18th November 1913 and No. 3506, dated 28th March 1914
	Chittoor	473	22,285	627	North Arcot	
Bihar and Orissa	Ranchi	1,436	1,436	...	Palamau	Ditto Ditto No. 556, dated 5th December 1913 No. 6248-R.-11 J.-16, dated 11th September 1913
	Shahpur	1,901	5,550	3,140	Gujrat	
Funjab	Lyallpur	...	18	...	Attock	No. 195, dated 10th February 1914 No. 136, dated 11th February 1913
	Yamethin	24,086	56,929	12,544	Jhang	
Upper Burma	Meiktila	(a)	71,872	(a)	Meiktila	No. 578, dated 9th September 1913 No. 59, dated 23rd March 1914
	Akola	282	4,992	367	Kyaukse	
Berar	"	3,544	9,093	1,164	Yeotmal	No. 162, dated 14th May 1913
Assam	Sibsagar	(a)	29,027	...	Naga Hills	No. 997, dated 21st June 1913
Ajmer-Merwara	Ajmer	68,795	572,001	(a)	Kekri	No. 6253, dated 13th November 1913 No. 576-C., dated 21st March 1914
1914-15						
Madras	Ramnad	8,101	9,620	16,083	Madura	No. 80-Revenue, dated 17th February 1915
	Madura	16,674	19,898	34,116	Ramnad	
Sind	Larkana	130	649	974	Nawabshah	No. 3065, dated 3rd September 1914 No. 208, dated 20th March 1915
Punjab	Lyallpur	257	511	214	Montgomery	
Upper Burma	Myingyan	443	1,818	1,175	Pakokku	No. 172-5 L.—5, dated 10th February 1915
Lower Burma	Henzada	217	217	418	Tharrawaddy	Rectification of a survey error No. 1139, dated 16th May 1914
	Nagpur	2,817	4,154	1,719	Wardha	
Central Provinces	Lakhimpur	(a)	95,430	...	North-East Frontier	No. 5449-P., dated 12th October 1914
1915-16						
Assam	Khasi and Jaintia Hills	...	3,520	...	Kamrup	No. 4144-R., dated 9th September 1915
Madras	Trichinopoly	...	1,708	...	Madura	
	Chittoor	...	280	...	Anantapur	No. 10-Revenue, dated 27th December 1915
Punjab	Amritsar	54	468	60	Sialkot	No. 23-Revenue, dated 8th January 1916 No. 505, dated 30th July 1915 No. 504, dated 30th July 1915 No. 453, dated 30th June 1915
	Sialkot	630	1,140	960	Amritsar	
	Multan	9,942	107,368	13,207	Montgomery	

(a) Not available.

(b) Revenue not affected.

CHANGES IN BOUNDARIES
(ALL PROVINCES)

304

APPENDIX B—concluded

STATEMENT OF CHANGES IN DISTRICT AND PROVINCIAL BOUNDARIES—concluded

PROVINCE	District from which transferred	AREA TRANSFERRED AND LAND REVENUE THEREOF			District to which transferred	Number and date of notification of transfer
		Area in acres		Land Revenue R		
		Cultivated	Total			

INTERNAL TRANSFERS—concluded

1916-17	Pabna	118	120	21	Rajshahi	No. 988 T.-R., dated 2nd June 1916
Bengal	Mymensingh	...	7,537	6,009	Dacca	Nos. 8954 and 8955 Jur., dated 13th November 1916
	Chittagong Hill Tracts.	...	25,118	(a)	Hill Tippera State	No. 1946-D., dated 14th July 1916
Madras	Anantapur	...	(b)1,164	...	Cuddapah	No. 115 Revenue, dated 3rd March 1916
	Cuddapah	...	(b)3,814	...	Anantapur	No. 114 Revenue, dated 3rd March 1916
Sind	Sukkur	...	(c)75	...	U. S. Frontier	No. 1061, dated 20th April 1917 No. 1543, dated 1st June 1917
Punjab	Lyalpur	3	93	7	Jhang	No. 10844, dated 28th April 1917
Upper Burma	Myingyan Meiktila	85,125	232,550	44,196	Msgwe	Nos. 136 and 137, dated 22nd June 1916
Lower Burma	Bassein	...	416	...	Henzada	No. 320, dated 21st December 1916
Central Provinces	Balaghat	1,068	7,203	1,030	Seoni	No. 1239, dated 22nd July 1916
1917-18	Murshidabad	(d)	1,378	(d)	Malda	No. 8607-P., dated 13th June 1917
Madras	Trichinopoly	199,594	392,061	334,008	Salem	No. 64-Revenue, dated 14th February 1918, "Fort St. George Gazette"
Bihar and Orissa	Palamau	1	177	...	Ranchi, Chota Nagpur Division	No. 1312-R.—11 J.—6, dated 2nd March 1918.
Punjab	Shahpur	285	1,058	508	Gujrat	No. 3419-R., dated 13th February 1918
Lower Burma	Ma-ubin, Irrawaddy Division	393	2,821	1,123	Myaungmya, Irrawaddy Division	No. 53, dated 28th March 1918
Central Provinces, and Berar.	Bhandara, Nagpur Division	117,035	220,899	1,02,910	Balaghat	No. 174—214-H., dated the 23rd August 1917.

(a) There is no proper cultivation in the area, hence there is no land revenue.

(b) The area represent reserved forests, hence no revenue.

(c) The land transferred is chiefly occupied by P. W. Dept. Inspection bungalow, etc., and does not bring any revenue.

(d) Not available.

APPENDIX C

VERNACULAR TERMS USED IN VOLUME I OF AGRICULTURAL
STATISTICS OF INDIA

- Agasi, agati, or avati* (*Sesbania grandiflora*)—A vegetable crop.
- Ajmad* (*Carum Roxburghianum*)—A kind of spice.
- Ajwan* (*Carum copticum*)—A kind of spice, "Bishop's weed."
- Akurkura or jevandi* (*Chrysanthemum coronarium*)—A non-food crop.
- Amada or mamidi allam* (*Curcuma amada*)—A condiment.
- Ampazham* (*spondius magnifera*)—The hog plum.
- Arhar* (*Cajanus indicus*)—The pigeon pea.
- Arunelli* (*Phyllanthus distichus*)—Country star gooseberry.
- Bajra* (*Pennisetum typhoideum*)—The spiked millet.
- Bané* (Coorg)—Forest land granted for the service of the holding of rice-fields to which it is allotted, to be held free of revenue for grazing, leaf manure, firewood, and for timber required for the farm.
- Barbati* (*Vigna catjang*)—Asparagus, a food grain.
- Barti* (see Wudalu).
- Bel* (*Egle Marmelos*)—A fruit.
- Bhagdari* (see Narvadari).
- Bilimbi* (*Averrhoa Bilimbi*)—A fruit.
- Bimb* (*Cephalandra indica*)—A fruit.
- Chaplash* (*Artocarpus Chaplasha*)—A tree grown mainly for timber.
- Chayroot* (*Oldenlandia umbellata*)—A dye.
- Cheena* (*Panicum miliaceum*)—The common millet.
- Cheik* (*Coix lachryma-jobi*)—A food grain, "Job's Tear."
- Chikkudukayalu* (*Dolichos lablab*)—The Indian or popat bean.
- Cholam* (see jawar).
- Cholanathu* (*Andropogon sorghum*)—Fodder jawar.
- Chowli* (see Barbati).
- Cumbu* (see Bajra).
- Dani* (*Nipa fruticans*)—A soboliferous palm, the leaves of which are used for thatching purposes, also for matting.
- Dhaincha* (*Sesbania aculeata*)—A plant cultivated mainly for green manure.
- Dhaturo* (*Datura alba*)—A drug.
- Dividivi* (*Cesalpinia coriara*)—A tanning material.
- Gajar*—Carrot.
- Garmal* (*Coleus barbatus*)—A fruit.
- Gondli* (see Kutki).
- Gorait* (United Provinces)—Village watchman.
- Henna* (*Lawsonia alba*)—A dye.
- Inám* (Madras)—Alienated villages or lands granted rent-free. *Whole inám* villages are entire villages held on such tenure; *minor ináms* are portions of villages, generally a number of fields, held on *inám* tenure.
- (Coorg)—A grant of land by Government as a reward for services rendered or for religious or charitable purposes.
- Isfagul* (*Plantago orata*)—A drug.
- Istamrari* (Punjab, Ajmer-Merwara)—A tenure which, though the revenue is assigned, is charged with a permanently fixed quit-rent.
- Isáfat* (Bombay)—A form of service tenure.
- Isára* (Berar)—Land leased under the waste-land rules on stipulated terms.
- Jagir* (Berar)—Alienated villages or lands granted as rewards for service either rent-free or on payment of a quit-rent; such lands are hereditary.
- (Ajmer-Merwara)—Land granted revenue-free on condition of military service or as a charitable endowment.
- (Bombay)—Estates held hereditarily or for one or more generations on political considerations, no condition of service being attached to them.
- (Coorg)—Lands granted rent-free (1) to individuals on account of services rendered to the State by themselves or their ancestors, and (2) to some religious institutions.
- Jambo or naval*—Black plum.
- Jamna* (Coorg)—A tenure under which lands are held on half the ordinary assessment on condition that the holders should perform certain services to Government, if required, such as escorting Government treasure and rendering assistance to revenue officers on tour. These lands are inalienable without special sanction.

APPENDIX C—continued

VERNACULAR TERMS USED IN VOLUME I OF AGRICULTURAL
STATISTICS OF INDIA—continued

Jawar (*Sorghum vulgare*)—The great millet.

Jenugulu—Asparagus.

Jinyili (*Sesamum indicum*)—An oilseed.

Jira—Caraway.

Jodi (Madras)—Portion of the assessment reserved or left unalienated when lands were originally granted on favourable assessment. It is distinguished from quit-rent, which represents an additional charge (generally a certain proportion—one-eighth, one-fourth, one-half, or five-eighths—of the full assessment, minus the *jodi*) imposed when the tenures were enfranchised or converted into free-holds.

Kalpayaru—Kidney bean.

Kangni (*Panicum Italicum*)—Italian millet.

Kamranga (*Averrhoa Carambola*)—A fruit.

Kanda (*Dracontium*)—A vegetable crop.

Kankrol (*Momordica cochinchinensis*)—A vegetable crop.

Karola (*Momordica Charantia*)—A vegetable crop.

Karuvepilai (*Murraya Koenigii*)—A condiment.

Kavali (*Sterculia urens*)—The Indian katura, a fruit.

Kavathu (*Dioscorea alata*)—A tuber used as a food stuff.

Khalsa (Bombay)—Government occupancy or raiyatwari tenure.

—(Central Provinces)—Areas settled on malguzari or thekadari tenure, in contradistinction to zamindari.

—(Berar, Ajmer-Merwara)—Land paying full revenue to Government.

Khatedar (Berar)—A registered occupant whose name is entered by authority in the Government records as holding unalienated land.

Khiraj (Assam)—Land assessed to full revenue.

Kholi (Bombay)—A form of tenure, found chiefly in the Konkan, the holder of which is, in return for certain semi-proprietary rights, held responsible for payment of assessment on the area held.

Kirni (*Mimusops hexandra*)—A large tree cultivated chiefly in north-western India. It produces an olive-shaped yellow berry which is eaten chiefly during times of scarcity, and in the hot weather.

Kodo or *Kutki* (*Paspalum Scrobiculatum*)—A kind of millet.

Korai—The Indian matting sedge.

Kolinji (*Tephrosia purpurea*)—A drug.

Koorka (*Strobilanthes*)—A vegetable crop.

Kuhudi (*Panicum trypheron*)—A food grain.

Kulthi (*Dolichos biflorus*)—Horse gram.

Kutki (see *Kodo*).

Kwin (Burma)—An area averaging about one square mile selected as a survey unit on account of some natural features or administrative boundaries.

Lakhiraj (Assam)—Revenue-free land.

Lobia (see *Barbati*).

Madder (*Rubia tinctorum* and *R. cordifolia*)—A dye.

Mahalkari (Bombay)—A revenue and police officer in charge of a sub-division of a taluk.

Makhan sim—The sword bean.

Malguzari (Central Provinces)—A form of tenure, the holder of which is responsible for the payment of the revenue assessed on a village.

Mamiatdar (Bombay)—The chief revenue and police officer (native) in charge of a taluk.

Mankachu (*Alocasia indica*)—A root crop.

Marua (*Elusine coracana*)—A kind of millet.

Marukholundu (*Artemisia vulgaris*)—The Indian worm wood.

Mehwas (Bombay)—A proprietary tenure assessable to revenue at a lump sum.

Muafi (Manpur)—Any kind of land held revenue-free either for a fixed period or in perpetuity, but the term does not ordinarily apply to jagirs.

Mung (*Phaseolus Mungo*)—Green gram.

APPENDIX C—continued

VERNACULAR TERMS USED IN VOLUME I OF AGRICULTURAL STATISTICS OF INDIA—continued

- Munsarim* (Berar).—A head native revenue officer.
- Narradari, Bhagdari* (Bombay).—Forms of proprietary tenure involving joint responsibility for the assessment; the revenue in the former case being fixed in the lump, and in the latter distributed by rates over fields.
- Neem or Margosa* (*Melia azadirachta*).—A non-food crop.
- Neerali* (*Gynocordia odorata*).—An oilseed.
- Nela mulaka* (*Solanum xanthocarpum*).—The bogoda brinjal, a drug.
- Nisfkharaj* (Assam).—Land liable to pay half the revenue which is ordinarily payable for the term of settlement.
- Odamura* (*Ochlandra Rheedii*).—A reed.
- Ol or zaminkand*.—The elephant foot, a root crop.
- Palampat* (Berar).—Land held on payment of a quit-rent, but not necessarily hereditary.
- Panchayat* (Bengal).—A committee of five respectable persons nominated or appointed by local officers of Government in a village or group of villages for the settlement of petty disputes among the people and for dealing with other small local matters, such as caste, occupation, sanitation, etc.
- Papay* (*Carica papaya*).—A fruit.
- Parpattigar* (Coorg).—A revenue officer in charge of a sub-division of a taluk.
- Parvar* (see Patol).
- Patel* (Coorg).—Village headman appointed by Government.
- Patol* (*Trichosanthes dioica*).—A vegetable crop.
- Peshkash* (Madras).—The fixed land revenue payable to Government on all permanently settled estates.
- Pimakottai or pouna*.—The mast wood.
- Ponnagantikura* (*Alternanthera sessilis*).—A vegetable crop.
- Poramboke* (Madras).—Lands reserved for public or village communal purposes.
- Pót ináms* (Bombay).—Lands sub-alienated in alienated villages.
- Pót kharáb* (Berar).—The unculturable area included in a survey number.
- Puliyavara* (*Oxalis corniculata*).—A vegetable crop.
- Ragi* (see Marua).
- Randhuni* (see Ajmud).
- Rayatwari*.—State lands leased to cultivators for a fixed term. A form of tenure in which the settlement of revenue is made by Government with each individual occupant or cultivator of the land for a given term, without the intervention of a third party.
- Sabai grass* (*Ischæmum Augustifolium*).—A fibre plant.
- Sank-alu* (*Pachyrhizus angulatus*).—A root crop.
- Sapodilla* (*Achras Sapota*).—A fruit.
- Sebestan* (*Cordia Myxa*).—A fruit.
- Shanbóg* (Coorg).—A village accountant appointed by Government.
- Shrotriem* (Madras).—Village held on grant (originally to Brahmins), wholly or partially revenue-free.
- Siris tree or vagai* (*Albizzia Lebbeck*).—A non-food crop.
- Sorrell* (*Rumex vesicarius*).—A vegetable crop.
- Sother*.—Radish.
- Swank* (*Panicum frumentaceum*).—A food grain.
- Talukdari* (Bombay).—A form of proprietary right in force in the northern districts of Bombay.
- Tejpat* (*Cinnamomum Tamala* and *C. obtusifolium*).—A spice.
- Thathameda* (Upper-Burma).—Household tax.
- Thattan payara* (see Barbati).
- Thekadar* (Central Provinces).—A farmer, a leaseholder, a middleman; one who receives the rents from the cultivators and pays a stipulated sum to the proprietor.
- Thetke grass* (*Imperata arundinacea*).—A small perennial grass used chiefly for thatching purposes.
- Thugyi* (Burma).—A village headman

APPENDIX C—concluded

VERNACULAR TERMS USED IN VOLUME I OF AGRICULTURAL
STATISTICS OF INDIA—concluded

- Til* (*Sesamum indicum*).—An oilseed.
- Uchhe* (*Momordica muricata*).—A vegetable crop.
- Udai* (*Acacia eburnea*).—A thorny tree used as fuel or for fencing purposes.
- Udhad-jamabandi* (Bombay).—A proprietary tenure subject to fixed assessment.
- Umblis* (Coorg).—Lands granted on reduced rates to individuals on account of services rendered to the State by themselves or their ancestors.
- Unda* (*Pongamia glabra*).—An oil seed.
- Urad* (*Phaseolus radiatus*).—Black gram.
- Wudalu or barti* (*Panicum flavidum*).—A food grain.
- Zamindar*.—The holder of an estate on a fixed assessment under a deed of permanent ownership granted by Government.
- (Central Provinces).—A chief of minor importance who, while usually holding a large and compact estate on privileged tenure, has been restricted to the rank of an ordinary subject.
- Zamindari*.—An estate held on a fixed assessment under a deed of permanent ownership granted by Government.
- (United Provinces).—An undivided estate held in joint tenure.

APPENDIX D

ALPHABETICAL LIST OF CROPS CULTIVATED IN INDIA AND THEIR CLASSIFICATION IN TABLE III

NAME OF CROP		Heads of classification in Table III
English or Vernacular	Botanical	
Agasi, agati or avati	<i>Sesbania grandiflora</i>	38. Fruits and Vegetables including root crops.
Agave	<i>Agave</i> spp.	23. Fibres—others.
Ajmud or Randhuni	<i>Carum Roxburghianum</i>	18. Condiments and spices.
Ajwan or Bishop's weed	<i>Carum Copticum</i>	18. " " "
Akurkurá (see <i>Chrysanthemum</i>)
Al (see <i>Morinda</i>)
Aloes	<i>Aloe vera</i>	35. Drugs and Narcotics—others.
Alya (see <i>Cress</i>)
Amada or Mamidi allam	<i>Curcuma Amada</i>	18. Condiments and spices.
Amaranths	<i>Amarantus</i>	39. Misc. food crops.
Ampazham (see <i>Plum</i>)
Anise seed	<i>Pimpinella Anisum</i>	18. Condiments and spices.
Apple, wood	<i>Feronia elephantum</i>	38. Fruits and Vegetables including root crops.
" Rose	<i>Eugenia Jambos</i>	38. " " "
" Custard	<i>Anona squamosa</i> and <i>A. reticulata</i> .	38. " " "
Areca nut or Betel nut,	<i>Areca Catechu</i>	35. Drugs and Narcotics—others.
Arhar or pigeon pea	<i>Cajanus indicus</i>	10. Other food grains, etc.
Arnatto or Arnotto	<i>Bixa Orellana</i>	28. Dyes and Tanning Materials—others.
Arrowroot, West Indian	<i>Maranta arundinacea</i>	39. Misc. food crops.
" Wild or East Indian	<i>Curcuma angustifolia</i>	39. " " "
Artichoke	<i>Cynara Scolymus</i> or <i>Centauria Cardunculus</i> .	38. Fruits and Vegetables including root crops.
Arum (edible), Kachu or Kachalu	<i>Colocasia Antiquorum</i>	38. " " "
Arunelli (see <i>Gooseberry</i> , country star)
Bajra (see <i>Millet</i>)
Barbati, Lobia, Jungulu, Thattan-payara or Chowli (Asparagus)	<i>Vigna Catjang</i>	10. Other food grains, etc.
Barley	<i>Hordeum vulgare</i>	4. Barley.
Barti (see <i>Wudalu</i>)
Basil, sweet	<i>Ocimum Basilicum</i>	35. Drugs and Narcotics—others.
Beans	<i>Phaseolus lunatus</i>	38. Fruits and Vegetables including root crops.
" Asparagus (see <i>Barbati</i>)
" Sword or Makhan Sim	<i>Canavalia ensiformis</i> , C. <i>gladiata</i> .	38. Fruits and Vegetables including root crops.
" French	<i>Phaseolus vulgaris</i>	38. " " "
" Goa	<i>Psophocarpus tetragonolobus</i>	38. " " "
" Indian, Chikkudikayalu, or Popat	<i>Dolichos lablab</i>	38. " " "
" Kidney, Moth, or Kalpayaru	<i>Phaseolus aconitifolius</i>	38. " " "
" Soy	<i>Glycine hispida</i>	38. " " "
Beetroot	<i>Beta vulgaris</i>	38. " " "
Bel	<i>Eggle Marmelos</i>	38. " " "
Betel vine	<i>Piper Betle</i>	35. Drugs and Narcotics—others.
" nut (see <i>Arecanut</i>)
Bhindi (see <i>Hibiscus</i> , edible)
Bilimbi	<i>Averrhoa Bilimbi</i>	38. Fruits and Vegetables including root crops.
Bimb	<i>Cephalandra indica</i>	38. " " "
Bishop's weed (see <i>Ajwan</i>)
Borage, country	<i>Coleus aromaticus</i>	35. Drugs and Narcotics—others.
Brinjal	<i>Solanum Melongena</i> , S. <i>longum</i> .	38. Fruits and Vegetables including root crops.
" bogoda or nela mulaka	<i>Solanum xanthocarpum</i>	35. Drugs and Narcotics—others.
Buck wheat (see <i>Wheat</i>)

APPENDIX D—continued
ALPHABETICAL LIST OF CROPS—contd.

NAME OF CROP		Hheads of classification in Table III
English or Vernacular	Botanical	
Cabbage	<i>Brassica oleracea</i>	38. Fruits and Vegetables including root crops.
Caraway or Jira	<i>Carum Carui</i>	18. Condiments and spices.
" Black or Shahjira	<i>Carum Bulbocastanum</i>	18. " " "
Cardamom Aromatic	<i>Amomum aromaticum</i>	18. " " "
" greater	" <i>subulatum</i>	18. " " "
" lesser	<i>Elettaria Cardamomum</i>	18. " " "
Carob or Locust tree	<i>Ceratonia Siliqua</i>	37. Fodder crops.
Carrot or Gajar	<i>Daucus Carota</i>	38. Fruits and Vegetables including root crops.
Cashew nut	<i>Anacardium occidentale</i>	38. " " "
Cassava	<i>Manihot utilissima</i> and <i>M. palmata</i>	38. " " "
Castor	<i>Ricinus communis</i>	16. Oilseeds—others.
Cauliflower	<i>Brassica oleracea</i>	38. Fruits and Vegetables including root crops.
Celery	<i>Apium graveolens</i>	38. " " "
Chaplash (see Sam tree)
Chayroot	<i>Oldenlandia umbellata</i>	28. Dyes and Tanning Materials—others.
Cheena (see Millet)
Cheik (see Job's Tear)
Chicory	<i>Cichorium Intybus</i>	38. Fruits and Vegetables including root crops.
Chickling Vetch (see Vetch)
Chillies	<i>Capsicum</i> sp.	18. Condiments and spices.
Chikkudukayalu (see Beans, Indian)
Cholum (see Millet)
Cholanathu (fodder Cholum)	<i>Andropogon Sorghum</i>	37. Fodder crops.
Chowli (see Barbati)
Chrysanthemum, Akurkura, or Jevandi	<i>Chrysanthemum coronarium</i>	40. Miscellaneous non-food crops.
Cinchona	<i>Cinchona</i> sp.	33. Cinchona.
Cinnamon	<i>Cinnamomum zeylanicum</i>	18. Condiments and spices.
Citron or lime or lemon	<i>Citrus medica</i>	38. Fruits and Vegetables including root crops.
Cloves	<i>Eugenia caryophyllata</i> or <i>Caryophyllus aromaticus</i>	18. Condiments and spices.
Coconut	<i>Cocos nucifera</i>	38. Fruits and Vegetables including root crops.
Coffee	<i>Coffea arabica</i>	30. Coffee.
Coriander	<i>Coriandrum sativum</i>	18. Condiments and spices.
Cotton	<i>Gossypium</i> sp.	21. Cotton.
Cress	<i>Lepidium sativum</i>	38. Fruits and Vegetables including root crops.
Cucumber	<i>Cucumis sativus</i>	38. " " "
Cumbu (see Millet)
Cumin	<i>Cuminum Cyminum</i>	18. Condiments and spices.
Custard Apple (see Apple)
Dani	<i>Nipa fruticans</i>	40. Miscellaneous non-food crops.
Date palm (see Palm)
Dhaincha	<i>Sesbania aculeata</i>	40. Miscellaneous non-food crops.
Dhatara	<i>Datura alba</i>	35. Drugs and Narcotics—others.
Dill or Sowa	<i>Peucedanum graveolens</i>	16. Oilseeds—others.
Dividivi	<i>Cesalpinia coriara</i>	28. Dyes and Tanning Materials—others.
Drumsticks or Horse-radish	<i>Moringa pterygosperma</i>	38. Fruits and Vegetables including root crops.
Elephant foot, Zaminkand or Ol	<i>Amorphophallus campanulatus</i>	38. " " "
Elephant yam	<i>Tryphonium trilobatum</i>	38. " " "
Fennel	<i>Foeniculum vulgare</i>	18. Condiments and spices.

APPENDIX D—continued

ALPHABETICAL LIST OF CROPS—contd.

NAME OF CROP		Heads of classification in Table III
English or Vernacular	Botanical	
Fenugreek	<i>Trigonella fœnum græcum</i>	18. Condiments and spices.
Field Vetch (<i>see</i> Vetch)
Fig	<i>Ficus Carica</i>	38. Fruits and Vegetables including root crops.
Flea-bane, purple	<i>Vernonia anthelmintica</i>	35. Drugs and Narcotics— others.
Flowers	40. Miscellaneous non-food crops.
Gajar (<i>see</i> Carrot)
Garlic	<i>Allium sativum</i>	18. Condiments and spices.
Garmal	<i>Coleus barbatus</i>	38. Fruits and Vegetables including root crops.
Gawar (<i>see</i> Vetch)
Ginger	<i>Zingiber officinale</i>	18. Condiments and spices.
Goa bean (<i>see</i> Bean)
Gondli (<i>see</i> Millet)
Gooseberry, Cape—or tepari	<i>Physalis peruviana</i>	38. Fruits and Vegetables including root crops.
” Country star or Arunelli	<i>Phyllanthus distichus</i>	38. ” ” ”
Goose foot	<i>Chenopodium album</i>	38. Fruits and Vegetables including root crops.
Gourd, Snake	<i>Trichosanthes anguina</i>	38. ” ” ”
” Bottle	<i>Lagenaria vulgaris</i>	38. ” ” ”
” Towel	<i>Luffa acutangula</i>	38. ” ” ”
Gourd, Red or melon pumpkin	<i>Cucurbita maxima</i>	38. ” ” ”
Gourd Melon, white	<i>Benincasa cerifera</i>	38. ” ” ”
Gram	<i>Cicer arietinum</i>	9. Gram.
” Field	<i>Phaseolus trilobus</i>	10. Other food grains, etc.
” Green or Mung	<i>Phaseolus Mungo</i>	10. ” ” ”
” Horse or Kulthi	<i>Dolichos biflorus</i>	10. ” ” ”
” Black or Urad (Mati kalai)	<i>Phaseolus radiatus</i>	10. ” ” ”
Grape	<i>Vitis vinifera</i>	38. Fruits and Vegetables including root crops.
Groundnut	<i>Arachis hypogœa</i>	15. Groundnut.
Guava	<i>Psidium Guajava</i>	38. Fruits and Vegetables including root crops.
Guinea grass	<i>Panicum maximum</i>	37. Fodder crops.
Gumberry	<i>Cordia Rothii</i>	38. Fruits and Vegetables including root crops.
Hemp, Indian, or Ganja	<i>Cannabis sativa</i>	34. Indian Hemp.
” Sunn	<i>Crotalaria juncea</i>	23. Fibres—others.
” Deccan	<i>Hibiscus cannabinus</i>	23. ” ”
” Sisal	<i>Agave sisalana</i>	23. ” ”
Henna	<i>Lawsonia alba</i>	28. Dyes and Tanning Materials—others.
Hibiscus, edible or bhindi	<i>Hibiscus esculentus</i>	38. Fruits and Vegetables including root crops.
Horse-radish (<i>see</i> Drumsticks)
Indian Hemp (<i>see</i> Hemp)
Indian worm wood (<i>see</i> Marukkolundu)
Indigo	<i>Indigofera sumatrana</i> and <i>I. arrecta.</i>	27. Indigo.
Isfagul	<i>Plantago ovata</i>	35. Drugs and Narcotics— others.
Jack fruit	<i>Artocarpus integrifolia</i>	38. Fruits and Vegetables including root crops.
Jambootree (<i>see</i> Plum, black)
Jawar (<i>see</i> Millet)
Jenugulu (<i>see</i> Barbati)
Jevandi (<i>see</i> Chrysanthemum)
Jinjili (<i>see</i> Sesamum)
Jira (<i>see</i> Caraway)
Job's Tear or Cheik	<i>Coix lachryma-jobi</i>	10. Other food grains, etc.

APPENDIX D—continued

ALPHABETICAL LIST OF CROPS—contd.

NAME OF CROP		Heads of classification in Table III
English or Vernacular	Botanical	
Jujube	Zizyphus Jujuba	38. Fruits and Vegetables including root crops.
Jute	Corchorus sp.	22. Jute.
Kachu or Kachalu (see Arum)
Kakri (see Melon)
Kalpayaru (see Beans, Kidney)
Kamranga	Averrhoa Carambola	38. Fruits and Vegetables including root crops.
Kanda	Dracontium	38. " " "
Kangni (see Millet)
Kankrol	Momordica cochinchinensis	38. Fruits and Vegetables including root crops.
Kaon (see Millet)
Kapok	Eriodendron anfractuosum	23. Fibres—others.
Karola	Momordica Charantia	38. Fruits and Vegetables including root crops.
Karuvapilai	Murraya Koenigii	18. Condiments and spices.
Kavali or Indian Katura	Sterculia urens	38. Fruits and Vegetable including root crops.
Kavathu, pannikkavathu, pallakavathu, kolkavathu	Dioscorea alata	38. " " "
Kharbuja (see Melon)
Khesari (see Vetch)
Khurfa (see Purslane)
Kidney bean (see Bean)
Kirni	Mimusops hexandra	39. Miscellaneous food crops.
Kodo (see Millet)
Korai (see Matting sedge, Indian)
Kokam (see Mangosteen)
Kolinji or vempali	Tephrosia purpurea	35. Drugs and Narcotics—others.
Koorka	Strobilanthes	38. Fruits and Vegetables including root crops.
Kuhudi	Panicum trypheron	10. Other food grains, etc.
Kulthi (see Gram)
Kutki (see Millet)
Lemon (see Citron)
Lentils	Lens esculenta or Ervam lens	10. Other food grains, etc.
Lettuce	Lactuca Scariola	38. Fruits and Vegetables including root crops.
Lime (see Citron)
Linseed	Linum usitatissimum	12. Linseed.
Lobia (see Barbati)
Locust tree (see Carob)
Lucerne	Medicago sativa	37. Fodder crops.
Madder	Rubia tinctorum and R. cordifolia.	28. Dyes and Tanning Materials—others.
Mahua	Bassia latifolia and B. longifolia.	39. Miscellaneous food crops.
Maize	Zea Mays	8. Maize.
Makhan Sim (see Beans, Sword)
Mango	Mangifera indica	38. Fruits and Vegetables including root crops.
Mangosteen or Kokam	Garcinia indica	38. " " "
Mankachu	Alocasia indica	38. " " "
Margosa or Neem tree	Melia azadirachta	40. Miscellaneous non-food crops.
Marians	Bouea burmanica	38. Fruits and Vegetables including root crops.
Marjoram	Origanum vulgare	18. Condiments and spices.
Marua (see Millet)
Marukkolundu or Indian wormwood	Artemisia vulgaris	40. Miscellaneous non-food crops.

APPENDIX D—continued

ALPHABETICAL LIST OF CROPS—contd.

NAME OF CROP		Heads of classification in Table III
English or Vernacular	Botanical	
Mast wood	<i>Calophyllum inophyllum</i>	16. Oilseeds—others.
Mati kalai (<i>see</i> Black gram)
Matting sedge, Indian or Korai	<i>Cyperus corymbosus</i> , C. tegetum.	23. Fibres—others.
Medlar, Indian	<i>Vangueria edulis</i>	38. Fruits and Vegetables including root crops.
Melon, Kharbuja	<i>Cucumis Melo</i>	38. " " "
" Kakri	<i>Cucumis Melo</i> var. <i>momordica</i>	38. " " "
" Musk	<i>Cucurbita moschata</i>	38. " " "
" Water	<i>Citrullus vulgaris</i>	38. " " "
" White Gourd (<i>see</i> Gourd)
Metha (Fenugreek)	<i>Trigonella foenum-græcum</i>	18. Condiments and spices.
Millet, Common or Cheena	<i>Panicum miliaceum</i>	10. Other food grains, etc.
" Great or jawar or cholum	<i>Sorghum vulgare</i>	5. Cholum or Jawar.
" Italian, Kangni, or Kaon	<i>Panicum Italicum</i> or <i>Setaria italica</i>	10. Other food grains, etc.
" Kodo or Varagu	<i>Paspalum scrobiculatum</i>	10. " " "
" Little, Kutki, or Gondli	<i>Panicum miliare</i>	10. " " "
" Marua or Ragi	<i>Elusine Coracana</i>	7. Ragi or marua.
" Spiked, Bajra or Cumbu	<i>Pennisetum typhoideum</i>	6. Cumbu or Bajra.
Mint or Pudina	<i>Mentha arvensis</i>	18. Condiments and spices.
Morinda or Al	<i>Morinda tinctoria</i>	28. Dyes and Tanning Materials—others.
Moth (<i>see</i> Bean)
Mulberry	<i>Morus indica</i>	40. Miscellaneous non-food crops.
Mung (<i>see</i> Gram)
Mustard	<i>Brassica</i> sp.	14. Rape and Mustard.
Naval (<i>see</i> Plum, black)
Neem tree (<i>see</i> Margosa)
Neerali	<i>Gynocordia odorata</i>	16. Oilseeds—others.
Niger Seed or Sorguja	<i>Guizotia abyssinica</i>	16. Oilseeds—others.
Nutmeg	<i>Myristica fragrans</i>	18. Condiments and spices.
Oats	<i>Avena sativa</i>	37. Fodder crops.
Odamula (reeds)	<i>Ochlandra Rheedii</i>	40. Miscellaneous non-food crops.
Ol (<i>see</i> Elephant foot)
Onion	<i>Allium Ceba</i>	18. Condiments and spices.
Opium	<i>Papaver somniferum</i>	29. Opium.
Orache, garden (<i>see</i> spinach)
Oranges	<i>Citrus Aurantium</i>	38. Fruits and Vegetables including root crops.
Palm, Date	<i>Phoenix sylvestris</i>	20. Sugar—others.
" Palmyra	<i>Borassus flabellifer</i>	20. " " "
Papay	<i>Carica papaya</i>	38. Fruits and Vegetables including root crops.
Parvar or Patol	<i>Trichosanthes dioica</i>	38. " " "
Peach	<i>Prunus persica</i>	38. " " "
Peas	<i>Pisum sativum</i> or <i>Pisum arvense</i>	10. Other food grains, etc.
Peanut (<i>see</i> Groundnut)
Pepper	<i>Piper</i> or <i>Capsicum</i>	18. Condiments and spices.
" Black	<i>Piper nigrum</i>	18. " " "
" Long	<i>Piper longum</i>	18. " " "
Pigeon or bottle grass	<i>Setaria glauca</i>	10. Other food grains, etc.
Pigeon pea (<i>see</i> Arhar)
Pimakottai, Pouna (<i>see</i> Mastwood)
Pine apple	<i>Ananas sativa</i>	38. Fruits and Vegetables including root crops.
Plantain	<i>Musa sapientum</i>	38. " " "
Plum, black, Jambo tree or Naval	<i>Eugenia Jambolana</i>	38. " " "
" Hog, or Ampazham	<i>Spondias mangifera</i>	38. " " "
Poi (<i>see</i> Spinach)

APPENDIX D—continued

ALPHABETICAL LIST OF CROPS—contd.

NAME OF CROP		Heads of classification in Table III
English or Vernacular	Botanical	
Pomegranate	<i>Punica granatum</i>	38. Fruits and Vegetables including root crops.
Pomelo	<i>Citrus decumana</i>	38. " " "
Ponnagantikura	<i>Alternanthera sessilis</i>	38. " " "
Potato	<i>Solanum tuberosum</i>	38. " " "
" Sweet	<i>Ipomoea Batatas, Batatas edulis.</i>	38. " " "
Pudina (see Mint)
Puliyavara	<i>Oxalis corniculata</i>	38. Fruits and Vegetables including root crops.
Pumpkin	<i>Cucurbita pepo</i>	38. " " "
Pumpkin Melon (see Gourd, red)
Radish or Sother	<i>Raphanus sativus</i>	38. Fruits and Vegetables including root crops.
Ragi (see Millet) /
Randbuni (see Ajmud)
Rapeseed	<i>Brassica sp.</i>	14. Rape and Mustard.
Raspberry	<i>Rubus lasiocarpus</i>	38. Fruits and Vegetables including root crops.
Rhea	<i>Bœhmeria nivea</i>	23. Fibres—others.
Rice	<i>Oryza sativa</i>	2. Rice.
Rose apple (see Apple)
Roselle	<i>Hibiscus subdariffa</i>	38. Fruits and Vegetables including root crops.
Rubber (India)	<i>Hevea brasiliensis, manihot Glaziovii.</i>	40. Miscellaneous non-food crops.
Sabai grass	<i>Ischœmum angustifolium</i>	23. Fibres—others.
Safflower	<i>Carthamus tinctorius</i>	28. Dyes and Tanning Materials—others.
Saffron	<i>Crocus sativus</i>	28. " " "
Sage	<i>Salvia officinalis</i>	18. Condiments and spices.
Sam tree or Chaplash	<i>Artocarpus Chaplasha</i>	40. Miscellaneous non-food crops.
Sank-alu	<i>Pachyrhizus angulatus</i>	38. Fruits and Vegetables including root crops.
Sapodilla	<i>Achras Sapota</i>	38. " " "
Sawan (see Swank)
Sebestan	<i>Cordia myxa</i>	38. Fruits and Vegetables including root crops.
Senna	<i>Cassia angustifolia and C. ovata.</i>	35. Drugs and Narcotics—others.
Sesamum, til or jinjili	<i>Sesamum indicum</i>	13. Sesamum.
Shahjira (see Caraway, black)
Shama (see Swank)
Singhara or water caltrop	<i>Trapa bispinosa</i>	38. Fruits and Vegetables including root crops.
Siris tree or vagai	<i>Albizzia Lebbek</i>	40. Miscellaneous non-food crops.
Sisal hemp (see Hemp)
Soapnut or Kumkudu-Kaya	<i>Sapindus trifoliatu</i>	35. Drugs and Narcotics—others.
Sorguja (see Niger seed)
Sorrell	<i>Rumex vesicarius</i>	38. Fruits and Vegetables including root crops.
Sowa (see Dill)
Sother (see Radish)
Soy bean (see Bean)
Spelt wheat (see Wheat)
Spinach	<i>Spinacœa oleracea</i>	38. Fruits and Vegetables including root crops.
" Indian or poj	<i>Basella alba</i>	38. " " "
" Mountain, or Garden Orache	<i>Atriplex hortensis</i>	38. " " "
Strawberry	<i>Fragaria vesca</i>	38. " " "
Sugarcane	<i>Saccharum officinarum</i>	19. Sugarcane.

APPENDIX D—concluded

ALPHABETICAL LIST OF CROPS—concl'd.

NAME OF CROP		Heads of classification in Table III
English or Vernacular	Botanical	
Sunflower	<i>Helianthus Annuus</i>	16. Oilseeds—others.
Swallow-wort	<i>Calotropis</i> sp.	23. Fibres—others.
Swank, Sawan, or Shama	<i>Panicum frumentaceum</i>	10. Other food grains, etc.
Sweet flag	<i>Acorus Calamus</i>	35. Drugs and Narcotics—others.
Sweet potato (see Potato)
Tamarind	<i>Tamarindus indica</i>	18. Condiments and spices.
„ Manila	<i>Pithecolobium dulce</i>	38. Fruits and Vegetables including root crops.
Taramira	<i>Eruca sativa</i>	14. Rape and Mustard.
Tea	<i>Camellia Thea</i>	31. Tea.
Tejpat	<i>Cinnamomum Tamala</i> and <i>C. obtusifolium</i> .	18. Condiments and spices.
Tepari (see Gooseberry)
Thattan-payara (see Barbati)
Thetkè (grass)	<i>Imperata arundinacea</i>	40. Miscellaneous non-food crops.
Til (see Sesamum)
Tobacco	<i>Nicotiana Tabacum</i> and <i>N. Rustica</i> .	32. Tobacco.
Tomato	<i>Lycopersicum esculentum</i>	38. Fruits and Vegetables including root crops.
Tori, Toria	<i>Brassica Napus</i>	14. Rape and Mustard.
Turmeric	<i>Curcuma longa</i>	18. Condiments and spices.
Turnip	<i>Brassica Rapa</i>	38. Fruits and Vegetables including root crops.
Uohhe	<i>Momordica muricata</i>	38. „ „ „
Udai	<i>Acacia eburnea</i>	40. Miscellaneous non-food crops.
Unda	<i>Pongamia glabra</i>	16. Oilseeds—others.
Urad (see Gram)
Varagu (see Millet)
Vagai (see Siris tree)
Vempali (see Kolinji)
Vetch, Field or gawar	<i>Cyamopsis psoralioides</i>	37. Fodder crops.
„ Chickling or khesari	<i>Lathyrus sativus</i>	10. Other food grains, etc.
Water caltrop (see Singhara)
„ melon (see Melon)
Wheat	<i>Triticum sativum</i>	3. Wheat.
„ Buck	<i>Fagopyrum esculentum</i>	10. Other food grains, etc.
„ Spelt	<i>Triticum sativum</i> var <i>Spelta</i> .	3. Wheat.
Wood apple (see Apple)
Wudalu or barti	<i>Panicum flavidum</i>	10. Other food grains, etc.
Yams	<i>Dioscorea</i> sp.	38. Fruits and Vegetables including root crops.
Zaminkand (see Elephant foot)

INDEX.

	Report.	Tables and Appendices.		Report.	Tables and Appendices.
	Page.	Page.		Page.	Page.
A					
Agasi, Agati	...	103, 309		...	103, 309
Agave	...	97, 309		...	97, 309
Ajmer-Merwara -					
Area	...	37		...	37
Area under crops	...	188-189		...	188-189
Average yield of crops	...	300		...	300
Classification of area	...	94-95		...	94-95
Land revenue	...	236-237		...	236-237
Live stock	...	210		...	210
Proportion of cropped to total area	iii
Proportion of irrigated to total cropped area	iv
Transfers of land	...	274		...	274
Ajmer or Randhuni	...	97, 309		...	97, 309
Ajwan	...	97, 309		...	97, 309
Akurkura	...	309		...	309
Al	...	309		...	309
Algeria, area under wheat and barley in -	...	11		...	11
Aloes	...	102, 309		...	102, 309
Alya	...	309		...	309
Amada	...	97, 309		...	97, 309
Amaranthus	...	103, 309		...	103, 309
Ampazham	...	309		...	309
Anise seed	...	97, 309		...	97, 309
Apple, wood, custard, rose	...	103, 309		...	103, 309
Area--					
Bajra or cumbu	v	2, 3, 5, 96-188		...	2, 3, 5, 96-188
Barley	v	2, 3, 5, 96-188		...	2, 3, 5, 96-188
Cinchona	vi	102-188		...	102-188
Coffee	vi	2, 3, 6, 102-188		...	2, 3, 6, 102-188
Condiments and spices	v, vi	5, 97-189		...	5, 97-189
Cotton	vi	2, 3, 6, 97-189		...	2, 3, 6, 97-189
Cropped	iii, iv, v	2-4, 6, 38-94, 96-189		...	2-4, 6, 38-94, 96-189
Cropped more than once	iii, iv, vii	6, 103-189		...	6, 103-189
Cultivated	...	4		...	4
Culturable waste	iii	2-4, 38-94		...	2-4, 38-94
Drugs and narcotics	v, vi	6, 102-188		...	6, 102-188
Dyes and Tanning Materials	v, vi	6, 102-188		...	6, 102-188
Fallows	iii	2-4, 38-94		...	2-4, 38-94
Fibres	v, vi	2, 3, 6, 97-189		...	2, 3, 6, 97-189
Fodder crops	v, vii	2, 3, 6, 103-189		...	2, 3, 6, 103-189
Food grains and pulses	v	2, 3, 96-188		...	2, 3, 96-188
Food crops	v	2, 3, 96-188		...	2, 3, 96-188
Forest	iii	2-4, 38-94		...	2-4, 38-94
Fruits and vegetables	v, vii	6, 103-189		...	6, 103-189
Fully assessed to land revenue	...	8-9, 212-253		...	8-9, 212-253
Gram	v	2, 3, 5, 96-188		...	2, 3, 5, 96-188
Groundnut	...	2, 3, 5, 97-189		...	2, 3, 5, 97-189
Indigo	vi	2, 3, 6, 102-188		...	2, 3, 6, 102-188
Irrigated	iv	4, 38-95		...	4, 38-95
Indian hemp	vi	102-188		...	102-188
Jawar or cholam	v	2, 3, 5, 96-188		...	2, 3, 5, 96-188
Jute	v	2, 3, 6, 97-189		...	2, 3, 6, 97-189
Linseed	v	2, 3, 5, 97-189		...	2, 3, 5, 97-189
Maize	v	2, 3, 5, 96-188		...	2, 3, 5, 96-188
Non-food crops	v	2, 3, 5, 97-189		...	2, 3, 5, 97-189
Not available for cultivation	iii	2-4, 38-94		...	2-4, 38-94
Not fully assessed to land revenue	...	8, 212-253		...	8, 212-253
Oilseeds	v	2, 3, 5, 97-189		...	2, 3, 5, 97-189
Opium	vi	2, 3, 6, 102-188		...	2, 3, 6, 102-188
Professional survey	ii	2-4, 12-37		...	2-4, 12-37
Ragi or marua	v	2, 3, 5, 96-188		...	2, 3, 5, 96-188
Rape and mustard	v	2, 3, 5, 97-189		...	2, 3, 5, 97-189
Rice	v	2, 3, 5, 96-188		...	2, 3, 5, 96-188
Sesamum	v	2, 3, 5, 97-189		...	2, 3, 5, 97-189
Sugar	v, vi	2, 3, 5, 97-189		...	2, 3, 5, 97-189
Sugarcane	vi	2, 3, 5, 97-189		...	2, 3, 5, 97-189
Tea	vi	2, 3, 6, 102-188		...	2, 3, 6, 102-188
Tobacco	vi	2, 3, 6, 102-188		...	2, 3, 6, 102-188
Uncultivated	...	4		...	4
Village papers	ii	4, 12-37		...	4, 12-37
Wheat	v	2, 3, 5, 96-188		...	2, 3, 5, 96-188
			Area--contd.		
			Area and population of India	ii	102, 309
			Areanut
			Argentina, area under wheat and barley in--	...	96, 286-293
			Arhar	...	309
			Arbatto	...	102, 309
			Arrowroot	...	103, 309
			Artichoke	...	103, 309
			Arum	...	309
			Aspelli	...	96, 309
			Asparagus
			Assam--		
			Area	...	85-86
			Area under crops	...	182-185
			Average yield of crops	...	299
			Classification of Area	...	90-91
			Land revenue	...	252-253
			Live stock	...	209
			Proportion of cropped to total area	iii	...
			Proportion of irrigated to total cropped area	iv	...
			Transfers of land	...	273
			Assessment, land revenue	viii	2, 3, 8, 212-253
			Australia, area under wheat and maize in--	...	11
			Avati	...	309
			Average yield per acre of crops	ix	277-301
			B		
			Bajra or cumbu--		
			Area	v	2, 3, 5, 96-188
			Yield per acre	...	285-300
			Barbati	...	96, 309
			Barley--		
			Area	v	2, 3, 5, 96-188
			Yield per acre	...	285-300
			Barti	...	96, 309
			Basil, sweet	...	102, 309
			Beans	...	103, 309
			Beet root	...	103, 309
			Bel	...	103, 309
			Bengal--		
			Area	...	16-17
			Area under crops	...	108-115
			Average yield of crops	...	288
			Classification of area	...	50-55
			Land revenue	...	224-227
			Live stock	...	192-193
			Proportion of cropped to total area
			Proportion of irrigated to total cropped area	iv	...
			Betel nut	...	309
			Betel vine	...	102, 309
			Bhindi	...	309
			Bihar and Orissa--		
			Area	...	25-26
			Area under crops	...	152-159
			Average yield of crops	...	292-293
			Classification of area	...	68-71
			Land revenue	...	238-241
			Live stock	...	201-202
			Proportion of cropped to total area
			Proportion of irrigated to total cropped area
			Transfers of land	...	263-265
			Bilimbi	...	103, 309
			Bimb	...	103, 309
			Bogoda brinjal	...	102, 309

INDEX.

	Report.	Tables and Appendices.		Report.	Tables and Appendices.
	Page.	Page.		Page.	Page.
Bombay—			Central Provinces— <i>contd.</i>		
Area	...	20—21	Proportion of cropped to total area	iii	...
Area under crops	...	124—131	Proportion of irrigated to total cropped area	iv	...
Average yield of crops	...	289	Transfers of land	...	270—271
Classification of area	...	54—57	Chaplash	...	103, 310
Land revenue	...	230—231	Changes in boundaries	ix	302—304
Live stock	...	196—197	Charts, illustrating—		
Proportion of cropped to total area	iii	...	Area cropped and area under food crops	xi	...
Proportion of irrigated to total cropped area	iv	...	Area under non-food crops and irrigated area cropped	xi	...
Transfers of land	...	258	Areas under selected crops	xi	...
Borage, country	...	102, 309	Areas under selected crops in 1914-15 as compared with 1910-11	xi	...
Boundaries, changes in—	ix	302—304	Culturable waste and current fallows	xi	...
Brinjal	...	103, 309	Total area cropped in 1914-15 with shares of food and non-food crops	Frontis-piece Frontis-piece	...
British India—			Live stock		
Area	...	12—15	Shares of provinces in the areas under certain principal crops	xi	...
Area under crops	...	96—107	Uncultivable area and net area cropped	xi	...
Average yield of crops	...	284—287	Total cultivable area	xi	...
Classification of area	...	58—45	Chayroot	...	102, 310
Land revenue	...	212—223	Cheik	...	96, 310
Live stock	...	190—191	Cheena	...	96, 310
Proportion of cropped to total area	iii	...	Chicory	...	103, 310
Proportion of irrigated to total cropped area	iv	...	Chikkudukayalu	...	310
Transfers of land	...	254—257	Chile, area under wheat and barley in—	...	11
Buck wheat	...	196, 309	Chillies	...	97, 310
Buffaloes	vii	7, 190—210	Cholam (see jawar)
Bulls and bullocks	vii	7, 190—210	Cholanathu	...	103, 310
Burma—			Chrysanthemum	...	103, 310
Area	...	29—32	Cinchona	vi	102, 114, 122
Area under crops	...	168—175	Cinnamon	...	97, 310
Average yield of crops	...	296—297	Citron	...	103, 310
Classification of area	...	76—83	Classification of area	iii	38—95
Land revenue	...	244—247	Cloves	...	97, 310
Live stock	...	205—206	Coconut	...	103, 310
Proportion of cropped to total area	iii	...	Coffee	vi	2, 3, 6, 102, 104, 106
Proportion of irrigated to total cropped area	iv	...	Condiments and spices	v, vi	5, 97—189
Transfers of land	...	288—289	Coriander	...	97, 310
C			Cotton—		
Cabbage	...	103, 310	Area	v	2, 3, 6, 97—189
Caltrop, water	...	103, 315	Yield per acre	...	287—301
Calves	vii	7, 190—210	Coorg—		
Camels	vii	7, 190—210	Area	...	15
Canals, area irrigated by	...	4, 38—95	Area under crops	...	100—101, 106—107
Canada, area under wheat, barley and maize in—	...	11	Average yield of crops	...	301
Caraway	...	97, 310	Classification of area	...	44—45
Cardamom	...	97, 310	Land revenue	...	222, 223
Carob	...	103, 310	Live stock	...	191
Carrot	...	103, 310	Proportion of cropped to total area	iii	...
Carst	vii	7, 190—210	Proportion of irrigated to total cropped area	iv	...
Cashew nut	...	103, 310	Transfers of land	...	256—257
Cassava	...	103, 310	Cress	iii	103, 310
Castor	...	97, 310	Cropped area	iii	2, 3, 4, 38—94, 96—189
Cattle census	vii	...	Cropped area per 100 of population in each province	iii	...
Cattle per 100 acres of cropped area each province	vi	...	Cropped area, proportion of — to total area	iii	...
Cattle per 100 of population in each province	vi	...	Crop-cutting experiments	ix, x	277—283
Cauliflower	...	103, 310	Crops, irrigated	...	4, 39—95
Celery	...	103, 310	Crops, list of	...	309—315
Census, cattle	vii	...	Crops, specification of	...	96—189
Central Provinces and Berar—			Cucumber	...	103, 310
Area	...	93—94			
Area under crops	...	176—179			
Average yield of crops	...	298			
Classification of area	...	84—87			
Land revenue	...	248—249			
Live stock	...	207—208			

INDEX.

	Report.	Tables and Appendices.		Report.	Tables and Appendices.
	Page.	Page.		Page.	Page.
Culturable waste	iii	2-4, 38-95			
Cumbu (see Bajra)			
Cummin	...	97, 310			
Current fallows	iii, iv	2-4, 38-95			
D					
Dani	...	103, 310			
Date palm	...	97, 310			
Delhi—					
Area	...	14			
Area under crops	...	100-101, 106-107			
Classification of area	...	44-45			
Land revenue	...	222, 223			
Live stock	...	191			
Dhatura	...	102, 310			
Dhaincha	...	103, 310			
Dill or sowa	...	97, 310			
Dividivi	...	102, 310			
Donkeys (see mules)			
Drugs and narcotics	v, vi	6, 102-188			
Drumsticks	...	108, 310			
Dyes and Tanning Materials	v, vi	6, 102-188			
E					
Elephant foot	...	103, 310			
Elephant yam	...	103, 310			
Egypt, area under rice, maize and cotton in—	...	11			
Experiments, crop cutting	ix	277-283			
F					
Fallow	iii, iv	2-4, 38-94			
Fennel	...	97, 310			
Fenugreek	...	97, 311			
Federal and tributary States	ii	4, 12-37			
Fibres	v, vi	2, 3, 6, 97-189			
Fig	...	103, 311			
Flea-bane	...	102, 311			
Flowers	...	103, 311			
Fodder crops	v, vii	2, 3, 6, 103-189			
Food crops	v	2, 3, 96-188			
Food grains	v	2, 3, 5, 96-188			
Foreign countries, area under certain crops in—	...	11			
Forest	iii	2-4, 38-94			
France, area under wheat, barley, and maize in—	...	11			
Fruits and vegetables including root crops	v, vii	6, 103-189			
Fully assessed area	...	8, 212-253			
G					
Gajar	...	311			
Garlic	...	97, 311			
Garmal	...	103, 311			
Gawar (see vetch)			
Ginger	...	97, 311			
Goats	vii	7, 190-210			
Gooseberry (cape)	...	103, 311			
(country star)	...	103, 311			
Goose foot	...	103, 311			
Gourd	...	103, 311			
Gourd melon	...	103, 311			
Gram—					
Area	v	2, 3, 5, 96-188			
Yield per acre	...	286-301			
Kinds of—	...	311			
Grape	...	103, 311			
Groundnut—					
Area	...	2, 3, 5, 97-189			
Yield per acre	...	288-289			
Guava	...	103, 311			
Guinea grass	...	103, 311			
Gum berry	...	103, 311			
H					
Hemp, Indian	vi	103-188			
Hemp, Sunn, Deccan, and Sisal	...	97, 311			
Henna	...	102, 311			
Hibiscus (edible)	...	103, 311			
Horses and ponies	vii	7, 190-210			
Horse-radish	...	113, 311			
I					
India—					
Acreage under rice, wheat, barley, maize, and cotton in—	ii	...			11
Area	ii
Population	ii
Indigo—					
Area	vi	2, 3, 6, 102-188			291
Yield per acre
Irrigated area, proportion of — to total cropped area	iv	...			2-4, 39-95
Irrigated areas	iv
Irrigation	iv	...			102, 311
Isfagul
Italy, area under rice, wheat, barley and maize in—			11
J					
Jack fruit			103, 311
Jambo (see Plum)
Japan, area under rice, wheat, maize, and cotton in—			11
Jawar or Cholam—					
Area	v	2, 3, 5, 96-188			284-300
Yield per acre
Jenugulu			311
Jevandi			103, 311
Jinjili (see sesamum)			97, 311
Jira			97, 311
Job's Tear			311
Jujube			108, 312
Jute—					
Area	v	2, 3, 6, 97-189			287-299
Yield per acre
K					
Kalpayaru			312
Kamranga			103, 312
Kangni			96, 312
Kanda			103, 312
Kankrol			103, 312
Kapok			97, 312
Karola			103, 312
Karuvapilai			97, 312
Kavali			103, 312
Kavathu			103, 312
Kirmi			103, 312
Kodo			96, 312
Kodra			289
Kolinji			102, 312
Korai			97, 312
Koorka			103, 312
Kuhudi			96, 312
Kulthi			96, 312
Kutki			96, 312

INDEX.

	Report.	Tables and Appendices.		Report.	Tables and Appendices.
	Page.	Page.		Page.	Page.
L			N		
Land revenue assessment	viii	2, 3, 8, 9, 212—253	Narcotics (see Drugs)
Land revenue per head of population	viii	8, 9, 212—253	Naval (see Plum, black)
Lentils	...	96, 312	Nela Mulaka (see Brinjal)
Lettuce	...	103, 312	Neem (see Margosa)
Linseed—			Nearali	...	97, 313
Area	v	2, 3, 5, 97—189	Netherlands, area under wheat and barley in —	...	11
Yield per acre	...	286—299	New Zealand, area under wheat, barley and maize in —	...	11
List of crops	...	309—315	Niger seed	...	97, 313
Live stock	vii	7, 190—210	Non-food crops	v	2, 3, 97—189
Live stock per 100 acres of cropped area in each province	viii	...	North-West Frontier Province—		
Live stock per 100 of population in each province	viii	...	Area	...	37
Locust tree	...	103, 312	Area under crops	...	186—187
Lucerne	...	103, 312	Average yield of crops	...	290
Luxemburg, area under wheat and barley in —	...	11	Classification of area	...	93—98
M			Land revenue	...	232—233
Madder	...	102, 312	Live stock	...	210
Madras—			Proportion of cropped to total area	iii	...
Area	...	18—19	Proportion of irrigated to total cropped area	iv	...
Area under crops	...	116—123	Transfers of land	...	274
Average yield of crops	...	288	Nutmeg	...	97, 313
Classification of area	...	50—53	O		
Land revenue	...	228—229	Oats	...	103, 313
Live stock	...	194—195	Odumula	...	313
Proportion of cropped to total area	iii	...	Oil (see Elephant foot)	...	313
Proportion of irrigated to total cropped area	iv	...	Oilseeds	v	2, 3, 5, 97—189
Transfers of land	...	254—255	Onion	...	97, 313
Mahua	...	103, 312	Opium	vi	2, 3, 6, 102—188
Maize—			Oranges	...	103, 313
Area	v	2, 3, 5, 96—188	P		
Yield per acre	...	285—300	Palm, date and palmyra	...	97, 313
Makhan Sim	...	312	Palmyra palm	...	97, 313
Mango	...	102, 312	Papay	...	103, 313
Mangosteen	...	102, 312	Parvar or patol	...	103, 313
Mankachu	...	102, 312	Peach	...	103, 313
Manpur Pargana—			Peas	...	96, 235—297, 313
Area	...	45	Pepper	...	97, 313
Area under crops	...	100—101, 106—107	Pigeon grass	...	96, 313
Classification of area	...	44—45	Pimukottai (see Mastwood)
Land revenue	...	222, 223	Pine apple	...	103, 313
Live stock	...	191	Plantain	...	103, 313
Proportion of cropped to total area	iii	...	Ploughs	vii	7, 190—210
Proportion of irrigated to total cropped area	iv	...	Plum	...	103, 313
Margosa	...	103, 312	Pomegranate	...	103, 314
Marians	...	103, 312	Pomelo	...	103, 314
Marjoram	...	97, 312	Ponnagantikura	...	103, 314
Marua (see Ragl)	...	96, 312	Ponies (see Horses)
Marukholandu	...	312	Population	ii	8, 9, 212—253
Mastwood	...	97, 313	Potato	...	103, 293, 269—300, 314
Masn	...	293	Pudina	...	314
Matikalal	...	296, 313	Professional survey	i	2—4, 12—37
Matting sedge	...	97, 313	Pulses (see food grains)
Medlar	...	103, 313	Puliyavara	...	103, 314
Melon	...	103, 313	Pumpkin	...	103, 314
Metba	...	313	Punjab—		
Millet	...	96—188, 313	Area	...	27—28
Mint	...	97, 313	Area under crops	...	160—167
Mixed crops	iv	...	Average yield of crops	...	294—295
Morinda	...	102, 313	Classification of area	...	72—75
Mulberry	...	103, 313	Land revenue	...	242—243
Mules and donkeys	vii	7, 190—210	Live stock	...	203—204
Mung	...	96, 313			
Mustard (see Rapo)			

INDEX.

	Report.	Tables and Appendices.		Report.	Tables and Appendices.
	Page.	Page.		Page.	Page.
W			Y		
Waste, culturable	iii	2-4, 38-94	Yams	ix	103, 315
Wells, area irrigated by	...	4, 39-95	Yield per acre of crops	vii	277-301
Whole inam villages	...	8, 9	Young stock (calves)	vii	7, 190-210
Wheat—					
Area	v	2, 3, 5, 96-188			
Chart illustrating variations in area in last twelve years	x	...			
Irrigated	iv	4, 39-95			
Yield per acre	...	284-300			
World, areas under certain crops in various countries of the	...	11			
Wormwood, Indian	...	311	Zamindar	v	308
Wudalu	...	103, 315	Zamindari	v	8, 9, 212-253
			Zaminkand	...	310, 315

MISCELLANEOUS—contd.

45. Crop Forecasts: Half anna each.
Rice—1st (October), 2nd (December), Final (February).
Wheat—1st (January), 2nd (March), 3rd (May), Final (August).
Cotton—1st (August), 2nd (October), 3rd (December), Final (February).
Linseed, Rape and Mustard (*winter oil seeds*)—1st (January), 2nd (March), Final (June).
Sesamum (*til or jinjili*)—1st (September), 2nd (October), Final (January), Supplementary (April).
Groundnut—1st (October), Final (February).
Indigo—1st (October), Final (December).
Sugarcane—1st (August), 2nd (October), Final (February).
46. Return showing the Imports and Exports of Merchandise by sea from and to foreign countries. Pies 6.
47. Trade of Indian ports in the first year of War. As. 2.
48. Registration and Publication of Statistics relating to the Sea-borne Trade and Navigation of British India. R3-2.
49. Return showing the imports and import duty collected during the first year of War. As. 12.
50. Statistical Tables relating to wheat. As. 13.
51. Imports into British India of Motor Cars, Tyres, etc. Half anna.
52. A manual on the preparation of Crop Forecasts in India. As. 8.
53. Export trade of British India with certain Neutral Countries. Half anna.
54. Cotton Map of India, No. 1.—Showing the different varieties of cotton grown in the different districts and States in India. As. 8.
55. Cotton Map of India, No. 2.—Showing the relative importance of cotton growing districts and States in India. As. 4. [Copies of these Maps can be obtained from the Department of Statistics, India, 1, Council House Street, Calcutta.]
56. Census of coal consumption in India. Half anna.
57. Rise in prices at the end of November 1918. Anna 1.
58. Prices of country produce and salt in India at the end of 1918. Half anna.
59. Quinquennial Report on the Average Yield per Acre of Principal Crops in India for the period ending 1916-17. As. 12.

Agents for the Sale of Books published by the
Superintendent of Government Printing, India, Calcutta.

IN EUROPE.

- | | |
|--|---|
| Constable & Co., 10, Orange Street, Leicester Square, London, W.C. | Luzac & Co., 46, Great Russell Street, London, W.C. |
| Kegan Paul, Trench, Trübner & Co., 68-74, Carter Lane, E.C., and 25, Museum Street, London, W.C. | W. Thacker & Co., 2, Creed Lane, London, E.C. |
| Bernard Quaritch, 11, Grafton Street, New Bond Street, London, W. | T. Fisher Unwin, Ltd., 1, Adelphi Terrace, London, W.C. |
| Y. S. King & Sons, 2 & 4, Great Smith Street, Westminster, London, S.W. | Wm. Wesley & Son, 28, Essex St., Strand, London. |
| H. S. King & Co., 65, Cornhill, E.C., and 9, Pall Mall, London, W. | B. H. Blackwell, 50 & 51, Broad Street, Oxford. |
| Grindlay & Co., 64, Parliament Street, London, S.W. | Deighton Bell & Co., Ltd., Cambridge. |
| | Oliver and Boyd, Tweeddale Court, Edinburgh. |
| | E. Ponsonby, Ltd., 116, Grafton Street, Dublin. |
| | Ernest Leroux, 28, Rue Bonaparte, Paris. |
| | Martinus Nijhoff, The Hague, Holland. |

IN INDIA AND CEYLON.

- | | |
|--|---|
| Thacker, Spink & Co., Calcutta and Simla. | Sunder Pandurang, Bombay. |
| Newman & Co., Calcutta. | Gopal Narayan & Co., Bombay. |
| R. Cambray & Co., Calcutta. | Ram Chandra Govind & Son, Kalbadevi, Bombay. |
| G. K. Lahiri & Co., Calcutta. | The Standard Bookstall, Karachi. |
| B. Banerjee & Co., Calcutta. | Mangaldas Harkisandas, Surat. |
| The Indian School Supply Depot, 309, Bow Bazar Street, Calcutta, and 226, Nawabpur, Bacon. | Karsandas Narendas & Sons, Surat. |
| Butterworth & Co. (India), Ltd., Calcutta. | A. H. Wheeler & Co., Allahabad, Calcutta and Bombay. |
| Rai M. C. Sancar Bahadur & Sons, 90/2A, Harrison Road, Calcutta. | N. B. Mathur, Supt., Nazir Kanun Hind Press Allahabad. |
| The Weldon Library, 57, Park Street, West, Calcutta. | Rai Sahib M. Gulab Singh & Sons, Mufid-i-Am Press, Lahore and Allahabad. |
| Standard Literature Company, Limited, Calcutta. | Rama Krishna & Sons, Lahore. |
| Lal Chand & Sons, Calcutta. | Supt., American Baptist Mission Press, Rangoon. |
| Higginbotham & Co., Madras. | Manager, the "Hitavada," Nagpur. |
| V. Kalyanarama Iyer & Co., Madras. | S. C. Tankdar, Proprietor, Students & Co., Cooh Behar. |
| G. A. Natesan & Co., Madras. | A. M. & J. Ferguson, Ceylon. |
| S. Murthy & Co., Madras. | Manager, Educational Book Depôts, Nagpur and Jubbulpore.* |
| Thompson & Co., Madras. | Manager of the Imperial Book Depot, 63, Chandney Chank Street, Delhi.* |
| Temple & Co., Madras. | Manager, "The Agra Medical Hall and Co-operative Association, Ltd." (Successors to A. John & Co., Agra).* |
| P. R. Rama Iyer & Co., Madras. | Supt., Basel Mission Book and Tract Depository, Mangalore.* |
| Vas & Co., Madras. | P. Varadaachary & Co., Madras.* |
| E. M. Gopala Krishna Kone, Madura. | H. Liddell, Printer, etc., 7, South Road, Allahabad.* |
| Thacker & Co., Ltd., Bombay. | Ram Dayal Agarwala, 184, Katra, Allahabad.* |
| A. J. Cornbridge & Co., Bombay. | D. C. Anand & Sons, Peshawar.* |
| D. B. Taraporevala, Sons & Co., Bombay. | Manager, Newal Kishore Press, Lucknow.* |
| Mrs. Radhabai Atmaram Sagoon, Bombay. | |

* Agents for the sale of Legislative Department publications only.

THIRTY-FOURTH ISSUE

CHFCKE
2006-07

DEPARTMENT OF STATISTICS, INDIA

Agricultural Statistics of India

1917-18

Volume I

Area, Classification of Area, Area under Crops, Live
Stock, Land Revenue Assessment, and Transfers
of Land in British India

Published by order of the Governor-General in Council



CALCUTTA
SUPERINTENDENT GOVERNMENT PRINTING, INDIA
1920