ADMINISTRATION REPORT

RAILWAYS IN INDIÀ

ON

FOR

1880-81.

BY

COLONEL W. S. TREVOR, V.C., R.E., DIRECTOR GENERAL OF RAILWAYS.



SIMLA: GOVERNMENT CENTRAL BRANCH PRESS.

1882.

SIMLA: PRINTED AT THE GOVEENMENT CENTRAL BEANCH PRESS.

CONTENTS.

.

	PAGE
DIAGRAM No. 1-Showing the Principal Centres of Traffic on Rail- ways in India for the year 1880.	
"No. 2—Showing approximately, per Open Mile, the Gross Traffic, Inwards and Outwards, on Railways in India for the year 1880.	
No. 3—Showing Open Milfage of State Railways and Gross Earnings of Guaranteed Railways from 1871 to 1880.	
INTRODUCTION	i-ii
CHAPTER I.—GENERAL REMARKS	1
• " II.—Précis of Leading Events on Railways in India during 1880-81.	13
" III.—CONSTRUCTION AND SURVEY	31
" IV.—Open Line	59
" V.—Administration of Railways in India—Indian Coal—Review of Fine Funds.	20 7
, VI.—HISTORY OF THE GAUGE IN INDIA	215
" VII.—Stores	251
" VIII.—DETAILS OF THE PRINCIPAL RAILWAYS IN INDIA	253
" IX.—Statistics	259
APPENDIX A.—Statement showing Length of Railways in India constructed and in progress, together with names of chief Officees administering them.	i
" BNew Contract with the East Indian Railway Company	v
" C.—Agreement between the Secretary of State for India and the Bengal Central Railway Company.	XV
,, D.—PROCEEDINGS OF THE RAILWAY CONFERENCES HELD IN CALCUTTA IN 1879 AND 1880.	XXV
" EEFFECTS OF WIND PRESSURE UPON RAILWAY STRUCTURES	xlv
,, F.—Statement showing extent of Employment of Natives as Engine Drivers and Shuntees on Indian Railways dubing 1880.	liii
INDEX MAPPUNJAB AND NORTH-WEST FRONTIER.	
" INDUS VALLEY AND KATTYAWAR.	
" RAJPUTANA AND NORTH-WESTERN PROVINCES.	
" BENGAL AND CENTRAL PROVINCES	
"BOMBAY AND RAJPUTANA.	
" MADRAS AND SOUTHERN INDIA.	

• BURMA. "

INTRODUCTION.

Present Report includes Guaranteed Railways as well as State Railways—Revenue Accounts taken as the basis of statistics—Open line reviewed to 31st December 1880—Lines under construction or survey reviewed to 31st March 1881—Synopsis of Report—Territorial classification of Railways adopted—Productive, Protective, and Provincial Railways—Table of Railways in India—Heads of Railway Departments.

THE last Administration Report on Indian Railways* described the construc-Administration Report on Indian State Rail. ways, by Major-General J. S. Trevor, B.E., Director General of Railways: Calcutta, 1881. of these State lines for the year 1880; but in order that the Railways in India Present Report includes Guaranteed Railways as well as State Railways. The present Report takes up the history and working of the State lines for their commencement to the end of 1879. The present Report takes up the history and working of the State lines for their commencement to the end of 1879. The present Report takes up the history and working of the State lines for their commencement to the end of 1879. The present Report takes up the history and working of the State lines for their commencement to the end of 1879. The present Report takes up the history and the present Report takes up the history and the present sections, the Guaranteed and the sections, the Guaranteed the present sections the guaranteed the present sections the guaranteed the present section the sect

As in last year's Administration Report, the half-yearly Revenue Accounts have been taken throughout as the basis for all figures. These returns are made up for the calendar year; and although Revenue Accounts taken as the basis of statistics. they may not be always strictly correct, after-adjustments having sometimes to be made in subsequent Accounts, they are readily accessible to all Railway Officers, and furnish statistics quite accurate enough for all practical purposes. The Open line reviewed to Slat December working of Railways open to traffic is 1880. reviewed, therefore, to the 31st December Lines under construction or survey reviewed to 31st March 1881. 1880. For lines under construction or survey later information is available; and these are dealt with up to the 31st March 1881.

Chapter I deals generally with Bailway subjects. Chapter II gives a precis of the leading events, that have occurred on Bailways from the 1st Synopsis of Report. January 1880 to the 31st March 1881. These events are alluded to more fully in Chapters III and IV, according as the circumstances relate to lines under construction or to Bailways open for traffic. The subjects of the remaining Chapters are explained by the headings.

Statistics and Maps will be found at the end of the Report. Diagrams illustrating the traffic of Railways are placed at the commencement.

For convenience of reference, the Railways have been grouped territorially. Those in the left-hand upper corner of the Map of India are first treated of; then, Territorial classification of Railways working gradually down to the east and adopted. south, the others follow in succession. The Guaranteed lines have been classed together in a similar territorial order. The East Indian Railway, having come under the terms of a new contract, is kept separate.

In the course of this Report the terms "Productive," "Protective, " and Productive, Protective, and Provincial Railways. "Provincial" will be found applied to Railway undertakings.

By a "Productive" work is meant, so far as Railways are concerned, an Secretary of State's despatch No. 1 of 1881 undertaking which can be estimated to (Financial). "within a maximum limit of five "years from the date of the line being opened for traffic, 4 per cent. on the "capital invested, including therein all arrears of simple interest incurred up "to that date, and also the capitalised value of the land revenue and of leave "allowances and pensions." Such a work may be constructed out of borrowed money. By a "Protective" work is to be understood an undertaking not "necessarily "directly remunerative, but obviously protective in the sense of guarding Secretary of State's despatch No. 62 of 1879. "against a probable future outlay in the "relief of the population." Such a work may not be made out of borrowed money. The capital required for its construction must come out of the revenues of the country.

A "Provincial" work is one that is undertaken by a Local Government which guarantees interest upon all capital advanced, whether that capital has been obtained from the Government of India, from provincial funds, or from local sources.

An interesting table giving the length of all the Railways in India con-

Table of Railways in India. Heads of Railway Departments. Heads of Departments on each line during the year 1880, will be found in Appendix A. The list follows the territorial order above alluded to. The same succession will be adhered to throughout this Report, except in the statistical tables at the end of the work, which are classed into broad and narrow gauge.

[ü]

RAILWAYS IN INDIA.

ADMINISTRATION REPORT.

CHAPTER I.

GENERAL REMARKS.

Mileage of Railways in India and in England—Financial results of Railway working in England and in India— Annual receipts of State and Guaranteed Railways—State Railways are not so productive as Guaranteed Railways, because they run through less productive country; are not yet fully developed as to traffic or staff; and are unfavorably placed as regards labor and fuel—Explanation of diagrams—The year 1880 is remarkable for the development of State Railways; the introduction of private enterprise; the Railway Conference— Works in hand on 31st March 1881—History of the gauge in India—Indian coal worked in Bengal and in the Central Provinces and that found in Madras, Assam, and the Punjab—Competition of English coal in the Indian market—Employment of natives as foremen mechanics and engine-drivers—Railway schools—Education of Native and Eurasian children—State Railway Provident Institutions—Messrs. Cook and Son's arrangements for tourists in India—Effects of wind pressure upon Railway structures—Table showing cost, financial results, &c., of Railways in India to 31st December 1880.

On the 1st January 1881, the total length of Railway lines open to traffic in India was 9,325 miles.* The magnitude of this system can best be appreciated

•		mues.
••••••••••••••••••••••••••••••••••••••		2,9314
		· 2964
		1,504
498	***	4,592
Total		9,325
	488 	

in India was 9,325 miles.* The magnitude of this system can best be appreciated by comparing it with the total mileage of Railways open for traffic in England and Wales. On the 31st December 1879, this amounted to 12,547 miles.⁺

+ General Report to the Board of Trade of the Railway Companies of the United Kingdom for 1879.

1879. The following comparison of the financial results of Railway working Financial results of Railway working in England and in India shows very in England and in India. favorably for the capital raised for the construction of Railways in this country :--

52. -2° 🙀 Percentage proportion of net receipts to total . 12. ' share and loan capital for the Railways in 1 State Guaranteed State • the United Kingdom in 1879 ... 8.95+ ... c34,27,13,224 Percentage proportion of net receipts to total -² **н** capital outlay on State Railways and to total capital raised for other Railways in Total ... 1,36,29,32,709 Net receipts ... 6,37,53,002 India in 1880 4·681 Of these net receipts, the State Railways§ have contributed one-ninth, the Annual receipts of State and Guaran. Guaranteed and East Indian Railways eight-ninths: § the open mileage of ^{5/16} ^{6/19007} State Railways being about 3,000 miles, ^{81,33,947} and that of the Guaranteed and East ^{57,20,811} Indian Railways about 6,000 miles. teed Railways. • L Ant pr в1,33,947 🕈 Railways 📍

This differs from the figures given in the table, pages 11 and 12, because it includes suspense items, &c. 5 This differs from the figures given in the table, pages 11 and 12, because it includes the total capital raised. 5 Differs from figures given in the table, pages 11 and 12, because it includes steam-boat expense) and earnings.

State Railways are not so productive as Guaranteed Railways,

But it must be steadily borne in mind that in thus contrasting the financial results of State Railways with those of the old Guaranteed lines, great caution must be exercised; for a mere review of

the corresponding statistics on the lines so compared would often lead to fallacious conclusions. So different are the proportions of traffic receipts to working expenses on different Railways, that rates which would yield a handsome profit on, say, the East Indian Railway-a line favored by cheap coal, easy gradients, and a nearly equal up and down traffic-would probably be unremunerative on State lines like the Punjab Northern or the Indus Valley Railway, where coal is dear, and the traffic all one way.

In drawing any parallels of this sort, then, apparent anomalies may be sometimes explained by a consideration of the following points.

(a) The main thoroughfares and best openings for traffic have been already because they run through less pro. occupied by the Guaranteed Railways, and. ductive country; these have consequently a greater chance of financial success than the State Railways, some of which have been constructed for purely political or military reasons.

(b) The State lines are still in their infancy; they have not yet had time . to consolidate or settle down to their are not yet fully developed as to traffic working so as to obtain the best possible results, nor has the traffic as yet been fully developed. A retrospect of the old established lines in the earlier stages of their management will show that they, too, were many years before a fair traffic was developed or satisfactory. results obtained,*

(c) The rapid increase of State lines has rendered it a matter of difficulty or staff; to * get together and. train a thoroughly efficient staff for their working. The diffi-

culty of obtaining men from England is considerable, and those who are drawn from that source have much to learn to suit their practice to the altered, conditions of this country. Also, the number of men with railway experience to be obtained in this country is not large, and only a small percentage of them are found desirable as permanent employés; consequently it is found that on the opening of any new line the staff has practically to be taught the duties required.

(d) Many of the State lines are unfavorably placed as regards fuel and and are unfavorably placed as regards, cost of labor; and the traffic offering is as yet fitful and very unequally balanced as labor and fuel. regards the proportion of up to down traffic. On the East Indian Railway, for example, coal costs less than Rs. 3 a ton; on the Punjab Northern it is over Rs. 30 a ton; and the average daily wages of native workmen in the Upper Punjab and Sind are 82 per cent. higher than in Lower Bengal

* The following comparison of the percentage of working expenses to earnings on some of the principal Guaranteed Railways will illustrate this ----. •

			•	*	Ŧ,	PERCENT	ge of BX	PENSES TO	GROSS BAR	NINGS IN
	Railway C	ompany.		•	£	2nd year of open- ing.	1865.	1870.	1875.	1880.
East Indian Eastern Bengal Sind, Punjab and Delhi Great Indian Peninsula Bombay, Baroda and Cen	tral India	, , , ,	• • • • • • • • • • • • • • • • • • •	•	4,44 202 202 202 202 202 202 202 202 202 2	· 60.81	44.82 48.98 82.18 59.54 63.83	43.68 55.69 76.16 62.25 .60.54	89.58 62.16 64.08 47.27 54.41	32·98 42·85 52·47 55·49 42·56

The figures from which these percentages are worked out are taken from the tables, pages 11 and 12. Steam-boat earnings and expenses have been excluded, so as to show the results of railway working alone.

l

Such are some of the varying factors that must be eliminated before drawing any hard-and-fast contrast between lines constructed in a country like India, the different parts of which vary so strikingly in almost all their conditions; and even when the problem has been thus cleared, it must be remembered that the life of the younger Railways has not been prolonged enough to enable their present financial results to give even a tangible guide as to what their future prospects will be, or to supply a basis from which a comparison with the older established Railways can be usefully instituted.

The three diagrams at the commencement of this Report are intended to Explanation of diagrams. Railways in India. Diagram No. 1 shows the main centres of railway traffic which, it will be seen, are tapped by the Guaranteed lines; diagram No. 2, the distribution of that traffic along the lines, or the sections of line; diagram No. 3 marks the mileage of State Railways as it has yearly increased for the last ten years, and the corresponding development of traffic on the Guaranteed lines, to which these feeder lines have brought increased traffic.

The year under review is so far remarkable in the history of Railways in The year 1880 is remarkable India as being connected with three important events. It has seen an unprecedentedly rapid and successful development of State Railways; it has witnessed the introduction of "private enterprise" into railway construction; it marks the date of the Railway Conference.

1 🐐 🖓 for the development of State Railways ; Between the 1st January 1880 and 10 dovorup Miles. Miles. the 1st January 1881, 838 miles* of ... 1221 Railway have been opened for traffic, ٩. **Punjab Northern** auch... 54 ... 152 Punjab Northern, Salt Branch... Kandahar 491 Cawnpore-Farukhabad Dildarnagar-Ghazipur Rajputana Holkar and Sindia-Neemuch Nagpur-Chhattiagarh g.nii State 168 1 824 416 53 *** 6932 ative Bhavnagar-Gondal States. Gaekwar of Baroda's ... 105 Native . **17**≩ ų, se 1221 South Indian Guaran-21 *** teed. ÷.7 838 and 232 additional miles + were opened ** <u>.</u> by the 31st March 1881; Miran Serai to Farukhabad *... Neemuch to Chittor 86 842 • 121 State Neemuch to Chittor (Dowhali junction to Tirora 84 ·1# Goa Ĝate to Vishwamintri Dhola to Dhoraji Bangalore to Channapatna 72 miles ‡ on the Punjab Northern Native 189 ... States Bangalore to Customer Channapaths to Mandia 85 were opened a few days after the close 23 148‡ of the official year: making a total of **#**.. 1,142 miles opened in about fifteen 2324 Total months. Öpened on 1st April 1881— Turnaul to Laugar Opened on 5th April 1881— Haji Shah to Attock 581 et i 5. +22 838 . 81 Langar to Khushalgarh Total 72

With the exception of 214 miles on the South Indian Railway, the whole of this was constructed by State agency.

The scheme for developing the rapid extension of Railways in India by the introduction of private enterprise; enlisting private enterprise in their construction differs from the old guarantee system, which was condemned by Lord Lawrence and Lord Mayo, in giving the shareholders of any Railway undertaking more direct responsibility in the economical construction and working of the line, by providing

C

that if the concern should prove to be a financial failure, the loss should, to a certain extent, fall upon those shareholders themselves. Under the old system the shareholders were so well secured by the Government guarantee as to have little practical interest in economical management.

The main lines of the policy on which private enterprise is now being enlisted were enunciated by the Hon ble Major Baring in his Budget Statement for the year 1881-82. This new departure in the era of railway construction in India has received the approval of the Secretary of State; and the Marquis of Hartington, in a recent despatch (No. 1 of 1881, Financial) draws attention to the importance,*

*** * of ensuring their construction, in the case of Railways, whenever possible, by private capital, either local or European. It is true that up to the present time no Companies have been found willing to undertake the construction of Railways without a Government guarantee; but *** when any reasonable prospect of success presents itself, an endeavour should be made to encourage the raising of capital through private agency on the exclusive security of the success of the undertaking. نية مدانية. بورية

In the event of its becoming apparent that the due execution of this policy is impracticable, it may become desirable to consider whether a modified system of guarantee might not advantageously be adopted. By a modified system, I mean one so restricted in respect to time and to the rate of interest guaranteed as to give subscribers a real interest in the efficient and economical administration of the Railway.

*

In the case of the Calcutta-Jessore Railway, the construction of which has been undertaken by the Bengal Central Railway Company, the duration of the * The full text of the agreement is given in Government guarantee of 4 per cent, is prendix C. Appendix C. that the money so advanced is to be repaid from half the net earnings of the undertaking in excess of 5 per cent. on the paid-up capital. Governmentreserves to itself the right of purchasing the undertaking on favorable terms after thirty years.

It is understood that this Railway Company was started under the auspices . of the Messrs. Rothschilds and Messrs. Barings-two firms of world-wide financial repute-and this fact has no doubt given a stimulus to private enterprise as regards Indian Railways; it is hoped, however, that in future negotiations it may be found practicable to eliminate the question of any Government guarantee altogether, and to limit the State aid to grants of Government land or mining rights, or other similar liberal' concessions. But the subject of railway construction by private enterprise is, however, still beset with difficulties. Capitalists in England have become so accustomed to consider a Government guarantee on Indian investments, as a sine quá non, that it is difficult to float an undertaking without State aid given in that form.

The third of the leading events during ••• the Railway Conference. the year was the assembling in Calcutta

÷\$

of the Railway Conference.

So far back as September 1876, it had been decided that, in order to facilitate the economic and efficient working of the Railways in India, a Railway Conference should be held, at which delegates of Guaranteed and State lines should take part, and frame such general rules as would form a basis towards mutual working, and so simplify their own daily routine, and offer to the public additional advantages. But the extreme pressure brought on the several Railway Administrations by the famines of 1876-77 and 1877-78, and the political aspect of affairs in 1878-79, rendered impossible the withdrawal of Railway officers from their duties during, those years; and the general Conference originally proposed had twice to be postponed. A minor Conference, however, met on the 10th February 1879 to discuss certain pressing questions, the settlement of which could not well bear delay, chiefly regarding the interchange of rolling stock between connected Railways.

. .

The rules for this interchange of rolling stock, as they stood, entailed considerable inconvenience to the public, and in times of brisk traffic were the cause of much friction between the Companies. Certain rules were therefore passed by this Conference of 1879 ensuring, if carried out according to the spirit of the intention, a free and unrestricted interchange of stock between all broad gauge lines at all seasons of the year; and arrangements were made for the compilation of a new set of general Rules and Regulations, which would be required under one of the clauses of the new Railway Act (which came into law afterwards as Act IV of 1879), and which should be applicable to the working of all the lines of Railway in Initia. The establishment of Provident Funds for the staff employed on Railways as well as the technical and industrial education of the children of Railway employés were also discussed. And lastly, the draft Railway Bill was read, clause by clause, and various suggestions noted for the consideration of the Select Committee to which that Bill had been referred.

This minor Conference was dissolved after holding six meetings. A draft Code of Rules for Indian Railways having been shortly afterwards circulated to all Railway Administrations, the Government of India proposed to hold a general Conference of delegates from the Guaranteed and State Railways in the following cold weather. This Conference met at Calcutta on the 6th January 1880, and was attended by delegates from every Guaranteed Railway, and by a sufficient number from State lines. The following important business was transacted :--

(1) A Code of general Rules for all Indian Railways was framed under Section 8 of the Indian Railway Act of 1879. This Code, with some slight modifications, received the sanction of the Governor General in Council, with effect from the 1st October 1880; and as far as can be gathered from a few months' experience, its rules appear to work smoothly.

(2) A general system for recording shunting and other miscellancous locomotive service was passed, and has been generally adopted, by which the train and engine mileage given in the half-yearly accounts are based on the same principles for all lines.

- -(3) Difficulty having been experienced as regards the interchange of stock in working Rule XVII passed by the Conference of 1879, an amendment of that rule was passed.
- (4) A Resolution was recorded pointing out the desirability of a revision and alteration of the present form of railway statistics. (A Committee, composed of Guaranteed and State Railway officers, subscquently appointed by Government, as suggested, took this matter into special consideration; and it is trusted that their recommendations, the whole of which were practically adopted by Government, will lead to a large diminution of labor in the compilation of useful statistics of railway working.)
- (5) It was recommended that, when continuous brakes are introduced into Indian Railways, one and the same system should be adopted on all the lines, in order that vehicles belonging to the different Railways might continue to be easily interchangeable and run through from end to end of the several trunk routes, thus avoiding the inconvenience, insecurity, and expense at present found on English Railways owing to the many different kinds of continuous brakes that are in use on lines running in connection with one another.

(6) The introduction was effected of one standard maund of 82.29 lbs. on all Railways as the basis of weight; and the practices in dealing with minimum weights, charges and distances, fractions of weight and money, were all assimilated. (7) Discussions took place also as to-

the adoption of a uniform goods classification for all India; the extension to Guaranteed Companies of Government pensions and of the State Railway Provident Fund Rules;

the establishment of a central Railway clearing house; and the incidence of charges for carriage of revenue stores.

And on the 13th January 1880 the Railway Conference was dissolved.

A full report of the proceedings of these two Railway Conferences is given in Appendix D.

					hand on		31st	
Works in hand on 31st March 1881.		March	1881 wei	re as fo	llows :—	*	•	
	÷	•••	Miles.		Remarke.		· · ·	

PUNJAB AND SIND.

The 1 7 TT 17				•
Punjab Northern-	• •	· · ·	2	Will be opened in 1883.
Bridge at Attock Attock to Peshawar	*** •		42	May be opened at end of 1881.
Turnaul to Khushalgarh	• • •	-	67	Opened on 1st and 5th April 1881.
· · · · · · · · · · · · · · · · · · ·	····	т Ъ		
• N	ORTH- \	Vestern Pi		
Muttra-Achneyra	121		223	Will be opened on 1st Nov. 1881.
Sindia-	٠	•	- , _	
Chambal Bridge	***		, <mark>8</mark> ≹	Opened on 15th May 1881.
B	OMBAY	AND CENTR	LAL INI	DIA.
Malwa line,	***		101분	Will be opened at end of 1881.
• _	C	entral Pro	VINCES	5. .
Nogpur and Chhattisgarh				
Tumsar to Amgaon	***	***	28	Opened in April 1881.
-	·	BENGAL.		
Tirhoot Railway-		DENGAR,		
Muzaffarpur to Bettiah	-	•	75	
, Darbhanga to Pipra Ghat-	***	i kan	- 28	•*
· · · · · · · · · · · · · · · · · · ·		SOUTH-EA		Perrowen
in the second	TA ANL	DUTH-LA		
Sonapur to Magra Hat	1	. .	. 15	
	N	TATIVE STAT	res.	
Bhopal to Itarsi			62	
Mysore to Mandya	*** .		23	
Jodhpur	•••	,	17	•
• .	' East	INDIAN R.	AILWA	9.
Hooghly Bridge and approac		·	4	
Bhadreswar Branch			2	
	C.r	ARANTEED F	- 1 111 130 1	va [*]
D		ARANIELD I	CALLINA	
Bombay, Baroda and Central Indi	a	•		
Godhra Extension	* * *	* ***	17	
Oudh and Rohilkhand Railway-				•
Benares Bridge			5	
In no country has the	o que	stion of	gauge	e been more stoutly contested
· · · ·	-			ndia. A précis of the most
History of the gauge in Ind	18.			company and an an this subject

has been prepared, and will be found in Chapter IV. It is full of interest, the narrative being traced back to 1841, when Sir Macdonald Stephenson first drew public attention to the importance of making Railways in India.

The leading facts are briefly these. When Railways were first started in India it was considered that a gauge wider than the English gauge $(4' 8\frac{1}{2}'')$ was desirable in this country. Lord Dalhousie recommended a gauge of 6 feet; but after much discussion the Court of Directors in 1859 ordered the adoption of a gauge of 5 feet 6 inches. This has since been known as the standard gauge for India. In 1869 Lord Lawrence recommended a large extension of Railways throughout India, to be carried out year by year according to a well-considered plan. This was viewed with favor by the Secretary of State (Dake of Argyll); and the project was taken up with vigor by Lord Mayor who had, in the meantime, succeeded Lord Lawrence. The wide extension of Railways was looked upon as a necessity towards the development of the resources of India; but the financial state of the country demanded some cheaper system than the 5 per cent. guarantee that had hitherto been given to semi-private Railway Companies. Moreover, it was observed that the requirements of many of the districts into which it was proposed to extend railway communication would be amply served by lines of less capacity than those hitherto adopted. Thus it came about that the Government of India decided in future to make its own Railways, either on the standard gauge or on a narrower one, according as the lines were trunk lines or lines of secondary importance.

Following out this plan, it was decided that the Railways intended for the Western and North-Western Frontiers of India would, if constructed on a narrow gauge, amply serve commercial and political demands. That is to say, a line from Kurrachee to Lahore and from Lahore to Peshawar on the metre gauge would give railway communication throughout that part of India, which would cope with all commercial demands, and would render all the assistance to the movements of troops that could reasonably be desired. This was assented to by the Secretary of State. The policy therefore was to construct the Indus Valley Railway between Kotri and Mooltan on the metre gauge, and either to lay a third rail between Kotri and Kurrachee and between Mooltan and Lahore, or else to reduce the gauge of those sections of the open line belonging to the Guaranteed Company-the Sind, Punjab and Delhi Railway. The line northward from Lahore towards Peshawar would be also on the metre gauge, and the whole line from Kurrachee through Lahore to Peshawar would be stocked with a sufficiency of locomotive and rolling stock to comply with all traffic demands. Such a system of lines would only present to the existing trunk lines of railway one break of gauge at Lahore; and it was considered that this drawback would make no sensible delay in military operations on the frontier. Lord Napier, the Commander-in-Chief in India, however, was in favor of the broad gauge on the Indus Valley, and only consented to the metre gauge on the Peshawar line as being preferable to having no Railway at all.

This decision to have these frontier lines on the metre gauge was come to in 1871, and the works on the Indus Valley and Punjab Northern Railways were started on that gauge. Very strong opposition was, however, shown to these orders in England, and persistent representations were made to the India Office, to the effect that little saving would result from the adoption of the narrower gauge. To this opposition the Duke of Argyll deferred, and in 1873 allowed the question to be reopened. Lord Northbrook and his Council then recommended that both of these lines should be made on the 5' 6" gauge, with a rail of 60 lbs. to the yard, basing their arguments on the military and political aspects of the case. Early in 1874 the Duke of Argyll replied that he still considered that lines on the metre gauge would serve every purpose required in that part of India, but gave way to the arguments of the military authorities, and consented to the broad gauge with a light rail of 45 lbs. to the yard. But this compromise was not accepted by the Government of India. The matter was then again considered by Lord Salisbury, who had meanwhile succeeded the Duke of Argyll at the India Office; and in June 1874 he decided, on military and political grounds, to make these lines on the broad gauge and with a rail of 60 lbs. to the yard.

As regards the system of Railways through Central India and Rajputana, with the exception of the short line between Agra and Gwalior, they have all been made on the metre gauge. The Government of Bombay and the inhabitants of Bombay have throughout strongly advocated that the gauge of the line from Ahmedabad northward towards Ajmere should be broad, on the ground that, as Delhi is nearer to Bombay than it is to Calcutta, Bombay is the natural outlet for all Delhi produce, and that consequently the line · between Bombay and Delhi vid Ahmedabad and Ajmere should be a trunk line of railway. Several memorials on the subject were sent both to the Secretary of State and to the Viceroy. The metre gauge, however, was eventually decided on, and the line has since been completed on that gauge.

The gauge of the Sindhia Railway between Agra and Gwalior was settled on military and political grounds. It was a short line, with no immediate prospect of extension; and it was considered that it could be more usefully worked as a branch of the East Indian Railway if made on the broad gauge. Also, Maharaja Sindhia, who largely provided the money for its construction, was very desirous of having the line built on the broad gauge. It has therefore been constructed on the 5' 6'' gauge.

Thus stands at present the question of the gauge in India. The opening this year of the Rajputana line will give valuable experience as to the sufficiency : of a metre gauge Railway as a trunk line of communication. Of course, it is yet much too early to make comparisons, but the experience gained during the first half of 1881 would show that the cost of haulage from Delhi to Calcutta is likely to be much less than from Delhi to Bombay. In the half-year in question the proportion was as 1.045 to 2.045.

Few subjects perhaps occupy more attention in the working of a Railway than the consideration as to the fuel that Indian coal is to be consumed.

Coal of good quality for locomotive purposes is systematically worked in the -Bengal coal-fields, which extend for about worked in Bengal and in the Central Provinces a hundred miles to the west of Burdwan. Collieries exist also at Warora and Mohpani in the Central Provinces. Coal is also found in the Punjab Salt Range, at Betul in the Central Provand that found in Madras, Assam, and inces, and in the eastern districts of the Punjab. Hyderabad; but in none of these districts is it, worked to any appreciable extent. A very valuable coal-field is known to exist at Makum in Upper Assam; and this will doubtless be opened out when the Assam Light Railways Company is * Review of the Maritime Trade of British India fairly started. The total output of Indian

for 1880-81, page 32.

by far the greater amount was raised in the Raneegunj coal-field. Owing therefore to its partial distribution and to the few places where it is as yet worked, the Railways of the Punjab and Madras have to import their coal from long distances, and consequently at a high cost. Coal which is worth Rs. 3 a ton delivered into wagons at Giridi, Bengal, costs Rs. 30 a ton by the time that it reaches Lahore. + Madras finds it cheaper

† Giridi to Lahore, 1,117 miles.

Competition of English coal in the Indian market,

1 Review of the Maritime Trade of India for 1880-81, page 32.

Rs. 1,23,98,552.

The question of training natives for employment on the Railways and in the Public Works Department continues to receive the attentive consideration

Employment of natives as foremen mechanics

of Government, and steps have been taken for establishing schools in which they can

coal in 1880 was 1,016,040* tons, of which

to use patent fuel imported from England

than to depend upon Indian coal. The total

quantity of English coalimported into India

during the year was 683,768 tons‡ (coke and patent fuel included), valued at

qualify for the position of foreman mechanic. In Bengal a school has been started in connection with the Calcutta Engineering College. In the North-West Provinces a similar school has been commenced. In Bombay the Government has instituted classes for the same purpose in connection with the Poona Civil Engineering College; and Native schools of industry have been established at Dhulia, Dharwar, Ratnagiri, and In Madras the Government considers that provision already exists for Surat. the preliminary instruction of Native youths, and adopts a system of apprenticeship at the workshops whereby a training is given before boys attain the position of foreman mechanic,

4

The employment of natives as engine-drivers is also receiving attention; and engine-drivers. and while there is still hesitation, on the part of some Railway Managers to leave in

• their hands the driving of passenger trains, or even goods trains on the main lines, they are employed more than they were on branch lines and as shunters. On the East Indian Railway no less than 106 drivers and 117 shunters are natives; and Mr. D. W. Campbell, the Locomotive Superintendent, reports that they continue to give satisfaction. In order to extend the movement, and to qualify natives still more for the duties, 18 departmental schools have been established in connection with this Railway, and the average daily attendance at these schools is about 400. Mr. Campbell in his last report states, with just pride:--

It is now six years since the scheme, against strong opposing opinions and many existing difficulties, was launched; and although it has not yet attained the full extent of usefulness and economy to which it is capable of being expanded, the results are not only most satisfactory in a monetary point of view, but also most encouraging in what has already been accomplished, affording strong incentives for the continuance of the watchful fostering care which has been bestowed on it by the several officers of the Locomotive Department, to whose personal exertions these satisfactory results are entirely due.

• It appears that since April 1875 there has been a saving of 16 lakhs of rupees in-wages alone through the introduction of native drivers and shunters. On the Oudh and Rohilkhand Railway, also owing to the interest taken in the matter by the late Locomotive Superintendent, Mr. Cooke, there are 55 native drivers, who are employed in connection with the goods traffic and in shunting, and large numbers are in training. With the view of keeping alive an interest on the subject, as well as of producing practical results, the Government of India has required an annual report to be furnished by the different Railway Administrations of the progress made in training during each year. Additional information regarding the employment of natives as engine-drivers will be found in Appendix G.

Some advance, although not a considerable one, has been made with Railway schools.
 Railway schools.
 Europeans and Eurasians employed on the Railways. As regards the East Indian Education of Native and Eurasian children.
 Railway the Company and the Government have agreed on the necessity for ment have accumulated from the fines levied on the men, from savings banks profits, and other sources to the purchase and adaptation of a building at Mussoorie, which is considered to be in a suitable situation for a school. This, however, will not accommodate all that need a sound elementary education for extending the means of instruction to all the children.

The Great Indian Peninsula Railway are desirous to join with the Government in forming a school for the benefit of the children of their servants at Pachmarhi, a hill station at an elevation of 3,500 feet, 27 miles from Piparia, about 100 miles west of Jubbulpore. The climate is described as salubrious, and suitable for the training of European children. The proposal is to supply accommodation for about 60 boys; and the Directors have expressed their readiness to provide a similar arrangement for the girls. Schools which have been established at Igatpuri and Bhosawal on that line of Railway are working very well. At the Bombay Scottish Orphanage arrangements have been made which will provide for the education of 15 orphans of the Railway servants.

On the Madras line schools have been established at Jollarpet and Pothanore, where from 80 to 100 pupils are received. The latter does not appear to have been working satisfactorily, and the numbers decreased from 50 to 28 in the course of the year. In the Punjab good work still continues to be done in the infant school started by the Sind, Punjab and Delhi Railway at Mussoorie ; and this success seems in a large measure due to the personal interest taken in it by Mrs. Ross, the wife of the Traffic Manager. But the numbers are limited, and a more extended plan for the systematic education of the European children connected with The Punjab appears to be called for.

ا م مرخ

The following extract from the Proceedings of the Government of India in the Home Department (Education), No. 8, dated Simla, the Sth October 1881, is also of interest as regards schools, and shows how far Government is prepared to assist the several Guaranteed Railway Companies towards the education of the children of their servants :---

As regards free schools and orphanages, the foregoing arrangements seem to provide all that is immediately required in the way of building accommodation. For their more efficient maintenance, reliance must be placed upon the contributions of private charity and upon the Government grants-in-aid, the latter being so regulated as to give equally proportioned assistance to all classes of institutions in accordance with the amount of educational work done by each, and without any reference to denominational distinctions. Railway Companies and all other employers of European labour may very properly be called upon to aid in the support of institutions of this class.

To meet the case of Europeans above the indigent class, but whose means are still inadequate to meet the whole cost of giving their children a suitable education, what appears to be mainly required is (1) the provision of increased facilities for sending their children to boarding schools, either in the hills or on the plains, as they may themselves prefer; (2) the improvement of the instruction given in existing station schools; and (3) the establishment of schools in all stations now destitute of such instructions where the permanent European population is sufficiently numerous to warrant this.

As regards hill schools, the Governor General in Council is himself disposed to attach great value to the effect of a hill residence on growing youths of European descent; but he does not think that the Government of India ought at present either itself to provide additional school accommodation in the hills, or to specially subsidise hill as opposed to plains schools. There are many vacancies in the existing hill schools of Lower Bengal, Assam, and the North-Western Provinces; and when these are filled up, the extension of existing institutions will always be better and cheaper than the establishment of new schools." In most cases the Managers may be expected themselves to undertake such extensions. The Railway Companies have also done a good deal, and are prepared to do more, in the way of providing schools in the hills for the children of their European employés. It is only in the Central Provinces and the Punjab that new hill schools seem to be at present somewhat urgently required. In the former province the want will probably be met by the establishment of a Railway school at Pachmarhi; and if this is made generally available to the European public, the Governor General in Council will favorably consider the question of assisting it by a building grant. In the Punjab what is required is an extension of the Lawrence Asylum at Murree to receive the children of men employed on the Punjab Northern State Railway, the Sind, Punjab and Delhi Railway, and the Indus Valley Railway,—of subordinates in the public service, and of other European parents who must use Indian schools. This matter should receive early attention from the Government of the Punjab. Apart from these special cases, the Government of India believes that the existing provision of hill schools is sufficient for all immediate wants.

Increased facilities for making use of these schools will be given by the revised system of Government grants-in-aid and scholarships, to be described hereafter, and 'also by the introduction on both the State and Guaranteed Railways of a system of free passes for children going to and returning from school when the parent stands in need of this aid. The Public Works Department will be requested to arrange the details of such a system. The Governor General in Council has no doubt that the Railway Administrations will gladly consent to meet the wishes of Government in this respect, as they have already shown themselves fully alive to the importance of placing the means of education within the reach of the poorer classes of Europeans in this country.

The State Railway Provident Institution was established, with effect from State Railway Provident Institutions. the 1st January 1880, "for the encouragement of savings by public servants employed on State Railways open to public traffic." One of these is established on every State Railway, and offers inducements to all the staff to practise thrift, and to make some provision for a future time. All employes entering the service after 1st January 1880 have to subscribe—the rates for starried employes being 1 anna per rupee, for unmarried $\frac{1}{2}$ anna per rupee, and voluntary deposits are also solicited. Government gives the same rate of interest on all deposits as it allows

General,]

in the State Savings Banks; and also, as an inducement to the employé to take an interest in the economical working of his Railway, it engages to give him an annual bonus, limited by the extent of his compulsory deposits, and dependent on the amount of the net profits made by the Railway. If those net profits exceed 4 per cent. on the capital cost, one per cent. of such profits is set aside for distribution as a bonus in proportion to the compulsory deposits; if the net profits are less than 4 per cent., then only one-half per cent. is given as the bonus.

The following table shows the number of depositors and the sums at their credit on the 31st March 1881:-

					ANORY	T AT OBEDIT ON	THE SLOT MARC	en 1881.
STATE BAILWAY.		Number of staff deposit- ing.	Voluntary.	Computeory.	¥oluntary.	Compulsory.	Bonus.	Total,
Punjab Northern Indus Valley Cawnpore and Farukhabad	···· ···· }	458 1,112	7 110	725 1,031 Fund	Rs. 273 48,208 1 not opened	Rs. 9,933 19,928 till end of	Rs. 1,541 5,708	Ra. 11,707 73,844
Muttra-Hathras Rajputana Holkar and Sindia-Neemuch Tirhoot Patna-Gya	}	767 335 236	104 49 76	723 327 231	83,492 8,654 4,627	19,174 8,826 6,542	†2,818 1,660 3,327	55,484 14,140 14,496
Nalhati Northern Bengal Nizam's	, ,,,, ,,,,	11	7 24	13 351 Fund 99		27 8,438 ed till end of	Nil 2,624 F year. 106	678 19,028 9 009
Nagpur and Chhattisgarh Wardha Coal Rangoon and Irrawaddy Valley Dhond and Manmad	847 9.82 9.83	 273	6 2 51	59 59 247	438 9,340 Account o	1,636 947 7,402 closed.	108 81 ‡864	2,006 1,466 17,606

The total contributions from State Railway revenues for the year 1880 aggregated Rs. 22,670. The difference between this figure and the total bonus shown in the above statement is due to withdrawals and to the interest allowed by the Civil Department under Savings Banks Rules.

The establishment of these Provident Institutions will enable State Railway Administrations to bring within narrow limits the number of State Railway employés entitled to pension, and possibly to abolish altogether the grant of Government pensions to this class of public servants.

A novel feature in Indian railway working was offered this year by negotiation being opened with the Government Messrs. Cook and Son's arrangements for tourists in India. by Messrs. Cook and Son, the well-known organisers of tourist arrangements, for the conveyance of travellers in India by their agency. Suitable terms are being settled, and Messrs. Cook and Son have established an agency at Bombay. * •

The disaster of the Tay Bridge led to the appointment of a Committee to inquire into the question of wind press-ure on railway structures. The report Effects of wind pressure upon railway structures. published by the Commission is extremely

interesting, and extracts from it will be found in Appendix E.

In Chapter VIII will be found summarised particulars as to the details of construction of the Railways in India; such as the alignment, the junctions , • 20

<sup>Any compulsory depositor also making voluntary deposits is counted under both heads.
† Honus of Rs. 1,827 for second half of 1880 not included, having been credited in April 1881.
‡ Bonus of Rs. 628 due but not credited before April 1881.</sup>

[GeneraL

with other lines, the date of commencement and opening, the weight of rails, the length of road, and whether the way is single or double, the number of stations, and so forth. The following table gives the capital outlay and the general results of the working of these Railways for the year 1880. In order to obtain the results of railway working, pure and simple, steam-boat earnings and expenses have been excluded from these figures. Similar information for preceding years is afforded in Chapter IX, where will be found tabulated the working negative of all Bailways in India from their commencement the working results of all Railways in India from their commencement up to the end of 1880.

Statement showing the mileage, age,	cost, and general results	of	working of	Railways in India
• • • •	for the year 1880.	_		•

		year.	during	t and of	of year.		year.	ing year.	یں ^{- ا}		BNTAG ITAL C ÓF		mile per
Gange.	railways.	Miles open at end of y	Mean mileage open year.	Mean age of lines at year.	Capital ontiay at close of year.	Cost per mile open.	Gross earnings during year.	Working expenses during year.	Net profits of ycar.	Gross earnings.	Working expenses.	Net profits.	Gross earnings per
-	STATE BAILWAYS.				Bs.	Bs.	Rs.	Re.	Ra,				B
	Punjab and Sind.			ļ				· .					
' 0") ' 3 ''}	Panjab Northern	234.75	5 180-12	3.78	4,04,37,319	1,79,921	33,68,284	28,04,113	5,64,171	8-33	6-93	1-40	s
67	Indus Valley and Kandahar.	653 00	694-18	1.80	6,92,82,608	1,05,099	64,72,659	45,38,397	19,34,262	D'34	6-65	3.79	2
	North-Wastern Prov-		•									•	
3]# 31#	Muttra-Hathras Cawnpore and	20.00					1,35,226 2,202	77,550 5,134			7·13 0·19		
÷:	Farukhabad. Dildarnagar-Ghazipur			1			8,351	10,717	ľ.		1.90		
	Bengal Provincial.				1		•				•	•	
. 8 ^a	Calcutta and South-	28.00	28.00	18-30	66,39,843	2,37,137	1,42,098	1,01,344	40,751	2-14	1-58	0-61	
0"	Eastern. Nalhati	27.25	27'25	17.03	3,25,210	11, 9 34	60,935	73,653		21.20	22.65	-1.12	
³ ¦ ″}	Northern Bengal 🛄	243.50	243 50	8-03	1,96,73,720	80,798	14,40,200	8,54,386	5,04,910	7-36	4-34	9'02	1
³ ¦ ″,)	Tirhoot	85.00	85.00	4`55	51,51,330	63,821	4,52,021	2,82,199	1,90,725	8.79	5.00	3 .70	1
6 ″	Paina-Gya	57.00	57*00	1.64	32,20,951	50,509	4,81,650	2,70,300	2,11,256	14-95	8-89	6-56	3
	Bombay and Central India.							-			× .		
3 ! " } 6" }	Rajputana	499-50	470-30	5-52	3,40,61,947	69,585	· 37,23,719	24,00,414	12,33,305	10.83	7-81	3.65	נן
3]″ 3]″	Western Rajputana Holkar and Sindia	82°03 254°50		1·13 3·22	63,17,255 2,53,37,858	76,452 99,559	8,50,103 14,01,259		02,879 9,53,901	10-20 5-53	9·83 4·13	1-48 1-40	
0" 6"	Neemuch. Sindia Dhond and Manmad	66*50 148*78		8·15 2·74	81,51,903 1,04,58,403		2,01,824 6,95,094	1,77,714 8,06,875	.24,110 88,319	2·48 6·65	2-18 5-80	0-30 0-85	
•	Central Provinces.			- • -		.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	•;••;••	-,					
3 1 4	Wardha Coal Nagpur and Chhattis- garh.	46*50 53*00		4*60 0*74	56,15,804 30,37,689	57,315	1,55,900 1,03,083	2,39,376 82,681		2·78 8·12	4·25 2·72	1-47 0-70	
3 1 #	Burma Provincial. Rangoon and Irrawad- dy Valley.	16 1-00	161-00	3 ·67	1,23,07,244	78,443	19,22,710	8,01,628	5,21,084	10.74	• . 6·51	<u>4</u> *23	1
	Native States.											•	
€" 6"} 6"	Gackwar of Baroda's Berare Khamgaon Branches. Amraoti Nizam's Bhaynagar-Gondal*	67*75 8:00 0:00 121:00	8°00 8'00	9.87	21,44,210 5,08,187 4,34,361 1,20,62,228 	19,913 63,523 72,377 90,688	1,28,824 27,303 50,865 7,02,716	63,697 23,106 47,236 4,78,407	65,137 4,257 3,639 2,24, 809	11°26 5°38 11°71 5°83 ***	5*57 4*55 10*87 3*97 ***	5-69 U-93 0-84 1-86	1
6"	EAST INDIAN RAILWAY.	1,504-25	1,504°25	17-73	33,03,98,30 1	2,19,643	4,39,14,43 0	1,41,53,659	2,87,60,772	12-99	• • 4•28	8-71	5
	GUARANTEED RAILWAYS.	,			•			-					
6" 6" 6" 6"	Sind, Punjab and Delh Oudh and Rohilkhand Eastern Bengal Bombay, Baroda and	003-50 5 10-75 138-00 † 455-00	663 50 546 75 158 00 444 00	14.65 8.28 15.70 14.04	11,04,52,484 5,77,06,390 8,31,68,524 8,28,42,480	1,05,709 2,08,935	1,21,67,588 44,55,150 44,51,318 82,44,375	63,84,359 25,50,740 19,07,547 85,08,452	25,43,771	11-02 7-71 13-12 0-95	6·78 4·41 5·75 4·23	5*21 3*30 7*67 5*72	1 5
6"	Central India. Great Indian Penin-	1,275*75	1,375.75	₫.8-20	o 24,09,77,200	1,95,945	2,40,53,253	1,38,47,702	1,11,05,551	0·99	5.21	4*44	3
6 [#]	sula, Madras South Indian	858.00 845-25	853-00 637-26	16-76 7-61	11,0 ×,55,385 4,16,72,903	1,29,202 84,584	81,02,545 85,59,50 5	42,05,109 20,29,576	10,57,136 9,80,018	5*56 8*34	3·70 0·31	1-77 2-23	1
]	Total and average	8,000 .38	8,760-11	11.20	1,38,56,91,202	1,42,912	12,80,55,103	6,49,00,345		10'01	5.04	4.97	5

Note.--Steam-boat earnings and expenses have been excluded from the figures in this statement. * 106 miles opened on 20th December 1880 ; no returns jet available. | † Including Patri Branch.

12

CHAPTER II.

PRÉCIS OF LEADING EVENTS ON RAILWAYS IN INDIA **DURING 1880-81.**

STATE RAILWAYS.—Punjab and Sind.—Punjab Northern Railway.—Extension of main line from Jhelum to the Indus; from the Indus to Peshawar—Pindi-Kohat Branch—Salt Branch—Indus Valley and Kandahar Railways worked by State agency—Rohri reclamation—Indus forry—Ruk-Sibi line, also called Lower Section, Kandahar Railway.—Extension from Sibi to Pir Chauki.—Details of construction of Lower Section, Kandahar Railway.—Floods—Indus bridge at Sukkur—Crossing originally proposed—Crossing now proposed. North-Western Provinces and OudA.—Muttra-Hathras Railway.—Cawnpore-Farukhabad Railway; extension—Dildarnagar-Ghazipur Branch.—Muttra-Achneyra Railway.—Cawnpore-Farukhabad Railway; extension—Dildarnagar-Ghazipur Branch.—Muttra-Achneyra Railway.—Bhaupur Kalpi Survey.—Bareilly-Pilibhit Survey.—Patna-Bahraich Survey.—Bareilly-Ranibagh Railway; proposals to construct it by private enterprise. Bengal.—Successful working of Bengal Railways.—Devolopment of private enterprise. Bengal Central Railway —Caloutta and South-Eastern Railway is ertension—Nalhati Railway.—Northern Bengal Railway.—Darjeeling Tramway.—Northern Bengal Extension to Dinagepore—Tirhoot Railway; extensions from Muzaffarpur to Bettiah, from Darbhanga to Pipra Ghat, and from Muzaffarpur to Hajipur—Patna-Gra Railway.—Leandy.—Mauning Durvey.—Private enterprise on Palamow line and Chota Nagpore Railway.—Darjeeling Tramway.—Kaunia and Durula Tramway. Bombay and Central India.—Rajputana Railway. Bombay and Central India.—Rajputana Railway.—Bareil Branch.—Dhond-Manmad Railway.—Eastern Deccan Railway.—Surveys from Barai Road to Pandharyu and Chanbal Railway.—Eastern Conda to Barsi.—Marmagoo-Hubli Railway.—Central India.—Rajputana Malwa Railway.—Eastern Deccan Railway.—Surveys from Barai Road to Pandharyur and Chattiagarh Railway.—Magpur and Chhattiagarh Railway.—Magpur and Chhattiagarh Railway.—Madera.—Private enterprise.—Projected line from Metapliyam to Coonor—Cochin and Travancore Railway._Company.—Bellay-Honpet Extension—Madura.-Paumben Extension—Tinevelly.Trovandrum

EAST INDIAN RAILWAY .- New contract; its terms-Hooghly Bridge-Doubling of line from Buxar to Mogul Serai.

GUARANTEED RAILWAYS.—Punjab and Sind.—Sind, Punjab and Delhi Railway; War traffic; Flotilia superseded by Indus Valley Railway. North-Western Provinces and Oudh.—Oudh and Rohilkhand Rail-way; Ganges Bridge at Benares; Flood damages. Bengal.—Eastern Bengal Railway. Bombay and Central India.—Great Indian Peninsula Railway—Bombay, Baroda and Central India Railway; Nerbudda Bridge; Godhra Extension. Madras.—Madras Railway; Cheyer Bridge—South Indian Railway.

STATE RAILWAYS.

PUNJAB AND SIND.

The necessity for a line of communication between our forces in Northern Afghanistan and their base of opera-Punjab Northern Railway. tions in India caused strenuous efforts to be made to push on the Punjab Northern Railway in the direction of Peshawar. The difficulties to be overcome were great. The country traversed by the railway between Jhelum and Extension of main line Attock is rugged and hilly and deeply

intersected by ravines; the streams to be crossed were formidable; labor was more scarce than ever, the sparse population

from Jhelum to the Indus;

of this part of the Punjab leaving their homes and preferring the high rates offered for work in connection with the military operations across the frontier. But the work was required to be done, and no money was stinted. Large gangs of men were collected and worked day

Bakrala Bridge	
Sohan	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$
† Sohawa Bishendor	3 spans of 60'
Bykhan 1 To Haji Shah.	To April 5 881 thelling was

extended to Attock itself.

and night, using the electric light during the hours of darkness; the Bakrala, Sohan, and other rivers* were bridged; by a liberal use of gradients of 1 in 50 diversions were made to turn the more formidable rock cuttings; and by the

1st January 1881 the Punjab Northern line was opened to the left bankt of the Indus, and a permanent railway

bridge* was in progress over that river itself. A temporary bridge-of-boats was

 Described in Chapter III— 2 spans of 300 feet. 3 , , 250 , Rail level 117 feet above level of river ; piers of braced steel. from the Indus to Peshawar.

thrown across the Indus capable of carrying rails; and platelaying and bridging vigorously prosecuted on the section from Attock to Peshawar (42 miles). This section may be ready for traffic by the end of 1881.

Simultaneously with these operations, another line of railway was constructed running from Rawalpindi in the Pindi-Kohat Branch. direction of Kohat, to form a support for

the force in the Kuram Valley. This length of 67 miles from Turnaul to Khushalgarh was nearly completed up to the left bank of the Indus by the end of the

† On the 5th April 1881.

official year, and was opened a few days+ afterwards.

	Salt B	ranch.	
‡	Capital outlay Gross earnings Working expenses	N 3.4 - Rep 133	Bs. 19,34,627 2,14,394 92,318

The Salt Branch line from Lala Musa to Miani, 54 miles, was also opened during the year, and at once developed a most flourishing traffic, the net receipts of which at the end of the official year gave 6.3 per cent. on the capital outlay.

A project was considered for extending this line so as to reach the Salt Mines at Khewrah, from which the present terminus at Miani is distant 10 miles. But the large cost of bridging the Jhelum near Pind Dadan Khan would have so unduly swelled the capital outlay as to render a fair return on it as very problematical. This scheme is consequently held in abeyance, and an alternative project is being investigated for extending the line without crossing the river in the direction of Bhera and Shahpur, to catch a traffic in passengers and grain, which has unexpectedly showed itself where only a favorable salt trade was known to exist.

The negotiations with the Sind, Punjab and Delhi Railway Com-Indus Valley and Kandahar Railways pany for working the Indus Valley Railworked by State agency. management of this latter line was conducted throughout the year by State agency. The road was improved during the year by ballasting, by providing additional waterway as a security against the spills of the Indus river, and by raising the banks. Additional eventors were constructed for river, and by raising the banks. Additional quarters were constructed for housing the Railway staff; and a stone breakwater was built at Rohri, on the left bank of the Indus opposite Rohri reclamation.

Sukkur, extending from the bluff of Sateean along the cold weather bank of the river. It is hoped that this work will secure a fixed point at which pontoons can be established for at least eight months of the year, and that even during the remaining

Indus ferry.

months the ferry traffic may be worked from very near this same point instead

of being liable to be compelled to shift every flood season to the steps a mile lower down the left bank of the river. This stone bund will also reclaim a large extent of foreshore, where space is much required for sidings, &c., for the proper working of the Rohri Bunder station.

A most important extension was made to the main line of the Indus Valley Railway by the construction of a branch line from Ruk on the Indus Valley Ruk-Sibi line, This branch was commenced in October 1879, and by the middle of Railway. January 1880 the rails were laid as far as Sibi (133 miles), and the line sufficiently completed to carry the whole of the war traffic occasioned by the extensive military operations in Southern Afghanistan. It was opened for general coaching traffic in May 1880, and for goods traffic two months afterwards. The thanks of the Government of India were conveyed to the officers engaged in the construction of the line in the following terms:

"The Government of India has viewed with great satisfaction the remarkable progress that has been made in the prosecution of this important work. Flatelaying was commenced at Ruk, the junction of the Sukkur-Quetta Railway with the Indus Valley Railway, on 5th October 1879, and the line was brought into Sibi on 14th January 1880, a length of

1331 miles having been laid in 101 days. The rate of progress is unprecedented in the annals of Indian railways; and when it is considered that at the time the work was commenced there was little permanent-way material in Sind, that all the rest had to be drawn from the various broad gauge lines in India, and that most of this material had to be carried through about 100 miles of country devoid of water, there are perhaps few, if any, other instances in the world where rail-laying has been pushed along with such rapidity against such impediments."

This branch from Ruk to Sibi was originally known as the Lower Section also called Lower Section, Kandahar Railway. Railway.

and crosses the Kachi desert ; and in order to establish a secure line of communication between India and our forces in Southern Afghanistan, proposals had

Upper Section, Kandahar Railway. the Upper Section of the Kandahar Railway.

Preliminary reconnaissances had been made as to the best road to Kandahar; and a railway up the Bolan pass, not requiring special gradients and special stock, having been found impracticable, an alternative route was surveyed running up the valleys of the Nari and Harnai streams, past Sharigh and the Chappar rift to Gulistan Karez; and thence, crossing the Khoja Amran range near the Gwaja pass, to Kandahar. A branch was also surveyed from Kasim Kila to Quetta.

The country traversed by the line was found to present numerous difficulties, and in the case of the Chappar rift a serious obstacle presented itself; but none of these difficulties were insurmountable, and the greater part of the line between the Chappar rift and Sibi having been staked out, the work of construction was begun in January 1880, the working parties treading close on the heels of the surveyors. By the end of that month engines were running from Sibi to Nari gorge, 7 miles; the earthworks too were vigorously prosecuted in the Nari and Harnai valleys, and platelaying commenced; quarters were built for the Railway staff, and defensible posts constructed at convenient distances to afford protection to the gangs of workmen; preparations were also made for the heavy tunnelling operations in the Chappar rift, at each end of which depôts of tools and of dynamite were formed,—connection being established between these depôts by a cart-road through the rift itself.

The reverse to our arms at Maiwand, however, necessitated the withdrawal of the garrisons from the defensible posts in the Harnai valley; the Railway staff was at the same time withdrawn, and the line being thus left unprotected, the Marri tribes raided the works, and all work was absolutely stopped. After the retaking of Kandahar, work along the Lower Section was again started in November; but soon after the Government of India issued orders to stop the railway works at Nari gorge, $7\frac{1}{4}$ miles north of Sibi. The railway works, however, were so far complete as to furnish a fairly broad road as far as Quetta, partly bridged, along which a cart could be driven.

Besides the work thus prosecuted in the Upper and Lower Sections of the Extension from Sibi to Pir Chauki. Kandahar Railway, a short branch line, 19 miles long, with temporary bridges over the Nari and Kumri rivers, was completed from Sibi to Pir Chauki at the mouth of the Bolan pass. It was opened for military traffic in October 1880.

The Ruk-Sibi line, or Lower Section of the Kandahar Railway, presented no Details of construction of Lower Sec. engineering difficulties ; but the country tion, Kandahar Railway. engineering difficulties ; but the country and waterless desert for more than 90 miles, elaborate arrangements had to be made for the supply of water and food to the large gangs of workmen employed in its construction. Inconvenience and expense in the maintenance and working of the line have since arisen from the same cause. The time of year, too, at which the line was opened was an extremely trying one, not only because of the heat, which is intense in these districts, but also on account of the floods from the spills of the river Indus, which, breaching a point above the Kusmore bund, reached as far as the Railway and damaged it in several places, The most serious of these floods occurred on the 27th June 1880 between the

stations Nuttall and Bellput. It carried Floods. away so much of the road, that through communication was not restored until late in July, at the very time when our defeat at Maiwand was bringing the most severe stress on the line, owing to the reinforcements that were being hurried up to the front.

Troops of all arms, stores, and transport animals were, however, safely conveyed over this almost waterless tract under the burning sun of August ; and at the close of the war the special thanks of Government were accorded to the officials of this and the other Punjab lines.

The saving of human life and suffering effected by the Railway in transporting the troops across the Kachi desert can hardly be overestimated. It is extremely doubtful if reinforcements could have been pushed over this tract at that time of

Assuming a camel to carry 5 maunds 10 miles a day, the duty of 1 camel = 50 maund miles. A railway train of thirty-five 10-ton wagons can travel 200 miles in 24 hours, thus performing 35×10×28×200, or, say, 20,00,000 maund miles per day. per day.

year without its assistance. In any case, the aid afforded by the line can best be gauged perhaps by bearing in mind that one single railway train did do, with comparative ease, in one day of 16 hours

what it would have taken 2,500 camels to do in a fortnight.*

Much has been done during the year to consolidate the roadway and bridge the line, and large tanks were excavated at the desert stations to pond up the flood water. The rough accommodation, too, which was at first hastily improvised to give shelter to the Railway staff has been improved.

The line was visited in November 1880 by His Excellency the Marquis of Ripon on his way from Mooltan to Kurrachee.

The ferry arrangements over the Indus at Sukkur, referred to further on,

admirably conducted as they were, can at Indus bridge at Sukkur. best be considered only as a makeshift. Even for ordinary traffic, the inconvenience due to the break is considerable, and the present arrangements, expensive as they are, are quite insufficient to cope with any rush of traffic; and on a line like the Indus Valley Railway, constructed mainly for military and political purposes, the absence of a bridge over the Indus at Sukkur incontestably constitutes a weak link in the chain of communication. It becomes an open question, too, whether the capitalised cost of these ferry arrangements, taken together with other indirect charges, such as the demurrage that must accrue on rolling stock crossing the river, would not pay for the construction of the bridge itself.

The site of the crossing is one of the most striking scenes in India. The Indus river, after flowing through an alluvial plain for several hundred miles, suddenly meets at Sukkur with a range of limestone. It is evident that this range once formed an obstacle which for centuries withstood the force of the current and turned off the waters of the mighty river southwards into the Eventually, probably owing to some convulsion of nature, two Runn of Kutch. rifts were formed in the rock, and through these two gaps the Indus has ever

since poured its volume. Between these Crossing originally proposed. two rifts rises steeply the island of Bukkur in the middle of the stream ; and the most obvious site for a bridge appears at first sight to be the point where the channel is of least width between this intermediate island and the banks of the river itself. Several designs have at various times been submitted for spanning these two rifts. The channel on the right, or Sukkur, bank presents no extraordinary difficulty. But on the left, or Rohri side, the river pours down in flood time with irresistible force and with great depth of water; and it was considered necessary to cross this channel with one single span.

Designs for a suspension bridge were therefore prepared; but the cost of it proved to be so great, that the Consulting Engineer for State Railways prepared a bold and novel design of a braced steel arch with a span of 750 feet and a rise of 150 feet. Through the haunches of this arch the railway would pass,

the roadway being suspended from the arch above. This design was approved generally by the Government of India and the Secretary of State; but in discussing the exact site of the crossing, it was deemed advisable to make further investigations as regarded the foundations for the abutments. This was done during the year; and the result is not encouraging, as it is now known that the bed of the river and the banks on either side near the proposed crossing were not so stable as was at first thought. The river just above the proposed site of the bridge may be described as passing over a submerged waterfall, the crest of which is of a horse-shoe form, and is about 20 feet below low-water. The pit at the foot of this crest is 80 or 100 feet deep; and it is not ascertained whether the bottom is rock even at that depth, or whether, if it is rock, it would afford a safe foundation; for the recent investigations led to the discovery that clay bands occur intermingled with the rock, and the action of the water having washed out the clay from these bands, huge masses of limestone rock have been undermined and have fallen in, and there is now no doubt that submerged blocks, which were previously considered to be solid rock, are really only detached masses which have fallen in this manner. Further, there is a probability that this action is still going on in other parts, and that the bands of clay which may exist at a lower level are being gradually eroded by the water.

With such uncertainty as regards the foundations, and with the known diffi-Crossing now proposed. considered advisable to allow the project to stand over. Moreover, the money required for such a scheme was very large, and it was felt that for the present that money could be laid out to better advantage on railways in other parts of the empire. The single span project has therefore been abandoned ; and it has now been proposed to move the bridge further down-stream, where the channel is wider, the rush of water less, and the foundations more assured.

It has been estimated that a girder bridge might be constructed below Sukkur, with eight spans of 240 feet each, for about 27 lakhs of rupces; and surveys have been directed to ascertain whether any unforeseen difficulty exists.

Desirable as would be the construction of this missing link in the through communication of the Indus Valley Railway both in a commercial and in a military point of view, the large outlay involved renders it necessary to consider whether, with the present limited means at the disposal of Government, such a sum of money would best be laid out at present in this manner, or whether it would not be more profitably applied in extending more generally the means of railway communication throughout India. It has hitherto been considered that the Indus at Sukkur could only be bridged by a bridge of special design; the present proposal is to cross the river with a bridge similar to that spanning the Sutlej at Adamwahan. The cost of such a bridge can be calculated fairly approximately; so if the foundations are reported good, it is trusted that the construction may be ordered to be commenced at once.

NORTH-WESTERN PROVINCES AND OUDH.

	continues to show increased prosperity
	and to earn a fair return on the capital expended. Detailed figures will be found
in Chapter III.	- 0
On the Comprove Femilehehed	Dailman the following postions were

On the Cawnpore-Farukhabad					
Cawnpore-Farukhabad Railway;	opened for	traffi	c during th	e year :—	

Cawnpore to Meran Serai Meran Serai to Farukhabad		11166. •49≵ 36≹ ●	15th December 1880 1st February 1881
	 	- · •	

The line was opened too late in the year to permit of its financial prospects being analysed; but, so far, these are encouraging.

An	extension of this	line, 1	L02	miles	in	lengt	h, ha	is been	surv	eyed.	The
	extension.							from] Khasga			

5

Road, and will connect the Cawnpore-Farukhabad Railway with the Muttra-Hathras line, and thus complete the through communication from Cawnpore to Muttra. This extension, on the completion of the Muttra-Achneyra Railway and on the construction of a bridge over the Jumna at Muttra, will provide a complete provincial system on the metre gauge, joining at Achneyra the Rajputana Railway, to which it will be a valuable feeder.

The Dildarnagar-Ghazipur Branch. Dildarnagar-Ghazipur Branch. Railway at Dildarnagar. It was opened for traffic on the 5th October 1880, and has since been worked by the East Indian Railway under an arrangement entered into between the Government and that Company, by the terms of which the East Indian Railway finds rolling stock and maintains and works the line, taking two-fifths of the net receipts as its share of the profits.

The Muttra-Achneyra Railway, 22³/₄ miles in length, is approaching comple-Muttra-Achneyra Railway. It joins the Rajputana Railway at Achneyra, and when finished is to be worked by that Railway, pending the construction of the Jumna bridge at Muttra and of the Cawnpore-Farukhabad Extension viá Khasganj, when it will form a through line on the metre gauge from Achneyra to Cawnpore.

Besides the Cawnpore-Farukhabad Extension, a survey has been måde Bhaupur-Kalpi Survey. Bhaupur and Kalpi for a broad gauge line.

Another survey has been run from Bareilly to Pilibhit, in continuation of Bareilly-Pilibhit Survey. Bareilly-Pilibhit Survey. Gola Goharnath towards Bareilly.

Arrangements were also made for a survey up the Gogra Gunduck doab, Patna-Bahraich Survey. north of Bahraich viá Gorakhpur, Basti, and Gonda.

Negotiations are in progress with a private company for the construction of Bareilly-Ranibagh Railway; Part of the proposed line runs through an unproductive country; but its proposals to construct it by private projectors expect to reap good results enterprise. from the traffic to Naini Tal and the surrounding hill stations. If the line is carried out, the Government will get its mails, troops, and stores carried more expeditiously and satisfactorily than at présent, and the district of Kumaun would derive great advantages.

BENGAL.

The following statement shows the length of lines in Bengal, Guaranteed and State, undersurvey or construction, or open for traffic, during the year 1880-81:----

Gauge.	• Bailway	;.		Open for traffic dur- ing any part of the year.	Under construc- tion,	Under survey or not com- menced.	Remarks,
8' 8" 5' 8" 4' 0" Metre Metre 5' 8" Metre 2' 3" 8' 6" Metre	Eastern Bengal Calcuita and South-Eastern Nalhati Northern Bengal Tirboot Patna-Gya Bengal Central Daces and Mymensingh Darjeeling Tramway Kannia and Dhurla Tramway	East Indian Guaranteed State		1,504} 1594 28 27} 243 85 67 1,504} 1554 401	· ·	4 73 65 80 245 128 14 6] 4 625}	State : leased to a Company. Guaranteed. State. "" "" Private enterprise. State. Private enterprise. State. Private enterprise.
ب	G	BAND TOTAL	***	2,144	140	629)	·

Total mileage credited to Bengal (though the line runs partly through the North-Western Provinces), the East Indian Bailway being under the administration of the Consulting Engineer to the Government of India for Guaranteed Bailways, Calcutta.
 the Whole length to Darjeeling since opened for traffic.

¢

18

In Bengal the year has been one of prosperity and financial success; and the results of this year's working tend to prove Successful working of Bengal Railways. that in rich and highly cultivated districts, such as Bengal, railways have only to be carefully managed to pay a handsome interest on the capital expended, even within a short time of their opening.

These favorable results have probably exercised their influence in stimulating the development of private enter-Development of private enterprise. prise, and a private Company has been floated in London for the construction of the Bengal Central Railway :-

· · · · · ·				DU100.
From Ranaghat to Jessore and Kulna		447		82]
" Bongong to Calcutta	***	***	***	47

The surveys for these lines and also for sections of the same system from Maimari to Ranaghat, and from Santipur to Bhag-

Bengal Central Railway Company. wangola, had been carried out by the State in late years. By the end of the financial year the negotiations between the promoters and the Secretary of State regarding the concessions to be given to this Company had been completed, the declaration for the land required had been published, and arrangements were in hand for the immediate commencement of the earthwork from Ranaghat to Bongong and from Dum-Dum to Baraset. These have since been completed. The first sod was turned on the 12th May 1881, and good progress has been made since.

The Calcutta and South-Eastern	Railway has been worked throughout the
Coloutte and South-Eastern Railway ;	year by the State. The line is to be extended from Sonapur* to Diamond Harbour; and
 Calcutta to Sonapur Sonapur to Magra Hat Magra Hat to Diamond Harbour 134 	the section from Sonapur to Magra IIat is under construction. This branch will tap a rich rice-producing district, and its construction will probably bring a great increase to the traffic on the line.

This line is under the same management as the Calcutta and South-Eastern Railway. The local depression Nalhati Railway. of trade has led to the line being worked

at a slight loss to the State.

On the Northern Bengal Railwa	y, on the other hand, the financial results
Northern Bengal Railway.	have been highly satisfactory, the expend-
† Earnings 16,34,588 Expenditure 9,25,145	iture having been reduced to 56 per cent. of the earnings.

The Darjeeling Tramway, which joins the Northern Bengal Railway at Siliguri, was opened to Sonada during Darjeeling Tramway. Darjeeling Tramway. the year and subsequently to Darjeeling; and through booking was introduced between the Eastern Bengal Railway, the Northern Bengal Railway, and the Darjeeling Tramway.

Northern Bengal Extension to Dinagepore.

1 Parbatipur to Dinagepore 19

It has been proposed to construct a branch Railway from Parbatipur on the Northern Bengal Railway to Dinagepore, ‡ in view of an eventual extension to the river Ganges at a point near Sahibgunge.

Bettiah, 75 miles, and from Darbhanga to

Pipra Ghat, 28 miles; and these branches,

The financial success of the Tirhoot Railway is also most encouraging; the line having earned over 4 per cent. Tirhoot Railway; on the capital outlay.§ Extensions are § Capital outlay to 31st March 1881 ... 59,02,388 under construction from Muzaffarpur to

Net earnings ... 2,43,017 *** extensions from Muzeffarpur to Bet-tiah, from Darbhanga to Pipra Ghat,

passing as they do through a rich country, will, it is anticipated, bring increased traffic to the line, and open out the district generally.

A survey has been made of a line to connect the Tirhoot system with Patna, and from Muzaffarpur to Hajipur. in with another projected line running from Hajipur to Gorakhpur viá Sehwan and Chapra.

The Patna-Gya line has been worke	d very satisfactorily. Its working expenses
Patna-Gya Railway.	during the year were 55 per cent. of the
Re. Capital outlay to 31st March 1881 35,78,442 Net earnings 2,19,755	gross earnings, and it paid 6 per cent. on its capital outlay.*

The Dacca-Mymensingh line is intended to connect those two towns Dacca-Mymensingh Survey. estimates will now be made. Negotiations for the construction of this line have been opened with the promoters of the Bengal Central Railway Company.

Proposals have also been received from private companies to construct a line Private enterprise on Palamow line order to open up the extensive coal-fields of Palamow; also for the construction and Chota Nagpore Railway. Chhattisgarh line. This latter line would reduce the distance from Calcutta to Bombay by some 240 miles, would open up the coal-fields of Chota Nagpore, and serve a rich agricultural district.

This completes the description of the Railways in Bengal. The Darjeeling Darjeeling Tramway. end of this year that it became a railway in the legal sense of the word. It is now termed the Darjeeling Himalayan Railway.

Its lengths were opened as under :----

•				N 1 2	Miles.	Date of opening.
	Siliguri to Kurseong	 •			30	23rd August 1880
	Kurseong to Sonada		-		91	1st February 1881
	Sonada to Jore Bungalow				5	24th March 1881
					_	

It has since been opened through to Darjeeling.

The Kaunia and Dhurla Tramway starts from the northern bank of the Kaunia and Dhurla Tramway. of the Northern Bengal Railway, and runs to Dhurla, 15 miles, on a 2'6" gauge. The line is nearly completed.

Proposals have also been made to construct a steam tramway from Baidyanath Deoghar Steam Tramway. which crowds of devotees annually make pilgrimage.

BOMBAY AND CENTRAL INDIA.

The following table, showing the system of Railways in Bombay and Central India, is recapitulated for convenience of reference :---

Gauge.	Railway.	Total length open on 1st January 1881.	Under con- struction.	Under sur- vey or not commenced.	Remarks.
⁷ 5′ 6″ 5′ 6″ 3′ 3≩* 5′ 6″	Great Indian Peninsula Bombay, Baroda and Cen- tral India Rajputana	" Miles. 1,288 421 ¹ / ₂ 716 ¹ / ₄ 1 ¹ / ₄	Miles. 	Miles. 	Guaranteed. " State : made over to control of Bombay Government on 1st November 1880.

Gauge.	Railway.	Total length open on 1st January 1881.	Under con- struction.	Under sur- vey or not commenced.	Remarks.
•. 3* 3 } *	Malwa	Miles.	Miles.	Miles,	
	 (a) Comprising Holkar and Sindia-Neemuch, includ- ing Ujjain Branch (b) Neemuch-Nasirabad 	254 <u>}</u>	``135 } •	175 858	• Neemach to Chittor, 331 miles, opened on
5′ 6″	Sindia	66 <u>1</u> † •	81	100§	10th March 1881. + Worked by East In- dian Railway. 2 Chambal bridge and
					approaches (since opened on 15th May 1881). § Gwalior to Mau-Rani-
5' 6" 2' 6" 3' 3 3 "	Bhopal Gaekwar of Baroda's Bhavnagar-Gondal	See Native States.			pur,
5' 6"	Patri	22 <u>1</u>	141		State : worked by Bom- bay, Baroda and Cen- tral India Railway.
• 5' 6" *	Dhond-Manmad	145‡	***		State: worked by Great Indian Peninsula Rail- way from November
5' 6"	Bombay Eastern Deccan Barsi Road to Pandharpur	640 847	. 5= 535	173} ع 33	1880. Provincial. Proposed branches from Great Indian Penin-
5' 6"	Barsi Road to Barsi Marmagao-Hubli	800 641	894 585	201 124	sula Railway.

The two Guaranteed lines are dealt with subsequently.

8893

1,234

9441

....

† Bombay to Delhi-Bajputana route vid Ahmedabad ... Great Indian Peninsula route vid

...

Difference

Allahabad

During the year the intermediate work between the Rajputana Railway and the Western Rajputana line was com-Rajputana Railway ; pleted; and on the 1st January 1881 these Miles. Date of opening. 24 20th Oct. 1880 two Railways were amalgamated under the title of the Rajputana Railway, and Raipur to Sujat Road Sujat Road to Pahlanpur 144 1st Jan. 1881 the whole line was opened for traffic by

His Excellency the Governor of Bombay. A means of through communication * Bombay to Delhi-* Bombay to Delhiestablished, which shortens the road to Northern India by 344 miles, and which in all probability will become the princi-pal thoroughfare for traffic moving from Bombay in this direction.

6

opening on 1st January 1881. The bridges which were unfinished at the date of opening were completed by the 1st May 1881.

Traffic.—During the year 1881 on the amalgamated undertaking the gross earnings were ----

			Rs.	Re.
Rajputana Railway	162		37,23,719	
Western Rajputana Railway	***	***	6,50,103	
The experses were			*	43,78,822
The expenses were-	•		•	
Rajputana Railway	* 6 B	*	24,90,414	
Western Rajputana Railway		*	5,57,721	•
				80,48,138
	The prof	i ts w ere		13,25,684
			•	- <u></u>

being at the rate of 3.28 per cent. on capital expended.* Some discussion has

Rajputana Railway Western Rajputana	Railway	3,40,61,947 63,17,255
		4,03,79,202

arisen on the subject of the loss of traffic on the part of the Great Indian Peninsula Railway, due to the opening of the new route. Before long, however, this Com-

pany will feel the benefit of the opening of the Malwa line.

The Holkar Railway, Sindia-Neemuch Railway, and the Neemuch-Nasir-

Rajputana-Malwa Railway System.

abad Railway are continuations of one and the same line; and as soon as they are

On the Sindia-Neemuch Railway 73

miles were opened during the year.

linked in with the Rajputana line, they will all form one system, and will be known as the Rajputana-Malwa Railway System. .

Sindia-Neemuch Railway.

+ Rutlam to Jaora Jaora to Mandsaur Maudsaur to Neemuch	Miles. 20 1 31 <u>4</u> 30 <u>4</u> 72 1	Date of ope 25th Feb. 1 8th Apl. 2nd July	
---	--	--	--

. On the northern portion between Neemuch and Nasirabad, a length of $33\frac{3}{4}$ miles[‡] was so far completed before the Neemuch-Nasirabad Railway. Miles. Date of opening. end of the year as to allow OI Its Deling t Chittor to Neemuch 33 10th March 1881 opened for traffic; leaving an intermediate link still to be completed between Nasirabad and Chittor of 100 miles in length.

Platelaying has been since vigorously pushed on both from the Chittor and the Nasirabad ends; and it is expected that the line will be opened throughout from Ajmere to Khandwa in November 1881, with diversions at some of the larger bridges, and that it will be completely bridged by the monsoon of 1882.

§ Bombay to Delhi— <i>Viá</i> Khandwa and Ajmere <i>Viá</i> Ahmedabad and Ajmere		Miles. 1,006 889
Difference	***	117

When completed it will form a third alternative route between Bombay and Northern India, the distances between Bombay and Delhi by this route being 117 miles§ longer than by the Rajputana Railway.

The Sindia Railway has hitherto been cut in half by the Chambal river. The section from Agra to the Chambal Sindia Railway. river, 34 miles, has been opened since

1878, and has been worked by the East Indian Railway since the end of 1879. Then comes the incomplete section of the Chambal bridge || and approaches,

.

Chambal Bridge.

|| Z spans of 150 feet. 12 gra 7 200 H

 $8\frac{1}{4}$ miles. Work was vigorously pushed on here during the year, and both approaches and bridge were nearly completed by the

end of the year. South of the Chambal is the Hetampur-Gwalior Section, 321 miles, worked throughout the year by the Rajputana Railway management. After the opening of the Chambal bridge the whole Sindia line was made over to the East Indian Railway Company to be worked by it as an extension of its Agra branch. The Maharaja Sindia lent the British Government 75 lakhs in perpetuity at 4 per cent. for the construction of this line.

The Bhopal, Gaekwar of Baroda's, and Bhavnagar-Gondal Railways are Bhopal, Gaekwar of Baroda's, and treated under the head of *Railways in* Bhavnagar-Gondal Railways. Native States.

The branch from Viramgaum Junction on the Bombay, Baroda and Central India Railway to Patri in the Runn of Patri Branch. Kutch continues to be worked by the Bombay, Baroda and Central India Railway Company. It was originally con-

structed by that Company at the expense of the State.

The object of the Dhond-Manmad Railway is to connect the railway system of Northern and Southern India by a short Lhond-Manmad Railway. chord, and so obviate the necessity of

descending and ascending the great barrier of the Western Ghats. The line was

. . . .

put in hand for famine relief purposes in 1877, and was laid throughout before the rains of 1878. It was worked as a State line till December 1880, when the Great Indian Peninsula Railway Company took it over, agreeing to pay to Government 20 per cent. of the gross earnings when they amounted to 5 lakhs or less, and 1 per cent. per lakh earned beyond 5 lakhs; with a proviso that the Company will not be required to work the line at a less percentage rate than 10 per cent. in excess of the mean rate on their own line for the year.

The whole of the engines and rolling stock of the Dhond-Manmad line was transferred at the end of last year to the Punjab Northern and Indus Valley Railways, where it was urgently needed.

The earthwork on this line was nearly completed in 1879 as a famine work as far as Bijapur. The line during this Eastern Deccan Railway. year has been finally surveyed and staked It is proposed that when constructed it shall out from Bijapur to Bhagalkot. be on the metre gauge.

Proposed branches from the Great Indian Peninsula Railway were surveyed Surveys from Barsi Road to Pandhar. from Barsi Road to Pandharpur, 33 miles, pur and Barsi Road to Barsi. and from Barsi Road to the city of Barsi,

201 miles.

Marmagao-Hubli Railway.

In December 1878 a Treaty of Commerce was concluded between England and Portugal providing for reciprocal free-

dom of commerce, navigation, and transit. Certain clauses were included relating to the construction of a railway from the Portuguese port of Marmagao to the Tinni Ghat on the frontier between English and Portuguese possessions in India, and thence on to Hubli and Bellary in British territory. This Bellary-Hubli Extension is intended to open up the Southern Mahratta Country, and a portion of the earthwork from Bellary to Hospett in the Madras Presidency was done as a famine relief work in 1877.

Under the recent Commercial Treaty between Portuguese and British India, the Indian Government agreed to allow any Company, formed under the guarantee of the Portuguese Government for constructing a railway inland from the port of Marmagao, certain concessions as to the extension of such a line into British India. A board of gentlemen, known as the Stafford House Committee, obtained a concession and guarantee from the Portuguese Government to construct such a line of railway, and forthwith placed themselves in communication with the Secretary of State for India with a view to extending the line to Hubli. Full surveys and estimates for a line of railway from Hubli to the port of Karwar had been made, and found too expensive at the time to compensate for the advantages to be derived; so consequently this project was held in abeyance. The distance from Hubli to the rival port Marmagao was known to be shorter, but no thorough survey and estimate of a line of railway connecting these two places had been made. The Secretary of State therefore agreed to give all assistance to the Company as regards the survey, and lent the services of several engineer officers to assist in the works. A favorable trace for the railway was found; and Lord Hartington, weighing the merits of the two schemes—Marmagao-Hubli and Karwar-Hubli—and giving due con-sideration to the stipulations of the Commercial Treaty, decided to favor the construction of the railway from Marmagao. Owing, however, to complications, which could not fail to arise, as to the control of a line in British India by a Company under the control of a foreign power, the Secretary of State has undertaken on behalf of the Indian Government to make arrangements for the extension of the Portuguese line on to Hubli and Bellary, upon being satisfied that the Portuguese section of the line is in a fair way of being completed, and that proper measures will be taken for rendering, the port of Marmagao safe and suitable for the purposes of commerce.

CENTRAL PROVINCES.

During the year the two lines controlled by the Central Provinces Administration were the Wardha Coal Railway and the Nagpur and Chhattisgarh line.

The Wardha Coal Railway continued to be worked by Government. The wardha Coal Railway. net results of receipts and expenditure show a loss. This was due to the necessity that arose for closing the Colliery works for several months, owing to the breakdown of the machinery. The success of the Railway is mainly dependent upon the successful working of the Colliery; so that if the latter breaks down,

the working of the former fails also. By the end of 1880 the machinery had been overhauled, and it is hoped that no further breakdown will occur.

In April 1880, 53 miles of the Nagpur-Chhattisgarh Railway, from Nagpur Nagpur and Chhattisgarh Railway. • Opened in April 1881 to Amgson, 81st mile. In April 1880, 53 miles of the Nagpur-Chhattisgarh Railway, from Nagpur to Tumsar, were opened for traffic. • Opened in April 1881 to Amgson, 81st mile.

88 miles of rails had been laid and linked in, with a temporary diversion across the Wain Ganga river.

Great difficulty was experienced in the tunnels at Duwakussa.

Extension surveys were carried out from Dongargarh to Raipur via Nandgaon, and extended to Bilaspur. Subsequently the construction of the section thus surveyed between Dongargarh and Nandgaon was commenced.

When first the line was opened, traffic was not large, and it had to be suspended altogether when the rains set in, owing to the sinking of the banks where the line runs through black cotton soil; but later in the year both coaching and goods traffic developed considerably, and it may be reasonably anticipated that the line will very soon yield a good percentage on its capital outlay.

MADRAS.

In Madras no lines of railway have as yet been constructed by the agency of the State; the two existing lines, *viz.*, the Madras and the South Indian Railways, being both Guaranteed lines.

This year proposals have been made by private Companies for the construction of the two following branches from the Madras Railway :--

(1) From Metapaliyam to Cooncor.

(2) From Shoranur to Cochin.

The proposal for an extension of the Metapaliyam branch to the Nilgiri Projected line from Metapaliyam to plateau was first mooted in 1875. It has cooncor. Company having been started in Madras to float the undertaking. It will probably be on the metre gauge; will have comparatively easy gradients from

probably be on the metre gauge; will have comparatively easy gradients from Metapaliyam to Kullar at the foot of the Nilgiri Hills, $5\frac{1}{2}$ miles, and from thence up the Cooncor Ghat, $6\frac{1}{2}$ miles, the gradients will be very heavy. The production of tea, coffee, and cinchona is steadily increasing on the Nilgiri hills, and it is anticipated that the traffic which will seek the line will at once give a fair return. The scale of tariffs on which these calculations rest is considerably higher than that on the Madras Bailway.

In February 1881 permission was given to the Agents of the Company to open out the existing trace between Coonoor and Kullar to a width of 3 feet through Government waste land; but little work will be done until the Company asks for fewer and more reasonable concessions. The matter is still under consideration.

• The second extension from Shoranur to Cochin, 59¹/₄ miles, would connect Cochin and Travancore Eailway the Madras Railway with the only good port on the west coast of the south of India. Surveys for this branch were made by the Madras Railway for this extension as far back as 1868. The Madras Government now proposes that a Company should be organised for the construction of this branch with a guarantee of 4 per cent., and obtained from the Travancore and Cochin Governments a deposit of Government paper to aid in the payment of the guarantee. The line when completed was to be worked and stocked by the Madras Railway.

The Government of India viewed the scheme favorably, but were unable to accept the proposed distribution of the guarantee; and the question as to the alignment of the Railway having been since reopened by Sir T. Madhava Rao, further information is awaited.

No further action has been taken regarding the construction of the Bellary-Hospett Extension. Bellary-Hospett Extension in connection with the Marmagao-Hubli Railway.

A length of 48 miles of the Madura-Paumben Extension have been surveyed, Madura-Paumben Extension. to Kilakari. The line has been designed as a protective work.

The question also of the extension of the line of railway from Tinnevelly Tinnevelly-Trevandrum project. yet assumed a definite form.

.

In Burma the Rangoon and Irrawaddy Valley Railway was worked Rangoon and Irrawaddy Valley Railthroughout the year with very satisfactory results, the net earnings being 4.47 on the capital expended.

BURMA.

on me capitar expended.

The suburban lines in the vicinity of Rangoon, aggregating some 5³ miles, were finished during the year, and the development of traffic upon them even now justifies their construction.

Sanction has also been accorded to construct as a State railway on the metre Bangoon and Sittang Valley Railway. it is sometimes termed. It is believed that this line will soon be a paying one, and it is consequently classed as a productive public work, the financial responsibility for which rests with the Local Government.

The length of this line is 163 miles; and though it is primarily a military line, which will connect an exposed frontier garrison with our seaboard, it is calculated that it will also open up a land-locked country, at present thinly peopled it is true, but possessing indefinite capabilities of development.

Proposals were made at one time to carry out this line by private enterprise; but taking into consideration the facts that the Toungoo line is linked, and will be worked, with the Irrawaddy line, and that it will share the same workshops, the same supervising staff, and the same rolling stock as that Railway, it was considered undesirable to separate the two lines or place them under a separate management.

ASSAM.

In the latter part of 1879 a private Company was formed for the construc-Private enterprise. This line is about 53 miles in length, and runs through a level, agricultural Dibrugarh-Sadiya project. to the Makum coal-field connects the main line at Dumduma, and should bring an immense supply of coal valuable timber and patroleum into the Indian

to the Makum coal-field connects the main line at Dumduma, and should bring an immense supply of coal, valuable timber, and petroleum into the Indian market. Negotiations were nearly concluded at the end of the official year with the promoters of the undertaking.

7

Whilst these negotiations were in progress for the development of the Upper Assam Valley, proposals were also under the consideration of Government for the pro-

longation of the projected Dacca-Mymensingh line across the Garo Hills to Gauhati. Two routes have been suggested for the opening up of the Lower Assam Valley—the one crossing the Garo Hills, and the other passing round the foot of the hills and running along the banks of the Brahmaputra.

The former of these appears to be preferable, as being more direct and opening up a valuable coal-field; and a reconnaissance of it has been ordered.

NATIVE STATES.

In Native States 1221 miles* were opened to traffic by the 1st January Miles. 1881, and 1484 milest more were opened Bhavnagar-Gondal Railway ... 105 by the 31st March.

 Bhavnagar-Gondal Railway Gaekwar of Baroda's Railway 	942 929	17]	,
• • •	-	122]	•
Bhavnagar-Gondal Railway Gaekwar of Baroda's Railway		89	
Gaekwar of Baroda's Railway Mysore Railway	***	1 1 58	
		1481	

The Bhopal line runs from Itarsi on the Great Indian Peninsula Railway to Bhopal line. ‡ Itarsi to Bhopal, 62 miles. t Itarsi to Bhopal, 62 miles.

t Itarsi to Bhopal, 62 miles. British territory and for a moiety of the cost of the bridge over the Nerbudda, or in all about $12\frac{1}{2}$ lakhs. The Begum of Bhopal gives 50 lakhs for the construction of the line through her dominions. Profits are to be shared between Her Highness the Begum and the British Government in proportion to their respective contributions towards capital cost. The line is being constructed on contract by Messrs. Glover and Company.

Work was commenced in November 1880, and satisfactory progress has been made. At the Nerbudda bridge the masonry of two piers had been begun and the foundations of other piers were well forward.

Extension surveys were run during the year from Bhopal to Jhansi, with a branch to Saugor.

The Bhavnagar-Gondal Railway is so called because it has been constructed Bhavnagar-Gondal or Kathiawar Rail- from the revenues of those two States. Way. It is sometimes termed the Kathiawar line. Commenced in 1879 as a famine work, it was completed this year as a fair weather line on the following dates :---

		Miles,	Date of opening.
Bhavnagar to Wadhwan	414	105	20th December 1880
Dhola to Dhoraji	143	89	19th January 1881

It was hoped that the whole of the bridging would have been completed § From date of opening to Slst March 1881-Earnings Expenditure ... 1,31,008 Lapenditure ... 1,03,094 Gaekwar of Baroda's Railway. It was hoped that the whole of the bridging would have been completed before the rains of 1881, but unforeseen difficulties arose and traffic had to be stopped over a considerable portion of the line on the outburst of the monsoon. By the end of March 1881 the open line

was covering its working expenses.§

Ð

The Gaekwar of Baroda's 2' 6" gauge line was extended during the year as

	_		Miles.	Date of opening.
)	Dabhoi to Baroda Goa gate to Vishwamintri	145	171	lst July 1880 84th January 1881
r.	0		^4	OLEM ANDREA 1991

The open line working continues to give satisfactory results, the net revenue showing a return of 7.31 per cent. on the capital expended ; and the

26

¢

Baroda State is contemplating an extension of these 2' 6" gauge lines from Anand to Pitland and Piploe, and from Meysana on the Rajputana Railway to Pattan and Kherala.

The success of the Baroda lines, as a substitute for roads in Guzerat, where, owing to the absence of stone, the construction and maintenance of roads are costly, has been so marked, that the Bombay Government is considering the expediency of making a line on this (2' 6'') gauge from Jambusar to Broach, utilising the present road for the purpose.

The Berars branches have been constructed from the surplus revenues Khamgaon and Amraoti Railways. Amraoti. They were formerly worked by the Great Indian Peninsula Railway Company, and then by State agency from 1st January 1879. They have now (1st November 1880) been again made over to the Great Indian Peninsula Railway Company to be worked as an integral part of their undertaking.

Up to the end of 1878 the Nizam's Railway was worked by the Great Indian The Nizam's Railway. The fiet earnings during the year were 1.8 per cent. on the capital outlay.

The broad gauge line from Bangalore cantonments to Bangalore city Mysore Railway. (3 miles) was transferred in October 1880 to the Madras Railway Company as an

integral portion of its guarantee.

Of the metre gauge line from Bangalore pettah to Mysore, 58 miles were opened for traffic during the official year, viz.,-

		Miles.	Date of opening.
Bangalore to Channapatna	***	35	1st February 1881
Channapatna to Mandya	***	23	20th March 1881

On the unopen line between Mandya and Mysore, 28 miles, rails are laid, line is ballasted, and engines run through, except over the Cauvery viaducts, where there is only a temporary wooden bridge. It is expected that the permanent bridge over the Cauvery will be ready by the 1st January 1882, and that the line will then be opened throughout.

EAST INDIAN BAILWAY.

On the 31st December 1879 the Secretary of State asserted his right under the purchase clause of the contract with the East Indian Railway Company, and purchased the East Indian Railway at the expiry of the first term of 25 years. But it was never the intention of the State to work the line itself; so arrangements were made by which the original New contract; and management, and by which they would still hold a direct interest in its economical management. The new contract giving effect to these arrangements came into force on the 1st January 1880; and the purchase of the line

ments came into force on the 1st January 1880; and the purchase of the line was thus effected without any hitch in its working and without causing any alterations in its working staff.

The purchase of the line was effected by the State accepting each original $\pounds 100$ share at a value of $\pounds 125$, and then converting them into terminable annuities. As, however, it was found that the original shares were largely held by trustees on behalf of different trusts, the option was given of accepting the annuity or of transferring the amount into East Indian 4 per cent. paper. This latter alternative was largely availed of.

The principal provisions of this new contract are that the management its terms. its terms. of the line is to remain with the Company, the Government having full control over their proceedings. Regarding receipts and expenses,—after the ordinary working expenses, the first charges on the general receipts are—(1) a sum not exceeding one lakh of rupees per annum for State control; (2) the interest on debenture stock; (3) payment of the annuity; (4) interest on new capital; (5) interest on the total value of stores in hand; (6) payments to the provident institution. Of the remainder, Government takes four-fifths and the Company one-fifth. This latter is their remuneration for working the line; but as it is only divided amongst those annuitants who hold the deferred annuities, its amount is very appreciable. Also all expenditure in the acquisition of land will in future be added to the capital account; and Government may require the Company to give running powers for the locomotive and rolling stock of State and Guaranteed lines, or to construct and work any branch railway in connection with the undertaking.

A copy of the new contract will be found in extenso in Appendix B.

Several important proposals were under the consideration of Government during the year for the construction of certain additional works for the development of traffic on the East Indian Railway.

The most important work is the connection of the East Indian Railway with

Hooghly Bridge. Hooghly Bridge. Calcutta by a bridge over the Hooghly river. This will be done by means of a short branch of about 4 miles to connect the East Indian and Eastern Bengal Railways, and crossing the river close to the town of Hooghly. The bridge will ensure many advantages, both of a local and general character, and will doubtless lead to the development of the traffic on these two lines. The estimated cost of the bridge is 20 lakhs; and as this project involves the doubling of the Eastern Bengal Railway from Ranaghat to Sealdah, a considerable sum must be spent before the whole work is complete.

Another proposal was that the line should be doubled from Buxar to Doubling of line from Buxar to Allahabad. There is no doubt but that the Mogul Serai. Traffic over this section is very heavy; but as a certain amount of it originates on the Oudh and Rohilkhand Railway, it was considered that the opening of the bridge over the Ganges at Benares would afford relief for some time yet. It has therefore been thought sufficient in the first instance to confine the doubling to the section between Buxar and Mogul Serai, the junction for Benares, arranging that the laying of this portion should be finished by the time that the bridge, now being constructed at Benares by the Oudh and Rohilkhand Company, was approaching completion.

The third proposal was the insertion of an additional sleeper to each rail over 1,200 miles of line, and the gradual substitution of wrought iron for timber sleepers throughout the road. This is being carried out gradually.

The project of bridging the Hooghly was accepted by the Government of India and by the Secretary of State ; and being one involving considerable engineering skill and resource, the Board of Directors of the Company considered it desirable to bring their talented Agent and Chief Engineer, Mr. Bradford Leslie, to England to elaborate the project in conference with their Consulting Engineer.

GUARANTEED BAILWAYS.

Fuller particulars regarding the traffic on these lines will be found in Chapter IV, and in the statistics attached to the Report.

PUNJAB AND SIND.

On the Sind, Punjab and Delhi Railway. Sind, Punjab and Delhi Railway. Afghanistan, and merited the thanks of the Government of India. No additional War traffic.

length of line worked was 664 miles; and the capital expended was Rs. 11,05,85,552, being at the rate of Rs. 1,66,670 per mile. The goods stock has received 600 additional wagons of 10 tons capacity, and many of the old 6-ton wagons were converted so as to carry 8 and 10 tons.

Several new stations were also opened during the year, and additional conveniences given to the travellers and traders in many ways, especially in local train services, by which the local traffic was considerably stimulated.

The increased waterway in the valleys of the Bcas and the Beyne was completed, and happily no serious damage was done to the line by floods.

The opening of the Indus Valley Railway has practically superseded the Flotilla superseded by Indus Valley utility of the Indus Steam Flotilla, and Railway. which, after doing valuable work for many years in completing the communication between Mooltan and Kotri, has consequently ceased to run. The vessels are now laid up and are awaiting purchasers.

NORTH-WESTERN PROVINCES AND OUDH.

On the Oudh and Rohilkhand Railway the only additional mileage in pro-Oudh and Rohilkhand Railway. and the approaches to it, aggregating in all about 5³/₄ miles. The bridge Ganges Bridge at Benares. of seven spans of 356 feet and of nine spans of 114 feet.

Considerable progress was made in England during the year in preparing the plant necessary for the construction of the piers and in manufacturing the workshop machinery required for the works generally, and more especially for the erection of the girders. The earthwork of the approaches was commenced in June 1880 and was well advanced by the end of the year.

In September 1880 heavy floods occurred in the valleys of the Ganges, Flood damages. Ram Ganga, and Gungun. They were caused by the same excessive rainfall that resulted in the fatal landslip at Naini Tal; the line was breached in several places, and the traffic for some time was seriously interfered with. By the end of March 1881, however, all repairs and new works were well in hand, and all diversions have since been removed.

BENGAL.

5 Z

In August 1879 the floods on the Brahmaputra and the Ganges were very Eastern Bengal Railway. roadway at the site of some of the bridges. Though no serious damage was done, special works were sanctioned this year for protecting the line against a similar attack, and these have now nearly all been completed. This year the floods in these two rivers have not been so high, and have caused no serious damage to the road.

The erosion at Goalundo, however, has not ceased; but the river is still 700 yards distant from the line, and the cold weather stream is well away from the promontory.

BOMBAY AND CENTRAL INDIA.

The working of the Dhond-Manmad chord line and of the Berars branches Great Indian Peninsula Railway. (Khamgaon and Amraoti), which had hitherto been conducted by State agency, was transferred during the year to the Great Indian Peninsula Railway Company. A summary of the terms on which the transfer was effected is given in Chapter III.

Progress was made with the Bori Bunder terminal station and offices; interlocking signal apparatus was provided between Poona and Lanauli; the site

• 8

for the stores depôt at Parel was taken over by the Company in exchange for the Byculla shops and stores, which were transferred to the Government; and the system of train working over the Ghat sections was fully discussed and some important alterations introduced. These are given in full at page

On the Bombay, Baroda and Central India Railway the new bridge over Bombay, Barods and Central India the Nerbudda river was nearly completed by the close of the year.* Twenty-five Railway. spans of the old bridge were swept away

* It was opened for traffic on the 16th May 1881. by the floods of September 1876. The present structure was commenced in December 1877, and consists of twenty-five

Nerbudda Bridge. The depth of foundation varies from 55 to 104 feet, and the height of the under-

side of the truss above low water is 51 feet. The disaster to the Tay Bridge in 1879 has led to some additions being made to the original design for this bridge in the form of wind-ties between the upper booms of the main girders and of short girders between the pier columns at low-water level.

In March 1881 sanction was accorded to the extension of the Dakor Branch of the Bombay, Baroda and Central Godhra Extension. miles), with a low level bridge over the Mahi river near Pali. This is the only India Railway from Pali to Godhra (17. miles), with a low level bridge over the man man mean engineering work of importance on this branch.

MADRAS.

On the Madras Railway no extensions have been made; but the line from the Bangalore station to Bangalore city, 3 * Madras Railway. miles in length, which had been constructed by the Mysore Government, was taken over by the Madras Railway Company

in October 1880, as part of their guaranteed undertaking, and is being worked as an integral portion of that Railway.

The embankment between Kadambatur and Arconum, which slipped in October 1879 and caused a disastrous accident, was made good, and the line over it reopened for traffic in June 1880; and although the monsoon was very heavy in the following October, the line throughout stood well.

The new Cheyer Bridge, 50 spans of 64 feet, was opened for traffic in May Cheyer Bridge. 1880. The work of fitting the whole of the rolling stock with electrical apparatus for intercommunication was completed by the end of the year.

The financial returns of this Railway show a falling off in the gross earnings, which are lower this year than in any year since 1874. The financial prospects of this line are not cheering. An analysis of the traffic figures will be found in Chapter IV.

Twenty-one miles were add	ed to the open	mileage of the	South
South Indian Railway.	-Indian Railway	during the year,	viz.,
•	Mile	s. Date of opening.	
Chingleput to Walajabad Walajabad to Conjeveram		lst August 1880 1st January 1881	

The opening of the line from Chingleput to Conjeveram completes the South Indian Railway system, and connects this line with the Madras Railway at Arconum, thus enabling traffic exchanged with the Madras Railway to be carried by a direct route, instead of going around by Madras, and effecting a saving of 38 miles.

The bridge over the Gingee river will shortly be opened for traffic, and will connect the South Indian Railway with the French Section $(7\frac{1}{2}$ miles) of the Pondicherry line. The work at this bridge was delayed in November last by a severe cyclone, which swept over the Chingleput, South Arcot, Tanjore, and Trichinopoly districts, severely breaching the South Indian line in its course.

CHAPTER III. CONSTRUCTION AND SURVEY.

PUNJAB AND SIND.-Punjab Northern Railway-Extension towards Peshawar demanded by military operations-Jhelum-Rahtial Section opened on 1st January 1830-Difficulties of construction-Rahtial Ravines-Bakrala Bridge-Sohawa Tunnel-Nill Viaduct-Sohawa Viaduct-Bishendor Bridge-Sohawa Bridge-Pindi to Attock-Bridge over the Indus at Attock-Pindi Kohat line-Recapitulation of difficulties of construction-Salt Branch-Salt Range coal-Proposed extensions to Khewrah; to Khushab; to Bhera and Shahpur-Indus Valley and Kandahar Railways-Military occupation of Southern Afghanistan necessitated a line of Railway-Waterless tract of 90 miles-Kandahar Railway, Lower Section-Kandahar Railway, Upper Section-Route up the Bolan Pass abandoned; and a line up the Harnai Valley located and construction commenced-Railway works raided by Marri tribes and work stopped-Branch from Sibi to Pir Chauki. NORTH-WESTERN PROVINCES AND OUDH,-Muttra-Hathers Railway-Cawnpore-Farukhabad Extensions Survey-Bhaupur-Kalpi Survey-Bareilly-Pilibiti Survey. BENGAL Tirhoot. Railway Extensions-Calcutta and South-Eastern Railway Extension-Dacca and Mymensingh Survey-Bengal Central Railway-Palanow Project-Chota Nagpore Project-Deoghar Steam Tranway-BOMBAY AND CENTRAL INDIA.-Rajputana Railway-Holkar and Sindia-Neemuch Nasirabad Railway-Sindia. Railway-Extension Survey. MADRAS.-South Indian Railway-Sindia Railway-Caenabad Scion-Hokar and Sindia-Neemuch Railway-Centrad Railway-Sindia Railway-Larence Railway -Neemuch-Nasirabad Railway-Palamow Project-Chota Nagpore Project-Deoghar Steam Tranway-BOMBAY AND CENTRAL INDIA.-Rajputana Railway-Matra Addina Railway-Neemuch-Nasirabad Railway-Sindia Railway-Centrad Railway-Kindia Railway-Scien Bersi Survey. Centrad Railway-Sindia Railway-Centrad Railway-Kangoon and Sindige-Madura-Paumben Extension Survey. MADRAS.-South Indian Railway-Gingee Bridge-Madura-Paumben Extension Survey. MADRAS.-South Indian Railway-Gingee Bridge-Madura-Paumben Extension-Nilgiri-Rigi Railway Company-Cohin and Trawancore Railway Company-Kalay Valley Rail Railway-Gaekwar Mysore Railway. `,

PUNJAB AND SIND.

Punjab Northern Railway.

5 ÷. ÷

Extension towards Peshawar demanded by military operations.

the more imperative, because the first campaign in 1878 and the advance of our troops in the autumn of 1879 had seriously drained the frontier districts of their ordinary means of transport, almost every available beast of burden having

Jhelum to Rewalpindi		***	Miles. 71	
Rawalpindi to the Indus : Indus river to Peshawar	river	444	63 42	
•			176	

Jhelum-Rahtial Section opened on 1st January 1880.

difficulties.

Difficulties of construction.

Rahtial Ravines.

first established with grades of 1 in 50.

Bakrala Bridge.

spanned by a bridge consisting of-

† Height of rail-level above bed, 85 feet. Masonry in bridge, 157,7303 cubic feet. 25,230 cubic feet. Concrete,

THE murder of the British Envoy in Afghanistan in September 1879, and the consequent occupation by our troops of Kabul and the Khyber Pass,

rendered it necessary to establish with all possible speed a line of Railway, connecting our North-West Frontier with the sources of supply in India. This was been hurried up to the front to supply transport for the army. The terminus of

the Punjab Northern Railway at this time was at Jhelum, and every nerve was strained to push on the Railway towards Peshawar, a distance of 176 miles.

By the 1st January 1880 the section from Jhelum to Rahtial, 143 miles, had been opened, the country up to the latplace presenting no extraordinary ter At Rahtial, however, the Railway enters into a rugged and moun-tainous tract seamed with deep ravines and fissures. At Rahtial itself such heavy cuttings and culverts were required, that a temporary diversion was necessary; and although every effort has been made to complete the permanent line through these Rahtial ravines, the trains still work over the temporary diversion

At the 123rd mile from Lahore the Bakrala river crosses the line. This was

4 spans of 120 feet lattice girder,

1 span " 80 " web

and by the 1st June 1880 an engine was able to pass over this structure.†

The next obstacle was encountered at mile 128 near Sohawa, where a sohawa Tunnel, facilitated operations here, and the tunnel had been completed and lined

throughout by the time that the Bakrala bridge was ready.

A mile beyond the tunnel the Nili via-Nili Viaduct. duct* was bridged by-· Height of rail-level above nala, 50 feet.

4 spans of 20 feet. 1 span ,, 30 ,,

This was completed in May 1880.

The completion in the same month of the Sohawa viaduct at mile $129\frac{1}{4}$, with its three spanst of 60 feet on masonry Sohawa Viaduct. piers, enabled an engine to run through to Bishendor bridge at mile $134\frac{1}{2}$ as + Rail level above bed of river, 50 feet. soon as the Bakrala bridge had been finished.

At Bishendor the site of the bridge had to be shifted, owing to a bad landslip that occurred at the position originally Bishendor Bridge. selected for the crossing. Three girders of 120 feet‡ each were taken from the Chenab 1 Rail-level above bed of river, 85 feet.

I Kall-level above bed of river, co leet. bridge and used here. The nature of the ground necessitated also a high retaining wall at the south abutment. Here, as at the Bakrala bridge, work was prosecuted day and night from the commencement to the finish; and by the 8th June 1880 an engine was got across this bridge.

By the 8th June 1880 an engine had crossed the Baikhan bridge, one span

Sohan Bridge. § 167 miles from Lahore.

of 140 feet, and had reached the Sohan river,§7 miles from Rawalpindi. At this § 167 miles from Lahore. part of its course the Sohan runs rapidly over a shingly bed, and the proximity of the stream to the hills rend-

ers its floods during the rainy season extremely sudden and fitful. It was during one of these violent floods that the iron staging, which had been laboriously put together for the erection of the girders, was nearly all washed away. Military necessities, however, pressed urgently for the completion of this link in the communication to Rawalpindi; and notwithstanding the previous failure of the staging, the Government of India issued orders to erect the girders during the rains, preferring to run the risk of losing a spare span of girders to the certainty of the delay of months that would be involved by waiting until all changes from floods were at an end. The ultimate success of the undertaking justified the venture. For the erection of the girders an ingenious form of scaffolding was designed, which diminished the chances of the staging being again undermined by the current, by removing the foundations of the staging above the influence of the stream. The foundations of the staging thus, instead of being in the bed. of the river, rested in recesses cut in the stone piers of the bridge. The staging itself consisted of trestles made of derrick poles braced together and strengthened by sleepers. These trestles were put together on the ground and hoisted entire into position, their shape being a huge triangle with a short base and two long sides, of which the apex rested in the recess cut in the pier and the two long sides projected towards the centre of the girder to be erected; the short base of the triangle came under the roadway and afforded points of support for the girder to rest upon. On the 13th September all wedges were struck; by noon on the following day the road was completed; on the 15th September the bridge was opened.

The intense heat, the constant duststorms, the frequent rains, the numerous floods, and the constant illness of the Europeans employed on the work were the cause of great anxiety and difficulty; and the arduous nature of the operations at the Sohan may best be appreciated by the following extracts from the diary of the Executive Engineer in charge of the construction of the bridge :--

July 23rd.—Only one European subordinate on the works, all the rest being ill.

" 30th.-Flood of 8 feet. Two men carried off by the stream, but saved.

" 31st.—Very heavy storm of wind and rain. Flood of 9 feet. Tender of engine washed down-stream about 40 feet against pier of bridge and half-buried.

August 2nd.—Flood of 9 feet.

September 5th.-Flood of 13 feet. Work entirely stopped. The staging was not expected to stand,

* Jhelum to Rahtial ... 144 1st Jan. 1880. The completion of the Sohan bridge · . Rehtial to Rawalpindi... 53 1st Oct. 1880 carried the Railway into Rawalpindi...

Between Rawalpindi and the Indus river, 63 miles, the deep fissures and ravines are not so numerous, but the country is still mountainous and rugged.

The formidable Margalla Hills have to be pierced by a tunnel, 1,100 feet long, emerging close to the point where the monument to General John Nichol-

1 206 22 22 \$ 190 22 22 On this section there are 14 miles of line o a gradient less than 1 in 100.
On this section there are 14 miles of line on gradient less than 1 in 100.
a gradient less than 1 in 100.
a gradient less than 1 in 100.
a gradient less than 1 in 100.
a gradient less than 1 in 100.
a gradient less than 1 in 100.
a gradient less than 1 in 100.
· Feet.
Gradient from 1 in 90 to 1 in 99 6,00
μ μ μ 1 μ 70 μ 1 μ 79 \dots $19,70$
1, 1, 60, 1, 69, 1, 69, 16,90
" " 1 " 50 " 1 " 67 … 14,50
u u 1 u 40 u 1 u 50 17,30
74,40
· · · · · · · · · · · · · · · · · · ·
¶ Jani-ka-Sang 4 spans of 40 feet (temporary).
Kala-ka-Serai 1 span ,, 75 ,, (,,).
Haro 10 spans ,, 40 ,, (,,).
Bodho $2 $ $n $ $60 $ $n $ (permanent).

5 "

"60"(

Chablat

son has given the name of Jani-ka-Sang (the native pronunciation of John Nicholson) to the locality; and the Harot and Chablat rivers have to be bridged. Bridges are also needed at Jani-ka-Sang,§ Kalaka-Serai, Bodho, and Haji Shah. A temporary line was hurried through, a liberal use being made of steep gradients on the temporary diversions made to turn the heavy permanent works, and the line || itself being laid in some places on the Grand Trunk Road. Temporary bridges were thrown over the rivers, and the construction of the permanent structures pressed on; and on the 1st January 1881 the line was thrown open to Haji Shah, 58 miles; and on the 5th April the intervening 5 miles to Attock were ready, and an engine reached the left bank of the Indus.

Here preparations were in progress for a permanent bridge. The site solected for this bridge is a little below the old

Bridge over the Indus at Attock. Sikh fort of Attock, underneath whose ancient walls the Kabul river unites its waters with the mighty stream of the river Indus. Below Attock the united rivers are pent up between high walls of rock on each side; and at a point some two miles below their junction salient bluffs on each bank and a partially submerged rocky island in mid-stream afford facilities for throwing a bridge across the river with spans not exceeding 300 feet in the clear.

).

3Ĵ

This bridge is now in course of construction. It consists of two spans of 300 feet over the main channel, and of three spans of 250 feet to connect these central spans with the banks. The main girders are 117 feet above the ordinary level of the river; they are of steel with open bracing, and carry the railway on the top and a roadway for ordinary traffic or for artillery below. The locality being subject to earthquakes, it has been deemed advisable not to use stone for the construction of the piers, but to support the girders on piers made of steel and strongly braced. These piers are protected from the effects of the huge trees and other débris that are swept down by

)

the stream by means of concrete cutwaters which are placed up-stream and slightly in advance of the steel piers.

The steel and iron work for this bridge, have been received in India, and the submerged portion of the rocky island, which will form the support of the pier in the middle of the stream, has been raised to a sufficient height above low water to enable the pier to be erected as soon as the river resumes its cold weather level. The site for the crossing is beyond the region of cyclones or extraordinary gales of wind; but ample provision has been made for any wind stress that may come upon the structure.

Staff quarters and temporary workshops have been erected at site, and the work will be rapidly pushed forward during this working season, and will probably be completed by the commencement of 1883.

Pending the completion of this permanent structure, a temporary bridgeof-boats had been thrown across the river, capable of carrying the rails necessary for the prosecution of the Railway from the right bank of the Indus to Peshawar, 45 miles.

After once passing for a couple of miles through heavy rock-cuttings and tunnels in the precipitous hills which abut on to the Indus at Attock and confine its stream between high walls of rock, the line enters into the valley of the Yusufzai, and runs on through a level country to Peshawar.

Beyond some heavy bridging needed to give waterway to the floods to which this tract is exposed when the Kabul river overflows its banks, no engineering difficulties are offered; and by the end of 1881 the Railway will have probably been opened and through communication established from Lahore to Peshawar, with the exception of the break at the Indus river, where, however, the permanent bridge, it is anticipated, will be completed by the commencement of 1883.

While provision was being thus made for the garrisons of Kabul and Pindi-Kohat line. tion with India to the British forces in the Kuram Valley.

Branching off from the main line of the Punjab Northern Railway at Tarnaul, a station 11 miles west of Rawalpindi, this Pindi-Kohat Section as it is called is laid for 67 miles until it reaches the left bank of the Indus at Khushalgarh. It was originally intended that the line should be prolonged to the frontier post of Kohat; but the evacuation of the Kuram Valley has rendered the further prosecution of the project unnecessary.

The Railway is laid as a surface line, with a ruling gradient of 1 in 70, as

· List of waterways, 1 span of 60 feet. Meloom 60 µ 60 µ 60 µ 3 spans " Nundna Kirli 2 17 12 Daryana 1 span Kamilpur 3 spans 28 60 60 38 2 » 2 » Kuttra **11** 60 Sakh 22 Domel 1 span 60

ce line, with a ruling gradient of 1 in 70, as far as Langar, 58¹/₄ miles from the junction; beyond Langar to Khushalgarh, 8³/₄ miles, the steepest gradient is 1 in 50. The waterways* crossed are comparatively unimportant.

Commenced in September 1879, half * the line was laid by the beginning of December 1880. By the end of the follow-

ing March the whole of the road was completed, and in April 1881 it was . opened for traffic on the following dates :---

				Miles.	Date of opening.
Turnaul to Langar	•••		**1	5 81	lst April 1881
Langar to Khushalgarh	0	•••		83	5th April 1881

o

The extreme difficulties and hardships to be overcome in thus incessantly Recapitulation of difficulties of con- pressing on the construction of these military lines of railway through sumstruction. u ≁ `, , ≠ ★ ,

mer and winter by day and by night . 1 will be best appreciated by those who know the trying changes of the Punjab climate and have felt the piercing cold of its winter nights and the burning heat of its summer sun .-. Nor did the difficulties of the engineers end here. "The country through which the Railway passes is thinly populated, and a scanty rainfall had made grain scarce and dear. The beasts of burden which in ordinary circumstances would have supplied the means of transport for railway material and stores had been absorbed for the transport of the troops; and the Punjab camels and mules and horses were perishing amidst the snows of Kabul, or painfully laboring through the sterile passes of the Bolan. Commissariat arrangements, transport, and hospital requirements, as well as the necessities of the fighting line, had to be constantly replenished, until the Punjab was drained of men and of animals. The border tribes, who generally furnish large parties of laborers to the Punjab, were too interested in the struggle that was going on to care to leave their own country.

Even when gangs of laborers had once been got together, it was no easy task to prevent them from deserting the railway works in order to accept the higher rates of pay that were being offered on all sides by the officers recruiting for men to supply the waste of war.

It has been shown above that these obstacles were surmounted. Large gangs of workmen, amounting to over 40,000 men, were assembled from long distances down-country; special arrangements were made for feeding such large numbers; every possible means to urge on the work was adopted. The use of the electric light enabled work to be carried on by night, warm clothing being supplied to those who had to toil during the night and in exposed positions.

The results of this unceasing toil have been given above. The officers employed in the construction of the Punjab Northern Railway well earned the recogni-* Government Resolution No. 854-68R.-C. of 11th November 1880. tion of their services which Government accorded* to them on the completion of their labors.

Whilst railway communication in the Punjab was thus pushed on to meet the stress of military operations in North-Salt Branch. ern Afghanistan, the metre gauge line, branching off from the Punjab Northern † Lahore to Lala Muss, 82 miles. main line at Lala Musa, + was also being constructed. This line has been made to facilitate the transport of salt from the Mayo Salt Mines at Khewrah. It runs through a flat, easy country, and was opened for traffic from Lala Musa to Miani, 54 miles, as under :---

1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -		Milles.	Date of opening.
Lala Musa to Bhaodin	*** ***	28]	lst January 1880
Bhaodin to Hurrish		10	Ist February 1880
Hurriah to Miani	*** ***	15‡	10th April 1880

Besides affording conveyance for salt, this branch will develop the working of the coal that is found in the Salt Range Salt Range coal. not far from Khewrah, and with which **‡** See Chapter V. experiments have been made during the year. ‡ With the view of further promoting this industry, and of saving the 10 miles of camel transport which the salt consignments now have to undergo

Proposed extensions

to Khewrah;

Miles.

<i>F</i>	
§ Miani to Jhelum river	8
Jhelum river to Pind Dadan Khan	2
Pind Dadan Khan to Khewrah	5

to Khushab 🕯

between the mines and Miani, a project was submitted this year for extending the Railway from Miani to Khewrah, with a bridge over the Jhelum near Pind Dadan Khan. §

From Pind Dadan Khan it was also proposed to run another line to Khushab, and thence wes twards towards Dera Ismail Khan, where the traffic from the Gumal pass comes in. " The cost, however, of the bridge over the Jhelum, estimated at 14 lakhs, led to the submission of alternative projects for extending the line towards Bhera and Shahpur.

both of which towns are on this side of the river.

The working results of this Salt Branch line are extremely encouraging, and are detailed in the following chapter. In the first fifteen months of its opening the Salt Branch line has earned over 6 per cent. on its capital cost.

Indus Valley and Kandahar Railways. Chapter I contains an epitome of the leading events on the Kandahar line during the year.

These need not therefore be recapitulated here; but the following details will be of interest regarding the—

(1) Lower Section of Kandahar Railway: Ruk to Sibi.

(2) Upper Section of Kandahar Railway: Sibi to Kandahar.

(3) Pir Chauki Branch.

The war in Afghanistan had necessitated the construction of a line of Military occupation of Southern Afghanistan necessitated a line of Railway. towards the advanced position held by our troops at Kandahar. The alignment selected for this military line branched off from the Indus Valley Railway at a roadside station named Ruk, 15 miles, west of Sukkur, and, running past Shikarpur, an important entrepôt of Central Asian trade, and then past our cantonment of Jacobabad, it entered

Waterless tract of 90 miles.

on a desolate and barren desert, which for 90 miles of its length was almost desti-

tute of water. The work of laying this line was commenced in October 1879 and completed on the 14th January 1880, special arrangements having to be made for supplying water and food to the gangs of workmen employed in the inhospitable "put," or desert. During the year under review a side trench and bund were completed alongside the line for its protection from flood spills, and the main embankment was raised. Large reservoirs were excavated at the desert stations for the storage of this flood water; the temporary bridges were replaced by permanent structures; and makeshift station and staff buildings were first run up temporarily, and afterwards gradually improved, so as to afford better protection against the intense heat.

The following extracts from the Progress and Administration Report of Kandahar Railway, Lower Section. ballasting this section of the line:—

The Engineer-in-Chief in charge of the Lower Section of the Kandahar State Railway throughout the year was independent of the Manager. This branch line during the year was divided into two executive divisions, *i.e.*,—

Jacobabad from 0 to 75 miles.

Mittri " 75 " 133 "

At the beginning of the year (1880-81) there were no buildings of any kind on the Railway; the officers and staff had to be accommodated in tents; temporary buildings for immediate shelter had therefore to be run up in the most rapid manner.

Earthwork.—There has been a considerable quantity of earthwork executed in forming reservoirs for water at the desert stations, and also in throwing up bunds round the desert stations, approaches to bridges, and in improving the gradients in several places.

Bridgework.—All the bridges, Ruk to Jutput, are finished, with the exception of a few field irrigation drains. In the desert fifty-three 20-feet girder openings have been finished, and there is a three 40-feet girder bridge in progress, leaving only two large bridges to be taken in hand after the floods. Several culverts of 10 and 5 feet spans have been built, but there are still several to build on the Pir Chauki Extension. On that section only the two principal bridges have been commenced, vis.,—

> The Nari-7 spans of 100 feet , Kumri 3 , 60 , } well foundations.

On the 31st March 1881 one-third of the sinking of the foundation wells had been done at the former and one-fifth at the latter.

Ballasting.—From Ruk to Shikarpur the line has been ballasted with broken stone brought from Sukkur by train ; from Shikarpur to Jutput brick ballast was made in kilns alongside the line; 66,000 cubic feet per mile had been made on 31st March 1881, and about three-fourths of this were spread on line throughout this distance on that date.

The ballast for the desert, from Jutput to Nuttall, will be broken stone brought from Sukkur by train; the remainder will be small shingle from Sibi.

On 31st March 1881 20 miles of the desert line had been ballasted, and there were 2,300,000 cubic feet collected in depôt at Sibi.

The Upper Section of the Kandahar Railway runs from Sibi north-Kandahar Railway, Upper Section. Section. In a purely military point of view, an alignment would have been Route up the Bolan Passabandoned;

pass. But although attempts have been made ever since the beginning of 1877 to find a route in this direction, any such project has now been abandoned as impracticable on account of excessive cost. The narrowness of some of the defiles, notably of the gorge at Kundalani; the extreme violence of the floods which pour their torrents through these confined channels, and which would necessitate embankments over 25 feet in height; the heavy bridging and tunnelling works required, and the severe gradients involved —all contributed to prevent the preparation of a reasonable scheme for a railway line up the Bolan pass itself; and, notwithstanding the extreme reluctance of the military authorities to abandon this alignment, an alternative project had to be prepared.

A line was eventually explored which, leaving Sibi, ran through the Nari and a line up the Harnai Valley gorge up the valley of the Nari river, located. and thence passed by Kuchali, Harnai, Sharigh, and Durgai, where it encumbered the Chappar rift, where a high mountain range has been rent by a convulsion of nature, leaving a deep and precipitous cleft, through which a torrent now pours its waters. This obstacle was to be surmounted by a series of high level galleries and tunnels, and the railway would be constructed to Kach, and, crossing a kotal near Brahiman, where it would reach its highest point, would go on to Ghourki, and then debouch on the plains of Pishin. The project then took the line near Bostan, from which place, at a point named Kasim Kila, it sent off a branch line to the fort at Quetta, passing round the south-western spur of the Sokatu range. From Bostan the main line was to cross first the Kakar-Lora and then the Lora rivers, and, passing Gulistan Karez, it was to cross the Khwaja-Amran range by the Tope kotal near the Gwaja pass, and so into the plain country at the foot of that range until it neared Kandahar and became in reality the Kandahar Railway.

Preliminary reconnaissances of this line were made in 1879, and this year the line was surveyed throughout and was partially staked out.

The construction of the line itself began in the middle of January 1880, and construction commenced. of the Maiwand disaster the following was the state of the railway works.

Engines were running from Sibi to Nari gorge, $7\frac{1}{4}$ miles, and from Nari gorge onwards $12\frac{1}{3}$ miles of bank had been nearly completed and platelaying commenced. Buildings for officers and subordinate staff had been more or less completed at Sibi, Nari gorge, Khelat-i-Kila, Gundakinduff, Kuchali, Zindagiab, Dulojal, Spintangi, Harnai, Nasik, and Sharigh. Defensible storeyards had been also built at all these places and at Kach.

A service road had been constructed from Sibi nearly through to Kach and on to Quetta and Gulistan Karez, along which a cart could be driven, except

ž ti

through the Chappar rift. This could only be crossed by transport animals, but a cart-road was being constructed here also, which was subsequently finished. Large stores of dynamite and of stores and tools had been collected at each end of the Chappar rift itself for the excavation of the heavy tunnels and galleries.

The victory of Ayub Khan at Maiwand was followed by the withdrawal Railway works raided by Marri tribes defensible posts above enumerated; and the Marri tribes attacked the forces as they withdrew and raided the railway works, doing what damage they could to the buildings and scattering the contents of the dynamite cases. A punitive expedition was sent in consequence through the Marri country in October 1880, when compensation was exacted for the outrages perpetrated, and the works were once more and work stopped. were not dismantled however, and such parts of the line as had been already

laid were not lifted.

Although it was found that the Kandahar Railway could not be prolonged Branch from Sibito Pir Chauki. up the Bolan pass, it was determined to carry it up to the mouth of that defile until the alternative line up the Harnai valley should be open. A branch from Sibi was accordingly rapidly run out to Pir Chauki, 19 miles, the work commencing on the 30th July 1880 and being completed on the 20th of the following October, notyithstanding a violent flood in the Nari river, which washed away the temporary pile-bridge which had been thrown over that stream.

This flood was not the only cause of delay to the work. The country traversed by the line was not easy, like that of the *put*, or desert, but owing to its undulations necessitated cuttings, which proved to be more formidable undertakings than had been anticipated, owing to the presence of an unforeseen stratum of sandstone and deep clay a couple of feet below ground-level.

The following bridges had also to be constructed, viz.,-

Nari River	4++	Timbe	r pile brid	lge of	446 fe	et in l	length,
Kumri River	413	·	trestle	33 .	168	ة 13 - يور	59
Spill from Bolan River	11×,	"		22	154))	្
Spill from Kumri River	14.5	, 22	ນ	>>	84	33	32

besides several smaller bridges of sleeper stacks over irrigation channels.

The temporary bridges over the Nari and Kumri are being replaced by permanent structures. Temporary troop platforms were erected at Nari bank and at Pir Chauki, and the line proved of the very greatest service in transporting the troops to the foot of the Bolan hills, on their way to and from Kandahar.

NORTH-WESTERN PROVINCES AND OUDH.

The Administration and Progress Report of the North-Western Provinces and Oudh contains the following details concerning the survey and construction of Railways in those Provinces during the official year :--

• PROVINCIAL LINES.

PRODUCTIVE PUBLIC WORKS.

This line was opened for public traffic on 19th October 1875. A description of Muttra-Hathras Railway. traffic on 19th October 1875. A description of its working will be found in the following chapter.

38,

This line, constructed on the metre gauge, was partially opened for traffic on the 15th Cawnpore-Farukhabad Railway. December 1880 as far as Miran Serai, a length of nearly 491 miles. On the 1st February 1881, after completion of the Kali Nadi diversion, the remaining section to Farukhabad was also opened, making a total length of line of 86 miles. It was thus worked for 48 days over 49 miles, and for 59 days over the whole 86 miles.

The capital expenditure to 31st March 1881 amounted to Rs. 30,45,749, or for 86 miles a rate of Rs. 35,416 per mile to date; but there is still considerable further outlay to be incurred against capital, chiefly on account of rolling stock, the Kali Nadi bridge and other works in progress but not completed during 1880-81.

The following table shows the capital expenditure during the year a	nd to date :	
---	--------------	--

Heads of expenditure.	Regular Esti- mate, 1880- 81.	Expended during 1880-81.	Expenditure to 31st March 1880.	Total expenditure to 31st March 1881.	Sanctioned . Estimate (recast).
· · · · · · · · · · · · · · · · · · ·	Rs.	Rs.	Reiter	Re.	Re.
Preliminary Expenses Land Construction of lins Ballast and Permanent-way Stations and Buildings	1,00,900 1,79,000	10,845 22,124 1,15,760 1,91,874 1,62,060	21,832 81,197 8,00,631 12,16,469 1,48,818	82,177 53,821 4,16,391 14,07,843 8,10,878	82,418 61,024 4,40,124 14,80,773 8,66,503
Total Construction Account	4,55,100	5,02,163	17,18,447	22,20,610	. 23,69,841
Plant	5,32,600	5,29,858	21,405	5,50,763	43,403 6,02,000 2,02,608
Total Final Heads Suspense Accounts	16 700	11,00,548			82,17,747
Grand Total		10,69,051	19,76,908	80,45,959	64+

The actual expenditure in 1880-81 was Rs. 10,68,956-

					۲.	Re.
English	* * ***	***	•••	***		8,57,85 8
Indian		*** '			***	7,11,098
against a budget g	rant of I	Rs. 10,40,00	0	· -	• **	. r _ž
English		\$ * *	* ***	4#=	***	3,44,000
Indian -	E # 7	\$\$\$.	- ****		***	6, 96,000 ·
or an excess during	, the year	r of Rs: 28,	956			
English	**	***	***		***	13,858
Indian						15,098

The original sanctioned estimate, Rs. 32,23,021, has not been exceeded; but as there had been considerable differences in heads of expenditure due to alterations found necessary from time to time, it was recast during the year, and finally stood at Rs. 32,17,747. The increases on some heads were more than covered by savings in others, especially under permanent-way, due to the favorable terms on which the rails were procured.

The principal works executed during the year and the condition of the line on the 31st March 1881 were as follows :---

I.---PRELIMINARY EXPENSES.

Completed in previous year.

. . . .

II.-LAND.

Nearly all the land required, taken up and paid for during the year.

III.-CONSTRUCTION OF LINE.

Earthwork .- The small proportion left unfinished in 1879-80, completed during the year.

Bridgework.—Completed during the year, except the Kali Nadi bridge in 69th mile (5 spans of 60 feet each), where two of the wells gave trouble. A diversion was constructed to carry the line, pending the completion of this bridge, which has since been finished and passed by the Consulting Engineer on the 30th June 1881.

Level-crossings, &c.--Nearly all completed during the year, one or two gates only at the Farukhabad end remaining unfinished.

Fencing .- Almost completed to the extent proposed for the line at present.

IV.-BALLAST AND PERMANENT-WAY.

Completed during the year, except at the Kali Nadi bridge.

• • ·

V.-STATIONS AND BUILDINGS.

Completed during the year, except the goods-sheds at Bilhaur and Gursahaiganj and some of the staff quarters at roadside stations.

-PLANT.

Completed during the year.

VIII.-ROLLING STOCK.

Locomotives.—Ten E class tender engines erected at Cawnpore departmentally, and completed in time to do a good deal of the work of laying the line and moving ballast.

Carriage and Wagon.—The manufacture was entrusted to the shops of the Oudh and Rohilkhand Railway at Lucknow, and there was some delay in delivery, no passenger carriages being ready when the line was first opened. The total number delivered by 31st March 1881 was—

			-		· · ·			
	ard class carriages	1. ju 🖗			4.9.9.	i Wa	- 37	*
·.,	Brake-vans	6 %. R	•	***	¥5. - 14. ≣+4 +7	1888 - 24 - 24 77 , 77 € 4,98°	7	
	Covered goods wagons			***	***	•••	150	
	Low-sided trucks	• • •	•	424	•	***	50	. ,
	Timber trucks	* 1.6		Transa		1 • •	10	
		•	•		and a second			•
	·	•	•				254	• •
•			.				· · · ·	3

The old telegraph line to Fatehgarh was dismantled by the Telegraph Department during the year, and a new line put up along the Railway. Every station is in connection with it, and the Government office at Fatehgarh has been abolished and the business transferred to the Railway offices.

The head-quarters of the open line were located at Cawnpore, and amalgamated with those of the Muttra-Hathras Railway, both lines being placed under one Engineer-in-Chief and Manager.

This short branch line, 12 miles in length, connects the Ganges at Tari Ghat, opposite Ghazipur-Dildarnagar Railway. (5' 6" gauge. It was opened for traffic on the 5th October 1880, and has since been worked by the East Indian Railway under an arrangement entered into between the Government and that Company.

The capital expended on this line up to \$1st March 1881 is Rs. 5,93,539, which for 12 miles gives a cost of Rs. 49,402 per mile without rolling stock, which is found by the East

4-	• ÷	OFFICIAL	YRAB, 18	80-81.				
Main heads of expenditure.	Budget Estimate	Regular Estimate.	Outlay.	Deduct receipts on Capital account.	Net expendi- ture.	Net expendi- ture to end of previous year adjusted to Imperial in the accounts for 1880-81.	Net expenditure to end of 1880-81.	Sanctioned Estimate,
	Re.	Rs.	Rs.	Re.	Rs.	Ra.	Rs.	 Ra.
Preliminary Expenses	- -	191	5	: 191	. 5	2,213	2,218	2,625
Land		1,900	-1,906	e 141	1,906	2,748	4,049	7,876
Construction of line	7,000	18,200	7,005	197	. 6,808	68,505	75,318	1,00,659
Ballast and Permanent-way	15,000	55,000	55,712		65,712	2,94,388	8,50,100	4,19,182
Stations and Buildings	19,500	> 59,900	65,896	8	65,893	81,026	96,919	73,502
Total Construction Account	41,500	1,80,000	1,29,924	200	1,29,724	8,98,875	5,28,599	6,03,843
Plant	- 2,000	1,000	2,804		2,304	4,285	6,589	4,200
Steam Ferries	*." m		** *	t a ú		115	411	+48
Rolling Stock	*etu	· 1)8			·	1.181		*5*
Establishment	5,500	10,000	12,926	1	12,925	45,426	59,351	26,108
Total Expenditure on Final Heads	49,000	1,41,000	1,45,154	201	1,44,958	4,48,580	5,93,539	6,84,151
Suspense Accounts		1,000		***		8,749	* ***	+1+
Grand Total Expenditure	49,000	1,40,000	1,41,405	2 01	1,41,204	4,52,835	5,93,539	6,34,151

Capital Appropriation and Outlay Account, 1880-81.

The actual expenditure in 1880-81 was Rs. 1,41,204, all in India, against a budget grant of Rs. 1,40,000, an excess during the year of Rs. 1,204, which is covered by savings on the Muttra-Hathras line. The total of the sanctioned estimate, Rs. 6,34,151, has not hitherto been exceeded, though there have been considerable excesses on some heads, especially construction of line and ballast and permanent-way, principally to meet the views of the East Indian Railway officials and the Consulting Engineer for Guaranteed Railways. But the expenditure to date by no means represents the total probable capital outlay required, as the Consulting Engineer for Guaranteed Railways, Calcutta, and the East Indian Railway authorities both represent that a considerable further expenditure, roughly estimated at two lakhs of rupees, is necessary before the line can be considered completed or be worked efficiently.

The details of these requirements are under consideration; but it is evident that if they are carried out, the sanctioned estimate, Rs. 6,34,151, will be very considerably exceeded and the line will be a very expensive one, costing between Rs. 60,000 to Rs. 70,000 per mile, without rolling stock.

This line, 22³ miles in length, is still under construction on the metre gauge, 3' 3⁴". Muttra-Achneyra Railway. State Railway, pending the completion of the Jumna bridge at Muttra and the Cawnpore-Farukhabad Extension vid Khasganj, after which it should form a section of a through provincial Railway from Cawnpore to Achneyra. It was originally surveyed by the Rajputana Railway authorities in 1878, and a portion of the earthwork was executed by famine labor in the same year, the expenditure to end of 1879-80 being Rs. 53,108 against a sanctioned estimate of Rs. 4,61,806. Nothing further was done until 1880-81, when funds were provided, and after revision of the surveys a revised estimate was sanctioned for Rs. 7,03,360, and construction recommenced, against which the total capital expenditure to date is Rs. 4,61,806. The estimated cost per mile for 22³ miles is Rs. 30,916, without rolling stock, which for the present will be found by the Rajputana Railway. The following table details the capital expenditure during the year and to date against the revised estimate :--

		Oppicial	, YEAR, 1	= 880-81.		outs outs	\$	esti-
Main heads of expenditure.	Budget esti- mate.	Regular esti- mate.	Outlay.	Deduct	Net expendi- ture.	Net expenditure to end of previous year.	Net expenditure end of 1880-81.	Sanctioned e mate.
	Rs. 💐	Rs.	Rs.	Rs.	Rs.	Rs.	Rs.	Rs.
Preliminary Expenses Land Construction of line Ballast and Permanent-way Stations and Buildings	1,000 2,500 45,602 1,71,732 40,659	800 2,000 42,500 2,85,000 34,000	746 2,037 48,559 88,108 34,286	14	746 2,023 48,559 88,108 34,286	892 6,955 36,929	1,638 8,978 85,488 88,108 84,286	1,892 11,037 89,170 4,73,861 71,430
Total Construction Account	2,61,493	3,64,300	1,73,736	14	1,73,722	• 44,776	2,18,498	6,47,390
Plant Steam Ferries Rolling Stock Establishment	4,518 34,889	1,000 25,000	1,980 23,612	4 •	1,976 23,612	, 8,332	1,976 81,944	5,376 50,594
, Total Expenditure on Final Heads	3,00,900	3,90,300	1,99,328	18	1,99,310	53,108	2,52,418	7,03,360
Suspense Accounts	2,49,100	9,700	2,09,388	kan .	2,09,388		2,09,388	•**
Grand Total Expenditure	5,50,000	4,00,000	4,08,716	· 18	4,08,698	53,108	4,61,806	7,03,360

Capital Appropriation and Outlay Account, 1880-81.

The English expenditure booked was only Rs. 2,175 against a provision of Rs. 1,50,000, chiefly for permanent-way materials.

The total Indian expenditure during 1880-81 was Rs. 4,06,523 against a budget grant of Rs. 4,00,000, or an excess of Rs. 6,523, which is covered by savings in the Muttra-Hathras line. The following was the state of work on this line on 81st March 1881:---

I.-PRELIMINARY EXPENSES.

Completed during the year.

II.-LAND.

Nearly all the land required taken up and paid up for at the close of the year.

III.-CONSTRUCTION OF LINE.

Earthwork.—All the earthwork previously completed by famine labor dressed to formation level and turfed, and work completed during the year.

Bridgework.—Completed during the year.

Level-crossings, &c.—Approaches completed. Gates and lodges not commenced. Fencing.—No provision made.

IV .--- BALLAST AND PERMANENT-WAY.

Ballasting.—Collection nearly completed during the 'year. Stone ballast for first six miles at the Achneyra end will be brought to line by ballast trains when rails are being laid. Along rest of line most of the under ballast laid along formation and top ballast collected at sides.

Permanent-way.—Sleepers collected, but only 200 tons of rails received to 31st March 1881, and no fastenings. Nothing could therefore be done towards laying the permanent-way.

V.-STATIONS AND BUILDINGS.

Stations and Offices .- All practically completed during the year.

Workshops and Store buildings .- No provision made.

Stoff quarters .- Completed, except servants' quarters at Muttra.

Station machinery.-Watering arrangements completed, but rest of work awaiting receipt of stores from England.

۵

VI.—Plant.

Only about one-fourth of the estimated expenditure incurred during 1880-81.

VIII.-ROLLING STOCK.

No provision made.

The line will be opened for traffic during 1881-82, but construction has been greatly delayed by non-delivery of permanent-way materials from England, especially the fastenings. If there is no further delay, it is anticipated that it will be completed by the 15th October 1881.

LINES UNDER SURVEY.

IMPERIAL FUNDS.

Orders were received in March 1881 to start the survey of a Railway system in the trans-Patna-Bahraich Survey. Gogra district of these Provinces. The main line would connect the north bank of the Ganges opposite Patna with the Nepalese frontier north of Bahraich via Gorakhpur, Basti, and Gonda, and such branch lines as might appear desirable as feeders were also to be surveyed. Field work was not actually commenced during the year, but preliminary operations were undertaken, the expenditure to date being Rs. 4,318 from Imperial funds.

PROVINCIAL FUNDS.

۰.

<u>а</u> 1

The projects already prepared by the North-Western Provinces Government for a trans-Gogra Railway system differed from that now under survey only in running south from Gorakhpur to the Oudh and Rohilkhand Railway at Jaunpur, instead of towards Patna.

the construction of a bridge over the Jumna at Muttra, will form a complete provincial system on the metre gauge, joining the Rajputana Railway at Achneyra. There can be no reasonable doubt that such a line would not only in itself be most desirable in the interests of these Provinces, but also be a valuable feeder to the Rajputana Railway.

The estimate, amounting to Rs. 48,000, for preliminary expenses was sanctioned, and Rs. 8,000 allotted from Provincial funds during 1880-81.

·)建作 件

Survey operations were commenced in December 1880, and at the close of the year the complete line, 102 miles in length, from Farukhabad via Kaimganj and Khasganj to Hathras Road, had been permanently set out, levelled and check-levelled, and field work completed.

The project is being vigorously prosecuted, and the estimate will shortly be submitted, with a view to sanction being obtained and funds provided in 1882-83. The expenditure during the year and to date is Rs. 5,249.

This line was originally proposed on the metre gauge direct from Cawnpore to the Jumna Bhaupur-Kalpi Survey. from Cawnpore to Ranipur; but, at the instance of the Government of India, the Kalpi line is being resurveyed as a broad gauge line, joining the East Indian Railway at Bhaupur. This line, if carried across the Jumna and joined to the Gwalior-Bhopal system, would give a direct outlet from Rohilkhand to Bombay without break of gauge. The original estimate for preliminary expenses amounted to Rs. 10,000, but a revised estimate was subsequently sanctioned for Rs. 16,000, and Rs. 11,000 allotted from Provincial funds during 1880-81. The complete line, 33 miles in length, was permanently set out, levelled and check-levelled, and field work completed during the year.

R.

	Total		11.097
Broad gauge line, Bhaupur to Kalpi	4 7 7	***	8,366
Metre gauge line, Cawnpore to Kalpi	•		2,731

The expenditure in the metre gauge line was incurred in preparing for anticipated famine relief work in September 1880 before the broad gauge line was determined upon.

This is a metre gauge line from Bareilly to Pilibhit, and is the continuation of a through Bareilly-Pilibhit Survey. (Kheri), and Gola Gokarnath towards Bareilly. The present project leaves the proposed Bareilly-Ranibagh Railway about 42 miles north of Bareilly; but it is a question whether, if the latter undertaking is really to be carried out, it would not be better to run into it at Richah, about 21 miles further north, and so shorten considerably the new line from Pilibhit.

The first estimate for preliminary expenses was sanctioned for Rs. 36,357, and Rs. 11,000 allotted from Provincial funds during 1880-81; but the estimate was subsequently revised, and now stands sanctioned for Rs. 54,248. The surveys, which had been in abeyance since 1879-80, were taken up again on a new alignment in October 1880, and the complete line, 33 miles in length, was permanently set out; levelled and check-levelled, and all field work- completedduring the year.

This project, which has since received the sanction of the Secretary of State as a productive public work, is being prepared as rapidly as possible, that the estimate may be sanctioned and funds allotted for construction in 1882-83.

The total expenditure to date on preliminary expenses is Rs. 42,920, of which Rs. 11,632 was during 1880-81 on the revised project.

The following table shows the Capital outlay during the year on Railways in these Provinces :--

Railw	•	•	Amount.	Increase and decrease of suspense balance.	Total.
Productive 1	PEBIAL. Public Works.	· · · · · ·	Rs.	Rs.	Rs.
C			2,541 1,44,953 11,00,453 1,99,310	$ \begin{array}{r} - 11,691 \\ - 3,749 \\ - 31,497 \\ + 2,09,388 \end{array} $	9,150 1,41,204 10,68,956 4,08,698
	Total		, 14,47,257	+ 1,62,451	16,09,708
Patna-Bahraich	vey s , 		1,018	+ 3,300	4,318
	• Total	۲۳۳۰ م	1,018	* - + 3,300	4,318
Sur Bareilly-Pilibhit Mau-Ranipur Banda-Manikpur Jaunpur Gorakhpur Gorakhpur	λ λ λ λ		$ \begin{array}{r} 10,676 \\ -1,461 \\ -,1,596 \\ -,634 \\ -,637 \\ -,531 \\ -,846 \\ 530 \\ 11,083 \\ 5,200 \\ \end{array} $	+ 956 + 14 + 49	$ \begin{array}{r} 11,632 \\ - 1,461 \\ - 1,596 \\ - 634 \\ - 637 \\ - 531 \\ - 846 \\ 530 \\ 11,097 \\ 5,249 \\ \end{array} $
۰ م	Total		21,784	+ 1,019	22,803 ,

GENERAL.

The following is the total Capital expenditure during the year and to date on all State . Railway projects in these Provinces :---

	-				. OUTLAY.	
P	rojects.			To 31st March 1880.	During 1880-81.	Total on 31st March 1881.
Muttra-Hathras Ghazipur-Dildarnagar Cawnpore-Farukhahad Muttra-Achucyra Imperial Surveys Provincial Surveys	•••• ••• ••• •••		544 545 545 545 545 545 545	Rs. 10,95,620 4,52,335 19,76,793 53,108 3,56,201	Rs. 9,150 1,41,204 - 10,68,956 4,08,698 4,318 22,803	Rs. 10,86,470 5,93,539 30,45,749 4,61,806 4,318 3,79,004
¢	· ·	Total	** *	39,34,057	16,36,829	55,70,886

BENG₄

The following Railways and Tramways under the administration of Bengal are either in course of construction, under survey, or projected :---

Under construction.

I. The Tirhoot State Railway Extensions to Pipra Ghat and Bettiah.

. II. The Calcutta and South-Eastern State Railway to Diamond Harbour.

III. The Kaunia and Dhurla Steam Tramway.

IV. The Darjeeling Steam Tramway (a portion open for traffic).

Surveyed or projected.

- I. The Northern Bengal State Railway Extensions to Dinagepore and Caragola,

II. The Dacca and Mymensingh State Railway.

III. The Bengal Central Railway.

د ` <u>م</u>

IV. The Palamow, Daltongunge and Baroon Railway,

V. The Chota Nagpore Railway.

VI. The Deoghar Steam Tramway.

The following information regarding these lines is extracted from the Progress and Administration Report of the State Railways in Bengal for 1880-81.

Extensions to Bettiah and Pipra Ghat.—The construction of the extensions Muzaffarpur to Tirhoot Railway Extensions. 28 miles, sanctioned in July 1880, has now been commenced, the work being carried out by contract.

The most important works are the Dundah, Dhanauli, Kharwa, and Bolan bridges, but, except these, there are no works of any magnitude on either section; and although (vide the Contract) the lines should be completed by December 1882, they should, if the works are carried on expeditiously, be opened some months before that date. The estimates amount to 44 lakhs of rupees; but this sum is likely to be exceeded, and the Secretary of State's sanction to an outlay of sixty lakhs has been obtained.

These extensions pass through highly cultivated and populous districts, and tapping, as they will, the product of Nepal and North Behar, may be expected to vastly increase the traffic of the Tirhoot line.

Extensions to Sonapur and Diamond Harbour.—From Sonapur, a station on the 10th Calcutta and South-Eastern Bailway, mile from Calcutta, the line is to be extended (on Extensions. * already under construction, and the remaining portion to Diamond Harbour, a length of 28% miles. The section to Magra, 15 miles, is already under construction, and the remaining portion to Diamond Harbour will shortly be put in hand as a feeder road, pending sanction of the Government of India to its construction as a railway. There are no works of any magnitude on this extension, and the line to Magra should be completed and ready for opening in April 1882. The estimated cost is Rs. 22,09,199, or Rs. 76,842 per mile. The work is being carried out from Provincial funds, under the supervision of the Superintendiog Engineer, Central Circle. The expenditure to 31st March 1881 was Rs. 1,29,089, against a budget allotment of Rs. 2,23,700. The construction of this branch, it is anticipated, will bring a great increase of traffic to the line, tapping, as it does, a large rice-producing district.

Orders were issued by Government for the construction of this tramway as a provincial Kaunia and Dhurla Tramway. opposite Kaunia, the terminal station of the Rangpur branch of the Northern Bengal Railway; and the alignment from there to the Dhurla river is for 15 miles on a new embankment and 5 miles along an existing road. The gauge is 2' 6" and the permanentway 25-lb. steel rails on sal sleepers. There were no heavy works involved, the estimated cost being Rs. 4,65,952, against which to the 31st March there had been an expenditure of Rs. 4,26,496. At that date the line was nearly completed; but certain conditions required by the Consulting Enginess to Government not having been carried out, the opening was delayed, and has now been fixed for the 1st August. It will, when opened, be worked as part of the Northern Bengal Railway system, and will provide a quicker and more direct and convenient communication between Calcutta, Western and Central Bengal, and Assam.

[Bengal.

The tramway, starting from the Siliguri terminus of the Northern Bengal State Railway, Darjeeling Steam Tramway. the 23rd August 1880; the second to Sonada, 91 miles, on the 1st February 1881; and the third length, Sonada to Jore Bungalow, 51 miles, was reported ready for opening on the 24th March Since the completion of the financial was the whole length to Device in the the March. Since the completion of the financial year, the whole length to Darjeeling has been A X n and a second opened for traffic. • • •

There have been no serious accidents during the year, but cases of rolling-stock running off the line are not exceptional. The progress in completing the line has been retarded for various reasons inseparable from so difficult an undertaking.

The traffic arrangements, so far, have not been altogether satisfactory; and this, combined with the deficiency in rolling-stock, has caused on several occasions a complete block at Siliguri. Though the rolling-stock is fully up to the requirements of the contract, it is not up to the requirements of the traffic, which has exceeded expectations, and it is now, certain that this requirements of the traine, which has executed unpred by Government. will be considerably in excess of the amount guaranteed by Government.

SURVEYED OR PROJECTED. Dinagepore Branch and extension to the Ganges.—It has been proposed to construct from Provincial funds a branch Railway from Parbatipur Northern Bengal Railway Extension. Discourse of 10 miles of to Dinagepore, a distance of 19 miles, at an estimated cost of Rs. 11,91,083. The general question of short branch railways as ordinary provincial public works having been referred by the Government of India to the Secretary of State, pending his reply, the work will be put in hand as a feeder road, to be completed hereafter as a railway, should sanction be given; and a nand as a receder road, to be completed hereafter as a ranway, should salication be given; and a grant for this purpose of Rs. 4,50,000 has been set aside for the current year. In connection with this, and a recommendation made by the Labour Emigration Commission, a reconnaissance has been carried out for a railway to a point on the Ganges opposite Sahibgunge, and is still under consideration.

The survey and project of this Railway were prepared in 1879. The object is to connect Dacca and Mymensingh Survey. bf railway from Goalundo to Calcutta, and to open out the intermediate country, a tract for the most part densely populated and rich in agriculture, but at present ill-provided with internal communications or means of disposing of its produce. The total length is 128 miles and the estimated cost 126 lakhs. This very high rate is chiefly due to the bridge over the Dullassery river, which alone is estimated at 18 lakhs.

The Lieutenant-Governor is of opinion that, for many reasons, it would be better to connect Goalundo with Naraingunge by a good ferry, and thus save the expensive portion of the work. This line, it must be remembered, will probably form the first link of railway communication with Assam. The project has been approved generally by the Government of India, and has been recommended for sanction by the Secretary of State, with a proposal that it should be put next in hand on completion of the Tirhoot Railway extensions, the sections between Narain. gunge, Dacca, and Mymensingh being first constructed.

As preliminary surveys only have been made, the line should be finally located, and detailed estimates submitted during the cold season of the current year, in order that when funds, are available there may be no delay in making an early commencement.

The surveys for these railways were carried out in 1878, 1879, and 1880, and the several projects detailed below were submitted to the Government of India for sanction in April 1880 :----Bengal Central Railway,

I.-From Mymari on the East Indian Railway to Ranaghat on the Eastern Bengal Railway, 341 miles.

II.-From Santipur to Bhagwangola on the Ganges, north of Moorshedabad, 83 miles. · · · ·

III.-From Banaghat to Jessore and Kulna; 823 miles.

IV.-From Bongong to Calcutta, 47 miles.

Of these lines, III and IV are to be constructed at once by a public company, entitled the Bengal Central Railway Company, Limited, for the formation of which negotiations have been entered into between the Secretary of State and Messrs. Rothschilds. The terms of the agreement thus entered into are given in extenso on next page.

46

Bongal.]

At the close of the financial year, the declaration for the land required had been published, and arrangements were in hand for the immediate commencement of the earthwork on the sections Ranaghat to Bongong and Dum-Dum to Baraset. These have since been completed. The first sod was turned on the 12th May last; and considering the lateness of the season when operations were commenced, and the unusually heavy and early rains, good progress has been made. **₽** ^н 1 1

Proposals have been received from Messrs: Burn and Company to construct a line of Railway Palamow Project. sive coal-fields of Palamow. Certain concessions have been promised to the projectors, including a free gift of the land required for the line and a right to establish on the canal between Baroon

and Buxar a system of hauling boats by means of a clip drum along a wire rope fixed on the bed of the canal, the Company undertaking to carry the mails free, and to work the passenger and goods traffic within a maximum tariff to be laid down by Government." ĩ.

The Company above referred to have also asked for concessions in respect of a Railway Chota Nagpore Project. East Indian Railway and Raigarh, the point to which the Central India (Nagpur) State Railway is to be constructed, a considerable length of which is already in hand. which is already in hand. -

This Railway would reduce the distance from Calcutts to Bombay by some 210 miles, besides opening out several important coal-fields in Chota Nagpore, and serving a large tract of a rich agricultural district, at present completely trade-locked for want of better means of communication. It would probably be constructed on the broad gauge, as it will eventually form one of the trunk lines of the Indian. Railway system, and the slight saving in cost that would be effected in constructing it on the narrow gauge would only probably result in heavy expenditure hereafter.

It is proposed to form survey parties during the cold season of this year to thoroughly examine the country, prepare preliminary surveys, and investigate the trade prospects of the line.

The projectors propose to construct the line on the metre gauge, and have guaranteed to complete it within twelve months of the date of Government making over the land to them. The estimated cost is Rs. 2,50,000, which will cover all expenditure, including equipment and rolling-stock. This work will probably be put in hand at an early date.

BOMBAY AND CENTRAL INDIA. Real and the second second

e a 21 1

The Rajputana line, having been opened throughout on the 1st January, Rajputana Railway. 1881, is treated of in the following. chapter,

₹***** .

. The Holkar and Sindia-Neemuch Railways were open from Khandwa to Holkar and Sindia-Neemuch Section. Butlam,* with a branch from Fatehabad

 Khandwa to Rutlam
 Fatehabad to Uijain. 12 Fatehabad to Ujjain

х Э. м

During the year the following extensions northwards were opened-

			Miles.	- Date of opening.
-	Rutlam to Jaora	* 	203	25th February 1880
	Jaora to Mandsaur	· · · · ·	31	8th April 1880
•	Mandsaur to Neemuch	74 7 ₽ 4 ₹ ₹	30≟	2nd July 1880

bringing the line into its northern terminus at Neemuch.

Neemuch-Nasirabad Section.

Neemuch to Chittor 277 Branch from Fatehabad to Ujjain 12 239

Meanwhile work had also been proceeding on the section between Neemuch and Nasirabad; and a portion of it from Neemuch to Chittor, 33³ miles, was thrown open to traffic on the 10th March 1881, making a total of 289 miles* opened through from Khandwa in the direction . of Ajmere.

This leaves a gap of 100 miles still to be completed between Chittor on the south and Nasirabad on the north. Rails have since been laid nearly throughout this length, the platelaying being pushed on from both ends of the gap; and it is expected that the line will be opened throughout from Khandwa to Ajmere, with diversions at some of the larger bridges, in November 1881, and that it will be completely bridged before the rains of 1882.

The following extracts are taken from the Administration Report of the Railway Department in the Bombay Presidency for the year under review :---

e min e t Holkar and Sindia-Neemuch Railways. The new joint goods station at Khandwa for the interchange of traffic with the Great Indian Peninsula Railway Company was proceeded with.

The temporary workshops at Khandwa were extended, and the materials of the work-shops at Ahmednagar, removed on the transfer of the Dhond and Manmad Railway to the Great Indian Peninsula Railway Company, were transferred to Khandwa for the construction of an engine-erecting shop. In addition to the above, the following works were carried out; viz., -weighbridge and carriage examination pit at Mhow ; staff quarters at Khandwa ; third and fourth class waiting accommodation at Sanawal, Barwai, and Mhow ; and Police lines at Indore. Seven Fairlie engines ordered out for the Kandahar Railway were, on its being finally deter-mined not to carry it beyond Sibi, sent to Khandwa to be used on the Choral Ghat. They have not yet been put to work, a question having been raised as to their being in excess of the weight admissible on the iron girder bridges on the Ghat. The result of further inquiry has been to show that they can be used without materially altering the bridges, and they will probably be brought into use next season.

The question of the supply of wood fuel from the Punassa forest reserve was further discussed, and a survey was made for a tramway from Mortukka station to Punassa in the, forest, distant about 24 miles. The tramway is estimated as likely to cost Rs. 2,96,113, or Rs. 12,338 a mile; and it has to be ascertained whether its construction would pay, this depending on the quantity and price of the fuel which it would enable the Forest Department to deliver for use on the Railway,

The charge of the Neemuch-Nasirabad Railway was transferred to the Government of Neemuch-Nasirabad Railway. Neemuch-Nasirabad Railway. Neemuch-Nasirabad Railway. Neemuch-Nasirabad Railway. Neemuch-Nasirabad Railway.

The following is a description of the works in progress during the year 1880-81 :---

First Division, 44 miles.—Of this division, 333 miles, from Neemuch to Chittor, were opened for traffic on 10th March 1881, the line being complete and stations (except Satkunda) practically so. It forms an important section, with some comparatively heavy work in bridging. The rest of the division, not yet opened, is in a forward state, all bridging practically finished, except flood-openings to the Berach, which are well in hand, and the Berach bridge, 4 spans of 100 feat the founds of which are complete and macon means of 100 feet, the founds of which are complete and masonry commenced.

Second Division, 36 miles. - On this division progress was most satisfactory ; earthwork nearly completed; minor bridging also; major bridging well advanced, except at the Banas, 18 spans of 100 feet, where the foundations proving deeper and more troublesome than anti-cipated, delay resulted from various causes connected therewith.

Third Division, 541 miles .- The progress on this division, third subdivision and earthwork throughout excepted, was not satisfactory up to 31st December 1880. This was partly due to scarcity of stone, to the employment on part of the line of an inefficient and careless European petty contractor, and to other local causes. Arrangements were made early in January for facilitating and expediting the progress of masonry, and leading stone by train was resorted to. Since then progress has been all that could be desired.

Platelhying from the Neemuch end was finished on 12th May 1881, and would have been so from the Nasirabad end, making the line complete throughout prior to 15th May, if per-manent-way had been delivered according to requirements at Nasirabad. At the Neemuch end Company.---

there are 2 engines, 65 wagons, and 2 brake-vans in use; and at the Nasirabad end 2 engines, 41 wagons, and 2 brake-vans. On the approach of the monsoon all construction train-running between Chittor and Nasirabad will cease, and the line be made fit for the passage of flood water.

It has only been found necessary to introduce a few minor diversions, which will be lifted before 15th November 1881, those of importance at the Berach, Banas, Kothari, Mansi, and Khari rivers remaining in till the bridges over these rivers are finished.

The progress of the gap in the Sindia line, which is still under construcsindia Railway. Progress Report for 1880-81. Chambal Bridge. Inne from Agra to Gwalior being now worked by the East. Indian Railway

Earthwork.—The heavy banks north and south of the Chambal bridge were rapidly pushed on and wellnigh completed when the year closed.

Bridgework : Minor bridges.—All the, minor bridges and culverts are finished, as stated in previous reports.

Large bridges.-Chambal Bridge-2 spans of 150 feet and 12 spans of 200 feet.

Before the commencement of the year.

First 7 spans completed, including erection of girders. Nos. 8 and 9 niers were raised to unper

Nos. 8 and 9 piers were raised to upper ashlar level. No. 10 pier was raised 66 feet high from

lower ashlar platform. No. 11 pier was raised 21 feet high from

lower ashlar platform. No. 12 corbelling was finished to lower

ashlar platform.

No. 13 sinking was nearly finished.

South abutment-About 8 feet of corbelling done.

Koari Bridge-3 spans of 100 feet and 2 spans of 40 feet, finished.

Asun Bridge-3 spans of 100 feet, finished.

Sank Bridge-3 spans of 100 feet, finished.

Gwalior Nala-3 spans of 40 feet, finished.

- Level-crossings.-The sanctioned number of level-crossings and gate lodges finished, except one level-crossing on Chambal Diversion.

Fencing.—The line has been fenced, except the length between Dholpur and Hetampur, , which is in fair progress.

Ballasting is nearly complete. A great push has been made to get it finished.

Permanent-way.—All the sidings at minor stations have been laid during the year. Rails have been laid on the Chambal bridge, and very little remained to link in the unopened section when the year closed. Some sidings remain to be finished at Gwalior station.

Stations and Buildings.—The goods-shed and engine-shed at Gwalior have been completed during the year. The pump-house at Gwalior station and the well for the use of the staff at the Morar troop-platform station have also been finished.

Expenditure.—Owing to the non-completion of works in time to admit of the final settlement of all accounts before the close of the current year, and to the sale of 80,000 sleepers to the East Indian Railway, there was a great saving over the original grant assigned for outlay in India during the year.

General remarks.—The bridge was expected to be opened by the end of March. This hope was not realised, as the erection of the water span was more difficult than was anticipated.

. The work has been well carried out by Messrs. Glover and Company.

At the end of the year. All the spans completed, with the exception of the girders for the spans from pier No. 13 to south abutment, which were in course of erection when the year closed.

c

		Orneu	L YRAR, 1880-(31.		Net expend			
Main heads of expenditure.	Budget Estimate.	Regular Estimate.	Outlay.	Outlay. Deduct receipts on Capital account. Net ex- penditure.		iture to end of previous year.	Net expendi- Jure to end of 1880-81.	Sanctioned Estimate.	
Preliminary Expenses Land Construction of line Ballast and Permanent-way Stations and Buildings Total Construction Ac- counts Plant Steam Ferrics Rolling Stock Establishment	Rs. 7,35,000 1,94,000 12,000 9,41,000 5,000 97,000 76,234	Ra. 10 4,79,095 -23,651 39,758 4,95,212 4,582 17,091 57,409	Rs. 10 4,38,049 -23,077 33,672 4,48,654 4,661 17,091 45,369	Rs. 485 485 15	Rs. 10 4,38,049 -23,077 33,187 4,48,169 4,661 17,091 45,354	41,80,392 21,23,100 5,86,488 71,75,356 31,085 97,957	Rs. 2,64,859 20,527 46,18,441 21,00,023 6,19,675 76,23,525 35,746 1,15,048 5,44,651	Rs, 2,64,859 20,499 49,20,706 23,08,250 6,31,404 81,45,718 37,655 2,00,000 6,59,546	
Total Expenditure on Final Heads Suspense Accounts Grand Total Expenditure	11,19,234 1,19,000 10,00,234	5,74,294 2,811 5,77,105	5,15,775 14,149 5,29,92 4	500 500	5,15,275 14,149 5,29,424	·[83,18,970 21,338 83,40,308	90,42,919	

Capital Appropriation and Outlay Account, 1880-81.

Distribution of Outlay by Funds to which chargeable.

		PRODUCTIVE P OUT	UBLIC WORKS	ORDINARY	OUTLAY.	Incorporated Local Funds.	Foreign		
		Imperial.	Provincial.	Imperial.	Imperial. Provincial.		Funds,	Grand Total.	
	•	Rs.	Rs.	Rs.	Rs.	Rs.	Rs.	Rs.	
During the year		4,99,066		***	111	114	•••	4,99,066	
To close of the year	ş#1	67,07,472	 	1,70,917	***	₿₩£.	, [*] 162	68,78,389	

The line* has been finally surveyed and staked out from Bijapur to Bhagalkot, the earthwork on the section from Hotgi to Bijapur having Bombay Eastern Deccan Railway.

* Administration Report of the Railway De-partment, Bombay Presidency, for 1880-81. Engineer's approximate estimates arebeen nearly completed as a famine work in the year 1879. The country between Bijapur and Bhagalkot is somewhat difficult; and the Executive

For a fair-weather line-		Miles.	Rs. per mile.
Hotgi-Bijapur		59	. 37,516
Bijapur-Bhagalkot	1	561	48,143
For a finished line—			:
Hotgi-Bijapur	***		70,767
Bijapur-Bhagalkot	a.	*** 4**	86,271

the above being for a railway on the metre gauge.

The detailed design and estimates for the bridges have still to be worked out. It will probably be considered advisable to construct the fair-weather line first, and proceed with the bridges and permanent buildings as funds can be provided.

As there is little hope of the line earning, in ordinary years, sufficient to pay the interest on capital outlay, economy should be studied in every possible way; and as rapid construction generally conduces to economy, it is hoped that, whenever it is decided to undertake this Railway, sufficient funds will be provided to complete it, as a fair-weather line, within the first year.

There will be no difficulty as regards the Bijapur Section, the earthwork being already nearly done ; but the Bagalkot Section will be a much heavier task, as will be evident from an inspection of the section. Ó

Barsi Survey.

The necessary funds for the Barsi surveys were supplied from Provincial revenues.

A favorable line has been obtained. It is 33 miles long, stafting from the Great Indian Peninsula Railway station at Barsi Road and terminating at the Bhima river, the town of Pandharpur heing situated on the opposite bank of the river. The approximate estimate of the

Executive Engineer, for a line on the 5' 6" gauge of first class construction, similar to the Dhond and Manmad Railway, amounts to Rs. 15,52,877, or Rs. 47,057 a mile, exclusive of rolling stock; but this estimate can be considerably reduced by the use of second-hand permanent-way materials, and dispensing, for the present, with permanent buildings. The project has not yet been reported on by the Consulting Engineer, as it is the intention to submit it at the same time as that for the Barsi Road, Barsi Branch, which is under preparation.

To bridge the Bhima and take the line into Pandharpur would add some five lakhs to the estimate ; and this work must, in any case, be deferred.

CENTRAL PROVINCES.

On the 6th April 1880 the line was opened between Nagpur and Tumsar, Nagpur and Chhattisgarh Railway. passengers. It was subsequently opened for passenger traffic as under:-

•		+		Miles.	Date of opening.
	Nagpur to Kampti	1.1.2	411	9	26th July 1880
	Kampti to Tumsar	• * •		44	8th November 1880

Since the close of the official year the line has been opened for general traffic to Amgaon, 81st mile.

Construction works were pushed on on the unopen line, and by the end of the year a total of 88 miles of rails were laid, including a temporary diversion cacross the Wain Ganga river.

Difficulties were experienced in obtaining a sufficient amount of sleepers and in carrying out the works in the tunnels at Darakussa, owing to the hard and fissured nature of the rock.

An extension survey was made from Dongargarh, the terminus of the line, Extension survey. to Raipur (62 miles) vid Nandgaon (19 miles). The construction of the section to Nandgaon was subsequently commenced.

The survey from Nandgaon to Raipur was further extended to Bilaspur, and is nearly completed.

The question of the extension of the Nagpur and Chhattisgarh line to join the Bengal system of railways is under consideration.

The following extracts from the Central Provinces Administration Report supply information regarding the progress made on the construction works during the year:---

The line and station buildings, &c., were yet incomplete in details, and one bridge of three spans of 60 feet had still to be finished.

In the 2nd Division, extending from 51st to 94th mile, the works generally were half completed; and in the 3rd Division, or from 94th to 126th mile, about one-fourth was completed.

On the Wain Ganga bridge in the 2nd Division, the largest work on the line, one abutment was founded, and in two piers the masonry was brought up to near bed-level.

On the tunnel only 39 feet of headway were driven.

A grant of 20 lakhs was made by the Government of India for expenditure during 1880-81.

Of this sum, Rs. 1,48,300 had to be set aside on account of the previous year's grant having been exceeded by that amount.

The balance available was allotted with a view to opening up portions of the line as soon as possible.

The total expenditure on final heads during the year amounted to Rs. 26,28,486.

The total expenditure on final heads to the end of the year amounted to Rs. 54,39,860, and the debit to Suspense Account stood at Rs. 4,25,615, this head having been reduced during the year by Rs. 5,84,459.

The following statement shows the grants and outlay incurred in connection with the line up to the S1st March last :---

					1			
	<u></u>	OFFICIA	L YRAB, 188	30-81.	,	of	of	· -
				3		end	end	
				Capital		\$	\$, si
	ŝ	ate.		8	8	9 5 5	en	Sanctioned Estimate.
Main heads of expenditure.	Budget Estimate.	Regular Estimate.		Deduct receipta account.	Net expenditure.	expenditure vious year.	Net expenditure 1880-81.	ä .
	Å	а Ч		dact rec	then	ti expen previous	expe	one
	ldger	. Ing	Outlay.	Beco	eten	Net	1980 1980	nucți
· <u> </u>	Å	Ř	<u> </u>	Ā	Ä	X A	<u> </u>	
	Rs.	Rs.	Rs.	Rs.	Rs.	Rs.	R s .	Rs.
Preliminary Expenses	443	3.11	1 100		113	2,13,216	2,13,216	2,13,200
Land	10,000 9,51,000	5,000 8,59,900	177	б 1,503	172 9,98,600	9,029 9,09,085	9,201 19,07,685	35,700 28,80,100
Ballast and Permanent- way	5.10.000	5,00,000	3,91,517	- -	8,91,517	9.84.285	13,75,802	20.46.200
Stations and Buildings	2,00,000	8,15,750	2,76,387	237	2,76,150	2,77,789	5,53,939	9,99,500
Total Construction Ac-			10 00 104	-		00.00.404	10 10 0 10	
Counts Plant	16,71,000	16,80,650 88.950	16,68,184 99,802	1,745 87	16,66,439 99,765	23,93,404 96,866	40,59,843 1,96,631	61,74,700 3,79,700
Rolling Stock	2,92,000	5,81,500	6,73,408	12	6,73,396	84,971	7,08,367	9,80,000
Establishment	1,80,000	1,83,900	1,88,990	104	1,88,886	2,86,133	4,75,019	6,00,200
Total Expenditure on Final				1.000		00.11.07/		
Heads Suspense Accounts	22,59,000	25 ,35,000	26,30,384	1,898	26,28,486,	28,11,374 10,10,074	54,39,860 4,25,615	81,34,600
Grand Total Expenditure	21,70,000	20,05,000	20,45,925	1,898	20,44,027	88,21,448	58,65,475	81,34,600
)				0.0000

MADRAS.

In Madras 21 miles have been added to the open mileage, the followsouth Indian Railway. ing extensions on the South Indian Railway having been opened during the

	year :-	<u>→</u> .	U ,	· ·	Ŭ	
			Miles.	Date of o	pening.	
eleput to Walajabad			13	lst Augus	st 1880	

Chingleput to watajabad		***	10	Tay Muguar 1000
Walajabad to Conjeveram	, ** ! ! !	***	8	1st January 1881
		· • •		•

The bridge over the Gingee river on the Pondicherry Branch, consisting of seven openings of 150 feet, is approach-

Gingee Bridge. Whipple-Murphy type, and are similar to those in the other large bridges on the South Indian Railway, except that the struts are braced with lattice bars instead of plates. The temporary way was destroyed by floods, and work at the bridge generally delayed in November 1880. A thoroughly effective flooring is being put in here. Floors are also being added to all works in the Tanjore delta and to others which are not founded on rock, or which show signs of scour.

On the Chingleput-Conjeveram line the bridge of two 120-feet openings near Chingleput is in progress, as well as the new stations at Conjeveram and Arconum, and the goods-shed at the former place. The arrangements for supplying Trichinopoly and Tuticorin with better rates for locomotives have been completed.

A survey has been made for 48 miles for a line, designed as a protective Madura-Paumben Extension. Kilakarai. The line would probably run along the existing road for 21 miles out from Madura, and its total length would be 93 miles.

CL:....

ADMINISTRATION REPORT FOR 1880-81.

Proposals were also made by private companies for the construction of the following extensions on the Madras Railway :---

(1) From Metapaliyam to Cooncor.

(2) From Shoranur to Cochin.

The proposals for a line from Nilgiri-Rigi Railway Company. Madras by Messrs. Stanes and Company

as secretaries and treasurers. It is on a narrow gauge from Metapaliyam to Kullar at the foot of the Nilgiris, a distance of $5\frac{1}{2}$ miles, and runs thence at an average gradient of 1 in 8 up the Coonoor Ghat, a distance of $6\frac{1}{2}$ miles, an intermediate rack rail on the Rigi rail system being introduced on this Ghat section. The undertaking, it was considered, would develop the resources of the Nilgiri plateau, where the production of tea, coffee, and cinchona is gradually increasing, and would increase the traffic on the Madras Railway, and thereby diminish the subsidy which has now to be made good by the Imperial Exchequer; and permission has been given to the Agents of the Company to open out the trace of the line to a width of 3 feet between Kullar and Coonoor through Government waste land.

The Company, however, having subsequently asked for a Government guarantee of 4 per cent. on £150,000 for twenty years, the matter is still under consideration.

The projected line from Shoranur to Cochin, 59¹ miles, is on the broad Cochin and Travancore Railway Comgauge. Its construction is proposed by an English Company, styled the Cochin and Travancore Railway Company Limited, at a cost of 66 lakhs of rupees; and the Madras Government proposed to give the promoters a guarantee of 4 per cent. on that sum for a period of fifteen years, as under :--

The Cochin State to guarantee	1 <u>1</u>	•		5	• • •	2	per cent.
The Travancore State	•	e	·	,	***	11	<i>1</i> 3
The Government of India			***			ł	ມ່

The project was under consideration by the Government of India when alternative lines were proposed by Sir T. Madhava Rao, K.C.S.I., and further information is now awaited.

ér,

e:

৾

BURMA.

In Burma the construction of the line from Rangoon to Toungoo, or the Rangoon and Sittang Valley Railway. Rangoon and Sittang Valley Railway. Rangoon and Sittang Valley line as it is sometimes called, was sanctioned. A brief statement of the objects to, be gained by the construction of this Railway has been given in Chapter I, and need not be recapitulated here.

The existing line from Rangoon to Prome was consolidated and improved. Rangoon and Irrawaddy Valley Railway! The suburban lines in the immediate neighbourhood of Rangoon were completed. On the main line additional waterway was provided, new sidings were put in to increase the accommodation, and additional staff quarters provided.

The following extracts from the Burma Administration Report for the year give further information as to the state of the works at the end of March 1881:—

The Capital grant for 1880-81 for main and suburban lines amounted to 1,60,000 And the expenditure against the grant was on main lines and suburban lines 1,51,833

14

te.

The suburban lines were finished during the year, and all capital expenditure on the original estimate ceased from 1st January 1881. A new estimate for an extension of No. 2 line for a distance of 1,500 feet to Messrs. Ainslie, Warren's Mill, Daneedaw, was put in hand,

The progress in works was as follows :---

Land.—On the main line 11 acres of land were taken up north-west of Kemmendine station to provide room for a goods platform and yard and additional goods sidings.

Also nearly one acre of town land at Letpadan at north-west end of station taken up to provide room for out-buildings to guards' running-room.

Minor bridges.—The two bridges (each 2 spans of 12 feet) begun last year to provide additional waterway at miles $41\frac{1}{2}$ and $128\frac{1}{2}$ were completed before the rains of 1880; also a brick and iron girder bridge, 40' span, built to replace an unsafe wooden bridge at $116\frac{3}{4}$ miles.

The following brick bridges were put in hand to replace unsafe wooden bridges :---

No. 80, at 32 miles, one span of 40'; foundations excavated; concrete begun.

104, at $40\frac{1}{2}$ miles, arched culvert $6\frac{1}{2}$; materials at site; excavation in hand.

" 141, at 531 miles, one span of 10' for double road; nine-tenths completed. -

" 188, at 70¹/₂ miles, arched culvert 6¹/₂; materials being collected.

201, at 733 miles, one span of 40'; materials being collected.

" 209, at 761 miles, arched culvert 61; materials being collected.

" 211, at 761 miles, one span of 40'; materials at site; excavation in progress.

" 213, at 77 miles, open culvert 6½"; materials at site; excavation in progress

219, at 791 miles, one span of 12'; founds excavated; concrete in progress.

256, at 90% miles, three spans of 40'; materials at site; abutments in work in progress.

305 at 105 miles, one span of 30'; materials at site; work in progress.

814 at 107	<i>n</i> .	20'	.))	3 3
317 at 108 ¹ / ₄	33	20'	J)	
337 at 114	"	20'	53	
840 at 114 ²	33	20'	, . ,)	
865 at 121]	33 .	20'	22	3)
367 at 121	32	20'	22	33
	837 at 114 840 at 114 865 at 121	\$17 at 1081 " 387 at 1141 " \$40 at 1141 " \$65 at 1211 " \$67 at 1911 "	\$17 at 1081 3 20' 387 at 1141 3 20' \$40 at 1141 3 20' \$65 at 1211 3 20' \$67 at 1911 90'	$317 \text{ at } 108\frac{1}{4}$ $320'$ 337 $387 \text{ at } 114\frac{1}{4}$ $320'$ 337 $840 \text{ at } 114\frac{3}{4}$ 337 $20'$ 337 $840 \text{ at } 114\frac{3}{4}$ 337 $20'$ 337 $865 \text{ at } 121\frac{1}{4}$ 337 $20'$ 337 $865 \text{ at } 121\frac{1}{4}$ 337 $20'$ 337 $867 \text{ at } 121\frac{1}{4}$ $320'$ $320'$ 337

The bridging of the suburban lines was completed,

Fencing.

600' new fencing constructed at Palone station.

8,600' old moved to new limits of ditto.

60' new " constructed at Kemmendine station,

850' old " moved to new limits of ditto.

405,000 cubic feet earthwork executed in completing fence bank between 93rd and 149th miles.

Ballast.

Laterite ballast -

1,000 c 16,440 18,600 9,000 11,520	ubic feet is	sued to carriage shed roads, Rangoon; o to Kemmendine goods yard siding to Insein shop-yard sidings to Palone station new sidings; half to suburban lines; completed.	s nearly com-
56,560		· · ·	4, s

54

"

33

33

51

Native States.

Besides the above, 702,200 cubic feet of laterite was quarried at the Wanet stream quarry, of which-

211,360 oubic feet were issued to the Rangoon Municipality and the Public Works Department.

266,710 ,, were issued for revenue works and maintenance of permanent-way.

224,130 ,, were left on hand at quarry.

A large demand for this laterite has sprung up in Rangoon for metalling purposes, and it is proposed to quarry and deliver about 12 lakhs of cubic feet in the ensuing season. It has been necessary to provide additional siding accommodation at Wanet stream, and more open trucks are required for this traffic, which gives a very acceptable addition to the traific receipts in the slack season.

Rolling stock .--- Stock completed during the year was---

- 32 short covered goods.
- 2 powder vans.
- · 2 plank wagons.

The increase in the goods traffic has been so rapid, that it has been considered necessary to indent for five new F class locomotives and underframes for —

220 short-covered goods wagons,

- 20 cattle trucks (high-sided wagons), and
- 50 iron open trucks (low-sided wagons), complete.

NATIVE STATES.

The following extracts have been made from the Progress and Administration Report of Central India for the year 1880-81:---

The preliminary project for the line from Itarsi to Bhopal and Schore (on both 5' 6" and Bhopal Railway. Bhopal and Schore, which had been begun in January, was finished in May; and during June and July the working sections and plans were prepared. In the last named month orders were received to invite tenders on schedules of rates for the construction of the line in four sections as far as Bhopal only on the 5' 6" gauge. The working drawings were accordingly completed as far as possible by the middle of August, when advertisements inviting tenders were inserted in the public prints.

At the end of September the tenders were received, and in October an abstract of the tenders, with various proposals, was submitted to Government. Orders were received late in October, and negotiations were opened with Messrs. Glover and Company for the construction of the whole line to Bhopal (excluding the supply of ironwork for bridges, permanent-way, and other materials usually ordered from England), which resulted in the settlement of a contract on a schedule of rates amounting approximately to Rs. $80\frac{1}{2}$ lakhs.

	· .					
Whole contract	111	***	4+5	249		10
Earthwork		***	444	` ++>	•• !	17
Nerbudda Bridge	B	483		•••	***	2.6
Gudariya Viaduc	t	***		* 449	***	2.7
Other bridges		444	***		***	8 ·
Ballasting		***			***	3
Stations and offic	ces	125			***	3
Station machiner	y ·	***	**1		***	7
The above earthy	vork consi	sta of soil	banks and c	uttings		80
Cuttings on Gha	5 .t.	-	346 '	464	***	. Í 6
Banks on Ghat		5×9	***	y * 475	••••	9

At the Nerbudda bridge the masonry of 2 piers had been begun; the foundations of other piers were well forward, and a fair supply of stone in hand. The progress in bridgeworkgenerally shows somewhat smaller than it really is, as foundations down to water level are not paid for, and the progress is calculated from the amount of the contractor's certificates. ă.

For construction purposes the line is divided into two divisions, each under an Executive with 2 Assistants under him. There is also a Sub-Engineer on the Nerbudda Division, who acts as an Inspector of Masonry. All disbursements are made by the Engineer-in-Chief. The Executive send in monthly measurements, from which the certificate is made out in the Engineer-in-Chief's office. The accounts are compiled by the Examiner of Accounts, Central India.

Extension Surveys.—Late in October 1880 orders were received to survey an extension of the Bhopal line to Jhansi, with a branch to Saugor. About 104 miles of this line had been located, when on February 8th orders were received to stop the field work at once, and to send the staff to Pachmarhi, to plot the work as far as done. The line surveyed passes through Bhelsa Basoda, Udepur, Pathari Khorye, and Lulloe to the Muddunpur pass, whence to Jhansi it has been reconnoitred by the Engineer-in-Chief, Sindia Railway.

An alternative line, leaving the above line at Basoda, has been also reconnoitred by the same officer.

The following extracts from the Administration Report of the Railway Department, Bombay, supply information as to the development of the Bhavnagar-Gondal line and the Gaekwar of Baroda's Railway :-

The section	on o'	f the Railway from	Bhay						
Kathiawar Railway.	or	Bhavnagar-Gondal	1.1	Excellency th December 18 Dhoraji on t	80; and	d the rem	ainder í	rom D	
							-		*

" The rivers were then all unbridged, the line being taken across them by means of diversions; but considerable progress has since been made with the bridging on the line between Bhavnagar and Dhoraji, and a commencement has been made between Dhola and Wadhwan. The bridges between Bhavnagar and Dhoraji will be finished before the heavy rains set in in July, and it is proposed to keep the Dhola-Wadhwan section open till the river floods render the diversions impassable.

The general progress of the works during the past year is as follows :---

Earthwork.-The greater portion of earthwork was practically completed last year, except at bridge approaches. A considerable quantity has since been done in making up new banks, bridge approaches, station sidings, and repairing slopes.

Diversions.—In April last year all the diversions were ready except the Ghela in the Bhavnagar Division. The rock-cutting here proved to be so difficult, that the river was crossed by a bank 7 feet high; but this was washed away during the monsoon, and the cutting has now been lowered, so that there is only a 2 feet bank across the river. During last year's rains considerable damage was done to the line by floods, between miles 45 and 48; and, from observations of the flood discharges, it has been found necessary to add to the waterway at the Ghela bridge, and to raise the formation level at the Limbdi and Ranpur stations, as well as the approaches to the Ranpur bridge.

Bridging.—On the Bhavnagar Division five minor bridges are nearly complete and fourteen major bridges are well in hand. On the Gondal Division the arches of all minor bridges have been turned, and good progress has been made on the seven large bridges, all of which consist of masonry arches of 20 and 40 feet spans, the number of arches in each bridge vary-ing from 1 to 16.- On the Botad Division quarries have been started, and some foundations put in.

Ballasting .- The first 36 miles in the Bhavnagar Division has been ballasted, and the remaining 30 miles will be ballasted by train during the ensuing monsoon. On the Botad Division seven-tenths of the permanent ballasting have been completed, and on the Gondal. Division three-tenths. .

4

...

Stations and Buildings.—A: temporary station has been built at Bhavnagar city, and staff quarters and offices have been provided at Gadechi, Wadhwan, and other places. The workshop accommodation and fittings at Gadechi have been increased. The engine shed at Dhola is complete, and an engine shed and six ashpits have been fuilt during the year at Wadhwan city and at Dhoraji. Turntables have also been erected at the two latter stations and at Gadechi.

Rolling stock.—During the year eleven engines were received from England and fitted up in the Gadechi workshops, and are in running order.

The following carriages and wagons have been built :--

	-		
55	third	class car	riages.
8	second	ł "	<i>33</i> .
4	first	5 3	3 9
100	covere	d goods	wagons.
275	low-si	ided was	jons.
15	brake-	vans,	

Also two 10-ton cranes were received and fitted up during the year.

Traffic.—The total earnings and expenditure from date of opening up to 31st March were Rs. 1,31,008 and Rs. 1,03,094 respectively. The train mileage run was 61,608, which gives the cost per train-mile Rs. 1.68.

During the months of April and May of the present year the earnings per open mile per week have reached Rs. 137—a result which is very satisfactory, considering the short time the line has been open.

The line from Goa gate, Baroda, to Dabhoi was opened on the 1st Ju'y 1880, and from Goa gate to Vishwamintri, 13 miles south of the Baroda station of the Bombay, Baroda and Central
 India Railway Company, on 24th January 1881.

The work of these lines continues to give satisfactory results. During the whole year 1880 the net revenue gave a return of 7.31 per cent. on the capital expended.

It has been proposed that the electric telegraph should be erected along these lines to facilitate working. At present they are worked on the staff and ticket system. The Baroda Administration has not yet determined on the change.

Among the lines which the Durbar have it in contemplation to construct on the 2' 6" gauge hereafter may be mentioned ----

(1) a line from Anand to Pitland and Pipolo;

(2) lines from Meysana on the Rajputana Railway to Patan and Kherala.

The success of these small lines, as a substitute for roads in Guzerat, where, owing to the absence of stone, the construction and maintenance of metalled roads are costly, has been so marked, that the Bombay Government are considering the expediency of making a line on this gauge from Jambusa to Broach, utilising the present road for the purpose. The amount of traffic on this line is known, and no great development is to be looked for; and as a line on the 2' 6" gauge will carry the traffic, there is no reason against its adoption. The same remark will apply in other cases where short lines are required, as feeders to the main line of the Bombay, Baroda and Central India Railway, in Guzerat; and as the rolling stock is light, and can be transferred from place to place without difficulty by the Baroda Railway, it may be possible to overcome in great measure the objection which exists to the construction of short branches on a different gauge to that of the parent line, that each requires to maintain a special stock to meet the maximum demand.

Khamgaon and Amraoti Railway.

-⁵ %a _ _

Worked by the Great Indian Peninsula Railway Company. See Chapter IV.

Open Line. See Chapter IV.

The Nizam's Railway.

The following extracts from the Annual Progress and Administration Mysore Railway. Wysore Railway. Wysore Railway. Wysore Railway. Report of the Mysore State Railway for the year 1880-31 show the state of the works at the end of the year and the progress made :--

The original budget grant for the year 1880-81, Rs. 15,00,000, was increased in the regular estimate to Rs. 15,85,500.

[Native States.

The net outlay during the official year amounted to Rs. 15,57,258 after crediting a payment of Rs. 52,881-7-9 from the Madras Railway Company on account of the Pettah extension.

This extension (broad gauge) was transferred to the Madras Railway Company on 1st October 1880, free of cost, up to formation level.

On 1st February 1881 the section between Bangalore and Channapatna (35 miles) was opened to traffic; and on 20th March 1881, at the time of the installation, a further length of 23 miles as far as Mandya was opened for passenger traffic.

As regards progress of the line under construction beyond Mandya-

Earthwork was completed, with the exception of the gaps near bridges.

Minor bridges .- Nearly five-sixths were completed.

Major bridges.—On the open line as far as Mandya the temporary bridge over Mallur river was in use, and the road bridges already existing at the Shimsha and Hebbala rivers were converted into railway crossings at a small cost; and on the unopen line between Mandya and Mysore the foundations of all large bridges were filled in and superstructure fairly advanced.

Ballasting of the first 25 miles was fully completed, and from 26 to 46 miles nearly completed, during the official year. The line from the 47th mile to Mandya was partially ballasted. On the whole, two-thirds of the work had been completed under this head.

Permanent-way material and stores.—The delivery of 60 miles indented for in 1879-80 had been nearly completed. The final indent for complete equipment of the line was forwarded by the Government of India to the Secretary of State under despatch No. 147 of 19th October 1880.

In December 1880 permanent-way materal sufficient for about $9\frac{1}{2}$ miles was received from Bombay, and a second consignment of about 30 miles of permanent-way materials was received in Madras from Kurrachee at end of official year.

Station Buildings.—Fair progress had been made, and sufficient for traffic purposes had been completed.

Locomotive Carriage and Wagon stock.—A supplementary indent for 10 locomotive engines of a powerful type was also submitted, as the tank engines, class A, supplied under first indent were found to be unsuitable for the grades and curves of the line.

Two first class, one composite, two second class, and fourteen third class carriages, four brake vans, five covered goods, fifty-five low-sided, and four high-sided wagons, were erected.

CHAPTER IV.

OPEN LINE.

PUNJAB AND SIND.—Punjab Northern Railway—Main line opened to traffic in an incomplete state owing to military exigencies—Difficulties of working the line—Proposed flattening of grades to 1 in 100—Rabtial to Rawalpindi—RawalpIndi to Haji Shah—Traffic—Coal—Working expenses—Development of traffic—Capital expenditure—Engineering works—Labore to Jhelum—Jhelum to Missa—Missa to Haji Shah—Missa to Rawalpindi—Rawalpindi to Haji Shah—Workshops and staff quarters—Salt Branch—Locomotive and Carriage and Wagon Departments.—Indus Valley Railway—Extensions opened—War traffic—The Railway invaluable as a means of transport—Extension of main line and branches—Details of working. NORTH-WESTERN PROVINCES AND OUDH.—Muttra-Hathras Railway. BENGAL.—Northern Bengal Railway—Ghazipur-Didarnagar Railway—Mattra-Achneyra Railway. BENGAL.—Northern Bengal Railway—Ghazipur-Didarnagar Railway—Calcutta and South-Eastern Railway—Nalhati Railway. BOMBAY AND CENTRAL INDIA.—Rajputana Railway—Opened for through traffic on 1st January 1981—Junction with Bombay, Baroda and Central India line—Traffic.—Malwa Railway—Sindia Railway.—Dhond and Manmad Railway. Extensions and Irrawaddy Valley Railway—Sindia Railway.—Bhopal Railway.—Bhanagar-Gondal Railway—Guekwar of Baroda's Railway with Bombay. BRITISH BURMA.—Rangoon and Irrawaddy Valley Railway. ASSAM. NATIVE STATES.—Bhopal Railway—Bhanagar-Gondal Railway—Guekwar of Baroda's Railway Khamgaon and Amraoti Railways.—Nizam's Railway—Mysore Railway.—Oudh and Kohil. Khand Railway—Cauch and Rohilway—Matras Railway—Oudh and Kohilway.

PUNJAB AND SIND.

At the end of 1879 the Punjab Northern Railway was opened as far as Jhelum: 180 additional miles were opened Punjab Northern Railway.

January 1881, viz.,---

between the 1st January 1880 and the 1st

.

			Miles.	Date of opening.
Main line-				
Jhelum to Rahtial	***		143	1st January 1880
Rahtial to Rawalpindi	***		53	1st October 1880
Rawalpindi to Haji Shah		•••	58	1st January 1881
Salt Branch-				
Lala Musa to Bhaodin	***	***	28]	lst January 1880
Bhaodin to Hurriah	***		10	1st February 1880
Hurriah to Miani		• • •	$15\frac{1}{2}$	10th April 1881

Since the 1st January 1881 the following extensions have been opened :----

	***	Miles. 5	Date of opening. 5th April 1881
		581	1st April 1881
***		-	5th April 1881
		••••	5 581

The difficulties experienced in the construction of the main line have been set forth in the preceding chapter. The Main line exigencies of military traffic imperatively demanded that no delay should occur in opening each section as soon as an engine could run over it; and the line was opened to traffic in an incomplete state consequently thrown open for traffic before owing to military exigencies. the road was thoroughly formed and

consolidated, and a portion of it ran over temporary diversions where the severity of the gradients, the sharpness of the curves, and the hurriedly finished state of the works rendered the management of the open line a matter of extreme difficulty.

Root

Thus between Rahtial and Rawalpindi there are 37 miles of road on gradi-Difficulties of working the line. Such miles. A proposal has been under consideration to flatten these grades Proposed flattening of grades to 1 in 100. It has been estimated that for 10 lakhs of rupees this could be effected, with the exception of two lengths (one of 3 miles and the other of 5 miles), which would be worked as Ghat sections by special bank engines, as is done in the Ghats near Bombay. The development of the traffic is awaited before deciding on this outlay.

The following extracts from the Administration Report of the Manager for the year show more fully the difficulties under which the working has to contend:—

The section Rahtial to Rawalpindi is mostly on the permanent line, with the exception Rahtial to Rawalpindi. of a diversion to get round the Rahtial ravines, where very heavy banks and cuttings are still in progress. This diversion is a very awkward one, and necessitates a reversing station. This entailed trains being worked on this section by engines in front and rear of the train, or trains with single engines had to run tender foremost between Jhelum and Rahtial. Both these systems were found so objectionable, that a triangle was put in at Rahtial on which all engines are now turned.

This section, though opened to traffic, was far from complete. Cuttings were not taken out to full width, banks fully made up, side drains put in ; it was only partly ballasted, and the stations and watering arrangements were in a very incomplete state. Much was, however, done to improve matters by close of financial year.

The principal feature in this section is the extremely difficult grades, there being no less than 37 miles of grades less than 1 in 100 on it, 1 in 50 being the steepest—

						reet.
1 in 80—99	**1	***	***		***	10,700
1 in 70—79		***			* * *	62,800
1 in 60—69	***		•••			65,000
1 in 50-59	6 ± %	* * *	***		***	57,900
					-	
				Total	•••	196,400
		-			-	

The difficulty is further increased by the grades not being in one direction, but alternately up and down.

At Rawalpindi no station was built when the line was opened. A temporary one has been constructed; but it is far too small for the large passenger traffic, and will have to be replaced next year by a larger and improved structure.

This section was opened to traffic on the 1st January 1881, in much the same state as the Rawalpindi to Haji Shah. For several miles on a temporary formation, in

some places on the Grand Trunk Road.

The grades and curves at the Margalla pass, Kala-ki-Serai, and Harro diversions of 1 in 40 and 1,000 feet radius are most difficult and dangerous to work. Much of the temporary line is unballasted, and the working of this section has been a constant source of anxiety to all concerned.

On this section there are about 14 miles of less than 1 in 100-

					~	Feet.
1 in 90—99	***	434	***	•••	4**	6, 000
1 in 70-79	•••		***	•••	• • •	19,700
1 in 60-69	•••	ι. 		•••		16,900
1 in 50—59	tia -	** 5	# * 4	***	***	14,500
1 in 40-50	***	***	•••		***	17,300
• •				Tota	1	74,400

∫¥•

Here, too, the stations and other appliances were in an even more incomplete state than on the Jhelum-Pindi Section.

Nor were these all the drawbacks imposed upon the open line. In addi-Traffic. Traffic, caused by the occupation of Northern Afghanistan during the greater part of the year and by the return of our troops- in the autumn, a large amount of railway construction material had to be carried for the Attock-Peshawar and Bawalpindi-Khushalgarh Extensions.

The traffic carried during the year 1880 has been very large and surpassed all expectations. Of course, in the early months of the year it was caused by the Afghan war and by the quantity of material being pushed forward for construction. At the close of the calendar year, the Viceroy's Durbar at Lahore gave a great impetus to passenger traffic, and owing to scarcity in the northern parts of the Punjab there was a great rush of grain traffic. The line at that time was quite insufficiently supplied with engine-power to meet this demand, many of the engines on the line being nearly worn out from constant work and want of repairs. Engines worth having could not be obtained from other railways and though endeavours were made to choke off the traffic by raising the rates, the traffic still poured in, and it was ultimately necessary to suspend through booking; and this was not finally resumed till June 1881, by which time the Railway was sufficiently supplied with engines to enable it to undertake to carry all traffic offering.

The loss of receipts owing to this cause was very considerable; but, with a line half stocked with engines, much of it completely unfinished, and a new and untrained staff, it was unavoidable.

The heavy working expenses were also a source of embarrassment to the Coal. The Bengal coal, the price of which is Rs. 3 a ton delivered into the East Indian Railway wagons at Giridi, costs over Rs. 30 a ton by the time that it is delivered at Lahore. Every effort was, therefore, made to utilise the Punjab coal found in the Salt Range near Pind Dadan Khan. The experiments made show that "the coal itself is of inferior quality; and it has not yet been obtained in sufficient quantities to enable us to judge whether it will pay to use it, or whether the supply is likely to be of a more than temporary nature."

Wood fuel was also used as much as possible, in order to economise under Working expenses. Working this head. War prices, too, kept up the price of labour.

Another cause of high expenditure is owing to the unfinished state of the line. The charge for maintenance and engineering establishments are very high; the cost of training works for the Chenab, which hitherto has been all thrown on Revenue, is a heavy drain, about Rs. 80,000 having been spent during the year; wages are excessive, and it appears most difficult to obtain respectable men to fill the posts of station-masters, &c., even on good salaries; whilst the price of fuel and heavy grades will always keep locomotive expenses up to a high figure.

As a set-off against these drawbacks—

• • 4.254 • 2.54 • 2.54

و الم الم الم الم

it may be noted that the coaching traffic promises very well. The passenger fares during the year were-

8 pies by mail.2 ,, by local.

11 " on Salt Brauch.

The fares have since been altered to 21 pies mixed and 2 pies local on main line, 2 pies on Salt Branch; but it is probable that a uniform rate of 21 pies throughout, with return tickets

from large stations on special occasions, would be the best paying fare to adopt. The people appear well-to-do, the rate of wages is high, and a 21-pie rate is probably not beyond their means.

2. -

.

.

The numbers of passengers carried and receipts were as follows :---

Coaching— lst class 6,051 34,407 2nd., 24,473 60,253 8rd., 1,590,769 9,91,847 Miscellaneous 1,66,553 11,68,400 Goods— 26,46,708 Goods— 8,05,100 The expenditure was approximately as follows :— 8,05,413 Locomotive 8,05,413 Carringe and Wagon 1,49.22 Traifie 8,05,504 General Maintenance 8,05,504 Grand Total 8,05,504 Grand Total Miscellaneous Grand Total Reveak Train wileage Miscellaneous	-	No.		Rs.	Rs.	Rs.
lst class 6,051	Coaching-					-
2nd., 24,478	1st class	6,051	134	34,407		
8rd 1,820,769 8,97,182 Miscellaneous 1,66,553 1,66,553 11,58,400 Goods- 6,953 Sundrise 22,23,991 Electric Telegraph 6,953 Sundrise 26,46,706 Grand Total 38,05,106 The expenditure was approximately as follows :- Maintenance Maintenance 1,14,922 Carriage and Wagon 1,14,922 Traffic 3,77,866 General 1,14,922 Traffic 3,77,866 General 1,465,594 Korney per pen mile were- 7,09,732 For the year 11,4644 Per week 2,2,93 Trai mileage 10,55,762 Expenses per open mile- 2,23,991 Arriage per train mile 2,23,97 Tos mileage 10,55,762 Expenses ditto 2,93 The principal items of goods traffic were as follows :- 2,93 The principal items of goods traffic were as follows :- 2,93 The principal items of goods traffic were as follows :- 8,65 C						
1,921,298 9,91,547 Miscellaneous 1,66,553 11,58,400 Goods- 6,953 Strain Telegraph 6,953 Sundrice 4,15,762 26,46,706 Grand Total 38,05,106 The expenditure was approximately as follows : 8,65,827 Maintenance 1,2,65,413 Carriage and Wagon 1,14,922 Traffic 3,77,866 General 3,77,866 General 3,77,866 General 3,77,866 General 3,77,866 Grand Total 7,09,732 The earnings per open milewere- 7,09,732 For the year 11,4,464 Per weak 278 Train mileage 10,55,700 Earnings per train mile 36 Earnings per train mile 378 Train mileage 1,211 Per weak 278 Train mileage 10,55,700 Strain groups 36 Prote year 29 The principal items of goods traffic were as follows : <	* 0					
Miscellaneous 1,66,553 11,58,400 Goods- .973,120 tone carried .953 .973,120 tone carried	T M A ¹					
Il,58,400 Gods- .379,120 tone carried 22,23,991 Electric Telegraph 6,953 Sundries 4,15,762 Q6,46,706 Grand Total 26,46,706 Grand Total 38,05,106 The expenditure was approximately as follows : Maintenance 12,65,413 Carriage and Wagon 11,4,922 Traffic 14,7866 General 165,752 Special and Miscellaneous 8,05,994 Grand Total 30,95,874 Net Earnings 7,09,732 The earnings per open mile were- For the year 12,781 Per weak 278 Train mileage 10,57,700 Expenses per open mile- Per year 278 Train mileage 10,57,700 Expenses ditto 278 The prineipal items of goods traffic were as follows :- Tos 19,57,700 Expenses ditto 29 The prineipal items of goods traffic were as follows :- Coal and coke 4,644 22,830 Cother rain cops 8,845 13,866 Furtis and nuts 6,037 38,604 Wheat 9,211 19,553 Icoe 9,223 30,964 Dicher spring crops 8,845		1,921,298		9,91,847	*	· · · ·
Goods- .379,120 tons carried	Miscellaneous	· · · · · ·		1,66,553		•
	* * · · · · · · · · · · · · · · · · · ·				11,58,400	
	•			-		
Electric Telegraph 6,963 Sundries 4,15,763 26,46,706 38,05,106 Grand Total 38,05,106 The expenditure was approximately as follows : 3,65,827 Locomotive 12,65,413 Carriage and Wagon 1,265,752 Special and Miscellaneous 8,05,594 Grand Total 80,95,874 Net Earnings 7,09,732 The earnings per open mile were- 7,09,732 For the year Per week Train mileage Expenses per open mile Per week Train mileage Expenses ditto Coal and coke	•	•				•
Sundries 4,15,763 26,46,706 Grand Total 38,05,106 The expenditure was approximately as follows :	•379,120 tons	carried	43.8		-	
26,46,706 Grand Total 38,05,106 The expenditure was approximately as follows : Maintenance 3,65,827 Locomotive 12,65,413 Carriage and Wagon 1,14,922 Traffic Traffic 1,05,753 Special and Miscellaneous 8,05,594 Grand Total 30,95,874 Net Earnings 7,09,732 The earnings per open mile were- For the year For the year 14,464 Per week	. Electric Telegra	ւph •՝	•••		-	
Grand Total 38,05,106 The expenditure was approximately as follows : 3,65,827 Locomotive 1,24,65,413 Carriage and Wagon 1,24,692 Traffic 3,77,866 General 1,26,5752 Special and Miscellaneous 8,05,594 Grand Total 7,09,732 The earnings per open mile- For the year Per week Train mileage Train mileage Coal and coke 2.9 The principal items of goods traffic were as follows : 2.9 The principal items of goods traffic were as follows : 2.9 The principal items of goods traffic were as follows : 2.9 The principal items of goods traff	 Sundries 	•		4,15,762		
The expenditure was approximately as follows : 9,65,827 Locomotive 12,65,413 Carriage and Wagon 1,14,922 Trafic 3,77,866 General 1,65,753 Special and Miscellaneous 8,05,684 Grand Total 30,95,874 Net Earnings 7,09,732 The earnings per open mile were- 7,09,732 For the year 114,464 Per weak 114,464 Per weak 114,464 Per weak 114,464 Per weak 10,55,703 Train mileage 114,464 Per weak 114,464 Per weak 278 Train mileage 10,55,703 Expenses ditto 10,55,703 The principal items of goods traffic were as follows : 278 Toras Rs. Coal and coke 4,644 22,630 Cotton raw 1,211 19,553 Piece-goods, English 4,616 40,159 , country 1,385 13,865 Robard and nuts 5,637 38,604 Wheat					26,46,706	
The expenditure was approximately as follows : 9,65,827 Locomotive 12,65,413 Carriage and Wagon 1,14,922 Trafic 3,77,866 General 1,65,753 Special and Miscellaneous 8,05,684 Grand Total 30,95,874 Net Earnings 7,09,732 The earnings per open mile were- 7,09,732 For the year 114,464 Per weak 114,464 Per weak 114,464 Per weak 114,464 Per weak 10,55,703 Train mileage 114,464 Per weak 114,464 Per weak 278 Train mileage 10,55,703 Expenses ditto 10,55,703 The principal items of goods traffic were as follows : 278 Toras Rs. Coal and coke 4,644 22,630 Cotton raw 1,211 19,553 Piece-goods, English 4,616 40,159 , country 1,385 13,865 Robard and nuts 5,637 38,604 Wheat	•			•		•
The expenditure was approximately as follows : 9,65,827 Locomotive 12,65,413 Carriage and Wagon 1,14,922 Trafic 3,77,866 General 1,65,753 Special and Miscellaneous 8,05,684 Grand Total 30,95,874 Net Earnings 7,09,732 The earnings per open mile were- 7,09,732 For the year 114,464 Per weak 114,464 Per weak 114,464 Per weak 114,464 Per weak 10,55,703 Train mileage 114,464 Per weak 114,464 Per weak 278 Train mileage 10,55,703 Expenses ditto 10,55,703 The principal items of goods traffic were as follows : 278 Toras Rs. Coal and coke 4,644 22,630 Cotton raw 1,211 19,553 Piece-goods, English 4,616 40,159 , country 1,385 13,865 Robard and nuts 5,637 38,604 Wheat	•	Gran	d Total			38.05.106
Maintenance 12,65,413 Carriage and Wagon 1,14,922 Traffic 1,65,752 Special and Miscellaneous 8,05,594 Grand Total 30,95,874 Net Earnings 7,09,732 The earnings per open mile were— 7,09,732 For the year Per weak Per year Pr weak Train mileage Train mileage Train mileage Coton raw 12,11 10,553 Piece-goods, English 4,614 22,830 Coton raw 1,385 13,866 Fruits and nuts 5,753 8,71,757 Grain and pulse 8,665 40,284 Rice						
Locomotive 12,65,413 Carriage and Wagon 1,14,922 Traffic 3,77,866 General 8,05,594 Grand Total 8,05,594 Grand Total 8,095,874 Net Earnings 7,09,732 The earnings per open mile were— For the year 14,464 Per week 342 Expenses per open mile— 278 Train mileage 10,55,700 Earnings per train mile 279 The principal items of goods traffic were as follows :— Tors. Rs. Coal and coke 4,664 40,159 , country 1,211 19,553 Piece-goods, English 6,673 3,71,757 Grain and pulse 6,003 45,921 Ot	The expenditure v	vas approximat	tely as fo	ilows :	• •	
Locomotive 12,65,413 Carriage and Wagon 1,14,922 Traffic 3,77,866 General 8,05,594 Grand Total 8,05,594 Grand Total 8,05,594 Grand Total 8,095,874 Net Earnings 7,09,732 The earnings per open mile were— For the year Par week Pry year Pry year Train mileage The principal items of goods traffic were as follows :— 2.9 The principal items of goods traffic were as follows :— , country<	. Maintenance	142				-
Carriage and Wagon 1,14,922 Trafic 3,77,866 General 1,65,752 Special and Miscellaneous 8,05,594 Grand Total Met Earnings 7,09,732 The earnings per open mile were— For the year Per week 14,464 Per year 14,464 Per year 14,464 Per year 10,55,700 Earnings per train mile 278 Train mileage 10,55,700 Earnings per train mile 2.9 The principal items of goods traffic were as follows :— 2.9 The principal items of goods traffic were as follows :— Coal and coke 4,644 22,830 Cotton raw 5.037 38,604 Wheat <	Locomotive	***	***	· · · · ·	12,65,413	
Traffic 3,77,866 General 1,65,752 Special and Miscellaneous 8,05,594 Grand Total Met Earnings 7,09,732 The earnings per open mile were— For the year For week 342 Expenses per open mile— Per year 342 Per year 342 Train mileage 342 Train mileage		agon			1,14,92 2	
General 1,65,752 Special and Miscellaneous 8,03,594 Grand Total 8,095,874 Net Earnings 7,09,732 The earnings per open mile were— For the year 17,781 Per week 342 Expenses per open mile— 342 Per week 342 Expenses per open mile— 342 Expenses per open mile— 342 Expenses dito Train mileage The principal items of goods traffic were as follows :— Tons. Rs. Coal and coke	Traffic		•••	1.44		
Special and Miscellaneous 8,05,594 Grand Total 30,95,874 Net Earnings 7,09,732 The earnings per open mile were— For the year 17,781 Per week 342 Expenses per open mile— Per year Per year 278 Train mileage 278 Train mileage 279 The principal items of goods traffic were as follows :— Tons. Rs. Coal and coke 4,644 22,630 Cotton raw 1,211 19,583 Picce-goods, English 4,616 40,159 , country 1,385 13,866 Fruits and nuts 5,037 38,604 Wheat 85,753 8,71,757 Grain and pulse 1,93,021 Other spring crops 1,921 20,454 <		4 2 4	124			
Grand Total $30,95,374$ Net Earnings $7,09,732$ The earnings per open mile were— For the year $17,781$ Per week 342 Expenses per open mile— Per year $14,464$ Per week 342 Train mileage 278 Train mileage 278 Train mileage 279 The principal items of goods traffic were as follows :- Coal and coke $4,644$ $22,830$ Cotton raw $1,211$ 19,583 Piece-goods, English $4,616$ $40,159$ $5,037$ $38,604$ Wheat $85,753$ $8,71,757$ Grain and pulse $86,727$ $1,98,021$ $02,454$ Liquors $8,940$ $52,310$ 0 Other spring crops $8,940$ $52,310$ $02,454$ L						* *
Net Earnings $7,09,732$ The earnings per open mile were— For the year 17,781 Per week 342 Expenses per open mile— Per year 14,464 Per week 278 Train mileage 278 Train mileage 279 The principal items of goods traffic were as follows :— 8.6 Coal and coke 4,664 22,830 Cotton raw 1,385 13,866 Fruits and nuts 4,616 40,159 , country 1,385 13,866 Fruits and nuts 86,727 1,93,021 Other spring crops 8,665 40,264 Rice 8,665 40,264 Rice 8,664 Wheat 8,664 52,310 Other spring crops 8,665			•			•
Net Earnings 7,09,732 The earnings per open mile were— For the year 17,781 Per week 342 Expenses per open mile— Per year 14,464 Per week 14,464 Per week 278 Train mileage 278 Train mileage 279 The principal items of goods traffic were as follows :— 8.6 Coal and coke 4,664 22,830 Cotton raw 1,211 19,583 Piece-goods, English 4,616 40,159 , country 1,385 13,866 Fruits and nuts 6,037 38,604 Wheat 8,727 1,93,021 Other spring crops 8,65 40,264 Rice 1,921 20,454 Liquors		Gra	nd Total		***	30,95,374
The earnings per open mile were— For the year 17,781 Per week 342 Expenses per open mile— 278 Train mileage 278 Train mileage 278 Train mileage 279 The principal items of goods traffic were as follows :— 2.9 The principal items of goods traffic were as follows :— 2.9 The principal items of goods traffic were as follows :— 2.9 The principal items of goods traffic were as follows :— 2.9 Tors. Rs. 4.616 40,159 1,885 13,866 Fruits and nuts 6.037	-			•		
The earnings per open mile were— For the year 17,781 Per week 342 Expenses per open mile— 342 Expenses per open mile— 342 Expenses per open mile— 342 Train mileage 278 Train mileage 278 Train mileage 279 The principal items of goods traffic were as follows :— 2.9 The principal items of goods traffic were as follows :— 2.9 The principal items of goods traffic were as follows :— 2.9 The principal items of goods traffic were as follows :— 2.9 The principal items of goods traffic were as follows :— 2.9 The principal items of goods traffic were as follows :— 1.9,583 Picee-goods, English 1.3,866 "country 5.037	· .	Net E	arnings			7.09.732
For the year $17,781$ Per week 342 Expenses per open mile—Per week 278 Par week 278 Train mileage $10,55,700$ Earnings per train mile 279 The principal items of goods traffic were as follows :—SeCoal and coke $4,644$ $22,830$ Cotton raw $1,211$ $19,583$ Piece-goods, English $4,616$ $40,159$, country $1,385$ $13,866$ Fruits and nuts $5,037$ $38,604$ Wheat $85,753$ $9,71,757$ Grain and pulse $8,865$ $40,264$ Rice $8,865$ $40,264$ Rice $1,921$ $20,454$ Liquors $1,921$ $20,454$ Liquors $1,921$ $20,454$ Liquors $13,865$ $85,035$ Miscellaneous 1 $152,546$ $4,72,981$ Miscellaneous $152,546$ $4,72,981$ Miscellaneous $15,443$. 0			
For the year $17,781$ Per week 342 Expenses per open mile—Per week $14,464$ Per week 278 Train mileage $10,55,700$ Earnings per train mile 279 The principal items of goods traffic were as follows :—SeCoal and coke $4,644$ $22,830$ Cotton raw $1,211$ $19,583$ Piece-goods, English $4,616$ $40,159$, country $1,385$ $13,866$ Fruits and nuts $5,037$ $38,604$ Wheat $85,753$ $9,71,757$ Grain and pulse $8,865$ $40,264$ Rice $8,865$ $40,264$ Rice $1,921$ $20,454$ Liquors $1,921$ $20,454$ Liquors $1,921$ $20,454$ Liquors $152,546$ $4,72,981$ Miscellaneous 1 $152,546$ $4,72,981$ Miscellaneous $152,443$ $4,93,951$	The earnings p	er open mile w	ere	:		· · · · ·
Per week 342 Expenses per open mile Per year 14,464 Per week 278 Train mileage 278 Train mileage 10,55,700 Earnings per train mile 279 The principal items of goods traffic were as follows : Tons. Rs. Coal and coke 1,211 19,583 Piece-goods, English 1,385 13,866 Fruits and nuts 5,037 38,604 Wheat 85,753 3,71,757 Grain and pulse 8,865 40,264 Rice 8,865 40,264 Rice 8,940 52,310 Other spring crops 1,921 20,454 Liquors 1,223	For the year					17,781
Expenses per open mile— Per year 14,464 Per week 278 Train mileage 10,55,700 Expenses ditto 3.6 Expenses ditto 2.9 The principal items of goods traffic were as follows :— 2.9 The principal items of goods traffic were as follows :— 2.9 The principal items of goods traffic were as follows :— 2.9 The principal items of goods traffic were as follows :— 2.9 The principal items of goods traffic were as follows :— 2.9 The principal items of goods traffic were as follows :— 2.9 The principal items of goods traffic were as follows :— 2.9 The principal items of goods traffic were as follows :— Cotton raw 1,211 19,583 Piece-goods, English 1,3865 40,264 Rice					*1*	
Per year 14,464 Per week 278 Train mileage 10,55,700 Earnings per train mile 3.6 Expenses ditto 2.9 The principal items of goods traffic were as follows : Tons. Rs. 2.9 The principal items of goods traffic were as follows : 4.6644 22,830 Cotton raw 1,211 19,583 Piece-goods, English 4.616 40,159 , country 1,385 13,866 Fruits and nuts 5,037 38,604 Wheat 865,753 8,71,757 Grain and pulse 865,753 3,71,757 Grain and pulse 8,940 52,810 Other spring crops 8,940 52,810 52,810 Other rain crops 1,921 20,454 Liquors		nen mile	144			018
Per week 278 Train mileage 10,55,700 Earnings per train mile 3.6 Expenses ditto 3.6 The principal items of goods traffic were as follows : 2.9 The principal items of goods traffic were as follows : 2.9 The principal items of goods traffic were as follows : 2.9 The principal items of goods traffic were as follows : 2.9 The principal items of goods traffic were as follows : 2.9 The principal items of goods traffic were as follows : 2.9 The principal items of goods traffic were as follows : 2.9 The principal items of goods traffic were as follows : 1.911 19,583 Price-goods, English 1,385 13,866 13,866 Fruits and nuts 5,037 3,604				•		14.464
Train mileage 10,55,700 Earnings per train mile 3.6 Expenses ditto 2.9 The principal items of goods traffic were as follows : Tons. Rs. Coal and coke 4,644 22,830 Cotton raw 1,211 19,583 Piece-goods, English 4,616 40,159 , country 1,385 13,866 Fruits and nuts 80,727 1,93,021 Other spring crops 86,727 1,93,021 Other rain crops 8,940 52,310 Other rain crops 1,921 20,454 Liquors 1,921 20,454 Liquors 13,865 85,035 Miscellaneous stores 13,865 85,035 Miscellaneous </td <td></td> <td>•</td> <td></td> <td></td> <td>***</td> <td></td>		•			***	
Earnings per train mile 3.6 Expenses ditto 2.9 The principal items of goods traffic were as follows : Tons. Rs. Coal and coke 4,644 22,830 Cotton raw 1,211 19,583 Piece-goods, English 4,616 40,159 ,, country 1,385 13,866 Fruits and nuts 5,037 38,604 Wheat 85,753 3,71,757 Grain and pulse 86,727 1,93,021 Other spring crops 8,665 40,264 Rice 8,865 40,264 Rice 8,940 52,310 Other rain crops 1,921 20,454 Liquors 1,921 20,454 Liquors 13,865 85,035 Miscellaneous stores <td< td=""><td></td><td>•</td><td></td><td>• • •</td><td>. 1.</td><td>10.55.700</td></td<>		•		• • •	. 1 .	10.55.700
Expenses ditto 2.9 The principal items of goods traffic were as follows : Tons. Rs. Coal and coke 1,211 19,583 Cotton raw 1,211 19,583 Piece-goods, English 1,385 13,866 Fruits and nuts 5,037 38,604 Wheat 85,753 8,71,757 Grain and pulse 88,655 40,264 Rice 8,865 40,264 Rice 8,940 52,310 Other spring crops 1,921 20,454 Liquors 2,723 30,966 Iron 40,804 1,48,701 Sugar 152,546 4,93,951 Livestock 56,473 Demurrage 15,443		ain mile				
The principal items of goods traffic were as follows : Tons. Rs. Coal and coke 4,644 22,830 Cotton raw 1,211 19,583 Piece-goods, English 4,616 40,159 ,, country 1,385 13,866 Fruits and nuts 5,037 38,604 Wheat 5,037 38,604 Wheat 5,037 38,604 Other spring crops 85,753 8,71,757 Grain and pulse 88,65 40,264 Rice 8,865 40,264 Rice 8,940 52,310 Other rain crops 1,921 20,454 Liquors 1,921 20,454 Liquors 30,966 Iron 40,804 1,48,701 Sugar <	Expenses d	itto	***			
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	-	· .	- -		***	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	The principal iten	as of goods tr	affic were	as follows:	;	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$			• .			Re.
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	Coal and cok	e		***	4,644	22,830
Piece-goods, English $4,616$ $40,159$,, country1,38513,866Fruits and nuts5,03738,604Wheat $5,037$ 38,604Wheat $85,753$ $8,71,757$ Grain and pulse $85,753$ $8,71,757$ Other spring crops $86,727$ $1,93,021$ Other spring crops $8,865$ $40,264$ Rice $8,940$ $52,310$ Other rain crops $8,940$ $52,310$ Other rain crops $8,940$ $52,310$ Other rain crops $1,921$ $20,454$ Liquors $2,723$ $30,966$ Iron $4,080$ $31,808$ Salt $40,804$ $1,48,701$ Sugar $152,546$ $4,72,981$ Miscellaneous $56,473$ Demurrage $15,443$					1,211	
"country1,38513,866Fruits and nuts $5,037$ $38,604$ Wheat $5,037$ $38,604$ Wheat $85,753$ $3,71,757$ Grain and pulse $36,727$ $1,93,021$ Other spring crops $8,865$ $40,264$ Rice $8,940$ $52,310$ Other rain crops $6,003$ $45,122$ Hides $1,921$ $20,454$ Liquors $2,723$ $30,966$ Iron $4,080$ $31,808$ Salt $40,804$ $1,48,701$ Sugar $152,546$ $4,72,981$ Miscellaneousstores $56,473$ Demurrage $15,443$ $3,79,120$ $22,23,991$	Piece-goods.	English	185	***	4,616	
Fruits and nuts $5,037$ $38,604$ Wheat $85,753$ $3,71,757$ Grain and pulse $36,727$ $1,93,021$ Other spring crops $8,865$ $40,264$ Rice $8,940$ $52,310$ Other rain crops $6,003$ $45,122$ Hides $1,921$ $20,454$ Liquors $2,723$ $30,966$ Iron $40,804$ $1,48,701$ Sugar $40,804$ $1,48,701$ Sugar $152,546$ $4,72,981$ Miscellaneousstores $56,473$ Demurrage $15,443$ $3,79,120$ $22,23,991$	33				1,385	
Wheat $$ $$ $85,753$ $3,71,757$ Grain and pulse $86,727$ $1,93,021$ Other spring crops $8,865$ $40,264$ Rice $8,940$ $52,310$ Other rain crops $6,003$ $45,122$ Hides $1,921$ $20,454$ Liquors $2,723$ $30,966$ Iron $4,080$ $31,808$ Salt $40,804$ $1,48,701$ Sugar $13,865$ $85,035$ Miscellaneousstores $152,546$ $4,72,981$ Miscellaneous $15,443$ Demurrage $15,443$	Fruits and n				5,037	
Grain and pulse $36,727$ $1,93,021$ Other spring crops $8,865$ $40,264$ Rice $8,940$ $52,310$ Other rain crops $6,003$ $45,122$ Hides $1,921$ $20,454$ Liquors $2,723$ $80,966$ Iron $4,080$ $31,808$ Salt $40,804$ $1,48,701$ Sugar $152,546$ $4,72,981$ Miscellaneousstores $152,546$ $4,72,981$ Miscellaneous $15,443$ Demurrage $15,443$ $22,23,991$						
Other spring crops $8,865$ $40,264$ Rice $8,940$ $52,310$ Other rain crops $6,003$ $45,122$ Hides $1,921$ $20,454$ Liquors $2,723$ $30,966$ Iron $4,080$ $31,808$ Salt $40,804$ $1,48,701$ Sugar $13,865$ $85,035$ Miscellaneousstores $152,546$ Miscellaneous $152,546$ $4,72,981$ Miscellaneous $15,443$ Demurrage $15,443$		lse	*1*	•		1,93,021
Rice $$ $8,940$ $52,310$ Other rain crops $$ $6,003$ $45,122$ Hides $$ $1,921$ $20,454$ Liquors $$ $2,723$ $30,966$ Iron $$ $4,080$ $31,808$ Salt $$ $40,804$ $1,48,701$ Sugar $$ $13,865$ $85,035$ Miscellaneousstores $$ $152,546$ $4,72,981$ Miscellaneous $$ $$ $56,473$ Demurrage $$ $$ $15,443$	Other spring	crops				
Other rain crops $6,003$ $45,122$ Hides $1,921$ $20,454$ Liquors $2,723$ $30,966$ Iron $$ $4,080$ $31,808$ Salt $$ $40,804$ $1,48,701$ Sugar $$ $13,865$ $85,035$ Miscellaneousstores $$ $152,546$ $4,72,981$ Miscellaneous $$ $$ $56,473$ Demurrage $$ $$ $$ $56,473$ Jemurrage $$ $$ $$	Rice	, -	442			
Hides $1,921$ $20,454$ Liquors $2,723$ $30,966$ Iron $4,080$ $31,808$ Salt $40,804$ $1,48,701$ Sugar $13,865$ $85,035$ Miscellaneousstores $152,546$ $4,72,981$ Miscellaneous $152,546$ $4,93,951$ Livestock $15,443$ Demurrage $15,443$		rops		······		
Liquors 2,723 30,966 Iron 4,080 31,808 Salt 40,804 1,48,701 Sugar 13,865 85,035 Miscellaneous stores 152,546 4,72,981 Miscellaneous 152,546 4,93,951 Livestock 15,443 Demurrage 15,443	Hides	-			1,921	
Iron 4,080 31,808 Salt 40,804 1,48,701 Sugar 13,865 85,035 Miscellaneous stores 152,546 30,663 Miscellaneous 152,546 4,72,981 Miscellaneous 56,473 Demurrage 15,443		2 👾			2,723	
Salt 40,804 1,48,701 Sugar 13,865 85,035 Miscellaneous stores 152,546 30,663 Miscellaneous 152,546 4,72,981 4,93,951 Livestock 56,473 15,443 Demurrage 15,443 22,23,991	Iron	-	***	***	4,080	
Sugar 13,865 85,035 Miscellaneous stores 152,546 30,663 Miscellaneous 152,546 4,72,981 Miscellaneous 152,546 4,72,981 Livestock 56,473 Demurrage 15,443					40,804	
Miscellaneous stores Railway materials Miscellaneous 4,72,981 Miscellaneous 4,93,951 Livestock Demurrage 3,79,120 22,23,991						
Railway materials 152,546 4,72,981 Miscellaneous 4,93,951 4,93,951 Livestock 56,473 Demurrage 15,443 3,79,120 22,23,991	Miscellaneou	s stores		• ۲ ع	_0,000	
Miscellaneous Livestock Demurrage 				ר '	52 54A J	
Livestock				. . .		
Demurrage 15,443 3,79,120 22,23,991		_ ,			Ľ	
8,79,120 22,23,991		· · · ·		•••		
3,79,120 22,23,991		υ,	F81 ',	***	***	4V,¥¥ð
			•	9	79 190	09 00 001
		0				

Few final deductions can be drawn from these figures, owing to the disturbing elements of the year, vis., the Afghan war, inability of the line to carry traffic, new extensions, &c.; but it may be said that the traffic promises fairly well, and is far in excess of what was anticipated. . C

.

٠ • With the establishment of the new salt depôt at Lala Musa now under construction, a considerable increase of business in that commodity is anticipated.

Capital expenditure. Rs. 4,53,15,762 ; Salt Branch, Rs. 19,37,627. The capital cost of the line from Lahore to Attock to 31st March 1881 was approximately

There is, however, very considerable expenditure to be incurred at Rawalpindi on the workshops, staff quarters, &c., and on the section from Rawalpindi to Peshawar, including the Attock bridge, so that the total capital cost of the line will be very large.

The principal engineering works carried out before the line was opened for Engineering works.

remembered, was in a very incomplete state when the exigencies of military traffic required that it should be opened; and when trains first began to run upon the Railway, station buildings and other accessories were hardly commenced. At Rawalpindi the only shelter for passengers and station, staff was provided by a few tents.

During the year these deficiencies have been supplied, and the following list shows the principal works carried out to complete the line :—

Lahore to Jhelum. at Punjan. These were charged to Capital. Two crossing stations were opened during the year—one at Pabi (Kariala), and the other

• Four flag stations, chargeable to Revenue, were put in at Kala (mile 12th), Sadhok (mile 24th), Dhillianwala (mile 83rd), and Jandialla Dhabwala (mile 56th).

Considerable progress was made with the Chenab training works during the year, on which Rs. 80,000 has been spent on a definite scheme with the undoubted effect of straightening the river.

The following is a list of the principal works carried out and in progress :---

Name of works.		Expenditure.	Remarks.
ICOMPLETED WORKS.			
77.7	-	Rs.	
Jhelum— Sub-way		10,648	The dangerous level-crossing at south end or
		20,020	the yard has now been closed.
Open goods-shed, $200' \times 40'$		8,641	Is a temporary shed of corrugated iron roofing
20-roomed barrack		11,461	Occupied half by Locomotive and half by Traffic
Six new staff quarters	140	\$5,171	
Refreshment-rooms, lavatory, and uring 15-unit quarters for Native staff of Lo		6,519	These have been completed. Further addi tions are now being made.
motive Department	• i • 1	4,115	
Extension of station building		194	
Lala Musa— Transfor siding		17,618	The word is easin to be alternal
Extension of station building	434 931	13,416	The yard is again to be altered. Rendered necessary from increased traffic owing to opening of Salt Branch.
Guzerat—			
Waiting-rooms	•••	4,312	Required for 1st and 2nd class passenger going to Lala Musa.
2-unit Baboos' quarters	1	2,354	
Goods-shed, 100' × 40'	***	4,223	Temporary.
Punjan-	-		
Station, sidings, staff quarters	·	4,087	New crossing station.
Pabi-	ł		+ i
Station, with catch siding	•••	1,285	New crossing station. Catch siding was opened, but has since been removed an
			dead end in station yard extended to b
•	1.		_ used instead of catch siding.
"Goods-shed, 100' × 40'	***	4,026	Temporary.
General-			
Ballasting, Lahore to Jhelum	44 3	81,258	Original estimate Rs. 60,000. Rs. 7,00 spent during the year. More work coul
The star Takan to The 1	1	1,22,122	, not'be done owing to press of traffic. Completed.
Fencing, Labors to Jhelum		1 <i>,66</i> ,148	
IL-WOBES IN PROGRESS.			
Rearrangement of sidings in Jhelum yard	540	9,214	In hand in 1881-82. Allotment Bs. 6,000.
Engine-shed		27,780	In hand during 1881-82. Allotmen Rs. 10,000.

The length of line known as Rahtial Khuds from mile 117¹/₂ to 119 contained such heavy banks and cuttings, that it was thought better to avoid it altogether by a temporary

diversion 3 miles along, starting with a back shunt at mile 117 and coming into main line again at mile 119. Public traffic is carried on now over this diversion, as the Rahtial Khuds are still under construction and will not be ready for opening till November next.

Earthwork cutting.—On 1st April 1880 none of the cuttings were complete; and a narrow gullet was through only in a few of them. The biggest cutting is at Domeli, containing 9,800,000 cubic feet, of which 1,800,000 cubic feet have been taken out since June 1880 without any interruption to traffic. The slopes have also been taken off most of the other cuttings north of Rahtial. Since June about 3,000,000 cubic feet have been done.

. Banks.—Most of the banks were well up by June; but the earth in approaches to the bridges was very deficient, and also in several of the other banks, notably in that just north of tunnel. All banks have since been completed, except of course those in Rahtial Khud Section.

Grand Trunk Road crossings.—One at mile 127 by an overbridge. Grand Trunk Road was diverted and carried over a bank 13 feet high and 8 chains long, leading over the new 'bridge, which was done without interruption to traffic.

At mile 128¹/₂ there is a double level-crossing on Grand Trunk Road, which is a constant source of danger. It is now proposed to carry Grand Trunk Road here over a tunnel to be built in the cutting between the two crossings, as this cutting is also not safe and liable to slip.

Masonry side drains have been put into all cuttings north of Rahtial since June last, and all completed except a length of 7 chains in cutting 56, Domeli; quantity of masonry in them 206,000 cubic feet.

Culverts.—On 1st April 1880 only a few culverts were quite finished : all were completed on 1st June. Quantity of work done between April and June was about 300,000 cubic feet in masonry.

Several culverts have been placed at a high level so as to act as overflow culverts. This causes an accumulation of large quantities of water against the railway bank, the most important ones being one of 20 feet at mile 125 and another of 20 feet at mile 128½. There are also some smaller ones. The banks against which this water lies are a constant source of anxiety, and have sunk a total of 5 feet, so that the line there requires constant lifting. The water invariably leaks through under the bank; but it is hoped this will cease as the banks settle down. At mile 134½, a 6-foot culvert originally sanctioned was abandoned by order of the Consulting Engineer to Government, and a long deep cut was made to divert water direct into Bishendor river. This cut is 40 feet deep in places and very narrow, and is constantly getting blocked by slips from the sides of the cuttings, and consequently requires careful watching.

Platelaying .- Seven miles laid during April, May, and June 1880.

Ballast.—Four and half lakhs put in line since 30th September 1880.

At Rahtial, owing to back shunt, all through trains are of course reversed end for end, and the engine is also turned round. Up to February last it was the practice to run train tender first south of Rahtial; but in February 1881 a triangle was put in at Rahtial at a cost of Rs. 1,260, so that all engines now reverse there and can run engine first right through.

In March the distant signals at Rahtial were provided with lamps and a wire fixed to enable them to be worked from the station in the usual way. Prior to March a jemadar had to proceed to each signal to lower it.

Watering arrangements.—Prior to November 1880 the only watering station between Domeli and Jhelum consisted of four tanks, holding only 1,600 gallons at mile 119½. In November this was dismantled and a temporary watering station holding 4,800 gallons, consisting of 12 tanks on sleepers, was erected at mile 115 near Dina, which is now used by all goods trains. There was also a similar arrangement just north of Bakrala bridge, which was in use till October 1880, when it was dismantled. Tanks capable of containing 4,800 gallons are now to be put up here again. The only other watering station was at mile $131\frac{1}{2}$, $1\frac{1}{2}$ miles north of Sohawa station, consisting of tanks on sleeper pier. This was in use till December 1880, when it was dismantled.

In August a screw-pile arrangement was erected at Domeli, with tanks on it capable of containing 4,800 gallons. Water raised by a steam fire-engine from a reservoir close to station. This tank was enlarged in February so as to contain 8,000 gallons, and water is now raised by a steam winch and bucket. At a second reservoir, 13 chains north of station, a steam pump is being erected to pump through pipes to the abovementioned station tanks.

At Sohawa the station tank is of masonry, and was not quite finished till November 1880, when also 14 miles of 5-inch pipes were laid to connect it with the supply reservoir, 14 miles north of the station. This reservoir is fed only by rain water, obtained by damming up a nullah west of the Grand Trunk Road and 14 miles away from the Railway, and diverting water into the reservoir through an artificial cut. This was complete in June 1280. But last monsoon the dam broke; it was re-made, and on 13th April 1881 came into use for the first time, when water in reservoir rose 6 feet in the course of four hours. Water is now lying 82 feet deep against bank 37, but none is leaking under bank. Total depth of water here will be 45 feet before any can escape through the culvert; there will be also 40 feet water against bank 38.

There were 4,900,000 cubic feet bank, 1,600,000 cubic feet cutting, 43,000 cubic feet masonry done on this section between June last, when the work was started, and S1st March 1881. Trains should be able to get through this section in November 1881; but the work will be still far from finished on that date.

The commencement of the year saw this length in active progress. The principal heavy works carried out before the opening were the Missa to Haji Shah.
 bridge, the Chablat bridge, and the Haro temporary bridge. When the line was opened to Missa to Rawalpindi.
 as far as Rawalpindi, and have since been completed, but the watering arrangements were temporary only. temporary only. The length from Rawalpindi to Haji Shah was opened on 1st January for

Rawalpindi to Haji Shah.

traffic, the line being-

From Rawalpindi to Kala-ki-Serai-temporary, on Grand Trunk Road.

- " Kala-ki-Serai to Burhan-permanent.
- Burhan to Lawrencepore-temporary, on Grand Trunk Road. 3)
- Lawrencepore to Campbellpore-permanent. 32
- Campbellpore to Haji Shah-temporary.

The stations were all in progress at the close of the year; and those at Pindi (temporary), Campbellpore (permanent), and Haji Shah (temporary) had been furnished. The permanent line is only partially ballasted as yet on the permanent lengths; but this work is going on, together with the completion of the stations at Missa, Kala-ki-Serai, Hassan Abdal, Burhan, and Lawrencepore; also water service arrangements at Gujar Khan, Mandra, Rewat, Rawalpindi, Kala-ki-Serai, Hassan Abdal, and Burhan.

Locomotive workshops, staff quarters, and stores buildings are in course of construction at Rawalpindi, the head-Workshops and staff quarters. quarters of the line. A Railway hospital has also been established there, the want of which was much felt.

The following are the present medical arrangements of the line, settled in communication with the Surgeon-General early in the year 1881 :---

Distribution of Medical establishment on the Punjab Northern Railway.

	Medical	Subordi	NATES.	
Section of Railway.	officers,	Assistant Surgeon.	Hospital Assistant.	Remarks.
Lahore to south distant signal of Shahdara.	•••		•••	By special arrangement the sick of the Punjab Northern Rail way at Lahore will be treated in the hospital of the Sind Punjab and Delhi Railway.
South distant signal of Shahdara to left bank	Civil Sur- geon, Guj-		1	To be stationed at Gujranwala.
of Chenab. Left bank of Chenab to left bank of Jhelum	ranwala. Guzerat		1	To be stationed at Lala Musa.
and Salt Branch. Left bank of Jhelum to south distant signal of Gujar Khan.		1 3rd grade	1	Assistant Surgeon at Jhelum Hospital Assistant at Rahtial to attend cases on line from Dine to south distant signal of Gujar Khan.
South distant signal of Gujar Khan to south distant signal of Hassan Abdal and Khushal-		1 2nd grade	2	All to live at Rawalpindi.
garh Branch. South distant signal of Hassan Abdal to At-	Attock		1	To live at Haji Shah.
tock. Total)	<u>·</u> 2	6	•

The dates of opening the several sections of the Salt Branch line have salt Branch. been given in the preceding paragraph. The results of its working have been most

satisfactory.

The receipts up to 31st March 1881 were-

			-	•		Rs.	
Coaching						53,810	
Goods	4+6	143	\$. 4 T		***	1,60,584	
	-	•	•	Total		2,14,394	
and approximate	expenditure	1.1	3 4 1	* * * *	635	92,318	
so that it carned pended, or	about 6.3	per cent	on the c	eapital ex-	•••	19,84,627	

This for the first year, with the salt traffic still undeveloped and 3rd class coaching fares of $1\frac{1}{2}$ pies only, is most satisfactory; and it is fully anticipated that this section will pay 7 and 8 per cent. on its capital.

It may be remarked that this line was constructed solely for the salt traffic, and no other traffic was expected; whereas an excellent passenger and grain traffic has developed, and the salt traffic is by no means the most considerable portion of the traffic.

A proposal has since been submitted for extending it to Bhera (10 miles), a town of over 16,000 inhabitants. The cost of this extension will be very trifling, and it will probably give a considerable increase to traffic on the branch.

In order to secure every return on the enormous capital expenditure on the main line, much of which above Jhelum runs through poor and non-productive country, every effort must be made to stimulate traffic on the lower and richer sections; and this can be done most readily by cheap extensions of this nature.

A branch for instance to Sialkot (30 miles), with its 35,000 inhabitants, and Jammu not far beyond, through a rich and easy country, can be constructed very cheaply, and will, it is anticipated, bring a large traffic to the line. This project will be shortly investigated.

Locomotive, Carriage and Wagon epartment.	Engines(engines were o	n the l	lst ine	April -	1880) the	follo	wing
5'6" gauge line-		٤	4	•	·	· · ·	, -	
H class engines		***				25	-	
Borrowed stock. East Indian Rai Bombay, Baroda	and Central Ir	idia Rai	ilway	engine		9 5		
Indus Valley Ra	lliway H class (ngines		¥#4,	* .	2		
	*			•			1 A 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	
		·			4	41		
Salt Branch line-	•	÷	•	•	. .	41 		
A class metre gauge engine	8		• • •		4 	41 2	• .	
	8	• • • • • • • •		/ • • • • •	4 	41 		

On the 31st March 1881 the stock of engines had increased as follows, while the open line was extended during the same period from 156 to 286 miles :---

5' 6" gauge line-		-		-	`.
H class engines Sharn Stewart B	Comence	*** 		5. B 8 7	49
Sharp, Stewart & L class engines	Compar	iy a o-wheel con	upled engin	e s	9
The chass engines		•••	***	***	10
				•	
	•				68
Salt Branch line		•			
			-		
A class engines B		***	***	** 1	2
21 23		***	***	***	6
نت.	-		•	<i>u</i> ,	
•			•		8
					-
- 、	۰. ۲				

Great difficulty was experienced during the year 1880-81 in the regular supply of power for traffic owing to the inadequate number of engines available and the deficiency of accommodation and appliances for their repair. The water-supply on the Lahore-Jhelum length, owing to the insufficient capacity of station water tanks, was often a source of detention to trains; but notwithstanding these drawbacks, the engines were kept in very fair working order; and although on two or three occasions a block was imminent from the paucity of power, no serious hitch ever actually occurred, and the traffic was worked off successfully by the exertions of all concerned.

At the close of the year under notice the necessity for hiring foreign railway engines had ceased to exist, and all had then been returned to their parent lines.

The following failures of engines occurred during the year 1880-81 from the causes stated :--

22
4
15
58
19
24
170
•

Thirty-six of these failures and 13 derailments occurred to borrowed foreign railway engines. A large number of derailments of engine tenders took place on the sections of the line between Jhelum and Haji Shah for some time after its opening; and these derailments at the time were attributed to the unformed state of the line, and in some cases to the fact of the engines having been running tender foremost for want of a turntable or triangle at Rawalpindi.

That the opinion formed on this point was correct is proved by the fact that derailments of engine tenders on the abovementioned section seldom or never occur now, because the line is in better condition and no necessity exists for engines running tender foremost. There can be no doubt that a larger proportion of the accidents recorded in the foregoing statement was due to the inferior stamp of drivers who were obliged to be entertained, simply because there were no means of attracting good men by providing them with comfortable quarters, &c. Since the building of the temporary barracks at the Rawalpindi workshops site, the Management are a little better off in this respect; and it is gratifying to state that the majority of the indifferent hands taken on during the pressure of traffic have been got rid of, and that the bulk of the drivers now on the line are a fairly steady and efficient lot of men.

Carriage and Wagon stock.—On the 1st April 1880 the following was the carriage and wagon stock on the main and Salt Branch lines :--

5' 6" gauge line-Coaching vehicles	•		***	87
Goods "		247	•••	479
	•	• •		566
Salt Branch line-Coaching vehicles				14
Goods "	***	***	***	142
				156

By the 31st March 1881 the stock on the main and Salt Branch lines had increased as follows by the receipt of new and transferred vehicles during the year :---

5' 6" gauge line-Coaching vehicles		***		124
Goods "	***	***	***	1,293
		9		1,417
Salt Branch line-Coaching vehicles		3		83
Goods "				223
				256
· .		, ,		

giving a total of 1,673 vehicles on the line and belonging to it on the last day of the financial year. Of this number, 10 brake-vans borrowed from the Madras Railway Company are not included. These vehicles were on this line at the close of the year.

During the year the stock has been maintained in good condition.

The commencement of the building of the Rawalpindi workshops could also be noted as a matter of interest; but as at the close of the year 1880-81 much progress had not been made with the work, mention of it may be deferred.

PUNJAB NORTHERN RAILWAY,

NORTHERN SECTION.

Financial Account, 1880-81.

		0m	CIAL YEAR, I	880-81,	. •			
Main heads of expenditure.	Budget Regular Estimate. Estimate.		Outlay.	Deduct receipts on Capital account.	Net expend- iture.	iture to	Net expend- iture to end of 1860-81.	Sanctioned Estimate.
	Ba,	Bs.	Ba,	Be.	Ra.	Ra.	Bs.	Re.
Proliminary Expenses	873325 2723425 242425 242425 245425 245425 272420 272400 272400 272400 272400 272400 272400 272400 272400 272400 272400 272400 272400 27240000000000	-40,000 \$5,000 \$8,71,000 \$4,70,000 9,41,000		10 142 3,098		8,89,942 46,203 6,63,164 70,531 66,794	\$,00,288 70,183 \$7,48,479 47,68,677 11,38,358	c. 2,89,740
Total Construction Accounts	(3340)	62,77,000	88,46,534	2,250	88,44,284	11,86,694	1,00,50,979	2,39,740
Plant team Ferries Rolling Stock Retabilishment	#227-52 #222-55 #222-54 #222-54 #222-54 #222-54	3,81,500 10,21,500 4,53,699	5,52,486 50,817 4,36,217	18 463	5,52,448 50,817 4,35,734	1,75,103	7,29,551 50,817 5,87,291	
otal Expenditure on Final Heads	<u>ttild</u> (**** 593666 *	\$1,\$3,689 28,19,026	98,68,034 3,51,791	2,751	98,83,283 5,81,791	, 15,13,204 , 15,67,421	1,13,98,577 \$ 19,99,213	2,39,740
Grand Total Expenditure *	79,64,000	1,07,62,716	1,03,17,825	* 2,751*	1,02,15,074	\$0,80,715	1,32,95,789	

·	PRODUCTI WORKS	VE PUBLIC OUTLAT.	ORDINAS	COUTLAY,		• •	
•	Imperial.	Provincial.	Imperial.	Provincial,	Incorporat- ed Local Funde	1 1 0 1 0 1 0 1	Grand Total.
During the year	Bs. 43,906	Ra , *	Ba. 86,76,118 1,11,47,127	Be.	Be:	Rs.	Rs. 86,76,118 1,11,00,933

LAHOBE TO JHELUM SECTION.

Financial Account, 1880-81.

• •		Own	111 J RAB, 1	390-81.		Not	:	 [
Main heads of expenditure.	Budget Estimate.	Regular Estimate,	Oatlay,	Deduct receipts on Capital Bocount,	Net expend- iture.	Net expend- iture to end of previous year.	Net expend- iture to end of 1880-81	Sanctioned Estimate,
Proliminary Expenses	Re. 1,000 35,500 43,030 1,09,144 1,99,274 1,018	Bs. 40,000 11,900 1,65,000 5,08,900 -1,150 1,150	Bs, 36,915 9,661 1,52,805 1,99,371 -803 -10,835	Ba .	Rs. 36,915 9,651 1,62,805 1,99,371 -563 -10,935	Rs. 4,83,450 2,45,740 1,15,80,030 53,41,580 10,44,090 1,88,00,899 11,81,780 23,07,735	Rs. 4,89,450 2,45,740 1,18,18,045 52,51,231 11,96,904 1,88,00,270 11,81,197 23,56,800	Re, 4,89,450 2,45,740 1,16,80,001 54,18,736 12,52,918 1,90,80,845 11,22,190 23,67,735
Establishment Total Expenditure on Final Heads Buspense Accounts	\$,709 2,00,000	250 1,96,000 8,000	206 1,88,079 20,634	174196	208 1,88,079 20,634	37,80,336 3,58,70,780 83,196	37,80,642 2,60,58,809 63,562	87,80,398 •2,83,67,106
Grand Tetal Expenditure	8,00,000	1,98,000	1,87,445	100403	1,67,445	2,59,53,928	2,61,21,371	

. Outlay to 31st March 1880, plus the amount of sanctioned estimates from 1st April to 31st March 1881.

LAHORE TO JHELUM SECTION-contd.

.

PRODUCTIVE PUBLIC WORKS OUTLAY, ORDINARY OUTLAY. Incorporate ed Local Funds, Funds, Grand Total. Imperial, Provincial, Imperial. Provincial Rs. Rs, **B.**. Bs. Rs. Bı. Ba, During the year 1,67,445 1,67,445 ₩₩₩,, -499387**4** 1117**3**8 **ș**88118 ø To close of the year 1,95,15,655 1,95,15,655

22796E

-

......

...ius

Distribution of Outlay by Funds to which chargeable.

SALT BRANCH.

Financial Account, 1880-81.

		Om	CILL TRAP, 1	890-81.	* / · · *	Neterpend-	•	
Main heads of expenditure.	Budget Estimate.	Regular Estimate,	Outlay.	Deduct receipts on Capital secount.	Net expend- iture.	iture to end of previous year.	Net expend- iture to end of 1830-81.	Sanctioned Estimate.
	Ba,	He.	. Be.#	Be.	Ee,	Be.	Es,	Re.
Preliminary Expanses	958	81,200	20,434	18	20,446	1 * 1,058	92,500	87,17
Land an the the	. 🤪 - 118	15,000	14,713	- Bear	14,719	6,011	18,728	\$0,75
Construction of line	*83,010	• 68,750	60,932		60,032	1,00,034	9,91,868	9,81,644
Ballast and Permanent-way	3 42,800		1,80,800	Altitut .	1,00,800	8,40,801	10,01,001	11,04,481
Stations and Buildings	478,200	00,791-		255	16,106	74,788	1,90,602	1,47,748
Total Construction Accounts	1,55,600	8,29,169	3,13,320	. 271	8,13,050	10,62,590	19,05,640	15,41,048
Plant	×** 8,216	8,543	8,499		8,488	.13,573	17,001	` 15,000
Steam Ferries	. den	# - 403426	-				- 849263	B f+£x 4
Rolling Stock	There is	1,84,691	1,47,620	+	1,47,530	· 2,93,578	6,61,098	4,72,947
Establishment	18,042	- 18,500	18,998		18,688	70,116	89,006	80,459
Total Expenditure on Final Heads,	1,78,548	. 4,84,883	4,83,225	171	4,82,954	14,50,559	19,49,818	91,00,854
Suspense Accounts	200	1,607	4,847	B ERCEN	4,34	\$,303	6,789	194+28
Grand Total Expenditure	1,78,848	4,86,500	4,97,572	97 1	4,97,301	14,68,251	19,40,562	\$1,09,354

Distribution of Outlay by Funds to which chargeable.

- - -

• .			PRODUCTIVE PUBLIC WORKS COXLAR.		Orditar	e Outlas.	Incorporat- ed Local Funds.	Foreign Funds.	Grazd
			Imperial.	Provincial.	Imperial.	Provincial,			
	,		Rs.	Re.	Be.	B4.	Ra.	Re.	Be,
During the year of	T HE	314	·'''	arrei .	4, 97, 3 01	\$672+3	82614F	*****	4,87,301
To close of the year	sas 4	544 .	*****	68 0732	19,49,555	3 44 5 54	848444	418082	19,69,533

-

3

69

ADMINISTRATION REPORT FOR 1880-81.

JHELUM-RAWALPINDI SECTION.

Financial Account, 1880-81.

		. 09910	IAL YEAR, 18	80-81.		·····	··.	
Main heads of expenditure.	Budget Rstimate.	Regular Estimate.	Outlay.	Deduct receipts on Capital account.	Net expend- iture.	Net expend- iture to end of pre- vious year.	Net expend- iture to end of 1880-81.	Sanctioned Estimate.
	Be.	Be.	Bs.	Bø.	Rs.	Bs.	Rs.	Rs.
Proliminary Expenses		anima a		4641.58	******	3,59,571	9,59,571	8,60,000
Land	·5,000	58,000	57,227	- ###¥¥53¥	57,227	1,82,310	2,39,537	2,59,940
Construction of line	7,91,750	25,52,255	24,91,109	TH. 131	24,91,169	48,89,728	71,80,897	49,78,660
Ballast and Permanent-way	8,73,000	13,74,000	10,75,256	. 1,270	10,73,988	20,05,763	30,79,740	24,28,584
Stations and Buildings	1,74,720	4,45,280	4,51,468	1,802	4,40,684	2,70,248	7,19,910	5,53,505
Total Construction Accounts	18,44,470	44,29,535	40,75,118	3,072	40,72,046	75,07,618	1,15,79,664	85,80,690
Plant	83,000	1,33,000	5,423	1,250	. 4,173	6,48,154	6,52,327	9,21,613
Steam Perries to: to:	313431	muts	satra i	Saliste .	BARFIE		5 877333	
Rolling Stock	10,60,000	18,96,000	15,68,074	•••••	15,66,074	1,858	15,67,932	10,86,656
Establishment	2,28,552	1,68,000	1,72,904	214	1,72,600	7,38,047	9,05,737	6,99,500
Total Expenditure on Final Heads	82,91,022	61,26,535	58,19,519	4,538	58,14,983	88,90,677	· · · · · · · · · · · · · · · · · · ·	1,06,87,359
Suspense Accounts	6,89,163	2,78,000		<i></i>		16,58,317	13,64,852	Om
Grand Total Expenditure	25,41,850	58,50,535	55,28,054	• 4,536	55,23,518	1,05,46,994	1,60,70,512	

Distribution of Outlay by Funds to which chargeable.

	PRODUCTI WORKS	VB PUBLIC OUTLAT	ORDINARY	T OUTLAY,	Incorporated	Foreign	1 .
	Imperial.	Provincial.	Imperial.	Provincial.	Local Funds.	Funds,	Grand Total.
During the year in an on	Bs.	Bs.	Be,	. Bø	Rs	Rs	Rs.
To close of the year	. 6 8,14,518	, musit. Jumi	55,28,518 - 88,91,218	• 10000	- 14 and 	*******	• 55,23,518 • 1,55,05,736

The leading events on the Indus Valley and Kandahar Railways have been Indus Valley Railway. Upper and Lower Sections of the Kandahar Railway have been described in some detail, and information has been given regarding the bridge over the river Indus at Sukkur.

The following extracts from the Administration Report of the Indus Valley and Kandahar Railways supply facts regarding the working of those lines Extensions opened. It will be seen that the following extensions were opened :---

******	-			Miles.	Date of opening.
Ruk to Sibi	-		•••	133	{2nd May 1880 (for coaching traffic). 1st July 1880 (for coaching and goods).
Sibi to Pir Chauki	ú	ب	**•	181	11th October 1880 (for troop traffic only).
Sibi to Nari Gorge	÷			7 1	Ditto ditto.

The principal feature in the working of the line was the troop traffic to and from Southern Afghanistan. His Excellency the Marquis of Ripon paid a visit to this line in November 1880. Punjab & Sind.] ADMINISTRATION REPORT FOR 1880-81,

As regards the troop traffic the annexed table shows the number of War traffic. troops of all arms, followers, baggage and transport animals that were conveyed by the Railway during the time following the reverse that occurred to our forces at Maiwand :—

Month.	Special trains.	Troops and followers,	Horses, ponies, and mules.	* Caris.	Camels and bullocks.	Heavy guns, stores, &c.	Baggage,
	No.	 No.	No.	No.	No.	Mds.	Mds.
March	1	2,912	48	Þ F X	117	278	495
August	9	5,012	868	57	17	2,280	4,498
September	10	6,134	1,152	L41	48	6,233	660
October	. 28	12,969	1,479	423	439	480	8,209
November	14	, 4,819	508	*1*	- 436	80	2,676
December	11	4,178	1,072	2.	69	7	8,414
æ Total	73	36,024	5,127	59	1,009	9,308	19,950

But for the existence of the Railway, the whole of these troops would have The Railway invaluable as a means of been compelled to toil painfully over the transport. burning sands of the barren and almost waterless desert, which stretches for over 70 miles between Jacobabad and Sibi, and which in the intense heat of August would have offered an almost impassable obstacle to the movement of a large force.

In addition to the 501 miles of the Indus Valley Railway, and 7 miles of the Sind, Punisb and Delhi Railway between Mooltan and the junction at Muzaffarabad, worked by this State Railway, another length of 133 miles (between Ruk and Sibi) of the Kandahar Railway was added to the open mileage.

Under the orders of the Government of India, this section was handed over to the Manager on the 18th February 1880 for the carriage of troops and military and railway stores. But owing to want of accommodation, signals, &c., the line was not declared open for public traffic till some time afterwards.

The different stations were opened for public traffic on the following dates :---

On 2nd May 1880 .- Shikarpur, Humson, Jacobabad and Mittri (for coaching traffic only).

On 1st July 1880 .- Shikarpur, Humson, Jacobabad, and Mittri (for goods traffic).

On 1st July 1880.—Jutput, Lindsay, Templedera, Nuttall, and Bellput (for both coaching and goods traffic).

These were most unfortunate dates for the opening of the Kandahar branch line for public traffic—at the very time when the heat was most severe and the country most exposed to floods from the spill from the river Indus. The result was that between 9th June and 22nd July 1880 the line was breached in various places, and the Railway had in consequence to pay heavy demurrage charges on foreign stock, which, owing to the breaks in the line, could not be returned in proper time. The worst flood occurred on the 27th June 1880 between Nuttall and Bellput, and it carried away so much of the road that through communication was not restored until the 22nd of July 1880. This break was the more unfortunate as it occurred at the time that the demands of the military authorities for carriage of troops, cattle, and stores were at a maximum.

Besides the above length, the following branches were opened for the transport of troops returning from Kandahar :---

	Sibi to Pir Chauki		***			18 mile	s .
•	Sibi to Nari Gorge	•••			***	71	2
These	branches have not yet bee	n opene	d for public t	raffic,		-	

- 71

72 •

The total length of line open for public traffic on the 31st March 1881 was 641, against a total of 508 miles on the 31st March 1880. The total "Expenditure on final heads" on the Indus Valley State Railway during the year 1880-81 was Rs. 26,05,801, and the net expenditure to the end of 1880-81 has been Rs. 6,40,86,089; but the assumed capital on which the interest, has been calculated has been taken at Rs. 6,26,84,638, being the net expenditure to the end of previous year, plus half the net expenditure during the year 1880-81. During the year 1880 there were on an average 575 miles of line open and under working; 1,722,368 train miles were run, earning Rs. 66,62,383 and costing Rs. 47,39,983, or 71 per cent., leaving 29 per cent. of the earnings as net profits. The earnings and expenses per train mile have been Rs. 3.87 and Rs. 2.75 respectively. The return on the capital expended was 3.09 per cent. per annum. Of the total earnings, coaching traffic contributed in round numbers 25 per cent., In the same round figures, the maintenance of the line cost 11.3 per cent. of the gross earnings, the locomotive and carriage and wagon expenses S0.3 per cent., the traffic expenses 9.4 per cent., while general administration and sundry expenses cost 19.9 per cent. The earnings and expenses for the past two years are shown in the following table :---

	•		E	ARNINGS.		Expenses.				
Year.	Year. Average Year. miles ope for traffic		Gross.	Per mile per annum.	Per mile per week.	Gross.	Per mile per annum	Per mile per week.		
			' Rs.	Rs.	Rs.	Rs.	Rs.	Rs.		
1879		508	32,77,540	6,452	124	26,60,079	5,237	101°		
1880	***	575 ·	66,62,383	11,586	223	47,39,983	8,244	157		

Below are attached extracts from the reports of the working of the several departments • Details of working. as to the general condition of the Indus Valley and Kandahar Railways.

In general, it may be said that the causes still actively at work in obstructing the business and in running up the expenditure on the line had their full effect on the working during the year 1880. Owing to the insalubrity of the climate, to the paucity of labor, to the scarcity of traffic, and to the liability of the country to serious inundations throughout the districts traversed by this Railway, the line will always, under the most favorable circumstances, from natural causes alone, be an expensive line to work.

. . . Engineering Department.

During the year under review two executive divisions were abolished, and the line was formed in the following three divisions :--

First div	vision	from	0	to	202	miles.
Second	*	39	202	رز	804	در
Third	3)	. 37	804	,))	501	**

Maintenance of line.—During the first half of 1880 the Kandahar branch line was not maintained by Revenue; but in the second half of 1880 the maintenance of this section also formed a charge against Revenue, so that the mean mileage open throughout the year was 567.9 against 501.2

The total expenditure during the year amounted to Rs. 7,57,171 against Rs. 4,95,305 in 1879. The heavy expenditure is due to the very large staff which had to be maintained, owing to the unfinished state of the line when opened to public traffic, and also to the damage done to the way and works by floods.

The total cost of maintenance has been-

Labor.-Rs. 3,25,135, or about Rs. 42 per mile per month.

Materials: Rails.—The number of rails of all kinds renewed on the Indus Valley Railway during this year has been 157. 1,565 sleepers were renewed during the year. The total cost of materials per mile per month has been nearly Rs. 7.

Under the remaining heads of Abstract A (excluding General Superintendence) an expenditure of Rs. 13 per mile per month has been incurred. The heaviest item of this-Rs. 7—is chargeable to repairs of bridges, &c.

It is anticipated that before the close of the current year a considerable saving will have been effected of expenses in the Engineering Department.

The road has been kept in good order throughout the year.

Construction works.—The progress of the works constructed on account of Capital was as follows :—

Earthwork—First Division.—The raising of the banks from 150 to 162 miles has been finished, including the Kotsamaba station.

Third Division.---The drainage of the rock cuttings in the Laki pass was also finished, as well as the flattening of some of the slopes of the cuttings.

Bridgework: Major bridges—First Division.—The following bridges were constructed on the First Division—

1	span	of (30 :	feet,	Warren	girders, a	t mile	155.
8	spans	of (60	,,	plate	22	33	156.
8	- 33	4	10	>>	"	,u	33	158.
61	33	4	10	22	*	**	25	159.

and a considerable proportion of the materials required for the construction of the three following bridges was manufactured :---

			*-	່ 4 ຄ	pans of	E 60	feet,	plate gi	irders,	at mile	161.
	· •	•		5		60	33	Warren	3 3	34	162.
*				16	33	40	22	plate	23	23	163.

The girders for all three bridges are on the ground.

Second Division.—A bridge of 10 arches of 10 feet span in the 262nd mile, which failed during the floods of 1879, was replaced by 10 spans of 40 feet plate girders, the waterway formerly provided at this place having proved totally insufficient.

Minor bridges—First Division.—All the minor bridges between miles 150 and 162 were raised to suit the altered formation level, and some of the open culverts were turned into arches.

Level-crossings-Third Division.-A number of gate lodges were built; but it is not intended to build any more for the present on the Railway, as they are not of much use until the line is fenced.

Fencing.2-Very little fencing has been done, with the exception of a little palisade fencing round the station platforms.

Tree-planting.—A few trees were planted at various stations; but it can hardly be said that this important subject of the planting of stations was carried out in thes ystematic manner it should have been.

*** Ballasting—First Division.—The manufacture of brick ballast was continued from 0 to 55 miles, and the full quantity, 12 cubic feet to the foot run, has been put into the road from * mile 113 to mile 160, with the exception of those miles where the bank is so new that it would have been wasted.

Second Division .- Some 40 miles have yet to be ballasted.

Third Division.—The line from mile 390 to Kotri is full ballasted, and on the other miles ballast is being manufactured as money is provided.

•••

Stations and Offices.—Very little has had to be done to these beyond petty repairs. They are all in fair order. New stations were built at Sangi and Mahcsar, and some of the station platforms were metalled during the year.

A goods-shed of metre gauge rails and corrugated iron was commenced at Larkhana, and the materials for passenger waiting-sheds at Bahawalpur, Khanpur, and Larkhana were collected in anticipation of sanction to the estimate.

Workshops.—The locomotive shops at Sukkur have made fair progress. The temporary building known as the temporary shops was nearly completed, as well as the roofing on the building originally intended for stores. The foundations of the smithy were laid. The iron roofing from the Bombay, Baroda and Central India Railway gave a good deal of trouble in erection, which to some extent delayed the completion of the stores building.

The sinking of the well for supplying water to these shops was begun at the river side to supply a tank to be excavated on the top of the rock near the workshops, called Adamshaka-Tikri.

Staff quarters.-The following is the list of staff quarters which have been built during the year :--

Shujabad	***	4 units of 4th	i class qu	uarters.	
Samasata	a ""	Double 3-unit	latrine	for Europeans.	
-		Single unit	11	· 37	-
		Double "	IJ	Natives.	

۲	DMINISTRATION REPORT FOR 1880-81. [Punjab & Sind.
	on the for my increator of maintenance.
Firoza	
Khanpu r	The military rest-houses were completed to the Railway employés, afterwards altered to fit them for the use of the Railway employés, in accordance with orders from the Government of India.
	10 units of 4th class quarters for Traffic menials.
	Traffic
	4 ,, Srd ,, ,, Tranc ,, 4 ,, of European latrine for Locomotive and Traffic Departments.
Kotsamab a	Quarters for sub-inspector of maintenance.
Sadikabad	s a s s s s s s s s s s s s s s s s s s
Reti	1 unit of Srd class quarters for carriage examiner.
	Native doctor's »
	Mortuary.
	1 unit of European latrine.
	4 units of Native latrines.
VI -inner	1 unit of 3rd class quarters for Traffic Department.
Khairpur	Quarters for station staff.
Sarhad	Native stationmaster's quarters.
Sangi	Military rest-houses were commenced here, but only one building is
Rohri	roofed; it is not at present occupied.
	Carriage examiner's quarters.
Rohri Bunde	r 3 double 1st class units.
	5 ,, 3rd ,, ,,
Sukkur	6 1st class units.
Ruk	Quarters for sub-inspector of maintenance.
Naundero	23 25 27 29
Larkhana	Executive engineer's office.
Radhan	12 menial quarters.
	European latrines.
	Mortuary.
	6 units of guards and drivers' quarters.
	3 " Srd class quarters.
•	Native doctor's quarters.
	1 unit of latrine for Natives at engine depôt.
Bugato ra	Quarters for inspector of maintenance.
Laki	European latrines.
-	Carriage examiner's quarters.
Amri	Quarters for sub-inspector of maintenance.
Manjhand	××× 27 72 73
Budapur	Quarters for inspector of maintenance.
Petaro	, sub-inspector of maintenance.
	European latrines.
Kotri	
Kotri	-
<u>Kotri</u>	12 units of guards and drivers' quarters. 12 ,, temporary quarters for Locomotive Department.

And besides these, 24 huts for maintenance gangs where they were most required.

Station machinery .- The station machinery at Kotsamaba was raised to suit the altered levels.

A new well was built at Rohri in the bed of the river for supplying water to Rohri main engine-shed, and another was built at Radhan; but the fittings have not been completed, owing to delays in their supply.

Sukkur-Rohri Ferry .- The ferry has on the whole worked successfully, considering the makeshift character of the machinery on it.

}? To facilitate the loading and unloading of the barges, five steam winches have been ordered from England, which it is hoped will make the work easier than it is at present. On the Rohri side the sandbanks have always proved troublesome and dangcrous, and to obviate this a breakwater of stone is being built from Satian along the edge of the cold weather bank of the river to opposite the Rohri Bunder station, which, when completed, will reclaim a very large area of sandbank.

It is hoped by means of this that a fixed point will be secured at which the pontoons can be established and the ferry worked over them for some eight months a year. Possibly it may be found afterwards that the ferry traffic could be worked during the floods very near the same place, and the present flood season slips, which are nearly a mile down the river, may be abandoned. If this could be done, a very great saving will be effected in the cost of working the ferry. Should the bund be successful in reclaiming the ground as intended, it will greatly improve the working at the Rohri Bunder station, the reclaimed land being utilised for aduitional sidings, &c.

LOCOMOTIVE AND CARBIAGE AND WAGON DEPARTMENTS.

Rolling stock .- The rolling stock in hand on the 31st March 1981 was as follows :-

97 locomotives.

299 coaching vehicles.

2,068 goods "

The average number of engines taken out of running for repairs during the year 1880 was 10; which is equivalent to 10.30 per cent. of the total locomotive stock on the line on the 31st March 1881. The cause of these heavy engine repairs is chiefly due to—

- (1) the bad water along the line;
- (2) second-hand engines sent to this Railway.

Bad water.—Endeavours are being made to improve the water-supply; and the Locomotive Superintendent has received detailed instructions to thoroughly analyse the water obtained from different sources along the line, and to submit a report immediately after the rainy season, as the present time is not favorable for such a test.

Second-hand engines.—Owing to the number of engines sanctioned for this line not having been supplied, and to the fact that out of the H class stock 12 engines were lent to the Punjab Northern Railway, which have not yet been returned, the following locomotives were obtained from different Railways :—

- 11 engines in 1879 were borrowed from the East Indian Railway, and 5 worked on the line up to June and 6 up to September and October 1880.
- 5 engines from the Sind, Punjab and Delhi Railway, and worked up to February and March 1881.
- 12 engines from the Punjab Northern Railway, of which 10 were Madras Railway engines and 2 H class. Five of the Madras Railway engines were received in November 1879 and 5 in January and February 1880. Two of these, however, could not be put to work in consequence of defects; 3 were returned in April, 2 in June, and 5 in October 1880. The 2 H class engines only worked for a few weeks.

The following tables show the comparison of expenses in the Locomotive and Carriage and Wagon Departments during 1879 and 1880 :--

• •				1879.	1880.
				Rs.	Rs.
General superintendence		***	444	75,503	1,09,478
Running expenses				1,96,525	8,40,495
				8,45,178	8,93,439
Wotor		-	***	35,682	84,876
Dil, tallow, and other sto	*** res		1	51,831	80,671
Iaintenance and renewa	l of loc	omotive eng	ince and		
machinery		•••		1,80,184	3,15,656
New minor works				3,669	5,782
		***	544	·	234
Unclassified expenditure			***	***	E D 4
•	Ъ.	Total		8,88,072	17,80,631

Locomotive Expenses.

Carriage and Wagon Expenses.

	•	1879.	1880.
General superintendence Repairs and renewals of vehicles and mach Cleaning carriages and wagons, and oiling New minor works Unclassified expenditure	ninery	Rs. 10,798 94,356 34,362 14,211 43	Rs. 19,850 1,47,764 58,587 16,814 9
Tota	l	1,53,770	2,43,024

TRAFFIC DEPARTMENT.

With a view to facilitate the work, the line was divided into the following sections, each in charge of a District Traffic Manager :---

Northern S	Section	1 fron	n Mooltan	to	Rohri	 281 1	niles.	:		
Southern	33	33	Sukkur	 ,3	Kotri	 227	33		2	
Lower	33	"	Ruk	,,,	Sibi	 133	3 2	•	•	

The traffic of the line, mostly owing to transactions in connection with the Afghan war, was nearly double what it was in the previous year. The following table will show the receipts of the year as compared with that of 1879 :---

	Iten	ns of receipt	3.	-	1879.	1880.	Increase in 1880.	
Coaching Goods Sundries	64F 676 781	- 688 938 846	404 284 284	350 R12 846	Rs. 7,93,996 22,01,808 2,81,732	Rs. 18,03,907 40,08,327 8,50,149	Rs. 10,09,911 18,06,519 5,68,417	
			Total	1 m	32,77,536	66,62,383	33,84,847	

Passenger traffic.—1,364,425 passengers were booked and carried for an average distance of 71 miles against 831,883 in 1879 carried for an average distance of 60 miles, showing an increase of 532,542 passengers. The passenger mileage or number of passengers carried over one mile in 1880 was 98,889,867, or about 446 passengers per mile open per day. The average contents in 3rd class vehicles were 38.52 persons against 36.07 in the previous year.

The earnings from passengers were Rs. 18,03,907 in 1880. against Rs. 7,93,997 in 1879. * The following table shows the number of passengers booked at the principal stations on the line during 1880 :---

Moolta	n	4** ,	88,536	Ruk 142,892	2.
Shujaba	d	4 = 5	85,662	Larkhana	E .
Bahawa	lpur	4=+	69,964	Sehwan 38,990)
Ahmad	pur		44,246	Kotri 52,242	
Khanpu	r,	***	30,192	Shikarpur. 58,313	
` Rohri	*		46,501	Jacobabad 54,849	
Sukkur	main		85,152	Sibi 72;083	

Goods traffic.—The weight of goods carried in 1880 was 505,919 tons against 235,836 ons in 1879, showing an increase of 270,083 tons.

The earnings from goods traffic were Rs. 40,08,827 against Rs. 22,01,809 in 1879, showing an increase of Rs.18,06,518.

The average distance over which consignments of goods were carried was 203 miles in 1880, against 175 miles in 1879.

The total traffic train mileage was 1,721,719 against 909,727 miles in 1879.

The average number of vehicles per train was 24.98 in 1880 r gainst 19.67 in 1879.

The average receipts per train mile were Rs. 3.70 in 1880 against Rs. 3.99 in 1879.

The number of loaded goods vehicles run in 1880 was 17,774,044, and the number of empties 9,773,980, or, in other words, the number of empties run was 55 per cent. of the whole.

Deser	iption.			1879.	1880.	Diffebence.		
·						Increase.	Decrease.	
•				Tons.	Tons.	Tons.	Tons.	
IICotton	191	***	8.81	7,245	9,167	1,922	•••	
VL-Fruits and Nuts	141	369.		8,778	5,685	1,907		
VIIGrains and Pulses	- FRA	** p	**1	28,053	5 6,558	28,505		
XVIII.—Sugar		***	***	7,660	15,105	7,445		
XX.—Wood (Timber)	× # #	***		1,909	29,418	27,509	***	
XXI.—Wool	490	***	•••	8,612	6,300	2,688		
XXII.—All Other Mercha	ndiso-							
Building mater	rials	5.8.5		1,705	12,307	10,608		
Miscellaneous		410		9,369	2 2,251	12,882		
XXIII.—Military Stores		2 gá	¥¥+	10,946	39,562	28,616		
XXIV.—Railway material	for Forei	gn lines	89 -	} 134,744	277,849	143,105		
XXV.— Ditto	Constr	uction	±2%	{	mi 13440	***/100		
XXVICoal	.	290		792	5,060	4,268		

The following table shows the weights of the principal goods booked in 1879 and 1880 :---

There has been no important alteration in the goods rates during the year.

The increases in the receipts of principal commodities appear to be due to the following causes. Increase in cotton, fruits and nuts, grains and pulses, sugar, and timber is partly due to reduced rates charged for carriage over Indus Valley Railway, but principally to development of traffic occasioned by special demands of the Commissariat Department, and of the Kandahar and Punjab Northern Bailways for troops and construction of rolling stock and railway work respectively.

Increase in military stores and miscellaneous is due to heavy demands of the Commissariat Department.

Increase in cosl is owing to coal being used more extensively in 1880 than in 1879, and also on account of opening of Kandahar Railway.

Compensation claims.—An amount of Rs. 32,843 against Rs. 38,197 in 1879 was paid on account of compensation for claims during 1880. Though this state of affairs is far from satisfactory, it must be borne in mind that the greater portion of this was paid on account of compensation for goods lost or damaged in the very early days of the Indus Valley Railway, when the line was opened for public traffic, on the commencement of the first Afghan war in 1878. The whole length of the line (501 miles) had to be thrown open for the use of the public within a short period of three months, July to October. This caused great difficulties in the collection and organisation of the traffic staff, recruited necessarily from any men that could be induced to join. In addition to this, the demand for labor and the heavy State expenditure on account of Kabul campaigns attracted bad characters to the vicinity of the line from every part of India. The pressure of the Staff and want of proper watch and ward, gave opportunities for theft and pilfering, which were unfortunately availed of to a large extent.

· · ·					1879.	1880.
			•		Rs.	Rs.
Salarios, wages, &c.	342	b 12	364	. 300	54,252	72,268
Station staff		346	PT= /	3++	1,32,913	2,39,805
Train staff	***			•••	46,845	97,419
Fael, &c.		19 19 19 19 19 19 19 19 19 19 19 19 19 19 1	348		52,092	1,29,525
Clothing	\$ 84P	422	533		548	7,900
Printing and stationery		889	134	 .	1,11,133	42,818
Miscellaneons expenses	**E	••• ·	348 P		13,384	7,784
Payments to other lines	***	F T ,	111		28,441	31,487
Unclassified expenditure			F40- <i>.,</i>	••••	1,600	255
· .		• •	Total		4,41,208	6,29,261

The traffic expenses during 1880 compare as follows with those of 1879 :---

The traffic of the year 1880 was so much greater than that of 1879, that it is impossible to briefly explain the causes of these great differences in the expenditure under the various heads.

The very large number of cattle accidents on this line is entirely due to the total absence of fencing of any kind. During the inundation season, when the surrounding country is full of water, the cattle naturally prefer to resort to the high and dry embankments of the Railway, and numbers are consequently killed.

Accidents of failure of machinery also deserve some mention. The principal cause of failure of the engines is bad water on the main line and scanty watering arrangements on the branch line.

Punctuality .- On the main line the mail service ran fairly to time; but on the Kandahar branch line, owing to want of good watering arrangements and the failure of the engines, the working was most unsatisfactory. Every effort is now being made to sective greater punc-tuality.

Train service.-The train service during the whole year consisted of two:passenger trains, one mail and one mixed, both ways, with regular and extra goods and special troop trains as required. In the latter part of the year local services were introduced. The Traffic Superintendent writes : "Unfortunately we were unable to prepare (owing to the very short notice) special time-tables for this service, and in consequence had to utilise time-tables already in use for goods and troop traffic, so that on almost every occasion that we ran a troop train, it became necessary to cancel the running of the local train of that date. Owing to this arrangement, the local services have not hitherto had a fair trial." And therefore no opinion relative to financial success of these services can at present be pronounced. New stations.—Prior to January 1881 the Rohri main station was simply as this clear station." It was opened in January 1881 for 3rd class passenger traffic, being within easy distance of the native town of Rohri. The earnings are reported to be satisfactory. time-tables for this service, and in consequence had to utilise time-tables already in use for

Indus ferry,-Though the arrangements for crossing the goods, over the river Indus have very much improved during the year, it is still sometimes a source of anxiety, and the want of a permanent bridge is very much felt. It will be perhaps impossible to derive full benefit from the Railway till a permanent bridge has been constructed over the river Indus.

During the year ending 31st March 1881, 23,052 vehicles and 102 engines were crossed without breaking bulk. This large number was crossed without a single accident of a serious nature.

Provident Institution .- This institution was commenced in March 1880, under the orders contained in Government of India Resolution, Department of Finance and Commerce, No. 128, dated the 10th January 1880.

The following shows the number of compulsory and voluntary depositors, and the amount of their deposits on the 30th September 1880 and 31st March 1881 :---

	DEPOSITOES.									
State Railway Provident Institution.	•	Compulsory			· · · · · · · · · · · · · · · · · · ·	Volantary.				
	No.	Amon	ıt.		No.	Amount.				
•		Re.	٨.	P.		Re.	▲,	P .		
Number of depositors on 30th September 1880.	668	5,690	12	1	24	7,308	0	1		
39 39 31st March 1881 4.	887	22,628	4	8	2 25	48,977	13	• 8		
Bonus of half-year ending 30th June 1880	4 11	1,937	7	0	14	*44	*14	•••		
30 81 st December 1880		* 8,775	13	9	9.09		***	111		
		•	* *	•						

The bonus declared for the first half of 1880 was equal to 100 per cent. on the compulsory contribution; but for the second half of the year, owing to the larger number of contributors and the smaller net revenue, the bonus was equivalent only to 351 per cent.

STORE DEPARTMENT.

;

5

<u>ب</u> و ا

1

45.5 **.**

.

Clear and detailed instructions have been issued in order to place the working of the Store Department on a better footing; but in the absence of proper accommodation for the custody of stores, there is no hope of effecting a complete control.

Cavital	Finance	Account.	. 1880- 81 .
---------	---------	----------	---------------------

		Oppici	ll TRAB, I	890-81.		Net #x-		
Main heads of expanditure.	Budgot Estimate.	Regular Estimate.	Outlay.	Deduct roceipts on Capital outlay.	Net expendi- ture.	penditure to end of previous. Joar.	Net ex- penditure to end of 1880-01,	Sanctioned Estimate, *
	8	A.B.	Re.	Re.	Ra,	Re.	Be,	Be,
Preliminary Repenser			4,539	ary ,	4,529	10,50,406	10,75,877	10,80,408
had	A 15,00	6,410	48,046	2 9	46,026	2,56,680	9,09,706	3,65,090
Constantijon at 100.	6,50,505	5,05,784	6,51,272	200	4,51,008	9,18,90,364	3,19,47,43 0	3,10,02,148
Ballast and Permanopt way at	8,07'381	7,71,785	7,01,981	820	7,01,561	1,72,03,410	1,79,04,071	1,79,74,175
Stations and Building	£,00,871	5,36,046	4,59,279	\$ 21	4,59,057	39,93,196	44,52,263	45,29,341
Total Construction Accounts	18,49,277	18,19,005	18,54,049	766	16,69,281	4,39,50,065	4,68,82,836	4,57,48,060
Pisni and 199 234	62,972	41,255	*14,473	-10-	14,473	15,92,480	15,79,016	18,89,744
Steam Ferries	· •••	43,000	30,963		90,953	8,840	\$4,502	48,349
Bolling Stock	 	7,24,796	8,97,287	408	9,96,691	64,79,224	78,70,106	73,04,010
Retadlishment	1,60,478	20,000	27,985	.10	* 87,980	69,11,390	88,49,399	68,31,330
Total Expenditure on Final Heads	30,52,725	26,48,046	26,05,801	1,190	26,04,611	\$,88,15,447	6,14,20,058	0,14,63,403
Buspense Accounts	48,725	1,05,000	1,99,291	PR	1,98,291	24,67,740	26,06,031	25,72,740
GALED TOTAL EXTERNITIVE	20,06,000	27,53,046	28,04,098	1,190	38,02,902	6,12,83,187	6,40,86,080	6,40,36,238

- 4

				PRODUCTIV WORKS	TE PUBLIC OUTLAY.	Öedinab i	Grand Total.	
				Imperial.	Provincial.	Imperial.	Provincial.	-
-				Rs.	Rs.	Rs.	Rs.	Rs.
During the year To close of the year	429 1 PE	819 813	819 935	22 ,78,550 4,97,59, 518	946 1922	**3 5+4	_ 444 _ 444	22,78,650 4,97,59,518

Distribution of Outlay by Funds to which chargeable.

Appropriation and Outlay Account of Revenue and Expenditure, 1880-81.

.

8 Particulars.	Original Budget Estimate.	Regular Budget Estimate,	Actuals.	Remarks.
RECEIPTS.	Rs.	Rs.	Rs.	. 0
Earnings of the Line.	· ·		÷	0
		-		
Coaching traffic	10,00,000	16,99,000	90,20,439	
foods traffic	\$2,00,000	45,29,000	43,62,690	1
Electric Telegraph earnings	10,000	10,000	14,138	
steam Boat carnings	f ' '	1,87,000	2,23,251	
Sundries		4,00,000	4,28,561	
Total Earnings of the Line (1)		68,25,000	69,44,079	-
Deduct increase in balance of outstandin earnings	8 	1,25,000	1,23,814	4 •
TOPAL RECEIPTS (2)	. 45,00,000	67,00,000	68,20,265	
Expanditure.		•		
Working Expenses.			4	e
Maintenance of Way, Works, and Stations	7,00,000	7,00,000	8,30,472	
coomotive Expenses	. 13,40,000	18,00,000	18,88,799	5 -
Carriage and Wagon Expenses	2,10,000	2,00,000	2,57,190	
Traffic Expenses	. 6,50,000	6,75,000	6,38,958	3
leneral Charges	. 8,00,000	3,75,000	8,66,992	
team Boat Service	. 1,05,000	1,80,000	1,85,309	
pecial and Miscellaneons Expenditure	. 1,95,000	7,50,000	7,90,803	
	<u>_</u>			يە ئە ئومىيو
	. 35,00,000	46,80,000	49,57,923	
Add increase of or deduct decrease to Gran	it	464		1997 F
n n n to vet deb	it	L.T.	751	
Balance of Suspense Account		35,000	6,518	•
Deduct increase to Credit Balance of Deman	đs			
· · · ·		65,000	1,53,886	
· · ·	85,00,000	46,50,000	48,09,555	
E 1	10,30,000	21,75,000	ν 21,84,524	
eccipts (2)-(4)	10,00,000	20,50,000	20,10,710	

NORTH-WESTERN PROVINCES AND OUDIL.

The Administration Report of the above Government gives the following information regarding the working of Railways in those Provinces up to the 31st March 1881 :---

PROVINCIAL LINES.

PRODUCTIVE PUBLIC WORKS.

At the end of the financial year 1880-81 this line, constructed on the metre gauge of

Muttra-Hathras Railway. The capital expenditure to 31st March 1881 amounted to Rs. 10,86,470, giving, for a length of line of 29 miles, a cost of Rs. 37,465 per mile. Only one charge for capital construction, was incurred during the year, on account of a new goods-shed at Hathras city, to provide shelter for goods awaiting despatch, costing Rs, 2,907.

The line continues to show increased prosperity and to earn a fair return on the capital expended; but as the working expenses have increased as well as the traffic earnings, the net earnings for the year are only Rs. 4,494 more than in the previous year. The following table shows the earnings and expenses of 1880-81 as compared with those of 1879-80 ;-

•						1879-80.	1880-81.	Increase in 1889-61.	
• Traffic Earnings						Ba.	Ra,	Ra,	
Coaching	a11,	, 2×1	127	325		84,908	90,724	6,816	
Goods	**		191	185	***	83,952	47,452	14,100	
Telegraph	***	. et3	* ***		F4 5	344	1,176	1,17	
Sundries	10	P2 4			1-5	1,190	2,148	1,011	
	•	• •		Total		1,19,390	1,41,494	22,104	
Working Expense	18 8	* #11	3 #3	XAN		£5,818	83,428	17,610	
		•••	Net	Earnings		53,677	58,071	4,404	

The proportion of working expenses to earnings in these years was respectively 55-12 and 58.95 per cent., being an increase in 1880-81 of 3.83 per cent., mainly due to increase in traffic and consequent wear and tear. The increase in working expenses, aggregating Rs. 17,610, is made up as follows :---

	***	.,.	•.		More.	Loni,
	•		•	i	Rs.	Rs.
Maintenance of Way and Works	113	A 41	488	***	5,944	4 5 B
, Locomotive Expenses	8 33	185	,,,,	\$13	7,710	
Traffic Expanses *	2013	499		***	2,842	÷14
General Charges	-		LAF	<i>,</i>	2,146	314
Carriage and Wagon Expenses	428	***	***		147	249
Miscellaneous		•		-	·	283
	Ţ	otal	5.04	** *	18,142	532
	Net Ex	cens .	· \$\$\$,,,	17,61	10

The number of passengers and quantity of goods carried as compared with previous years are-

		•	_					_
Goods		449		TONE	22,274	80,678	8 3,09 2	
	-	***						
Passengers	_	• • •	de i	Nos.	255.701	814,762	336.286	
٤					1878-79.	1879-80.	1880-81.	

showing an increase of passengers 22,524 and goods 2,414 tons over 1879-80. This is not so marked an increase as was exhibited in the previous year; but the earnings on goods have · been very much greater, as a far larger proportion was carried over the whole length of the line to Muttra for transport to Bhurtpur, territory, the ton mileage being materially increased. The experience of 1880-81 leads to the conviction that, with the opening of the Muttra and Achneyra line and the construction of the bridge over the Jumna and Muttra, a considerable increase to traffic towards Rajputana by this route may be condidently anticipated.

There was no unusual inducement in the way of more than ordinarily important fairs to attract passenger traffic during the year as there was in 1879-80.

The financial condition of the undertaking at the close of 1880-81 is represented in the following table :---

• •	Expenses.		Earnings.	·
penses to end of 18;	outlay and Working en		Gross earnings to end of 1879-80	Rs. 4,48,398 1,41,494
Surplus p	Total			
•	Grand Total	. 5,89,892	Total	5,89,892

Hence in 1880-81 the earnings were more than the expenses by Rs.^{*} 14,429, which clears off the debt of Rs. 9,748 due to Government at the close of 1879-80 for unrealised interest, &c., Rs. 4,681, and leaves a divisible surplus of 0.43 per cent. on the capital for 1880-81. A larger surplus was anticipated, but the increase in working expenses has prevented its realisation.

The whole of the gross earnings, Rs. 5,89,892, will be received by Government, which per contra has to pay the following sums :---

To subso	niham for interact and	-b	1		K8.	Rs.
	ribers for interest and lose of 1879-80, intere		surplus	pront	74,787	. ***
In 1	880-81, interest	•	нат. У. Вяр	11. 11.	12,964	•••
	", share of surpl	us profits	•	*** ***	1;396	•••
	· ·	Total	to shar	eholders		86,147
· . •	•	For w	orking e	xpenses	***	8,30,192
			Gran	d Total	, * , * 1 ₀ ∎∎	4,16,339

leaving a surplus to Provincial funds of Rs. 1,73,553.

. .

The capital on 31st March 1881, Rs. 10,86,470, has been subscribed-

	_					Rs.
••	By shareholders				94£	3,24,100
•	By Government	***	***	\$\$\$	425	7,62,370
•••				Total		10,86,470
				· · ·		

Shareholders have to receive up to Slst March 1881 Rs. 86,147 on their capital of Rs. 3,24,100, or 26.58 per cent. Government on its share of Rs. 7,62,370 receives Rs. 1,73,553, or 22.76 per cent.

The less percentage received by Government is due to shareholders having received 4 per cent. interest on their capital from the date they subscribed it, while Government only realised from the date the Railway opened for traffic. The agreenient with the shareholders is not exactly the same as for Guaranteed lines. It provides that when the accumulated interest and working expenses have all been realised, any surplus earnings there may be shall be divided rateably between the Government and shareholders in proportion to the capital held; any surplus received by the shareholders being in addition to the 4 per cent. interest on their subsoribed capital.

The current year (1880-81) is the first year in which there has been any such surplus, though the net earnings have since 1877-78 always exceeded the 4 per cent. interest. Thus they were—

Tn 1977 70		٠.	• • •		· · ·	•
In 1877-78	888 H X.		4.1	*	4 11 per cent	-
In 1878-79			 • 	•••	a 11 per cent.	5
	***		5 5 6 7	***	4.41 ,	*
, In 1879-80	***	***				- ⁴² - #
		•••	642 🍽 '	0 ***	4.89	

The cause of this apparent discrepancy is the agreement made by the Government of India with the shareholders of this line, that all the accumulated interest on capital outlay during construction must be a first charge against the revenue earned, and that surplus profits.

					CHARGES.			BALANCE.	
)	Year.		per cent, inicreat on Capital outlay.		Total.	Earnings.	Loss,	More.	
	· · · · · ·	* * .		Ra.	- *• Řs.	Rs.	Rs.	Ra.	Ra.
1873-74	, #b1 ·	in the	E7 1	858	44 () N3	858	<i>ŧ</i> .,	858	***
1874-75	***	• • • •	• 14+	11,064	2	11,604		11,604	***
1875-76	848 8	a a ³ 28	1-1 1-1	83,544 	19,287 49,190	52,831 58,065	84,218 91,335	18,618	8,270
1876-7 7 1877-78	***	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	** <u>*</u> 111	41,821	52,518	94,339	95,546	uf	1,207
1878-79	, 419 		~ +=	42,107	59,961	1,03,068	1,07,914		15,846
1879-80		* 245 . 3 5	- · · ·	43,608	65,813	1,09,421	1,19,390	+++ 	9,969
1880-81	713	***	- # }.	43,642	83,428	1,27,095	1,41,494		4,429
	•	. Total	a	2,55,019	3,30,192	5,85,211	5,89,892	80,040	84,721
•									

would only accrue when all this interest and the working expenses had been entirely worked off. The following statement shows how this agreement has worked :--

•Net surplus at close of 1880-81-

To shareholders' capital, To Government ,,			***	1,396 8,285 }	Rs. 4,681
---	--	--	-----	------------------	------------------

Rs.

The working and general management of the line have been highly satisfactory, and there have been no serious accidents during the year. The only special occurrences worthy of notice were the opening of the line of telegraph from Muttra to Hathras Road, which came into working for the line in July 1880, the transfer of the offices of the line to Cawnpore in December 1880, and the concentration there of the provincial management, locomotive, traffic, and audit head-quarters. A Traffic Inspector has been kept at Muttra in immediate charge of the traffic working, and the arrangement has generally worked satisfactorily, though of course the distance of the line from its head-quarters is a disadvantage.

This line, also constructed on the metre gauge, was partially opened for traffic on the Cawnpore and Farukhabad Railway. 1881, after the completion of the Kali Nadi diversion, the remaining section to Farukhabad was also opened, making a total length of line of 85 miles. It was thus worked for 48 days over 49 miles and for 59 days over the whole 86 miles.

The capital expenditure to S1st March 1881 amounted to Rs. 30,45,749, or for 86 miles a rate of Rs. 35,416 per mile to date; but there is still considerable further outlay to be incurred against capital on account of rolling stock, the Kali Nadi bridge, and other works in progress but not completed during 1880-81.

The total earnings of the line during 1880-81 were Rs. 49,467, and the working expenses Rs. 36,628, showing net earnings during the year, Rs. 12,829.

The number of passengers carried was 113,589, and the quantity of goods lifted 3,530 tons.

The gross earnings in 1880-81 represent 5.54 per cent., and the working expenses 4.10 per cent. per annum on the capital expended.

The line was opened late in the year at a dull season as regards trade and under considerable disadvantages as to working; and no practical results would be attained by elaborating the financial details for so short a period. Its prospects have, however, been steadily improving, and when the proposed extension vid Khasganj to Hathras Road is completed and through communication without break of gauge to Rajputana established vid Muttraand Achneyra, this Railway may be confidently expected to prove a financial success.

The old telegraph line to Fatehgarh was dismantled by the Telegraph Department during the year, and a new line put up along the Railway. Every station is in connection with it, and the Government office at Fatehgarh has been abolished and the business transferred to the Railway offices.

3. The head-quarters of the open line were located at Cawnpore and amalgamated with those of the Muttra-Hathras Bailway, both lines being placed under one Engineer-in-Chief and Manager. No accidents occurred to life in 1880-81, and those that did occur at all were insignificant. This short branch line, 12 miles in length, connects the Ganges at Tari Ghat, oppo-Ghazipur-Dildarnagar Railway. (5' 6") gauge. It was opened for traffic on the 5th October 1880, and has been worked by the East Indian Railway under an arrangement entered into between the Government and that Company.

The capital expended on this line up to \$1st March 1881 is Rs. 5,93,539, which for 12 miles gives a cost of Rs. 49,462 per mile without rolling stock, which is found by the East Indian Railway. The details of the capital expenditure during the year and to date as compared with the sanctioned estimate have been given in the previous chapter.

The working expenses up to 31st March 1881 were Rs. 23,183, and the gross earnings Rs. 17,878, or a net loss of working of Rs. 5,305 during the year. Thus for 178 days the working expenses were Rs. 130 2 and the earnings Rs. 100.4 per diem, or for each mile open working expenses were Rs. 10.85 and earnings Rs. 8 36 per diem on the capital expended.

working expenses were Rs. 10.85 and zarnings. Rs. 8.36 per diem on the capital expended. The working expenses are equal to Rs. 8.01 per cent., and the earnings 6.36 per cent, per annum. The agreement between Government and the East Indian Railway is that the East Indian Railway Company finds rolling stock and works and maintains the line, charging their own train mileage rates and taking two-fifths of the net receipts as their share of the profits.

The line has not been working sufficiently long to permit of certain conclusions being drawn from the financial results herein indicated; but it is evident that, as the East Indian Railway Company fixes the working expenses not from actuals but by the proportion the 12 miles of this line bear to the whole cost of length of its own open lines, the earnings must increase to a very great extent indeed to make this short branch a paying concern.

The number of trains originally run was reduced by two per diem as soon as it was found that the line was working at a loss, and further reduction is deprecated, as likely to cause a falling off in the traffic by driving it back to the road, owing to the very long intervals between the trains.

Muttra-Achneyra Railway.

This line is still under construction on the metre gauge, and is described in the chapter on

Construction.

The following table shows the capital outlay during the year on Railways in these Provinces :--

<u></u>	Railways,	* · · · · · · · · · · · · · · · · · · ·		Amount.	Increase and de- crease of suspense balance,	Total.
	Imperial.		•	Rs.	Rs.	Rs.
Prod	uctive Public	Works.		•		-
Muttra-Hathras Ghazipur-Dildarnagar Cawnpore-Farukhabad Muttra-Achneyra	245 I	184 889 195 947 126 925	608 407 982 889	2,541 1,44,953 11,00,453 1,99,310	$ \begin{array}{c} - & 11,691 \\ - & 3,749 \\ - & 51,497 \\ + 2,09,388 \end{array} $	9,150 1,41,204 10,68,956 4,08,698
·	•	Total		, 14,47,257 "	+1,62,451	16,09,708
Patna-Bahraich	Surveyz,	98 885.	D 1	. 1,018	1 +3,300	4,918
•		Total	211	1,018	+8,300	4,318
	PROVINCIA Surveys.					
Bareilly-Pilibhit Mau-Ranipur Banda-Manikpur Jampur Gorakhpur Gonda	445 (#12 d	44 NIS NIS 465 NIS 465 NIS NIS 465 NIS NIS 465 NIS NIS 465 NIS NIS 465 NIS NIS 465 NIS NIS 465 NIS NIS NIS 465 NIS NIS NIS NIS NIS NIS NIS NIS NIS NIS	101 101 101 101 ★ 411	$ \begin{array}{r} 10,676 \\ -1,461 \\ -1,596 \\ -634 \\ -637 \\ -531 \\ \end{array} $	+ 956 *** ***	$ \begin{array}{r} 11,632 \\ - 1,461 \\ - 1,596 \\ - 634 \\ - 637 \end{array} $
Lucknow Moradabad Bhsupur-Yalpi Cawapore-Karukhabad	nn nn Frionnion	1977 - 1984 - 7 fan y 1995 - 298 - 1 1997 - 208 - 198 1998 - 1998 - 199 1998 - 1998 - 199 1994 - 1998 - 199	111 111 111 111 111	- 531 - 846 530 11,083 5,200	*** ** * 14 † 49	- 531 - 846 530 11,097- 5,249
	•	Total		21,784	+1,019	22,803

85

GENERAL.

The following is the total capital expenditure during the year and to date on all State Railway projects in these Provinces :--

		OUTLAT.	
Projecta.	To Slet March 1880.	Daring 1990-81,	Total on Sist March
Muttra-Hathras Ghazipur-Dildarnagar Cawnpore-Farukhabad Muttra-Achneyra Imperial Surveys Provincial Surveys	Ra. 10,95,620 -4,52,885 19,76,993 -53,108 -3,66,201 	Rs. 9,150 1,41,204 10,68,956 4,08,698 4,318 22,803 16,36,829	Ra. 10,86,470 5,93,539 80,45,749 4,61,806 4,318 3,79,004 55,70,886

The following is an abstract of the earnings and working expenses on open lines for 1880-81

· · · · ·	7	-		0	Working ez-	Layn	88.
4	Railwaya,			Gross carnings.	penses,	More.	Lees.
Muttra-Hathras Ghazipur-Dildarnagar Cawnpore-Farukhabed	689 477 100	. 882 .493 .677	+ # # + # # + # #	Rs. 1,41,494 17,878 49,467	Rs. 83,423 28,183 86,638	Ra. 58,071 19,829	Re. 5,305
	~ •	Total	***	2,08,839	1,48,244	70,900	5,805
	-					65,596	i not

or for a capital of Rs. 47,25,758 expended on these lines-

Gross earnings	***	•••		44 pc	er cent.
Working expenses	x			-8.0	
Net earnings	ě t t	***	•	1.4	31

BENGAL.

The following extracts from the Progress and Administration Report on State Railways within the Province of Bengal affords information concerning Railways under that Government during the year ending 31st March 1881 :-

The following Railways and Tramways under the administration of Bengal are open for traffic :--

I.-The Northern Bengal Railway.

II.-The Tirhoot Railway.

III.—The Patna and Gya Railway.

IV .--- The Calcutta and South-Eastern Railway.

V.-The Nalhati Railway.

VI.—The Darjechny Steam Tramway (a portion open for traffic).

The length of line open for traffic was 243 miles, no additions thereto having been made Northern Bengal Bailway. Northern Bengal Railway. ing the period under review may be taken as a starting-point on which to base deductions in future years.

In past years the statistical results arrived at have always been affected by abnormal causes, and they are therefore unreliable for purposes of comparison. , 17 .

The total earnings during the year were Rs. 16,84,588; the expenditure Rs. 9,25,145, or 58 60 per cent. of the gross amount earned. This result, which, it is hoped, will be considered satisfactory, has been brought about by the exercise of a most rigid economy in all departments; the earnings having fallen considerably below expectations. The fluctuations in traffic are fully explained in connection with the working of the Traffic Department.

The management of the line in all departments has left nothing to be desired. It is satisfactory to note that the subordinate employés of the Railway are now being largely drawn from the districts through which the Railway passes, and with most advantageous and economical results.

Some further progress has been made in the construction of feeder roads, but a great deal still remains to be done. Good roads, open throughout the year from all the principal marts, would, it is believed, largely augment the traffic; and if an officer could be deputed to report on. the roads existing and their condition at the end of the rains, a comprehensive scheme of operations for the ensuing working season could be prepared.

As anticipated in last year's report, a large reduction has been made in the expenditure on coal. The quality supplied was superior to that previously obtained, the price was less, and it was taken over by weight and not by measurement, by which means a guarantee was afforded

was taken over by weight and not by measurement, by which means a guarantee was afforded that the quantity paid for was actually delivered. The Darjeeling Tramway was opened to Sonada during the year, and through booking was introduced between the Eastern Bengal Railway, Northern Bengal; Railway, and the Trama-way. The latter is now opened to Darjeeling, and the result has been an increase to the pas-senger and goods traffic of this Railway, but the full benefit of the facilities thus afforded to traffic, in both passengers and goods, will not he obtained until the Tramway is fully equipped with rolling-stock. with rolling-stock.

rolling-stock. The river Ganges silted up at old Damukdea, and it was deemed advisable to lay a fairweather extension from the old station to a point opposite-Saraghat, a distance of about 4 miles. A small saving was thus effected in the expenditure on the steam boat service, but the result of working the extension has not been altogether satisfactory financially, and it is not proposed to relay the line after the rains. In order, however, to maintain the present through timing of the mail service, an extension on the Sara side of the river for about 8 miles has been laid, It is expected that the expenditure involved in working this extra mileage will be met by a corresponding saving in the ferry department, owing to the shorter steamer run.

The line was not tried severely by floods during the year. The most remarkable occurrence was the derailment of a passenger train on the Rangpur Branch by a heavy gale of wind on the 4th March. Seven carriages, some of which contained passengers, were blown over; but fortunately no one was hurt.

The European and East Indian staff decreased from 94 to 79, the Native staff from 2,278 to 2,206, owing to reduction of establishments.

The capital expenditure during the current year will be triffing, and there will be, it is expected, large credits arising from the sale of surplus stores, broad gauge permanent-way materials, and steamers, &c.

The details of capital expenditure up to the 31st March 1881 under the various heads are given in the detailed narrative. The amount required to pay 41 per cent. interest on this outlay for the year is Rs. 9,41,138, towards which the net earnings have contributed Rs. 7,09,443, leaving a deficit to be met from general revenues of only Rs. 2,81,695.

Dinagepore Branch and Extension to the Ganges.—It has been proposed to construct from Provincial funds a branch Railway from Parbatipur station on the Northern Bengal Railway to Dinagepore, a distance of 19 miles, at an estimated cost of Rs. 11,91,083. The general question of short branch railways as ordinary provincial public works having been referred by the Government of India to the Secretary of State, pending his reply, the work will be put in hand as a feeder road, to be completed hereafter as a railway should sanction be given; and a grant for this purpose of Rs. 4,50,000 has been set aside for the current year. In connection with this and on a recommendation made by the Labor Emigration Commission, a reconnaissance has been carried out for a railway to a point on the Ganges opposite Sahibgunge, and is still under consideration.

ENGINEERING DEPARTMENT.

hallas Ballasting.-The new ballast siding, which was laid at Mundaghat below the Jalpaiguri station, was finally closed in October 1880. 230,000 cubic feet of ballast were carried and spread on the Teesta Extension, and 12,470 cubic feet on the Jalpaiguri subdivision.

Stations and Offices.-The corrugated iron goods-sheds at Panchbibi and Chaitangram were dismantled, and the materials utilised in building Sultanpur and Nawabganj goods sheds respectively. Two corrugated iron goods sheds-one at Domer and one at Saraghat-were

completed. The pucca stations at Ranimagar and Nawabganj were completed, and in that at Chilahati brickwork was done up to 11 fect.

The arrangements for lighting all the stations were completed.

Chaitangram station has been closed and abandoned, except as a flag-station experimentally.

The covered way at Siliguri was also extended 70 feet for the Tramway.

Jaipur passenger platform has been extended 250 feet and that at Haldibari 100 feet, so that trains can now water at both ends of these stations. Orders have been issued for a similar extension of the Nattor platform.

Staff quarters .- The walls of first class bungalow No. 1 at Sara were taken down and rebuilt.

Almost all the Bungalows on the line have been provided with wire ladders and iron gurrahs, to be used in cases of fire. . .

Sub-Inspectors' quarters have been built at Nattor, Parbatipur, and Jalpaiguri.

Better accommodation for the Traffic menial staff; with brick walls, has been provided at Gopalpur, Malandii, Nattor, Nawabganj, Jaipur, Hili, Birampur, Phulbari, Badarganj, Shampur, Rangpur, Kauma, and Darwani. Police accommodation at Gopalpur, Nattor, Nawabganj, Jaipur, Hili, Birampur, Phulbari, Badarganj, Shampur, Rangpur, Kaunia, and Darwani has been provided.

Station machinery.-A second water column has been put up at Nattor, at Jaipur, and at Haldibari, and connected to the water supply. Ashpits for these water columns have been ⁻built. 1 J

The second engine stable and a second jib-watercrane at Saidpur were completed; also Siliguri turntable.

An additional pucca well was sunk 50 feet at Saidpur for water-supply to the workshops, and a tower built to support the up-cast and down-cast pipes. A carriage inspection pit under the platform siding at Saidpur was built 500 feet long.

Bridging.-Seven of the additional bridges on the southern portion of the line have been completed.

Fencing.—One hundred and eleven miles of stone-posts, carrying four strands of wire, have been erected on the main line, 16 miles on Rangpur Branch, and 26 miles iron standard fencing, four wires, on the main line, from 170th mile to Siliguri.

Quarters for other Departments.-At the request of the Postal authorities, a Post Office was commenced at Parbatipur and was almost ready on the 31st March.

Damukdea temporary extension .- A fair weather line, 3.886 miles in length, was laid upon the chur of the river Ganges from the Damukdes station to the other side of Saraghat for the purpose of shortening the run of the steam ferry.

Additional sidings were provided at the following stations for the convenience of goods traffic :-

· . ·					Feet.
Hili			***	•••	820
Saidpur			*#2	***	700
Phulbari			***	•••	560
Birampur	· •	***		***	506
Atrai		***		***	2,600

The temporary siding at Kaunia had to be taken up and another running northwards was laid down on account of the river Teesta changing its course.

One hundred and seventy rails out of 117,132 laid in road, and 3,783 timber and 13 iron sleepers out of 504,477 and 19,517 respectively, have been renewed during the year.

The permanent-way and buildings generally have been maintained in good order ughout the year. throughout the year.

LOCOMOTIVE DEPARTMENT.

Running engines .- The total number of engines working during the past year was 40.

Engine failures .- The number of engine failures during the year have been 15 .. Of these, 10 were caused by valves slipping, which has at last, after numerous trials, been obviated by an alteration in the buckles; 2 were caused by the regulator spindle breaking—this is also being cured by an alteration in the regulator; and the other 8 failures were due to mismanagement on the part of the drivers.

The percentage of working expenses of this department as compared with the gross receipts have fallen steadily since the line was opened, as will be seen from the following statement :---

0000				I	ocomotive.	Carrie	ge and Wagon.	?
		_			Rs.		Rs.	
	Half-year ending	30th June	1878		19.59	-	4·19	
	 ;;	31st December		444	25-80		5.20	
		30th June	1879		22.68		2.97	
24 6		S1st December	**		22-24	.	8.04	
		S0th June	1880	624	18.28		• 2•83	
	3 3	Slst December	33 F	155	19.93	 - 1	1.85	

Month and date.		con s wei; opene			train n	consum ile bef dge op	ore w	eigh-	Month a	nd date.	- Tot		isum) ghbri ned.		per tr we	d consur nin mile ighbridg opensd.	after
1880.	Tons.	owt,	qrs.	lbs.	Tons,	cwt,	Qш.	lbs.	18	80.	Tons.	owt.	qıs,	ìbs.	Tons.	owt. qi	a. lbs.
January	964	18	2	6	0	0	0	41	April	843	639	13	2	21	.~o	°0. Ø	81 ,
February	798	, 17	8	2	0	0	0	<u>41</u>	May	824	604	19	0	Ō	o	0 0	32
March	793	19	8	8	0	0	0	5 8	June		693	2	2	6	0	0 0	85

Premia for economy in the consumption of coal and oil have been offered on the line since January 1879; but since the introduction of the engine coefficient of six vehicles, under the instructions contained in Government of India circular No. 18 of 1880, no premium has been earned by any driver, and the Locomotive Superintendent considers it would be advisable to increase the engine coefficient from six to ten vehicles.

The repairs to engines have been much lower in this than in the two previous years, as the benefits of certain alterations which were made thereon and charged to Revenue are now making themselves apparent.

The number of engines repaired during 1879-80 as compared with 1880-81, and the total and average cost per engine of the repairs, are shown in the following table :---

		Number of engines repaired.	Total cost,	Average cost per engine.
From April 1879 to March 1880 """1880 to "1881	\$** *** *** }**	35 39	Rs. A. P. 22,972 9 7 13,484 15 11	Rs. A. P. 656 5 0 345 12 0

The class of repairs effected for the two years are also shown below :----

	Class of repairs during 1879-80.				Number of engines repaired.	Class of rep	Number of engines repaired.	
Невуу	***	¥#4	45+	***	7	Heavy		4
Middling	, ,,,	***	• •••	*	5	Middling	 	11
Light	***	=++			4	Light	 	1

The cost of repairs for this year and the next will stand higher, as we have already to commence re-tyring the engine wheels; and this is an important item, as all the engines will require new tyres simultaneously.

The F class engines have altered the working advantageously, as two of these engines do the work of three E class engines, thus considerably reducing train mileage and wages.

The conduct of the staff has been generally very satisfactory, and the health of the Europeans, since they have been comfortably housed, has greatly improved. The health, however, of the native employes, especially those in the workshops, is very far from satisfactory, as many as 30 per cent. having been on the sick list at one time in December, January, and February last, attributable to the want of proper shelter, which the men neglected to provide for themselves. The point is, however, receiving attention, and it is proposed to provide them with quarters, charging a moderate rent.

CARBIAGE AND WAGON DEPARTMENT.

The following additions and alterations have been made to the stock during the year :---

Namba vehic		Ciase of vehicles,	1
	8	Luggage vans Converted into 18 feet long covered wagons.	
•	80	Low-sided wagons with iton underframe open jute wagons.	
< ¹	11	Family saloons	
	4	Ordinary third class carriages	
	2	Third class carriages on Bogies	
بيني. ايند المراجع	85	Low-sided wagons with wood underframe Fitted. Built with centre buffare.	
· #	25′	Eighteen fest long covered gouis wagons Ends closed.	
•	8	Travelling orange	The

. All the dead-buffer ballast wagons have been fitted with central couplings.

All 1st and 2nd class stock and several other vehicles have been fitted with screw couplings designed by Mr. Rendell, which are giving complete satisfaction.

Workshops.—These have made great progress. The following buildings are now permanently occupied :—Stores, smithy, machine shop, boiler and erecting shop, and paint shop.

The whole of the machinery have been laid down in the machine shop, and it only remains to put up the shafts for the boiler and carriage shops and to lay down the machines in these shops. The overhead cranes for the erecting and boiler shops and the boilers for the engines of the machine shop have not arrived from England yet; but at present a locomotive boiler is used for working the engines as a temporary measure, which will be done until the boilers arrive.

There are, of course, numerous minor works to be done to finish the shops, but the greater part has been completed.

The total value of work done in the shops during 1880-81 has amounted to Rs. 1,12,677-14 on a total number of orders, 1,633, as compared with Rs. 1,56,302-4-8 on a total number of orders, 1,634, in 1879-80.

The work done is as follows ;---

•		· .	187	9-80.		186	30-81	
			Rs.	A .]	P.	Rs.	٨.	P.
Capital.	1 H Ø	***	41,663	9 J	1	51,837	2	0
Plant	* 9 ¥		4,108	15	8	589	9	1
Locomotive			24,564	10]	10	14,721	9	11
Carriage and Wagon		***	9,370	10	0	9,437	2	1
Engineering	A T ¥	×	14,321	12 1	0	7,989	2	6
Other departments			48,529	2	2	23,718	13	2
Private parties	•••		1,522	13	10	1,782	6	9
	Total		1,44,081	10]	0	1,10,075	13	6
Uncompleted orders or of the official year, c			12,203	. 4	6	2,619	6	10

to next year.

A number of young men and lads have been collected from the villages round and are being taught machine work, to which they take readily; but the difficulty is to keep them steady in their attendance, especially during the time when agricultural operations are most active.

A night school has been started for the benefit of these lads, and for any of the adult hative firemen and drivers who may wish to attend.

Stores Department.—A very large quantity of surplus stores was sent to the Port Storekeeper, Calcutta, for disposed, and a considerable quantity was also transferred to other Bailways. In January 1881, when Mr. Devine took leave, it was considered advisable to place the department under the charge of the Locomotive Superintendent, for whose department most of the articles remaining on hand are required. The Locomotive Superintendent has a small establishment for the purpose of issuing the stores and keeping the necessary books, and a saving of Rs. 418 per mensem has been effected by the change.

The stores were verified during the year, and the discrepancies found were few in number and triffing in amount.

The stores balance was reduced by Rs. 3,49,222 during the year, of which Rs. 1,09,305 was due to sales and transfers of surplus materials to other Railways and departments, and the rest (Rs. 2,41,917) to issue to Revenue and Construction works.

TRAFFIC DEPARTMENT.

The gross traffic receipts as compared with 1879-80 are as follows-

	Tra	ffic earning	×.	•	1879-80.	1880-81.	Increase in 1880-81.	Decrease in 1880-81.
······					Rs	Rs.	Rs.	Rs.
Coaching traffic Goods traffic Telegraph Sundries	449 594 299 464 4	*** *** ***	480 480 244 144	9.55 646 241 411	5,00,353 7,46,268 6,884 91,910	5,17,951 8,45,320 6,254 95,840	17,598 99,052 3,930	 630
			Total	· [13,45,415	14,65,365	1,20,580	630

which gives a net increase of Rs. 1,19,950, or 8 per cent. over the amount earned in 1879-80. The earnings under the head "Steam Boat Service" will be separately dealt with, as the service has been constituted a distinct department.

Description of traffic.	1879-80.		1880-81.		Increase in 1880-81.		Decrease in 1880-81.	
	No.	Amount.	No.	Amount.	No.	Amount.	No.	Amount.
	,	Rs.	·	Rs.		Rs.		Rs.
First class Second class Intermediate Third class Luggage and parcel Horses, cats, and dogs Special train Miscellaneous	2,989 6,822 671,363 	31,202 26,216 3,77,551 38,092 11,021 2,982 13,289	3,336 5,305 18,062 666,114 	37,100 25,098 35,528 3,69,193 25,671 7,620 2,352 15,389	347 18,062 	5,898 35,528 2,100	1,517 5,169	1,118 8,358 12,421 3,401 630
Total	681,174	5,00,353	692,897	5,17,951	18,409	43,526	6,686	25,928

The details of coaching traffic are as follows :-

These figures show a net increase of Rs. 11,723 in the number carried and of Rs. 17,598 in the amount received as compared with 1879-80.

The following statement gives the details of merchandise earnings :---

	187	/9-80.	188	0-81.		ase in)-81.		esse in 0-81.
Merchandise, general	Tons. 98,206	Rs. 7,43,913	Tons. 121,797	Rs.	Tons. 23,591	Rs. 98,400	Tons.	Rs.
Merchandise, general Live stock, &c Demutrage Miscellaneous	. 12>	• 92 • 2,263	121,151 	790 1,716 501	23,991 *** ***	698 501	•••• ••• •••	547
Total	98,206	7,46,268	121,797	8,45,320	23,591	99,599		547

From the above it will be seen that Rs. 99,052 more were earned in 1880-81, which gives an increase of 13 per cent. over 1879-80. Jute

in

•	C	ommodities.			For the year 1879-80.	For the year 1880-81.	Increase in 1880-81,	Decrease in 1880-81.
· +7 -	· .				Tons.	Tons.	Tons.	Tons.
Ale Food-grain Ginger Gunny bags Jute	2 2 5 2 4 2 2 4 2 2 4 5 2 4 5 2 4 5 2 4 5	835 043 944 402 573	4+1 147 24+ * 23+ 24+		464.66 28,632.75 419.95 1,658.71 25,809.66	533·25 39,134·35 404·96 2,369·95 24,797·06	68·59 10,471·60 711·24	 14.99 1,012.60
Piece-goods Railway mater Salt Sugar Tea	ial	2244 - 4 2010 - 444 2010 - 444 20	485 862 .448 435	647 444 544 887	4,551.40 2,926.28 6,492.72 978.66 2.016.61	5,19(+56 4,454+63 11,256+66 1,097+46	639-16 1,528-35 4,753-94 118-80	
rea Fobacco All other good	544 474 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	494 ⁶ 6 - 584 - 755 - 4	Total	883 Ma 825 384	2,918-81 5,212-56 18,112-04 98,206-00	4,279·28 10,158·30 18,130·54. 121,797·00	1,362 67 4,945 74 18 50 24,618 59	 1,027·59

The following table shows the weight of the principal commodities carried as compared with 1879-80, together with the variations under each head :-

• From the foregoing it will be seen that 23,591 tons more were carried in the year under review, being an increase of 24 per cent.

The monthly traffic reports give full details of the causes for the increases and decreases, which may here be briefly summarised as under :--

Decrease.

...

Tops. 1,012.60

This decrease calls for special notice, as the large area which was under cultivation with this staple last season and the consequent increased production should, under ordinary circumstances, have resulted in a considerable increase instead of a decrease; but a variety of causes have been at work to bring about this unfavorable result. In the first place, the traffic at the opening of the season was undoubtedly checked by the action of the Eastern Bengal Railway in increasing the rate from half to two-third pie per maund per mile. That this enhanced rate actually had the effect of driving large quantities of jute from the rail to the rivers is proved beyond doubt by the figures given in the monthly traffic reports and from evidence obtained by enquiries made at the time. Then came the effect of the large increased production on the market, which naturally caused a fall in the price at the port and the consequent gradual diminution of despatches :-

			.		1	ncrea	868.					Tons.		
۰. ۲		Food	grains				•• `		••			10,471·6	0	
ing	the a	almost	unprece	staple (pri edentedly	incipally low pric	rice) e at	has ke which	pt up the	o in a article	very i has	remarl been	able wa selling	y, consider throughou	t
tne	year	at the j	-		. j: -				-			Tons.		
	•	Gunny	y bage						***		***	711-1	24	

... This increase is the natural result of the low rate at which the raw material (jute) has been selling this season as compared with last.

Tons.

4,753.94 Salt The low rate introduced in October 1878 has proved, by the results obtained, to have been a most judicious measure, for the traffic is steadily being diverted from the rivers to the rail.

In 1878-79, when the rate was one-third of a pie per maund per mile, 235.82 tons were carried. In 1879-80 the weight rose to 6,492.72 tons, when the rate was reduced to one-fifth pie per maund per mile, and for the period under review the quantity carried has reached 11,246.66 tons. Tons.

1,362.67 Tea ù ... 8 This increase is accounted for by the larger quantity produced during the season 1880-81 over that of 1879-80. Tons.

4,945.74 Tobacco -The large increase in the weight of tobacco carried is another proof of the judicious policy of reducing rates to a level which enables the rail to compete with the waterway, which for a great part of the year taps the principal goods marts served by the Railways

Changes in Rates, &c.

(1) On and from 1st August 1880 minimum weight for special class goods was fixed at 100 maunds instead of 200 maunds.

(2) On and from 1st August 1880 three pie handling charge was added to through and two pie to local rate.

(3) On and from 11th August 1880 a special through rate of 10 annas per maund came in force for tobacco from Kaunia, Rangpur, and Domer.

(4) On and from 15th August 1880 through booking with Darjeeling Steam Tramway Company was introduced.

(5) The through booking of goods with Kaunia and Dhubri service was introduced from September 1880.

(6) On and from 1st November 1880 coolies were booked through from Raneegunge (East Indian Railway station) to Kaunia at a through fare of Rs. 4-13-9.

(7) On and from 1st November 1880 minimum of insurance was fixed in through booking.

(8) On and from 1st November 1880 grain and pulses were included under the head of foodgrains and charged at special rate of quarter pie per maund per mile when carried for distances over 70 miles.

(9) On and from 1st January 1881 Commissariat stores have been charged at half and Ordnance stores at five-sixth pie per maund per mile.

(10) On and from 1st January 1881 Chaitangram station was closed for traffic; it has subsequently been opened as a flag-station.

(11) On and from 1st February 1881 through booking of goods and parcels was introduced with East Indian Railway and connected lines.

(12) Loading and unloading of goods at Sara was done during the year by a native contractor.

Claims.-The gross amount paid as compensation during the year was Rs. 30,443, which may be classified as under-

	•				Rs.
Pilferage		* #\$#:	* ***	* • •	98
Robberies	* * *		***	***	696
Misdeliveries	5 4 y	117	. 111	***	81
Damage, &c.	**1	2 F T	***		29,573
			-		
,				•	30,448

but the actual amount charged in the accounts was only Rs. 6,999, the difference, Rs. 23,449, having been recovered by the sale of the damaged and unclaimed goods, &c.

The principal item in the above was on account of compensation for jute damaged by a heavy and sudden storm which came on while a large consignment was crossing the Ganges ferry.

During 1880-81 the staff have been better housed than in previous years, and in consequence ill-health, resignations, and other casualties have been much reduced. A few stations, notably Chaitangram, Birampur, Parbatipur, Chilahati, and Shikarpur, still remain extremely unhealthy, and are the source of much trouble, thereby necessitating constant transfers of the staff.

In previous years great difficulty was felt in obtaining competent subordinates for the Traffic Department. To obviate this, youths selected from the Jalpaiguri, Rangpur, and Pubna schools were appointed as probationers and trained in stationmaster's work and telegraphy.

This plan has succeeded admirably; for, during the period under review, only one outsider (a stationmaster) was appointed to the department.

The men trained under this system are more amenable to discipline, have a reluctance to leave the line on which they have been taught their work, and above all serve for less pay than those appointed from other lines.

After long negotiations and much correspondence, the through booking of goods with the East Indian Railway and connected lines was finally arranged and carried into effect on 1st February last. The difficulty in getting a reliable firm to take up the transport between Armenian Ghat, Eastern Bengal Railway, and Howrah, East Indian Railway, nearly caused this important matter to fall through; but Messrs. Burn & Co. of Calcutta at last took up the agency and thus completed the link alone wanted to place stations from Darjeeling to Sara in through booking communication with all India.

The police employed at the stations were under the control of the superintendents of the various districts through which the line passes; and during the year under review the men employed in the watch and ward of goods were placed under the same supervision.

The system is not altogether satisfactory, and proposals for the appointment of a responsible Railway Police officer with powers in all the districts are under consideration.

The strength of the Medical Department was as follows :---

1 medical officer,

1 assistant surgeon,

5 hospital assistants;

and for three months of the year an extra hospital assistant was engaged for fever cases.

The number of dispensaries on the Railway was the same as during the previous year, namely, four at Sara, Kaunia, Saidpur, and Siliguri. They met adequately the requirements of the line:

In the treatment of intermittent fever the Darjeeling febrifuge has been used with much success, although at first both Natives and Europeans were strongly prejudiced against its use.

The health of the European and Eurasian employés was good; but there was a large number of fever cases among the Natives, especially at the beginning of the cold weather. This is believed to have been due to want of warm clothing and to the inferior description of houses in which some of them, especially the menial staff, resided.

The following are the principal points worthy of note in connection with the accounts :--Capital.-The total outlay on Capital account from commencement to the close of the year 1880-81 on final heads is Rs. 2,03,73,083 against the sanctioned estimate of Rs. 2,05,62,301.

The suspense balances were reduced during the year by Rs. 3,67,470, and now stand at Rs. 7,19,922. Including suspense balances, the total capital outlay amounts to Rs. 2,10,93,005, the interest on which from commencement at 4½ per cent. amounts to Rs. 40,31,382, the net revenue being Rs. 12,21,483, thus giving a deficit of Rs. 28,09,599.

These calculations, however, include interest on capital for the whole period the line was under construction from 1869-70 to 1876-77. On the opening of the line for traffic in 1877-78 the net revenue returned '04 per cent. on the outlay. In 1878-79 it increased to 1.01 per cent., in 1879-80 to 1.15 per cent., and in 1880-81 to 3.69 per cent.

Revenue.—The estimate of earnings was put down at Rs. 15,78,000 in the Budget Estimate, but was increased in the Regular Estimate to Rs. 16,30,000, the actuals being Rs. 16,34,588.

The net earnings were orginally estimated at Rs. 4,63,000. They were, however, increased in the Regular Estimate to Rs. 6,98,000, against which the actuals were Rs. 7,09,113—a result which has been arrived at mainly by the exercise of the closest economy and financial vigilance in all departments.

The percentage of expenses to earnings has been 56.60, which for a line only four years open for traffic will, it is hoped, be considered satisfactory.

Steam Boat Service.—Up to the 1st November 1880 the arrangements in connection with the Sara Flotilla were under the supervision of the Traffic and Locomotive Superintendents. From that date the working of the ferry was placed under an Assistant Traffic Superintendent, and constituted a separate department.

Names of steamers.	Horse- power.	Remarks.	No. of flats.	Tonnage.	Remarks	
Prince Albert Poppy Lilly (Steam-launch) Osprey	175 110 • 20 93	Left Sars for Cal- cutta for repairs on 29th Decem- ber 1880. Arrived on 16th October 1880. Supplemented by native boats or "cuttras."	Flat A1 7 A2 7 A3 8 A4 9 B1 9 C1 9 C2	Tons. 2723 2723 2728 2728 95 95 95 95 51 51	Arrived in April 1880. Arrived in October 1880.	

The following steam vessels were employed during the year :---

The following flats were also in use :--

	Names and descri					Horse-	POWBE.	Registered	Remarks. (Additions or decrease;	
	N	ames i	ina de	seriptic	DI OI V e ssels	.	Nominal.	Actual.	tonnage.	changes in number or employment.)
Fla	t Isle	, deck	ed and	l roofed	£6#		8.87	a	381	Staging at Sara Ghat and offices.
9 2	& 1,	"		Ð	**>			***	2 60	omces.
17	A2,	, 12		11	***	***	***		260	
"	A3,	" four d	argo j		and fitted	with	18>	s#7 .4	260	
							Т			-

In addition to the above, the steamer *Vampire*, sister ship to the *Osprey*, arrived at Sara on 14th March, but was not put into commission till after the close of the year.

The year under review has been one of increased prosperity, and the financial success Tirhoot Railway. Of the Railway may now be considered as established. It is gratifying to see that this has been

attained within so short a time of the opening, and it clearly demonstrates the fact that in rich and highly cultivated districts, such as Bengal, railways have only to be well managed to pay handsome interest on the capital expended, in addition to the indirect gains that mustattend the opening out and development of the trade and enterprise of the country. All departments of the Railway have been worked satisfactorily during the year.

The capital expenditure of the line has been limited to the erection of additional station and office accommodation, workshops at Somastipur, extra staff quarters, and the completion of the Bya bridge, part of the cost of the latter being charged to Revenue. The completion of this bridge in October enabled the temporary line over the *Dearah*, with the short ferry, to be opened two months earlier than had previously been done.

There has been only a slight increase in passenger receipts over the previous year'; but the goods traffic shows a great increase in nearly all commodities, the chief being in seeds, tobacco, and miscellaneous. A still further development is anticipated on the completion of the exten-

* Vide Chapter III, page 45. locomotives and carriage and wagon stock have been found to be inadequate to the requirements, and the additional stock indented for is urgently required. An additional steamer of the *Eagle* elass and more flats are also greatly needed for the efficient working of the ferry. Temporary arrangements have been made by hiring the Government steamer *Jaboona*; but this steamer, cannot be worked on this service with economy.

The total capital expended up to 31st March was Rs. 59,02,388, the outlay during the year having been Rs. 4,49,735. The net revenue earnings were Rs. 2,43,017, or 4.1 per cent. on the capital expended, as against 2.45 of the previous year. The working expenses have been reduced from Rs. 3,43,273 to Rs. 3,14,636—a satisfactory result, considering the short length of the line.

The survey of this extension has been completed and the preliminary project submitted. Muzaffarpur-Hajipur Project. It will also work in with the line now projected by the Government of India from Gorakhpur via Sehwan and Chapra to Hajipur, a bridge being constructed over the Gandak to connect the two systems. The borings taken on this river show a hard substratum of red clay and kunkur at no very great depth, so that the foundations of the bridge can be secured without much difficulty. The importance of this line is considered so great, that endeavours will be made to obtain funds for its construction at an early date.

Engineering.—One bridge of three spans of 12 metres at Bilaspur, also a screw-pile bridge of five spans of 12 metres, and one span of 6 metres over the Bya nullah, were completed, with the exception of the Starling piles, which were well in hand at the close of the year. Several attempts were made to recover the lost piles at the site of this bridge, which belonged to the former bridge carried away in the floods of 1879 but in consequence of their being imbedded in a quicksand, all attempts failed, and the work has now been given up as useless and likely to cause an expenditure greater than the value of the piles.

<u>م</u>ر به

,,,

The permanent-way was kept in good order throughout the year. Several renewals of creosoted pine sleepers were made, these being replaced by sal sleepers. These pine sleepers are not at all satisfactory; their prime cost is no doubt cheap, but they are very short-lived, and the wood soon splits up—a result no doubt greatly due to the amount of sapwood in the sleepers. A more judicious selection of sound timber at home would doubtless give better results; but as long as sleepers of the present quality are sent out from home, the use of them cannot be recommended.

The following experimental iron sleepers are being laid in the road, and will be duly reported on :--

Denham and Olphert's patent plate sleeper with wooden cushion.

" plate sleeper without cushion and with moveable jaw clip.

with Molesworth's wedge fastening.

It is satisfactory to find that, although the permanent-way gangs were reduced from 29 to 18, the maintenance of the road was in no way impaired thereby. By decreasing 11 gangs and the wages of the gatekeepers by one rupee all round, a great saving has been effected under the head "Maintenance—Wages."

No serious accident affecting the permanent-way occurred during the year.

On the completion of the locomotive smithy shop the machinery was transferred there from the temporary shops; and in consequence of the present building not affording sufficient accommodation for all the machinery, an addition is now under construction, together with a locomotive store and a tin-smith's shop. A large new carriage shop was also commenced towards the end of the year.

Little work was done on the new institute in consequence of want of funds.

A tank and pump were erected at Bazitpur at a cost of only Rs. 1,152, or for a considerably less sum than the ordinary types have hitherto cost. The tanks, which are six in number and 4 feet square, are supported on T iron posts firmly braced together. The whole erection is very simple and inexpensive.

TRAFFIC.

The results of the year's working are satisfactory. The work done may be thus sum marised :--

					Number or weight.	Earnings.
Coaching	***	** *		No.	473,276	Ra. 2,22,027
Goods		***	•••	Mds,	21,62,425	2,09,912
Sundries	***	***			1 + Ŧ	22,946
Steam Boat		***	***		***	1,02,766

being an increase of Rs. 87,956, or 18 per cent. over the receipts of 1879-80.

The percentages of increase under different heads are-

					Number.	Receipts.
Coaching		***	•••		.03	11
Goods		354	***	***	-42	28
Studries	• # 5	498	***		***	—15
Steam Boat	14*	###	***	1 = 7	***	34

The coaching traffic, divided into classes, shows the following results :---

· • •			Namber.	Receipts.
			_	Re.
First elass	***	***	3,143	10,428
Second ,		***	3,468	7,118,
Third "	*** *	***	455,788	1,87,960
			~ •	٠

*	- •			1879- 80.	1880-81.	Percentage of increase and decrease.
Seeds	3 * 1 ·		***	2,29,285	3,44,402	50
Hides				83,138	54,025	35
Saltpetre			173	1,41,745	89,291	—37
Foodgrain	is and]	pulses		3,23,751	4,09,612	27
Salt				2,42,128	3,02,874	25 .
Piece-goo	ds		***	1,04,138	1,20,424	16
Tobacco			***	88,695	- 1,24,093	39
Indigo			1 16.5	16,502	37,792	129
Other goo	da	-		2,85,082	5,50,996	93

Under goods traffic the quantities of the principal commodities carried over the line as compared with the previous year are —

Of the total through goods carried, 6,73,124 maunds were outwards and 6,47,478 maunds inwards; and the proportion of empty to full running 24.67 per cent.

The earnings per train mile were Rs. 3.50.

The chief alterations in the rates have been-

- (1) rate for indigo seed reduced from 4 to 2 pies per station distance;
- (2) rates for a consignment of less than 140 maunds of salt, railway materials, and bones increased from 2 pies per maund per station distance to 4 pies per maund over ferry and 3 pies per maund over railway;
- (3) rates for consignments of or over 140 maunds of salt, &c., increased from 2 to 4 pies over ferry.

The amounts paid as compensation for loss, damage, or misdelivery of goods are thus classified :---

		I.				Rs.	A. P)
Robberies						7	1.0) 1
Damages by	y rain, &c.	, 	•11	ан. Да уху	•	65	1 4 €)
Misdelivery	•		4.4 49% -	*** ****	•-•	13	0 0)
	4		e. e	· · · ·		<u> </u>	- 1998-201 -	
	•			Tot	al	85	15 6	;
	•	с ^т ат	a *		* ***			r.¥

As compared with Rs. 1,271 paid as compensation during the previous year, and considering the difficulties attending the double transhipment of goods at the ferry, this speaks ' well for the management of the department.

Monthly meetings of merchants have been established at Durbhanga and Muzaffarpur to listen to any complaints or suggestions they may have to make; and this has tended to create a good feeling between the mercantile public and the Railway resulting no doubt in considerable benefit to all concerned.

Locomotive and Carriage and Wagon.—There are ten engines working on the line. During the past year there were five failures, and three engines had heavy repairs done to them. A great increase in repairs has taken place since the speed was accelerated from 18 to 20 miles per hour.

The average consumption of coal was 28.15 lbs. per train mile, and of oil 8.59 pints per 100 miles, as compared with 86 lbs. coal and 112 pints oil of the previous year.

There are 60 carriages and 252 wagons on the line, including a state saloon, which has been built in the East Indian Railway shops, Howrah. Fifty ballast wagons are to be constructed for the extension in the Somastipur shops.

The machinery has all been removed from the temporary workshop to the new building, and is now working. An addition to the shop has been begun for woodwork, machinery, iron foundry store, and tin-smith's shops.

The new smithy is almost ready ; the hearths and steam-hammer have been erected. The only thing now to be erected is the blast fan.

The carriage shop has also been begun, which, when finished, will prove of great use, as the present one is quite inadequate for the requirements.

- ADMINISTRATION REPORT FOR 1880-81.

The cost per mile is thus analysed :---

,*****:-

Bengal.]

1

······································	mile is thus an		e	د 1	1879-80.	1880-81.
۰. ۲		<u>،</u>	, .	* *	Ra.	Rs.
Genera	l superintendenc		***	***	•05	-05
Runnin	ig expenses	7. 	•••		•19	·17
Fuel		с. 	***	***	•17	·18
Water			. 684		•02	•02
\$ 70.	sp 4	* : *	***	***	-11	-12
					•54	•54

the total expenditure being the same in 1880-81 as in previous year.

Steam Ferry.—The new steamer Eagle has been running since August 1880, and has given great satisfaction. Another one of her type is required to make the working of the ferry complete, as neither the Barrh nor Phlox is fit for such a purpose. The Barrh has been hired to the Saran Road Cess Committee.

Work on these lines was commenced in March 1881, the contract for the Bettiah Divi-Tirhoot Bailway Extensions. Sion, 75 miles, being given to Messre. Burn & Co., contractors, and the Pipra Division, 28 miles, to

Mr. P. B. Johnson, contractor of Allahabad.

As previously stated in the general summary, the estimates of these extensions will be somewhat exceeded, as in the original estimate no provision was made for ballasting the lines except in the station yards, and it has since been decided to lay brick ballast throughout. The contractors' rates, too, are slightly in excess of estimate.

The whole of the stores, permanent-way, rolling stock, and materials required from England have been indented for and deliveries have already commenced. Seventy-one miles of the permanent-way will be laid with iron plate sleepers of the Denham-Olphert's pattern and the balance of sal.

The progress of this line has been so far very satisfactory, it having already paid Rs. Patna and Gya Railway. 17,535 over the interest, and with every prospect of increased prosperity in the future. Ballasting

has been the only Capital work of importance during the past year, and it is now nearing completion. A siding of about 2 miles was laid down to the Bamsilla Hill for ballast, and will be removed when no longer required. The capital outlay to the end of the financial year was Rs. 35,78,442, of which Rs. 3,09,812 has been expended during the year.

The passenger traffic has increased from 267,1191 to 519,696; and the goods from 28,45,078 to 32,20,951 maunds-figures which give a fair hope of future increase.

• The net revenue earnings were Rs. 2,19,755, or 6⁻¹ per cent. on the outlay, the working expenses being 55 per cent. of the gross earnings. It must be remarked that the line has so far been working under great disadvantages, owing to the heavy charges for the hire of rolling stock; and although the passenger stock has been increased, there still remains the very heavy item for hire of engine and goods stock. The management in all departments has been satisfactory. No serious accident occurred during the year.

Engineering.—The condition of the line has greatly improved since the last report, Large expenditure has been made in ballast, and the following additional Capital works have been carried out during the year—store-shed at Gya; goods-shed at Jehanabad; stationmasters' quarters at Bella and Chakund; running-room at Bankipur; foreman's quarters at Bankipur and Gya, including out-houses; ballasting whole line, including siding, to Ramsilla Hill; fencing Gya yard; erecting waiting-shed, &c., at Poonpoon; fencing Bankipur station.

Traffic Department.-The results of the working are as follows :-

		•	· .			Receipts,
· · ·						Ra.
	Coaching	***	* * *	No.	545,222	8,49,678
* * 4	Goods		•••	Mds.	15,74,081	1,43,781
*	Sundrie	•••	•••	***	*****	8,018
•	у. ¹	·	Gross e	arnings		4,96,477
against	Rs. 3,44,990 f	or 1879-80, o	r an increa	se of 44 per co	ent	-

97

ine in 1879-80 and 1880.	-81 per cent	2 4 2	1879-80. Mds.	1880-81. Mds.	Percentage of in or decrease.	crease
Seeds	* 1.9	·	1,02,102	2,08,900	105	· .
Hides	***	•••	21,480	12,107.		
Saltpetre	•••	***	9,071	6,112	~ `33 .	*
Foodgrains and puls	es		4,41,319	3,10,272	-29	· •
Salt	**1		1,79,736	1,56,920	13	•
Piece-goods	***		80,225	29,052	4	
Tobacco	18. S		81,017	81,369	1	
Indigo	***			54	46.	
Other goods	4×* ·	2 64 1	48,639	7,81,861	1,506	

There is an increase of 39 per cent. in number, and 42 per cent. in receipts, on the coaching traffic; and the following statement shows in comparison the chief commodities carried over the line in 1879-80 and 1880-81 per cent :----

The chief increase is seen to be in seeds and other goods. As on the Tirhoot line, there is a considerable falling off in hides and saltpetre, due, it is believed, to the temporary stagnation in this trade.

The figures below give the classification of the coaching traffic :---

_		•			Number.		Receipts. Rs.	-
First class				**1	1,1641	٠	4,684	
Second "				***	3,560]		6,385	
Third "		114		•••	526,272		8,23,282	
he through trai	fic with t	the East In	dian Railwa	y was-		-	Mds.	
		1 L						-
Inwards		4,9 8	,		***	सङ्घ	3,72,198	,

and the proportion of empty to full running is 22.65.

The earnings on the lines were Rs. 4.35 per train mile as compared with Rs. 4.67 for the previous year.

The rates for both goods and passengers are assimilated to those of the East Indian Railway.

The amount paid in compensation for loss, damage, or miscarriage is Rs. 16-5 only.

* The terms for working the joint station at Bankipur have not yet been agreed upon, and are under consideration.

No serious accident occurred during the year ; those affecting life or limb are summarised as follows :---

ĸ	Passengers k	illed	824, *	1 1 - 19 4 4	•••		Nil
	, ,, ir	njured	1		***		Nil
	Railway serv	ants killed	440	- 110	***'		3
	33	, injured	L		**5	***	Nil

Locomotive Department.—The total number of engines working during the year was eight. Three of a heavier class from the Calcutta and South-Eastern Railway were obtained, and two of the lighter class returned.

There were six engine failures, four caused by tubes bursting, one through regulator valve getting jammed, and another by pumps failing.

The average consumption of coal was 51 lbs. per train mile, and of oil 12.95 pints per 100 miles.

The workshop and machinery have not yet been erected; but the latter is expected from England shortly. Consequently all wheels requiring turning have to go Jamalpur, and petty repairs to Somastipur, which increases the cost and time taken to effect them. Several new carriages have been added to the stock, ris., five firsts, four seconds, thirty thirds, and four brake-vans; consequently no hiring of carriages is now necessary from the East Indian Railway. The total stock now consists of five firsts, four seconds, forty thirds, seven brake-vans, twenty ballast trucks, and eighty-two wagons. Of these, sixty-five vehicles are hired from the Calautta and South-Eastern Railway. Heavy repairs are being done to the old third class carriages (bought from the Eastern Rengal Railway when the line first started), owing to their requiring new springs and axle-boxes; double roofs and sunshades are also being added. Seven ballast wagons have been rebuilt, and thirteen others have had heavy repairs done to them.

The line has been maintained in good order, and the traffic worked without interruption. Calcutta and South-Eastern Railway. Calcutta and South-Eastern Railway.

lasted, and the quadrennial repairs to bridges, stations, and buildings put in hand and nearly completed. Several of the girder bridges were found to be under the required strength, and the work of strengthening them has been commenced. The coaching and goods stock has been kept in efficient order; but more engines are greatly needed, as those at present on the line are old, cannot be relied on, and require constant heavy repairs. Four more engines have been indented for, and may be expected by the end of 1881-82.

Rs. 96,000 was paid for the purchase of the godowns from the Oriental Jute Company, thus making the capital expenditure to the end of the financial year Rs. 68,19,771.

The results of the year's working cannot be considered satisfactory; for, whereas on the Northern Bengal, the Tirhoot, and Gya Railways the receipts show improvements under nearly all heads of receipt, on the Calcutta and South-Eastern there is a slight decrease in goods, a serious falling off in coaching, and an increase only under sundries, which is exceptional, being due to the hire of stock to the Patna and Gya Railway. The gross receipts for the year were Rs. 1,42,098, the expenses Rs. 1,01,344, and the net profits Rs. 40,754, or .60 on the outlay as compared with .54 in the previous year. The working expenses were 71 per cent. of the gross earnings.

Extensions to Sonapur and Diamond Harbour.-Vide Chapter III, page 45.

Locomotive Department.—The line is amply supplied with carriage and wagon stock; but additional engines are urgently required to replace the existing old and worn-out ones. The four that have been indented for from England are expected by the end of 1881-82. Of the seven engines on the line, two have been condemned and will be broken up; another is a tank engine suitable for shunting purposes only. Therefore there remain only five for working the traffic, and of these two require heavy repairs.

Of the carriage and wagon stock, the following are still on the Patna and Gya Railway

2 brake-vans.	20 ballast wagons.
1 horse-box.	1 carriage truck.
40 covered goods.	1 cattle van.

The conversions and alterations on the line have been-

18 higher-sided wagons converted into covered goods.

1 covered goods converted into goods brake-van.

29 covered goods wagons refitted with corrugated iron roofs. .

Ten ballast wagons are under construction for the Diamond Harbour Extension, and will be completed shortly.

Traffic .- The work done during the year is thus summarised :-

	Coaching Goods	***				595,803 . 31,934	Receipts Hs. 78,871 84,155
·3	Sundries	475	***	+**	***	***	81,072
.	4			Gross ear	nings	***	1,42,098
					*** ****		
The	percentage o	f increase	and decrease	as compared	with 1879	870	_
The	. –	f increase	and decrease	as compared	with 1879	are	Rs.
r * / * *	Coaching	of increase	and decrease :	as compared	with 1879	are	7-84
r 	. –				•		7·84 8
n 	Coaching	***	•••	•••	• •		7-84

The large amount under sundries is due to the receipts for the hire of rolling stock to the Patna and Gya Railway.

[Bengal.

The passenger traffic is divided into classes as follows :---

••••••	Passone	•		*. •			Number	Receipte,
		· · · · ·		. · ·	• •		2	Rs.
	First .	***	• • • • •	°	.	; ****	429	491 \$2,085
	Second Third	***	•••		۲.	***	4,353 444,644	58,594
	Garden-	produce	vendors	***	-	x » *	146,877	13,028
						Total	* *	74,198
ter in		•		•			• •	
The	chief stap	les carrie	d were	•		~		-
		*		· .		1879. Tons.	1880. Per Tons.	centage of increase or decrease.
· · ·	Firewood	1		***		17,257	2 0,552	19

	Firewood	251	* 2 #		11,701	20,00%	19	
	Hay			***	8,518	3,126		-
• •	Wooloo	154			702	657	6	۰.
	* Straw	* • •	***	***	781	568	27	
	Paddy	***	***	**\$	1,469	905		
•••	Rice		576		4,388	4,506	3	
· •	Miscellaneous	* 9 %	***		1,667	1,621	j 🛶 3	_
		- 2 -				*	· ·	

Hitherto the goods traffic on the line has been mainly of a very light and bulky description, carried over short distances and at hardly paying rates. It is believed, however, there will be a considerable increase in the rice traffic from Port Canning during the current year, Mr. Schiller having reopened the rice mills in February 1881, with the declared intention of working them on an extensive scale. In consequence of this, an experimental extra train is run to Canning on Saturdays, and from there on Mondays.

The third class passenger rate was reduced in July 1879 to 8 pies per mile, but the results have not borne out the anticipated increase in numbers.

The discontinuance of the 3 o'clock train may have caused a slight falling off of receipts from garden-produce vendors, but it is believed not to any great extent, as they can avail themselves of the 5 o'clock train instead. The receipts per train mile were 3.96 as compared - with Rs. 3.36 in 1879.

Compensation, to the extent of Rs. 165, was paid to the Port Canning Company for damages sustained by their rice in transit. Of this, however, Rs. 52 was recovered by the sale of damaged No accidents to trains or passengers of any importance occurred during the year. bags.

Extension to Diamond Harbour.—The length of this extension is 28% miles. The work is being carried out from Provincial funds, under the superintendence of the Superintending The work is Engineer, Central Circle, and is under the immediate charge of the Executive Engineer, 2nd Calcutta Division.

The section Sonapur to Magra, 15 miles, was given out under contract, on 23rd June 1880, to Messrs. Burn & Co., who, however, only commenced work in December, in consequence of some delay on the part of the civil authorities in making over the land to them.

Up to the 31st March, on the Magra section one-fifth of the earthwork was completed, most of the ironwork required for the bridges and buildings delivered, and the materials for the masonry was being collected at the sites where required. Bricks for ballast were being moulded, and the stations, and offices were in hand. The permanent-way will consist of 64-lb. steel rails on cast-iron bowl sleepers, the necessary indents for which have been submitted to England, but may not be expected before November. There will not, however, be any delay on this account, as the first seven miles will be laid from surplus permanent-way material from other lines. The work, according to the contract, should be completed by the 31st May 1882.

The extension beyond Magra to Diamond Harbour will be put in hand during the current year as a feeder road, ultimately to be converted into a railway. There are no works of any magnitude on either section, the bridge over the Ustee Khal, a single span of 100 feet, being the heaviest.

This line is under the same management as the Calcutta and South-Eastern. Great improve-

Nalhati Railway.

ment has been made in the maintenance of the way

Nalhati Railway. and works, and the line is now in good order. The rolling stock is old, and requires heavy repairs and large expenditure. These repairs, however, can only partially be carried out until the receipts of the Railway improve.

The results of the past year's working have been even more unsatisfactory than those of the Calcutta and South-Eastern, there having been a heavy falling off in the receipts under all heads-in the passenger traffic to the extent of 19 per cent., and on the goods 33 per cent., while the expenses have increased by 20 per cent.

The causes of this serious decrease in receipts have been more fully dealt with in the detailed narrative. • To the local depression of trade it is mainly due; but the management of the line has given cause for dissatisfaction, and has no doubt been detrimental to its prosperity.

Ľ

The gross receipts have been Rs. 69,925 and the expenses Rs. 73,653, leaving a net loss of Rs. 3,728 compared with a net profit of Rs. 31,181, or 8 97 per cent. on the capital in the preceding year. The Capital expenditure for the year has been Rs. 1,282, making the total Capital debit Rs. 3,48,732. The Revenue figures for both this line and the Calcutta and South-Eastern are for the calendar year instead of the financial, the information required for the preparation of the latter not having been submitted by the Manager.

Engineering Department.—During the year bridges, culverts, stations, and permanentway have been maintained in working order, and the traffic has been carried on without interruption. Large renewals of sleepers were made, and the condition of the permanent-way considerably improved by the substitution of fish-bolts for screws, and by the addition of fang-bolts at the rail joints. 47,180 cubic feet of ballast were also laid, and the packing of sleepers well attended to.

Several of the culverts were replastered and otherwise repaired, and the timber superstructure over bridges renewed throughout. The quadrennial repairs to stations and offices were taken in hand and completed.

Locomotive Department.—There are on the line—

- 6 engines.
- 10 carriages.
- 25 wagons.

Of these, two of the engines have been ordered to the Akra Brickfield Tramway, leaving the total available stock 4 engines and 35 vehicles.

The stock has been maintained in fair running order; but it is now getting old, and to keep it in thoroughly good condition would entail expenditure which the traffic on the line would not warrant. During the past year heavy repairs were carried out on three engines, and slight repairs on those remaining. The covered goods wagon used as a brake-van has been entirely rebuilt, the passenger stock fitted with foot-boards, and orders issued for roof lamps to be fitted also.

Considerable reduction has been effected in the expenditure of this department, and the cost per train mile for maintenance of engines has been reduced from 2.23 annas in the first half of the year to 1.98 annas in the second, and the carriage and wagon expenses from 1.55 to .73.

Traffic Department.—Through booking was introduced with the Eastern Bengal, Northern Bengal, and several other Railways.

The traffic bears a very unfavorable comparison with previous years. Thus in 1879 the receipts were-

	, -		-				Receipts.
							Rs.
	Coaching		1.5 Å	***	No.	153,900	61,161
	Goods	1. 6'0-0	143		Mds.	14,898	29,029
	Sundries		413	*.*	3	*****	1,590
•	-	•	Gross	earnings	•	*****	91,780
In 188	30—						Rs.
	Coaching	ે લેવ	143	. 100	No.	135,091	49,281
	Goods		* 4 *	1	Mds.	9,646	19,413
	Sundries			444			1,231
*			Gross e	amings			69,925
or a decreas	e under all	heads of receipts	. .	· ·			

Coaching 19.45 per cent. 411 *** 33.12 Goods ** 32 22.58Sundries

The expenses were in 1879 Rs. 62,010, with net profits Rs. 29,770, and 8.97 per cent. on the capital outlay, as compared with 1880 expenses Rs. 73,653 and net loss of Rs. 8,728. Thus, while the receipts fell off by 24 per cent., the expenses increased by nearly 20 per cent. A more unsatisfactory result could not be imagined.

The following figures give in detail the classification of the coaching traffic receipts in 1879 and 1880; also the quantities of the principal commodities carried over the lines during these periods :--

		1879. Weight of number.	1880. Weight om number.	٠	Percentage of increase or decrease.
Coaching-					•
1st class	•	912	595		-35 •
2nd ,,	201	6,939	2,623		62 •
3rd "	344	149,048	131,872		12
		 	* *		26

		1879. Weight or	1880. Weight or	Percentage of increase or
		number.	number.	decrease.
Goods-			•	
Edible or other grains	* * *	7,099	2, 698	-62
Silk		384	314	
Metals		337	205	39
Sugar		319	321	1
Piece-goods		854	796	- 7
Cotton		171	227	83
Seeds		989	437	55
Coal		1,639	2,439	49
Salt		786	591	25
Sundries		2,320	1,682	

To the following reasons may be attributed the falling off in the traffic on the Railway :--That the trade of Azimgunge and districts around has been unusually depressed. That the Railway has to compete with the existing low boat rates. That passengers and goods from and to Dinagepore, Rajshahye district, Rampur Bauleah, Nattor, and Pubna formerly came to Azimgunge and passed over the Nalhati Railway. Since the opening of the Northern Bengal Railway, the traffic of these districts has been almost entirely tapped by that Railway. That the silk trade, which at one time was considerable, had greatly decreased, owing to the suspension of many large silk concerns. That the abolition of a terminal charge on through goods has caused a falling off in the receipts. That the introduction of a minimum charge of 8 annas has seriously affected the receipts both for goods and passengers. The local traffic was largely composed of small consignments, which it was the custom of the merchants to take with them in the train. The Railway therefore earned not only the freight of such consignments, but also the fare of the accompanying man. Since, however, the introduction of the minimum charge, the merchants object to pay eight annas on small consignments over short distances, the mileage freight of which may only amount to one-fourth of the sum ; and the Railway not only loses the freight, but also the passenger's fare. It is therefore proposed to reduce the local minimum charge to two annas.

Besides these causes, no endeavours appear to have been made to increase traffic. Wagons are not promptly supplied, and the merchants are not solicited for traffic; and to the general want of energy and interest in the work apparent throughout the staff must be attributed a large portion of the bad results. A thorough examination into the working of the line is now being carried out.

The following tabular statements show in a concise form the working of the State Railways in Bengal during the calendar years 1879 and 1880;---

NORTHERN BENGAL RAILWAY.

Comparative Statement of Traffic for the calendar years 1879 and 1880.

		PASSENGERS,									
Heads of Traffic.	ľ		Num	ibe r ,			Reco	ipte.			
		1879.	1880.	Increase.	Decrease.	1679.	1880.	Increase.	Deerease,		
1						Rs.	Rs,	Rs.	Bs.		
lst class 2nd ,, 3rd ,,	 	2,840 6,646 632,750	3,212 6,593 696,901	372 64,151	1,053	29,013 24,089 . 3,47,057	35,139 25,817 4,11,930	6,125 1,728 64,873	\$/**3* 2**** *79£4*		
Total	a	642,236	705,706	63,470	191141	4,00,159	4,72,885	72,728	1 y / 3 ta		
Miscellancous	هر •••			123414	•>====================================	41,839	59,352	17,513			
	 				Gao	D8.					
			Weight (in tons).		Beccipts.					
	ĺ	1879.	1880,	Increase,	Decrease,	1879.	1880.	Increase.	Decrease,		
						Bs.	Rs.	Es.	Ra.		
Merchandise for the public Materials for railway construction	•••• • •••	81,207 515	113,318 3,255	32,109	1,200	6,48,285 17,170	7,84,159 10,409	1,35,874	6,701		
Minerals— For the public For milway construction	 *+-	1,257 859	1,039 122	682 ******	737	5,140 3,914	9,518 538	4,360	3,378		
1		No.	No.	No.	No.	Ŧ					
Live stock Bents, demurrage, &c.	45 70	19	137	118 ******	#\$1457 \$27546	91 1,893	701 2,584	700 691			

· TIRHOOT RAILWAY.

Comparative Statement of Traffic for the calendar years 1879 and 1880.

	Passengues.								
Heads of Traffic.		Nu	nber.		Receipts.				
	1879.	1980.	Increase.	Decrease.	1879.	1880,	Increase.	Decrease	
lst class 2nd ss 8rd 3s	3,087 2,899 469,515	8,142 8,420 468,815	55 521 6,300	Qiboyi daxaat Leonat	Rs. 10,329 5,869 1,79,476	Re, 10,531 6,969 1,87,869	Rs. 202 1,120 8,303	Be ,	
• Total	468,501	475,377	6,676	1840.11	1,96,874	2,05,389	9,715	12750	
Miscellaneous,	ator -	 \$11738	4237.08	#43838	16,562	22,044	5,482		
· · ·	Goods.								
		Weight (in tons).			Receipts,				
₿ ₽	1879.	1880.	Increase.	Decrease.	1879,	1880.	Increase.	Decrease	
Merchandise for the public Materials for railway construction Minerals— For the public For railway construction	50,551 50 , 1,603	89,557 1,015 3, 570	19,006 905 1,907		Rs. 1,42,771 99 4,579	Rs; . 1,88,807 1,553 11,115	Jas. 48,098 3,454 8,536	Bs,	
Live stock	**42441 #*53,23			(10.011) 11.9147	- 1,211	1,865	654	431.913 241.913	

PATNA-GYA BAILWAY.

Comparative Statement of Traffic for the calendar years 1879 and 1880.

	Passangars.									
Reads of Traffic,	ŀ		Nun	aber.	•		Recoi	ote.		
		1879.	1880.	Increase.	Decrease,	1879, 👻	1880.	Increase,	Decreas	
						Rs.	Rg.	Ra.	Bs.	
let class and and set	554 244 144	536 1,968 264,615	1,094 3,701 514,901	558 1,733 2 50,286	6458619 * #22694 246694	2,325 3,669 159,131	4,621 6,770 8,17,313	2,296 9,107 1,58,182	699596 Datase Churas	
Total		207,119	519,696	263,677	*****	105,125	8,28,710	1,03,585	******	
Miscellaneous 4.	[mine	*****	P 515103	927348	4,328	. 9,082	5,354	*****	
		<u>`</u>			Go	ODS.			······	
			Weight	(in tons).		Receipts.				
•	ſ	1879,	1880.	Increase.	Decrease.	1879.	1680,	Increase.	Decrease.	
7 A.						Bs.	Bs.	Ba.	Re.	
Merchandise for the public Materials for railway construction	•••	18,343 1,702	42,288 10,326	23,925 8,624	422 I DQ Soldip	• 45,317 3,518	1, 12,990 20,715	67,673 18,202	****14	
Minerals— For the public For railway construction	***	384 380	1,967 	1,583 	 \$90	• 857 871	4,14 2	8,285	871	
Live stock		*****	tášyre Þrans	211524 9214924	188 yaa 370 944	448	1,106	● 	******	

CALCUTTA AND SOUTH-EASTERN RAILWAY.

. PASSENGERS. ¥... Receipts. ' Heads of Traffic. Number. r 3... 1879. 1880. Increase. Decrease. 1879. 1880.-Increase. Decrease. -* Rs. 571 Rs. 491 Rs. 80 Be. 429 4,353 591,021 18 566 411 3,987 608,989 192 494 -878 878 lst 2nd 3rd 497 487 497 ***** 4 24 944 944 491 2,085 71,629 1,953 77,478 35 318 17,968 5,856 \$ 6 = 0 + 4 3121e: 74,199 613,387 595,803 17,684 80,002 5,804 Total ****** 8,418 2,079 745 ****** ****** ****** Miscellaneous 637 *** 441522 a Goods. Weight (in tons). Beceipte. 1879. -51 1879, 1880. Decrease. 1880. Increase. Decrease Increase. i, Rs. 32,959 Rs. 129 Bø. Ba. 92,630 Merchandise for the public Materials for railway construction Minerals-For the public For railway construction 29,659 31,448 1,789 463493 463493 463493 -Tanena . ''' # *58 #93419 123 492 869 Rátisa Adorph 120 384 264 **84 8** 7/⁵ £85434 **** 982.Av ****** ٠ No. No. No. No. ÷ 143 1,210 Live stock marrage, do. ... 140 65 84 82 860 433454 464439 838 378 ********** 61 850 0.004 -

Comparative Statement of Traffic for the calendar years 1879 and 1880.

<u>د</u> م

NALHATI RAILWAY.

Comparative Statement of Traffic for the calendar years 1879 and 1880.

•	ł			-	PASSEN	JEES.			
*	z Í		Nam	bez.	-		Recei	ipte.	
ana Artica Artica Artica		1879.	1880.	Inorease,	Decrease.	1879.	1880.	Increase.	Decrease
lst class		912 6,939 149,048	595 2,623 131,472	Endeay Safaqib Tifaco	817 4,316 17,176	Bs. 2,131 5,063 48,262	Rs. 1,517 9,381 40,598	Rs.	Rs. 814 1,682 7,664
Total	P 44	135,090	Spino2	21,809	55,456	45,498		9,960
Miscellaneous	ورنو. اختر	*) 	Koy RXXD43	direán)		5,705	8,785		1,920
		*****		<u></u> _i	 Gooj	D8,	<u> </u>	· · · · · · · · · · · · · · · · · · ·	·
· .		· · · ·	Weight	(in tons).			Rec	eipta.	
		1879,	1880.	Increase,	Decrease.	1879,	1880.	Increase.	Decrease
Merchandise for the public Materials for railway construction	 	13,259	7,217	Batalp Bbaaps	6,042	Rs. 28,036	Rs. 25,128	Rs.	Rs. 10,914
Minerals— For the public For railway construction	843 244	1,639	2,420	790	esijin tega	- 2, 588	3, 955	1,369	345123 249123
$\bar{\psi}$	-		۰. ۱			C I			
Live stock	4.6a - 74-7	Harbs Harps	415-15	51760 241303		407	333	Jeanse 1149761	 74

		Miles	0mem.		PASSERGER T	TRAFFIC.		•	Goods	Teappid.			S+	eam Boat.	
BAILWAY.				Num	ber.	Receip	ts.	Weight (in tons).		Beceipts.			FRAL DOBE.	
· · · · · · · · · · · · · · · · · · ·		1879.	1880.	1879,	1880.	1879.	1880.	1879.	1880.	1879.	. 1	89 0 ,	1879.	18	80.
÷						Rs.	Rs.		• • • • • • • • • • • • • • • • • • •	Rs	• ····	Rs.	Rs.	R	s.
Northern Bengal Tirhoot Patna and Gya Nalhati Calcutta and South-Eastern	***	230 82 57 27½ 28	$\begin{array}{c} 230 \\ 82 \\ 57 \\ 27\frac{1}{4} \\ 28 \end{array}$	642,236 468,501 267,119 156,899 613,387	705,706 475,377 519,696 135,090 595,803	4,00,159 1,95,674 1,65,125 55,456 80,002	4,72,885 2,05,389 3,28,710 45,496 74,198	87,838 52,204 20,809 14,898 29,782	118,632 74,142 54,561 9,646 31,934	1,47 49 28	,449 2, ,560 1, ,622	04,624 01,475 37,847 19,080 33,214	1,31,94 74,19	6	63,505 98,144
	Total	424	424 <u>1</u>	2,148,142	2,431,672	8,96,416	11,26,678	205,531	288,915			96,240	2,06,14	5 2,0	61,649
	₽ ₽	Miscellan including Si	acous Receipts, 3 Telegraph and undries,	1	Total	l Receipts,	<i>t</i>	Workin	g Expenses.	Net P	Profits.	Net	Loss.	Staff em	ployed.
• •	11	1879.	1880.	1879.	1890.	Increase.	Decrease.	1879. '	1880.	, 1879.	1880.	1 1879. 	1890.	European and East Indian,	Native.
	A.	Rs	Rs.	Rs.	· Rs.	Rs.	Rs.	Rs.	Rs.	Rs.	Rs.	Rs.	Rs.		
Firhoot	***	1,77,63 41,41 15,82 7,70 21,00	6 46,060 5 14,999 2 5,349	0 4,58,73 9 2,30,51 9 91,78	35 5,51,069 10 4,81,556 30 69,925	92,334 2,51,046	1 3 21,855	12,59,140 3,50,914 1,28,723 62,009 89,088	9,69,292 3,10,795 2,70,300 73,653 1,01,344	$1,25,121 \\ 1,07,821 \\ 1,01,787 \\ 29,771 \\ 44,999$	6,43,509 2,40,274 2,11,256 40,754	****** ****** ****** *****	3,728	79 31 19 2 4	2,061 851 687 190 238
	Total .	26,3,58	4 2,72,881	1 22,99,37	73 28,57,449	6,58,076		18,89,874	17,25,384	4,09,499	11,32,065		3,728	135	4,027

Comparative Statement of Traffic of the Bengal Provincial Railways for the calendar years 1879 and 1880.

с Ö	•	Gr	se Receipts.		Expenses.	Net Ear	ninge.	Total Capit	al expended.	Interest on Capi 41 per	ital expended at cent.	Excess of Interest	over Earnings
B.	LAILWAY.	1879	1880.	1879.	1880.	1879. *	1980.	1879.	1/580.	1679.	· 1890.	1879.	, 1890.
	*******	Ra	Rs.	Rs.	Rs.	Rs.	Rs.	Bs	Rs.	Rs.	Rs.	Rs.	Rs.
forthern Bengal Frhoot Fatna and Gyn Falhati Falhati Falcutta and Sout	th-Eastern	13;84,2 4,58,7 2,30,5 91,7 1,34,0	5 5,51,069 0 4,81,556 69 925	, 12,59,140 3,50,914 1,28,723 62,009 89,088	9,69,292 3,10,795 2,70,300 73,653 1,01,344	1,25,121 1,07,821 1,01,787 29,771 44,999	6,43,509 2,40,274 2,11,256 	2,03,70,790 53,38,320 30,70,995 3,46,299 67,39,408	2,09,84,599 56,13,274 34,99,518 3,48,732 67,23,771	8,79,106 2,37,411 1,10,800 15,238	9,45,545 2,50,659 1,71,206 10,178	7,53,361 1,29,593 9,013 14,533	3,02,03 10,384 40,050 13,960
	Total	4 22,99,3	3 28,57,449	18,89,874	17,25,384	4,09,499	11,35,793	3,58,65,812	3,71,69,894	******	*****	* .	*****
-				Statement of	the Mileage	Results for	the calenda	r years 1879	and 1880.			· .	
•	Detai	¢.		Statement of Northern Ben	· ·	Results for Tirhoot 1	,	r years 1879 Pains and G		Nalhati	Bailway.	Calcutts and S Railw	
C	Detat	¢.	•]	· ·		,			Nalhati 1879.	Railway. 1880.		
C rain mileage	Detat	¢.		Northern Ber	ngal Bailway.	Tirhoot 1	tailway.	Patna and G	ya Railway.			Railw	ay.
		¢ (5,		Northern Ber 1879.	ngal Bailway, 1880.	Tirhoot 1 1879.	lailway. 1880,	Patna and G	yz Railway. 1880.	1879.	1850.	• Bailw	ay. 1880.

Statement of the Results for the calendar years 1879 and 1880.

106

ADMINISTRATION REPORT FOR 1880-81.

[Bengal.

BOMBAY AND CENTRAL INDIA.

At the commencement of the	year 1880 the Rajputana Railway was open
Rajputana Railway	from Delhi to Raipur,* and was under the
* 325 miles.	control of the Consulting Engineer, Cal-
	cutta.
*	

The section from Ahmedabad to Pahlanpur[†] (the Western Rajputana ^{† 82 miles.} Railway, as it was called) was under the Consulting Engineer, Bombay.

The intermediate section between Raipur and Pahlanpur[‡] was in process of ^{‡ 168 miles.} construction under the direct orders of the Director General of Railways.

On the 20th October 1880 the line between Raipur§ and Sujat was opened § 24 miles. for traffic; and on the 1st November following the Rajputana Railway, the Western Rajputana Railway, and the intermediate section under construction were all made over to the control of the Bombay Government.

On the 1st January 1881 the intermediate link between Sujat and Pahlanpur opened for through traffic on 1st Janmary 1881. 1144 miles. Delhi to Ahmedabad under the title of the Rajputana Railway. At Ahmedabad the Rajputana line joined the Bombay, Baroda and Central India Railway, and through communication was thus established between Delhi and Bombay.

The Rajputana Railway being on the metre gauge, and the Bombay, Baroda Junction with the Bombay, Baroda and Central India line being on the 5'6" and Central India line. gauge, transhipment arrangements were made for goods at Sabarmati (4 miles from Ahmedabad) and for passengers at Ahmedabad itself.

The bridges which were unfinished at the first opening of the line were completed by the 1st May 1881.

The traffic is gradually being developed; and considering the advantages Traffic. Toute, there is every likelihood of its beroute, there is every likelihood of its betoute, the distances from Homes toute, the distances from Homes to

		Miler	
By Rajputana route vid Ahmedabad and Ajmere		8891	
By Malwa route via Khandwa and Ajmere	₽ ± ₽ 41	1,006 1	
Old route vid Allahabad	482 .	1,234	

The following extracts from the Administration Report of the Manager of the Rajputana Railway give full information regarding the line :---

Completion of the Western Rajputana Railway.—The works on the Western Rajputana Railway were so far advanced to completion by the end of December 1880, that after inspection by the Consulting Engineer the new Railway was formally opened for traffic from the 1st January 1881 by His Excellency the Right Hon'ble Sir James Fergusson, Bart., K.C.M.G., C.L.E., Governor of Bombay.

It will be convenient to present here a tabular statement of the total mileage of the Rajputana Railway as it now exists, with the date on which each portion was opened :-

Opened for public traffic.	Date on which opened for public traffic.
Delhi to Garhi Harsaru, 251 Garhi Harsaru Junction to Bandikui Junction 1091	Delhi-Rewari Section, with Salt Branch (59 miles), for salt traffic only, on 14th February 1873, and for passenger traffic on 1st July 1873. Rewari to Ulwar (461 miles) on 15th September 1874.
Branch from Garhi Harsaru Junction to Farukhnagar	 Ulwar to Bandikui (371 miles) on 7th December 1874. Agra-Bhurtpur Section (331 miles) for goods traffic on 11th August 1873, and for passengers on 20th October 1873. Bhurtpur to Dausa (781 miles) on 20th April 1874. Dausa to Jaipur (38 miles) on 12th October 1874. Jaipur to Sambhar (381 miles) on 1st March 1875. Phalera to Ajmere (491 miles) on 1st August 1875. Ajmere to Nasirabad (141 miles) on 14th February 1876. Agra Fort Station to East Indian Railway Station (11 miles) on 1st January 1876. Japog Extension (4 miles) in October 1876.
Kankaroola 11 4221	Extension of the Sambhar Branch to Kharia (17 miles) on 20th December 1879. Extension of Japog Siding (2 miles) on 20th December
From Ajmere east of Abu and through Pahlan- pur to Ahmedabad on the Bombay, Baroda and Central India Railway 3044 Grand Total 7263	Sujat to Pahlanpur (148-7 miles) on 1st January 1880.

From this statement it will be seen that the main line from Delhi to Ahmédabad, with the branch line to Agra of 95 miles, have now a length of 6741 miles; that the Farukh-nagar and Sambhar Salt Branches contribute 381 miles more, and that the remaining mileage (144 miles) is furnished by the short branch from Ajmere to Nasirabad, which will in a few months more be extended to Neemuch, where it will join the Holkar and Sindia-Neemuch State Railways, and so complete the main features of the Central System of State Railways. The total length of line open on 31st March 1881 is 7263 miles against a total of 545 miles open on the 31st March 1880.

Capital expenditure.-The total capital expenditure upon the Rajputana and Western Rajputana Railways up to the 31st March 1881 may be put approximately at Rs. 4,95,01,482, or Rs. 68,090 per mile of railway.

During the year 1880-81 the further expenditure on capital account upon the Rajputana Railway has been incurred upon completing the Agra Fort station, upon additional accommodation in the Delhi yard, upon more staff quarters at Delhi, Bandikui, and Ajmere, upon water and improved watering arrangements, on additional culverts and other works to protect the line against floods, upon the construction of the general offices at Ajmere, and of quarters for the European clerks attached to the general offices.

The total capital upon which the interest is calculated is assumed at Rs. 4,21,79,869, being the net "expenditure on final heads" to the end of the year 1879, plus half the net

expenditure on final heads during the year 1880. General results of the working of the Rajputana Railway during 1880.—During the year 1880 there were on the average 553 miles of line open and under working; 1,706,758 train miles were run, earning Rs. 43,73,823 and costing Rs. 30,48,138, or 69.69 per cent., leaving 30.31 per cent. of the earnings as net profits.

The earnings and expenses per train mile have been Rs. 2.56 and Rs. 179 respectively. The return upon the capital expended is 3.28 per cent. per annum. Of the total earnings, coaching traffic contributed in round numbers 29 per cent., goods

traffic 66 per cent., and sundries 4 per cent.

In the same round figures, the maintenance of the line costs 13 per cent. of the total earnings, the Locomotive and Carriage Departments 37 per cent., the Traffic Department 11 per cent., while general administration and sundry expenses cost 9 per cent.

The earnings and expenses for the past five years are shown in the following table :--

	Average	1	EARNINGS.		Expenses.			
Year. miles open for traffic.	Gross.	Per mile per annum.	.Per mile per week.	Gross.	Per mile per annum.	Per mile per week.		
*** 1876 1877 1878 1879 1880	894 896 417 438 553	Rs. 23,29,592 26,96,687 29,72,602 85,45,420 43 7?,823	Rs. 5,940 6,809 6,942 8,261 7,967	Rs., 114 130 135 158 158	Rs. 15,23,622 18,33,367 18,42,129 23,66,253 30,48,138	Rs. 3,886 4,629 4,303 5,454 5,552	Rs, 74 89 82 105 107	

The cost of maintenance of the way and works has amounted to Rs. 5,06,448, or to Rs. 1,084 per annum for each mile open throughout the year. This figure compares favorably with the cost (Rs. 1,092) per average mile open throughout the year 1879; and this notwithstanding the extensive replacement by 41½ lbs. steel rails of the 36 lbs. iron rails originally laid on the Delhi to Rewari Section of the line.

A tabular statement is appended showing the cost during the past five years (1876 to 1880) of maintenance under its main heads of supervision, labor, materials, new minor works, and miscellaneous. From this it will be observed that the outlay on the materials during the past year has, apart from the cost of the relaying with steel rails above alluded to, been more moderate than might have been expected, and much below that of the preceding year.

This is not the result of any attempt to starve the road, but of the more careful supervision over the removal of the rails and sleepers, which were in some cases taken out of the road prematurely. But the more extensive renewal of sleepers must soon commence, for the average age of the sleepers on the road east of Ajmere is about 6.10 years.

Similarly, in the Locometive Department important improvements have been made in the system of workshop accounts. Closer supervision over the consumption of running stores has been made possible by simplified arrangements, and at the same time the general condition of the locometive stock has been very much improved.

Emulation has been excited among the enginemen by the monthly publication of the results of their working, and *premia* have been awarded to the men who attained the best results throughout the year. But although the foundation has, it is hoped, been laid by these measures for the more economical working of the Locomotive Department in future years, the cost of running each traffic train mile has been higher during the year 1880 than in any previous year. Brief notes by the Locomotive Superintendent explain how the increases under these heads of "Running expenses," "Fuel," and "Maintenance and renewals" are inheritances from past years, and that in the other heads of water and oiling some saving has been effected. It is confidently expected that, except under the head of "Maintenance and renewals," where expenditure must continue heavy throughout 1881, better results may have to be recorded in next year's report.

In the Carriage and Wagon Department, which during the year has been made an independent charge, the report of the Superintendent gives full particulars.

The staff of pay clerks has been increased with the growth of the line; and these pay clerks, though under the general supervision of the paymaster, are now stationed at convenient centres for the payment of the salaries or other bills of the district to, which they are attached.

Percentage of traffic.expenses on gross earnings.—The earnings from passengers were Rs. 12,86,141 in 1880 against Rs. 9,27,916 in 1879. The following table shows the number of passengers booked at the principal stations on the line:—

Ste	Stations.		• 18	78	187	9	1880.	
			No.	Rs.	No.	Rs. i	· No.	Rs.
Agree	· · · · · · · · · · · · · · · · · · ·		80,655	1,15,134	83,871	1,15,918	88,197	1,21,316
Bhumpur .	*≢ n∰ rag		60,742	42,298	65,768	48,475	74,465	56,927
Bandikui	·		22,099	13,877	26,529	18,171	29,439	20,249
Jaipur	Fa, € , .44. 114.		127,501	1,18,039	141,185	1,36,149	164,010	1,58,823
Dans	443		- 21,792	11,506	23,310	18,420	24,854	19,836
Phalera	6.84		16,565	7,729	23,012	12,968	24,629	11,382
Kishengarh	***		26,170	11,467	26,864	[·] 11,195	31,893	13,609
∆jmere	12J	••••	189,996	1,14,147	209,238	1,20,030	254,170	1,40,158
Nasirabad	-47		97,266	36,681	101,446	48,281	120,601	87,172
Beawar			27,137	15,901 .	57,205	85,847	64,717	27,794
Delhi	е т	• ••••	119,056	85,165	145,837	1,21,833	134,485	1,07,512
Gurgson	ر از کو ار سور ه در از کوار سوره		8 9,800 -	9,903	. 37,969	9,841	. \$8,179	9,891
Rewari	. # 111		. 6 5,301	38,733	73,479	44,486	75,195	44,622
Garbi-Harsaru	*15		1,829	493	1,441	889	1,624	425
Ulwar . »	149]	70,339	87,276	69,493	38,804	80,488	40,181
•	Total	·	966,248	6,58,619	1,086,147	7,75,807	1,206,946*	8,03,897

RAJPUTANA RAILWAY.

3

·WESTERN RAJPUTANA RAILWAY.

	•	•	Coaching			
Sta	tions.		187	9. •	188).
	•		No	Amount.	No.	Amount.
	4		•	Rs		Rs.
Ahmedabad	444	***	- 11,805	Т ,893	122,144	73,705
Sabarmati Kalol	an a an	4,16,0 + 1971 8	2,270 4,329	717 1,093	25,484 40,714	8,538 10,991
Dangarwa M	c 828	د میں 198 تور	8,019	- 878	28,860	*8,604 [®]
Mehsana		۲ ۹۹۹۹ پ	6,146	1,836	48,875	15,428
Unjha		. 4 13	. 3,549	1,057	44,4 10	15,582
Siddhpur		112	9,973	3,279	69,809	21,927
Pahlanpur ".		91.	6, 306	8,133	€60,006	82,674

• Opened from 15th November 1879.

Provident Institution.—The progress report of the year would be incomplete without mention of the Railway Provident Institution. This Institution was opened in February 1880, and has since become a prosperous concern. By the end of December 1880 there were 486 contributors, and the totals of the voluntary and compulsory contributions, amounted to Rs. 31,080-13-3 and Rs. 10,448-3-1 respectively. During the year 1880 a sum of Rs. 4,326 from the funds of the Railway was added to the compulsory contributions.

The following tabulated statements are annexed :---

Statement showing cost of Maintenance under main heads of Supervision, Labor, Material New Minor Works, and Miscellaneous.

		1876.	1877	1878.	1879.	1880.
	• •	Bs. A. P.	Rs. A. P.	- Rs. A. P.	Rs. A.P.	Rs. A. P.
Superintendence	.57 049 52*	1,24,019 9 0	1,25,678 10 -2	1,22,088 7 7	98,180 3 4	98,062 12 7
	Maintenance and renewals of permanent-way—	**************************************		÷	-	
	Wages	74,097 13 5	1,01,679 14 2	1,02,519 8 9	1,10,568 8 8	1,34,255 9 1
	Materials	39,279 14 2	1,36,246 \$ 9	78,899 11 9	1,69,259 11 7	1,69,794 7 10
LABOR AND MATERIALS.	Repairs of bridges, stations, and buildings, &c.	1 0.1 12 1 10 10	,t 84,641 15 11	,32,155 12 7		67,808 2 11
	Maintenance by contract—	•	-		\$10 \$100	
	Amount paid to contractors	1,30,140 0 0	41,691 0 0	4,925 5 7	10,961* 1 6	480 0 0
	Maferials supplied by the State	101701611	3,038 10 1	, 204 9 0	Nil	Nil
NEW MINOR, WORKS	aat exit pri änk	853 6 2	12,045 1 8	20,288 4 10	35,544 2 9	10,969 2 7
MISOMMANBO 38 EXPENDI	ITCRE Inc. 28 m	6,589 13 6	10,341 14 0	6,925 1 0	15,884 0 10	, 21,687 7 9

RAJPUTANA RAILWAY.

1. 1. T. A.

· Capital Finance Account; 1880-81.

		OPPIOLA	5 YEAR, 185	0-81.		· •	_	· .
Main heads of expenditure.	Budget Estimate.	Regular Estimate,	Óutlay.	Dednct receipte on Capi- tal so connt.	Net expend- iture.	Net expend- iture to end of previous year.	Net expend- iture to end of 1680-81.	Sanctioned Estimate.
· · ·	•	а. Ст. с.						-
				┟╾╍╼┙				
Capital Productive Public Works.	Rs.	Ra.	Rø.	Rs.	Rs.	Rs.	· Rs.	, Rs.
I WOVIN IN OTHER		, a		F	_^	· .		
Preliminary Expenses	1	39,700	39,686		. 89,686	5,90,202	6,29,888	6,29,90
Land	- 10,000	15,800	11,257		11,257	5,66,116		
Construction of line	81.259	- 6,09,000	6,51,889		5,51,839	64,33,295		
Ballast and Permanent-way	51.489	3,94,200	4,25,821		4,42,582	1,06,37,710		
Stations and Buildings	5,26,552	3,82,400	4,30,842		4,30,842	47,46,548		
] ————
Total Construction Ac- counts	6,69,300	` 14,41,100	15,58,945		15,58,945	2,29,73,871	2,45,32,816	2,56,93,24
Mant		30,600	41,703		41,703	6,39,730	6,81,433	9,20,3
Plant	10,00,000		9,76,113	l				
Rolling Stock		16,91,400	56,337		9,76,113	54,91,073	64,67,186	
Establishment	30,700	47,400	00,001		56,337	20,37,289	20,98,626	20,99,68
Total Expenditure on	, a∘, a					-		
Final Heads	17,00,000	32,10,500	26,33,098		26,33,098	3,11,41,963	8,37,75,061	3,76,66,2
Suspense Accounts	440	36,500	38,700		88,700	19,40,781	19,79,481	•••
Frand Total expenditure	17,00,000	32,47,000	26,71,798		26,71,798	3,30,82,744	8,57,54,542	
S. Ordinary.	· · · · · · · · · · · · · · · · · · ·	•		<u> </u>		·		
Orumary.								•
Preliminary Expenses	1.13	i ni	. 6		- 6	326	832	🗖 🛒 S
and	···	-444	141	J		***		
Construction of line	6,858	28,600	82,226		82,226	2,31,579	2,63,805	2,60,1
Ballast and Permanent.	,		00.00					
W87	11,966				26,567			
tations and Buildings	1,176	49,400	40,677		40,677	22,437	63,114	71,8
Total Construction Ac-		÷				· · · · ·		
counts	20,000	1,21,000	99,476		99,476	7,24,101	8,23,577	8,45,1
M	442 ⁴	2,000			728	1.856		
Rolling Stock	,	-,000					_,0,0	
Istablishment	***	2,000	1,379		1,379	11,953	13,332	13,95
	1.1.1 			<u> </u>			10,002	
Net Indian Outlay	20,000	1,25,000	1,01,578		1,01,578	7,37,910	8,39,488	8,62,91
and the second s				1				

979

Distribution of Outlay by Funds to which chargeable.

		VE PUBLIC OUTLAY.	OBDINAR	Grand Total.		
	248 B	Imperial.	Provincial.	Imperial.	Provincial.	,
During the year	الم الم الم الم الم الم	Rs. 26,71,798	Rs.	Rs. 1,01,578	Rs.	Rs. 27,73,376
To close of the year	***	8,56,54,539	*****	- 9,39,491	******	3,65,94,030

Engineering Department.—The Western Rajputana Railway was completed during the year. The section Raipur to Sujat was opened on 20th October 1880, and Sujat to Chitrasni on 1st January 1881... The whole line from Delhi and Agra to Ahmedabad is, therefore, now open for traffic.

The Deodani and Kankar-Oola sidings at Sambhar have also been completed and opened.

The total length of the line on the 31st March 1881 is 7253 miles against 463 miles on the same date of the previous year.

Engineering charges.---Towards the end of the year 1880 changes were made in the Executive Engineer's charges on the open line. The section Bandikui to Kanota was added to the Agra Division, the head-quarters of which was moved from Agra to the changing

station of Bandikui. In consequence of the heavy work in progress or expected at Ajmere, the Ajmere Division was further relieved of the section Ajmere to Raipur, which, with the recently opened section Raipur to Sujat, was placed under the Executive Engineer of the Sendra Division. The original charges on the line opened on the 1st of January 1881 were maintained. Much work was still in progress, and it was not yet convenient to break up the construction divisions.

Maintenance.—The road and works have been kept in thoroughly efficient order during the year. The total cost of maintenance, excluding general superintendence, has been Rs. 3,45,743, or Rs. 53-10-8 per mile of track, including sidings, per month, against Rs. 3,40,430, or Rs. 58 per mile per month, for the previous year. These figures do not include Rs. 1,25,017 expended in relaying the section of the line Delhi to Rewari, or take credit for Rs. 73,845, value of material renewed since the opening of the line and returned to store during 1880; nor do they include expenditure under Abstract A—6th, New minor works, which shows a decrease of nearly Rs. 25,000. This cannot be taken as a saving on maintenance.

The item upon which the saving has been effected is permanent-way material. During 1880, 1,647 rails and 8,405 sleepers were renewed against 2,212 rails and 26,470 sleepers during the previous year. The saving in rails and part of the saving in sleepers have been effected by more careful maintenance and greater expenditure on labor, but is also due to some extent to the improved state of the rolling stock. The decrease in sleeper renewals has also been caused by increased care in checking the removal of material whose life had not quite expired.

Delhi station.—Seven blocks of quarters for guards and drivers and ten menials' quarters have been constructed, an additional engine pit has been added to the locomotive yard, and the narrow gauge has been carried into the East Indian Railway yard, where passengers are now landed for transhipment upon the broad gauge platform.

Rewari.—A large reservoir for rain water has been completed, and its effect upon the neighbouring locomotive well has been very satisfactory.

Bandikui.—The locomotive arrangements have been extended, the water-supply much improved, the traffic yard is being remodelled to increase the power of transhipment of passengers and of remarshalling of trains, and thirteen blocks of European staff quarters are in progress. A system of roads and drainage has been carried out to the great improvement of the cantonment, and a cemetery has been fenced in and planted.

Jaipur.—The new siding and carriage shed have been completed, and sundry improvements to the station building and platform have been effected.

Phalera.—An entirely new locomotive yard and shed have been nearly completed, and a satisfactory arrangement for a plentiful supply of good water has been made.

Ajmere.—An additional unit has been added to the station building for the Telegraph Department, the accommodation for locomotives has been increased, and a large new erecting shop has been commenced. The extension of the carriage shop has been roofed in, the locomotive offices have been completed, ten blocks of quarters for general office clerks and eleven sets for guards and drivers have been constructed. The foundations of the general office building have been completed, and the walls of the plinth are in progress.

Agra.—The Fort station has been completed, and the rooms for the .Postal Department are nearly ready for occupation.

General.—The new culverts between Delhi and Bandikui and between Kishengarh and Ajmere were completed before the rains of 1880, and no damage was done by floods, although considerable local falls of rain, especially between Ulwar and Bandikui, occurred. The river Sabi, as usual, caused some uneasiness, and it was found necessary to throw up a temporary bund to keep the river in its proper channel. It is proposed to raise the bank at the point threatened, which would have been topped and breached this year had the temporary bund burst.

Second water columns have been fixed at Gurgaon, Ulwar, Arno, Basi, Sanganir, Dhankia, Phalera, Naraina, and Ladpura stations to supply the passenger train engines while these trains are standing at the platforms.

The works on the Western Rajputana Railway came under the management of the Open Line, and, except the Sirohi Division, under the Engineering Department on the 1st January 1881. The chief works then incomplete were the Luni, Someri, Jowali, Rani, Mittri, and Karibali bridges. Of these, all, except the Luni, were finished on the 31st March. On the 2nd of March the Sirohi Division with the Chandawal, Mawal, and Bolaram bridges unfinished were taken over, and on the 31st March the Chandawal and Mawal were completed and ready for testing.

The Bolaram and Luni will be finished on the 1st of May 1881.

Locomotive Department.—During the past official year the locomotive stock and tools and plant belonging to this Department have been maintained in good working order.

The locomotive stock on the Rajputana Railway on the 31st March 1881 was as shown in the subjoined statement :--

Class of engines	. 4	7	•	B	C	D		E	·			F		м		line.
Particulars,	Dübs & Co.	R. W. Hawthorn.	Dübs & Co.	Nasmyth, Wilson & Co.	Nasmyth, Wilson & Co.	Sharp, Stewart & Co.	Sharp, Stewart & Co.	Neilson & Co. (modified).	Yulcan Foundry.	Dübs & Co.	Dübs & Co.	* Yorkshire Engine Company.	Neilson & Co.	Dübs & Co.	Black, Hawthorn & Co.	Total number of engines on line.
Total stock on line on 1st April 1880 Additional during the year	18		14	12	12	1	9	17	10	10	15 6	6	9 13			134
Actual stock on line on * 31st March 1881	18	0 		 12	12	1	•••• 9	17	8	12 22	6 21	6	18	20	 [1	198

The following table is a comparative statement of the Locomotive Department working expenses during the last six calendar years from 1875 to 1880, both inclusive :---

	1875.	1876.	1877.	1878.	1879,	1880.
Traffic train miles	517,775	728,846	828,012	995,630	171,971	1,354,623
Train miles	553,659	762,835	892,404	1,038,318	1,529,073	1,433,404
Vehicle	12,283,153	16,118,866	19,859,961	21,592,420	23,466,356	Unknown.
Total Locomotive Ex- penses, Rs.	4,03,700.5	5,32,364.68	7,03,377-95	7,51,459.34	10,88,145-16	12,04,309.04

	18	75.	18	876.	18	877.	. 18	78.	18	379.	18	80
	Per traffic train mile.	Per train mile.	Per traffic train mile.	Per train mile.	Per traffic train mile.	Per train mile.	Per traffic train mile.	Per train mile.	Per traffic train mile.	Per train mile.	Per traffic train mile.	Per train mile.
 Running expenses Fuel Water Oiling, &o Maintenance and renewals 	As. 3.03 6.13 3.08 .59 1.33	As. 2·83 5·74 ·29 ·56 1·26	As. 3·23 5·24 ·28 ·50 1·47	As. 3.06 4.95 -26 -47 1.39	As. 3.65 5.73 .21 .56 2.09	As. 3·39 5·32 ·201 ·52 1·94	As. 3·18 5·09 ·205 ·52 1·78	As. 3.05 4.88 .19 .50 1.71	As. 2.80 5.02 .17 .63 2.04	As 2.70 4.83 .16 .61 1.97	As. 3·19 5·98 ·26 ·45 2·98	As. 3 02 5-66 -24 -43 2-82
Fotal Locomotive Ex- penses	12'86	11.66	11.81	11.16	13 ·59	12.61	12.07	11.57	11.82	11.38	14.22	13-44

to surplus running staff from 1879, which it was supposed to be desirable to keep for the opening of the line through. to deficiency of coal found at stock verification, which should have been charged off in 1579; only adjusted in 1880. Is and bullocks were put on in the beginning of 1880, who were discharged again in course of the year when traffe (1) (2) (3)

£

decreased. (4) Decrease due to the exercise of more economy by the running staff, whose attention was drawn to waste of oil in force on the line. (5) Increase due to heavy boiler repairs on account of bad water and which could not be carried out before for want of shops. *N.B.*—In the above statement the coal per traffic train mile is shown at 14.22 annas, and per train mile (which includes maintenance mileage) at 13.44 annas; but to arrive at the cost per engine mile the miscellaneous service mileage should be added, 104,300 miles, which gives a total of only 11.93 annas per engine mile,

During 1880 the engines of the same tender and capacity have been placed, as far as possible, in one locomotive station, which facilitates keeping the engines in repairs, and allows many watering stations to be closed in the districts where engines with large tenders worked. Stations with bad water have been closed as far as possible, and the complaints of leaky tubes have diminished.

In order to stop the corrosion on the smoke box tube-plates, several copper smoke box tube-plates have been put in for a trial. The engines have not yet been put into running. A report will follow. In engines with round fire-box tops the practice has been continued of taking out the heavy crowbars and substituting stays with the mid-feather, which can be kept easier clean. No complaint has come in so far.

During February and March 1881, 20 new M class engines for mail service have been received. The engines work well so far ; but owing to the inside cylinders, the gear is much cramped ; and I should prefer the same style of engines with outside cylinders, and, as far as possible, with old F class fittings, in order to reduce the number of duplicates required.

Verification of rolling stock.—In the month of June 1880, permission was accorded to a complete verification of the stock on the line. The verifiers completed the work on the Rajputana Section on the 4th November 1880. They then commenced the Western Rajputana Section, and completed their work before the two sections were coupled up on the 1st of January.

The result was on the whole fairly satisfactory, considering that no proper verification had been made since the opening of the line.

Duty mileage.—The train mileage	is as follows	:			
Traffic train mileage			***	1,854,623	
Train mileage	***			1,433,404	

The gross Revenue expenditure for the year ending December 31st, 1880, including all current office and establishment expenses, oiling, fair wear and tear repairs, rebuilding, and damage sustained in accident, was Rs. 1,39,611-12-4.

The cost of duty was as follows-

Per traffic train mile	 • • •	\mathbf{Rs}	$\cdot 103$	X	16 =	1.648 annas,	
			~~ ~		-	3	

" train mile ... ,, $.096 \times 16 = 1.536$, * • •

against 1.995 annas and 1.92 annas respectively for the corresponding period of the previous year.

The cost of damages due to accidents amounted to Rs. 19,742-9-11. The net Revenue expenditure within the control of the Carriage and Wagon Department was therefore Rs. 1,39,611-12-4 - Rs. 19,742-9-11 = Rs. 1,19,869-2-5, and the net cost of duty would be-... Rs. 8848 × 16 = 1.4156 annas.

Per traffic train mile " train mile

", $\cdot 8362 \times 16 = 1 \cdot 3377$ ", ...

The figures in the subjoined table show the gross cost of duty compared with preceding years :-

Particulars.	19;	75,	187	6.	1877.		1878.		1679,		1880.		
Traffic train miles Train miles			720,846 762,835		828,012 892,404 I			995,650 1,038,318		1,472,971 1,529,073		1,354,623 1,433,404	
Expenses, Carriage and Wagon	Be. 29	071,434 ,735 24 	1,4 Rs. 1,02		Be. 1,4	720,418 6,092-91 	Rø. 1,8	033,948 8,970°00 	Rs. 1,8	002,044 13,759 74 79.	-	788,027 9,611 -76 80.	
Expenses per traffic train and train mile.	Per traffic train mile.	Per train	Per traffic brain mile.	Ber train	Per traffic train mile.	Per train mile.	Per traffio train mile.	Per train F	Per traffio train mile.	Per train	Per traffic + traffic +	Per train	
CABRIAGE AND WAGON. Repairs to carriages Repairs to wagons Diling (labor and stores)	a *23 *33 *24	1 *21 *31 22	• •70 •77 •475	8 109 173 145	₽ 1·275 ·815 ·305	a 1·18 •75 •29	8 197 145 123	* *98 *48 *22	2 198 1-25	\$ *80 *46 *11	•56 •¥Ω •28	• •53 . •40 •21	
Fotal Carriage and Wagon Er- penses.	;918	*859	8:27	2 15	2.805	2.60	2-29	2.14	1.995	1.95	1.64	1.22	

Condition of stock at commencement of year.—The working details of the stock were in fair order, but vehicles were generally neglected in point of cleanliness. The cleaning staff is now placed directly under the out-station examining staff. Careless men have been punished or discharged, and considerable improvement has resulted.

The quantity of lime, salt, and sulphates in the water at our principal cleaning stations produce perceptible deposits on the surfaces of the vehicles on evaporation after washing which destroy the varnish in a very short time. The use of canal water at Delhi, of Anasagar water at Ajmere, and of the river water at Ahmedabad is the remedy for this, if it can be made available in the small quantities we require.

Punjab Northern stock.—The stock transferred from this line has taken some trouble and expense to set up; but it is gradually being thoroughly overhauled.

Trimmings.—Much of the original stock requires entire new trimmings, and is withdrawn from traffic as often as it can be spared. The roan skins do not wear well: they lose their color and become rotten very soon. I would strongly urge the early substitution of the American Morocco dressed hides reported in this office No. 641 of 4th March 1881.

Vehicles withdrawn for heavy and slight repairs.—On an average 9.21 per cent. of the stock passes through the Central shops monthly We may look for a considerable increase in this number during the current year on account of the additional stock coming under our charge from the Southern Section, Western Rajputana Railway.

Labor and appliances.—The average number of workmen of all kinds employed in the Carriage and Wagon Department of the Central shops was 528. The average amount paid for labor of all kinds per mensem was Rs. 6,078. The average earnings per man would therefore be Rs. 11.5; this includes overtime and piece-work. We are compelled, by present peculiar conditions of working, to utilise the smithy, foundry, and machine shops of the Locomotive Department; and as it would be inconvenient that the foremen and men of the Locomotive Department should also receive direct orders from the Carriage and Wagon Superintendent, the Locomotive Superintendent retains complete command of the men and of expenditure incurred on work executed for this Department. The Carriage and Wagon Department furnishes all necessary drawings, &c. Inconvenience is sometimes felt by both Departments, but matters are so arranged that this is reduced to a minimum. Our labor pay sheets do not, the Carriage Department. The average value of labor transferred from the Locomotive Department is Rs. 1,378, representing about 120 additional men.

Piece-work.—Piece-work is now established on a system that gives satisfaction to the majority of the men. Every workman engaged in a contract job participates in the profits and losses on that job, and thus has an incentive to work to the utmost of his ability, or to reprove a lazy companion. The leading hands are the minority who would like to secure all the profits, each of whom would, in case of a heavy loss, probably decamp, thus depriving us of a good workman, and in all probability a good gang of men. All things considered, the work is done well and at fair rates. We know the exact net cost of work so executed, and are accumulating a mass of useful data for application in future operations. Our present object is to secure a good standard of excellence at reasonable rates, and to secure as much for our money as local circumstances will permit. When local circumstances improve to the extent of inducing men to fairly settle down comfortably with their families, an adjustment of rates will be possible without fear of scaring labor away.

Source of labor-supply.—We are principally dependent upon the North-Western Provinces for our labor. Bombay workmen do not find our rates of wages tempting enough to induce them to engage with us. The question of settling the workmen in comfortable homes at moderate rents well deserves the serious attention of the Government. The accruing advantages of a plentiful supply of cheap labor warrant my inviting serious attention to this vital point.

	Description	of vehicles.		-		Total number o vehicles turn- ed out.
. 		Coaching.		· · · · · · · · · · · · · · · · · · ·		•
2nd class carriages	***			***		10
3rd " " …		345	460			9
Brake-vans						30
Carriage trucks	2 W.M.		**=		****	8
Post Office vans	***		***		***	6
•				Total	€ •••	58
	Ge	oods.				
Covered goods wagons	, 	•••				81
14' iron covered goods w		4 4 4	***	< • • •		150
15' 6" 31 33	" military	type	***	· · · ·		50
	22 - 22 - 22 - 22 - 22 - 22 - 22 - 22	***	***			25
15' 6" iron platform	18	· ·	***	´9		25
14 . " timber truck	8			~ * *	1.8 *	3
	ð			Total		284

New rolling stock.—The attached list shows the new rolling stock turned out of the Ajmere shops during the financial year :---

Traffic Department.—The gross earnings for the last six half-years have been as follows :--

		• .	*		Rs.
lst h	alf of 1878		* ***	∛a.b.≢	16,53,046
2nd	" ` 1878		* * *	* 5 \$	13,18,656
lst	" 1879			184	21,72,257
2nd	,, 1879	4'5 B '	\$.\$P.\$P.	के में क	13,73,161
lst	,, 1880	\$13 N	***	***	21,64,763
2nd	" 1880		***	8-8-8;	15,58,956

The falling off in the first half of 1880 is almost wholly in the goods traffic. As the ton mileage was slightly greater than in the corresponding half of the previous year, the average rate of freight must have been somewhat less.

The large falling off in weight of grain, seeds, and cotton was only just compensated by the increased tonnage of salt.

Passenger traffic.-The passenger traffic of the past six half-years has been-

						•	Earnings.
				•	No.		Rs.
Ist	half of	1878	165		653,507	***	3,72,810
2nd	33	1878	413	***	666,601	1	3,80,210
lst	32	187 9			802,775		5,10,135
2nd	33	1879	4,4 ¹ 8	\$ + 4	672,440		3,73,722
lst	33	1880			1,074,921	1+1	5,12,783
2nd	- 33	1880			909,911	***	4,79,821

The average mileage travelled by 3rd class passengers was-

3					bliles.
1878	\$* *		***	***	52-68
1879	***	***	***		51.59
1880	**3	***	4 ± 4	***	41.91
The average	contents of the 3rd	l class carria	ges were-	•	
		· - · ·			No.
1878					13-26
1879	***	8+¥	***	***	13.89
1880		41+			15.66

The number of passengers in the year increased therefore from 14[‡] lakhs to 20[‡] lakhs, and the coaching earnings from Rs. 8,84,000 to Rs. 9,92,600; the increase in receipts being out of proportion to the increase in numbers carried, because of the shortness of the average distance travelled.

The falling off of the average distance travelled may have been partly due to the newly- 'opened line bringing to the line only short-distance passengers.

Goods traffic.-The goods traffic of the past six half-years was-

					·	Weigh in tons			Earnings. Rs.
高く - 出た。	1st half of	1878		. <u>.</u>	l er	150,67	6	***	11,88,551
i e com	2nd "	1878		· .		107,06	4	***	8,65,637
		1879	***			165,41		***	15,72,844
	0	1879	-			119,25			9,70,733
-•		1880	***		. 4 , ⊭			1. 8 % %	
						175,23		***	15,62,198
	2nd .,,	1880	***	1) = <i>(</i> i	122,88	8	¥++	10,06,917
The a	verage mileag	e of goo	ds has	been —				•	Miles.
	1878		***		41.	-			133.32
- '	lst half of	1879	11.2.2						159.94
• ·	2nd "	1879		· • •	* * *			= •.¥	129.25
	lst "	1880	***				4×*		155·5 9
x	2nd 🍯 "	1880			* • *		1		143-40
The a	verage conten	ts of go	ods veh	icles ha	ve l	been	-		
	U	Č,							Tons.
	1st half of	1878	415-						2 ·82
-	2nd ,,	1878	848 ⁻	-					· 8·10
	lst ,,	1879	***				***		8.53
	2nd "	1879	6						2.27
	,,,						-		
	lst "	1880	* * *		8 N.H -			314	2.66

I have already pointed to the falling off in the goods receipts in the first half of 1880^{*}as the cause of the falling off in the total receipts.

The decrease in the average load is explained by the train mileage and vehicle mileage figures, which follow.

The total traffic train mileage in the three years was-

			•	,	Miles.
1st half of	1878	• •••	nter ine		517,396
2nd ,,	1878				478,234
lst "	1879			***	769,191
2nd "	1879		***		702,780
lst "	1880				823,592
2nd ,,	1880	•			531,031
The average receip					001,001
The sterage recei	tes per train	mue were			-
7.4 1.10 .0	1080			· ·	Rs.
1st half of	T -				3·1964
2nd "	1878	4	4 1 1	**\$	2 ·758
lst "	1879	F 1.5%			2.824
2nd "	1879	• •••		***	1.95
lst "	1880	• ' s>•	***		2.63
2nd "	1880	* \$74			2.94
The average num!	er of vehicle	es on trains w	'as		
	÷ :				No.
1878	_				21.25
1879		*** '	***	***	17.78
1880	***	`€ xi æ	141	1 8 9	
1000		*** *		***	19-61

In such comparison as is made between the working of successive years, it is right to leave out of account the excessive train mileage and the insignificant train earnings of the second half of 1879, as these variations are connected with the unfortunate experiment made in that half-year, in the belief that the carrying capacity of the line would be improved by accelerating the pace of all trains.

It is due to the experiment in question that the total train mileage of 1880 is less than that of 1879.

The first half years between which alone a comparison is possible (the views temporarily followed as to speed and loads of trains being abandoned again at the end of 1879) show a very great increase in train mileage, with a corresponding decrease in the receipts per train mile.

The reason appears in the following figures of the goods vehicle mileage during the six half-years :---

		-	Loaded.	Empty.
-			Miles.	Miles.
1st half of 1878	***		5,610,972	1,953,158
2nd " 1878	***	ş	4,350,590	1,160,204
lst " 1879			6,995,732	1,544,704
2nd " 1879	***		5,432,606	2,251,634
1st "1880	84 7		7,503,134	2,968,989
2nd " 1880			5,037,725	2,086,543

In these figures it is seen that, while in the six months ending June 1879 the proportion of empty to loaded vehicle mileage was not much over 1 to 5, in the corresponding half of 1880 the proportion was about 2 to 5.

Light is thrown upon the increase of empty mileage by the following table of increases and decreases of weight of chief commodities carried in 1880 as compared with 1879 :--

			Increase.	Decrease.	2
			Mde,	Mds.	
Cotton	+13	• •	****	41,051	
Ghee and oil		•••	5,905		
Grain and pulses				4,43,653	
Gunny			-14,279		
Piece-goods			13,102		
Salt	£92	* ***	5,08,077		
Seeds	5 F X	5 1 1		21,087	
Sugar	+ k .E	4.5.6	*****	5,719	

We have been chiefly dependent on the up traffic in grain, pulses, sugar, piece-goods, and gunny to balance the down traffic in salt and cotton. The down traffic improved while the up traffic fell off.

Here may be briefly noticed the increases and decreases of goods carried in detail :--

Exported seeds and cotton both fell off, owing to deficiency of crop, and grains and pulses, owing to a more equal harvest.

Piece-goods improved with the harvest and with the extension of railway communication.

The greater quantity of gunny was for the greater quantity of salt.

The year's increase of *sglt* was chiefly from the Sambhar lake. While the produce from the Farukhnagar source rose from 5,28,000 maunds to over 6,00,000, the product of the lake rose from 27,00,000 to over 32,00,000.

117

There was a difference of 5 lakhs between 1878 and 1879 also; but to continue the rate of the last two years' increase, an improvement of 10 lakhs is necessary in the next eight months, as there has been a falling off of 5 lakhs in the first quarter of 1881. Going back to the beginning of the financial year only, I find that —

the cotton traffic was greatest in April and December; the traffic in grain and pulses in April, May, and December; the traffic in salt in May, June, July, October, November, and December; the traffic in seeds and sugar was relatively insignificant after June.

The traffic expenses for the six half-years were-

•		•			K.9.
1st half of 1878		***	•••=	• • •	1,36,401
2nd ,, 1878		. **	*** *		1,42,645
lst "1879		***		***	1,63,633
2nd ,, 1879	•	а авж	***	* * *	1,73,948
lst " 1880		** <u></u>	194		1,84,581 -
2nd " 1880		5 5 F			1,65,535

The traffic expenses per train mile work out as follows-

							Annes,
lst b	alf o	f 1878	-	488	***		4.22
2nd	33	1878		4°F	• 3 *		4.77
1st	33	1879	•	***	495	542	3·4 0 °
2nd	5 3	1879			44 2	***	3.96
1st	22	1880		***	• • •	***	8.59
2nd	39	1880	-			***	4.98

The gross earnings increased by 5 per cent.; the traffic expenses by about 4 per cent. The cost is throughout greater in second half-years; and taking all circumstances into consideration, the cost in the second half of 1880 does not compare unfavorably with that in the second half of 1878. Any comparison with the second half of 1879 is vitiated by the experiment in light trains, to which I have already referred.

I proceed to notice in detail the variations in traffic expenses :---

- (a) The increase of Rs. 7,893 under the head of station staff is due partly to the opening of new stations and partly to the engagement of men in anticipation of requirements for that portion of the Western Rajputana State Railway which was to be opened on the 1st January 1881.
- (b) The increase of Rs. 2,727 on account of train staff is due to the same cause, and to the payment of higher wages.
- (c) The increase of Rs. 4,921 for clothing is due partly to increase of staff and partly to allocation of amounts held in suspense from previous year.

. The chief decreases in expenditure are-

(d) Rs. 1,378 in travelling allowances, due to reduction of allowances.

- (e) Rs. 18,254 for wagon covers, ropes, &c., the supply remaining over from the previous year being large.
- (1) Rs. 12,485 for fittings and, furniture, due to return of stores not required and a smaller issue than in the previous year of lamps of all kinds, safes, stools, &c.
- (g) Rs. 4,230 for miscellaneous expenses, chiefly due to wrong allocation in the previous year.

The chief event of the year was that with which it closed—the opening of the line from Sujat to Pahlanpur and the absorption of the Western Rajputana Railway from 'Pahlanpur to Ahmedabad.

A short extension of 22 miles had been opened from Raipur to Sujat on the 1st November.

Short extensions were also opened in August on the Sambhar Branch to Deodani and on the Japog siding.

No alteration of rates of sufficient importance to appreciably affect the gross earnings of the line was introduced in the year 1880.

The total amount paid in settlement of claims for compensation during the year was Rs. 683-8-9.

This is made up as follows :----

_				Rs.	A.	Р.
Robberies at stations	***			288	0	0
Lost and stolen in transit				193	8	Ō
Fires	441		*** *	107	4	9
Damaged goods Exchanged goods	**3		**	65	0	0
Exchanged goods		•••		66	3	9
Other cases	•••		***	75	9	9
	·		Total	795	10	3

which is reduced to Rs. 683-8-9 by deductions, amounting to Rs. 112-1-6, from the salaries of men whose carelessness has contributed to loss of goods.

The compensation bill of the year compares unfavorably with that of 1879; but in this latter year we were, I consider, exceptionally fortunate. The frequency of robberies at Raipur in the early part of 1880 was noticed in the last Administration Report.

Police Department.—The previous report having been prepared for the calendar year 1879, the present report embraces a period of fifteen months, viz., from 1st January 1880 to 31st March 1881.

. Extension of line and new police stations.—Since furnishing the last report, the entire line has been completed and through communication established with Bombay. The jurisdiction of the Police Superintendent, Jaipur, however, extends up to and including Abu Road station, or 611²/₄ miles, plus the Sindia Railway mileage, viz., 69²/₄ miles.

The force on the 31st March 1881 consisted of-

	<u>:</u> .	-	Total		277
European Sergeants	• * •	• 3 •	•••		2
Constables		***			231
Head Constables	.***	* *		***	84
Sub-Inspectors	***		• • •		8
Inspectors	: 4 •-=	2 4 5	***	¥ 4.4	2

In the above figures the following are included for the Sindia Railway :---

Head Constables Constables	• • • •	. • .		 8
Constantes	**#	5	114	 20
	•	•	Total	 . 23

During the period under review the chowkidari system was abolished.

House accommodation.—Permanent quarters for the police have yet to be provided at Agra Fort, and on the extension between Beawar and Abu Road, and more especially at Ajmere

The transfer of the head-quarters of the Police Superintendent from Jaipur to Ajmere is a question that calls for early consideration in view of the approaching amalgamation of the Rajputana and Malwa systems.

Crimes reported, investigated, and punished.—Five cases were under trial at the end of 1879, 254 persons were arrested during the period under review,—making a total of 259 cases. Of these, 229 were convicted, 24 discharged, 4 transferred, and 2 escaped. The number of cases of crime investigated was 372. Out of these—

71 were under the Railway Act;

4 were under the Police Act ;

5 under section 94, Act X of 1872. The remainder

292 under the Indian Penal Code.

There were 233 cases of theft, 4 of dacoity, 1 of criminal breach of trust, and 9 of dishonestly receiving stolen property. The value of property stolen was Rs. 8,791-13-3, of which Rs. 1,095-7-6 were recovered.

The amount of Railway property stolen of which the value has been ascertained was Rs. 2,046-10-0, and the value recovered Rs. 384-14-0. The total number of these cases was 69, and in 33 of these the property was directly under the control of the police. The value of the property lost under the latter circumstances was Rs. 1,297-0-9, and the value recovered Rs. 222. The number of persons arrested for these crimes was 39; of these, 37 were convicted and 2 discharged.

There was a marked decrease in the number of thefts of Railway property in the custody of the Police during the last nine months of the year, which is attributed to the duties of watch and ward being performed by police constables, instead of, as before, by chowkidars.

The number of cases of crime in which Railway servants were implicated was 69. Of these, 52 were convicted and 17 discharged or acquitted. Of this number, 47 were prosecuted, 31 convicted, and 16 discharged or acquitted for offences under the Penal Code, and 22 were prosecuted, 21 convicted, and 1 discharged for offences under the Railway Act.

Store Department.-The following statement exhibits the average monthly cost of the establishment for the past five years, and the cost per mile :---

	187 6 .	1877.	1878.		1879.		1880.		
				Raj.	W. Raj.	Total.	Raj.	W. Raj.	Total.
	Rs.	Rs.	Rs.	Rs.	* Rs.	Rs.	Rs.	Rs.	Rs.
Cost of establishment for the whole year.	13,390	16,322	14,649	18,640	137	18,777	19,818	. 5,976	25,289,
Average monthly cost	. 1,116	1,360	1,220	1,553	11	1,564	1,609	498	2,107
Mean mileage open	. 892	896	428	. 434	10	444	467	. 83	549
Cost per mile per year	84-15	41.21	84.22	42-95	13.70	42-29	41 35	72 87.	46 08
Ditto per month	2.84	3 ·43	2-85	3 •58	1.14	8.52	.8 44	- 607	3,83
		* For	11 months	s only.					

The Holkar, Sindia-Neemuch, and the Neemuch-Nasirabad Sections of the Malwa-Rajputana Railway System are so

Malwa Railway.

although part of the system is open line and part line under construction, it has been thought more convenient to deal with these sections together in the preceding chapter.

The following additional details of the working of the open line from Khandwa to Chittor are of interest :---

Average mileage open .- The total average railway mileage open for public traffic throughout the year 1880 was 227 miles, against 171 miles during the last year.

Earnings and expenditure.—The total earnings during the year 1880 amount to Rs. 14,01,259, and the expenditure to Rs. 10,47,269, against Rs. 11,45,838 and Rs. 8,54,010 respectively of the previous year, showing net earnings of Rs. 3,53,991 during 1880 against Rs. 2,91,828 during 1879.

The total train mileage run during the year was 511,718 against 427,384 of the preced-ing year, the cost per train mile being Rs. 2.05 during 1880 against Rs. 2.00 during 1879. The gross earnings per train mile were Rs. 2.74 and 2.68 during the present and the past years respectively, resulting in a profit of Re. 0.69 per train mile during 1880 against Re. 0.68 during 1879.

The percentage of the total outlay in the various departments and the percentage of expenditure to earnings during the years 1880 and 1879 compare as follows :-

•			•		1880.	1879.
Percentage of	the total R	levenue outl	ay.	•	Rs.	Rs.
Maintenance	No com Don		***	***	26·04 47·69	20-22 50-35
Locomotive and Carriage and V Traffic Department		-	***	***	16.05	16.75
General and Miscellaneous	3 4 9 4 4 5	***	***	•••	10.22	12.68
	•		Total	••••	100.00	100.00
Percentage of Reve	nue expend	it ure t o earn	uings.	•		
Maintenance		***			19-46	15·0 7
Locomotive and Carriage and V	Vagon Depa	artments	1 2 2		35.64	87.53
Traffic Department	***				12.00	12-48
General and Miscellaneous	•	•••			7.64	9.45
	Û		Total		74.74	74.53

The percentage of profits during 1880 on the total capital expenditure is Rs. 1.22, and on the capital cost of open line Rs. 1.40, against Rs. 1.16 and Rs. 1.46 respectively during he year 1879. с ^с

120

ENGINEERING DEPARTMENT.

Transfer goods yard, Khandwa .- Since the last report, the Great Indian Peninsula Railway Holkar Division (Khandwa to Indore, Company have put in hand the erection of the 86 miles). transfer goods shed and sidings at Khandwa. The Holkar Railway sidings having remained unused during the past twelve months, require a considerable amount of packing and lifting, especially the long bank leading to the transfer yard from the present Khandwa station. It is not known by what date the Great Indian Peninsula Railway Company intend completing their work. Until then it will not be possible to derive any benefit from the capital already sunk in the Holkar Railway works.

ينيند. ويتحر کې Khandwa workshops.-During the year under report considerable alterations have been made in the general arrangements of the Khandwa workshops. The machine shop has been completed, the yard has been enclosed by a wall and pale fencing with necessary gates, thus

completed, the yard has been enclosed by a wall and pale fencing with necessary gates, thus enabling a proper supervision to be exercised over the workmen coming in and going out, which was not possible before. The new engine-erecting shop has been put in hand, and is being pushed on. Some delay was obtained on account of the non-arrival of the roofing from Ahmednagar and the alterations necessary in the design to meet the requirements of this roof, it having been originally intended to put up a rail roof similar in design to that used for the other buildings.

Weighbridge and loop line, Mhow.-Great inconvenience has long been felt at Mhow owing to the very limited means provided for weighing large quantities of goods, more especially on the arrival or departure of troops, when great delay was occasioned by the baggage having to be weighed piecemeal. To obviate this, the erection of a weighbridge with the necessary loop line and hut was sanctioned, and is very nearly ready for use.

Carriage examination pit, Mhow.-Owing to the metre gauge vehicles being so near to the ground, great difficulty is found in properly examining them, as is done with rolling stock of a broader gauge. To meet this difficulty, a carriage examining pit was sanctioned for Mhow, and is now about three-fourths finished. It is of sufficient length to accommodate a train, and has been made on the platform line, so that on the arrival of a train it will be possible at once for the carriage examiners to proceed along the whole length and see that all the carriages or wagons are in good running order.

Large bridges .- The re-timbering of the large bridges, viz., Loodhya, ravine No. 2, and bridge 353, has been finished. There yet remain Choral No. 1 and Choral No. 2, which will be taken in hand in 1881-82.

Maintenance of the line.-The road has been kept in good running order. The percentage of renewal of rails during the year has been 1.02, and of ordinary renewals of sleepers 2.78; but this does not give a true idea of their condition, as the extraordinary renewals foreshadowed in the previous report are just now being carried out, which will bring up the average to about 36 per cent.

Additional length opened during the year.-The Indore division has been extended considerably during the past year by the opening for traffic of the Neemuch and part of Neemuch-Nasirabad Railway by sections,—the first of 203 Indore Division (Indore to Ujjain and miles, Rutlam to Jaora, on 26th February 1880; Chittor, 203 miles). the second of 311 miles, Jaora to Mandsaur temporary station, on 8th April 1880; the third of 301 miles, from Mandsaur to Neemuch, on

2nd July 1880; and the fourth of 34 miles, from Neemuch to Chittor, on 10th March 1881 the last section being part of the Neemuch-Nasirabad Railway.

Capital Works .- The section from Rutlam to Mandsaur was in a very incomplete and unfinished state when opened for traffic, one station building only (the present temporary wooden station at Namli) having been erected. Wells had been sunk at Namli, Jaora, Dhodhar, and Dalanda stations, and the well at Jaora steined, but no tank-houses or water-cranes had been commenced. The platform walls and engine pits had been built, one staff quarter at Namli, one at Jaora, and one at Dhodhar commenced and also the station building at Jaora; but no materials had been prepared, either brick or stone, for the completion of stations, staff quarters, or watering arrangements.

The stations on the section from Mandsaur to Neemuch, Neemuch station excepted, were also in a very unfinished state on the opening on July 2nd, but the road was in fairly good order and well ballasted. At Mandsaur the station building, staff quarters, menial quarters, and goods platforms had been commenced, the well sunk, and engine pit and passenger platform finished. At Tharod the well had been sunk, and the platform wall and engine pit only built. At Mullargarh the well was sunk and steined, the staiton building, platform and engine pit finished, and one staff quarter founded only. At Harkiakhal the station building, platform, and engine pit were built, and staff quarters commenced.

None of the bridges were finished, the sloping of the wing walls, building of ballast walls, setting, coping, and painting of some girders remaining to be done.

÷ . . .

Very little progress towards completion of roadside stations, Mandsaur to Neemuch, was made during the last rainy season for want of stone; but after receiving charge of the Neemuch Division in October last quarrying work was commenced immediately, and all stone necessary to complete stations, quarters, and tank-houses as far as Neemuch was procured and run out to site of the works.

As funds ran short in September last, the completion of the line generally has been delayed, especially as regards bridges, copings, menial quarters, level crossings, gate lodges, erection of mile and grade posts.

Having thus given a brief history of the extension of the division and the progress of capital work in connection therewith, the following report briefly on its condition generally is given :---

EARTHWORK.

In good order and neat. About 16 miles of embankment have been made up. . The high banks at Chambal and Gambhir rivers are still Indore to Rutlam and Ujjain Branch. subsiding, and require constant attention.

All banks and cuttings, except those at Rutlam and 230th mile, have been completed; trimmed and put in good order; capital having Rutlam to Neemuch. borne the greater part of the outlay. Very slight

expenditure is anticipated on formation on this part of the line. °4 ⊊+

The banks have been very neatly trimmed and finished; but as they are very narrow and the earthwork new, heavy repairs during and after? Neemuch to Chittor. the rains are anticipated.

BALLAST.

Indore to Rutlam,

There has been heavy expenditure chargeable to capital on this head during the year, on

Rutlam to Neemuch.

far as Mandsaur before the opening. The stock for next rains has been provided and charged to revenue. From Mandsaur to Neemuch a considerable amount still remains of that originally provided.

Neemuch to Chittor.

About 31 lakhs of ballast are stored for use during the rains, which, it is thought, will prove sufficient.

The line is fairly ballasted, and a sufficient stock

is being collected to last during the rainy season.

account of the insufficient amount provided as

· PERMANENT-WAY.

The road has been maintained in very fair order during the year, but the condition of the half-round pine sleepers from mile 86 to 98, Indore to Rutlam. especially at the joints, is unsatisfactory, and the

renewals will be heavy. The precautions taken with regard to sharp curves have been effectual in preventing the gauge from spreading, and the same measures are now being adopted with the flat curves, i.e., the reversal of sleepers and the insertion of lease plates at joints and at alternate sleepers as soon as the rails show symptoms of working wide to gauge.

The road from Rutlam to 188 miles was laid badly and handed over in very bad It was intended that jungle teak sleepers order.

Rutlam to Neemuch. should be used at all joints, but in many places those were omitted. The road is now in fair running order, and has been pulled into good line in some parts. The condition of the half-round pine sleepers is bad, they having been in store for some years in this country, and when laid in, many of them were bidly split. From 188 miles to Neemuch the road was well laid with hard sleepers at all joints, and handed over in good order. The pine sleepers also were in good condition when laid. As the rainfall was heavy, the length of newly opened line from Rutlam to Neemuch was maintained with some difficulty, but only one slight interruption to traffic occurred near Neemuch on the 4th of July, two days after opening. This was caused by heavy rain on three miles of quite new earthwork, which of course subsided and rendered the road impassable for some hours. The banks settled considerably near the Dhodhar, Mullani, Gungait, and Siew bridges, but by keeping a ballast train constantly at work repairs were soon effected.

BRIDGES.

c

All bridges, major and minor, are in good condition. The foot-ways over the Chambal and Gambhir bridges, three 150 feet spans, having been Indore to Rutlam. laid with 14" planking instead of 3", it has been necessary to stiffen them by putting in old rails underneath on the tops of the cross girders.

All bridges, major and minor, have been completed as regards coping, decking, &c., &c., Butlam to Mandsaur.

Rutlam to Mandsaur. five spans of 18 metres. In these bridges the sleepers are badly spaced, and been cut and hacked unmercifully in laying the rails over them. Two rail open top culverts of six openings each at miles 178 and 184 will have to be rebuilt before the rains, as the masonry has shaken badly. Their failure is attributed by the Executive Engineer chiefly to faulty design, and also to the fact that they were run over before the mortar had time to set.

Mandsaur to Neemuch.

The bridges have still to be coped and finished.

STATION BUILDINGS.

The station buildings from Indore to Rutlam are in good order, except that at Naugauwan, which is being rebuilt. The tiled roofs at Pahlia,

Ajnod, and Fatehabad constantly require repairs, as they were built with a slope of 1 to 1, and the tiles consequently slip from the ridges. The latrine walls at Chambal, Barnagar, Runija, and Naugauwan have cracked, as reported last year; but it will not be necessary to rebuild them.

Rutlam to Neemuch.

at Namli, all flat roofed.

Neemuch to Chittor.

All station buildings are now quite complete, and are, with the exception of the wooden structure

These are not yet handed over by Construction, but are all finished, except Satkhunda.

WATERING ARRANGEMENTS.

The wall at Fatehabad has been sunk until a hard moorum found has been obtained, and Indore to Rutlam. supply of water has now been ensured at a depth of 60 feet, as last reported. Hopes are still entertained of getting water at Harkiakhal station. The supply at Mullargarh is not certain, and may always fail in the hot weather. All watering arrangements, *i.e.*, cranes and tanks, between Rutlam and Mandsaur are complete and in good working order,

Maintenance of the line.—The whole line has been maintained by revenue, except the portion between Rutlam and Mandsaur, cost of maintenance of which for three months was charged to capital. The percentage of renewal of rails during the year has been '09, and of renewals of sleepers '16.

TRAFFIC DEPARTMENT.

The only items in which there was a considerable increase were grain and pulse, seeds, jagree and sugar, railway material and military stores. The increase in grain and pulse was partly owing to the crops being more favorable this year and partly to there being very little export in 1879 and 1880, in consequence of the stock having been reduced too low the year before on account of the famine in Madras. The increase in railway material was owing to the construction of the Neemuch-Nasirabad State Railway, and in military stores to the transfer of the arsenal from Neemuch to Mhow and the war in Afghanistan.

The earnings per goods train mile, excluding "rents and demurrage" and "miscellaneous," viz., Rs. 2.62, were not so favorable as in 1879, when the earnings were as high as Rs. 3.09. This is attributed to the fact that in 1879 two mixed trains were run the whole of the distance of the open line, but in the latter half of 1830 only one passenger train beyond Fatehabad was run. The result was that it increased the coaching earning per passenger train mile from Rs. 1.95 in 1879 to Rs. 2.69 in 1880; the average earnings per train mile from goods and coaching being Rs. 2.52 in 1879 and Rs. 2.65 in 1880. The only mixed train took all the passengers, but left very little room for goods, and consequently goods trains with less than the full load had to be run occasionally to avoid excessive delay to the goods traffic.

There was a slight increase in the down empty vehicle mileage. As the down traffic is considerably in excess of the up traffic, there must necessarily be a proportionate amount of empty vehicle mileage, but theoretically there should be no empty down vehicle mileage. In the first half of 1879, to earry 4,042,450 down ton miles (column 2, Statement E) 19,636 down empty vehicle miles (column 3, Statement F) were run, while in the first half of 1880 there were 4,242,583 down ton miles and 65,362 empty vehicle miles run. According to the proportion of down empty yehicle miles to down ton miles run in the first half of 1879, the down empty vehicle mileage during first half of 1880 should have been 20,608 instead of 65,362, as mentioned above. In the second half of 1879, to carry 3,405,730 down ton miles 25,489 down empty vehicle miles were run, while in the second half of 1880 there were 4,274,891 down ton miles and 104,220 empty vehicle miles. According to the proportion of the down empty vehicle miles to the down ton miles run in second half of 1879, the down empty vehicle miles to the down ton miles run in second half of 1879, the down empty vehicle miles to the down ton miles run in second half of 1879, the down empty vehicle miles to the down ton miles run in second half of 1879, the down empty vehicle miles to the down ton miles run in second half of 1879, the down empty vehicle mileage during second half of 1880 should have been 31,994 instead of 104,220 mentioned above. This, it is considered, is owing, first, to the bulk of the down traffic going³ty</sup> Mhow and Indore, while the up traffic beyond Fatehabad was in excess of the down traffic, which necessitated empty vehicles being run to stations beyond Fatehabad to carry the up traffic; and secondly, to the Khandwa yard being so limited that empty wagons had to be worked out of it to make room for loaded ones, instead of being left in yard until they were actually required for down traffic, as, of course, the down traffic was not steadily in excess of the up traffic, sometimes the up traffic being in excess of the down traffic.

Goaching traffic.—There was a net increase of Rs. 1,59,540 in passengers booked during 1880, as under :—

1st class		- 5 ₽.₩	Increase	¥ te te	. Bs. 2,073.
2nd ,,	* ***		. 11		3,441
3rd "		R + P		بر يو .	10,578
4th ,,		***	32		1,43,448
	-		Net increase		1,59,540

The increase in 2nd class is chiefly due to the increase in the number of troops conveyed.

Earnings per passenger train mile.—As pointed out in the remarks upon goods traffic, paragraph 47, the earnings per passenger train mile were considerably increased. The average receipts for 1880 from each passenger was about the same as last year, viz., 7.55 annas, against 7.88 annas in 1879, which represents a journey of about 40 miles, and is about the distance the bulk

of passengers are booked. The Indore native passengers chiefly go to the shrines at Ujjain and Mandsaur, and the shrine of Mandhatta via Barwaha, Sanawad and Mirtukka. The

people on the Rutlam side generally travel to Ujjain on pleasure and to Indore on business. As there is a large bazar, and people are able to get articles cheap beyond Rutlam, most of the passengers seem to book to Rutlam on business and Ujjain on pleasure.

Train mileage — The increase in the train mileage is due almost entirely to the increase in the length of line, and not to any increase in the traffic over portions of the line that were opened in the previous year.

LOCOMOTIVE DEPARTMENT.

On the extension of the line, from Neemuch to Chittor on 10th March 1881, the running shed and its staff was removed from Rutlam to Neemuch.

Rolling stock in hand.—The following represents the locomotives and rolling stock on hand on the last day of the year:—

Locomotives 54

Coaching Vehicles-

State saloon.
 First class, 2 compartments.

8 , with servants' compartments.

9 Composite, ordinary.

o Composite, oramary

- 9 Second class, do.
- 1 Third class, with brakes.
- 11 ,, without brakes.

28 Fourth class, with brakes.

71 ;, without brakes.

6 Combined 3rd class and Post Office vans,

9 Carriage trucks.

10 Horse boxes.

1 Saloon tender.

41 Brake-yans.

Goods Vehicles-

2 Relief wagons, 18 feet underframe.

155 Covered goods wagons, 18 feet underframe end loading.

- 12 ,, ,, 18 feet underframe.
- 323 ,, ,, 14 feet
 - 75 " 14 feet iron short.

8 High-sided open wagons, 14 feet underframe,

53 Low-sided wagons, iron underframe.

- 40 ", end loading.
- 75 " ballast wagons.

7 Powder-vans.

15 Timber trucks, 14 feet underframe.

1 ", truck, 18 feet

50 Iron-covered goods, military type.

In addition to the above, the following were employed on construction, and not included in the above list :---

60 Ballast wagons.

10 Low-sided end loading wagons.

1 Locomotive No. B 54.

Erection, and alterations and additions to rolling stock.—The erection of and the alterations to engines and rolling stock executed and in progress in the shops of Locomotive and Carriage and Wagon Departments on revenue and capital accounts are detailed below :—

	Description of work.		Number com- pleted during the year.	Number in progress.
	LOCOMOTIVE DEPARTMENT.		* *	
	Capital Works.			
•	Erecting and making minor alterations and additions to a	:1		
	painting Neilson and Dübs' new F class engines		. 18	
	Engetite Ana Revisia angeina	••••	- 10	*****
	Lieung une Fairne engine	***	1	*****
•	Capital Works.			
	Fitting carriages with Westinghouse air brakes		۳ <u>،</u>	
12		***	50	******
	,, brake-vans	•••	10	*****
	Converting 18-feet wagons into relief wagons	***	×	
	Building 1st class carriages		******	6
•	" 2nd "		*****	5
	" powder-vans		2	*****
	4th class carriages		20	844888 - P.P.
2**	, iron covered goods wagons		125	*****
·	" [°] brake-vans		10	• • • • • • • • • • • • • • • • • • •
-	, carriage trucks		2	*****
	"horse boxes			8
	Making 20 sets complete brake gear for 4th class carriages		`EAT	20
-	Building platform wagons		25	*****
•	Repairing 20 ballast wagons returned from construction			20

Repairs and renewals, to the extent of Rs. 79,000 on engines and machinery, and of Rs. 77,000 on carriages and wagons, were executed during the year 1880-81.

The work done by the Locomotive Department for other departments, including construction, amounted to Rs. 4,21,000, principally for Stores and Engineering Department.

Fuel.—The rate for wood fuel at Mhow has been Rs. 7-15 against Rs. 9 last year; that at Kalakund has increased, principally owing to the increased royalty charged by Maharaja Holkar. At Rutlam the rate is very nearly the same as last year. Firewood is being supplied for the first time at Neemuch, where the rate is high. In fact, excepting Mhow, the further the fuel depôts are from Khandwa, the dearer the firewood.

Taking into consideration the high price of wood fuel, which is increasing year by year, and the amount of compensation paid for damages from fires from sparks from engines during the last three years, and the cost of repairs, &c., done to rolling stock on account of fires, I have recently recommended to Government that it will be cheaper, under certain conditions, to burn coal than wood in engines on the line.

It was found advisable that the contract for the supply of firewood at Kalakund, Rutlam, and Neemuch should be given at the contractor's risk, the firewood remaining his property till actually taken over for consumption by the Locomotive Department. This entailed on the • Railway an extra cost of eight annas per 100 cubic feet of firewood at each station, but saved Government interest on money that would otherwise have been paid when wood was stacked instead of when it is consumed, secured as from loss by fire, and also secured the stacks of being full measurement when taken over. It was always found that after the stacks had stood for some months they measured a few inches less in height.

No hopes are now entertained for supply of wood fuel by the Forest Department from the Punassa forest reserve during 1881-82, as was anticipated last year; and it appears the arrangement, pending Government order, stands over.

Oil, &c.-Boiled and raw linseed oil was obtained from the Oil Factory, Manowri, and most of the leather belting from Cawnpore.

-		1	Detail.						Amount.		
<u> </u>	· · · ·	<u> </u>									
Train mileage		***	487	***		¥++	Milez		511,718		
Gross earnings per trai	in milē	, 11.5	***		***	***	Bs.		8.74		
Expenses .	i i i i	182	***	. 431	±++	34k	. #1	<u>م</u>	2:05		
Profits		-	***	***	f=1	·	51		Q:60		
Percentage of expenses	on carning	8	.] *		***	,	'n		74-74		
n profits or	1 total Cap	ital expend	-		***	***	. ,,		1-23	-	
	i cost of oj منابعہ	en line	yaf	. 42.8	*12	165	یر ^{مہ}	1	1:40	•	

Mileage Results for the year 1880.

32

Statement of Traffic for the year 1880.

			PASSE	¥9111,				BROI	IIPTS T	EOM					Indian		5 2
Total open mileage.	Pirst Clam.	Becond Class.	Third Class.	Fourth Class.	Total.	Passengera.	Parcels, luggage, åo.	Merchandiae, 1178- stock, &c.	Railway materials.	Minerale.	Miscellancous.	Total.	Working erpenses,	Net profite.	European and East I.	Native staff.	. Capital expenditure v 1880.
Xiles.	No.	No.	No.	No.	No,	Be.	Be.	Ra.	Re.	Bs.	Be.	Ea,	Rs.	B.	No.	No.	Rs.
354*40 *	3,667	14,247	60,48 1	1,004,681	1,181,908	5 ,34, 533	45,183	6,63,910	93,165	1,633	43,840	1,401,250	1,047,289	• 3,53,996	155	1,014	29,01,250

HOLKAR AND SINDIA-NEEMUCH RAILWAY.

. .

2

s * .

* Preliminary Financial Account of Revenue and Expenditure for the official year 1880-81. *

	Original Budget Estimate,	Regular Budget. Estimate.	Actuals.	Remarks.
RECEIPTS.	Rs.	Rs.	Rs.	·
Coaching traffic	6,10,000	6,10,000	6,28,747	
Hoods traffic	8,85,000	8,53,000	8,65,282	n 1
Electric Telegraph earnings	8,000	5,000	5,962	
team-béat earnings	0,000	0,000	2,002	
Sundries	35,000	85,000	21,510	
Total Earnings	15,33,000	15,03,000	15,21,501	
ing Earnings, as per Appendix A	8,000	3,000	15,768	
Total Receipts	15,80,000	15,00,000	15,05,788	
Expenditure.	· · · · · · · · · · · · · · · · · · ·	<u>_</u>		
faintenance of way, works and			, -	
stations A	1,91,000	8,10,000	2,97,729	
ocomotive expenses B	3 ,98,000	8,90,000	4,11,582	
Carriage and Wagon expenses C	1,10,000	1,10,000	1,07,465	
raffic expenses D	1,90,000	1,80,000	1,85,811	
ieneral charges E	1,84,000	1,10,000	1,10,586	
team-boat service F pecial miscellaneous expenses G	5,000		1,779	•
Total Working Expenses	10,28,000	11,03,000	11,14,452	54
dd—Increase to grant Increase to net debit balance of suspense account.	4,000	4,000		· • .
Deduct-Increase to credit balance of	10,82,000	11,07,000	11,14,836	-
demands payable	7,000	7,000	12,892	
Net expenditure against grant	10,25,000	11,00,000	11,01,944	
Net Earnings	5,05,000	4,00,000	, 4,07,049	-
Net Receipts	5,05,000	4,00,000	4,08,789	•

. . .

٠

7

The working^{*} of the Northern Section of this line between Agra Fort and Dholpur, a Sindia Railway. 1879, that Company to maintain the line and provide whatever rolling stock was necessary. The rates and fares are the same as those charged on the East Indian Railway.

· Earnings and Expenditure-

The total earnings amounted to	 	***	Ra. 1,22,778 57,808
and a second	e net earnings	•••	64,970

This is divisible between the East Indian Railway and Sindia Railway in the ratio of two-fifths to the former and three-fifths to the latter.

Details are given in the table below :---

Details	of	Earnings	and	Expenses.
---------	----	----------	-----	-----------

	Earnings.			Expenditure.							
· · · · · · · · · · · · · · · · · · ·	······································		Rs.	·	Rei						
- Coaching traffic	¥2.	•••	88,552	Maintenance expenses	. • 15,483						
Goods "	•••		33,107	Locomotive "							
Electric Telegraph	***		1,119	Carriage and Wagon expenses .	. 4,942						
Sundries	***		***	Traffic expenses	. 9,725						
				General charges	. 5,658						
- 			,	Special and miscellaneous expenditure .	. 2,889						
·			-	Additional charge of 3 annas per train m	le 5,692						
	Total		1,22,778	Total .	. 57,808						

The earnings from-

,			Ks.
Coaching traffic amounted to	3+3	144	88,552
Goods traffic "	i 78		\$\$,107
The percentage on the total earnings	•••		1,22,778
Of passenger traffic is	***	***	84.23
Of goods traffic is	**1	***	26 •99 [*]
- • ·			

.

Details are given in the following tables :---

Details of Passenger Traffic.

Description of classes.	Number con- veyed.	Receipts.	Remarka -	
Ist class		5,064		
Percentage of entire passenger traffic	. 074	8.88		
2nd class	6,569	5,890		
Percentage of entire passenger traffic	4.64	7-47		
Intermediate class	. 940	682		
Percentage of entire passenger traffic	0.67	0.87		
Srd class	133,004	69,226	•	
Percentage of entire passenger traffic	. 93·95	6778		
Total	141,565	78,862	•	
Percentage of passenger traffic to artire railway receipts		64-23	-	

*Administration Beport by the Consulting Engineer for Guaranteed Bailways, Calcutta, for 1880-81.

	Descripti	on of goods.			Weight carried.	Receipts.	Romarks.
Merchandise-	<u></u>	<u> </u>			Tons.	Rs.	•
For the public	***			••••	14,862	23,232	
Military stores	***	,			782	1,978	•
Railway materials	•••	174	786	•••	15,832	4,536	
Minerals-		•			-	-	
For the public	444	\$#4	*=8		1,481	2,847	
For Construction		***	\$ 54		53	29	
Live-stock	3#4	344	***	FB +		919	
Rent, demurrage, &c.	* ±1	579	153		441	166	
•				ľ			, ,
● 1			Total	••••	33,010	33,107	
Percentage of goods t	raffic t	o entire raily	way receipts		+ <u>4</u> 4	26.97	,cr

Details of Goods Traffic.

This line* was worked as a State line till 31st December 1880, when the G. I. P. Railway Company took over the working on terms of Dhond and Manmad Railway.

which the following is a brief summary :-The railway to be completed by Government, permanent buildings being substituted

for temporary as funds can be made available. The G. I. P. Railway Company to find locomotives and rolling stock; work the traffic and telegraph; collect the revenue and manage the railway, except in respect to construction works, as if it were part of their own line.

The G. I. P. Railway Company to maintain the line in good order

- Rates and fares to be the same as on the main line of the G. I. P. Railway. The G. I. P. Railway to pay to Government a percentage of the gross earnings, calculated at 20 per cent. on gross earnings amounting to 5 lakhs or less, and rising by increments of one per cent. per lakh earned beyond that amount; with a proviso that the Company will not be required, at any time, to work the line at a less percentage rate than 10 per cent. in excess of the mean rate on their own line for the year.
- · Agreement to be for a term of years not yet fixed.

As there was a pressing demand for engines, rolling stock and shop machinery on the Punjab Northern Railway, the whole of the stock and machinery of the Dhond and Manmad Ine was transferred to that line in the months of November, December and January last, the G. I. P. Railway Company supplying locomotives and rolling stock on hire for working the line during November and December 1880.

The principal works which have been carried out during the year are the watering arrangements at the different stations and the building of the Ahmednager and Yeola booking offices and goods sheds, &c.

The earthwork, ballasting, and permanent-way are completed : since 1st January 1881 the maintenance of the line has been carried out by the G. I. P. Railway.

All bridges and culverts throughout the line are complete in every respect, and all diversions have been lifted.

The earnings and expenditure of the two years compare as follows :-	The earnings and	expenditure of	e two vears compa	re as follows :—
---	------------------	----------------	-------------------	------------------

Main heads.	1880.	1879	Increase		
Gross earnings Gross expenditure	433 2: 141		Rs. 6,95,094 6,06,875	Rs. 4,67,557 4,95,221	Rs. 2,27,537 1,11,654
Net earn	ings	•••	88,219	-27,664	1,15,883

From this it will be seen that the net earnings for 1880 have improved by Rs. 1,15,883 over those for 1879, but a portion of this favorable result is due to the line having been kept open throughout the year, whereas in 1879 traffic was interrupted during the monsoon months.

Administration Report of the Railway Department, Bombay Presidency, for 1880-81.

CENTRAL PROVINCES.

The two lines worked under the administration of the Central Provinces during the year were the Wardha Coal Railway and the Nagpur and Chhattisgarh line.

The amalgamation of the Warora coal mine with the Wardha Coal Railway took place last year, so that both these undertakings are included under one head in this year's accounts. The Colliery works, on which the railway is mainly dependent, having been closed for some months owing to a breakdown in the pumping machinery, a loss of nearly two lakhs has resulted in the joint working.

The following extracts from the Administration Report of the Central Provinces give details of the working for the year under review :---

In connection with the Railway itself, the expenditure debitable to capital was on account of the completion of some staff quarters and Wardha Coal Bailway. improvements to workshops, and a further supply

of rolling stock.

The following statement shows the capital account as it stood at the end of the year :-

	•		Orm	cial very, 1	880-81.				•
	Jain heads of expenditure.	Budget Estimate.	Regular Estimate.	Outl ay.	Deduct receipts on Capital account.	Net expenditure.	Net expend- iture to end of pre- vious y car.	Net expend- iture to end of 1850-81,	Banctioned Estimate,
k .	· · · · · · · · · · · · · · · · · · ·	Rs.	Re.	- Bs ,	Bs,	Be.	 R4,	Ea.	
-	Preliminary Expenses Land Construction of line Ballast and Permanent-way Stations and Buildings Warora Colliery works	****** 54446 FR466 FR466			204 204 21111		91,648 4,655 15,73,049 20,40,435 3,40,601 8,38,235	91,643 4,055 15,72,403 20,40,×35 8,44,004 8,38,225	*.*
÷	Total Construction accounts	- e	\$200	4,071	- 264	8,807	43,08,008	44,01,815	
	Plant Steam lerries Rolling stock Establishment	445748 _ 677144 - 913744 - 543638	^1,20,200	1,514 1,13,697 764	2000 ji 1774 (45 1774 (45 1774 (45 1774 (45	1,514 1,13,597 704	3,51,512 1,74,183 6,07,557	8,53,020 9,87,790 6,05,331	•
	Total expenditure on Final Reads Suspense accounts	6,,,110 561848	1,26,000	1,19,948 13,634	28	1,10,68 8 18,634	\$5,31,360 1,10,445	56,50,043 1,23,679	
	Grand Total Expenditure	» *******	1,28,000	1,39,590	264	1,93,316	56,41,505	\$7,74,021	

The distribution of outlay showing how chargeable was as follows :---

		VE PUBLIC OUTLAY.	Ordinar	Y OUTLAY.	GEAND Total.
	Imperial	Provincial.	Imperial	Previncial,	••••
	Re.	Rs.	Rs.	Re.	Re.
During the year	80,255 44,07,016	 	6,67,447	•••	80,255 50,74,463

The total capital account to end of year for both works stood at Rs. 57,74,621, of which Rs. 1,23,679 were in suspense.

During the year thirty-five 10-ton covered wagons were supplied from the Bombay, Barods and Central India Railway workshops; but, owing to the inferior workmanship and material of their wheels and axles, many of them were frequently unable to run. Yet they did good wink and paid well, the Manager reporting that the earnings therefrom on account of mileage and domnirage on foreign lines amounted to 16 per cent. on their cost. Sixty 10-ton iron coal wagens were also received from England, and were erected locally at the workshops of the Railway. These have proved so useful and satisfactory, that sixty more have been sanctioned.

At the Colliery the cost of all new works carried out was debited to revenue. These consisted of works at Nos. 2 and 4 pits, and also the purchase of the Attock engines" and pumps (which, under orders of the Government of India, were transferred to this Colliery from Attock), and the collection of materials for the erection thereof.

Main he	ads of expenditu	re.		Budget Estimate, 1880-81.	Regular Estimate, 1880-81.	Actuals, 1880-81.
I	I. Receipts.			Rs.	Rs.	Rs.
Coaching traffic Goods traffic Electric Telegraph Sundries Warora Colliery	 Total Earni	••• ••• •••	··· •·• •••	36,000 2,04,000 1,000 5,000 3,04,000 5,50,000	24,000 73,000 1,000 5,000 1,07,000 2,10,000	29,402 83,910 976 17,971 1,15,825 2,48,084
Ex	II.					
Maintenanco Locomotive expenses Carriage and Wagon er Traffic expenses General charges Special and miscellanco Working expenses, Wa	rpenses 	888 8 88 8 88 8 88 8 88 8 88 8 88 8 88	0000 1000 1000 1000 1000 1000 1000 100	32,500 30,000 9,000 21,000 16,000 1,66,500	24,000 24,000 6,000 24,000 30,000 9,000 3,12,000	24,343 27,179 8,342 22,458 34,993 6,837 3,19,731
Total Y	Vorking Expense	15 -		2,75,000	4,29,000	4,43,888
Not results	111. 	***	544	2, 75,000	-2,19,000	1,95,804

The following is an account of the working of the Railway and Colliery :----

The net results show a loss of Rs. 1,95,804, due to the Colliery works, which were closed again for several months' as explained hereafter. As the success of the Railway is, it may be aid, entirely dependent on the successful working of the Colliery, if the latter fails the former also must. A very large amount of the deficiency, however, is due to the cost and carriage of the Attock engines, and was no real loss to Government, as the former was merely a debit of money previously expended to a new head. Loss was also due to the heavy expenses attendant on the mines when closed, the cost of new boilers, &c., and the overhauling and refitting of the machinery.

In April 1880, the machinery at the Colliery was found to be in a bad state and frequent stoppages occurred, no relief being available from the new pumping arrangements at No. 3 pit, owing to their being yet incomplete, though originally expected to be at work by November 1879.

All was again in working order by the 24th July, or in about three months, when further defects were discovered in what is called "the new set" of pumps, and the clack door fifty feet below water level was found to be leaking. Divers were sent for from Bombay, and two Europeans and two natives were sent up. One European prepared to descend, but before he had gone down many feet he turned over and had to be hauled out. A native of the Punjab then descended and succeeded in stopping the leak. Another time this man succeeded in taking off the clack door and bringing up the clack valve from a depth of upwards of forty feet in water. It was then discovered that a piece of the brass lining of the working barrel of one of the pumps, which was known to have fallen some time before, was lodged in the clack. This was late in September, and the pump, as the working barrel could not be renewed till the water was out, was useless. However, the water was out on 29th September, and the working of the mines commenced again on the 4th October. From that time to the end of the year upwards of 21,000 tons of coal were raised.

Whilst the above work was going on in July, and all hands were fully employed, unfortunately the secondary shaft of No. 3 pit pumping engine broke; and the work at this pit was also stopped. Work was, however, resumed as soon as possible; and the pit was sunk and connected with the main works by December.

[•] A pair of 35-H. P. beam Cornish engines by Maudslay, Sons and Fichtisent to Attock in connection with the works of the tunnel under the river Indus.

No. 4 pit, which has no pumps, as it was arranged that it should be drained into the original workings, was also flooded when the main works were stopped; but as soon as circumstances permitted, a drift was run under it, and a bore hole put down, which effectually drained it. The pit was fully sunk in February. Now about 50 tons a day are being raised therefrom.

The engines and pumps from Attock, as before observed, were transferred to the Warora Colliery, and after full consideration it was decided to put them down in No. 3 pit, which will be the main pumping pit.

This pit will, it has been shown, drain some 190 acres, containing about 2,313,000 tons of good workable coal, of which, at a low calculation, 1,600,000 tons can be got out.

Supposing the demand rises to 10,000 tons monthly, or 120,000 tons annually, this coal will last some twelve or thirteen years. The arrangements now being made will admit of from 400 to 500 tons of coal being raised daily. The pumping arrangement now being carried out will, it is understood, remove all chances of stoppages or breakdowns as far as can be foreseen.

There remains now only to notice the actual working of the Railway.

The receipts from passengers show a slight increase over those in the previous year, or Rs. 507; but this was due only to the last quarter, when the rate for 4th class passengers was reduced from 2½ pies to 2 pies per mile under Government of India circular No. XIII, dated 1st July 1880, and two mixed trains were run daily, which enables many passengers to return to their homes on the day of departure therefrom. Market or bazaar return tickets were also issued at 1½ pies per mile. The results showed receipts amounting to Rs. 9,398, against Rs. 6,249 in the corresponding quarter of the previous year, and it is understood that since the Ist of April the passenger traffic has still further developed.

The receipts from goods was Rs. 14,478 less than in the previous year, but this was due to the smaller receipts from coal.

The receipts from the Colliery were Rs. 13,960 less than in the previous year, due to the closing of the mines. Only 25,696 tons were raised against 32,099 tons in 1879-80. The results were 19,370 tons large coal and 6,326 tons small, the latter being 24 61 per cent. of the whole.

As much coal was not raised after the mines were again open in October as was hoped, ewing to the coal in No. 2 seam worked in connection with No. 1 pit running out to the rise, and additional faces, which had been calculated on, not being available in No. 4 pit. It was however arranged, with a view of making up for the loss of the face workings to the rise, that some of the pillars should be taken out. This, however, was not carried out to the extent anticipated, and the supply was consequently limited.

On the 6th April 1880 the line was opened for goods traffic only between Nagpur and Chhattisgarh Railway. Nagpur and Tumsar, 53 miles. There being no coaching vehicles available, it was not opened for passenger traffic until later on, viz.—

		Miles.	Date of opening.	
Nagpur to Kampti	 	9	26th July 1880	
Kampti to Tumsar	 ***	44	8th Nov. 1880	

Since the close of the official year the line has been opened for general traffic to Amgaon, 81st mile.

Extension surveys were made from Dongargarh, the terminus of the line, to Bilaspur *vid* Raipur, and work was commenced on the section from Dongargarh to Nandgaon (19 miles). The question of the extension of the line beyond Bilaspur to join the Bengal system of railways was also taken under consideration.

As will be seen from the extracts given below from the Central Provinces Administration Report, the results of first opening were disappointing and the traffic was not large. Many causes, however, tended to this depressing effect. The fact of the line not being opened for coaching traffic operated unfavorably. The failure of the supply of Warora coal, owing to the breakdown of the pumping machinery and the sinking of the black cotton soil banks when once the rains set in, practically suspended traffic altogether for a time.

Later in the year, towever, the goods and coaching traffic developed, and a reduction of fares has any the large cart traffic off the road between Nagpur and Kampti. And it is expected that next year's working will yield 4 per cent. on the capital outlay. It would be, however, premature to draw any general conclusion from the results hitherto obtained on so young a line.

The traffic was not large. This was possibly influenced by the line not being open for passenger traffic. The advantages to construction were, however, considerable.

When the rains set in, the line being new, and principally running through black cotton soil country, the banks sunk considerably, stopping traffic for a time; and this, with the nonsupply of Warora coal or cheap fuel, necessitated virtually the temporary closing of the line; but the temporary opening is believed to have influenced the traffic of this season, which has been considerable. The merchants, no doubt feeling certain of the line being available, made their arrangements accordingly.

The tariff of rates adopted at first was that prevailing on the Great Indian Peninsula Railway, but modifications were made at times as found necessary.

In July the portion of the line between Nagpur and Kampti was passed for passenger traffic, temporary carriages being made up from the 14 feet covered goods wagons.

The passenger mileage rates were at first fixed at 18 pies for 1st class, 9 pies for 2nd, and 2½ pies for 4th; but under Government of India circular No. XIII Railway, dated 1st July 1880, the latter two were modified, as follows:---

2nd class	 ***	8 pies per mile,
4th "	 	2 ,, ,,

No 3rd class carriages were provided.

The passenger traffic developed so largely between Nagpur and Kampti, that additional temporary arrangements for vehicles had soon to be made.

The line was further opened for passengers to Tumsar in November, and a diversion with temporary bridge across the Wain Ganga having been completed, it was opened for general traffic to Tirora in February, and again on to Amgaon, 81st mile, in April 1881, the construction of the line having been commenced in July 1878.

The following statement shows the results of the working of the line, or a net profit of Rs. 40,035, which, considering the numerous drawbacks that existed, may be considered as satisfactory.

It is understood that the results of the working of the half-year up to 30th June 1881 will be close on 4 per cent. on capital sunk on open portion.

Main hea	ds of expenditure.		and A 1995 - State British State Sta	Budget Estimate, 1880-81.		Regular Estimate, 1880-81.	Actuals, 1880-81.
	I, Reccipte.			Rs.		Rs.	Rs.
Coaching traffic Goods traffic Electric Telegraph Sundries	•••• ••• ••• ••• ••• •••		}	No details.	{	22,830 1,20,780 230 160	38,753 1,23,060 409 228
	Total Earnings	•••		1,00,000		1,44,000	J,62,450
E	II. 'xpenditure.					•	•
Maintenanco Locomotive expenses Carriage and Wagon ex Frathe General charges Special miscellaneous es				No details.		44,000 10,000 30,000 18,500 500	50,228 13,739 31,993 26,044 411
Total	Working Expenses	***		1,00,000		1,03,000	1,22,415
	III.						
Not results	++4 JTJ	Þ* 8	•	•••		41,000	40,035

The traffic developed very considerably during the last three months.

The merchants at Tumsar, having had a short experience of the benefits of the Railway towards the end of the season of 1879-80, collected their consignments at Tumsar, and the Railway carried a very large quantity of grain from that station. As it was found that, with the Great Indian Peninsula Railway rates for carriage of grain, carts could compete with the Railway between Kampti and Nagpur, a very considerable reduction therein was found necessary, and rates of 6 pies per maund per mile, including terminals, for through traffic and 7 pies for local traffic were fixed on. This led to a very considerable increase of traffic, and the result has been that the cart traffic on the road between the two stations has nearly ceased. Special reductions were also found necessary on account of hides and salt, which also proved satisfactory.

The terminal on through booking charged by the Great Indian Peninsula Railway Company objected to by this Administration on signing the agreement for intercharge of traffic is yet in force, and no doubt unduly influences the receipts of the Government railway.

The expenditure or working charges were, no doubt, heavy in proportion to the receipts; but it must be remembered that the line was virtually closed for some months, though establishments had to be maintained, and the working expenses on the first opening are invariably heavy compared with those on an established line. Maintenance was duly kept up at the cost of capital, but on the 1st April 1881 the whole of the works up to Tumsar were handed over to the Manager of the line, and the first division was abolished.

The whole of the rolling stock, engines and wagons, were made up locally in the workshops of the line, and have answered very satisfactorily.

BRITISH BURMA.

The Rangoon and Irrawaddy line was worked throughout the year with Rangoon and Irrawaddy Valley Rail- very satisfactory results, as is shown way. by the following extract from the Administration Report for Burma for the year :---

Revenue.

The earnings for the yea	r ending	31st March	1880 amou	inted to	14,11,460
The expenses to	*** *	***	***	***	8,59,532
Leaving a net profit of	***	***	***		5,51,928

Thus the net earnings were 4.47 per cent. on the capital of Rs. 1,23,41,127 expended to that date, and the working expenses nearly 61 per cent. of gross receipts.

This result is a great improvement on that of the previous year, and better even than was expected.

The passenger traffic shows an increase at the rate of 6 per cent., and the goods traffic at 85 per cent., over that of the year 1880-81.

There is every prospect of the goods traffic improving steadily; but the passenger traffic has probably reached its maximum, and will only increase slowly with the population of the country.

The result of the year's working of the suburban lines which were finished during the year has also been on the whole very satisfactory. The local passenger trains between Insein and Pozoondoung do not yet pay their working expenses, but there has been a steady improvement in the number of passengers using them, and there is a reasonable prospect of their becoming fairly profitable in course of time.

The goods traffic on the suburban lines has been heavier than was expected, and quite justifies their construction.

A large demand for the laterite obtained from the Wanet stream quarry has sprung np in Rangoon for metalling purposes, and it is proposed to quarry and deliver about 12ha. This of cubic feet in the ensuing season. It has been necessary to provide additional siding accommodation at Wanet stream, and more open trucks are required for this traffic, which gives a very acceptable addition to the traffic receipts in the slack season.

Besilides 56,000 cubic feet used as ballast on the line itself, 702,200 cubic feet of laterite was quarmied during the year at the Wanet stream quarry, of which-

211,360 cubic feet were issued to the Rangoon Municipality and the Public Works Department.

266,710		was issued for revenue works and maintenance of permanen	t-way.
224,130	73	were left on hand at quarry.	

31

π.

[Assam.

ASSAM.

No railways have yet been constructed in Assam. But the ensuing year will probably see a development of railway enterprise in both the Upper and the Lower Assam Valleys.

NATIVE STATES.

The Bhopal line is still under construction, and the Bhavnagar-Gondal Bhopal Railway. the section from Bhavnagar to Bhavnagar-Gondal Railway. from Dhola to Dhoraji, 87½ miles, on the 18th January 1881.

The carnings and expenditure from date of opening to 31st March 1881 were respectively Rs. 1,31,008 and Rs 1,03,094. The train mileage run was 61,603, which gives the cost per train mile Rs 1.68.

Satisfactory results are anticipated during this year's working.

The following extracts from the Administration Report of the Railway: Gaekwar of Baroda's Railway: Gaekwar of Baroda's Railway:---

The line from Goa Gate, Baroda, to Dabhoi was opened on 1st July 1880; and from Goa Gate to Vishwamintri, 13 miles south of the Baroda station of the Bombay, Baroda and Central India Railway Company, on 24th January 1881.

It has been proposed that the electric telegraph should be erected along these lines to facilitate working. At present they are worked on the staff and ticket system. The Baroda Administration has not yet determined on the change.

The working of these lines continues to give satisfactory results. During the whole year 1880 the net revenue gave a return of 7.31 per cent. on the capital expended.

These two lines are known as the Berars branches, because they were Khamgaon and Amraoti Railways. Cotton from the marts of Khamgaon and Amraoti. They were originally worked by the Great Indian Peninsula Railway Company until the 31st December 1878, when they were handed over to State agency. On the 1st November 1880 the working of them was once more made over to the Great Indian Peninsula Railway. The following figures show the receipts and expenditure on each branch :—

KHAMGAON RAILWAY, Receipts.

-	Rs.
From April 1st, 1880, to March 31st, 1881	16,098
Expenditure.	·
Working charges from 1st April 1980 to 31st March 1881)	
Maintenance	25,121
Net loss	9,023
Or equivalent to 1.82 per cent. on the capital outlay of	4,94,271
AMRAOTI RAILWAY.	
Receipts.	
During same period as on Khamgaon Railway	39,418 ,
Working charges) Expenditure.	مو
Working charges for same periods	55.038
Net loss Equivalent to 3.69 per cent. on the capital outlay of	1 ^{5,620} 4,45,663

.

+=	<u>الرج ،</u> نع		•		Whether received from		Re					
ı	Name of Railway.		•	Native Government or wholly made by British Government.	Capital expend- iture from Berar revenues.	Gross income. Cost of estab- lishment.		Cost of repairs and mainten- ance.	Charges for interest.	Net surplus and deficit.	Remarks.	
	Khamgaon Railway An raoti Railway	· #**	***	•••	Wholly made by British Govt.	Rs. { 4,94,271 { 4,45,663	Rs. 16,098 39,418	Rs.	Rs.	Rs. 2,43,460 2,01,907	Rs. 	

9,39,934

Statement showing the (Capital) Income and Expenditure on Productive Works in the Hydersbad Assigned Districts for the 3	year 1880-81.
--	---------------

.

...

...

Total

• * . .

•

.

.

.

4,45,427

1

.

55,516

	Mileage Tot		PASSENGERS DUBING THE YEAR.			Receipts	Receipts	Receipts	Total reccipts	Mainten- ance and		No. of Euro-		Total capital		
Name of Railway.	Name of Railway.		milae	1st Class.	2nd Class.	3rd Class.	4th Class.	from nas.	from merchan- dise.	chan- way mate-	สมเครื่องจะไ	working expenses during 1880-81.	Net profits.	pean staff.	Native staff.	expond- iture.
								Rs.	Rs.	Rs.	Rs.	Rs.	Rs.			Rs.
Khamgaon Railwa y	***	7.53	7.53		- 4 W		*	***		• • ··	16,098	25,121	-9,023	*	*	4,94,271
Artraoti Railway	***	5-5	5.2	• • •	• * •		*	•••		¢ • •	39,418	55,038	-15,620		•••	4,15,663

Particulars cannot be furnished, as the line was worked by the Great Indian Peninsula Railway Company from the 1st of November 1880.

Native States.]

The maintenance and working of this line continued to be carried on by Government during the year. Nizam's Railway.

The following works chargeable to Capital were carried out during this official year, the capital outlay being Rs. 2,00,937 :-

Construction of line.

· (F) Pitching Hussain Sagar Tank.

Stations and Buildings.

- (2) Covering in space near locomotive shed, Secunderabad.

-

- (3) Gulaguda station.(4) Goods-shed at Tandur.
- (5) Water-supply at Wadi.
- at Hyderabad. (6) 22

Plant.

- (7) Locomotive machinery.
- (8) Station and office furniture.

Rolling Stock.

(9) Locomotive stock.

(10) Carriage and Wagon stock.

The following table compares this year's receipts and expenditure with those of 1879 :---

			1880.	1879.	Increase.	Decrease.
			Rs.	Rs.	Rs.	Rs.
Dennista	(Coaching	141	3,08,770	8,00,359	8,411	•••
Receipts -	(Goods and Sundri	ics	8,93,946	3,94, 042	•••	96
	Total Receipts	•	7,02,716	6,94,401	8,315	
Expendit	Expenditure		4,78,406	6,04,476	÷••	1,26,070
5 gar maart Atom			2,24,310	89,925	1,34,385	

This net profit of Rs. 2,24,310 is equivalent to 1.86 per cent. on the total capital outlay of Rs. 1,22,93,686.

On the 1st October 1880 the broad gauge line (3 miles) from Bangalore cantonments to Bangalore pettah or city Mysore Railway. was handed over to the Madras Railway,

to be maintained and worked by that Company as an integral portion of their system.

On the 1st February 1881 the section between Bangalore and Channapatre (35 miles) was opened for traffic. On the 20th March 1881, at the time of the installation, a further length of 23 miles as far as Mandya was opened for passenger traffic.

This leaves 28 miles of line to complete. Construction on this is being continued, and it is expected that the line will be open through to Mysore by the 1st January 1882.

The traffic on the line has not yet had time to develop, but it is interesting to note that during February and March 21,963 passengers used the line, the total earnings on which were Rs. 13,224.

و م ار ا

c

136

EAST INDIAN RAILWAY.

The following report has been furnished for the East Indian Railway by the Consulting Engineer for Guaranteed

East Indian Railway.

the Consulting Engineer for Guaranteed Railways at Calcutta for the year under

review :---

The original contract* between the East India Company and the East Indian Railway Company having expired on the S1st December 1879, the property constituting the undertaking of the East Indian Railway and the works and conveniences connected therewith were handed over to Government on that date.

The Jubbulpore extension having been amalgamated with the main line of the East Indian Railway, both these lines are treated in this report as one undertaking.

The length of line constituting the undertaking on which rates and fares are calculated is 1,504.82 miles, of which 410.59 miles are double. The total length of single track, including sidings, is 2,233.64 miles.

The total withdrawals under the original contract from the Treasury up to the 31st December 1879 amounted to— Be A P

							LS.	а.	r.
÷.,	On account of the main line ,, Jubbulpore	line					80,17,91,541 3,79,62,343	-	S 0
° an(tis made up as follows-	•		• Total			83,97,53,884	14	8
.	Construction expenditure up to the 31st December 1879 Value of stores in hand to be transferred to the new under-	***	** 1	Rs. 32,94,21,094	A. 5	P. 6			
	taking Value of surplus stores to be	**4 *	•••	76,99,512	8	10			
-	made over to Government Expenditure not finally passed,	** *	***	16,63,208	7	0			
	in suspense		•••	8,91,752	8	8			
	Cash balance to be brought for- ward with the new under- taking		***	78,317	0	8	33.97.53.884	14	8

The old capital account having been closed, the capital of the undertaking may be defined as-

The Capital Stock on 1st November 25 per cent. added thereto by Purch Debenture Stock on S1st December Debenture Debt or, excluding the Terminable Annua	1879	•••• •••• •••	£ 26,200,000 6,550,000 1,500,000 2,950,000 37,200,000 27,623,386
Less-	. *		9,576,814
Value of stores received from the ol Company on 31st December 187	9	Rs. 766,534	
and cash and other assets of the old Company on 31st December 1875		82,217	818,751
			8,727,863
To which may be added the amou on 31st December 1879	nt of overdra	wn capital	264,527
Total at close of 1879 Debenture Debt paid off in 1880	2 	• ···	8,992,390 1,000,000
Capital expenditure during 1880	***	•	7,992,390 29,505
Total at close of 1880		***	8,021,895 *
A The new contract is pri	intol in enteres a	sa Amondir B	4

• The new contract is printed is extenso, see Appendix B.

Construction works .- The following are the principal works of construction completed during the year :-

- (a) The remodelling of the inward and outward goods sheds at Howrah.
- (b) Lighting the outward goods shed by electricity.
- (c) Additional engine and tank-house at Howrah.
- (d) Additional landing stages at Howrah.
- (e) Additional sidings for coal traffic at Howrah.
- (f) Junction arrangements at Bankipore for the Patna and Gya line.
- (g) Watering arrangements at Sutna.
 (h) Branch line from Cawnpore station to the corn market in the city.

Maintenance.—The way and works have been maintained in an efficient manner through-out the line. The relaying of the line with steel rails has made fair progress; but the steel rails in stock having run out, the work of relaying has been stopped for the present. In future relaying with steel rails will be confined to the main line below Allahabad. Satisfac-tory progress has also been made in putting in the additional rail bearings, particularly on the loop line portion of the Howrah district; but for want of chocks equal progress could not be made in other districts.

The following statement shows the progress made in relaying the line with steel rails :-

Names of districts.				Length of road laid with steel rails.	Length of road laid with iron rails.	
Howrah District Chord Line District Dinapore District Allahabad District Delhi District	· · · · · · · · · · · · · · · · · · ·	····		Miles. 183·45 29·87 9·64 12·61 14·26	Miles. 167.25 880.87 411.84 42.463 829.50	
		Total	•••	199-83	1,714.09	

The following statement shows the progress made in putting in the full complement of sleepers :-

Names of districts.				Total length of road laid with full comple- ment of sleepers.	Total length of road under-sleepered.	
, .	• •			Miles.	Miles.	
Howrah District	, 191	***		171.46	- 129-24	
Chord Line District	***	•••		897-99	12.81	
Dinapore District				2.36	419.12	
Allahabad District		***		236.17	201.07	
Delhi District	## %	6 11	E **	74.75	269.01	
•		Total	•••	882.73	1,031-25	

The cost of maintenance-

Per mile for month was Number of wooden sleepers renewed

1879. 1880. 240-9-11 244-3-0 390,242 291,558 86,265

Rs.

No.

Number of ordinary and steel rails renewed No. 81,134 Locomotive Department.-The erection of 16 new engines, in addition to the 50 completed last year, was commenced in August last, and the work is in a forward state. Some little delay in their erection was occasioned in consequence of the materials required from England not having arrived in time.

The locomotive stock and workshop machinery has been maintained in good working order.

The average daily train mileage run by the engines ,

	www.mucage	ten nå t	me enfluties .	was		
, 	•		1st half.			2nd half.
In 1879			53-00			44.37
o ,1850		•••	50.00	•		47.25
•	Decrease		3-00	Increase	***	2.88
	5					

138

£

The consumption of coal per train mile in pounds was-

		Engines.				
			Passenger.			Goods
In-1879 "1880			87·27 88·82	•		50-99 50-85
	Increase	•••	1.55	Decrease	•••	0.13

During the year 14 engines were condemned. The following table gives the age and mileage run by each :---

mber of engines.	Åge.	Train miles.	Engine miles.
	Years. Months.		_ <u></u>
13	23 9	295,279	3 06,493
20	23 2	227,932	254,8531
91	18 5	262,235	278,715
94	18 4	228,932	237,883
306	20 4	25,1611	270,735
* 5	25 0	221,183	258,165
12	23 8	810,914	828,1741
.15	22 11	252,466	279,0271
81	. 22 6	184,763	216,6531
86	21 6	225,483	252,142
95	18 5	213,5271	222,512
110	25 0	174,219	382,126
116	23 2	113,803	285,052
192 .	17 10 .	286,8941	335,822

The native drivers and shunters continue to work satisfactorily. There are now 106 native drivers and 117 native shunters, total 223, working on running engines.

The scheme for employing natives as drivers and shunters has now been tried for six years, and the results appear very satisfactory. A saving of Rs. 15,95,925 has been effected during this period in salaries and overtime allowances alone.

The cost of enginemen, firemen, and all labour connected with running engines was-

• In] "]	1879 1880	•••		•••	Re. 11,14,719 10,71,742	Engine-miles. 9,716,846 8,983,821
	•		Decrease		42,977	732,525
The Kur	hurballie and	Serampore	Collieries y	rielded—	÷	Tons.
	1879 1880			•••	4.	287,177 257,860
<i>,</i> .				Decrease		29,317

Carriage and Wagon Department.-The rolling stock and workshop machinery have been efficiently maintained.

In view of the proposed reduction of rates, Mr. Pearce, the Superintendent of the Carriage and Wagon Department, designed and constructed a carriage capable of comfortably seating 180 third class passengers. The body of this carriage is 58 feet 9 inches long, carried on two bogie trucks, 44 feet centres, with three compartments of the ordinary type at each end, the centre of the body having an upper and a lower storey. The carriage is now being run experimentally on local trains.

The advantages are that it weighs about as much as two ordinary third class carriages, costs about as much, and carries as many as three ordinary third class carriages. It also reduces the train about 30 feet.

The disadvantages are that the upper compartment is hotter than the compartments of an ordinary third class carriage, the lower, from its position, necessarily attracts a larger quantity of dust in the dry season, and it cannot be utilised for the conveyance of troops. The carriage is, however, likely to be extensively patronised by natives on the suburban trains.

The working expenses (repairs and oiling) per train-mile amounted to-

						As.
In 1879	**3	• * •				2.45
, 1880	* * *	•••	***	•••	# # #	3.06
				Increase	•••	0.61
The vehicles rene	wed and turn	ned out were	;			
AND TEMPTED JOINT				No.		Rs.
. In 1879			• •••	194 at a c	ost of 1.8	9.822

- In 1879	***		·	194 at a cost of 1,89,822
,, 1880		•••	•••	312 at a cost of 3,29,125

At the end of the year the total number of vehicles running on the line was 8,712. *Telegraph.*—The lines of telegraph have been efficiently maintained.

Accidents.-There were no accidents of a serious nature during the year.

On the 16th February, as the 4-5 o'clock branch line train was working up the incline to Giridi during a storm, 30 wagons were blown out of a siding and came into collision with it. The Company's servants who were in fault were prosecuted and punished.

On the 2nd June, No. 24 down goods train came to a stand on the top of the Neemcha bank, and running back came into collision with No. 48 down goods train, which was following. Considerable damage was done to the rolling-stock.

On the 29th November, a pilot engine, with 17 wagons attached, collided with No. 39 up passenger train, which was being shunted at Howrah. A gunner was in fault and was punished.

The accidents to life and limb during the year were as follows :----

			Fatal.	Not fatal.
Passengers			8	28
Railway servants			11	34
Contractors and ballast cool	ies		12	25
Policemen		***	1	1
Trespassers and others	***	***	43	13
	Total		75	101

The eight fatal cases of accidents to passengers were of people jumping or falling from trains in motion; all of them were natives. Of the forty-three fatal cases classed under trespassers, three are supposed to have been suicides.

Earnings and Expenditure.- Exclusive of the Flotilla-

The total earnings amounted to		•••	ks. 4,29,14,429
" expenditure "	***		1,41,53,658
	Balance net ear	nings	2,87,60,771

Details are given in the table below :----

Abstract of Earnings, Expenses, and Profits.

		Dcpart-				P=	B MILE OF	БИ. 	PBR	TRAIN	MILE,	i e i	on ca-	ntee in tal.	ta on
Tears.	Miles open.	Train miles (Traffic went).	Barninga.	Erpensea.	Profits.	Earninga.	Expenses.	Profits.	Earninge,	E cocnses.	Profits,	Percentage of working penses to earnings.	of profits oded.	Capital on which guamatee is paid, or paid up capital.	Bate per cent, of profits (total capital paid up.
			Rs.	Ra.	Ra,	Re.	R9,	 Rs.							
1876	1,503-15	7,104,278	3,54,43,718		-	1 -	9,279:30	15,307-24	Rs. 4.09	Rs.	Rs.			Re.	
1	<u>۽</u>		4,43,00,208		1		9,340.47	20,135.00		1.75 1.58	3°24				
			3,97,38,891				9,411.58	17,003-81	4-93	1.70	3.13			33,58,39, 222	1
			4,32,87,420				9,111-67	19,834-02	5-24	1.23			r 1	\$3,65,17,134 \$3,68,69,417	
1880	1,504.32	7,044,530	4,20,14,429	1,41,53,65	3,87,00,771	28,537-46	9,408.67	10,118.79	5-40	1.78	8-63	33.98		e old Capital	ł
		<u> </u>												closed.	1951- ⁴

K.B.-The steamer traffic has been excluded from this table, except in the two columns giving percentage of profits on capital expended and copital paid up.

The earnings from-

				148.
Coaching traffic amounted to		***	1,1	6,73,269
Goods traffic ,,		***		8,32,892
The percentage upon the total	earnings	5 a 2	4,2	9,45,116
Of coaching traffic is		1.54	***	27.18
Of goods traffic is	4.5.2	***	***	6 9·47

Details are given in the following tables :--

Details of Passenger Traffic.

		K	VERMS CO	IVEY 1D.			Bacerers,					
Description of classes.	1679.	1890.	Increase in Loto.	De- crease in 1890,	Increase per cent.	Do- crease per cont.	1979.	1890.	Increase in . 1880.	De- crosse in 1880.	Increase per cent.	De- crosse per cont.
	- 		 ~				Be.	Re.	Ra.	Be.	Be.	Re.
Ist class	48,289	43,563	•••	4,726		979	5,00,977	5,17,626	16,549	-44	8-35	6.84
 Percentage of entire passenger traffic 	0-67	0.21	ais	5 74		449	-05	8:00		-10		447
Sad class	161,626	162,022	483	9,604	51 4	5-94	6,89,668	7,93,091	\$3,363		4'84	- 44
Percentage of entire , passenger traffic	1-93	1-77	tir	501	===	584	6-98	· 6-20	433	718	414	
Intermediate class	6 81,179	600,550	19,380	11.4	8-34	146	4,88,834	4,67,417	29,583	140	0.27	
Percentage of entire passenger traffic	6-92	6-99	1 j 3	jan.	441	14)	6*62	4-52	929		r#1	
salo brt	7,603,428	7,792,724	189,298		249	***	88, 93, 737	80,45,990	3,92,943	40	8-87	
Percentage of entire passenger traffic	10-28	90.28	 rt>			499	89-68	83-5 0	2.04	354		
Total	8,394,514	8,588, 98 6	194,354		3-89	349	99,53,90 6	1,09,54,044	4,00,888	8=0	440	
Percentage of pass- enger traffic to total railway receipts	120		hei	-	aı	ust	38-42	28 -61	*** .	-		

The average load in tons of each -

Goods train was ", wagon was

1879. ... 149·50 ***

384-	0.92	

Detail	18 0	f G	00d3	Traffio.	ł
--------	------	-----	------	----------	---

...

.....

• • •		Wiight	CARRIND.			BRORIPH.					
Description of goods.	1879.	1680,	Increase in 1990,	Decrease in 1890.	1879.	1800,	Increase in 1800,	Decrease in 18:0.			
Nerchandise-	Tons.	Tons	Tons.	Tons.	Be,	Ba,	Be.	Ra.			
For the public	1,053,248	1,774,006		\$78,563	2,45,04,280	3,36,31,447	-	8,73,788			
Military stores	31,650	14,233	142	7,417	0,98,905	8,02,212	sipu	1,90,052			
Telegraph stores		106	100	44.		879	579	**			
Ballway materials for Construction Ballway materials for Reveaue	25,361	85,730 736,234	} 746,593	-	25,694	40,388 8,47,118	\$,03,703	41			
Minerala-											
For the public	763,754	732,222		81,688	49,68,141	44,00,125	***	6,68, 01 8			
,, Construction	735	- 119		622	1,810	191	<i></i>	1,124			
" Revenus	-	177,756	177,725		9 -4	8,34,347	8,34,347	***			
Total	2,000,048	8,471,109	606,451		3,00,96,679	1,96,56,389	.14 3	4,30,811			
Percentage of goods traffic to total railway receipts.	- 			-	69 761	67:42		5 14			

1880.

14**9**·00

6.98

The following table gives an abstract of the outwards and inwards goods traffic at the Howrah and Calcutta stations :---

Abstract of Goods received at and forwarded from Howrah and Calcutta stations during the year *** 1879 and 1880. . .

. .

• •

				BRORT	TED AT HOWR	AH AND CAL	Forwarded prok Howrar and Calcutta.				
Na	mes of ar	ticl es.		1879,	1890.	Increase in 1680.	Decrense in 1880.	1879.	1880.	Increase in 1880.	Decreas in 1830.
				Tons.	Tons.	Tons.	Tons.	Tons.	Tons.	Tons.	Tons
Beer, spirits, a	nd wine		73 3	137	141	4	***	6,201	3,484	117	2,717
Coal		· 1844	153	889,420	888,838	534	582	32	- 38	6	
Copper	33E		***	10	. 18	8	***	3,644	4.001	857	
Cotton	244	***	***	40,802	47,190	6,888	113	4,610	4,715	105	111
Thee and oil	() = .		2.24	8,706	4,519	813	674	1,786	2,775	989	
rain .	***	***		224,100	245,122	21,022	244	819	5/79	260	
anny				480	502	22		12,751	13,300	549	ř.,
lides and horn	\$	102	120	27,519	28,796	1,277	***	46	57	11	4
ndigo		144		2,687	4,684	1,997	135	- 4	14	10	
ron	\$ **	111	**1	806	1,041	735	1.14	21,584	24,164	2,580	
acdyo	***	187	-	8,852	. 4,481	. 629		262	28		234
ime			TAP	8,172	9,537	1,365 (94	132	88	118
pium	***	***	***	4,105	7,712	8,607		* 14	4	10	
iece-goods		***	***	811	839	28	÷98 .	45,066	49,155	4,089	788
alt		424		28	10	111	18	86,464	92,563	6,099	
altpotre	*10	esh.		25,612	20,349		5,263	15	51	S6	
ecds	978	89 I	811	165,209	198,580	33,371	1	704	1,618	909 [
tones	***		***	2,434	1,494		940	59	191	132	
ugar		***		2,098	1,572		526	1,154	1,978	819	***
liscellaneous, terials,			<u> 100-</u>	85,557	. 53,257	17,700	E per	94,293	98,245	8,952	****
**		Total	***	936,045	1,018,177	82,132	194	279,100	297,082	17,982	

The following table gives an abstract of the outwards and inwards goods traffic at Jubbulpore station :---

...

. .

.

...

Abstract of Goods received at and forwarded from Jubbulpore station during the years 1879 and 1880, . .

. . .

		·		RECEIVED AT JUBBULYORS.				POEWAEDED FROM JUBBULPOER.				
Nam:	N of artic)e .		1679.	1880.	Increase in 1880.	Decrease in 1880.	1870.	1880.	Increase in 1880.	Decrease in 1880.	
			Ŧ	Tons.	Tons.	Tons.	Tons.	Tons.	Tons,	Tons.	Tons.	
Beer, spirits, an	nd wines		441	446	213	• • •	233	2	***		2	
Coal	, +63	198	444	16,087	,9,180		6,907	, *si	 	The second	. i.	
Cotton	***		*12	154	214	60	562	41	469	428		
Grains	578	***	, 11	5,998		•••	5,200	• 42	454	412		
Lacdye	***	134	, 411	196	58	83		699	480		119	
Piece-goods	***	***	824	267	274	7	-	. 42	79	37		
Salt		141		13	127	114	***	1,529	235		 1,294	
Seeds	***	***	ل مدد	4 34	166	440	268	12	75	63		
Sugar and jagr	i	Est) an	4,116	2,808		1,308	87	. 35		*** 2	
liscellancous, materials	incluo	ling	reilway	5,365	· 895	•••	470	1,190	1,479	283		
i		Total	, 59 %,		18,728		14,288	8,494	8,300		194	

142

....

2 E

. .

Working Expenses.—The gross revenue expenditure was less than that in 1879 by Rs. 44,594, or 0.31 per cent.

					Expanses.				
•	Head of	charges.			1879.	1880.	Increase in 1880.	Decrease in 1880.	
1 <u></u>		<u> </u>			Rs.	Rs.	Rs.	Ra.	
Maintenance	₩ LA	120	***		48,48,357	44,08,058	64,696	•••	
Locomotive	. 493	29 L	***	815	85,91,428	84,83,169	***	1,08,254	
Carriage and Wagon	***	+u1 ⁻	Ŧ¢ >	***	13,22,707	15,27,989	2,05,282	-42	
Traffic	4.24	488	514	434	26,22,331	25,88,624		83,707	
General charges	•#5	***	***	441	15,30,494	17,06,137	1,75,648		
Steam-boat	. 184			***	82,231	87,040	4,809	***	
Special and miscelland	2018	- 444	*£*	****	7,92,749	4,39,686	***	8,58,063	
•			•		•	. <u> </u>			
			Total	443	1,42,85,292	1,41,90,698	***	44,594	

Abstract of Working Expenses during the years 1879 and 1880.

Details of the steamer traffic are given below for the last five years :---

Steamer Traffic.

: .	•	Years.			Earnings.	Expenses.	Deficit.	Profit.
					Ra.	Ra.	Ra.	Rs.
1876	443 	Fat	792		69,228	66,978	2	13,250
1877	*45	14.F			45,550	87,719	42,169	124
1878	**5	-	***	REF	41,118	88,924	563	2,194
L879	·- TK6	182			28,801	82,231	8,430	50×
1880	-90	42#	r34		3 0,687	87,040 .	6, 35 3	•••

Th	e foreign ti	affic w	/as		1	7	
		5. s		Mds. of goods.	Rs.	No. of passengers.	Rs.
x	In 1879 "1880	4+3. #84.	388 . 664	2,06,79,146 1,92,93,942	1,05,29,219 96,84,862	346,445 468,719	13,35,871 16,97,399
	Decrease Increase	*** - #**	 	13,85,204	8,44,357	12,2274	8,61,528

GUARANTEED RAILWAYS.

PUNJAB AND SIND.

The following is taken from the Administration Report of the Sind, Sind, Punjab and Delhi Railway. The length of line remaided as before, viz.—

÷,	• • •	-	-	•	-		Miles.
Ghaziabad to Sher	Shah	Ghat on the	Chenab		***		554
Kotri to Karachi		•••			4		110
				Total	•		664
0						٠	

The total capital expenditure to the end of the year was Rs. 11,05,85,552, being an average of Rs. 1,66,670 per mile.

Maintenance.

The line was adequately maintained during the year, and no interruptions or serious damage occurred through floods. The very large increase to the waterways in the Beyne and Beas alleys, lately completed at a heavy cost, has, it is hoped, secured that portion of the line from the disasters of previous years; but the floods of 1879 and 1880 showed that the increases given were not too excessive.

The large bridges over the Sutlej, Beas, and Jumna were maintained intact, and the effect of the training groynes on the Sutlej was beneficial in straightening the course of the river and directing it more fairly on to the bridge. It is proposed to persevere with these temporary measures until experience has been gained sufficient to warrant the construction of permanent groynes.

The permanent-way of the line was kept in good order; but the rapid deterioration of the special kind of rail originally laid down on the Amritsar-Ghaziabad Section has necessitated a very considerable replacement of the damaged iron steel-topped rails by those of solid steel throughout.

Stations.—Four new temporary stations were opened, making 21 altogether which have been added during the last four years. The whole of these may be said to have already justified their existence; four have already been replaced by permanent stations of an improved pattern, and the others will gradually be similarly treated.

Waiting sheds for 3rd class passengers and sheds for sheltering outwards goods have now been supplied to all the chief stations on the line, to the manifest convenience of travellers and traders.

Of the older stations, the additions and alterations at Lahore which have been going on for some time past are now practically completed, and have made this large and important station one of the most convenient in Upper India.

A new station is in course of erection at Mooltan city; and a large and convenient station at Kurrachee city has been sanctioned, which will take the place of the unsightly temporary building that has so long done duty as such.

The important Amritsar station is also to be rearranged and enlarged, in order to accommodate the rapidly increasing goods traffic.

Several blocks of additional staff quarters have been completed at Lahore and Mooltan and several others sanctioned for Saharanpur, in order to accommodate the increased staff required for the growing traffic.

Locomotive.

Five additional powerful engines have been ordered from England.

'The goods stock has been increased by about 600 covered wagons capable of carrying 10 tons each. The old 6-ton wagons are gradually being converted so as to carry 8 to 10 tons each.

A considerable number of old-fashioned passenger carriages have been converted into more convenient classes of vehicles; 13 third class carriages of an improved pattern, holding 80 passengers each, have been added, and 100 additional carriages have been asked for, and will gradually be built. They are all very much required.

Extensive additions to the Lahore workshops are in progress to meet the great increase of work, but others are still needed to the carriage factory. Minor additions have also been made at Kurrachee.

The locomotive train work has been satisfactorily performed on the Punjab and Delhi sections, but much trouble has been experienced on the Sind Section, from the bad quality of the water.

Traffic.

The very heavy traffic caused by the Afghan war, in troops, animals, stores, &c., was satisfactorily carried without accident, and the thanks of Government were conveyed to all concerned, with the grant of a month's pay as bonus to the employés of the Locomotive and Traffic Departments. A separate report has been recently submitted on this war traffic, which is therefore here only briefly referred to. The chief strain during the year was felt after the disaster of Maiwand in August last, which caused a heavy rush on to the line, and the return of the troops from Southern Afghanistan at the conclusion of the war, for which special arrangements were made, at the Viceroy's desire, to make the journey during the hot season as little trying as possible.

The normal traffic of the line also showed a healthy increase, especially in regard to the remunerative passenger traffic, caused partly by the development of traffic on the newly-opened State lines, and partly by the increased facilities afforded to the travelling public in the shape of additional stations, convenient local trains, and provision of adequate shelter.

Experience has so fully proved that every additional facility afforded to traffic is as rapidly followed by increased traffic, that it is hoped the Company will steadily pursue the policy of the last four years, for it is still believed that much remains to be done in attracting traffic by lower rates and other inducements, more especially during the periods of normal depression.

The following figures give the results of the working of the line for the last two years :---

Year.			Number of passengers.	Passenger receipts.	Goods receipts.
	3~8			Rs.	Rs.
1879-80	1.07		3,624,000	89,60,000	74,71,000
1880-81	Pak		4,413,000	42,96,000	75,50,000

The receipts of both years were considerably affected by the Afghan war, and those of the former year by an extra large Hardwar fair.

The total receipts, working expenses, and net profits for the two years were as under, deducting the Flotilla :--

Year.			Gross receipts.	Working expenses.	Net profits.
_			Rs.	Re.	Ra.
1 879-80			1,14,30,000	63,72,000	50,58,000
1880-81	***		1,18,46,000	63,56,000	54,90,000

The net profits of last year amounted to nearly 4.8 per cent. on the capital.

It should be recollected that the working cost of this line is necessarily high on account of the great expenses of fuel, which has to be brought from Bengal, and is priced at Lahore at Rs. 35 per ton.

The Indus Steam Flotilla having done its work in completing the communication with the port of Karachi, pending the completion of the railway, its operations, which had considerably slackened on the opening of the Indus Valley Railway, were entierly suspended at the end of the year under review, and the vessels are now laid up and awaiting purchasers.

NORTH-WESTERN PROVINCES AND OUDH.

The following information is extracted from the Administration and Proordh and Rohilkhand Railway. Oudh and Rohilkhand Railway.

I.-LENGTH OF LINE OPEN AND UNDER CONSTRUCTION.

No change in the open mileage of the line occurred during the year, the total length open at the beginning and end of the year being-

MAIN LINE.

Moradabad to Rajghat	384		•••	.4#+	Miles. 419-20
	Br	ANCHES.			
Alighar, Cawnpore, and I	Bahramgh	at Branches			127.65
· _ *		Gran	d Total	***	546.85

The only extension in progress was that in connection with the proposed bridge over the Ganges at Rajghat, which is about 5 miles in length.

II.-REVIEW OF PRINCIPAL OPERATIONS OF THE YEAR.

i.-ENGINEERING.

J.-Benares Bridge and Approaches.

In April 1880, the Chief Engineer of the Company was deputed to discuss with the Company's Consulting Engineer in England the details of the design of this bridge. He

-37

resumed charge of his office in India on 26th November 1880, and before leaving England reported to the Managing Director of the Company that the main features of the bridge had been settled.

In January 1881, however, information was received of a reduction in the length of the main spans from 416 to 356 feet, which necessitated a reduction in the sizes of the girders in the approach on the right bank, it being intended to use these girders, in sets of 3, as a platform on which to erect some of the main spans.

The bridge, as now designed, is to consist of 7 spans with a length of 356 feet from centre to centre of piers, the railway and road being carried on the lower boom, and 9 spans of 114 feet each, measured from centre to centre of piers, the railway and road being carried on the upper boom.

The bridge will be straight throughout, and will give a clear headway for boats of 25 feet when the flood-level is 245 above the G. T. S. datum, this being the highest flood yet recorded.

The details of the girders had not been completely worked out by the end of the year, but the designs were in a forward state, and tenders will probably be shortly called for.

In the more pressing matter of plant for the execution of work on the piers, considerable progress was made during the year. By the end of May 1881, the caissons, pontoons, timber-staging, excavators, and steam cranes for working them, were nearly complete and ready for shipment.

- The workshop machinery ordered in connection with the bridge is being manufactured, but none had been shipped during the year.

In July 1880, a contract for 30 millions of bricks for the bridge and approaches was let, and was well in hand by the 31st March 1881; but the progress made fell far short of what was contracted for.

The earthwork on the approaches to the bridge was commenced on the 12th June 1880, and considerable progress made by the end of the year. Delay in some places was occasioned by the non-delivery to the Company of the required land, and at the date of writing this report some has still to be made over. The Collector has been frequently urged to expedite the transfer. The delay is attributable to the appeals made by the owners against the compensation awarded, involving reference to the Courts.

2.-Flood Breaches and Repairs.

The year under review is one in which very serious injury was done to the line by flood sin the valleys of Ramganga and Gungan, and in the Ganges valley on the Alighar branch.

The floods occurred in the latter half of September 1880, and were caused by the general heavy rain, one result of which was the fatal landslip at Naini Tal.

Level of 1880	182	585	538.40	At the site of the railway bridge the Ram-
Level of 1879		***	536 54	ganga reached a level even higher than that
			1.86	of 1879, which caused so much damage, as noted in the last Administration Report.

The main bridge was uninjured, but the spur bund taken off from the right abutment perpendicular to the line was breached. This bund had not been fully protected with block kunkur when the flood came down; but even though breached, it answered the purpose for which it was designed. It was agreed to repair and complete it.

The marginal embankment between the bridge and Bareilly was breached in many places, and it was determined to raise it to three feet above flood-level.

On the le	eft bank of the Ramganga	a gap of 156 feet in length was made, and
3	of 10' at chainage 1933. of 56' [Dojorah] 1438.	holes were scoured out below two bridges. It was altimately decided not to increase the waterway here, but to give additional block kunkur protection.

On the approach to the right bank of the Ramganga, eight gaps, aggregating nearly 8,000 feet, were made in the embankment, and six bridges were more or less injured.

Chainage 1895 1708 [Harinphunda] ... from 6 of 18' to 16 of 18' 1708 [Harinphunda] ... from 6 of 18' to 16 of 18' 1877 [Jollalganj] ... from 6 of 18' to 16 of 50' 1877 [Jollalganj] ... from 6 of 18' to 16 of 50' 18 6 1 80' m 8 of 30' m 10 of 50' 18 6 1 80' m 8 of 30' m 10 of 50' 18 6 1 80' m 8 of 30' m 10 of 50' 18 6 1 80' m 8 of 30' m 10 of 50' Cases.

The Gungan valley suffered not only from the floods caused by heavy rainfall in the upper part of the course of that river, but by the addition of spill from the Ramganga.

Chainage H H H H H H	1637 1630 1698 1712 1745 1745	*** ***	121 641 641	 	from 8 of 30' to (n 1 of 10' n 1 of 10'	3 of 30' 6 of 10' 6 of 10'	here, as shown in the margin, and also to raise the
--	--	------------	-------------------	------	--	----------------------------------	---

All the repairs and new works above named were well in hand by the end of March 1881, and all diversions were removed before the commencement of the rains.

But in the Ganges valley also, on the Aligarh branch, considerable damage was done at the same time.

Five bridges on this length were injured in various ways, one of three spans of 30 feet being completely washed away, and some 12,000 feet of the bank was breached.

After considerable discussion, it has been determined to retain only the original waterway on this length, and the requisite repairs and renewals were well advanced by the end of the year.

S .- Miscellaneous Capital Works.

The new works undertaken, in addition to those necessitated by the floods, were all of a petty nature. They consisted chiefly of goods lie-byes and open goods sheds formed principally of old rails.

At Aligarh 12 units of quarters were begun.

4.-Maintenance.

The Consulting Engineer, on his inspection in February and March 1881, was not satisfied with the condition of the permanent-way generally; and the Chief Engineer admitted that in some parts it was not up to its usual standard, advancing as a reason for this the abnormally heavy work entailed on the staff by the flood damages referred to above. In other respects the line has been properly maintained, and this portion of the work calls for no further present remark.

ii.-Loconotive Shops.

1.-Rolling Stock of Company.

The following table shows the number of engines and vehicles of various kinds on hand on 1st April 1880 and 1st April 1881:---

		•	•	STOCE IN	HAND ON	Increase	Under construc-
	•		••• •	lst April 1880.	lst April 1881.	during 1880-81.	tion on Slst March 1880-81.
•				·			
<u>.</u>							
Locomotives-				· ·			
Mixed engines				45. ·	21	24	6
. Goods "		-2 84		90	9 0	. 243	•••
- 7	otal Loc	omotives	. 141	90	114	24	8
•							
Coaching Stock-							•
Upper class	*en	***		84	86	2	+**
. Lower "		***		206	208		4.0.0
Composites				4	2	2	
Officers' carriages '	***		1÷+	4	4		1
Horse boxes	***			27	27		
Brake vans	***			57	57	•••	
Tota	l Coachi	ng Stock		332	832	** #	i+#
Goods Stock—		•					· ·
				2,150	2,705	555	21
Covered goods wage		*** '	•**	4.	4		1
Ammunition wagon	8		***	157	157	***	
Timber trucks	***	***	***	137 72	137	***	
High-sided trucks	849 -	***				***	
Cattle trucks	***			6	6	***	***
	otal Goo	ds Stock		2,389	2,944	555	21
••••••••••••••••••••••••••••••••••••••				0			
Maintenance-				121	121		
Low-sided	98×	***	# ##	- 121	141	***	144

The composite carriages are generally being converted into upper class, and four lower class carriages have been altered for use as postal vans.

Thirty new engines of a heavier type than the old ones have been received during the year, and all but six were on the line on the 31st March 1881. These six had been runnifig, but were taken again into the shop to be painted. The Locomotive Superintendent reports with regard to these that, though there has not been time to judge fairly of their merits, the returns, so far, show a serious increase in the consumption of fuel for vehicle hauled as compared with the engines before on the line.

2.—Stock built for State Railways.

The following stock was erected during the year for State Railways :----

			Cawnpore	-	STOCE IN HAND ON 31ST MARCH 1881.		
		Rajputana Railway.	and Farukh- abad Railway	Total.	Rajputana Railway.	Cawnpore and Farukh- abad Railway.	
Ist class Composites Srd class Horse boxes Brake and Post Office vans Iron covered goods wagons Low-sided wagons Timber trucks	4**		 87 7 150 50 10	67 6 7 150 50 10	6 3 •••••• •••••	10 39 3 10	
Total	4	36	254	290	9	62	

iii.-WORKING.

The total train mileage during the year is less than that of 1879-80, which in its turn showed a considerable falling off from that of previous years.

5711 () I () P	1. · · · · · · ·	1	L_			1
1880-81	• 1 •		•••	***	1,237,358	
1879-80	Log	Kag .	442	***	1,243,789	
1878-79	***	***		*	1,395,504	
1877-78	434			***	1,332,502	
The figures are-			· ·	1		

The net results of working are, however, not by any means so unfavorable, as shown in the following table :----

Mean mileage of	pen, 546 85.	1880-81.	1879-80.	1878-79.	1877-78.
Traffic earnings Working expenses Net profits Receipts per mile open per w	••• ••• ••• ••• ••• •••	Rs. 45,64,674 25,25,450 20,39,224 160	Rs. 39,88,644 24,91,070 14,97,574 (140	Rs, 49,36,846 25,73,601, 23,63,245 174	Rs. 43,70,132 23,80,216 19,89,916 153

The total traffic receipts were greater than those of the previous year, and the increase occurs both in passenger and goods traffic. The receipts from passengers are in excess of those of any of the three previous years, but the goods receipts fall short of those of 1877-78 and 1878-79, as shown below :---

		1880	1880-81.		9-80,	187	8-79.	1877-78.		
		Number or weight.	Earnings.	Number or weight.	Earnings.	Number or weight.	Earnings.	Number or weight.	Earnings.	
· · ·		No.	Rs.	No.	Re.	No,	Rs.	No.	B5.	
Upper class passengers Lower ditto Luggage, parcels, horses, &c.	+8% %%* #8%	21,649 1 2,492,033	77,348 17,69,680 1,31,655	19,463 2,669,056	68,104 15,56,785 1,19,517	20,363 2,663,324	76,541 15,60,316 1,71,574	18,492 2,490,375	68,085 13,80,339 1,10,683	
Total Coaching	8 34	11 4	19,81,683	823	17,44,406		18,08,431	NJ2	15,59,108	
		Tons.		Tons,		Tons.		Tons,		
Public goods Railway materials Telegraph Sundries	\$3+ 854 882 812	527,388 103,133 	21,89,853 71,825 1,963 3,09,351	460,558 84,505 	18,26,715 23,778 10,306 3,83,439	604,842 57,115	26,66,553 24,602 12,015 4,25,245	628,726 81,025	23,44,822 50,018 12,891 4,03,293	
Total Goods	-		25,82,991	483	22,44,238		31,28,415	***	28,11,024	
Grand Total	991	*3*	45,64,674	424	39,88,644	÷6	49,86,846		43,70,132	

148

1 K

As regards passengers, this excess is in spite of the fact that the number of lower class passengers carried is less than in 1878-79 and 1879-80, and only very slightly in excess of 1877-78, and is attributable to the raising of the lower class fare in January 1880 from 2 pies to 21 pies per mile.

The Agent attributes the falling off in numbers to the general depression of trade, and to the fact that traffic was stopped over some sections from 20th September to 20th October 1880, in consequence of breaches caused by the floods. But the former remark applies with full force to the greater part of the year 1879-80, in which year also, in September 1879, and again in February 1880, traffic was interrupted by floods; and it is impossible to resist the conclusion that some of the falling off in numbers is to be attributed to the raising of the rate.

It should be noted, too, in this connection, that the number of passengers in September and October 1880, taken together, exceeds the number in the same month of 1879.

Although the immediate financial result to the line may be good, a reduction in numbers travelling during the year is not a good augury for the future.

The goods receipts, whilst better than those of 1879-80, are less than those of the two previous years.

The table below gives the working expenses for four years :----

		1880-81.	1879-80.	1878-79.	1877-78.
Total train miles	e=+	1,237,358 Rs.	1,243,789 Rs.	1,395,504 Re.	1,332,502 Rs.
Maintenance Locomotive expenses Carriage and Wagon expenses Traffic expenses General charges Special and miscellaneous expenditure	 	6,06,459 7,33,291 2,41,183 5,24,057 3,82,819 37,647	5,15,716 7,86,504 2,44,883 5,28,292 3,68,121 47,554	4,43,017 9,25,003 2,95,363 5,08,862 8,60,803 40,556	4,92,234 7,95,429 2,04,272 4,88,565 3,19,177 80,539
Total	₹¥¤	25,25,450	24,91,070	25,73,601	23,80,216
Percentage of working expenses to receipts		55·3 3	62.45	52·13	54:47

42. The cost of the same per train mile is as follows :---

		1880-81.	1879-80.	1878-79.	1877-78.
Mean mileage open		546.85	546-85	545.17	· 647·7
Mean maintained by Revenue	10-1	548 [.] 85	545·00	543·70	647-7
•		Ra.	Rs.	Be.	Ra.
Monthly cost of maintenance per mile	· 534	92	79	68	75
		Ås.	Ås.	Å£	<u>Å</u> ء.
Maintenance per train mile		7-84	6 63	5·08	5 [.] 91
Locomotive expenses per train mile		9-48	10-12	10-61	9-55
Carriage and Wagon expenses per mile		3·12	8 15	8138	2.45
Traffic expenses ** ***		6 78	6.79	5-84	5-87
General charges "		4 ·95	474	4.14	8.83
Special and miscellaneous expenditure per mile		-48	ə - 61	•46	-96
Total per train mile	-	82 [.] 65	32-04	29.51	28 57
	 		<u>ا</u> ر	. 38	3

and the general results may be summarised as follows :--

	1880-81.	1879-80.	1878-79.	1877-78.
Train mileage Gross earnings per train mile Expenses ditto Profits ditto Percentage of expenses on earnings Ditto of profits on total capital expended Ditto ditto on cost of open line Receipts per mile open per week Weight of fuel consumed per train mile Average gross load moved per train mile (approximate)	1,237,358 Rs. 3 [.] 69 , 2 [.] 04 , 1 [.] 65 , 55 [.] 33 , 3 [.] 36 , 3 [.] 38 , 1 [.] 60 lbs. 128* Tons 281	1,243,789 Rs. 3 ⁻ 20 » 2 ⁻ 00 » 1 ⁻ 20 » 62 ⁻ 45 » 2 ⁻ 56 » 2 ⁻ 56 » 2 ⁻ 57 » 1 ⁻ 40 lbs. 130 Tons 266	1,395,504 Rs. 3 ^{.53} "1.84 "1.69 "52.13 "4.14 "4.16 "1.74 lbs. 136 Tons 254	1,332,502 Rs. 3·28 " 1·79 " 1·49 " 54·47 " 3·51 " 3·53 " 1·63 Ibs. 129 Tons 241

Weight calculated in the denomination of wood.

BENGAL.

The following extracts are taken from the Progress and AdministrationEastern Bengal Railway.Report of the Eastern Bengal Railway for
the year 1880-81:--- .

The length of this line on which rates and fares are charged is 158.75 miles of single road. The total length, including sidings, is 200.61 miles. The total capital expenditure up to the end of the year was Rs. 3,31,68,513, excluding steam-boat expenditure, Rs. 14,16,796, which. gives an expenditure per mile of Rs. 2,08,935 upon the running or train length (158.75 miles) and of Rs. 1,65,338 upon the total length of the line (200.61 miles).

During the year-

The	canital	ernenditure	. เกิดไม่สีมัก	g steam-boat	t ernenses, s	mount	Ks.	
	ed to		314		itte	114 ULAR U-	8,00,956	•
33	credits	to capital	***	684	***	54.0	2,455	
			Bal	ance to capit	al expenditu	10 ·	2,98,501	

Construction works.—The special works sanctioned after last year's experience for protecting the line against high flood on the main rivers have nearly all been completed. The floods on the Ganges and Brahmaputra were not so high this year, and no serious damage has been caused.

The erosion at Goalundo, however, continues. A bight has been formed between miles 148 and 150, where the Ganges has cut 430 yards into the promontory; but the river is still some 700 yards from the line, and at the close of the year the stream was well away from the promontory.

The rails between Aranghatta and Bogoola, where the line was inundated, have been raised -2 feet, as also at Belgachi for a length of 2 miles. The drainage cuts at Aranghatta and mile 56 have been completed, and the culverts and bridges near Bogoola have been repaired and protected with stone.

The Government of Bengal has also sanctioned the restoration of certain embankments along the Bhagiruthee river, which, it is hoped, will diminish the spill of the flood towards Bogoola.

Maintenance.—The relaying of the line between Sealdah and Barrackpore with steel rails was commenced this year, but has, owing to the want of materials, progressed very slowly. A length of only 13,266 feet has been thus laid.

The inverting of the rails on the Goalundo extension was also commenced this year, and about 8 miles have been completed. The road here runs very smoothly.

The cost of maintenance—

		1879.	1880.
Per mile per month was, Rs.	***	190-10-7	201-11-7
Number of wooden sleepers renewed	***	20,515	21,150
Number of cast-iron bowls (single) renewed		542	252
Lineal feet of rails renewed		15,949	16,891
Cubic feet of ballast expended	***	43,726	52,620
Cubic feet of ballast expended	***	265,823	337,807

The Damukdea Branch of the Northern Bengal State Railway was maintained by the Company in good order during the year.

Locomptive Department.-The five locomotive engines last received, which were in course of construction last year, have been completed and kept in reserve.

The locomotive stock and workshop machinery have been maintained in good order.

150

The average daily engine and train mileage run by the engines was-

- In 1879				En	gine miles. 51·80	Train miles. 55.00
" 1880	811	***	***		62·11	59.95
		-	ncrease	•••	10-31	4.95
The consumption	of coal in p	ounds per ti	ain mile was	j	* ~	- 11
In 1879					•.	
,, 1 880	***		•••	* = *	•	48.83
	•]	Decrease	1	•	5.10

Carriage and Wagon Department.—The whole of the rolling-stock has been maintained in good order.

During the year-

16 vehicles have been constructed and turned out.

65 have been rebuilt and turned out.

97 heavily repaired and turned out.

1,628 slightly repaired and turned out.

At the end of the year there was under construction-

📜 l fish-yan.

ŧ

There were besides-

41 vehicles rebuilding.

18 vehicles under heavy repairs.

27 vehicles under slight repairs.

Steam-boat Department.—The steamer Princess Alice had her engines compounded and supplied with new boilers. The improvement to her engines and new boilers have given very satisfactory results. She now saves 9 cwt. of coal per hour. Her engine-room crew has been reduced by 10 men. She has 1,500 maunds more carrying space, and her speed and towing power have considerably increased.

The despatch steamers Lukhia and Soorma, for which the ironwork and machinery were received during the year, have been put together. The former was launched on the 21st September, and the latter on the 20th October.

The engines of the Prince Alfred and the boiler of the Rob Roy were under repairs at the close of the year, and the engines of the Prince of Wales were about to be taken in hand.

Flats Nos. 2 and 7 were docked and repaired at Calcutta, and several other flats had slight repairs done to them during the year.

Accidents .- There were no accidents of a serious nature during the year.

Earnings and Expenditure.-Exclusive of the Flotilla-

total "	earnings amo expenditure	unted to "	***	***	 	44,51,818 19,07,547
* ·		·	Balance	net earnings	£8.2	25,43,771

Details are given in the following table :---

Abstract of Earnings, Expenses, and Profils.

		Depart-				Psz	MILE C		Pa	B TRAIN MI	·L		on pital	24	8
Year.	Miles open.	Train mulles (Traffle De ment.)	Barnînge.	Krpenses,	Profite.	Larnings.	Espense.	Profite.	Kamloga.	Kxpenaees.	Profits	ol working e	Percentage of profits on or expended.	Carital un which growmner puid, or total capital paid	Bate per cent. of profits "total capital paid up.
_			Re,	Rs.	Rs.	Re.	Re.	Re.	Re. A. P.	Re. A. P.	Re. A. P.		-	Be.	
1876	1,58-50	551,244	33,01,377	14,41,286	18,00,091	20,862	9,108	11,754	5 15 10	\$ 9 10	3 5 0	48 ·7	6^ 9	8,27,37,040	513
1877	158-89*	856,704	43,56,003	17,17,557	28,88,440	97,415	10,809	18,006	0 10 1	3 9 10	408	80 °4	8.4	8,37,37,040	84
1879	171-75*	636,518	42,16,998	17,48,489	25,08,500	24,553	10,180	14,873	8 11 8	3 12 8	3 16 0	41-5	7'0	3,37,37,040	7.8
1879	171-75*	8 89,517	40,65,814	17,90,408	22,85,411	23,573	10,360	18,307	013	3 10 7	387	48-8	7-1	8,68,98,356	
1690	171.75*	675,337*	44,51,318	19,07,547	\$5,43,771	25,917	11,105	14,811	595	3 13 3	3 1 3 3	40-9	7-7	¥,53,98,366	77

* This includes the Damukdes Branch.

. •

• ,

e earnings from			
· · · · · · · · · · · · · · · · · · ·			Ra.
Coaching traffic amounted to	 		14,88,015
Goods traffic	 	24 F	28,73,264
The percentage on the earnings	 ***	1.11	44,51,318
Of passenger traffic is	 		33·40
Of goods traffic is	 4 4.5.1	***	64.55
e e e	*		÷ .

Details are given in the following tables :---

.

Details	QP	Passenger	Traffic.
---------	----	-----------	----------

		Nu		ayad.					BROEDET	h		÷
escoription of classes.	1879.	1880.	Increase in 1890.	Decrease in 1830.	Increase per cent.	Decrease per cent.	1879.	1990.	Increase in 1880.	Decrense in 1880.	Increase por cent.	Decrease per cent.
	•						Be,	Be.		1 5	•	
st clase	\$5,080	26,593	1,519	64	6.08	`	60,096	49,080		1,016		20
Percentage of total passenger traille	1' 2 8	1.36	214	•••		-m.	4.08	8.96	464		***	
ad alam	47,093	56,885	8,262	613	17.54	115	43,604	46,322	2,718	(tur	6-23	_ 341- ⁴
Percentage of total passenger traffic.	1 ·51	2*61	e Fi	- 531	Rail	-118	8 •58	S'74	vdž			, * ••
rā alase	405,768	467,513	242	8,264		1.66	8,40,519	8,24,247	(67	25,272	441 [°]	• -7:9
Percentage of total passonger traffic.	24:51	80-08	79 318	reiji	-016,	0a.y	38-31	36.16	FR3	747		
ith dans	1,471,118	1,547,155	76,097		8.12	·	7,91,451	8,19,712	28,261		8-57	
Percentage of total passenger traffic	73.15	78.10	434	dine -		R d2	64-10	66.14	LVE	1 07	- 44	
Total	8,039,067	9,116,615	77,558		3 80		12,94,670	12,39,361	4,691	in 1	0.88	
Percentage of passon- gor traffic to total railway re- beipts	883	ðu	242	308	Bar	411	80 41	27-96		***	- -	

Details of Goods Traffic.

.

		-	WRIGHT	CANTURD,	•	-	RECEIF	79.	
Description of goods.		1879.	1890,	Increase in 1890.	Decrease in 1880.	1879.	1880.	Increase in 1880.	Decrease in 1980,
Merchandise-		Tons.	Tons.	Tons.	Tons.	Rs.	Rs.	Rs.	Rs.
For the public	\$12	340,398	391,055	50,657	 	24,50,978	27,78,201	3,27,223	¥2.4
Military stores	141	901	1,850	949	FE3	9,070	20,298	11,228	13 .)
Railway materials	\$2 3	1,371	4,860	2,989		1,350	4,852	3,502	\$1 1
Minerals							• •	· ·	
For the public	451	10,959	16,908	5,949	115 ·	84,944	52,693	17,749	764
n Construction	382	•••	417	•••	#31				
Live-stock	**1	4 51	414	b 74	***	564	1,012	448	***
Rent demurrage, &o.	***	•11	•••		633	9,692	15,535	5,843	• 414 ·
Miscellaneous	42.	315	143	•••		3,845	672		3,173
Total	•••	353,629	414,173	60,544		25,10,443	28,73,263	3,62,820	· · ·
Percentage of goods to to total railway receip	raffic ts.		,t	••••	224	61.90	64-64	***	< 2 1

The following table gives an abstract of the inwards and outwards goods traffic at Sealdah and Chitpore stations :--

Abstract	¢f	Goods	received	at and	forwarded from	Sealdah	and Chitpore	stations during	the
		·	-		years 1879 and	1880.			
			·····			<u> </u>		كالشيط الشريب والمسير فخيت فتراجب كا	

•	BECEN	FRD AT SEALD Stati		ITPORE.	PORWARDI	ID FROM SE STATI		CHITPORE
Names of articles.	1879.	1890,	Increase in 1930.	Decrease in 1850.	1877).	3890,	Increase in 1890.	Decrease, in 1880.
•	Tons.	Tons.	Tons,	Tons.	Tons.	Tons.	Tons.	Tons.
Beer, spirits, and wines	15	8	***	7	. 890	860	***	530
Brass wire	157	205	48		1,452	218	***	1,234
Chillies	58	222	164		46	12	451	94
Coal	963	17		948	· 9,377	8,568		813
Cotton	719	1,086	867		226	243	16	
Dhall, grain, and pulses	7,046	5,939	***	1,107	4,095	486		8,609
Flour					465	95		870
Ghee	1	2	1	•••	189	167	18	•••
Gunny-bags	4,653	4,117		536	573	439		194
Hides	5,645	5,673	28		126	8	+# 1	117
Indiga	310	374	64		43	6	***	88
Indigo seeds	15	41	26		848	2.17	#11	88
	142,240	115,402	***	26,838	205	167	*31	38
Linseed	6,497	5,581	4 050	916	71	2	***	- 69
Mustard seed	1,305	5,964	4,659		676	116	***	560
Piece-gooda	67 10,250	67	***	10	12,407	6,812	234	8,595
Rico Ma	10,200	5,519	***	4,731	7,413 80,428	676 8 465	4.64	6,737
Salt	1,441	975	*#4	466	811	8,465 198		21,963 113
Seeds not otherwise classified	5,640	6,558	918	1	1.468	575	- 11	
Sugar	3,989	9,551	• • •	438	29	670 42		· 891
**************************************	6,970	9,422	2,452	1	802	88		264
Tobacco	2,723	454	-	2,269	89	90 6		204
Turmerio	5,823	6,307	484	41400	23,097	19,577		8,520
Miscellaneous, including railway materials.				•=•	******		***	0,020
Total	206,535	177,474	244	29,061	94,213	47,509	ли	46,704

Working Expenses.—The gross revenue expenditure was more than that of 1879 by Rs. 1,41,456, or 6.83 per cent :—

Abstract of Working Expenses for the years 1879 and 1880.

, <u>,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</u>		,		-	Burnysis,					
	Head •-	s of charge	₩, +-		1679.	1880,	Increas in 1980.	Decrease in 1840.		
. 				-	Rs.	Re.	 Rs.	Rs.		
Maintenance Locomotive Carriage and Wagon Traffic General charges Steam-boat Special and miscellan	eous	••• ••• ••• •••		844 344 344 344 344 344 344 344 344 344	4,27,746 4,34,923 7,13 1,97,785 2,14,286 16,56 4,59,768 5,04,850 45,03 3,03,294 3,01,388 2,89,992 3,04,304 14,33	83,168 7,177 16,501 45,082 14,312 27,122	 1,906 			
	·.	•	Total	***	20,70,395	22,11,851	1,41,456	101		

Details of the Flo	otilla traffic :	are given l	below for	r the l	ast five	years ;
--------------------	------------------	-------------	-----------	---------	----------	---------

Steamer Traffic,

	à	Yours,	•		Earnings.	Espenses.	Deficita,	Profits.
					Rs.	Rs.	Rs.	Rs.
1876			***		8,38,570	2,40,366		98,204
1877			***		4,71,031	2,64,955	***	2,06,076
1878	•••				4,28,833	2,82,261	4.0	1.46,572
1879	•••	***	***	.	4,38.113	2,89,992		1,48,121
1880			***		4,84,843	8,04,304		1,80,930

BOMBAY.

The following is extracted from the Progress and Administration Report Great Indian Peninsula Railway. Great Indian Peninsula Railway.

Works in progress on Capital account.—The principal works carried on during the year on Capital account were—

Bori Bandar terminal station and offices.—The progress was small, owing to difficulties with the petty contractors for cut-stone work. Some fresh arrengements will have to be made to ensure quicker work in future, as the petty contract system does not appear to have answered in this case.

The extension of Parel shops referred to in last year's report was completed. Some extra sidings were sanctioned during the year.

Quadrupling line.—This work can only be completed when the new Byculla station and overbridge have been constructed, and the Bombay, Baroda and Central India Railway Company have been furnished with a new goods station south of Carnac bridge—works which there is reason to believe will soon be taken in hand.

Clearing slopes of Bhor Ghat.—Nearly all the cutting will be completed this season. It will then remain to decide on the extent to which it is necessary to provide retaining walls at the toe of the slope, and to build them where required.

Addition of an eighth sleeper to 24' rails.—Of the 568 miles of line (190 miles being double) on which this addition was sanctioned in 1874, there still remain 24 miles (single line) to complete.

Sarby and Farmer's interlocking apparatus for single line stations fixed at stations between Lonavla and Poona gives great satisfaction. The first cost is considerable, but it gives complete safety. The question whether this or a less expensive system should be introduced at other single line stations through which the mail trains run without stopping is under consideration.

Junction works at Nagpur station were completed, with the exception of the weighbridge, the fixing of which has been suspended, pending further consideration as to the site.

The new junction station at Khandwa made considerable progress. It is hoped that both it and the new State Railway line of approach from the north end, which is about to be taken in hand, will be ready for use in 1881-82.

The stores depôt at Parel given to the Great Indian Peninsula Railway Company in exchange for the site of the Byculla locomotive shops and stores has been taken over by the Company, but no application for sanction to complete the warehouse, store sheds, &c., which it is proposed to erect upon it, has yet been received.

The Wadi Bandur goods terminus.—The following were sanctioned :---

Construction of roads and level-crossing in extension of Frere Road.

Removal of the Rohilla shed and its re-erection as a goods shed.

Provision of goods offices.

Construction of merchants' waiting-room.

Construction of latrines.

The final arrangements for Wadi Bandar were very fully discussed, and the permanent boundary of the Company's land has now been decided upon, the area to be occupied by the goods terminus and siding being fixed at 67 acres, and the remainder of the Wadi Bandar estate, measuring about 11 acres, reverting to Government.

The Railway Company will now proceed to provide the additional sheds, roads, and lines required for the proper conduct of the traffic, and will construct a permanent boundary wall.

It is proposed that an overbridge should be constructed across the railway estate on the line of the Frere Road extension to Mazagon at the joint expense of the Railway Company, the Port Trust, and the Municipality, it being considered impossible to maintain the present level-crossing with due regard to safety and convenience.

The introduction of Saxby and Farmer's system of signalling and interlocking apparatus has been arranged for at Dadar Junction, the cost being shared between the Great Indian Peninsula and Bombay, Baroda and Central India Railway Companies.

An extension of sidings was sanctioned at Bhusawal Junction, interlocking apparatus being provided. The increased accommodation was much needed, and the addition will much facilitate working and prevent the recurrence of a block such as occurred during the last famine * season.

154

Byculla new station and overbridge.—At a meeting held on 23rd March it was proposed—

- (1) To build a new passenger station for Byculla at the hay and wood siding site, as proposed by the Bombay Government and the Railway Company in 1878.
- (2) To convert the present Byculla station into staff quarters and utilise the platform roofing elsewhere.
- (3) To shift the points connecting with the engine-shed a little further to the southward of the Nesbit Lane crossing.
- (4) To rebuild the Byculls bridge for four lines of rails as soon as the new station is finished.

It was also proposed to divert a large proportion of the traffic using the Neshit Lane crossing to the Hancock bridge by a new road skirting the Great Indian Peninsula Railway on the west, and to build a foot-bridge at the level-crossing.

The Government of India, in sanctioning the expenditure of Rs. 50,000 for land for the new Byculla station, have suggested the early removal of the Byculla running shed to Parel.

Estimates for the new works required are being prepared and will be submitted for sanction, and the question of removing the running shed is receiving attention.

Among minor works sanctioned may be mentioned the following :--

Cross-over road and signalling cabin at Ghat Cooper.

Additions and alterations at Kasara, Igatpuri, and Devlali.

Construction and improvement of wells at Jubbulpore, Jeur, Gudur, Kulburga, and Nulwar.

Works for the completion of Dhond Junction station.

Strengthening girders at the Kali Marchan.

3 Foot-bridge at Manmad and under-bridge at Bhusawal.

Signallers' quarters at 15 stations.

The reconstruction schedules exhibiting the works which under an arrangement come to between Government and the Great Indian Peninsula Railway Company in 1866 were to be rebuilt when necessary from capital funds or at the cost of the Casualty Fund were reconsidered; and an arrangement proposed by the Company's Consulting Engineer and the Consulting Engineer to the Bombay Government after personal discussion was, with slight modification, agreed to by Government and the Home Board, under which a payment has been made from the Casualty Fund to capital of the accumulated balance in excess of Rs. 7,00,000, and the reconstruction of certain works entered in the finally revised schedule is to be charged to capital account. When these works are completed, the reconstruction account is to be finally closed, and measures are being taken to carry them out without undue delay. Thirty reconstruction works, estimated at Rs. 16,000, were in hand at the close of the official year.

No additions to engine or rolling stock were sanctioned on capital account during the year. The addition of 500 covered wagons was advocated by the General Traffic Manager in 1679; but in view of the fact that the carrying capacity of the stock and facilities for working it over the Great Indian Peninsula Railway have been increased since the pressure of traffic was last felt, and that the amounts of foreign stock available for back loading is increasing and is likely to increase still more under the Conference rules, which tend to ensure its speedy return, it was thought advisable to defer making any further additions.

The large number of wagons returned as constantly under repair on the Great Indian Peninsula Railway attracted notice, and complete explanation of the apparent excess over the number in shops on other railways has not yet been received.

It is obvious that the more quickly the stock is passed over a line, and the smaller the proportion of the stock under repair, the greater is its carrying capacity. Other things being equal, that line will require the fewest wagons which has its stock in the best order and works it with a minimum waste of time in demurrage or on unduly slow speed.

Warora coal.—As stated in the last Administration Report, the Railway Company agreed to take, from 1st April 1880, 50,000 tons annually of this coal at Rs. 5 a ton, free of all royalty and all charges except carriage. Owing, however, to a breakdown in the machinery of the mine the deliveries during the year have amounted to 9,085 tons, or an average of 757 tons a month only.

The Railway Company are now receiving about 2,000 tons a month, and it is understood that an additional shaft has been sunk in the mines and is nearly ready to work, so that a large increase in the delivery of the coal may be shortly expected.

Mohpani coal.—12,757 tons of this coal were received during the year; but the present output is about 800 tons per month, and larger receipts are not anticipated for the next two years. The Mohpani Branch was opened for passenger and goods traffic in December 1880.

Agreements for working State lines have, as stated in a former part of the report, been made in the case of the Dhond and Manmad and Berar branch lines.

Ghat working.—The following alterations in the system of ghat working have been sanctioned by Government and the Board of Directors :—

(a)—When two engines are used for ascending passenger trains, one is to be placed in the rear, as is at present done for goods trains.

(b) and (c)—The maximum load of ascending passenger trains with two engines, one being applied in rear, to be in future fifteen passenger vehicles, two main line brakes, and four incline brakes; total twenty-one on both ghats.

(d) and (e)—In descending passenger trains with two engines, the maximum load to be fixed at fifteen passenger vehicles, two main line brakes, and four incline brakes; total twenty-one on both ghats, the same as for ascending trains.

(f)—The maximum load of ascending goods trains with two engines on both ghats to be twenty-two loaded wagons and three incline brakes; total twenty-five.

(g)—For descending goods trains, the load to be twenty-five loaded vehicles and three incline brakes, total twenty-eight; any wagon not provided with a side brake reckoned as two wagons. The knuckle-jointed pin for brakes recently introduced by the Locomotive Superintendent to be applied to all the stock.

(1)—With descending goods trains and one engine no alteration is prop sed; the load to remain as at present—eighteen loaded vehicles and three brakes.

(i)-When fifteen ton brakes are used, it is proposed to reckon them in the proportion of inot less than two fifteen ton brakes to three ten ton.

(1)—A compound ghat brake to be designed with a view to obviate the objections entertained to running compound brakes of the existing type between Bombay and Poona and Bombay and Igatpuri.

(a1)—The opinion of the General Traffic Manager being opposed to placing the brakes upon ascending goods trains in the middle when worked by two engines, it was decided not to alter the present arrangement.

The consideration of the question whether the incline brakes upon passenger trains be placed in the centre of the train, both on ascending and descending trains when two engines are used, was deferred pending the introduction of improved compound brakes.

(b 1)—That sanding by hand be confined to the following :—Before all descending trains by which passengers are carried, the rails to be sanded for a distance of 250 yards ending at the bottom of the gradient at the entrance to the reversing station on the Bhor Ghat, and also for a similar distance above all the catch sidings on both ghats. This recommendation to be adopted for one year, on the expiry of which it is to be determined whether the sanding by hand cannot be discontinued entirely or further modified.

It is understood that, with reference to all foregoing elauses, main line brakes are to be always used to assist trains as well as incline brakes.

Road vans when worked upon passenger trains to be fitted with side brake levers acting upon two wheels; the brakes to be pinned down on all descending trains,

It was also proposed that, as an experiment, the passenger train running between Bombay and Poona to be fitted with a continuous brake, the pattern of brake to be adopted to be left to the decision of the Company's Consulting Engineer, Mr. Berkley, and the Locomotive Superintendent, Mr. Jackson.

The Campoli Branch was reopened for traffic in November. It is the intention to keep it open permanently in future, as the revenue more than covers the expenses, and it is found to be a convenience to traders and the inhabitants of the adjacent villages.

The question of establishing a bandar for salt traffic at Chandni Bandar has been revived by the Customs authorities, and the views of the Railway Company as to the construction of the necessary sidings to Thana station have been invited.

The sidings are estimated to cost Rs. 7,000, and the Agent will submit the estimate for sanction.

156

Education .- The Home Board have sanctioned a contribution from the fine fund of Rs. 20,000 to the Byculla schools and Rs. 20,000 to the Scottish Orphanage on condition of being allowed to send two children to each in perpetuity without charge.

The Board also intimated their concurrence in a proposal to establish a school at Pachmarhi in conjunction with Government, which might be attended by the children of Railway employés on favorable terms ; but no definite proposals have yet been submitted by the Agent.

The schools at Igatpuri and Bhusawal were favorably, and the school at Lonavia unfavorably, reported upon by the Government Inspector.

STORES.

The Great Indian Peninsula Railway Company, in consideration of receiving the State Railway stores depôt, partially completed at Parel, and 14 lakhs in cash, have transferred to Government the whole of the land buildings formerly occupied by their workshops and stores at Byculla, with the exception of the stores warehouse and adjacent yard, which are also to be made over to Government as soon as the Company have erected a new warehouse on the Parel side.

It is proposed to occupy a portion of the land on the Wadi Bandar estate to the east of the .- Mazagon overbridge and on the north side of the Great Indian Peninsula line as a supplement-PET State Railway stores depôt.

ò

Arrangements have been made with the Great Indian Peninsula Railway Company for the conveyance of State Railway stores between the Prince's dock and the Byculla depôt at special rates.

Capital.

The following figures afford particulars of the Company's capital account as it stood the close of 1880 :-

		• •	· £	Rs.	
Capital authorised			27,595,466	80,10,41,447	
Capital subscribed	\$ 7 5	***	23,707,021	25,86,22,042	
Capital expended on		·.			
(a) Final Heads	814	£ 22,914,577			
(b) Suspense	848	542,567			
	, 1		23,457,144	25,58,96,113	
Balance available of-				·	
Capital authorised	849		4,138,322	4,51,45,384	
Capital subscribed	***	•••	2 49,87 7	27,25,929	
Amount expended on way	and works		19,535,625	21,31,15,912	
Amount expended on rolling	ng stock	•••	8,378,952	3,68,61,287	
Cost of way and works pe	r mile		15,813	1,67,051	
Cost of rolling stock per n	aile	***	2,618	28,887	

The amount of capital authorised to be raised remained unaltered during the year, but, though there was no fresh issue of capital, the amount subscribed, i.e., paid into treasury, was £74,187 in excess of the amount recorded at the end of 1879. This is the equivalent of the assets of the casualty fund in excess of 7 lakhs of rupees on the 30th June 1580, viz., Rs. 8,09,313-9-4, which was paid into treasury during the year as "capital not bearing interest," in accordance with an arrangement which was arrived at between the Secretary of State and the Board of Directors. Under this arrangement the cost of certain works of re-construction, which would otherwise have been chargeable to the casualty fund, becomes a charge against capital, and the immediate effect of the transaction is to relieve Government of liability in respect of interest payable on this portion of the fund's assets which was at that time deposited in the treasury and bearing interest.

The expenditure during the year on construction of way, works and rolling stock, including establishments and general charges, was Rs. 13,93,754, and was incurred principally on the following projects :---

		Ext	PENDED DUBING 18	180.
Name of work.	-	lst half.	2nd half.	Total.
Engineering Department.		Rs.	Rs.	Rs.
Bori Bandar passenger terminus	•••	36,925	24,043	60,968
Do. general offices		20,357	53,212	- 73,569
Wari Bandar, sundry works		54,194	9,132	. 63,326
Parel locomotive works, &c.	***	61,515	1,55,936	2,17,451
Thull Ghat, improvement of sidings	251	18,646	20,903	39,549
Additional (8th) eleeper to every 24' rail		61,040	6,025	67,065
Suki Nala, additional waterway	621	58,404	15,480	73,884
Bhor Ghat, flattening slopes	\$41	61,673	10,648	72.35
New "Hancock" overbridge, Mazagon		# ## # ##	73,766	73,765
Nagpur Junction works	***	18,730	27,642	46,372
Locomotive Department.		بر ج _	1	
10 additional ghat engines 100 brake vans	 141	2,71,078	C. 1,281 64,355	2,69,797 64,355
Electric Telegraph.				
Filling block signalling instruments	·	51,068	3,869	54,937
Establishment.				2 #-
Salaries of all departments,		45,557	38,572	84,129

The expenditure on the "Hancock overbridge at Mazagon," though debited to capital as shown in the above list during the year, represents work actually done during previous periods. Outlay, as incurred, was paid from revenue and held in suspense; but after some correspondence it was settled that part of the expenditure, to the extent of the above sum of Rs. 73,766, was to be recovered from capital. The adjustment was effected in the books for December 1880 and the accounts of the work finally closed. In connection with this work a sum of Rs. 15,072 (in addition to Rs. 11,025 charged direct to maintenance) was, under the same orders, apportioned against the revenue account for the 1st half of 1880, and was deducted from the surplus profits of that period before the latter were divided between Government and the Company.

The balance of stores in stock, as exhibited in the Company's Indian accounts, fell from Rs. 62,35,763 at the beginning of 1880 to Rs. 59,02,910 at its close, the receipts and issues for the year having thus apparently resulted in a net reduction of capital locked up in stores to the extent of Rs. 3,32,853. But it should be explained that the balance of stores at the beginning of the year, as shown above, did not include the value of those in transit on the \$1st December 1879, which amounted to Rs. 11,93,143, while the balance at the close of the year included, for the first time, Rs. 4,91,831 on this account. The net reduction in the stock balance, if due allowance is made for these stores, is thus increased to Rs. 15,25,996, which may so far be considered satisfactory, as it brings the nominal amount of capital locked up in stores at the close of the year down to nearly Rs. 4,00,000 less than the limit provisionally assigned on this account, which was fixed at 63 lakhs. Certain credits have, however, been passed in the Company's books to general stores which on investigation have proved to be inadmissible and were written back, subsequent to the close of the year, at the request of the Examiner of Railway Accounts. There was, moreover, when the accounts of the year were closed a large accumulation of returned stores which, in accordance with the orders of the Directors, bore no value. These, under recent instructions from the Government of India, will be priced and debited to general stores. These circumstances show that the balance of stores as appearing in the Company's books at close of the year did not accurately represent the stores in stock. But for the erroneous credits and non-debits just explained, the balance would probably have been found to have been in excess of the provisionally assigned limit of 63 lakhs.

The amount of guaranteed interest paid to the Company for the year was Rs: 1,24,93,200 (£1,145,210), of which Rs. 1,2:,45,361 was disbursed in England, and Rs. 47,839 in India. This raised the total amount of guaranteed interest paid to the Company since the commencement of operations to Rs. 21,62,37,457, against which the net earnings up to the close of the year amounted to Rs. 14,97,09,309. The deficit borne by Government was thus Rs. 6,65,28,143; but as the net earnings quoted above include surplus profits, the moiety of which repaid to the Company up to date was Rs. 73,49,494, the actual deficit earnings, as compared with guaranteed interest which has had to be made good by Government, is increased to Rs. 7,38,77,612. This is a little over one-third of the total guarantee.

Revenue.

The results of working during the past official year are contrasted with those for 1879-80 in the following table :---

	Main heads.			1880-81.	1879-80.	Increase in 1880-81.	Decrease in 1880-81.
•		``````````````````````````		Rs.	Rs.	Rs.	Re.
Gross earnings Gross expenses	d Am a Ma	444 444	*** 77.5	2,58,87,607 1,41,17,512	2 ,42,72,880 1,45 ,67,090	16,14,727	4,49,578
and the second	Net ear	nings	, Bili	. 1,17,70,095	97,05,790	16,14,727	4,49,578
Y1 +		•	4	Total increase in	1880-81	20,64,305	

As a detailed comparison of these figures is not, however, practicable in consequence of main heads only being shown in the Company's monthly revenue accounts, the plan which has hitherto been followed of examining the working results obtained during the *calendar* year 1880 as exhibited in the printed half-yearly accounts will again be adopted.

.

-These results, compared with those for 1879, are shown in the subjoined statement :---

	Main heads.		1880.	1879.	Increase in 1880.	Decrease in 1880.
Gross earnings Gross expenses			Ra. 2,49,53,253 1,38,47,702	Rs. 2,52,64,927 1,50,73,726	Rs.	Ra. 8.11.074 12,26,024
· · · · · · · · · · · · · · · · · · ·	Net earnings	up.	1,11,05,551	1,01,90,601	9,14,950	

Before proceeding to a consideration of the above figures, it may be pointed out that, under the system recently adopted by the Company with the concurrence of the Secretary of State and the Government of India, the gross and net earnings recorded in the printed accounts included certain sums for which credit was taken by the Company, but which were subsequently found to be irrecoverable. No allowance was made for these in the published half-yearly accounts, which in this respect may therefore be said to be somewhat misleading. The amount found to be irrecoverable, but for which undue credit was taken in 1879, was Re. 9,718, and in 1880 Rs. 16,407. In the latter year there were also short debits to working expenses to the extent of Rs. 18,822, viz., Rs. 15,072 on account of the Hancock overbridge at Mazagon and a bonus of Rs. 3,750 sanctioned in favor of one of the Company's engineers. If these various items are allowed their due effect, the net earnings shown above for 1879, would be reduced to Rs. 1,01,80,883 and those for 1880 to Rs. 1,10,70,322; but as these reductions are not perhaps of sufficient importance to be noticed, considering the magnitude of the figures of which they form part, the comparison between the two years will proceed on the figures appearing in their respective printed accounts, as shown in the table last given. From this it will be seen that the net earnings for 1880 have improved by 9 per cent. over those for 1879.

The guaranteed interest for the year amounted to Rs. 1,24,93,200, so that the net earnings show a deficit of Rs. 13,87,649, or 11 per cent. of the guarantee. (This deficiency amounted to Rs. 22,55,245 in 1879, which was equal to 18 per cent. of the guarantee.) The average rate of interest paid by Government during 1880 on the interest bearing capital paid into treasury was 4.89 per cent., while the net earnings thereon averaged only 4.35 per cent., the deficiency being thus a little more than $\frac{1}{2}$ per cent. of the interest paid. Taking into account, however, the irrecoverable earnings of the year and the repayment to the Company of its moiety of surplus profits, vis., Rs. 5,54,047 which are included in the net earning: for 1880 shown in the table, the amount of the latter remaining in the hands of Government as a setoff against the guarantee is equivalent to about 4 per cent. only of the interest bearing capital, against an average of 4.89 per cent. actually paid to the Company, as stated above. The year's work is compared in some other general respects with 1879 in the figures given below :---

	1880.	1879.	Increase in 1880.	Decrease in 1880.
Percentage of expenses to earnings	55	60	A 2463 <i>X</i>	5
Tonnage of goods hauled (paying weight)	1,112,766	1,098,953	13,813	\$235L9 .
Number of passengers carried	4,751,944	4,496,550	255,388	* ****
Train mileage worked (excluding light run- ning)	5,866,644	6,308,323	4 10011	441,679
	Rs.	Rs.	Rs.	
Not earnings per train mile	1.89	1.61	0.28	***
Net earnings per mile open	8,705	7,987	718	handar 🦓 🖏

It will thus be seen that in some of the most important respects the results obtain more favorable than those for 1879.

Earnings.

The gross earnings of the year were derived from the five main sources of receipt to the extent under each indicated below ----

Main he	eds.		1st half.	2nd half.	Total,	Percentage of each to total.
			Rs.	Rs.	Rs.	Rs.
Coaching traffic	***		30,64,746	30,66,158	61,30,904	25
Goods traffic	811		1,11,14,577	71,99,567	1,83,14,144	73
Telegraph earnings	#2K	4 147	26,764	28,136	54,900	5 43) 64
Steam-boat service		911	24 =14,	•••••	£+++1*	*****
Sundrice		5	2,47,692	2,05,614	4,53,306	2
	Total	- 1861	1,44,53,779	1,04,99,475	2,49,53,254	100

The totals shown in column 4 of the preceding statement are compared below with those recorded for 1879 :---

Main h	eads.		Totals for . 1880.	Totals for 1879.	Increase in 1880.	Decrease in 1880.
Coaching traffic Goods traffic Tolegraph sarnings Sundries	*** *** *** *** *	4 8 F 4 9 F 5 F F 4 F F	Rs. 61,30,904 1,83,14,144 54,900 4,53,306	Rs. 68,82,222 1,85,21,797 50,480 6,09,828	Rs. 48,682 4,420	Rs. 2,07,653 56,522
Q . M	Total	9 11	2,49,53,254	2,52,64,327	53,102	2,64,175
9	c G			Net decreas	e in 1880	3,11,073

c

160

Coaching Traffic.

The increase shown above in the earnings from coaching traffic is mainly the result of improvements in the receipts from the second and coolie classes of passengers, but these were considerably reduced by a falling off in the third class. The various fluctuations which combined to produce the net improvement of Rs. 48,682 during 1880 will, however, be more clearly seen from the following statement comparing the earnings under the principal heads of coaching traffic with those recorded for 1879. (The deduction of Rs. 2,500 on account of irrecoverable earnings of previous periods, which appears in the column for 1879, was made during the first half of that year, before the system of writing off such items in the printed -accounts was abandoned.)

Main heads of Abst	raot L		1880,	1879.	During	1880.
					Increase.	Decrease.
			Re.	Rs.	Re.	Re.
Passengers, first class	407	· #54	4,45,390	4,32,357	13,093	
Do. second class	476		9,27,893	8.50.773	77,120	* 5 * 2 * 7
M Do. third class	##1	14. J	9,75,227	11,25,869	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	1,50,149
Do. goolie class	*34		28,82,319	27,15,929	1,66,390	
. Season tickets		·	14,959	14,307	658	
Do. Juggage	7 4 4		3,15,628	2,94,571	21,057	
DINUSTY BREERE	 ***		86,446	78.426	8,020	*****
Carriages, horses and angs	***		1,07,740	1,09,853		1,613
Military A. ditto	241		75,240	1,27,824	******	52,584
Parcels	***	144	2,60,186	2,88,356		28,170
Special trains	8 * 4	***	13,091	17,495	*****	4,404
Miscellaneous		449	1,075	1,967	*** ;	892
Post Office, hanlage, &c.		×**	6,545	6,751	******	206
Do. special trains	***	49.4	12,939	14,478	*****	2,139
Do. parcels	\$*3		6,825	6,825	******	******
Less-			61,30,903	60,84,781	2,86,272	2,40,150
Outstandings irrecoverable	194					
-	Total	· ·	111888	2,560	2 ,560	******
•	1004	¥++	61,30,903	60,82,221	2,88,832	2,40,150
•		J.	Net increase	in 1880	48,682	******

The increase in the receipts from first class passengers, amounting as it does to only 3 per cent., does not appear to call for notice. In the second class the improvement of Rs. 77,120 may be set down exclusively to the large movements of troops during the second half of 1880 in connection with the military operations in Afghanistan, the earnings from this source during that half-year having exceeded those for the second half of 1879 by Rs. 83,872. In other respects the variations in the second class traffic were of small moment.

As regards the large falling off of Rs. 1,50,142 in the earnings from third class, it will be convenient to consider it in connection with the corresponding improvement of Rs. 1,66,390 appearing in the coolie class. These variations are probably due to the preference which is no doubt felt by the majority of native passengers for the slow train service at the $2\frac{1}{2}$ pice per mile rate as compared with the mail service at 4 pics. The following figures, showing the fluctuations in the two classes during the past six years, appear to establish this. It will be noticed that while the third class traffic, both in numbers and earnings, has steadily declined, there has been a corresponding yearly improvement in the coolie class :---

			Nun	abe ra ,	Earn	ioge.
			Third Class.	Coolie Class.	Third Class.	Coolie Class.
During 1875 1876 1877 1878	 ···· ···· ···· ···· ····	2 400 877 6 44 201	888,370 485,864 477,800 460,549 428,*25 395,394	1 2,299,551 8,373,345 8,550,498 8,847,757 9,840,165 4,126,602	Re. 15,71,551 11,60,941 11,64,286 9,66,051 9,13,289 7,95,032	Rs. 16,83,772 23,04,606 24,91,822 26,09,452 27,16,929 24,82,319

41

Notwithstanding that there has thus been to a large extent a transfer of passengers from the more expensive to the cheaper class, the following figures, combining *both* classes for the past seven years, show that there has been, on the whole, a substantial increase in the native passenger traffic both in the numbers carried and the earnings therefrom :—

							Numbers carried.	Earnings.
								Rs.
During	1874	***	\$+ŧ	1*>		•••	2,624,371	28,80,950
н	1875	***	697	843	40 T		3,187,921	32,55,323
33	1876	**\$	***	111	\$ 8 8		3,859,169	34,65,607
11	1877	***	***	***	+81		4,028,296	36,56,108
,,	1878	***	***	* * *	***		4,268,260	35,75,503
н	1879	***		***			4,288,990	36,29,218
.,	1880			•••	***		4,521,996	36,77,351
ncreas	3 in 18	80 as co:	mpared with	1874	***	•••	1,897,625	7,96,401
Equal t	o per c	ent.	** 1		***	•••	72	-ap 20

The coaching traffic interchanged with foreign lines shows, on the whole, a satisfactory improvement during the year as compared with 1879. The principal business done was with the East Indian and connected lines and with the Madras and Nizam's Railways, but particulars of the interchanged traffic generally will be found in the subjoined table, which of course shows only the Great Indian Peninsula Railway portion of the receipts :--

	173 . 1	. D. II			1880.	1050	18	80.
	Foreig	yn Railw	ays.		1000,	1879.	Increase.	Decrease.
Bombay, Baroda Madras East Indian, &c. Holkar and Sind Dhond and Manu Khamgaon Amraoti Wardha Valloy Nizam's	ia-Neen nad	***	lia Total	2 5 5 5 5 5 5 5 5	Rs. 11,827 1,97,302 7,36,895 92,356 44,410 4,693 20,128 2,292 1,70,359 12,80,262 Net increase	Rs. 16,886 2,18,901 7,06,357 83,882 22,368 9,748 27,087 3,632 1,58,897 12,47,758 in 1880	Rs. 30,538 8,474 22,042 11,462 72,516 32,504	Rs. 5,059 21,599 5,055 6,959 1,340 40,012

The passenger train mileage run (including proportion of mixed) as obtained from the Government analyses of the Company's revenue accounts compares as follows with that run during 1879 :--

.

*						188	0.
				1880.	1879.	Increase.	Decrease.
Half-year ending 30th Juno 31st December	9.8× 9.8×	••••	•••	984.624 1,012,279	876,414 1,035,360	. 108,210	23,081
		Total	66.	1,996,903	1,911,774	.108,210	23,081
			`	Net increase	in 1880	85,129	

ī

Guaranteed Bailways.] ADMINISTRATION REPORT FOR 1880-81.

-

This increase is no doubt principally due to 827 more passenger trains having been run in 1880 than in 1879, the numbers having been 6,307 and 5,540 respectively. The total coaching traffic receipts divided over this mileage average Rs. 3-1-1 per mile in 1880 against Rs. 3-2-10 per mile in 1879 and Rs. 3-7-2 per mile in 1878.

		DURING	¥ 1880.	•		DURING	1879.	-
1 ***	1st Class.	2nd Class.	Srd Class.	4th Class.	1st Class.	2nd Class.	Srd Class.	4th Class.
Half-year ended- S0th June 81st December	177·73 180-00	191 [.] 97 229 [.] 43	112-22 108-37	53:00 54:61	178-72 ** 178-00	194·15 220·85	119·87 120·16	54·63 58·58
Mean for the whole	· 178 [.] 86	£01·70	· 110·29	• 58-80	- 175-86	· 207-50	119.76	54-10
Average or Al classes	· · ·	18	16·16	·		18	9.80	

Under coaching traffic the other heading which appears to require explanation is " military carriages, horses and dogs," which shows a large decrease of Rs. 52,584. This is due to the receipts under this head having been abnormally swelled during 1879 in consequence of the transport of a large number of ponies despatched from the Bombay Presidency for the war in Afghanistan. The variations in other details of the coaching traffic are not important ; but as regards the earnings from work done for the Postal Department it may be explained that fresh arrangements have been entered into by which the Company are to be paid a fixed sum of Rs. 72,000 per annum for service rendered in this respect. Before leaving the subject of coaching traffic it may be interesting to show what the saving has been to Government during the past five years in respect of payments to the Company for the conveyance of troops, military baggage and horses, &c., the sum so paid being shown in the following table in comparison with the amounts that would have been charged to the public at ordinary rates for similar services :--

			•	At ordinary public rates.	At reduced Govern- . ment retes.	Difference in favor o Government,
			•	_	_	
alf-year ended				Re.	Ba.	Rs.
30th June 1876		385 -	£11	4,59,621	2,82,007	1,77,554
31st December 1876	, 10 1 .	***		4,43,115	2,64,470	1,78,645
30th June 1877	50 f	P. 1	#81	4,28,684	2,46,675	1,82,009
S1st December 1877	498	***	\$ **	5,46,063	8,62,828	1,83,235
30th June 1878		843 '		7,10,487	4,35,311	2,75,176
Slat December 1878			***	11,20,509	7,47,832	8,78,177
30th June 1879	***	101		8,42,848	4,98,714	8,44,134
31st December 1879	e14 👷			9,72,400	5,88,989	8,83,411
30th June 1880	1. sas ·	***		8,28,048	5,15,249	8,12,797
31st December 1880	1.99	445	9 64	. 8,98,577	∫ 5 ,88,771	8,09,806
54-				s	 	
Total saving to Gove	enment in l	5 years	·	•	27,19,944	•

Goode Traffic.

The decrease in earnings from this source is shown to have been Rs. 2,07,653. Further details will be found in the subjoined statement, in which the receipts from the various main bands are command with these for 1870. heads are compared with those for 1879 :---

<u></u>	<u> </u>	<u></u>	<u></u> .			188	iQ. ,
Main	heads.		•	1880.	1879.	Increase.	Decrease.
-	· · · · · · · · · · · · · · · · · · ·			Rs.	Rs.	Rs	Rs.
Merchandize, general	***	103	•••	1,77,45,723	1,79,89,095	L L	2,43,372
Military stores	9 42		#85	2, 01,187	1,67,516	83,671	₩#«**L
Railway materials for cons	traction			29,209	30,770	~ F FF134	1,561
Coal	***	***	***	1,14,555	1,24,629	489428	10,074
Revenue stores carried free			* **	****		+> 1 BZA	···· /******* • 4
Live stock, public			414	86,861	74,800	12,061	and the second
" military	***	***	'n	195	PERAPE	195	
Rents, demurrage, &c.	188	***	1++	3 0,287	82,765		2,748
Interest on outstanding bil	ls .	042			\$ \$ 7 + 9 T	+====	******
Miscellaneous	\$£4	484	, 99 1	1,06,127	1,14,486	bkyeş\$	8,359
		Total		1,83,14,144	1,85,34,061	45,927	2,65,844
Less-Outstandings irrecov	verable	***		*****	12,264	182652 *	12,264
Net "G	ooda" ei	unings	884	1,83,14,144	1,85,21,797	45,927	2,53,580
			-	• ••••• ••••••••••••••••••••••••••••••	Net decrease i	n 1880	2,07,653

This decrease, though considerable in itself, is less than 1½ per cent. of the goods earnings for 1879. The fluctuations in the various classes of which the head "Merchandise, general," consists are set forth below :--

-				-		• 188	ю.
	Classes.	• .		1880.	1879.	Increase.	Decrease.
-, t				Ra.	Rs.	Rs.	Rs.
Special class	, 247	***		83,69,944	87,18,686	8.F+#84	3,43,742
First "	274	134	10.	16,82,640	20,36,913	186346	3,54,273
Second n	514	101		51,02,930	47,10,434	3, 92,496	* ****
Third "	***	***	•••	15,81,269	15,30,364	5 0,905	***
Fourth "	2 # #	*48		8,11,157	5,66,605	2,44 ,552	******
Fifth "	***	***	\$ 11	97,783	4,31,093 .		3,33,310
		Istal		1,76,45,723	1,79,89,095	6,67,953	10, 31,325
			I		Net decrease in	1880,	8,372

•

.

ADMINISTRATION REPORT FOR 1880-81.

The chief commodities in which the above variations took place were -

· ·	Increase	.	1		Decreases.		
	•		Rs.				Rs.
• A			33.300	Coal and coke	144	***	10,074
Bage		4.6 P	11,178	A			
Commissariat	STOLES	***.	87,941	Cotton		**=	38,249
Cocoanute		5J 1,	94,062				
Dried roots a		4 ,4,8	48,401	Fruits, dried	148 ·	***	78,494
Hides and ho	rnø	***	2,43,645				
Piece-goods,]	English :	5 a.B.	1,49,701	Food-grains	***	***	20,91,701
Piece-goods, I Grocery	, •ĩ	*41	24,124				• •
Ground-nuts		488.	9,187	Ghee		***	65,472
Wheat	1.		8,71,268				
Metals and h	ardware	***	23,533	Opium	***		1,65,201
Mohwa flowe		*44	35,832				-,,
Oil	***	***	61,679	Sugar and jagri	***	***	\$,05,890
Twist			89,567	01-0		***	
Wool	398 .	494	28,979	Til seed		428	1,37,794
							· ·

The quantities conveyed during 1879 and 1880 were 26,00,491 and 27,16,155 maunds respectively, which consisted of full-pressed and unpressed cotton in the following proportions :---

	. 4 -	• :	1879.	1890.
Full-pressed Unpressed	145. 148	. 448 . 514	 Mds. 4,20,424 19,80,067	Mds. 6,40,930 20,75,225
- · ·		•	26,00,491	27,10,155

Of the total cotton imported into Bombay from all sources during 1880, 61 per cent. was brought by the Great Indian Peninsula Railway.

The following table exhibits particulars of the cotton carried by the Company during the past five seasons :---

<u></u>		Season Ending Soth June.					
•	•	1878.	1677.	1678.	1879.	1880.	
	\$	Mds,	Mds.	Mds.	Mds.	Mds.	
Quantities	{ unpressed full-pressed	 4,64 ,060 17,20,591	4,54,576 21,72,107	7,07,100 28,00,496	5,58,162 19,40,523	5,54,199 18,99,678	
		Re.	Rs.	Rs.	Rs.	· Rs.	
Earnings	{unpressed full-pressed	 5,01,428 22,54,440	4,53,624 28,69,741	0,58,798 85,81,629	6,49,427 23,07,022	5,49,239 21,69,094	

The exceptionally good traffic shown above for 1878 was due mainly to the abundance of the crop in the Berars, though a larger outturn than usual was recorded for all the cottongrowing districts served by the line.

The fluctuations in some of the other principal commodities carried by the Company during the past six years will be found below :---

_ ÷*			Cott	on Piece-go	ods.	
	and the second			•	Mds.	Rs.
	- 1875 2 2	3°22 * *804	***	***	4,73,178	7,23,114
	31876	448 5-			4,72,361	7,07,228
	1877	* ***			5,24,979	7,71,862
	1878 F 🦾		64.1		5,75,134	8,41,518
19 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1879 😚	***	4 5 4		7,11,552	10,65,748
÷ .	1880	***	***	4=4	7,88,155	12,07,521
-						42 -

165

~ *

Food arains an	d wheatT	he year 187	7 include	s the famine t	raffic. The falling	off
O occurs in food	lgrains. In	wheat the	re was an	actual increase	of Rs. 8,71,268.	,
·	-0			Mds.	- Rs.	
1875	**>	***	*** *	58,74,061	23,89,689	
1876	1.1	141	****	1,15,56,139	58,28,695	
1877		4 5 0		2,00,22,869	1,21,53,134	.
1878	147	***	***	1,24,97,838	68,28,838	
1879	145		***	1,16,06,752	56,90,996	
1880	1	***		97,35,488	44,70,563	# *
Linsond The		ia commodi	tv. which	was exceedingly	bad in 1878 and	18
lenly revived d			·,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		* 144	
temy territed a	1105 10001		,	Mds.	Rs	
				23,28,468	16,38,138	
1875	•••			20.60.TUU		
1875 1876	***	***,	4+4		19,36,596	• . •
1876	\$\$3	11+	8 Å 'A	\$5,87,419	19,36,596 16,12,215	• .•
1876 1877	***	***	8.8% 5.6.9	85,87,419 29,24,258	18,12,215	•
1876 1877 1878	543 +8+ 555	81+ 808 815	8 8 4 8 8 8 8 8 8	\$5,87,419 29,24,258 8,01,603	16,12,215 4,16,749	• -
1876 1877	***	***	8.8% 5.6.9	85,87,419 29,24,258	18,12,215	

Salt.-Under this head there is a steady, if not a rapid, advance. The traffic consists mainly of Kharaghora salt received from the Bombay, Baroda and Central India Railway ;--Mde Ra

				mus.	N 8 <	
1875	***		19 si.h	19,21,099	10,52,670	
1876		***	¥ 8'4	23,00,027	11,61,143	
1877	***	***	***	23,48,729	11,27,535	
1878	***			26,75,367	12,90,776	
1879	4 8 8	4.8.8		28,76,165	14,09,668	
1880		315	***	29,36,319	14,37,971	
		-	•			

Tilseed.-The fluctuations in this article are remarkable. The rate for conveyance was reduced to that of grain from the 1st October 1875 :--

	•			Mds.	Rs.	
1875	* 1 - j • • • •	\$41	187	7,26,625	3,93,784	
1876		*1*	8+* *	5,28,574	2,54,110	
1877	***	***	***	9,36,187	5,16,211	
1878	433	***	***	11,52,144	6,34,167	
1879	***	***	***	12,62,994	6,81,908	
1880	***	***	***	10,33,266	5,44,114	
•						

Opium.—The falling off in 1880 is not attributed to lesser production. Stocks are believed to have been withheld in consequence of the decline in rates obtainable in China. The exports from Bombay to that country during 1880 amounted to only 19,128 chests as compared with 25,552 chests in 1879. The Indian drug is also said to be giving way in favor of that grown in Persia and in China itself.

The goods traffic interchanged with foreign lines exhibits a large decrease during the year as compared with 1879. This decrease, which amounts to Rs. 28,35,320, is made up as follows :-

		Increase.	Decrease.
affic interchanged with the-		Rs.	Rs.
East Indian Railway		*****	24,60,787
Madras Railway		******	2,33,102
Bombay, Baroda and Central India Railway	·	******	1,59,287
Holkar and Sindia-Neemuch Railway		8,711	-,
Dhond and Manmad Railway		1,14,412	
Khamgaon Railway			1,28,180
Amraoti Railway			1,67,847
Wardha Coal Railway		72,324	12013021
Nizam's Railway		1 - 10- 2	80,433
Nagpur and Chhattisgarh Railway		1,98,369	00,433
••••••••••••••••••••••••••••••••••••••		-,00,000	* ******
C Total	±]	3,93,816	32,29,136
Deduct increases		0)-0)010	
		207364	8,93,816
Not decrease during 1880			28,35,320

·• *

e

.

The large decrease in traffic interchanged with the East Indian Railway occurred mainly in foodgrains received from that line, in which alone a falling off of 23,87,138 maunds and Rs. 18,37,885 was recorded. The traffic in wheat, sugar, and jagri and spice seeds also declined to a considerable extent. Most of the decreases shown above against other lines may be set down as due to the falling off in foodgrains. A large increase appears against the Nagpur and Chhattisgarh State Railway, which is merely nominal, as that line was not opened for traffic during 1879.

The average mileage over which the total public merchandise traffic of all classes was conveyed during the year is shown below in comparison with that for 1879 :---

			1880.		1879.
*	e a ser e	•	Miles.		Miles.
•.	Soth June		819		352
	Slst December	***	323	•	821
•	Mean for the year		821		336
1	• • •		N	· · · · · · · · · ·	

Decrease in 1880, 151 miles.

.The amount received during the year for haulage for rolling stock, viz., Rs. 1,06,127, was principally on account of—

				Ks.
Punjab Northern Railway	***	\$ 4 %	d ba	70,224
Dhond and Manmad	449			15,005
Madras		***		13,071
Nizam's	***	***	***	8,987
Wardha Coal	418	, 842	± # #	2,014
Patna-Gya		4#3 ·	112	1,135

The total paying weight of goods carried during the year (*i.e.*, exclusive of 208,812 tons of stores carried free on revenue account) was 1,112,766 tons against 1;098,953 tons in 1879. There was thus, notwithstanding the decrease in receipts which has been pointed out, an actual increase in the paying weight lifted during 1880. The average rates per ton per mile obtained for goods of *all* classes compare as follows with those for 1879—

-				1880.	1879.	Increase in 1880.
-	. •		•	Pies.	Ples.	Pice.
•	İst half	111		9.76	9 -38	0.38
	2nd "	 		9.92	9.73	0.19

but the average distances over which goods of all classes were carried were \$17 miles only during the first half of 1880 against \$47 miles during the corresponding half of 1879. During the second halves of the two years the distances were practically the same, viz., \$18.64 miles in 1880 against \$17.90 miles in 1879.

The goods train mileage, including, as in the case of coaching traffic, a proportion of the mileage derived from mixed trains, is compared in the following table with that similarly run for 1879:-

	•		1880.			
· · · · · · · · · · · · · · · · · · ·			1980.	1879.	Increase.	Decrease.
Half-year ending						
30th Juns	(1)	144	2,296,927	2,730,717	88+175	433,790
Slst December	***	64 1	1,590,606	•1,478,752	111,854	948
	Total		8,887,533	• 4,209,489	111,854	433,790
• •			·	Net decrease	in 1880	821,936

- -

1. 2. ł .

.

The average rate per train mile at which the goods receipts accrued to the Company was Rs. 4-11-4 against Rs. 4-6-5 in 1879. These results are somewhat better than those calculated in this way under coaching traffic, and point to a satisfactory working of the goods train service during the year.

TELEGRAPH TRAFFIC.

The number of paid messages sent during the year was 60,549 against 51,391 in 1879 an increase of 18 per cent. This gave rise to an increase in earnings of Rs. 4,420.

SUNDRIES.

The net decrease of Rs. 56,521 in earnings under this head is made up of the fluctuations. shown in the following table :----

·		1		1070	1880).
Particulars.			1880.	1879.	Increase.	Decrease.
				Re.	Rs.	Rs.
Hire of locomotives			47,923	1,562	46,361	899
	324	, 1••	18,950	1,27,925	•i)	1,08,975
p oranes	ent.	19)	203	143	60	. <i>ș</i> ea
Mileage of vehicles over foreign lines.			1,87,423	2,59,193	414	1,770
Rents of joint stations	б. 191	•70	14,459	10,979	3,480	t 101
interest on stores, &c., at stations	***	•••	615	520	95	
Insurance on opium, specie, &c.	***	hes	1,719	27,457		25,738
Foll on Carnac Bandar traffic	848_	***	29,615	28,988	627	3 1984 -
Bents of dwelling-houses	***]	80,367	78,556	1,811	\$1 5
" refreshment-rooms "	***	u≱•	10,362	9,868	494	. 124
Hire of Khamgaon line	###	•• •	140		140	1 101
Commission on town dues	\$ 77 .		6,334	6,965	. (1)	631
Fees on share transfers	344	¥*• .	5,260	6,584	;	1,324
Sales of unclaimed and damaged good	, ee L	1 17	17,085	12,519	4,566	1. 197.
Unpaid or unclaimed salaries	***		4,912	6,151	* - * #**	. 1,239
Sales of grass	A10	b a.	4,688	4, 257	· 991	·
Profits of workshops	205		3,778	526	3,252	,.,
Salas of revenue stores		***	19,574	27,635	354	8,06]
	Total	***	4,53,307	6,09,828	61,217	2,17,730
		i		Net decrease i	n 1880 .,	56,52

The increase under "Hire of locomotives" is due to a number of engines having been lent to the Punjab Northern and Dhond and Manmad State lines. The falling off under "Hire to the Punjab Northern and Dhond and Manmad State lines. The failing of under "files of vehicles" and "Mileage of vehicles over foreign lines," which go together, is the result of the large decrease in traffic interchanged with foreign railwayr, which has just been noticed. The other, variations are not important, except as regards the decrease under "Insurance on opium, specie, &o.," which is due to the abolition of compulsory insurance of the former.

£

Guaranteed Railways.] ADMINISTRATION REPORT FOR 1880-81.

WORKING EXPENSES.
The net-decrease during the year, as already shown, was Rs. 12,26,024, which is made up
of the following

1	1880.	1879.	1880	L
		10/9.	Increase.	Decrease.
	Rs.	Ra.	Re.	Re.
***	34,58,658	41,08,375		6,49,717
	48,88,406	52,54,095		8,65,689
	19,35,515	16,41,886	2,93,629	******
•••	20,94,590	21,83,325	*****	1,48,735
	10,35,717	11,00,848	*****	65,131
2.51	4 ,94,816 -	7,85,197	\$ * * * * *	2,90,381
***	1,38,47,702	1,50,79,726	2,93,629	15,19,65
•		•]		
	1	Net decreme in	1880	12,26,02
	 	Rs. 34,58,658 48,88,406 19,35,515 20,34,590 10,35,717 4,94,816 1,38,47,702	Rs. Rs. 34,58,658 41,08,375 48,88,406 52,54,095 19,35,515 16,41,886 20,34,590 21,83,325 10,35,717 11,00,848 4,94,816 7,85,197 1,38,47,702 1,50,73,726	Rs. Ra. Ra. 34,58,658 41,08,375 34,58,658 41,08,375 48,88,406 52,54,095 19,35,515 16,41,886 2,03,629 20,34,590 21,83,325 10,35,717 11,00,848 4,94,816 7,85,197 1,38,47,702 1,50,73,726 2,93,629

The saving of Rs. 6,49,717 under "Maintenance of way, works, and stations" is equiv-alent to 15 per cent. of the outlay for 1879, and is the result of the several variations in the main heads of Abstract A, shown below :--

Main beads of Ab	atmat A		1880.	1879.	1860.		
t MELL DERUS OF AU	на нсі д,	.	1000.	1019.	Increase.	Decrease.	
·····			Rs.	Rs.	Re.	Ra.	
General superintendence	***	•••	3,82,895	4,02,571	*****	19,676	
Permanent-way	***	•••	22,83,092	28,27,911		5,44,819	
Bridges, &c	L 644		4,33,362	8,84,551	48,811	*****	
Stations and buildings	ş= 1	5	2,00,074	2,75,336		75,202	
New minor works	•••		6,078	3,762	2,316	*****	
Unclassified expenditure	\$*4 #		1,79,920	2,35,716	\$*** * *	55,796	
. · · ·			34,85,421	41,29,847	51,127	6,95,653	
Leve	•						
Transfers and special funds		3 55	26,763	21,472	5,291		
	Net outlay		34 ,58,658	41,08,375	45,836	6,9 5,55 3	
-	•	*-	Net	decrease in 18	30 <i></i> .	6,49,717	
					-		

•

ADMINISTRATION REPORT FOR 1880-81. [Guaranteed Railways. 5

25.1

Of the net decrease shown above, 84 per cent. occurs under the head "Maintenance and renewal of permanent-way." This appears to be due generally to lesser work having been found necessary during the year, in consequence of the thoroughness with which the line was maintained during previous periods. Operations are believed also to have been restricted to some extent by the want of material, 45 miles of permanent-way complete having been sold to Government for use on the Sukkur-Quetta State Railway. Under "General superintendence," which as a rule includes charges of a fixed nature, the comparatively large saying of nearly Re 20 000 is morely and in the superintendence of the second secon Rs. 20,000 is merely nominal, and is due partly to the absence of officers on furlough during the year, and partly to the expenditure for 1879 having included a bonus of Rs. 10,000 to an engineer on his retirement from the Company's service. The increase under "Bridges, &c.," arises mainly from the erection of a new wire fencing on districts 1, 2 and 4, and from the substitution of stone for wooden posts on district No. 3. Under "Stations and buildings" part of the saving shown is the result of an exceptional debit in 1879 to the extent of Rs. 21,000 for 10 years' arrears of maintenance of the Jubbulpore joint station, which, by an over-sight apparently on the part of the East Indian Railway, was not billed for from time to thme as it should have been. There was also lesser outlay during 1880 on special works chargeable to revenue. The saving under "Unclassified expenditure" is directly due to the lesser outlay under permanent-way, which led to a smaller sum being charged to revenue on account of "loss by exchange" on permanent-way stores purchased in England.

The next main head of revenue outlay, viz., "Locomotive expenses," exhibits a decrease of Rs. 3,65,689, which is equal to about 7 per cent. of the outlay for 1879. Details of this will be found in the following statement. It is made up of a saving of Rs. 4,47,781 in the first half, reduced by an excess of Rs. 82,092 in the second half of 1880 as compared with 1879 :-

36 1 . 1 1	6 11 4 4	D		tana		188	30.
<u>Alani heada</u>	of Abstract	В.		1880.	1879.	Increase.	Decrease.
		•		Rs.	Rs.	Rs.	Rs.
General superintendence	* **	***	693	3,13,936	2,97,617	16,319	*****
Running expenses	•••			11,68,731	12,28,553	******	59,822
Fuel	•••	2.85		19,34,240	21,79,057		2,44,817
Water	490	***		1,10,479	1,04,949	5,530	#141774
Oil, tallow, &c	234	***	***	1,70,892	1,95,949		. 25,057
Maintenance, &c., of locon	10tives, &c.	**1		9,80,825	9,90,325		. 9,500
New minor works	3#2	. ***	487	2,418	4,927	*****	2,509
Unclassified expenditure	234		63 3	2,06,885	2,52,718		45,833
	1	Total	•••	48,88,406	52,54,095	21,849	3,87,538
, t	~	•		• •	Net decrease in	a 188 0	3,65,689

The increase under "General superintendence" is caused by the filling up of certain appoint-ments which were vacant in 1879. These were the assistant superintendentships at Sholapur and Budnera, the foundry foremanship and assistant foremanship of the smith-shops at Parel, and the running shed inspectorship at Byculla. It may be noted here that the revised organisation of the locomotive establishments which was sanctioned by Government and the Board took effect from the 1st July 1880, and that some of the changes noticed above was the Part of the increase is also due to lesser amount having been transferred in 1880 to result. debit of capital account of departmental supervision connected with the construction of rolling stock, paid for in the first instance by revenue.

The decrease of Rs. 59,822 under "Running expenses" may be set down to the decreased engine mileage run during the year, which amounted to only 6,580,101 miles, against 6,926,626 miles in 1879. The proportion of overtime allowances to drivers and firemen as compared with the fixed wages was 52 per cent. in 1880 against 54 per cent. in 1879. The head "Fuel" shows a large saving of Rs. 2,44,817, which is about 67 per cent. of the net de-crease under all heads. The quantity used decreased correspondingly to the extent of 13,266 tons. These results are no doubt due generally to the decreased engine mileage run during the year, as just noticed; but the following further particulars will be

Guaranteed Railways.] ADMINISTRATION REPORT FOR 1880-81.

÷ • • 3 1880. . Description. 1880. 1879. Increase. Decrease Tons. Tons. Tons. Tons. English 83,542 91,031 7,489 Warrors 9,085 18,547 9,462 Bengal 9,379 12,389 8,010 *** Mobpaní 12,787 6,621 6,166 .. **1**61 Total 114,799 128,588 6,166 19,961 ... 13,795 Net decrease in 1880

interesting. The quantities of the various descriptions of coal used during 1880 compare as follows with those for 1879 :---

The following table shows particulars of the results recorded in connection with the consumption of coal during the two halves of the year compared with 1879 :---

•						90тя J	UNR.	SIST DECEMBER.		
						1879.	1880.	1879.	1880.	
					· -	Tons.	Tons.	Tons.	Tons:	
Quantity consumed	• {	English Indian	•	6 D 2		56,305 22,321	46,461 20,740	* 84,726 15,236	87,081 10,511	
•	-				{	Rs.	Rs.	Rs.	Re.	
Cost per ton	.{	English Indian Average		\$\$\$ 1=2 ,	897 251 344	19·37 11·01 16·81	18·19 9·5 16·01	18.62 13.06 16.92	19-18 13-12 17/87	
		•				٨.	Ås.	Ás.	Ås.	
Cost per engine mile	***	***	161	+=>		5 ·16	4 ∙70	4.78	4.65	
					[Ъз.	1Ъв. (lbe.	Тья.	
Quantity used per mile			F #1			43·11	41-18	89-39	86-45	

The quantities of the various kinds of coal received by the Company and the average cost of each per ton during the two halves of the year are compared with the corresponding period of \cdot 1879 in the subjoined statement :---

					ا • که ا	. 30тя	Sler DECEMBES.		
		Descr	iption.		. •	1879.	1880,	1879.	1880.
English	••••			Quantity Cost per ton	·	Tons. 31,088 Rs. 19-8-0	Tons. 42,089 Rs. 18-3-2		Tons. 42,031 Rs. 18-10-2
Nerbudda	***	***	479	Quantity Cost per ton	***	Tons. 5,773 Ra. 9-0-0			Tons. 2,303 Rs. 9-0-0
Bengal	490	4a's		Quantity Cost per ton	843 743	Tons. 8,890 Rs. 19-8-6	Tons. 1,873 Re. 19-3-6	Tons. 7,193 Rs. 19-7-8	Tons. 8,125 Rs. 19-11-3
Barrakar	49-	 743	u##	{ Quantity { Cost per ton	240 845	***	Tons. 961 Re. 19-9-0	enn 171	Tons. 2,940 Rs. 19-8-5
Warton	•••	443	•	{ Quantity Cost per ton	***	Tons. 10,290 Rs. 7-7-8			Tons. 8,152 Ke. 6-7-6

The rate per ton shown against English coal includes landing in Bombay; that for Nerbudda - coal is the rate paid at the mine, including loading into trucks; those for Bengal and

				30rn June.			•	31er Decembee.			
				1	879.	18	880.	1	879.	1	880.
Quantity consumed	24 8 1	\$# 9	***	Tons	732	Tons	1,134	Tons	· 839	Tons	956
Cost per ton		3+3	***	Rs.	4-15-7	Rs.	5-5-4`	Rs.	.5-6-1	Rs.	517
Cost per train mile	***	141	877	As.	0.02	As .	0.03	Å 3.	0.03	Ås.	0.03
lost per engine mile	***				0.01	я	0.03	33 73	0.02	` 11	0.03
Quantity used per train n	nile	•••		1bs.	0.42	lbs.	0.77	lbs.	0 75	Įbs.	0.82
Ditto engine	mile	***		n	0.40	*	0-69	19	0.86	53	0.73

Barrakar coal include freight to Jubbulpore, and that for Warrora coal includes freight to Wardha.

The decreased charge on account of oil, tallow, waste, &c., expended on engines in work is due to reduced prices paid for the former during 1880, cocoanut oil having been purchased at an average of Rs. 16-10 per cwt. in that year against Rs. 20-5-6 in 1872, and castor oil at Rs. 14-6 against Rs. 19-4.

The next head of the locomotive expenditure, viz., "Maintenance of engines, &c.," shows a small saving of Rs. 9,500; but in passing the revenue account for the first-half of 1880, the Acting Consulting Engineer for Railways stated that he "could not certify that sufficient had been done during the half-year towards maintenance of the Company's rolling stock, and that he had recommended that one lakh of rupees should be reserved, from net earnings as expenditure properly due to the period." Of this sum, Rs. 30,000 was separately stated to be due to short outlay on the maintenance of engines. The Company's officers demurred to this view of the condition of its rolling stock, and the matter was some time under correspondence between the Secretary of State and the Board of Directors, the result of which was that the surplus profits of the half-year were divided without regard to the retention of the one lakh of rupees referred to above, but the deduction thereof was held over temporarily and the question was referred back to the authorities in India for further inquiry and report.

The accounts of the first half of the year include charges for two new Kitson's passenger engines placed on the line in substitution of two condemned light passenger engines by the same makers which had been running since 1856 and 1857, the distance run by both together during their lifetime having been 549,724 miles. During the latter half of the year five new engines were also put on the line in replacement of the five Dübs' engines sold to Government for State Railways in 1879, and a sixth in replacement of an old passenger engine condemned as unserviceable and broken up.

- The decrease under "Unclassified expenditure" is due to a lesser sum having been charged as "loss by exchange," the quantity of English coal used having been less than in 1879, as already shown.

The total locomotive expenses, divided over the net train mileage, give the following results as compared with 1879:---

-		1880.	1050	1880.	
		1880.	1879.	Increase.	Decrease.
	. –	 Дз.	Asr	As.	 As.
irst half	. 111	12.47	13 [.] 33	A. 274	0.86
coond half	••••	14.33	- 14 31	0.02	444
. Mean	*	. 13 [.] 40	13-82	0.01	0.43
		Net me	ean decrease in	1890	0.42

172

"Carriage and Wagon expenses" is the only head of working which shows an increase during the year as compared with 1879. This amounts to Rs. 2,93,629, particulars of which `are set forth below :-

Main heads of Abstract C.	1880.	1879.	188	0.
Man nears of Austract C.	1000.	10/8.	Increase.	Decrease.
	Rs.	Rs.	 Ra.	Re.
Repairs of coaching vehicles		77,644 4.36,748 8,71,158 1,96,994 67,844	16,380 2,07,165 79,000 17,014	 17,105
Less-	19,52,740	16,50,286	8,19,559	17,100
There we are a fact that the second second the second seco	17,225	8,400	8,825	\$\$ \$\$\$\$
	19,35,515	16,41,886	8,10,734	17,10
ζ. ο. •	Net increase	in 1880	2,93,629	1919:2

The increase under "General superintendence" is, as in the case of Locomotive expenses, due to certain new appointments having been made during the year and to certain vacancies which existed in 1879 having been filled up, that is, an Assistant Superintendent and a Foreman Carriage Examiner were appointed at Bori Bandar and the Trimming and Painting Shop Foreman's place at Parel was filled up." The increase under "Repairs of coaching and goods vehicles," taken together, amounts to Rs. 2,86,165, and the remarks just made respecting repairs of engines are applicable to this head also. The expenditure on this account during the year was very unequally distributed between its two halves, Rs. 8,99,000 having been booked during the second or deficit, against only Rs. 6,95,000 in the first or surplus, half. The other heads of this abstract present no features of importance. of this abstract present no features of importance.

"Traffic expenses" have decreased to the extent of Rs. 1,48,735, being nearly 10 per cent. of the outlay during 1879. The following table shows how this saving is made up :-

Main heads of A	hataa di TS	~ • •	1880.	1879.	1880,		
Main Heads of A	osurnet D.	•	-	701.91	Increase.	Decrease.	
			Re.	Rs.	Re.	Rs,	
General superintendence Station staff Frein staff Fuel, &c., and general stores Clothing Printing, stationery, and tickets Delivery of parcels Miscellaneous expenses Payments to other lines Unclassified expenditure			2,34,851 8,35,126 6,09,132 1,81,774 28,981 75,251 8,746 4,708 43,787 17,234	2,39,355 8,42,796 6,54,027 2,45,096 83,290 90,112 8,987 7,999 46,075 27,188	1,496	7,670 44,895 63,322 4,309 14,561 8,291 2,258 9,954	
· · · · · · · · · · · · · · · · · · ·	Total	\$ =>	20,34,590	21,83,325	• 1,855	1,50,590	
.•				Net decrease	in 1880	1,48,730	

The decrease in Station staff is due to several crossing stations which were opened in 1879 having been closed during the year. The employment of a lesser number of guards and brakesmen accounts for the decrease under Train staff, an average of 100 men a month having been at work against 111 in 1879. The largest saving in the abstract appears under "Fuel and general stores," and is due to several causes. The closure of the crossing stations just mentioned led to a saving in the consumption of oil, and the latter was obtained at lower rates during the year, as previously explained. Kerosine was also to a large extent substituted for tocoanut oil during the year. The decrease is further swelled by no tarpaulins and but few ropes Т,

having been issued during the first half of the year. The only other head in the abstract, which appears to require explanation is "Printing, stationery, and tickets," the decrease under which is due to the outlay for 1879 having been abnormally swelled by the printing of new books of rates and fares, by the issue of a large number of new telegraph books, and by a number of obsolete forms and books having been withdrawn from stock during that year.

The next main head of working, "General charges," shows a small saving of . Rs. 65,131, of which details are given in the following statement :---

· .						1880.		
Main hesde	of Abstr	act E.	•	1880.	1879.	Increase.	Decrease.	
ome expenditure	£\$\$	117 117		Rs. 94,671	Rs. 95,718	Rs.	Rs. 1,047	
dian managoment—			-				موجد	
Salaries, &c., of gene	oral officer		•**	4,44,267	4,44,604		337.	
Rents and other char	gea	***	` .]	80,955	79,407	1,548		
Police	***	\$ =\$		1,76,681	1,79,826		3,145	
Advertising	# #>	***	. •••.	4,188	3,227	961	C.	
Electric telegraph	468			2,19,605	2,76,687	121442	37,082	
Unclassified expendi	ture .	283	***	15,350	21,379	*****	6,029	
		Total	411	10,35,717	11,00,548	2,509	67,640	
	•	•	<u>ن</u>	1	Net decrease in	1880	65,131	

The most noticeable feature in the above table is the saving of Rs. 57,082 under "Electric telegraph." This was occasioned by a part of the outlay on the provision and fixing of block signalling instruments, which was charged to revenue in 1879, having been written back, under due sanction, to debit of capital during the first half of 1880. The block system of signalling, which was extended from Budnera to Nagpur during the year, is now in force all over the line. The subjoined statement shows the numbers of paid messages -despatched during the two years and the average cost and receipt per message :--

4.				Number of paid messages.	Average cost of each.	Average receipts from each.	Net loss per message.
s •				Rs.	Rs.	Rs.	Rs.
First half of	{1879 {1880 {1879	122 95 <u>9</u> 884		27,806 29,852 23,585	5·58 3·15 5·16	0-99 0-90 0-99	4-60 2-25 4-17
Second half of	1880	***	***	80,697	4.09	0.92	3.17

It should be stated, however, that the following number of *service* messages were also despatched during the four periods named above :--

First half of {1879	***	•••	195	1	1,181,531	
	***	***			654,755	•
Second half of $\begin{cases} 1879\\ 1880 \end{cases}$	324			·	473,730	
(1880	484	***		***	565,009	

Reducing the average cost per message by these, the profit per message was as follows :----

	•	•	Average receipt, As,	Average cost. As.	Net profit, As.
First half of {1879 1880		•••	15.68	2 ·05	13.63
	***	•••	14:40	2.50	12.20
Second half of $\begin{cases} 1879\\ 1880 \end{cases}$	***	*** *	15-84	8·91	11.93
Second hair of [1880.	***	. +81	14-72	8.37	11-35
с.		*		1	
A				-	, ¹ *

174

175

It may be noted as regards Police that from the commencement of 1881 a part of the cost not exceeding 30 per cent. of the whole will be borne by Government as representing the cost of police kept up for the preservation of law and order as distinct from watch and ward. The saving of Rs. 6,029 which appears under "Unclassified expenditure" is entirely due to lesser debits for "loss by exchange" on English stores charged to revenue.

"Special and miscellaneous expenses" show a larger relative saving than any other main head of working, the decrease of Rs. 2,90,381 being equivalent to 37 per cent. of the outlay for 1879. The variations in detail will be seen below :--

Main heads of Abstract G.	1880.	1879.	1880,			
	10014	10/0.	Increase.	Decrease.		
	· Ra.	Rs.	Ra.	Ra.		
Law charges Compensation Rates and taxes Payments to other lines Miscellaneous	(Cr.) 2,870 11,941 34,950 4,48,544 12,073	40,524 1,47,891 13,863 6,05,667 516	21,087 11,557	43.394 1,35,950 1,57,123		
Less-Transferred to Fire Insurance Fund,	5,04,638 9,822	. 8,08,461 23,264	82,644 	8,36,467 ., 13,442		
Net outlay	4,94,816	7,85,197	82,644	8,23,025 -		
	<u></u>	Net decrea	se in 1880	* 2,90,381		

The heads "Law charges" and "Compensation" may be treated together, the saving under both being due to fewer claims made against the Company in connection with the losses during the famine traffic of 1877. Most of these claims were settled during 1878 and 1879, which swelled the payments during those years to an abnormal extent. The large increase under "Rates and taxes" is due to five years to an abnormal extent. The mige me bad been previously in dispute, having been paid to the Bombay Municipality during 1880. The head "Payments to other lines" exhibits a noteworthy saving of Rs. 1,57,123, which is equivalent to 54 per cent. of the total saving appearing in the abstract. This was due to the large falling off in traffic received from foreign lines, as explained in the remarks on the mer-chandise traffic of the year. The transactions of the year in regard to rolling stock interchanged with other lines show a balance of Rs. 1,72,495 against the Company, as particularised below :--

				Ka,	А.	r.	
Paid to	East Indian Railway	***	494	1,96,674		0	
	Bombay, Baroda and Central	India Railway	***	1,18,495		0	
17 73	Madras Railway	141	***	25,902	10	0	,
	Nizam's Rilway	. 4##	***	6,825	1	8	
17 - 13 -	Wardha Coal Railway	***	424	11,075	9	0	
	Dhond and Manmad Railway			945	3	0	
				3,59,918	- ¥	- Q	

Less Re

eceived from-		_		_				
			Δ.		•			
East Indian Railway		97,491	0	0		2.44	4 - 19.	•
Bombay, Baroda and Central	India	•	•					
Railway		6,842	1	0				
Madras Railway	424	28,209		0				ř
Nizam's Railway	188	21,824		0				*
Wardha Coal Railway	141	1,235		0				
Dhond and Manmad Railway		83,629		0				
Amraoti Railway	101	191	_	0				
,	و دید			are at	1,87,423	8	0	
	•••	a · 1·			1 79 401	15		

Net amount paid to foreign lines ... 1,72,491 15

The increase of Rs. 11,557 under Miscellaneous is due to outlay on account of education, which was formerly charged to the various departments, now being included in this abstract. A sum of Rs. 3,000 was also specially disbursed during 1850 as a contribution towards the erection of a hospital at Jubbulpora.

Godhra Extension .--- This was sanctioned in the month of March 1881, and a contract for the construction of the work, with the exception Bombay, Baroda and Central India of the low level bridge over the Mahi, which it is proposed to construct departmentally, has been Railway. ٥ let to Mr. Nowroji Pistonji, who has on previous occasions carried out works for the Itailway Company and Government. ٠.

f

Nerbudda Viaduct.—The progress with the work has been satisfactory. It was nearly completed* at the close of the year. The Company's Consulting Engineer, Sir J. Hawkshaw, was

led by the disaster to the Tay Bridge in 1879 to make some additions to the design for the Nerbudda bridge in the form of wind-ties between the upper booms of the main girders and short girders between the pier columns at low-water level. These are being fixed.

The old bridge will be removed as soon as possible after the new bridge is opened, and the effect of its removal on the direction taken by the stream in future monsoon floods will be observed. Hopes are entertained that the erosion of the south bank of the river above bridge will cease, and in any case it will be some time before it turns the abutment of the new bridge, which extends 480 feet further to the south than the old one; but it is probable that the embankment forming the approach to the bridge from the south will require further protection by means of spurs along the eastern or up-stream face.

A revised estimate for the Broach station was sanctioned. The construction of the station is in progress, and it will, it is hoped, be ready for use in the course of a few months.

The junction station for passengers at Ahmedabad has met requirements so far, but it is proposed to roof in the State Railway platform; and in order to meet the wants of first and second class through passengers, the number of which is likely to increase, it is proposed. to provide a block of waiting rooms, refreshment rooms, and lavatories, with certain amount of sleeping accommodation as part of the joint station. Meanwhile certain minor alterations have been made in the arrangements of the rooms in the existing building.

The junction station for interchange of goods at Sabarmati has been found inadequate for the heavy traffic requiring transhipment, and alterations are proposed with a view for providing for the prompt interchange of goods between the two railways and for dealing with a much larger traffic than that of this season.

The junction arrangements with the Bhavnagar-Gondal Railway at Wadhwan have met the requirements of this season, but require some improvement in the shape of increased accommodation for passengers.

The new station at Parel was completed.

The following minor works were carried out during the year :---

New station at Parel.

Additional signalling arrangements at Grant Road, Mahim, and Bandora. Erection of running shed at Bulsar.

Water-crane and engine-lift at Ahmedabad.

Protection from monsoon for passenger platforms at Marine lines and Charni Road

Construction of Locomotive and Rolling Stock.

The construction of the following new stock was sanctioned during the year-

10	goods engines	i .	***		May 1880
6	first class carriages	Ŧ.±			February 1881
2 00	high-sided wagons				
67	covered goods	** * [*]	***	****	
	goods brakes	***	111		بر
harag	goode haing huilt to	monlage the		£ .	

Also to 18 covered goods being built to replace the same number of condemned ballast wagons.

Capital,

The state of the capital account as it existed at the close of 1880 is set forth below :---

Capital authorised Capital subscribed	***	***	£ 8,675,000	Rs. 9,46,36,363	
Capital expended—	***		8,156,937	8,89,84,767	•
— . — . .	•	£			
On construction account		7,528,555			
" stores on stock	د ه فر	827,823		۳ ⁴	
" suspense accounts	141	87,313			
Balance available			7,767,065	8,47,31,626	
Of capital authorised	***		907,935	99,04,737	
Amount expended on-	***	\$# #	389,872	42,53,141	
Way and works Rolling stock	484		6,419,908	7,00,85,863	
Average expenditure per mile-	***		1,106,647	1,20,72,512	
On way and works	•••	***	14,459	1,57,734	
" rolling stock			2,492	27,185	

There was a new credit during the year to the construction account of £19,668 (Rs. 2,14,560). This was mainly the result of the transfer from revenue of Rs. 11,67,693, being the surplus profits of the Company earned during the first half of the year. These, according

c

5

to agreement, were paid over to capital in reduction of the cost of the new Nerbudda bridge. There was also a credit to capital of £25,000 (Rs. 2,72,727), which was the contribution from the Fire Insurance Fund on the same account. The construction expenditure of the year was further reduced by credits amounting to Rs. 2,69,076, being the value of duplicate parts of engines, which were charged to capital when the engines were placed on the line, but which remained in stock and were used subsequently to the extent of Rs. 1,93,727 five of charge in repairs and renewals during non-surplus half-years. The matter came to light on the recent transfer of locomotive stocks from the Locomotive Superintendent to the Storekeeper, and the necessary adjustments were passed through the accounts and admitted provisionally by the Consulting Engineer, subject to the sanction of Government. Of the value of duplicate parts originally charged in error to the construction account, a portion, to the extent of Rs. 70,349, remained on hand at close of the year, and was accordingly written back to the debit of general stores.

In addition to the credits named above aggregating Rs. 2,69,076, which were taken to represent the value of duplicate parts used free of charge during non-surplus half-years (viz., Rs. 1,98,727), plus the value of parts remaining unused at the close of year (viz., Rs. 70,319), a further credit of Rs. 46,760 was proposed to be given to capital by debit to revenue during the first or surplus half of 1881 as representing the value of duplicate parts used during past surplus periods. The total charge to revenue, vis., Rs. 2,45,437, was divided in these proportions between a non-surplus and a surplus period, on the ground that during the 21 years in which revenue escaped charge there were 34 of the former and 8 of the latter periods, so that 34 of the total sum was charged to revenue during the second half of 1880 and $\frac{8}{42}$ held over to be charged during the first half of 1881. On the representation, however, of the Consulting Engineer for Railways, the Government of India have since decided that this distribution is not strictly equitable; and, on the ground that the engines were few in number and needed little renewal during the first 10 years of their lives, it has been ordered that this period should be excluded from the calculation altogether. During 11 years that remained surplus profits were earned eight times up to the close of 1830, so the total charge to revenue, viz., Rs. 2,45,487, has now to be divided between the last half of 1980 and the first half of 1881 in the proportions of $\frac{14}{53}$ and $\frac{0}{53}$ respectively, which gives Rs. 1,56,219 against the former and Rs. 89,268 against the latter period.

Excluding these large and some smaller special credits to capital, the actual outlay on works during the year was Rs. 15,16,182, which was incurred principally on the following projects :-

· · · · · · · · · · · · · · · · · · ·			•	Rs.
New Nerbudda bridge	***	***	***	7,61,809
Strengthening Sampta bridge		• • •	***	16,268
" Dysar " …			***	10,207
Sabarmati junction, platform, &c.			***	12,719
staff quarters	***	***	***	26,739
Ahmedabad post office building	***			6,822
Broach additions and alterations	** 1		**1	30,417
Baroda water-supply	* * * *	***	***	5,736
Parel, police and porters' quarters			{##	6,717
new station and well			•••	10,858
Bandora overbridge	***	***	***	7,722
Rolling stock-				
Engines	344	***	189	1,98,800
Carriages and wagons	8 34 p		1 * *	1,88,097
Establishments		4#+	***	53,877

The outlay on locomotive stock was mainly on the erection of 8 additional passenger Engines, which after considerable correspondence was sanctioned by the Government of India in March 1879. The original proposal, which was made in view of the opening of the Western Rajputana State Railway, was for the erection of 10 engines; but this number was afterwards reduced to eight. The expenditure on carriage and wagon stock was booked principally on account of the "construction of 10 second and 60 third class carriages" which was sanctioned by the Government of India in the same month as the engines referred to above on the insufficiency of the then existing numbers of those classes of stock being represented to on the insufficiency of the then existing numbers of those classes of stock being represented to them by this Government. The building of a post office within railway limits at the Ahmedabad station was undertaken by the Company on behalf of the Postal Department, who are to pay a rental to the Company of 7‡ per cent. per annum on its capital cost, in addition to the actual expenditure incurred half-yearly on account of repairs. It was also stipulated that in the event of the Postal Department desiring at any time to relinquish the building, its capital cost should be refunded to the Company, that department being entitled to remove the materials. (It may be mentioned that buildings are being erected on these terms at Bhusawal, Khandwa, and Wadi on the Great Indian Peninsula Railway, but that no expenditure was reported against any of them up to the close of the year.) As regards the outlay on the new. Nerbudda bridge, it may be noted that, up to the close of the year, funds to the extent of Rs. 28.14.970 bridge, it may be noted that, up to the close of the year, funds to the extent of Rs. 28,14,970 had been provided for its erection out of the surplus profits earned by the Company during the

first halves of 1877, 1878, 1879 and 1880, supplemented by Rs. 2,72,727 contributed by the Fire Insurance Fund, so that less than 3½ lakhs will be required from the surplus profits of the first half of 1881 to cover its estimated cost of 34½ lakhs. It will thus be seen that capital has not been called upon to bear any portion of its cost.

The stores suspense account of the Company, including the value of materials in transits shows a net reduction of Rs. 2,10,735 during the year; but the balance of stocks in hand at its close is still about 141 lakhs in excess of the limit of capital provisionally assigned by the Government of India to be locked up on this account, which was fixed at Rs. 211 lakhs. It will take some time at the present rate of reduction to bring the stocks down to this limit, but due attention will continue to be given to the matter.

On other capital suspense accounts a net credit balance of Rs. 9,52,500 (£87,313) appears is at the close of the year. This is due to the large payment of upwards of 6 lakhs which was made to the Company *in advance* in March 1879 for the construction of 330 vehicles for State, lines. The amount was credited to a suspense account, which, however, was not adjusted at the close of the year, as the whole of the stock had not been constructed and delivered then; but an taearly settlement is now probable, as final bills have been submitted by the Company's The balance of subscribed capital available to the Company on the 31st December 1889 was £389,872, about a fourth of which will probably be absorbed in the construction of the Godhra extension, which was recently sanctioned.

The guaranteed interest paid for the year amounted, both in England and India, to $\pounds400,515$ (Rs. 43,69,254), which raised the total payments from the commencement on this account to $\pounds6,862,980$, or about 84 per cent. of the subscribed capital. The net amount earned again on revenue account, including the surpluses transferred to capital in aid of the new Nefbudda bridge, was $\pounds3,897,860$, or about 57 per cent. thereof, so that 43 per cent., or nearly one-half of the guaranteed interest paid to the Company, had been short-earned at close of the year; but the deficit will no doubt be sensibly reduced in future, as both the second and first halves of coming years are expected to show surplus profits. The average rate at which the guarantee was paid to the Company during the year on its interest-bearing capital was 4.93 per cent., while the net earnings thereon averaged 5.34 per cent., so that for the whole year the net earnings covered the guarantee; but allowing for the payment to capital of the surplus profits of its first half, the balance of net earnings was only equal to 4.02 of the interest-bearing capital.

REVENUE.

The general results of working during the official year 1880-81 in comparison with those for 1879-80 are noted below ;--

	Main hard-		1000.01	1050 00	1880	-81.
	Main heads.		1880-81.	1879-80.	Increase.	Decrease.
	· ·		Rs.	Rs.	Rs.	Rs.
Gross earnings Gross expenses	Net earnings	₽₹¢ 4₹₹ 8,94	85,61,215 35,61,678 49,99,537	70,23,662 33,28,296 36,95,366	15,37,553 2,33,382 13,04,171	1971. 48 ⁷⁷ 2459

For the reasons given in the Review of the working of the Great Indian Peninsula Railway, the results of the calendar year 1880 will, however, now be considered in relation to those for 1879. These will be found compared in the next table :---

						• 1880,		
			•	1880.	-1879	Increase,	Decrease.	
				Rs.	Rs.	Rs.	• R ₄ ,	
Bross carnings Bross expenses	, 83+ 34+	, Şuş 9*1	165 749	82,44,376 35,09,722	71,52,788 33,59,890	10,91,588 1,49,832	* *** ***	
	Not ea	mings	•11	47,34,654	37,92,898	9,41,756		
Percentage of expenses Percentage of net earn "		al subscribed expended	13.0 7.6.4 7.8.4	42 5·34 5·77	47 4:28 4:40	1.06 1.87	5	
Passengers carried formage of goods haul	ed (paying)			6,237,074 572,916	6,365,884 533,156	871,190 89,760		
frain mileage run for	traffic	111		1,357,359 Rs.	1,280,415 Rs.	76,944 Rs.	2585 5 4	
Net earnings per traffi	c train mile 11 mile c 11 mile c	open , per week	144 144 144	8·49 10,652 , 91,052	→ 2·96 8,543 72,940	0.53 2,119 18,112	525192 525104 75520	

This comparison is in all respects favorable to the year under review.

GROSS EABNINGS.

		lst half of 1880.		2nd half of 1880.		Total for 1880.	
Main heads of receipte		Amount.	Per cent. of total.	Amount.	Per cent. of total.	Amount.	Per cent. of total.
		Rs.	·	Re.		Ba.	·
Coaching traffic Goods traffic Telegraph earnings	, 157 435 155	14,25,692 85,01,241 15,589	28 69	12,74,830 16,80,387 12,158	41 59	27,00,522 51,81,628 27,747	81 63
Steam-boat earnings Sundries	12.5	1,60,370	*** 3	1,74,109	6	8,34,479	****
Total		51,02,892	100	81,41,484	100	82,44,376	100

The preceding totals are shown in the following table in comparison with those for 1879:-

	NC - 1 - 1		÷			188	a
•	Main beads.		-	1880.	1879.	Increme.	Decrease.
		<u> </u>		Rs,	Re,	Rs.	Re.
Coaching traffic Goods traffic Telegraph earnings Steam-boat earnings Sundries	111 134 134 17* 17* 141	6 8 4 9 6 4 4 7 9 4 7 9 7 4 6	10. 10. 10. 10. 10. 10.	27,00,522 51,81,628 27,747 3,34,479	23,20,288 46,17,278 23,765 216 1,91,242	8,80,234 5,64,360 8,989 1,48,287	 215
***		Total	in (82,44,376	71,52,788	10,91,809	215
	4 4 9 1 1 1		<u>,</u>	Net increase in	1880	10,91,588	\$. # **

• • •

COACHING TRAFFIC.

The increase under this head shown in the preceding statement, viz., Rs. 3,80,234, is equivalent to 16 per cent. of receipts for 1879. It is the net result of the variations in Abstract H of the half-yearly revenue accounts which are shown below :---

· · · · · · · · · · · · · · · · · · ·	• • I		1880.	
Main heads of Abstract H.	1880.	1879.	Increase.	Decrease.
	Rs.	Re.	Re.	Re.
Passengers	24,39,882 73,117	21,56,516 52,557	2,83,366 20,660	•••
Military baggage	12,606	2,761 87.904	9,846	6,118
Carriages, horses and dogs, public	31,791 7,253	8,350	8,908	494
Parcels ers sta	1,29,840	64,257	65,583 1,290	•••
Special frains	2,433 8,600	1,143 1,800	1,800	***
	77,00,522	23,20,288	8,80,347	6,118
Lees-Outstandings irrecoverable	****	C	*****	4.84
Total	27,00,522	23,20,288	8,86,347	6,113
	Net increase	in 1880 .	8,90,234	243

This increase is due directly to the larger number of passengers carried than in 1879, all classes showing an improvement, the total numbers carried having been 7,020,114 against 6,102,804 in that year—an improvement equal to about 15 per cent. The next statement shows the increases in the different classes, each season's ticket-holder being reckoned as equivalent to 40 ordinary passengers per month :--

				- 1880.		
Numbers carried.	arried. 1880.	1880.	1879.	Increase.	Decrease.	
First class, ordinary Do. season tickets Second class, ordinary * Do. season tickets Third class, ordinary Do. mail trains Do. season tickets	· · · · · · · · · · · · · · · · · · ·	30,205 30,480 223,216 162,840 5,438,133 545,520 589,720	21,082 27,600 142,215 172,560 4,880,302 322,285 536,760	9,123 2,880 81,001 	•••• ••• ••• •••	
Total		7,020,114	6,102,804	927,030	9,720	
	ل	Net increase in	1880	917,310	¢ ***	

The earnings from the various classes of passengers are shown below :----

		,		1880.		
Earnings.		1880.	1879.	Increase.	Decrease.	
		Rs.	Rs.	. Rs.	Rs.	
First class, ordinary Do. season tickets Second class, ordinary Do. season tickets Third class, ordinary Do. mail trains Do. season tickets Total		61,945 4,197 1,73,703 12,887 14,36,059 7,18,756 32,935	59,781 3,621 1,30,181 14,014 14,50,188 4,67,676 \$1,055	1,564 576 43,522 2,51,080 1,880	1,127 14,129	
Υψικι Υψικι	· · · · ·	24,39,882	21,56,516 	2,98,622 2,83,366		

The above statements show that the first class traffic increased to the extent of 43 per cent, in the numbers carried, but only by 2 per cent. in the earnings. This is attributed to the large reduction made in the fare from the first day of 1880, viz., from 15 to 12 pies per mile, and to the average distance travelled having been considerably less than in 1879, as shown further on. Much the same results are shown in the second class ordinary traffic, the increase in earnings having been equivalent to only 33 per cent., while numbers carried improved 57 per cent. as compared in 1879. The same explanations apply to this disparity as are put forward for the first class traffic. In the third class ordinary traffic there was an increase in the numbers carried to the extent of 12 per cent., but a decrease of 1 per cent. in receipts, and in the mail train traffic an increase of 69 per cent. in numbers, but of only 54 per cent. in receipts. - In no class, therefore, have the variations in earnings been proportionate with those in the numbers carried, but the following comparisons of fares and average distances travelled during the two years help to explain this :---

•		IN 18	79.	IN 1880.	
First class fore per mile Second class do. Third class, ordinary, fare per mile Do. mail do.		Single Pies. 15 7 21 4	Retura. Pies. 221 Rus 4 8	Single. Pies. 12 6 21 3	Return. Pies. 20 10 4 1

- -

Average distances travelled.

					1879. Milos.	1880. Miles.
First class	***	••• •	***	•	48.39	86-46
Second class	***	•••	•••		. 81.96	80.81
Third class, ordinary	***	244			23.03	20.51
Do. mail	***	***			73-88	81-16

It was pointed out in the Review for 1879 that, in consequence of the reduction of the ordinary third class fare from 3 to 24 pies per mile, which had been made just previously, and which began to be generally known during that year, a large number of passengers appeared to be deserting the mail for the ordinary trains; but the figures for 1880 seem to show that the reduction in the latter year of the *mail* train fare from 4 to 3 pies has had the effect of drawing a good part of this traffic back to the mail trains, for whereas the numbers of ordinary third class passengers increased by 12 per cent. only, those in the mail trains improved by 69 per cent. during 1880. In the *earnings* from these two subdivisions of the third class traffic this also appears, it having just been shown that there was a falling of 1 per cent. in the ordinary and an improvement of 54 per cent. in the mail train receipts.

* The season-ticket traffic for the year is shown in comparison with that for the previous four years in the following statement :---

		- Class.	•		1876.	1877.	1878.	1879.	1880.
			* * ×		Rs.	Rs,	Rs.	Rs.	Rs.
First	- 444	***	***		3,692	4,708	4,352	8,621	4,197
Second	411	581		4++	12,912	13,412	14,739	14,014	12,887
Third		. 811	***		26,579	30,020	29,298	81,055	82,935
			Total	¥4.5	43,183	48,140	48,389	48,690	60,019

The above figures show that, though this traffic appeared to have reached its maximum and was stationary during the years 1877, 1878 and 1879, an improvement took place during the year 1880, which there is reason to believe, as far as can be judged at present, will continue. The whole of the above traffic may be said to have been Bombay local and suburban, but a large proportion of the latter consists of other than season-ticket holders. The actual growth of the Bombay local traffic, including season-ticket and other stray passengers, during the past five years is set forth below;—

-		``````````````````````````````````````			I	'int halves	of		Becond haives of				
•			-	1876	1877.	1879.	1879.	1880.	1878.	1877.	1979.	1879.	1480.
. #	umbers	41=	k ja	1,223,363	1,249,660	1,399,612	1,559,849	1,777,875	1,311,949	1,906,513	1,418,715	1,574,617	1,883,391
3	upess	es)	B By	94,54 3	95,701	1,01,635	1,09,871	1,19,498	94,305	97,547	99,678	1,09,341	1,20,520

Combining the above figures for whole years, the local passenger traffic for 1880 has increased as follows :---

•		~			Passengers. No.	Receipts. 	
	1879	** \$		4 12	525,400	27,914	
	1878			***		44,813	
4	1877				113,593	52,778	*
•	1876		198	, ***	1,225,454	57,218	
دد ا	•						

That is to say, in numbers there was an increase during 1880 equivalent to 50 per cent. as compared with 1876, and in earnings an improvement of 30 per cent. These figures show how great a boon the local passenger train service is to the inhabitants of Bombay, of whom upwards of 31 millions were carried during the year, which is equivalent to an average of about 10,000 passengers per day. The fluctuations in the remaining passenger traffic of the line during the past five years are shown in the subjoined statement :---

		· *			1877.	1878.	1879.	1880.
Passengers carried	499	\$* 3	No.	2,544,196	2,670,648	2,756,475	2,968,438	3,360,348
Earnings therefrom	118	t # 3	Rs.	19,84,313	20,35,124	19,96,444	19,38,404	21,93,856

During the five years ending with 1880 there has thus been an increase of 816,152 in the numbers of passengers of all classes using the line (other than those carried locally), which is an improvement equal to 32 per cent., and in receipts an increase of Rs. 2,09,543, which is equal to 10 per cent. Of the total passengers conveyed over the line yearly, it will be seen from the foregoing statements that the numbers conveyed locally, within a distance of 10 miles, exceed in most cases those conveyed over all the rest of the line put together. The numbers for 1880 were—

-				 #	No.	Per cent of total.	A.
Local par	ssenger traffic		483	***	3,659,766	52	
Other	ditto		- 400		3,360,348	48	٠
		Total f	or the year	101	7,020,114	100	
-					<u></u>		

The increase in "Passengers' luggage" is the result of the increase in the numbers of passengers carried during the year, as just explained. Those under "Military baggage" and "Military carriages, horses and dogs" are due to the more active movements of troops, while the decrease in "Public carriages, horses and dogs" is caused by the receipts for 1879 having been abnormally swelled by the festivities at Baroda in December of that year. The head "Parcels" shows a large increase of Rs. 65,583, the receipts on this account being in fact more than double those for 1879. This is remarkable, viewed in connection with the fact pointed out in the last Administration Report, viz., that the parcels traffic on this Railway had been steadily declining during the preceding five years, the receipts having fallen from Rs. 78,972 in 1875 to Rs. 64,257 in 1879. The large increase during 1880 is explained to be due to the earnings from fruit and vegetables carried in passenger trains, which were formerly included under merchandise, having from the beginning of the year been shown under this head of coaching traffic. The ordinary parcels traffic is also said to have improved satisfactorily during the year, particularly in the despatches from Bombay stations to Baroda, Ahmedabad, and the Rajputana State line. The receipts on account of work done for the Postal Department were exactly double those for 1879 under the operation of the agreement which came into force at the close of that year; but it may be noted that this agreement is now being further considered in consequence of a claim for enhanced remuneration having been put forward by the Company.

The coaching train mileage for the year compares as follows with that for 1879 :---

					3000	1070	18	80.
	•				1880.	1879.	Increase.	· Decrease.
					Miles.	Miles.	Miles.	Miles.
First half	38 2	381	***	503	270,651	310,349	8857×1	39,698
Second half		#3-4	581	· •••	295,824	284,053	11,771	******
			Total	· 135	566,475	594,402	11,771	39,698
			c	Ι.	· · · · ·	<u> </u>	<u> </u>	1
		•				Net decrease	in 1880 🛄	27,927

The total coaching receipts divided over this train mileage give Rs. 4-12-8 in 1880 against Rs. 3-14-6 in 1879, the improvement being equal to 20 per cent.

GOODS TRAFFIC.

Maia heads of Abstract L	,	1880.	1070	18	30.
hians nears of Abstract L		1990	1879.	Increase.	Decrease.
τ			Rs.	Rs.	Ra.
Merchandise, general		49,23,818	43,41,344	5,79,474	711+++
Military stores		24,094	26,334	*** ***	2,240
Construction materials	831	36,276	77,477	*****	41,201
Coal m m	***	56,849	16,092	40,757	842 444
Live stock	6 41	1,29,935	1,42,599	225-56	12,664
Rents and demusrage, &c	44.	10,656	11,341	41369¥	685
¢	 	51,81,628	46,18,187	6,20,231	56,790
Less-Outstandings irrecoverable	*#*	341 463	909	250 x 25	909
Net Receipte		51,81,628	46,17,278	6,20,231	55,881
	L	Net increa	se in 1880	5,64,350	

More than half the total increase in the earnings of the year is derived from this source, the improvement in which amounts to Rs. 5,64,350. The details of this are given below :--

This is equal to 12 per cent., and there was also an increase of 7 per cent. in the paying weight lifted, 572,916 tons having been hauled against 533,156 tons in 1879. The total ton-mileage was 93,981,985 against 89,105,668. In addition to the above, 55,079 tons of stores were carried free on revenue account, representing a ton-mileage of 6,680,957 against 59,597 tons with a ton-mileage of 7,597,992 in 1879.

The fluctuation in the six classes of which "Merchandise, general," is composed are shown below :----

		4			QUANTIT	IES CARBI	BD.		EARNI	NGS.	_
2	· · ·	Classes.		1880.	1879.	Increase,	Decrease.	1880.	1879.	Increase.	Decrease
• .	· · · · ·	•		Tons.	Tons.	Tons.	Tons.	Re.	Ra.	Rs.	Rs.
	Special	346	fe.	299,595	317,488		17,893	17,24,246	19,46,252	445	2,22,006
•	F irst	***	***	139,737	123,688	16,049	6.95	12,89,349	11,61,006	1,28,343	, 1 52
Ļ	Second	477		6 0,56 3	43,340	17,223	F14	7,71,571	5, 59,57 7	2,11,994	***
4	Third	Fan	.	54,512	27,070	27,442	<i>\$</i> **	10,26,299	5 ,94,559	4,31,740	844
1	Fourth	e1*	¥49	1,085	971	114		85,172	81,739	3,433	.0
	Fitch	*	\$ ~1	1,244	861	383		77,181	51,211	25,970	, ,,,
•.	k	Total	. ear	5 56,736	513,418	61,211	17,893	49,23,818	43,44,344	8,01,480	2,22,006
	:		Net	o Incre ss e in	1880 .,,	43,318	684	Not increa	ee in 1880	5,79,474	- 144

h

In most commodities traffic increased, some of the largest improvements having been

in		• •	-	. قد	Increases.
		• 1		•	Rs.
-	Bagging			41.6	19,269
	Coal			***	40,756
	Cocoanuts				12,371
	Cotton	38¥ ⁷	***	***	4,58,622
	Ghee	58+		3=8	15,858
	Metal		***	•••	23,164
-	Opium		443	***	28,759
	Piece-goods		-168	361	60,066
	Salt		257		33,088
	Seeds	B 5 b		*** .	57,146
	Stone	492	123		17,265
	Sugar	***		***	25,079
	Sundries	***	***	***	1,15,562
	Wool		***	***	36,430
while there	were decreases ut	nder the fo	llowing head	6 :	• · · · •
ALEVEL AND A			υ.		Decreases

				Rs.	
Grain		***	***	38,400	
Hides	***	***	2.08	18,364	
Jagri		***	502	••• 68,832	~1E
Fruit and	vegetables	***		30,955	
State Raily	vay stores			1,83,659	

The large increase in cotton would have been more satisfactory if the comparison had been made with a good or even an average season; but the years 1879 and 1878 were, in regard to this commodity, exceptionally bad. Compared with the season of 1877, there was an actual *decrease* in receipts of Rs. 33,387, but the quantity carried was greater by 11,132 tons. The following figures show the traffic done in cotton during the past nine seasons, i.e., since the extension of the line to Wadhwan gave the Company a command over some of the most important marts in Kathiawar :----

				Quantity carried.	Earnings.
				Tons.	Rs.
Season of	1872			41,247	10,27,131
	1873	¥#4		36,538	8,08,210
13	1874	883 ·		44,500	9,39,790
22	1875			48,753	8,86,819
· >>	1876	3+h		42,876	8,60,290
33	1877	***	***	40,933	7,94,106
23	1878		***	19,035	8,59,307
23	1879			19,375	3,47,219
23	1880	***	441	52,065	7,60,719

It will thus be seen that, while the quantity carried during 1880 was notably larger. than in any preceding year, the earnings were (with the exception of the bad season of 1879 and 1878) less than any previously recorded. This disparity between quantities and receipts during 1880 is mainly due to the recent reduction in rates, which it was considered advisable, to make in order to compete with the sea route from Broach, Surat, and Dholera. The imports of cotton into Bombay from Broach and Surat by sea and rail respectively during the past four seasons will be seen from the following figures :---

· •		1	18	77.	1878.		1879.		1880.	
How	imported.		Tons.	Per cent. of total.	Tons.	Per cent. of total.	Tons.	Per cent. of total.	Tons.	Per cent. of total.
By sea	***		1,386	11	. 5,7 76	73	6,693	70	8,046	. 6
" rail	L87	\$24	11,199	89	2,154	27	2,816	30	11,508	- 59
	Total	,	12,585	100	7,930	100	9,509	100	19,554	100

The remaining increases in the goods traffic are satisfactory, but do not appear to call for special explanations, as they appear to be due generally to the revival of trade throughout the country from the depression which ensued after the famine seasons of 1877 and 1878.

The large decrease under State Railway materials is due to the exceptionally heavy traffic in this respect which occurred during 1879 in connection with the Western Rajputana and His Highness the Gaekwar's Railways, which were in active progress during that year.

The traffic interchanged with foreign lines has been steadily increasing for some years past, and may be expected to improve rapidly now that through communication has been established with the North-West Provinces via the Rajputana Railway. The following figures exhibit this growth since the beginning of 1877 :---

	• •	ī			Quantities interchanged.	B., B. & C. I. Railway portion of receipts.
	, ,			-	. Tons.	Ra.
1877		**1	***		65,927	6,55,229
1878			u # <i>#</i>		. 1,04,159	9,01,869
1879	• • •	•••	• * •	ſ	1,39,386 •	11,81,551
1880	***	424			1,51,133	14,55,608

[•] The quantity interchanged has thus improved by 192 per cent. and the receipts by 162 per cent. as compared with 1877. The great bulk of the traffic with foreign lines consists of the exports of salt; but traffic is also brisk in exports of coccanuts, jagri, mowrah, seeds, timber, tobacco, and sundries. Grain also forms an important feature of the interchanged traffic, but its course is uncertain, and latterly it has been subject to somewhat violent fluctuations. It should be noted here, however, that though there has been so marked an improvement during the year in the total amount of traffic interchanged with other Companies, this has occurred only in the exports. In *imports* there was a falling off of 12,515 tons as compared with 1879. This explains the decreased payments to other lines for mileage of their stock run over the Company's system during the year.

The explanation of the decrease of imports is the large amount of grain received from the Great Indian Peninsula Railway during 1879; and this decrease would of course have been more noticeable but for the traffic from the Rajputana Railway.

The total traffic exchanged with that line during the first half of the year was Rs. 3,72,793.

The mean average receipts per ton and per ton mile obtained during the two halves of the year combined, on paying goods traffic, compare as follows with those for the two preceding years :---

		Average receipts per ton.			Average mileage of traffic.	Average receipts per ton mile.		
				- Rs.	A .	P.	Miles.	Pies.
Mean for 1878	***	#*=	111	8	14	4	165	10.35
" 1879		649	5 44	8	13	9	173	9 ·85
•		***		9	5	4	172	10-39

The goods train mileage for the year, including a proportion of mixed, is shown below in comparison with that for 1879 :---

		•				18	30.	
		ī		1880.	1879.	Increase.	Decrease.	
Half-year ending-			, [Miles.	Miles.	- Miles.	Miles.	
30th June	***	9 +¥\$		519,432	440,754	78,678	241	
31st December	***	**>	\$ 14	271,452	245,259	26,193		
		Total	·	790,884	686,013	104,871	£ r .	

Excluding the earnings received from rents demurrage, &c., which have no relation to the train mileage, the balances of goods receipts divided over the above mileages average Rs. 6-8-7 per mile during the year against Rs. 6-11-5 during 1879.

	Psá v	EHICLE PER	XILE.	PER TON PER MILE.		
•	 Average receipts.	Average cost.	Average profit.	Average receipts.	Average cost.	Average profit.
Half-year ended—	Pies.	Pies.	Pies.	Pies.	Pies.	Pies.
Soth June	 38.06	12.49	25 [.] 57	10-34	3.39	6.95
Slat December	 39-61	21.11	18 [.] 50	10.23	5 [.] 61	4.92
Mean for the whole year	39.83	16 [.] 80	22 [.] 03	10.43	4.20	5.93

The net results of the goods traffic as derived from the Government analyses of the . Company's Revenue Accounts for the two halves of the year were as follows :---

These results are somewhat better than those obtained in 1879, when the profit per vehicle per mile was only 19.66 pies and per ton per mile 5.28 pies.

	Main heads of Abstract K			1880.		
Main heads of Abstract K.		1880.	1879.	Increase.	Decrease.	
· ·		Rs.	 Rs.	Rs.	Rs.	
Hire of locomotives	- • • • •	1,06,681	13,934	92,747	¥16	
Do, vehicles		1,077	11,941		10,864	
Mileage of vehicles over foreign lines		1,17,585	90,275	27,310	4 k #	
Rent of joint stations		24,727	2,737	21,990	,*24	
Volls on bridges		1,810	1,810	t 1+	***	
Cents of dwelling-houses	117	19,093	19,076	17		
ees on share transfers	***	1,787	2,294	T10	507	
ales of unclaimed and damaged goods	133	541	560	¥**	19	
Do. revenue stores	333	5,700	2,933	2,767		
latform tickets		2,091	1,967	124	***	
'oll on Colaba-Dadur Junction traffic,		15,281	10,892	4,389	•••	
Vorkshop receipts		21,090	19,819	1,271	457	
Inclaimed salaries		377	1,005		628	
ther receipts		11,560	7,502	4,058		
Superintendence of Gaekwar's lines	***	5,079	4,497	582	***	
Total		3,34,479	1,91,242	1,55,255	12,018	
	,	Net increase in	1880	1,43,237	>++> [*]	

The large receipts from "Hire of locomotives" are abnormal, being due to the Joan of engines to the Punjab Northern State Railway in connection with the operations in Afghanistan. The increase under "Mileage of vehicles over foreign lines" is the result of the largely increased traffic interchanged with other lines, as already explained, the bulk of which consisted of exports in the Company's vehicles to the Great Indian Peninsula Railway. The head, "Rent of joint stations" shows a large increase; but this is due to the debit for 1879-heing for six weeks only of that year, viz., from the 15th November, when the southern section only of the. Western Rajputana State Railway was opened for traffic. There was a decrease of Rs. 10,864 under "Hire of vehicles," which was due to fewer wagons having been lent to the Great Indian Peninsula Railway and to contractors. "The head " Rents of dwelling houses" is practically the same as for 1879, but the following figures comparing outlay with income on this account for the two years may be interesting :---

Rents of dwelling-houses Repairs of staff quarters	•••	•••	••••	1880. Rs. 19,093 9,398	 1879. Rs. 19,076 8,422
		Net increase	***	9,695	10,654

с.

Guaranteed Railways.] ADMINISTRATION REPORT FOR 1880-81.

щ

Working Expenses. - 1

These amounted to Rs. 85,09,722 against Rs. 83,59,890, the increase having been equal to about 41 per cent. The gross earnings having, however, improved at the rate of 15 per cent. the ratio of expenses to earnings fell from 47 per cent. in 1879 to 42 per cent. in 1880—a rate, it may be noted, lower than any previously obtained. Deduct-ing the special debit to locomotive expenses in 1880 of Rs. 1,93,727 on account of dupli-cate engine gear, previously explained, the gross expenses for the year are reduced to 40 per cent. of the earnings. The net increase of Rs. 1,49,832 in the working expenses of 1880 is made up as follows :-equal to about 41 per cent. The gross earnings having, however, improved at the rate

				1880.		
Main heads.	~	1880.	1879	Increase.	Decrease, Ra.	
· .		Rs.	Rs.	Rs.		
Maintenance of way and works, &c.		7,58,079	7,24,506	83,578	***	
Locomotive expenses	***	13,92,695	11,47,329	2,45,368	***	
Carriage and Wagon expenses	***	2,24,815	3,18,439	141	93,624	
Traffic expenses	•••	5,76,807	5,57,667	19,140	***	
General charges	***	4,84,109	4,89,750	***	5,641	
Steam-boat service	471	1,270	8,313	· 123	2,043	
Special and miscellaneous	***	71,947	1,18,886		46,939	
Total	5¥4	35,09,722	\$3,59,890	2,98,079	1,48,247	
	J	Net increa	se in 1880	1,49,832	414	

Maintenance of Way, Works and Stations.

÷., -

The total outlay on this account is practically the same as for 1879, the net increase of Rs. \$3,573 being less than 5 per cent. of the expenditure during that year; but there was an increase in the "Maintenance and renewal of permanent-way." alone amounting to Rs. 52,563 or 16 per cent. more than the outlay incurred on this account during the preceding year. The other variations in the details of Abstract A will be seen from the following statement :--

		•			1890.		
Main heads of	Abstract A.		1880.	1879.	Increase.	Decroane.	
	- -		Re.	Re.	Rs.	Ra.	
General superintendence	-	T \$4	1,54,171	1,58,425	•*•	4,254	
Permanent-way	***	***	8,78,053	8,25,490	52,503	***	
Bridges, &c.	8× 0	24. 	1,21,064	1,30,018		8,954	
Stations and buildings	***		62,091	.6 9,935	627	7,844	
New minos works	***		4,176	13,465		9,289	
Unclassified expenditure	****		38,524	27,173	11,351	845	
•,	Total	##*	7,58,079	7,24,506	63,914	80,341	
-	¥ - . j	*	Net incre	ase in 1880	33,573	4	

.

187

188. ADMINISTRATION REPORT FOR 1880-81. [Guaranteed Railways.

The increase shown above under permanent-way is due to the larger numbers of rails and Eaglish sleepers used during the year. In the second half of 1880 alone, 624 rails and 9,582 steepers more were used than in the corresponding half of 1879. This also gave rise to an increased charge under "Unclassified expenditure" for loss by exchange. The decreases under the other main heads are not important. Before making any comparison, however, of the cost per mile of line maintained during the two years, it should be pointed out that they both contain special debits and credits in connection with damages at the old Nerbudda bridge, and that at the close of 1880 a special credit of Rs. 2,069 was booked for value of stores remaining unused in the hands of permanent-way inspectors, which, under the system previously in force, were not thus specially credited. Excluding these and some smaller items of an exceptional nature, the rate of maintenance per mile was in 1880 Rs. 1,738 against Rs. 1,616 in 1879. In 1878 the rate per mile, similarly calculated, was Rs. 1,680.

Locomotive Expenses.

This head shows a larger variation than any other, the increase of Rs. 2,45,366 over 1879 being equal to nearly 211 per cent., but, as already noticed, the accounts of the second half of 1880 include a large special adjusting debit of Rs. 1,98,727, being the cost of duplicate engine gear used free of charge during the preceding 21 years in repairs and renewals on revenue account. Excluding this item, the increase over 1879 is reduced to Rs. 46,639, or a little more than 4 per cent. A comparison of the details of Abstract B will show how this is made up, the above special debit being shown as a separate item :--

·			1880.	1000	18	30
Mnin heads of	Abstract B.			1879.	Increase.	Decrease.
			Rs.	Rs.	Rs.	Rs.
General superintendence	\$4b	274	98,329	97,188	1,141	\$= .
Running expenses	84×	p.,	2,29,091	2,23,068	6,023	***
Fuel	51.		5,50,181	5,56,487	•••	6,306
Water	544		39,445	43,762	144	4,317
Dil, tallow, &c.	487 `	5 41	22,511	23,500		989
Maintenance, &c., of engine	98, &C	25.1	2,24,105	1,69,625	54,480	*34
Unclassified expenditure	* 19 -	e .s.	30,306	33,699	***	3,393
•	Total		11,93,968	11,47,329 .	61,644	15,005
		Net	t ordinary increas	e in 1880	46,639	
	Add—Sp	ecial debit	in 1880 for dupl	icate year	1,98,277	
		_	Total increas	e in 1880	2,45,366	
				 	·	

The head "General superintendence" shows a small increase, which is due to the absence of the Assistant Superintendent during a portion of 1879. It may be noted here that incasures were recently adopted for the reorganisation of the Locomotive Superintendent's office, which resulted in a saving under this head during the year. The increase under "Running expenses" is a consequence of the increase of 49,187 in the total engine mileage run as compared with 1879. The proportion of overtime allowances to fixed salaries paid to drivers and firemen was 62 per cent. as compared with 58 per cent. in the preceding year; but this was no doubt due to the greater amount of overtime worked in dealing with the large increase in traffic. The percentage of overtime to salaries has, however, always been high on this line as compared with the other Guaranteed Companies. This recently attracted the attention of the Government of India, and the matter is now under consideration.

"Fuel" shows a small saving of Rs. 6,306, which is due to the lower price at which coal was issued. The quantity of the latter consumed was *greater* by 1,096 tons than in 1879, and there was also an increased consumption of wood amounting to 115 tons.

Guaranteed Railways.]

		· ·		PBB TRAIN MILS.		PER 1,000 TON MILES,		
an a				Coal.	Wood.	Coal.	.Wood.	
Half-year ended-	*			lbs.	lbs.	lbs.	lbs.	
Soth June {1880 1879	***		***	62·65	0.82	158.18	2.45	
(1015	441	124 756	815 * 585	52·74 46·76	0.63	154·48 166·68	1·85 2·35	
31st December 1879	***		944	47.97	0.28	174.54	1.93	

The head "Maintenance and renewal of engines and machinery" shows an increase of Rs. 54,480, or 32 per cent. as compared with 1879. This is partly due to a special debit of Rs. 16,160 on account of the balance of cost recovered from revenue of five out of the eight new engines recently put on the line, and partly to the ordinary repairs of locomotive stock having been of a heavier nature during both halves of 1880 than in 1879. The total locomotive expenses during the two years, exclusive of the large debit in 1880 of Rs. 1,98,727 on account of duplicate engine gear, compare as follows :--

· · · · · · · · · · · · · · · · · · ·		-*				Per train mile.	Per 1,000 ton miles.
Half-year ended-						A 1.	Ra.
Half-year ended	1.9,3 479	494 929	*8*	84.b 144	8193 834	14·00 13·95	2·63 2·65
· ·		-	Increase i	л 1880 .	444	0.02	0.08
31st December $\begin{cases} 1880 \\ 1879 \end{cases}$	492 ·	4 44 4.63	432 [.]	483 678	41+ 14+	14·18 14·51	8·10 8·30
、			Decrease i	n 1880		0.88	0.14

The decrease in the watering charges of this department, notwithstanding the increased traffic and engine mileage, is noteworthy, and is due to the Company having made its own arrangements for the supply of water at certain stations where the Municipality of Bombay raised its rate from 2 to 12 annas per 1,000 gallons in 1879, as noticed on page 43 of the last Administration Report. It may be explained finally that the head "Oil, tallow, &c.," similarly shows a saving, with a *heavier* traffic which it caused by these articles having been issued at considerably reduced rates during 1880, the prices during the second halves of the two years comparing as follows :--

2			Oil.	₩ .		Fallo	T.
			Rs.		Rs.	A.	Р.
1879	443	***	18 per cwt.		23	8	0 per cwt.
1880		* ***	14 ,,		21	2	4 [,] ,

CABRIAGE AND WAGON EXPENSES.

A saving of Rs. 93,624 appears under this head, which is equal to 29 per cent. as compared with 1879. The following are details :---

Main heads of Abstract C.		1070	1000	1880.	
Main neads of Adstract C.		1879.	1880.	Incresse.	Decrease.
······································	- -	Bs.	 R	 Ra.	Be.
General superintendence	611 164 841 634	32,487 1,71,379 32,157 7,698	29,838 2,51,358 30,837 9,030	79,979 1,332	2,649 1,820
Add Reserves for renewal of stock	9.92	2 ,43,721 98,498	8,21,063	81,311	8,969 98,498
Deduct- Transfers to the preceding reserves	687	8,42,219 23,780	8,21,063 96,248	81,311 - 72,468	1,02,467
Net Total	• **	8,18,439	2,24,815	8,843	1,02,467
· · · · · ·	<u>-</u>		Net decrease	e in 1880	93,624

190

ADMINISTRATION REPORT FOR 1880-81. - [Guaranteed Railways.

The above table shows that, exclusive of the special reserves made in 1879 and the transfers there against both in that year and in 1880, the actual expenditure during the latter year was Rs. 9,21,063 against Rs. 2,43,721 in 1879. This increase was entirely due to the larger number of vehicles repaired during the former period, as shown by the following figures, and to the repairs having, it is said, been of a heavier nature :--

	<u>A</u>	· ·		Coaching stock.	Goods stock.	Total number of yehicles.
30th June 1880 31st December 1880	484 484	202 5#1- 499 255		60 93	905 650	965 743
		Total for 1880	***	153	1,555	- 1,708
80th June 1879 81st December 1879	6 8 B 8 8 D -	282 282 282 282	1011 240	91 71	808 535	899 606
		Total for 1879		162	1,343	1,505
			· 1.	Net increas	e in 1880	203

The system of making reserves from revenue in anticipation of work actually done was abandoned during the year under instructions from the Government of India, who further ordered that the "wagon renewal reserve account" should be worked off by the end of 1881. The amount at its credit at the close of 1880 was Rs. 11,753, which will be absorbed during the first half of 1881.

The actual cost of work done during the year, excluding reserves and adjustments connected therewith, compares as follows with 1879 :---

•			. •	•	• •	•	Per train mile.	Per 1,000 vehicle miles.
Half-year ended-			;	•	•		As.	Rs.
Soth June	{ 1880 1879	781. 498	\$34 844	64F 184	- 140 300		2·71 2·80	5.96 6.04
				Decreas	e in 1880	473	0.03	0.08
81st December	{ 1880 1879	682 431	723+ 825	430 - 74	#82 837	- 1966 - 294	5·28 3·31	14-18 9-60
			:	Increas	e in 1880		1.97	4 58

Traffic Expenses.


The total expenditure on this account was Rs. 5,76,807, being Rs. 19,140, or a little more than 3½ per cent. in excess of that for 1879. Particulars of this excess will be found subjoined :---

						• 18	380.
Main heads of .	Abstract	D		1880.	1879.	Increase,	Decrease
	- 1			Rs.	Rs.	Rs. * ·	Re.
eneral superintendence	eta	***	¥#.1	77,775	76,989	786	* ***
nin at f	184	-468 - 1	443.	3,43,611	3,17,016	26,595	
iel, lighting, water, general at	***	***	182	46,138	41,078	5,060	
othing		***	18>	63,358 8,383	75,383		12,025
rinting, stationery and tickets	111 y	316 146	**>	27,347	11,036 29,630	495	2,653
allection and delivery of goods	• # •	()) ())	141	4,613	3,416	1,197	2,283
iscellaneous expenses		***		1,980	1,980	1 -	•••
nclassified expenditure	813		in	3,602	1,139	2,463	- 14-
~		Total	125	5,76,807	: 5,57,667	36,101	16,961
<i>د</i>			. L		<u> </u>		
				Net increas	e in 1880	19,140	***

Guaranteed Railways.]

. .

ADMINISTRATION REPORT FOR 1880-81.



The fluctuations shown above are not of much importance. The largest appears against station stall, and much of it is due to the break at the Nerbunda river, which necessitated the employment of a special staff of laborers. The increase under Unclassified expenditure is due to the same cause, the charges being on account of the steam ferry then established. The other increases are due to the larger traffic dealt with during the year. The largest saving appears under "Fuel, lighting, water, and general stores," but is not easily accounted for in the face of the improved traffic. Nearly Rs. 6,000 of it occurs under "Wagon covers, ropes, &c.," fewer of which probably were required during the year, as the issues on this account were somewhat extensive during the two years immediately preceding. The work done compares as follows with that for 1879 :--

it gaa					Per train mils.	Per 1,000 vehicle miles.
Half-year ended-		,			<u>Ås.</u>	Ra
3 0th June { 1880 1879	•#t ##1	843 463	444 544 991 445	•114 •114	5-96 6-47	13·10 13·97
2 2		•	Decrease in 1880	55 -	0.21	0.87
• 3 lat December { 1880 1879	193 783 -	980 980	þes sta sið seð	545 545	7-96 7-70	81·40 22·33
		- 	Decrease in 1880	***	0.56	0.83

It may be noted that the accounts for 1879 included under "Traffic expenses" upwards of Rs. 20,000 for payments to the Great Indian Peninsula Railway on account of toll on Carnao bridge traffic, which, on the representations of the Traffic Manager, were transferred in 1880 to the head "Special and miscellaneous expenses." Due allowances have, however, been made in the comparisons given above.


General Charges.

The net saving under this head is about 1 per cent. only of the outlay booked during 1879, and the variations in the details of Abstract E which are shown below are of small consequence :---

				1880.		1880.	
Main heads of Abstract E.			1879.		Increase.	Decrease	
	• • •			Rs.	Re.	Re.	Ra.
Home expenditure Indian management Police Advertising Electric telegraph Unclassified expenditure	483 124 244 444 444 449 489		1014 111 117 117 117 117 117 117 117	61,338 2,54,837 79,871 1,047 78,2×6 8,730	60,187 2,57,279 81,997 1,068 79,456 9,769	1,151 	2,436 2,126 21 1,170 1,039
*		Total	•••	4,84,109	4,89,750	1,151	6,792
			μ	Net do	resse during	1880	5,541

The increase of Rs. 1,151 under "Home expenditure" cannot be fully explained in the absence of the details of which the charges are composed, which are not known in India; but it may be noted that part of it is due to a lesser proportion of London Office expenses having been charged to capital than in 1879. The decrease of Rs. 2,436 under "Indian management" is nominal, Rs. 2,000 having been credited to the expenses of the Audit and Accounts Pepartment in connection with the supervision of His Highness the Gaekwar's State lines, while formerly the full sum charged to the Baroda Darbar on this account was treated as earnings. The

a



The above table shows that, exclusive of the special reserves made in 1879 and the transfers there against both in that year and in 1880, the actual expenditure during the latter year was Rs. 3,21,063 against Rs. 2,43,721 in 1879. This increase was entirely due to the larger number of vehicles repaired during the former period, as shown by the following figures, and to the repairs having, it is said, been of a heavier nature :--

		<u></u>	1 7	Coaching stock.	Goods stock.	Total number of ychicles
Soth June 1880 Sist December 1880	<i>***</i>	328 982 785 482		60 93	905 650	965
		Total for 1880	".	159	1,555	1,708
80th June 1879 81st December 1879	411 476	*** ***	48.1 824	91 71	808 535	899 606
		Total for 1879	511	162	1,943	1,505
			· I.	Net increase	in 1880	203

The system of making reserves from revenue in anticipation of work actually done was abandoned during the year under instructions from the Government of India, who further ordered that the "wagon renewal reserve account" should be worked off by the end of 1881. The amount at its credit at the close of 1880 was Rs. 11,753, which will be absorbed during the first half of 1881.

The actual cost of work done during the year, excluding reserves and adjustments connected therewith, compares as follows with 1879 :---

•				,	•		Per train mile.	Per 1,000 vehicle miles.
Half-year ended-			•	•	•		As.	Rs.
Soth June	{ 1880 1879	***	582 · ·	788 7 Ves	~ 988 443	- 1 B 116	0.00	5·96 6·04
				Decrease in	n 1880		0.09	0.08
81st December	{ 1880 1879	585 -	486 883	482 192	*** <u>*</u>	-14 -14	. 9.9T	14·18 9·60
			•	Increase in	a 1880	` 6 4	1.97	4.58

Traffic Expenses.

The total expenditure on this account was Rs. 5,76,807, being Rs. 19,140, or a little more than $3\frac{1}{2}$ per cent. in excess of that for 1879. Particulars of this excess will be found subjoined :---

· · ·			• 1880.			
Main heads of Abstr	act D.		1880.	1879.	Increase,	Decrease
	•		Rs.	Rs.	Rs. *	Re.
ioneral superintendence	795	***	77,775	76,989	786	a an
and a start the		•••	3,43,611	3,17,016	26,595	· **h
uel, lighting, water, general stores	180		46,198	41,078	5,060	
lation a	=++		63,358	75,383		12,025
rinting, stationery and tickets		+11+	8,383 27,347	11,036 29,630	ی خدہ ا	2,653
ollection and delivery of goods	123	NH [4,613	3,416	1,197	2,283
liscellanoous expenses	A 10	y.	1,980	1,980		***
nolassified expenditure	***		3,602	1,139	2,463	104 - 104
С	Total	480	5,76,807	- 5,57,667	36,101	16,961
х		L		<u> </u>		
* *			Net increas	e in 1880	19,140	

Proposals have been made during the year for the construction of exten-... sions of the Madras Railway to the Nilgiri Hills and to the port of Cochin. These have been described in Chapter II.

Comparison of work done by Madras and South Indian Railway.-The work done by the two lines in the Madras Presidency during the year compares as follows :---

Madras Railway carried	$ \begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c}$	ge distance o	f 45.9 miles. 108.1 miles.
S	4,477,895 passengers 526,379 tons of goods		33 [.] 3 miles. 63 [.] 9 miles.

The average bookings per mile of line were-

Madras Railway ... 4,680 passengers and 478 tons of goods, excluding harbour materials. South Indian Railway 7,008 ,, and 470

The average contents of a train o	n the two	lines we	ere. supposin	o all trai	ns to he mixed —
Madras Railway	98.2 Dass	noers	and 35.2 tor	ns of goo	ds.
South Indian Railway*	124-8	33	28-2	33	

Open mileage.—The open length of this Railway is now taken as 853 miles, of which 815 Madras Railway. Madras Railway. Madras Railway. Madras Railway.

by fresh measurements.

The line from Bangalore station on the Madras Railway to Bangalore petts, 3 miles in length, constructed by the Mysore Government, was taken over by the Madras Railway Company in October 1880; but, owing to its being exposed to ball practice at the rifle butts, the Agent refused to open the line for traffic till this danger had been removed. The Mysore Government has been addressed regarding the removal of the butts, and it is hoped that a satisfactory solution of the difficulty may soon be arrived at.

The telegraph line on this section has been erected, and will be rented by the Company.

Capital expenditure.—The capital expenditure up to 31st March 1881 was Rs. 11,10,57,028 (£10,180,228), being at the rate of Rs. 1,29,588 (£11,879) per mile. The value of stores in stock on 31st March 1881, including stores in transit (Rs. 61,181), was Rs. 28,55,693.

The total capital expenditure, including stores, was up to the same date Rs. 11,39,12,721 (£10,441,999).

The capital expenditure during the year was Rs. 4,08,852. The principal engineering work on which outlay was incurred were—

•. · · · · · · · · · · · · · · · · · · ·			Ra.
Cheyer bridge	12.	***	32,855
Electrical intercommunication in train	18	***	15,547
Protective works, Muttur bridge			5,856
Extending line to Bangalore petta	***	24,	1,75,654
Platform and siding, Kistnapuram	* 5 *		14,638
New permanent-way on bridges, nor	th-west lin	10	49,077
Pumps to supply water for locomotive	purposes		26,890
	-		
•		Total	8.20.517

Dividend.—The net profits of the official year were Bs. 19,35,627 (£177,433), giving a dividend at the rate of 1.7 per cent. on the total capital expenditure. The net profite fell short of the guarantee by \pounds 345,000.

The guaranteed interest from the formation of the Company up to 81st December 1880 amounted to $\pounds 9,721,088$, and the net profits for the same period to $\pounds 4,225,821$, leaving a balance of $\pounds 5,495,267$ to be met from the revenues of the country, in addition to the expenditure on land and control.

Condition of way and works.—The permanent-way and works have been maintained at the usual high standard on this line.

The embankment between Kadambatur and Arkonam, which slipped in October 1879 and caused a disastrous accident, has been greatly improved. The bank has been thoroughly drained, and good material substituted for the inferior soil previously used. Slight slips occurred in November during heavy rains, causing some delay to trains, but no accident happened. Extra precautions will be taken on this portion of the line during rainy weather. The second line, which was closed in November 1879, was reopened for traffic in June 1850. The monsoon was very heavy in October 1880, but the line throughout stood well, and there was no damage to the permanent-way.

The laying of new permanent-way on girder bridges, and the substitution of iron for wooden sleepers on the west coast, progress steadily. At the end of the year there were only 151 miles of jungle-wood sleepers remaining.

New works.—Sanction has been accorded to the provision of new girders for the Cauvery bridge, the old material being used for strengthening the bridge over the Papaghni. The cost of the new girders will probably be between £8,000 and £9,000. Estimates, amounting to Rs. 1,24,544, were sanctioned during the year for extensions and for new machinery at Perambur works. These provide for converting the old smithy into a boiler shop and for enlarging the new iron and brass foundries. With the large amount of work now required in the renewal of rolling stock, the additional machinery is much needed.

The new Cheyer bridge, fifty spans of 64 feet, on wrought iron cylinders, was opened for traffic on 1st May 1880; but the bracings for connecting the two cylinders of each pier have yet to be added. Five spans were floored during the year.

Rolling stock.—The future equipment of the line, as regards coaching and goods vehicles was settled, and authority was given for future renewals up to the standard now approved. One hundred (10 tons) iron covered goods wagons were indented for from England. The future equipment of engines for the Madras Railway has not yet been determined.

The Government of Bombay having objected to the use of rivetted types in the mail trains on the Great Indian Peninsula Railway, and the Government of India concurring with the Bombay Government in their objection, it was ordered in March 1881 that steps should be taken as soon as possible to remove the rivetted types on all the coaching stock on the Madras Railway.

Block system.—The block system is in operation on the line north of Gooty, and works satisfactorily. The train despatching system is still in force on other sections.

Electrical intercommunication in trains.—The work of fitting the whole of the rolling stock with electrical apparatus for intercommunication was by the end of the year practically completed at a cost of Rs. 52,637.

Outstandings of famine traffic.—The outstandings of famine traffic remaining in this year amounted to Rs. 17,076. These outstandings were for freight uncollected on consignments of grain booked to Bellary, which were never taken delivery of by the consignees. These outstandings being irrecoverable were written off in October 1880.

Defects in rolling stock.—These consisted of one case of engine tubes bursting, two cases of axle breaking, and one of fracture of coupling.

Damages to line.—These were all slight, and were due chiefly to heavy local rainfall, and to the bursting of tanks in the vicinity of the line of railway.

Fires in trains.—The damage, except in two cases, was slight. The engines, with but few exceptions, were wood burners; and their spark-arresters and ash-pans are reported to have been in good working order.

Alteration of train service.—This question has again occupied the attention of Government, but no final decision has been arrived at regarding the train service on the Madras Railway. In consequence of the proposed morning departure of steamers from Bombay, an acceleration of the speed of the mail trains between Madras and Bombay was ordered in September 1880; but it was subsequently decided to maintain the present hour of departure, and no alteration was made in the timing of the mail trains.

Rates and fares.—The fare of 2 pies per mile for third class passengers was made general on 1st May 1880, previous to which date the fare by mail train was 4 pies. A reduction was made in the rates for grain. The question of the simplification of the present goods classification has been raised by the Board of Directors, and is now under consideration.

Trial stations .- Seven additional stations were opened during the year :-

	•		-	Miles.
Kistnapuram		· · ·		100 1).
Mangapatnam	***			205
Vangnur		, •1*	***	219 North-west line.
Pennar	***	*		234
Jakalcheru		•••		250
Minnal		**1	***	493 South-west line.
Kristnarajapuram				210 Bangalore Branch.
maning of several	and.	anontin a company	7NL -	

Comparison of earnings and working expenses.—The general results of the last five calendar years are compared in the following table :---

	Ye	9 8г.		Gross earnings.	Expenditure.	Net revenue.	Percentage of expenses to rescipts.	Receipts per open mile per week.
-				Rs.	Rs.	- Rs.		Rs.
1876		***		71,13,773	45,79,778	25,33,995	64-38	158-2
1877				1,00,35,295	59,47,402	40,87,893	59.26	224.3
1878	D,	***		66,30,174	50,42,193	15 87,981	76.05	148.4
1879	***	•••		66,26,486	45,51,316	20,75,170	68-68	148.3
1830		***	•••	61,62,546	42,05,409	19,57,137	68.24	137.5

The gross earnings of the year under review are lower than in any year since 1874. Compared with 1879, there is a falling off of about three-fourths of a lakh under coaching traffic, and of nearly four lakhs under goods. The decrease under goods is due to falling off in grain traffic. The working expenses are also lower than in any year since 1874. This result is partly accounted for by a credit of Rs. 93,442 to revenue for 100 harbour wagons; but the expenses also show a steady decrease in almost every item. The expenses include Rs. 97,158 on account of loss by exchange.

	0 D8.	Go	eing.		•			
Total.	Per open mile per week.	Amount.	Amount. , Per open mils per week.			Year.		
Ra.	Rs.	Re.	Rs.	Rs.	(
68.86.625	95.79	42,97,130	57·72	25,89,492]			876
07.86,787	158.43	70,87,341	60.33	26,99,428			***	.877 -
68,52,053	79.88	35,69,536	62.37	27,82,517		48.	***	878
63,51,717	83.48	87,80,522	58 [.] 66	26,21,195		***		879
58,87,670	74.58	33,41,731	56·85	25,45,839				880

The earnings under coaching and goods were-

The train mileage and earnings per mile were as follow :---

ł

200	•				Average num- ber of trains	PBB TRAFFIC TRAIN MILE.			
•	Year.		Mean mileage worked.	Traffic train mileage.	each way per diem over the whole line.	Gross earnings.	Expenses.	Profits.	
		<u>,</u>	 Miles.	Miles.	No.	Ra.	Rs.	Re.	
1876 1877	••••		858 858	2,333,450 8,551,039	3 ·715 5·670	8.048 2.828	1·963 1·675	1.085	
1878 1879	1.82	*23	857 857	2,155,546 2,073,541	8·446 8·314	8·076 8·196	2·3/39 2·195	0.737 1.001	
1880	*** **:	***	857	1,873,339	2.986	8 290	2.245	1:045	

The traffic train mileage has been reduced to the figures of 1872. Compared with 1879, there was a reduction of 9.6 per cent. The decrease is due to goods trains having been run only when required, instead of every day, as formerly; and to the discontinuance of the second passenger train on the Podanur-Beypore section. The earnings per traffic train mile show a decided improvement.

Passenger traffic.—The numbers of passengers (exclusive of troops and police) carried in each class were as follows :---

	Year.				Second class.	Third class.	Fourth or coolie class.	Total.
1876				12,486	39,747	1,735,411	973,872	2,761,516
1877	225	*==		13,090	87,224	1,707,836	810.046	2,568,196
1878	. 1#*	432	144	13,737	41,275	2,144,997	410,612	2,640,621
1879	*=*	***	····	10,836	85,218	2.546.987	645,750	8,278,780
	***		•••				0.001100	
1880	124	***	•••]	10,970	· 34, 566	8,907,487	483	8,953,023

The receipts from each class were-

	Year.	F	Ŧ	First class.	Second class.	Third class.	Fourth or coolie class.	Total.
Ŧ	• •			• Ra.	Rs.	Re,	Rs.	Re.
1876 1877 1878 1879 1880		۵۹۵ ۵۰۰ ۳۳۵ ۵۳۶	 	1,53,216 1,58,513 1,62,532 1,40,875 1,44,662	1,27,980 1,27,018 1,37,991 1,15,472 1,11,770	14,59,189 15,18,(#3 17,05,894 16,63,793 18,01,248	4.22.545 - 8.62,441 1,82,478 2,65,730 	21,61,930 21,66,085 21,68,890 20,85,870 20,87,680

			Nvi	KBEBS.		RECEIPTS.				
	Year.	First class.	Second class.	Third class.	Fourth class.	First class,	Second class.	Third class.	Fourth olass.	
1876 1877 1878 1879 1880		 0.45 0.51 0.52 0.33 0.28	1.44 1.45 1.56 1.07 0.87	62·84 66·50 81·23 78·90 98·85	35-27 31-64 16-69 19-70	7.09 7.32 7.43 6.75 7.03	5-92 5-86 6-30 5-54 5-43	67·44 70·09 77·93 74·97 87·54	19.55 16.73 8.34 12.74	

The percentages of numbers and receipts were-

Before comparing these figures, it will be well to review the changes in the train service and fares for the third class. From 1st July 1879 to 30th April 1880, the third class fare by all except mail trains was 2 pies. On 1st May 1880, the 2 pie fare was extended to mail trains. The effect of this reduction of the third class fare by mail trains has been a large increase in the number of third class passengers. This was most marked on the Bangalore and Nilgiri branches, and between Nancherla and Raichur. There were also small increases on the other sections of the line. The development in numbers reached 21 per cent. over the figures for the previous year, but the receipts show a small decrease. Owing to the above concession, the issue of third class return tickets at a fare and a half was discontinued from 1st May 1880.

	Yesr.		Troops and police, including military bag- gage and horses.	luggage.	Carriages, horses, &c.	Parcels.	Special trains,
			- Rs.	Rs.	Rs.	Rs.	Rs.
1876 1877 1878 1879 1860	 	*8* *35 *** ***	1,34,684 1,84,670 2,95,755 2,74,512 2,37,121	45,328 88,358 80,244 74,453 76,816	84,400 87,420 86,692 70,779 64,726	1,23,974 1,24,836 1,15,415 95,477 92,936	35,994 45,321 11,727 14,930 13,141

The other items of coaching traffic are compared in the following table :--

The receipts from troops during the year under review were somewhat less than those of the previous year. The new parcels traffic, under which the charges are irrespective of distance, requires more time for development.

	Classes,			1876.	1877,	1878.	1879.	1880.
				Rs.	Rs;	Rs,	Rs,	Rs.
Special		+51	- }k - 191	16,85,200	50,50,397	:15,16,277	16,25,527	10,37,459
	lasr	484		13,27,109	9,51,017	8,99,950	9,07,167	9,93,997
	1 1.04	488		5,51,608	5,84,931	5,41,246	5,97,619	6,82,741
N	33 1 1 1 1			3,51,938	1,97,422	2,65,683	3,15,801	3,08,428
ourth	1) TU			1,33,502	98,527	99,458	1,02,216	91,787
rifth	22 141	685	•••	88,000	34,291	-51,198	51,193	61,122
	\$	Total		41,37,357	69,16,585	33,73,812	36,07,523	31,75,534

Goods traffic.-The receipts from each class of goods were-

The tonnage of goods in each class was-

	Çlas	\$6 9		1876.	1877,	1878,	1879.	1880,
				Tons,	Tons,	Tons,	Tons.	Tons.
pocial	***	***	[876,096	796,160	340,804	440,705	379,333
'irst class	***			148,956	120,141	116.274	119,055	· 136,450
econd "	,]	49,052	50,281	47,524	55,480	• 62,251·
hird "	***	***		24.621	13,233	17,791	22,669	20,805
ourth "	***			5,745	8,832	4,153	4,439	4,432
ìfth "		***		4,901	981	1,986	2,143	2,351
	د	Total		609,371	984,628	528,532	644,491	605,722

Guaranteed Railways.] ADMINISTRATION REPORT FOB 1880-81.

. *	Claszes.			1876. 1877.		1878.	1879	1890.
				Pies.	Pies.	Pice.	Pies.	Pies.
First class Second " Fhird " Fourth "	 	• • • • • • • •	··· · · · · · · · · · · · · · · · · ·	7.72 10:00 12:43 16:49 21:56 80:29	7.65 9.47 12.35 17.00 21.79 33.45	7·52 9·53 12·50 16·39 21·36 25·94	7-28 9-31 12-68 16-04 92-91 27-84	7-19 8-87 12-53 16-32 22-11 20-17
		Total		• 9 •75	8.38	9.31	9 ·15	 9·41

The average receipts per ton per mile from each class were-

• •

The tonnage of and receipts from goods are far below those of the previous year, owing to the falling off in grain traffic, and to the reduced rates at which grain is now carried. On 19th July 1880, the rates for grain and seeds by goods train in consignments of not less than 10 tons were reduced to 6 pies per ton per mile for distances not less than 50 miles, and to 5 pies per ton per mile for distances not less than 250 mile; but these rates have not moved trade, there being a great absence of demand for grain. There was a great decrease in the quantity of grain sent from North Arcot to Beypore, which was formerly a paying traffic; and grain is now imported into the Malabar district from Calcutta and other ports.

Excluding other harbour materials, the figures for the last two years compare thus :----

				Tons.	Receipts. Rs.
1879	922 [*]	***	277	 471,343	85,46,4?8
1880	***	·1+1	***	 410,041	80,96,805

Principal commodities.—The receipts from the chief commodities carried are shown in the following table :---

* L	rticles.		*	1876.	1877.	1878.	1879.	1880.
*			· · · · · · ·	<u> </u>	<u> </u>	l		
·				Rs.	Re.	Re.	Rs.	Rs.
Betel nuts	544	***	5#>	68,416	49,737	55,810	65,698	64,69
Chillies	***	441	***	25,947	81,317	25,789	44,287	48,27
Clothes and piece-good	S		841	1,08,418	80,099	87,751	88,431	97,01
Coffee .	***	***	5.64	69,379	43,015	51,826	52,489	51,26
Commissariat stores		845	144	- 70,204	66,904	71,631	46,958	62,22
Cotton	443			8,79,404	33,617	1,84,341	2,30,109	2,41,30
Firewood	·	6 7 8	- 117	82,143	23,917	43,208	89,723	44),72
Fruits and vegetables	ev è	111	÷	40,132	46,315	48,528	65,899	47,30
Ghee		***		. 18,192	13,803	16,673	45,997	20,72
Government telegraph	materials		241		8,22,672			2,00,72
Gram	345	9==	***	2,68,440		1,35,854	1,84,581	
Grains	***		***	2,07,484	33,60,477	6,39,543	8,49,256	68,32
Junnies	***		***	44,277	63,037	85,850	35,212	83,20
Harbour materials	***	_ 1#	989	86,454	12,315	27,171	61,098	79,23
Indigo		844	***	19,826	6,437	14,275	27,523	13,73
Iron of all kinds	***	. 951	924	1,16,794	1,04,882	68,088	76.745	1,65 ,06
Jagri	• 44	17 6 e	120	41,036	89,071	82,775	55,948	59,27
Luggage			3=+	26,415	26,965	82,4/15	28.771	29.86
Dil of all kinds Drdnance stores		***	* 54 +	60,234	40,641 47,335	86,525 68,391	55,991 20,886	49,72 24.07
	284 ·	***	2 # 7	42,924				
Paddy	483	******	426	75,204	1,10,953	52,619	63,677	24,96
Potatoer		·	\$1.	22,896	20,179 1.24.057	21,284 80,289	86,853 1.68.911	24,87
Ragi		***	***	1,39,983	7,89,030		3,43,846	1 66,46
Salt	144	160	24+	6,86,799 8,00,490	4,44,252	2,86,038		2,02,58
Salt-fish	*** -	¥#1	220	8,92,480 20.615	41.125	8,60,396 25,396	8,52,542 22,638	8,76,3 0 25,9 5
Seeds of all kinds	***		¥##	1,31,664	84,541	1,15,844	1,84,403	1.05.79
kins	***	341	84)	2,29,606	2,18,234	1,10,534	1,53,931	1.62.48
lugar of all kinds	244	884	***			23,440	28,238	86,79
unaries	***	***	477	86,072 4.04,550	29,228 4,74,593	8,89,277	8,42,007	8,01,87
amarind	***	es)	***	46,117	26.131	41,780	73,291	52.53
Simber		***	***	87,614	62,031	64,417	68,146	64.86
1.1	814 -2348	*2*	986 844	85.879	82,214	82.506	31,353	82.25
wist		3	\$44 \$97	77,934	51,126	53,039	57.5784	
Vines and spirituous fi	lon	4++ 4+4	847 897 -	49,226	40,108	51,161	47,410	40,82
*		Total		41,06,758	68,59,358	83,68,589	84,69,009	29,63,10

Grain traffic.—The total quant ity of foodgrains carried was 110,584 tons, yielding a receipt of Rs. 5,53,064, compared with 186,982 tons, yielding Rs. 10,90,310, in the preceding year. Improvement is still shown in the tonnage of some other items of goods traffic.

Cotton traffic .- The following table shows the number of tons of cotton carried, the total receipts, and the average receipts per ton during the last five years :---

.*	Tear,		Half pressed,	Full pressed,	Loose,	Total.		Avera a receipta per ton.	
1976 1877 1878 1879 1880	53++ 48+ 24+ 42+ 524	075 045 144 144	 Tons, 11 9 1	Tons, 18,503 1,047 8,960 12,003 11,384	Tons, 4,962 635 2,782 4,172 4,377	Tons. 23,476 1,682 11,745 16,176 15,761	Rs. 3,79,404 33,618 1,84,346 2,29,115 2,30,439	Rs. 16·16 19·98 15·69 14·16 14·62	

In 1880, the cotton was contributed chiefly by the following districts :----

Bellary, 10,814 tons; Coimbatore, 2,080 tons; Cuddapah, 1,742 tons; and was distributed as follows:--Madras, 9,839 tons; Bombay, 3,654 tons; Beypore, 748 tons; and cotton pressing stations, 1,056 tons. The quantity of cotton exported from Madras was 6,730 tons.

Salt traffic .--- The following table gives the tonnage of salt traffic out of Madras and from all stations :-

<u></u>			· ·	1876.	1877.	1878.	1879.	1880,
				· Tons.	Tons,	Tons.	- Tons.	Tons,
South-West line North-West line	180 48 1	282 286	824 659	41,638 5,339	45,661 8,225	36,741 6,745	3 2,933 9,854	3 6,211 11,284
-	Total from]	Madras		46,977	53,886	43,486	42,787	47,495
Grand total from all stations			***	51,470	58,609	48,912	48,018	51,195
					ľ		а, т.,	•

Compared with 1879, the tonnage out of Madras shows an increase, especially on the South-West line.

The work done in coaching and goods transport is shown in the following table :-

- 			₽▲₽	sengers,		Goods,			
	Year,	Number of passengers		Total unit mileage.	Passenger miles per mean mile worked.	Tonnage of	• Average mileage.	Total ton mileage	Goods ton miles per mean mile worked,
1876 1877 1879 1879 1880	••• ••• ••• ••• •••	2,798,129 2,628,499 2,716,040 3,344,857 4,010,552	51.2 58.5 52:4 47.3 45:9	143,195,738 140,547,066 142,389,181 158,398,392 184,062,220	166,895 163,808 166,148 184,829 214,763	615,038 990,666 542,528 647,408 610,212	135.0 161.4 131.3 118.1 108.1	83,026,930 159,902,322 71,261,199 76,461,018 65,990,330	96,768 186,366 83,152 89,219 77,002

The traffic interchanged with the Great Indian Peninsula Railway is shown in the follow, ing table :---

	Year.			PASSE	NGBBS,	Goo	р Д8.			
				£		Number.	Receipts.	Tons.	Receipts,	
<u></u>	·			ć			Rs.		Rs.	•
876		***	***			9,224	68,272	62,759	5 ,80,157	* #
877	C	***	***	• •	424	15,614	1,08,713	239,184	8,07,854	· ·
N78			144		***	14,139	1,10,014	32,659	3,84,514	*
879					***	19,441	1,46,697	- 63,734	6,52,230	-
880	•.		- ***	1	9 44	18,064	1,34,511	36,355	4,19,393	<u>ک</u> ک

Working expenses.—The maintenance and locomotive charges compare as follows with previous years :--

-			Expres.							
Year.			Maintenance of way, works and stations.			Locomotive.				
•			Åmount.	Mean miles maintained from Revenue funds.	Per mean mile main- tained.	Åmount.	Per traffic train mile.	Por engins milo,		
			Rs.	Miles.	Rs.	Re.	Ás,	Å.		
1876 1877	444		19,74,191 12,09,548	858 858	1,602 1,410	16,22,563 21,56,704	11·198	8-389 7-426		
1878	***	A1A .415	12,64,737	857	1,476	16,77,208	12:449	8.633		
1879	\$1.4	***	13,13,030	857	1,532	15,96,837	12.322	8.603		
1880	***	Vax	12,42,825	857	1,450	13,99,791	11.955	9.838		

Maintenance.—During 1880 the cost of maintenance averaged Rs. 1,248 per mile of track, including sidings, or Rs. 1,450 per open mile.

The following items of extraordinary expenditure are included in these figures :---

New permanent-way on bridges	*18	\$5 \$		Ba. 46,711
Renewals with iron sleepers	133	***	***	1,61,264
	•	Total	***	2,07,975

The decrease under this head is due to the fact that the expenditure for 1879 included an item of Rs. 42,269 for the reconstruction of the Cheyer bridge, whereas revenue expenditure on this work ceased from 1st January 1880. The expenditure on renewals with iron sleepers will continue for another year, and that on new permanent-way on bridges for some years to come. Heavy outlay must be expected in future years on account of renewals of rails.

Locomotive.—The amount spent on repairs of locomotives was smaller than in any year since 1874. During the year under review 75 engines were repaired; the average number in the shops being 80. The new smithy, boiler shop, and other conveniences which have been sanctioned were not brought into use during the official year. The cost of fuel and water has greatly decreased compared with figures of previous years, and nearly all other items under this head show a decrease.

The expenditure in other departments is shown in the following table :---

<u>-</u>			EXPENSES,							
4	Year,		Carriage a	nd Wagon.	Tn	affic.	General charges.	Miscella- noous.		
	ng a		Amount.	Per 1,000 vehicle miles.	Amount.	Per traffio train mile.	Amount.	Amount.		
<u> </u>			Re.	Bs.	Ra.	As.	Ra.	Be.		
1876			8,93,135	11-086	6,65,182	4.561	4,50,192	74,605		
1877	***	#\$*	7,00,983	14-161	8,17,358	8-683	4,31,797	6,31,011		
1878	5 8 4	, ⁹⁵⁴	6,29,227	18.765	8,34,952	6.198	4,54,453	1,81,612		
1879	\$##	*##	3,66,609	10-638	7,13,688	5.547	4,53,681	1,07,479		
1880	***	***	8,21,457	10-367	6,60,139	5-638	4,37,087	1,43,510		
1000	541	5#7	و لکلار با لغرب		-11706			_,,		

The carriage and wagon expenses show a small deorease. During 1880 there were 40 vehicles renewed and 3,603 repaired. The expenditure on oil was less than in any previous year. A saving occurs also under labor employed in cleaning carriages.

The traffic expenses show a considerable decrease, and further reductions are being made.

The expenditure under general charges shows a slight decrease.

The increase under special and miscellaneous occurs chiefly under law charges and compensation, due to claims settled for short delivery of grain, &c., during the famine, and to the passengers who suffered by the Chinnammapet accident.

Open mileage.—At the commencement of the official year the total length of line opened South Indian Railway. for traffic was 632‡ miles.

During the year the following sections were opened-

On 1st August 1880, Chingleput to Walaja	bad	***	13 miles
On 1st January 1881, Walajabad to Conjeve	eram	3 e *	8 miles

making the total length open at the end of the official year 6531 miles. To this length the Pondicherry Railway (from Gingee river to Pondicherry), 72 miles, has to be added, making the total length worked by the Company at the end of the official year 661 miles.

The opening of the line from Chingleput to Conjeveram completes the South Indian Railway system, and connects this line with the Madras Railway at Arconum, thus enabling traffic exchanged with the Madras Railway to be carried by a direct route instead of going round by Madras, a saving of 38 miles.

Capital expenditure.—The capital expenditure on the open line up to March 1881 was Rs. 4,19,57,129 (£4,023,767), being at the rate of Rs. 64,289 (£6,161) per mile.

The value of stores in stock on 31st March 1881 was Rs. 27,91,767. The total capital expenditure, including line under construction and stores, was Rs. 4,47,78,896 (£4,291,311).

The capital expenditure during the year was Rs. 12,42,707. There was no abnormal expenditure, but the following credit was brought to account.

Depreciation of S' 6" stock charged to revenue in December 1880, Rs. 50,000.

The total expenditure on the southern extensions up to 31st December 1879 amounted to Rs. 1,14,18,778, which for a length of 2151 miles gives a rate of Rs. 53,049 per mile. The cost of the northern extension for the same period amounted to Rs. 1,39,13,195, the rate per mile being Rs. 63,822.

Dividend.—The net profits of the official year were Rs.12,98,007, being at the rate of 2.9 per cent. on the total capital expenditure. The net profits fell short of the guaranteed interest by about £115,000.

The guaranteed interest, from the formation of the Company up to 31st December 1880, amounted to $\pounds 2,410,757$; and the net profits for the same period to $\pounds 968,518$, leaving a balance of $\pounds 1,442,239$ to be met from the revenues of the country, in addition to the expenditure on land and control.

Work sanctioned during the year.—The following are the principal capital works sanctioned during the year :--

Engineering Department.

			Ks.
	Trichinopoly Junction water-supply	• • • • •	24,212
	Siding to Mount Capper quarry		10,297
	Substitution of iron for wooden sleepers of	on Trichino-	
	poly-Erode section	·	11,996
	Protective works, northern extension		69,026
	Completion of Porto Novo-Coleroon section		67,881
	Flooring and pitching Gunnecherry bridge	•	21,980
	Covered loading bank at Egmore		12,490
	Egmore new station building		24,318
	Siding to Kolatur quarty		9,740
	Alteration and additions at Amonum		39,019
¥			
	Flooring Chittar bridge		. 9,15 1

Locomotive Department.

Alterations and additions to lo	comotive v	vorkshops at	Ne	gapatam	21,351
Engine shed at Chingleput	• • • •	- 7 811	•	**** ****	26,678

Condition of way and works.—The line is in good order throughout. The quality of ballast has in many places been improved, and the light sand between Cuddalore and Tanjore is being coated with laterite gravel obtained near Cuddalore. All points and crossings are being relaid with teak sleepers, as well as a few of the curves on the main line.

The superstructure of bridges is in good order, and floors are being added to all works in the Tanjore delta and to others which are not founded on rock, or which show signs of scour.

The iron bowls which were obtained for use in the conversion of gauge are being substituted for wooden sleepers between Trichinopoly and Negapatam. The vegetable fencing, though making fair progress, is not yet efficient on some portions of the line. Wire has been sup-, plied where it is evident that a vegetable fence cannot be grown. The bridge over the Gingee river (Pondicherry Railway), consisting of seven openings of 150 feet, is still under construction. The girders are of the Whipple-Murphy type, and are similar to those in the other large bridges on the South Indian Railway, except that the struts are braced with lattice bars instead of plates. The temporary way was destroyed by floods and work at the bridge generally delayed in November 1880. A thoroughly effective flooring is being put in. The bridge will shortly be opened for traffic. On the Chingleput-Conjeveram line the bridge of two 120 feet openings near Chingleput is still in progress but will be completed by the end of 1881. The line to the Medree Beach

On the Chingleput-Conjeveram line the bridge of two 120 feet openings near Chingleput is still in progress, but will be completed by the end of 1881. The line to the Madras Beach, for which gates and fencing were sanctioned with a view to an increase of speed for the local trains, was not up to the required standard at the end of the official year, the permanent-way requiring considerable improvement. To ensure safety and convenience in working, a system of electric bells is being supplied at the various gates.

Stations .- The following additional stations were opened during the year :--

Padalam	,
Walajabad	
Villiambakam	<pre>> on the Chingleput-Conjeveram line.</pre>
Sivarem)

The new stations at Conjeveram and Arconum are in progress, as also the goods shed at the former place. The overbridge at Arconum will be extended across the South Indian Railway for convenience of passengers, and the platform lengthened to 700 feet. The old station at Conjeveram has been abandoned, and the new one is being constructed in a more convenient estuation. Estimates for providing two distant signals at each station from Negapatam to Erode were submitted for sanction during the year.

Water-supply.—The arrangements for supplying Trichinopoly Junction with water from Wyacondan channel are complete, and a reservoir has been constructed near the station, into which surplus water from the tank-house finds its way. The contents of this reservoir are calculated to meet all demands during the season when the bed of the Wyacondan is dry.

The water obtained from the Vaippar river for Satur has been analysed, and found unfit for use in locomotives.

At Tuticorin pipes have been laid from a well about three-quarters of a mile distant, and the use of tank trucks has been discontinued here as well as at Trichinopoly.

Owing, however, to the bad quality of the water at Maniyachi, Kadumbar, and Satur, water-trucks have to be continued in the trains between Madura and Tuticorin.

At Cuddalore no satisfactory supply of water has yet been obtained. The damage to boilers from the water used at this station would justify considerable capital expenditure in obtaining a supply of good quality, and the subject is now being again considered.

Rolling stock.—The total stock sanctioned includes 36 coaching and 20 goods vehicles converted from 3 feet 6 inches gauge.

Out of 323 third class carriages sanctioned, 284 have been completed; and of 825 covered goods wagons, 787 have been finished.

The following stock was completed during the year :---

64 coaching vehicles.

18 goods vehicles.

It has been decided to erect workshops at Cuddalore old town, and additional accommodation is being provided at Negapatam.

Transfer of head-quarters to Trichinopoly.—Nothing further has been done regarding this proposal, but provision was made in the budget of 1881 for the new offices at Trichinopoly.

Defects in rolling stock.—These were chiefly failures of springs of engines, fracture of couplings from defective metal, faulty workmanship, and wear and tear.

Damages to line.—These were caused by heavy local rainfall and floods in streams crossed by the line. Most of those that occurred during the north-east monsoon were of a serious nature, and caused interruption of traffic for considerable periods.

and caused interruption of traffic for considerable periods. Breaches in the line.—On the 20th and 21st November 1880 a severe cyclone swept over the country traversed by the South Indian Railway in the Chingleput, South Arcot, Tanjore, and Trichinopoly districts, its effects being felt most about Negapatam. This storm resulted in serious damage to the line. In the 97th mile there were seven breaches aggregating 316 lineal feet, and further damages occurred at mileages 105 (Pondicherry Branch), 168, 169, 186, 215, 231, 235, 805, 408, 444.

231, 235, 805, 408, 414. Traffic was interrupted at the 9th mile for ten days, and at the 215th mile for three weeks. Night traffic was also suspended for some time.

At 168-1 a 6-feet girder was entirely washed away, the line being breached for a length of \$3 yards. Four 25-feet girders will be erected here.

The damages at 214-2 and 214-6 were due to the breaching of the banks of the Vennar river. The abutments of two bridges were damaged, and are being rebuilt. At 230-11 a bridge of three 12-feet arches was washed away by the breaching of tanks. Two 25-feet openings are being substituted here. At 234-4 one abutment of a bridge failed, and is being rebuilt. Estimates to the extent of Rs. 30,919 for repairing damages to existing masonry works and for providing 133 lineal feet of additional waterway have been sanctioned, and the work is in progress.

Re

The temporary line across the bed of the Gingee river was damaged, and traffic with Pondicherry interrupted for about three weeks.

Train service.--No change was made in the mail train service introduced on 1st January 1880.

The local train which formerly halted at Cuddalore, Trichinopoly, and Madura has since lst August 1880 halted at Chingleput, Mayavaram, and Madura, this service being better calculated to meet the wants of the populous district of Tanjore. On the same date a third train was introduced on the Negapatam Branch, so as to provide through connection with all trains at Tanjore.

A through train was introduced on 1st January 1881 between Madras and Arconum via Conjeveram.

Rates and fares.—A change in fares is contemplated, but they remained during 1880-81 the same as noted in the Administration Report for the previous year. Owing to competition, it has been found necessary to reduce goods rates, and in some cases they are now so low as to be barely remunerative. This line has the disadvantage of following the coast, and it is from internal development that an increase of traffic must be looked for; cheap inland feeders are much wanted.

Comparison of earnings and working expenses.—The general results for the last five calendar years are compared in the following table :--

· <u></u>	Year.			Gross carnings.	Expenditure.	Net revenue.	Percentage of expenses to receipts.	c Receipts per open mile per week.
				Rs.	Ra.	Rs.		
1876		568	*11	19,90,800	10,60,522	9.30,278	53·27	89-8
1877			591	32,33,246	16,45,026	15,88,220	50-88	106-9
1878	.146	***	***	32,33,140	21,55,033	10,78,107	66-65	.102.2
1879		***	***	33,62, 067	22,98,815	10,63,252	68-37	- 104-8
1880	•••	***	731	35,59,594	26,29,576	9,30,018	73-87	105-8

The total receipts show an improvement, but the traffic of this Railway still continues small.

The following sums are included in the working expenses :---

and warm	n stock transfe	Fred	TES.
121 Hanger	I BUUCH VIEIHBLU	***	4,07,279
ock of the	Arconum-Con	je-	•
* • •	چە بر	***	50,000
•	Total		4,57,279
	ock of the	ock of the Arconum-Con	ock of the Arconum-Conje-

Excluding the above abnormal expenditure, the percentage of expenses to receipts is 61. The earnings under coaching and goods were as follow :---

•	•			COAC	EIFG.	Go		
	, Ye	u.		Ámount,	Per epen mile per week.	Åmount.	Per open mile per week.	Total.
			·	Rs.	Rs.	Rs.	Ra.	Rs.
876	***	***	C.	11,83,325	53 38	7,18,132	32-39	19,01,457
877	•••			15,96,193	52·78	15,14,783	50.09	31,10,976
1878	с. 	•••		19,06,087	60-22	12,26,495	38.75	31,32,582
879		***	 a	20,03,022	62.46	13,09,593	40.84	33,12,615
880	ن ۱۳۲	411		20,62,513	1.30	14,45,911	42.98	35,08,424

It will be seen that the coaching receipts of this year are almost identical with those of the preceding one. In spite of the great falling off in grain traffic, the earnings under goods show some improvement.

				Mean	Traffic	Average number of trains each	PRE TRAFFIC TRAIN MILE.			
	Ye	ar,	-	mileage worked.	train mileage.	way per diem over the whole line.	Gross earnings.	Expendi- ture.	Profit.	
		•	•	Miles.	Miles.	No.	Rs.	Rs.	Rs.	
1876	***		¥#¥	424	596,540	1.922	8-937	1.778	1.559	
1877	***	***		580 .	1,136,374	2.684	2.846	1.4.18	1.356	
878	522	**1		607	1,174,309	2 .650	2.753	1 836	0.812	
879	*31			615	1,161,159	2.286	2.895	1.980	0.010	
880	+24			639	1,190,018	2.526	2.991	2.210	0.781	

The train mileage and earnings per mile compare as follows :----

The increase in the expenditure per traffic train mile is due to the abnormal expenditure previously mentioned.

Passenger traffic.--The number of passengers (exclusive of troops and police) carried in each class were as follows :--

		Year.		First class.	Second class.	Third class.	Total.
1876 1877 1878 1879 1880	041 142 465 784 784	700 282 883 805 805	 *** *** *** ***	8,483 11,738 15,191 17,071 7,709	67,820 130,161 125,994 106,859 40,853	2,732,806 8,868,491 4,855,592 5,056,933 4,402,908	2,809,109 40,10,390 4,996,777 5,180,863 4,451,470

The receipts from each class were-

	Year.			First class.	Second class.	Third class.	Total.
· · · · · · · · · · · · · · · · · · ·	-			Re.	Ra.	Rs.	Rs.
6.0 ×		***		18,936 23,007	87,277 68,145	10,02,932 14,06,991	11,19,165 14,98,143
*** * **	***	***	344 477	29,116 33,760 43,767	64,404	17.88,485	18,05,400 18,06,649 19,60,379
	687 848	4.42 (9.37 3.5. 0.75 6.44 3.56 4.77 3.63	Year.	Year.	Year. First class. Image: Strate strat	Year. First class. Second class. Rs. Rs. Rs. 18,936 37,277 23,007 68,145 29,116 70,409 33,760 64,404	Year. First class. Second class. Third class. Rs. Rs. Rs. Rs. Rs. 18,936 37,277 10,02,932 23,007 68,145 14,06,991 33,760 64,404 17,88,485

The percentages of numbers and receipts work out thus :---

			- 9	ŧ	NUMBER.		RECEIPTS.			
	Ye	87.		First.	Second.	Third.	First.	Second.	Third	
1876 1877 1878 1879 1880	582 984 244 244		····	0·30 0·29 0·30 0·33 0·17	2·41 3·24 2·52 2·06 0·92	97.29 96.47 97.18 97.61 98.91	1.69 1.54 1.61 1.79 2.24	8·33 4·55 3·1*) 3·41 2·77	94-98 93-91 94-49 94-80 94-99	

The increase in fares noted in the last Administration Report has resulted in a falling off in the number of passengers of all classes. The receipts show an increase in the first class, but a decrease in the second; the total of these two classes taken together being about the same as in the preceding year. Notwithstanding the loss of traffic in consequence of flood damages, the third class shows an improvement, but it is difficult to ascertain how far this is due to the increased mileage worked and to the effect of the through train service.

<u>,</u> .

	Yes	ыг.		Troops and police, including military bagguge and horses,	Passengers' luggage.	Carriages, horses, &c.	Parcels.	Special trains.
	· · · · · · · · · · · · · · · · · · ·			Rs.	Rs.	Rs.	Rs.	Rs.
1876 1877 1878 1879 1880	 	 	917 ~ 484 447 911 794	8,294 24,123 20,593 35,717 19,230	8,571 15,043 22,205 25,914 27,907	11,461 .13,238 16,386 15,707 14,563	31,065 38,813 36,245 35,402 37,065	4,508 6,397 4,543 2,458 6,412

The other items of coaching traffic compare thus :---

The falling off under troops and police is due to the fact that fewer troops are now stationed in the southern parts of this Presidency.

Goods traffic .-- The receipts from each class of goods were---

•	1	Classes.		1876.	1877,	1878.	1879.	c 1680,
		,		Rs,	Rs,	Rs,	Rs,	- Re.
Special First class	•••	1 K . 1		3,75,490 2,91,453	13,27,162 1,28,561	10,52,160 1,04,729	11,44,084 81,670	12,91,506 50,252
Second " Third "	188	ų ** 4 5*	494 474	*****	*****	*****	****	******
Fourth " Fifth "	143 143	442 442 422		15,948 2,829	17,964 5,663	21,877 9,977	29,425 19,387	22,841 1,211
		Total	•••	6,85,720	14,79,350	11,88,743	12,74,566	13,65,810

The tonnage of goods in each class was as follows ;----

		Clas	865,		1876,	1877,	1878,	1879,	1880.
		······································		••••••	Tons.	Ţons.	Tons,	Tons.	Tons,
	lass	***	***	•••	116,456 64,103	835,755 37,857	350,340 15,689	421,447 13,977	508,635 7,775
Second Third	ы	***	.**	}	*****	* *****		******	
Fourth	13 13	884 883	199 199	· · · ·	1,649	1,502	2,565	9,740	1,824
Fifţh	17	144	L.*.*	r • \	106	126	738	1,299	32
,			Total	_ ••• 1	182,134	375,240	369,332	440,463	513,266

The average receipts per ton per mile in each class were-

Classes.					1876,	1877.	1878.	1879,	1880.
,		·····		~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	Pies.	Pies.	Pies.	Pies.	Pies.
	lase	• • • • • • •	***	•••	8:162 11·749	8·083 11·869	8·515 11·793	8·130 11·858	7·866 11·905
Second Third	12 12	***	***		*****			*****	******
Fourth Fifth	н Р	••	***	• • • • •	22·439 52·571	23·920 53·618	23-609 52-193	23·614 53·046	23.870 48.571
		` *9	Total		9.581	8 ·410	8:900	8.542	8 .063

The increase in tonnage is due chiefly to the larger quantity of harbour materials, exclud- ing which traffic the figures for the last three years compare as follows :

		Var	Year.		Ordinal	IT GOODS.	HABBOUR MATERIAL	
	•	1 691.	•		Tonnage.	Receipts.	Tonnage.	Roceipts.
1878 1879 1880	969 207 769] V = 202 744	784 699 442	541 441 244	281,027 271,041 300,511	Rs. 11,40,338 11,87,907 12,60,785	88,305 169,422 212,765	Ra. 48,405 86,659 1,05,025

The tonnage and receipts show a satisfactory increase. The average lead of ordinary goods in the two years was 95 and 97 miles, and the average receipts per ton mile 8.81 and 8.30 pies respectively.

The receipts from the chief commodifies carried compare thus :---

					1876,	1877.	1878.	1879.	1880.
•				•	Ra.	Rs.	Re.	Rs.	Re.
Areca nuts .	 '	***	91 4	-	13,569	9,863	13,670	13,448	18,938
Cloth		d ya	841	***	26,982	18,092	23,069	\$1,060	62,453
Catton `	**	•		***	5,297 -	6,972	19,826	26,620	87,456
Curry-stuff "	1.8	•#=		***	40,993	26,773	95,791	45,383	52,865
Fruit and vegeta	bles	***	***	.	10,476	12,864	19,794	28,275	89,820
Grains of all kin	ds	***	. •44	***	. 2,22,426	9,97,070	5,41,707	5,28,752	8,64,279
Granite stones			••••_	**>	23,985	14,475	21,979	16,798	25,376
Hides				845	9,317	12,038	12,495	12,915	19,909
Jagri "	t D	28.x	4 # ³ 2		<i>8</i> 24	j ito	482	ŦŤĸ	81,141
Oil and ghee		•••	***	482	19,705	9,506	18,792	83,651	80,844
Oil cakes	•		***	1 83	27,918	20,537	23,076	19,139	26,530
Salt	•	5 6 4	***	+zt	66,135	71,196	58,481	63,093	72,827
Seeds of all kind	B.	444	484	443	60,364	87,788	87,002	67,424	73,237
Sundries "		484	14>	1.52	111	\$ \$\$	#2 7	**,	6
Tes	i=	***	FX+		1,60,173	2,22,175	2,56,301	2,95,246	8,55,917
Fobacco .	1 9	1	482	***	5,509	7,559	8,633	8,880	11,344
Stone for Madra	Har	bour	Works	194	3 11, ⁷	18,124	48,405	80,659	1,05,028
			otal	485	6,92,851	14,85,032	11,92,021	12,77,349	19,67,36

There was a large falling off in the receipts from grain, but other items of traffic show general improvement.

The work done by the Railway in transporting passengers and goods is shown in the following table :---

		PASS	engres.	, Goods.				
Year.	Number of passengers.	Average milesge.	Total unit milesge.	Passenger miles per mean mile worked.	Tonnage of goods.	À verage mileage.	Total ton milesgo.	Goods ton miles per mean mile worked.
1050	0 001 075	36-40	102,698,914	242.214	199,699	75.45	14,540,964	84,295
1876 j	2,821,375 4,048,095	37.89	153,388,313	264.463	387.052	89.49	84,636,940	69.719
1877	5,030,434	35.40	178,071,623	293.363	3*6.195	69-34	28,7(18,420)	44.(X)1
1878		34 41	179,441,151	291.774	455.209	65-34	29,743,447	44,363
1879	5,215,043	33-30	149,111,679	233.351	526.379	63-94		
1880	4,477,895	33 3V	1. 4 . 4	200,001	040,010	00.04	33,667,752	62,672

×

205

Working expenses.—The maintenance and locomotive charges compare as follows with previous years :—

-			Mainten.	ANCE OF WAY, V STATIONS.	Locomotive expenses.		
Year.			Amount.	maintained	mile main-	Åmount.	Per traffic train mile.
			Rs.	Miles.	Rs.	Rs.	Ås.
			74.204	185	401	4.94.817	13.272
					826		10.612
•					1.137		11-717
		1					10.830
***	***		5,72,197	607	943	10,67,851	14.358
	••••	•••• •••• ••• ••• ••• •••	۲۰۰۰ ۲۰۰۰ ۲۰۰۰ ۲۰۰۰ مربع ۲۰۰۰ مربع ۲۰۰۰ ۲۰۰۰ ۲۰۰۰	Year. Amount. Rs. 74,204 1,79,287 4,81,912 5,25,825 5,72,197	Year. Mean miles maintained from Revenue funds. 74,204 185 1,79,287 217 5,25,825 580 5,27,9197 607	Year. Mean miles maintained from Revenue funds. Cost per mean mile main- tained from Revenue funds. 74,204 185 401 1,79,287 217 826 5,25,825 580 907 5,225,825 680 907	Year. Mean miles maintained from Revenue funds. Cost per mean mile main- tained from Revenue funds. Amount. Rs. Miles. Rs. Amount. 74,204 185 401 4,94,817 1,79,287 217 826 7,53,062 4,81,912 424 1,137 8,59,980 5,25,825 580 907 7,85.944

Maintenance.—The increase in expenditure under this head over the preceding year occurs chiefly under permanent-way materials. There is a decrease under general superintendence, although it includes abnormal expenditure, Rs. 8,217, on account of bonuses paid to two engineers on reduction of establishment. The extraordinary expenditure amounted to Rs. 14,437.

Locomotive.—The large increase under this head is due to depreciation of locomotive stock amounting to Rs. 2,59,720. The remaining expenses under this head also show an increase, due to additional train mileage.

The consumption of coal per train mile is compared in the following statement :---

Year.			Total train miles.	Lbs. of coal per total train mile.	Enginə miles.	Libs. of coal per engine mile.	Percentage of engine mileage in excess of total train mileage.	
1876				622,808	37.14	821,749	28.15	31.94
1877		***		1,165,098	39-63	1,616,907	28.55	38.78
1578		***		1,228,157	38-68	1,617,581	29.37	31-71
1879				1,250,561	34.62	1,713,171	25-27	36.99
1880		***	••••	1,297,067	82.06	1,624,606	25.60	25.25

The figures for last year compare favorably with those of preceding years.

The expenditure in other departments is compared in the following table :----

	Year.			e and Wagon penses.	TBAFFIC	expenses.	GENERAL CHARGES.	SPECIAL AND MISCELLANEOUS EXPENDITURE. Amount.
			Amount.	Per 1,000 vehicle miles.	Amount.	Per traffio train mile.	Amount.	
			Rs.	Rs.	Rs.	As.	Re.	Rs.
1876 1877 1878 1879 1880		*** *** *** ***	1,91,798 1,31,154 1,21,307 3,68,143 3,56,492	17:168 6:285 5:540 15:920 15:342	1,68,004 2,75,617 2,85,744 3,10,735 3,40,692	4 506 3 881 3 893 4 282 4 581	93,506 1,59,686 2,46,214 - 2,48,016 2,75,844	38,193 1,46,220 1,59,876 60,152 16,500

The carriage and wagon expenses include a debit of Rs. 1,97,558 for depreciation of wagon stock transferred to Dhond and Manmad State Railway.

The traffic expenses show an increase, due to the introduction of the night train service from let January 1880, to the opening of new stations, and to enhanced salaries.

The excess under general charges is due to an increase in the Agency and Audit Departments, and to a larger proportion of salaries being now charged to revenue. Also to increased expenditure under electric telegraph signallers and office expenses, chiefly due to night train service.

The large decrease under special and miscellaneous is due to absence of charges for hire of locomotives, mileage of foreign stock, and rent of joint stations.

The amount received for working the Pondicherry Railway amounted to Rs. 12,751.

206

CHAPTER V.

ADMINISTRATION OF RAILWAYS IN INDIA-INDIAN COAL-REVIEW OF FINE FUNDS.

Administration of Guaranteed Railways and of State Ruilways-State Railways classed as Imperial, Provincial, and Native States-Principal administrative orders passed during the year.

Coal worked in Bengal and Central Provinces-Coal exists in Madras, Assam. and the Punjab-English coal undersells Indian coal in Madras and Sind-Distribution of coal over the Great Indian Peninsula Railway. Fine Funds-Tabulated statement of-

ADMINISTRATION OF RAILWAYS IN INDIA.

THE whole system of Railways in India is under the control of the Indian Government. Administration

In return for the State aid afforded to the old Guaranteed Companies, the Indian Government exercises this control of Guaranteed Railways

of Guaranteed Railways over each Company by means of officers termed "Consulting Engineers to Government," posted at Bombay for the Great Indian Peninsula and Bombay, Baroda and Central India Railways; at Madras for the Madras and South Indian Railways; at Calcutta for the East Indian and Eastern Bengal Railways; at Lahore for the Sind, Punjab and Delhi Railway; and at Lucknow for the Oudh and Rohilkhand Railway. The Consulting Engineers at Madras and Bombay are under the orders of the Governments of those two Presidencies ; those at Calcutta, Lucknow, and Lahore are under the

and of State Railways.

State Railways classed as

immediate orders of the Government of India. This disposes of the Guaranteed lines. State Railways are classed under three heads :---

I. Imperial.

II. Provincial.

III. Native States.

Imperial Railways are constructed from Imperial funds, and will be generally under the control of the Director Imperial, General of Railways.

Provincial Railways are constructed from funds for the interest on which the Provincial Government has accepted Provincial, and all responsibility. These are controlled

by the Local Governments and Administrations, under the general supervision of the Government of India.

Class III comprises those lines which have been constructed on the financial responsibility of the Native rulers in Native States. whose territory they lie. These are in

most cases controlled by the Consulting Engineers to Government.

At the close of March 1881 the various State Railways were administered as follows, the Director General of Railways exercising a general control over all the lines :---

PUNJAB AND SIND-

Lines opened for traffic. Under the Consulting Engineer to the Government of India for Guaranteed Railways, Punjab.

Lines under construction. Engineers-in-Chief responsible directly to the Director General of Railways.

BOMBAY AND CENTRAL INDIA-

Rajputana Ruilway, Holkar and Sindia-Neemuch Railways, and Neemuch-Nasirahad Railway. Under Consulting Engineer to the Government of Bombay for Railways, both open line and line under construction.

1 14 (n. 1

Sindia Railway. Open line worked by East Indian Railway Management, and con-trolled by Consulting Engineer to the Government of India for Guaranteed Railways, Calcutta. Line under construction—Engineer-in-Chief, under orders of Director General of Railways.

BENGAL-

208

Bengal system of State Railways. Under Bengal Government, which Administration accepts financial responsibility.

۰**۰** ۲۰۰۰ ۲

Dhond and Manmad Railway. Under Great Indian Peninsula Railway Management, and controlled by the Consulting Engineer to Government of Bombay for Railways.

Patri Branch. Under Bombay, Baroda and Central India Railway Management, and controlled by the Consulting Engineer to Government of Bombay for Railways. Rajputana and Central India system. (See above.)

NORTH-WESTERN PROVINCES AND OUDH-

Provincial State Railways within the Province. Under Local Government, which accepts financial responsibility.

CENTRAL PROVINCES-

Nagpur and Chhattisgarh and Wardha Valley Railways. Construction and working. Under the local administration, which accepts financial responsibility for the Chhattisgarh Railway.

BRITISH BURMA-

Local lines. Under the Local Administration, which accepts financial responsibility.

LINES IN NATIVE STATES-

The Nizam's. Under the Resident, Hyderabad.

- Berars Branches. Under Great Indian Peninsula Railway Management, and controlled by Consulting Engineer to the Government of Bombay for Railways.
- Kathiawar Railways. Under the Consulting Engineer to the Government of Bombay. for Railways.
- The Gaekwar's Railway. Under Bombay, Baroda and Central India Railway Management, and controlled by the Consulting Engineer to Government of Bombay for Railways.

Mysore Railway. Under orders of Resident, Mysore.

Bhopal Railway. Engineer-in-Chief, under orders of Director General of Railways.

Amongst other important subjects regarding which orders were issued Principal administrative orders passed by Government during the year, the folduring the year. lowing may be here noted :--

Rates for the conveyance of troops, &c., on the East Indian Railway and State Railways.

Under the present contract of the East Indian Railway, the conveyance of troops is to be performed by the Company on the same general conditions as may for the time being be in force on State Railways, and at such rates as may be approved by the Secretary of State, " not being less than the highest rates in force for the time being for similar services on State Railways of the same gauge."

This rendered advisable a revision of the State Railway and East Indian Railway troop rates, so that one uniform and complete set of these rates could be laid down for these lines.

A schedule was consequently prepared, containing 16 items with rates for ordinary and troop extra trains, which after discussion was accepted by the Military Department and introduced with effect from the 1st January 1881.

Circular No. 25R. of 1880.

Certain rules were laid down for the examination of candidates for appointment to the superior grades of the State Railway Traffic Department.

Under these orders candidates are required to qualify in departmental work and language within two years from the commencement of their probation, failing which they are liable to be removed from the list of candidates.

Circular No. XIV R. of 1880. .

Section 10 of the Indian Railway Act, 1879, requires that every agreement purporting to limit the obligation or responsibility imposed on a carrier by railway by the Indian Contract Act, 1872, sections 151 and 161, shall be in a form approved by the Governor General in Council. A series of forms was accordingly approved for use under the following circumstances :-

Form A.-When articles are tendered for carriage which are either already in bad condition, or so defectively packed as to be liable to damage or wastage in transit.

Form B.—When the sender elects to despatch at a "special reduced" or "owner's risk" rate articles for which an alternative "ordinary" or "railway risk" rate is quoted in the tariff.

Form C.—When at sender's request open trucks are used for the conveyance of goods liable to damage when so carried, and which under other circumstances would be carried in covered wagons.

Form D.—(This form was subsequently rendered unnecessary by the exemption of these agreements from stamp duty.)

8... Form E.—When booking uninsured horses of a declared value over **Rs.** 500. • •

Form F.-When booking low-priced horses, mules, and ponics tendered for despatch in cattle trucks instead of horse boxes.

Form H.—A standing agreement on terms similar to those in Form B.

Circulars Nos. XVII and XVIII of 1880.

General rules were passed for the grant of oil and fuel premia for economy in the consumption of these stores on earning engines. General rules were also framed for the payment of drivers and firemen by the trip instead of by actual . . time.

Circular No. XXXIX of 1880.

۰. As recommended at the Railway Conference, a Committee was appointed to revise the Railway statistical forms. The Committee assembled on the 5th July 1880, and was dissolved on the 30th idem.-

PRESIDENT:

COLONEL J. G. MEDLEY, R.E., Consulting Engineer for Guaranteed Railways to the Gov. ernment of India.

ACTING PERSIDENT:

W. C. FURNIVALL, ESQ., C.E., from the 16th to the 21st July, inclusive.

MENBERS:

F. MATHEW, ESQ., C.E., Agent and Chief Engineer, Bombay, Baroda and Central India Railway Company, from 5th to 13th July, inclusive.
J. O'CONNEL, ESQ., Chief Auditor and Accountant, Bombay, Baroda and Central India Railway Company, from 15th to 30th July, inclusive.
R. C. S. MACKENZIE, ESQ., Chief Auditor, East Indian Railway Company.
JABEZ LIGHTFOOT, ESQ., Chief Auditor, Sind, Punjab and Delhi Railway Company.
CAPTAIN W. S. S. BISSET, R.E., Manager, Rajputana State Railway.
B. G. MACDONALD, ESQ., Assistant Accountant General. Public Works Department.

R. G. MACDONALD, Esq., Assistant Accountant General, Public Works Department.

CAPTAIN R. A. SARGBAUNT, R.E., Secretary.

Revised forms were submitted to Government with a report, and the following orders were passed thereon :-

Circular No. XXXIXR., dated 20th October 1880.

RESOLUTION .- The report of the Committee may be divided under three main heads, vis .-

- (i) the form of half-yearly revenue account ;
- (ii) the statistical returns submitted periodically to the Government of India;
- (iii) the statements prepared in the Public Works Department of the Government of India. £+

2. Although it was not intended that the deliberations of the Committee should extend to the forms of *accounts*, the intimate connection between the review or analysis of working and the half-yearly revenue account rendered expedient the remarks in the report under this head.

Under the first head, the Committee recommend that-

in the statement of train-mileage No. XIV of the revenue account, the division of mixed train-mileage and of light mileage between coaching and goods traffic be given in a footnote;

and the second second

the general merchandise traffic be entered in Abstract I of the revenue account as one item, and not subdivided into classes, as at present ordered;

the abstract of traffic in the principal commodities, in comparison with the figures for the corresponding half of the previous year, be furnished with the revenue account, in Form I, given at page 105 of the report.

In these recommendations, the Government of India concurs, and desires that they be generally adopted.

The abstract of traffic in the principal commodities should be placed after Statement No. XVIII of the half-yearly revenue account.

3. As regards the returns coming under the second head, with the addition of the item "Revenue Stores" to the form of Weekly Audited Traffic Return, the Government of India approves of the forms proposed for the following, *viz.*—

Weekly Approximate Traffic Return.

Weekly Audited Traffic Return.

Monthly Estimate of Working Expenses.

Supplementary Statement of Traffic.

Return of Traffic at Stations, and Station-to-Station Traffic Return, or "Revenue Statistics."

The abstract of traffic in the principal commodities should be submitted with the revenue account, as above desired.

The statement of the fluctuations of goods traffic should be continued as heretofore; but if it be thought desirable after further consideration to delay its publication until the figures can be procured from the statistical books of the Railway, orders will be passed on this point hereafter.

4. The form proposed for the half-yearly analysis of the revenue account is, subject to the following modifications, approved.

Item 16, which shows the percentage of working expenses upon earnings, excluding from both sides of the account the charges for carriage of revenue stores, appears to have been introduced for the sake of comparison with the accounts of past periods; this refinement seems unnecessary, but the entry may be allowed to stand for a term of four years, when its objects will have ceased to exist.

With reference to the division of expenses between coaching and goods traffic, the Government of India agrees with the views of the Committee, viz., that the gross ton-mileage gives, on the whole, a basis for division of the expenses preferable to any other that has been proposed; and also that before such division is made, the expenditure should be reduced in the manner proposed in paragraph 15 of the report. It is, therefore, desired that the division be made on this basis, and that all items in the proposed form of analysis based on any other principle be eliminated.

The suggestions with regard to the calculation of the ton-mileage of rolling stock in paragraph 16 of the report are approved.

The percentages of repairs and renewals upon capital expenditure, items 131 to 136 of the anlaysis, cannot, it is thought, be made to serve any useful purpose; and as the opinions of. the Committee on this point are equally divided, the Government of India does not hesitate to adopt the amendment given at the end of paragraph 18 of the report. The items giving these percentages may, therefore, be struck out.

As regards the offices in which the analyses of working should be prepared, the Government of India concurs in the proposals of the Committee expressed in paragraph 19 of the report and the Secretary of State will be addressed in the proposed terms.

5. In order that the suggestion of the Committee, viz., that the summaries of the revenue accounts and of the analyses of working should be circulated, may have practical effect, it is necessary that the documents to be summarised should be submitted to the Government of India with punctuality. The exchange of reviews, ordered in Public Works Department Circular No. 5 Railway, dated the 15th March 1878, may cease from the introduction of these orders; and if it should be found possible, as it is hoped, to circulate the summary of the revenue accounts with sufficient promptness, the exchange of the accounts will become unnecessary.

· 6. All the returns comprised under the second head, except the statement of alterations to works, &c., which should continue .to be submitted as heretofore, should be prepared in the Audit Offices of the several Railways, and the dates proposed for their submission in the list marked K at page 96 of the report should be adopted. It is especially desired that every endeavour will be made to observe punctuality in this matter.

7. As regards the third main head, the suggestions for the preparation of the summary of the statistics contained in paragraphs 20 and 26 of the report are approved, and the statements will be prepared in accordance therewith, subject to such modification in form as may be necessary in consequence of the above orders on the form of the half-yearly analysis.

8. The recommendations in paragraphs 4, 11, 23, and 25 of the report, which relate to statements prepared in the office of Public Works Department, will be carried out.

These orders will have effect from the 1st January 1881, and care should be taken that all information necessary for the preparation of the analysis of working for the first half of 1881 is systematically recorded.

10. The form of the analysis of working proposed by the Committee should be amended as indicated above, and circulated for information and guidance.

11. The thanks of the Government of India should be conveyed to the President and Members of the Committee for the careful and complete manner in which they have dealt with the subject brought before them.

INDIAN COAL.

Coal has now been obtained for some years in India, and the collieries in the

Coal

worked in Bengal and Central Provinces.

•

* Review of the Maritime Trade of British India for 1880-81, p. 32.

put of Indian coal mines during the year amounts to 1,016,010 tons.* The greater part of this was contributed by the Bengal collieries.

The Great Indian Peninsula Railway Company agreed to take, from 1st

Warora coal.

April 1880, 50,000 tons annually of Warora coal at Rs. 5 a ton, free of all royalty

Giridi. By the time that it has been

handed to Lahore[‡] its cost is Rs. 30 per ton.

province of Berar, and in the Palamow

extremity of the Vindhya range.

Bengal coal-fields near Burdwan

and Ranigunge and in the Central Prov-

inces at Mohpani and Warora have been

in regular working order. The total out-

and all charges except carriage. Owing, however, to a breakdown in the machinery of the mine, the deliveries during the year have only amounted to 9,085 tons, or an average of 757 tons a month.

The Railway Company are now receiving about 2,000 tons a month, and it is understood that an additional shaft has been sunk in the mines and is nearly ready to work, so that a large increase in the delivery of the coal may be shortly expected.

12,787 tons of Mohpani coal were received during the year, but the present output is about 800 tons per month, Mohpani coal. and larger receipts are not anticipated

. for the next two years.

The coal-fields above specified are all connected with the railway system, and supply fuel at a cheap rate to those lines which are in their immediate neighbourhood. And efforts have been made to develop similar sources of supply for the railways which, being at a distance from these collieries, have to pay an enormously enhanced price for their coal.

The Sind, Punjab and Delhi Railway, for example, has to import its coal, partly from England and partly from + Rs. 17 at par and Re. 1 for landing. Bengal. The price of a ton of English coal

landed at Karachi is about Rs. 18.+

The price of Bengal coal is Rs. 3 per ton delivered into wagons at 1 Giridi to Lahore, 1,117 miles.

Coal is known to exist in Madras, in Assam, in the Punjab, in the Coal exists in Madras, Assam, and the Punjab.

In Madras some coal was procured in 1879 from Singareni in the Godavar district and tested. It was found to be Coal in Madras. good, serviceable fuel, but could not compete at the price at which it was delivered at Madras with the patent fuel in use on the Madras Railway.

Coal borings are being prosecuted at Bhadrachalam in the Godavari District, and efforts are being made to bring the coal to Madras at a cheaper rate. The principal part of this coal-bearing area is situated.in the Nizam's Dominions; until those mines are methodically worked, and the Nizam's Railway extended to them, it seems doubtful if any economical benefit will be derived from this coal-field.

In the year under review tenders for the supply of 12,000 tons of Indian English coal undersells Indian coal in coal for the Madras Railway were called Madras and Sind. for. Four firms submitted tenders and samples of coal, and about 40 tons of each sample were tried. The Kurhurballie coal was found to be the best, but, as regards cost, did not compare favorably with patent fuel. The Kurhurballie coal was tendered at Rs. 27-4-0 per ton, but, to be on equal terms with patent fuel, it would have had to be tendered at Rs. 19-2-0.

In Assam large coal-beds have been discovered at Makum and Jaipur,

Coal in Assam

which lie between Dibrugarh and Sadiya in the upper valley of the Brahmaputra; constructed to work these coal districts.

and a line of Railway will be shortly constructed to work these coal districts. In the Punjab, coal has long been known to exist in the Jhelum Salt and in the Punjab. Range; and so far back as 1866 this source.

* Report on the Coal Resources of India-Selections from the Records of the Government of India, Home Department, page 3. of supply was investigated and the following report* published :---

The impression derived was that the quantity practically available would not prove large. But so far as the mines have been yet worked, there has apparently been no indication of exhaustion. The character of the coal does not entitle it to rank high as a coal for manufacturing purposes, being liable to spontaneous ignition.

The difficulty and the extreme cost of carriage no doubt tended to discourage the development of these coal workings; but the opening of the Salt Branch line to Miani, which is only 10 miles from the Salt Range, has tended to resuscitate their working. Experiments made during the year show that two tons

their working. Experiments made during the year show that two tons of this coal do about the same work as three tons of Bengal coal; and that if it is found in considerable quantities, it may be delivered on the Punjab Northern Railway at Rs. 10 a ton against the Rs. 30 which a ton of Bengal coal at present costs. But the experiments have not yet been concluded, and the coal has not yet been found in sufficient quantities to enable a judgment to be formed as to whether the supply is likely to be of more than a temporary nature. Moreover, the Punjab Government proposes to place such a high royalty on the output as will seriously interfere with the use on a large scale of this coal.

As in the case of the Sind, Punjab and Delhi Railway above quoted, it often seems that it is economical to work English coal at one end of the line and Indian coal at the other. In the case of the Great Indian Peninsula Railway, for instance, no less than five different kinds of coal were used on the line;

Distribution of coal over the Great Indian Peninsula Railway. A set the Great and, as a typical instance of the distribution of coal on a line, the following extracts are given from the Administration Report

with those for 1879 :---

	Description of coal.						1880.		
					1880.	1879.	Increase.	Decrease."	
	,					Tons.	Tons.	Tons.	Tons.
English Warora Bengal Mohpani	•		134 879 745 - 7 899	. 646 646 747	*** *** ***	83,542 9,085 9,379 12,787	91,031 18,547 12,369 £,621	 6,166	7,489 9,462 3,010
		*		Total		114,793	128,588	6,166	19,961
	٠	•				. N	et decrease in	1880	19,795

The following table shows particulars of the results recorded in connection with the consumption of coal during the two halves of the year compared with 1879 -

		· •	Soth J	Slat Dec	ecember.	
• • •	. • •	• –	1879.	1880.	1879.	1880.
	•		Tons.	Tons,	Tons.	Tons.
Quantity consumed { English Indian	h		56,305 22,321 Rs.	46,461 20,740 Rs.	34,726 15,236 Rs.	37,081 10,511 Ra.
Cost per ton (English Indian Average		1177 1184 1184	19-37 11-01 16-81	18-19 9-5 16-01	18.62 13.06 16.92	19-18 13-11 17-8
Cost per engine mile	ş4'i	*4F	As. 5'16 1bs.	As. 4'70 lbs.	As. 4'78 lbs.	A. 4.6 Ibs.
Quantity used per mile	171	***	43.11	41-18	89.39	36.4

The quantities of the various kinds of coal received by the Company and the average cost of each per ton during the two halves of the year are compared with the corresponding periods of 1879 in the subjoined statement :---

¢.	¢				S0th	June.		81st December.			
Description.			1879.		1880.		1879.		1880.		
English Nerbudda Bengal Barakar	 	Quantity Cost per ton Quantity Cost per ton Quantity Cost per ton Quantity Cost per ton	244 24,7 244,7 24,0 24,0 24,0 24,0 24,0 24,0 24,0 24,0	. **	31,088 19-8-0 5,773 9-0-0 8,890 19-3-6	Tons Rs. Tons Rs. Tons Rs. Tons Ra.	42,089 18-3-2 7,086 9-0-0 1,379 19-3-6 961 19-9-0		47,909 18-8-0 4,833 9-0-0 7,193 19-7-8	Tons Rs. Tons Rs. Tons Rs. Tons Rs.	42,031 18-10-9 2,308 9-0-0 3,125 19-11-3 2,940 19-8-5
Warora	•••	Quantity Cost per ton	491 447	Tons Rs.	10,280 7-7-8	Tons Re.	6,658 6-7-6	Tons Rs.	7,223 9-15-6	Tons Rs.	8,152 6-7-6

The rate per ton shown against English coal includes landing in Bombay; that for Nerbudda coal is the rate paid at the mine, including loading into trucks; those for Bengal and Barakar coal include freight to Jubbulpore; and that for Warora coal includes freight to Wardha.

Particulars of the consumption of wood fuel during the two years will be found below:

			ЗОТИ ЈСЛВ.				Sist Decembre.			
			1879.		* 18	80.	18	1879.		80.
Quantity consumed			Tons	722	Tons	1,134	Tons	839	Tons	956
Cost per ton	***	R++	Rs.	4-15-7	Rs.	5-5-4	Re.	5-8-1	Rs.	5-1-7
Cost per train mile			As.	0.02	Ås.	0.03	Ås.	0.08	Ås.	0.03
• " engine mile	•••		M	0 01	87	0.03	11	0.02	77	0-05
Quantity used per train mi	le	•••	lbe,	0.45	Ibs.	077	lbs,	0 75	l Ibe,	0.82
# per engine n	nile	***	"	040	12	0.08	"	0.66	17	078

Experiments have been made to test the relative values of the different kinds of coal, but they have never been made under the most favorable circumstances; that is to say, the locomotives have not always been adapted to the special requirements of each kind of coal. Roughly speaking, however, if the English coal usually imported into India is taken at 100, the other kinds may be taken for comparison as follows :--Bengal coal, $\partial 5$; Mohpani, 75; patent fuel, 70; Warora, 70.

ADMINISTRATION BEPORT FOR 1880-81.

[Fine Funds.

REVIEW OF FINE FUNDS.

The following tabulated statement shows the working of the fine funds Fine Funds. on State Railways during the year :----

Bailways.	-	Opening balance on 1st April 1880.	Receipts during the year ending 31st Maruh 1881.	Total.	Disbursements dur- ing the year end- ing 31st March 1881.	Balance on lst April 1881.	Bemarks.
STATE.		Be.	Re.	Bø.	Be,	Ba.	
Punjad and Sini.		A-2+			,,	2,473.9 t	
Panjab Northern	864	6,148	8,321	8,469	(a) 980	7,489	(a) Made up chiefly of the con of ice and refund of fince.
Indon Valley and Kandahar North-Western Provinces Provin	 riał.						A the and I limit of Mass.
Mattra-Hathras					•	'n	
Cawnpore-Farukhabad		`	t j	•	} '	1	-
Dildarnagar-Ghazipur		} ·	Not	opened till	end of 1880.		•
Bengal Provincial.			· ·	1		ſ	
Calcutta and South-Eastern		458	118	550	1	555	и
Nalhati		468	78	658		558	
Northern Bengal	•••	5,783	1,992	- 7,774	·(ð) 8,625	4,140	(5) Made up principally of the amount spent for the benefit of
Tirboot	_	1,445	645	1,990	(0) 758	438	the railway employés and thei families. (c) This amount is made up o
Patos-Gys	- ' m m	211	843	554	(v) 102 8	551	the iron spent for completion o the rifle range at Somastipu Junction and for books purchase
 Bombay and Central India, 							for the institute.
Rajputana	***	9,009	6,709	16,407	(d) 8,703	12,704	(d) Made up of payments id schools, expenditure on Bailway
Holkar and Sindia-Neemnch	5,1	2,048	1,028	8,974	(*) 905	· 3,069	Institute, and remissions. (e) Made up of the amoun expended on the Mhowschool an
lindia	***		Worked by E	ast Indian a	nd Rajputana	Bailways,	garden and of donations given t the Railway Institutes at Mhou and Khandwa for books, furni ture, &c.
Dhond and Manmad Central Provinces.	•	913	1,248	2,169	(1) 2,099	60	(f) Expended in assisting em ployes discharged or transferred on the relinquishment of the
Wardha Coal		79	317	396		396	working of the line by Govern
agpur-Chhattisgarh	.154	76*	75†	151	115	151	* To and of December 1880
Burma Provincial.							+ From 1st January 1881.
langoon and Irrawaddy Valley.					-		
Nation States.				, ,			,
Bhavnagar-Gondal -		:	114	114		114	
askwar of Baroda's			Worked by	B. 18, & C, 1	l . L Railway Co	mpany.	
Chamgaon -			Worked by (•		· ·
Lmmoti	***		Worked by				
ligam's		667	794	1,461	(g) 231	1,230	(g) Expended principally or
fysars .	+43	•		opensă till 18		•	cricket outfit, improvement of station gardens and gate lodges and purchase of books for Railway library.

214

CHAPTER VI.

HISTORY OF THE GAUGE IN INDIA.

Précis of correspondence regarding the adoption of the 5' 6" and 3' 3}" gauges for Indian Railways.

THE standard gauge adopted for trunk lines of railway in Great Britain, on the continent of Europe (except Russia), and in America is 4'8¹/₂". It is probable that no careful consideration was given to this actual dimension when it was selected as the gauge of the wheels of the first locomotive made, but it happened to be the gauge of the tramways used in the district where George Stephenson made his first locomotive railway.

After very careful consideration by a Royal Commission, a gauge of 5' 3" was adopted as the standard for Irish railways. In Russia the gauge is 5'.

In 1841, Sir Macdonald Stephenson began to draw public attention to the importance of undertaking railways in India, and with that object in view visited Calcutta in 1843. In the same year Mr. G. T. Clerk visited Bombay at the instance of the then Governor of Bombay, Sir George Arthur, with a similar object.

In 1845, two private associations under the designation of the "East Indian" J. Danvers' Report on Indian Reilways to end of and the "Great Indian Peninsula" Railway year 1859. Companies were formed in England; but the projectors found it impossible to raise the necessary funds for their proposed schemes without the assistance of Government. The application for this aid led to a protracted discussion; and it was not until 1850 that any practical commencement of railway construction took place in India. Early in 1819, it was determined to assist these Companies by guaranteeing to them a certain fixed rate of interest on their capital expenditure, and the deeds of contract

Court of Directors of the East India Company, to Government of India, No. 27, dated 14th November 1849. with both Companies were sent out to India towards the close of the year. Paragraph 13 of the transmitting despatch

runs thus:---"With respect to the weight of rails and gauge of line to be employed on these railways, we are disposed to recommend those used by the North-Western Company here, namely, a gauge of 4'8¹/₄" and a weight of rails of 84 lbs. to the yard, as combining the greatest utility and economy." At that time Lord Dalhousie was the Governor General, and Mr. W. Simms, c.E., the Consulting Engineer to the Government of India for Railways.

The despatch was duly considered in India. The Consulting Engineer for Railway Despatch from Government of India, to Court of Directors of East Indis Company, No. 1, dated 2nd August 1850. Governor General recorded a Minute, both of Directors with a despatch recommending that a gauge of 6' be adopted for Indian railways.

Mr. Simms recorded his reasons for recommending a wider gauge than 4'84" as follows:----

The wider gauge of 5 feet 6 inches, which I would recommend for adoption, will give 91 more space for the arrangement of the several parts of the working gear of the several parts of the locomotive engines; and this additional space will be more needed in India than in Europe, not only on account of the machinery itself, but it would lower the centre of gravity of both the engines and carriages, the result of which would be to lessen their lateral oscillation, and render the motion more easy and pleasant, and at the same time diminish the wear and tear.

The lowering of the centre of gravity, consequent on the adoption of the wider gauge, appears to me of great importance for another reason, namely, the fearful storms of wind so

frequent at certain seasons of the year, and I think it very probable that in one severe nor-wester, not to mention such hurricanes as that of 1842, the additional $9\frac{1}{2}$ " of width might make all the difference between the safety and destruction of the trains; and one such accident attended, as it doubtless would be, with great loss of life, would probably retard the progress of the railway system in this country very considerably.

The following extract from Lord Dalhousie's Minute refers to the question of gauge:----

32. The Court of Directors have recommended at the same time the use of the narrow gauge of $4' 8\frac{1}{2}'$ for the railway about to be constructed. Although the letter of the Court recommends, but leaves to the Government of India to determine as to the gauge which should be adopted on this occasion, I consider the question to be one of such moment as to deserve a careful consideration and an authoritative and conclusive decision by the highest authority connected with the Indian Empire, who alone can have access to that full information and extended experience which would make such a decision really and satisfactorily conclusive.

33. The British Legislature fell unconsciously, and perhaps unavoidably, into the mischievous error of permitting the introduction of two gauges into the United Kingdom. The numerous and grievous evils which arose from that permission are well known, and will long be felt throughout all England. The Government of India has it in its power, and no doubt will carefully provide that, however widely the railway system may be extended in this empire in the time to come, these great evils shall be averted, and that uniformity of gauge shall rigidly be enforced from the first. But I conceive that the Government should do more than this, and that now, at the very outset of railway works, it should not only determine that any uniform gauge shall be established in India, but that such uniform gauge shall be the one which science and experience may unite in selecting as the best.

34. At one time this question was much before me; and although I should not myself attempt to offer an opinion on so vexed a question, yet I may venture to form one on the recorded views of men competent in every way to judge. The evidence which has been given before the Gauge Commissioners in 1846, and evidence which has been given from time to time before the Committees of Parliament, backed as it has been by very high authority abroad, is, I venture to think, sufficient to show that the narrow gauge of $4' 8\frac{1}{2}''$ (a measurement adopted originally at hap-hazard and from the accident of local circumstances) is not the best gauge for the general purposes of a railway, and that something intermediate between the narrow gauge of $4' 8\frac{1}{2}''$ and the broad gauge of 7' will give greater advantages than belong to the former, and will substantially command all the benefits which are secured by the latter.

85. The circumstances which have been brought forward by Mr. Simms in his report, applicable especially to this country, strengthen the reluctance which I feel to introduce the $4' 8\frac{1}{2}''$ gauge into India without a very deliberate reconsideration of the question with reference to India, under the direction of the Hon'ble Court, by the Board of the East Indian Railway Company. I should not have felt satisfied that I had done my duty if I had not brought this question pointedly under the consideration of the Court, requesting them formally and finally to determine whether a wider gauge than the $4' 8\frac{1}{2}''$ ought not to be established in India, and whether the gauge of 6' which was recommended by engineers of eminence in England, and which was preferred also, if I recollect rightly, by M. de Pambour, should not be introduced on the experimental line in Bengal, and at the same time on the line which is in course of construction at Bombay.

In reply to this despatch, the Court of Directors were "disposed to Court of Directors, to Government of India, think" a gauge of 5′6″ was the most No. 46, dated 4th December 1850. to the several Indian Railway Boards in London. This decision did not coincide with the views of the authorities; and Major J. Pitt Kennedy, who had succeeded Mr. W. Simms as Consulting Engineer for Railways, suggested that further reference to the Court of Directors might be made. To this Lord Dalhousie assented, recording his opinion in a Minute. The referring paragraphs are as follows :—

2. It does not appear from the despatch of the Hon'ble Court whether their determination to fix the gauge at 5' 6" was the result of any deliberate inquiry, or whether the figure was merely indicated as a mean between the extremes of the present narrow gauge and that which I took the liberty to suggest. If the Hon'ble Court have fixed upon t' 6" for the Indian gauge on high recognised authority, and adhere to it, of course the Government has only to obey. But if it is not the case, the Court will pardon the importunity which, for their own present and future interests, urges them to take other counsel before they issue a peremptory mandate on this important point.

3. I know of old that particular figures have been fixed upon originally for a gauge, and for others proposed in substitution of it, without the author of the proposal being able to give any reason whatever for selecting the particular dimensions he has specified. The original narrow gauge of $4' 8\frac{1}{2}''$ was adopted for no other reason than because it happened to be the width of the colliery tramway on which locomotive power was first tried. When a general alteration was proposed, I recollect it being said that the principle on which one gentleman proceeded was to take all the different gauges, strike the average, and propose the figure that resulted as the best universal gauge. But I think that many good reasons were formerly given for the superiority of a 6' over the broad and narrow gauges, and I feel confident that many more could be given why that gauge should be selected for India, in preference to either of the original gauges, or to the one now selected by the Hon'ble Court.

4. At all events, if formal inquiry has not been entered into, I earnestly request the Hon'ble Court to permit the question to be so far reconsidered as to receive such reports and evidence on the subject as are suggested by Major Kennedy in the 15th paragraph of his present report. If this is not in accordance with the resolution of the Hon'ble Court, I shall much regret it; for I think that those who come after us will see cause to lament that the originators of this great system in the East did not profit so much as they might have done by the errors of their predecessors in Europe.

A communication to this effect was made to the Court of Directors, but the Government of India, to the Court of Directors, No. 3, dated 7th March 1851. Directors saying that their decision had been "arrived at after a very careful Court of Directors, to Government of India, No. 45, dated 20th August 1851. No. 45, dated 20th August 1851. No. 45, dated 20th August 1851. That decision having been communicated to the Railway Companies who have entered into contracts for the execution of works, and for the provision of materials on the presumption that it is final, it would lead to much inconvenience and expense if any alteration were now permitted."

This decision was accepted by the Government of India, and the 5' 6" gauge was adopted as the standard gauge for the trunk lines in British India.

Early in 1857, the Court of Directors received several proposals for the construction of railways through Rohilkhand and through the then newly annexed province of Oudh. The Court conceived that the time had come for ceasing to grant guarantees, and anticipated that the Companies would have no difficulty in raising the necessary funds, with only moderate assistance from Government. These proposals were referred to the Government of India for a full

Court of Directors, to Government of India-No. 5 of 28th January 1857. , 7 of 4th February , , 23 of 26th May , , 38 of 2nd September , report on the system of communications in that part of India, and suggesting that the kind of railway required should be distinctly indicated.

The Government of India suggested that, in preference to giving any more guarantees, the Court of Directors having intimated, meanwhile, that their expectation regarding the raising of money in the English market without a guarantee were unfulfilled, the State should undertake to build its own railways in Oudh. Lord Stanley, who was Secretary Secretary of State, to Government of India, No. 16 of 24th February 1859. of State when this matter came up for decision, was not of opinion that Government should build its own railways, Despatch from Secretary of State, No. 106 of although he did not object to Government 29th October 1859. doing so on a small scale, such as connecting its iron works at the foot of the Naini Tal hills, &c., to the trunk lines. This policy was reiterated by Sir C. Wood, who succeeded Lord Stanley as Secretary of State, and the surveys for railways in Oudh were conceded to certain Railway Companies. The various proposals were reviewed in a note dated 7th September 1861 by Lieutenant-Colonel H. Yule, then Secretary to the Government of India for Public Works. As regards the gauge, Colonel Yule remarked :---

The results of the cattle-draught line as here exhibited are more precisely favorable. Were the enterprise destined to remain purely local, this might therefore be preferred. But a such a line is not capable of great development; a large traffic derived from a will extent of country would choke it, and demand an amount of line and dead stock excessively unwieldy and unmanageable.

65 .

If the cattle line were adopted, I adhere to the view expressed in 1855, that the gauge of the great railways should be altogether discarded. I can see no object in adopting it sufficient to compensate for the great additional weight which it will involve. Nay more. I would now extend the same views to the light locomotive line. I do not dispute for one moment that the great primary network of continental railways should be of one gauge. But we propose here quite a different style of work. Is it worth while, on account of the * necessity of transhipment at two eventual points of contact—one of which will probably be on a great river (the Ganges at Cawnpore) likely to remain unbridged for a generation, and therefore a break in any case---to give up a great economy? In the English gauge controversies there was no separation, either in character or locality, between the lines of different gauge. It was but the predilection and practice of one set of engineers pitted against those of another set, on lines of the same character constantly interlacing. I must at the same time apologise for venturing such an opinion after the views of Government and of Lord Dalhousie have been so strongly expressed the other way.

The views were adopted by the Government of India, for in December 1862, when Mr. J. E. Wilson, the Agent for the Indian Branch Bailway Company, reported to Government that he was "prepared to enter into definite arrange-ments for the construction of the roadways and the laying down of light rail-From Government of India, to J. E. Wilson, Esq. No. 5144, dated 29th December 1862. W D. Proc. Math. 1863 No. 13

From Government of India, to J. E. Wilson, Esq., No. 5144, dated 29th December 1862. P. W. D. Pros., March 1863, No. 13.

on the reference, laid down the following

conditions as regards the gauge :-

The first point that calls for remark is the gauge, to which you make no special allusion. His Excellency in Council is of opinion that it will be essential to insist on the adoption of the standard Indian gauge of 5 feet 6 inches in the case of all railways that are intended to form portions of main lines. But when the lines proposed are designed as bond fide tramways, that is, feeders to the main system but not essential parts of it, and when the expected traffic may warrant the outlay necessary for the formation of a full gauge line, the Government of India will sanction, as it has already done in the case of the Nalhati line, narrow gauge light lines, as a temporary expedient, on the conviction that such lines will be replaced by full gauge lines of a more substantial character whenever the development of the traffic renders such a change advisable. Where such narrow gauge lines are sanctioned, it will therefore be an advantage that they should be of the lightest and most economical description compatible with safety and the necessary degree of permanence, in order that there may be the least possible difficulty in the way of the change when it has become expedient, and that there may be no doubt as to their temporary and provisional character, and no risk of their being permitted to grow into a system which would compete with the system constructed on the standard or national gauge.

A slight digression here is necessary to give an outline of the objects of the Indian Branch Railway Company, and how they were affected by the question of the gauge. Of all the numerous Companies that were projected for building light railways in India, this was the only one in Northern India that actually did proceed to make lines in India. The original projector of this Company was

Mr. J. E. Wilson; and it was his desire to P. W. D. Pros., June 1864, No. 61 E. P. W. D. Pros., January 1868, No. 24. lay light lines of railway on existing roads, but on a narrower gauge to that on the trunk lines, and thus act as feeders to the trunk lines. This idea seemed the only feasible method by which a large network of light railways could be spread over India; it was welcomed by Lord Canning as a probable solution of a most difficult problem, and was heartily backed by him during the latter months of his stay in India. The first offer Lord Canning was succeeded by Lord Elgin on made by this Company was to construct 12th March 1862. a light line of 4 feet gauge on a road which the Government of Bengal were just completing between Nalhati station on the East Indian Railway and Azimganj, situated on one of the effluents of the Ganges and on the road to Murshedabad. This line was actually made without a guarantee, was opened for traffic on the 21st December 1863, and is still working on its original gauge. It was, however, bought by the Government in 1868, and has been remodelled on a more permanent basis.

This Company then desired to make a light line between Cawnpore and Lucknow and other lines in Oudh and Rohilkhand, and they actually did complete the Lucknow-Cawnpore line. The Company, however, found that they could not raise sufficient capital to continue their ventures, and appealed to the Secretary of State for a guarantee. This was eventually given, and the Indian Branch Railway Company merged into what is now known as the Oudh and Rohilkhand Railway Company.

But before permission to construct the Lucknow-Cawnpore line was given, the views of the Indian Government had considerably changed. Lord Elgin's Government would hear of no narrow gauge railways, except in such detached and fragmentary sections as held out no promise of being ever worked remuneratively from the heavy cost of the independent establishments.

Indeed, it seems that Mr. J. E. Wilson himself had changed his ideas, ' Public Works Department Proceedings, June for it is stated that he "readily accepted 1864, No. 61. the 5 feet 6 inches gauge for all his lines, This is to be found in the note written on the whole matter by Colonel &с. Strachey immediately after Lord Elgin's death, and in which is embodied, as far as was known, Lord Elgin's opinions in the case.

Sir C. Trevelyan, in a Minute dated 4th September 1863, also recorded Public Works Department Proceedings, June 1864, No. 54. a strong protest against making either light railways or railways on any other

but a uniform gauge. The following extract refers to the question of gauge :-I have always been of opinion that a fallacy is involved in the idea of light railways. The railway experience in England is greater than that of any other country. For many years after our railway system commenced, there was a constant craving after a cheaper kind of railway. Project after project appeared for the formation of light railways or tramways, but they were all dropped. Atmospheric and other eccentric forms of railway were attempted; but, however specious the light railway principle might be, there was something in it which always led to its being abandoned on close examination; and it never arrived even at the dignity of an experiment. Cheap agricultural railways are now being made in various parts of the country, but they are all solid, full gauged railways, quite capable of bearing the rolling stock of the main lines with which they are connected, and their cheap-ness arises only from their being single lines; from the landed proprietors asking moderate rates for their land, because they are convinced of the advantage to them of the railways; and from the Parliamentary expenses having been reduced to a mere trifle.

Experience is so much better than theory, that I will not waste time in endeavouring to account for these results. The fact seems to be that a metalled road is a cheap medium of communication, and so also is a solidly constructed railway, but that a railway which is constructed in such a manner that it will not admit of the full application of the power of steam is not an economical medium.

The practical difficulties in the way of converting a narrow gauge into a full gauge railway are so great, that I look upon the power which it is proposed to reserve to the Government of ordering such a conversion to be entirely illusory. Earthwork, bridges, rails, rolling stock, all have to be constructed on a different scale for a narrow and medium gauge, and, as observed by the Hon'ble the President, in the event of conversion, a small section of the earthwork and ballast and some buildings will be all that would be saved.

The 'longitudinal' line, of which the indian branch tonway company concession, is no branch but a main line more than 500 miles long, passing through some of the richest and best populated provinces of the empire. Even the branches to Cawnpore and Koorja, connecting this line with the East Indian, are so important, that the formation property stimulated that they should be laid on the standard gauge. The The 'longitudinal' line, of which the Indian Branch Railway Company desires the commonest foresight, therefore, requires that the main line as well as these branches should be laid on the standard gauge; and if the Branch Railway Company obtains the concession, it must change its name and concentrate its efforts on the construction of an entire system-main line and branches-on the splendid field which will be placed at its disposal. The Indian standard gauge is 5 feet 6 inches. The gauge fixed upon by a Government Commission for the Irish railways as the smallest which could with advantage be adopted was 5 feet 3 inches.

The negotiations with the Indian Branch Railway Company were reported to the Secretary of State in April 1864 (Sir J. Lawrence, Governor General),

Despatch to Secretary of State, No. 29, dated 12th April 1864. Public Works Department Proceedings, June

1864, No. 72.

and the despatch was accompanied by all the notes and minutes that had been writ-ten in Lord Elgin's time. The arrangements made by Lord Elgin's Govern-

ment were assented to generally; and the following extracts from the despatch will show that a gauge narrower than 5 feet 6 inches was deprecated, unless nothing better could be got without a guarantee :-

13. In contemplating the construction of light railways of the 5 feet 6 inches gauge, Lord Elgin had never intended that the engines of the heavy lines should run on them. It was well understood that in England engines of one Company are rately run on the line of another, and that the practical working of railways is not compatible with such a system of interchange of engines, and that all that is ever requisite is the interchange

of wagons and carriages. A 5 feet 6 inches gauge light line was accordingly considered to mean a railway capable of carrying at a moderate speed the ordinary passenger and goods vehicles in use on the Indian main lines.

14. Having these views, Lord Elgin authorised an arrangement being made with Mr. Wilson, by which the character of the Oudh and Rohilkhand lines was to be defined, by declaring that the maximum load per wheel should be $3\frac{1}{2}$ tons, and the maximum speed 15 miles an hour. This will allow of the ordinary wagon and passenger stock of the East Indian Railway running over the Oudh lines whenever the Ganges bridges are finished. To these arrangements of Lord Elgin we give our complete assent.

29. It only remains to us to call attention to two Minutes of Sir Charles Trevelyan, in the arguments of which we have been unable to concur.

¥

¥

S0. In his first Minute, dated 30th September last, objection is taken to the construction of narrow gauge and light railways. So far as the present proposals are concerned, the question of narrow gauge lines does not arise. But we are not prepared to recede from the position before taken up by the Government of India in respect of such lines, viz., that when nothing better can be got, and with due provision for their resumption and conversion into full gauge lines when the traffic calls for the change, the Government may without objection aid such lines, in each case determining the amount of aid with reference to the objects to be attained.

S1. As regards light lines, very nearly the same remarks will also apply. As soon as the Government gives up the system of guarantee, and abandons all right^o or desire to interfere in the management of Railway Companies' affairs, it ceases to be in a position to decide whether a line shall be constructed of rails of one class or another. Such a matter is essentially one for the Company to determine. What the Government can do is to decline giving assistance, unless certain terms are offered by the Companies, as the Companies can refuse to accept the assistance offered if it be too little to satisfy them. The Government of India has adopted the conclusion that a 5 feet 6 inches gauge line of such a character as will admit of the carriage and wagon stock of the great lines going over it at a moderate speed will probably be for many years to come sufficient to meet the requirements of the country, and this general standard it has taken as the *minimum* for the full gauge lines. * *

It may be here remarked that the Indian Tramway Company had been allowed to build a line between Arconum and Conjeveram in the Madras Presidency on a gauge of 3 feet 6 inches. This line was 19 miles in length, and was opened to traffic on the 8th May 1865. Proposals to convert this gauge into the 5 feet 6 inches gauge and extend the line to Cuddalore and Pondicherry were made at intervals

From Madras Government, No. 530, dated 17th February 1869. Government recommended the extension

to Cuddalore; but when the nature of the country through which the extension would have to pass was considered, that Government could "not recommend any departure from the present (3 feet 6 inches) gauge on which the line from Arconum to Conjeveram has been laid." In 1868 this line was included in the 3 per cent. guarantee accorded to the Carnatic Railway Company, and in turn was in 1874 absorbed by the South Indian Railway Company under their 5 per cent. guarantee. Its gauge was converted to the metre in July 1878.

The failure of the Indian Branch Railway Company to raise money in the London market for their projected railways throughout Oudh and Rohilkhand led that Company to make overtures to the Secretary of State for a guarantee of interest on all capital raised. It was recognised that the public would not venture their money without some kind of State guarantee; and so, if the development of the country by increased railway communication was desired, it could only be done by reverting to the old guarantee system. In 1866 the Secretary of State (Lord Cranborne) was disposed to give, with certain modifications, a guarantee of 5 per cent. in interest on the capital From Secretary of State, No. 30, dated 25th raised, as had been accorded to the older Railway Companies; and this was June 1866. From Secretary of State, No. 18, dated 23rd reiterated by Sir Stafford Northcote in March 1867. 1867. The consideration of the draft deed

of contract sent out to the Government of India for approval led the Viceroy (Sir John Lawrence) to record a Minute, dated 16th August 1867, on the guarantee system, and in which the extension of railways throughout India by direct State agency was foreshadowed.

This Minute was followed by another by Sir John Lawrence, reviewing minutely the whole question of railway extension. It is dated the 9th January 1869, three days before Sir John Lawrence made over the high office of Viceroy and Governor General of India to Lord Mayo. Little time was lost by Lord Mayo in reporting to the Secretary of State on the subject of railway

Despatch to Secretary of State, No. 24, dated 11th March 1869.

Despatch to Secretary of State, No. 25, dated

11th March 1869. Despatch to Secretary of State, No. 28, dated 22nd March 1869.

: Despatch to Secretary of State, No. 42, dated 15th July 1869. Public Works Department Proceedings, Rail-

way, April 1869, Nos. 84 to 95.

extension in India, and in March of that year a series of despatches was sent home advocating the immediate construction of several lines of railway—some by the agency of Companies, and some by direct State agency. The policy advocated was that an extension of railways was absolutely essential to the proper develop-

ment of the resources of India; that the finances of India could not bear the burden of the proposed additional railways if constructed on the same expensive principle as had hitherto ruled; that Government was quite capable of making its own lines, and that as it could raise money cheaper than a Company, to make its own lines was the more economical proceeding; that the position of several of the proposed lines was such as did not demand a first class standard railway, and that either a lighter construction, or a narrower gauge, or both, could be adopted with economical advantage; and that Government, possessing its own railways, would be capable of exercising on the spot a more efficient and economical management than if administered by a Board of Directors in London. The Duke of Argyll was then Secretary of State for India, and he approved of Lord Mayo's proposals almost in their entirety.

The introduction of the metre gauge as the gauge for certain railways in * Sir John Lawrence's Minute, dated 9th India may be said to have arisen from July 1869. this correspondence. The following portions of the correspondence* are those that bear on the question of a narrower

gauge than the standard gauge of 5 feet 6 inches :-

42. There is only one other point to which I wish to refer. If there is one thing which comes out in more prominent relief than another in connection with railway construction in all parts of the world, it is this, that those lines are financially successful in which the capital accounts are kept down to a low amount, and those are unsuccessful in which this has not been accomplished. The lesson we should learn from this is, that the character of the line and the amount of expenditure upon it should be regulated as far as possible by a proper consideration of the possible returns, and not more than is essential by any preconceived ideas of what is the best standard form of railway to adopt. I regard it as the extreme of infatuation to lay down any absolute rules to regulate the modes of construction of railways in a country so vast, so various in its natural features, and so poor as India. Still more mistaken is it to apply to India rules essentially based on the wants of England, which is probably the country in the world from which India most, widely differs. England, of all others the richest, the most populous, the most celebrated for its manufactures, the most addicted to commerce; an island of small size in a highly advanced state of civilization, where dispatch is of extreme importance and time equivalent to money; England of all countries is the last which we should take as our model in these things. In one respect certainly, but only in one, can I admit that English standards are applicable-let all workmanship be thoroughly good of its kind, and every part of the construction permanent and suited to what is required of it.

43. Skill in engineering works implies the successful adaptation of the art of construction to varying circumstances. For a poor country, economy is one of the essential conditions to be complied with, and its requirements may be as rigid as any of those imposed by physical conditions. Wholly to reject railways for a country which is not able to support lines of the most costly description is quite unreasonable; and if, on a further examination in detail of the probable cost and returns of any of the lines which otherwise seem desirable, the expense of lines of the ordinary gauge seems prohibitory, while lines of a narrow gauge would be financially practicable, I should consider it a most mistaken view to reject the narrow gauge line. And so with any other modification of ordinary practice. For complete success in the great operations which the Oovernment of India has before it hand a most mistaken of all truly sound measures whether out of the usual it, broad views and a ready adoption of all truly sound measures, whether out of the usual course or not, are essential, and it will be a source of lasting regret if the progress of this country, which of all others most directly depends on the improvement of its means of internal communication, should be retarded by the weight of administrative prescription or engineering prejudice.

Again, discussing the question of a line of railway between Pondicherry Despatch to Secretary of State, No. 25R., dated 11th March 1869. and either Madras or Arconum, the Government of India wrote :---

27. Although we are far from opposing the adoption of a narrow gauge railway when circumstances seem to indicate that proper financial results cannot otherwise be obtained, we are not inclined to acquiesce in the expediency of constructing short lengths of railway on a gauge different from that in common use. If narrow gauge lines are to have a fair field, they must be given a sufficient development to render the cost of shifting goods from their wagons to those of adjoining broad gauge lines unimportant in relation to the freight for the average distances over which the goods are carried. We do not think that this condition can be properly complied with, unless 100 or 200 miles at least of a narrow gauge system is constructed, and short of this we should not view favorably a proposal to execute narrow gauge lines in a country so easy as that immediately south of Madras. The known desire of the French Government to obtain a railway connection with Pondicherry by a line of the full Indian gauge should, we think, have much weight in the decision come to on this question; and on the understanding that the outlay will be kept down to the sum valued in the estimates that have been made, about $\mathcal{L}7,000$ per mile, we are clearly of opinion that the 5 feet 6 inches gauge for this railway should be adopted, as far at least as the point from which the line to Pondicherry would leave it.

And, in calling the attention of the Secretary of State to that portion Despatch to Secretary of State, No. 28R., of Sir John Lawrence's Minute exdated 22nd March 1869. tracted above, the Government of India wrote :--

19. The considerations which have led us to these conclusions also indicate that, under the conditions in which India is placed as to the provision of capital for railways, if it appears to be financially impossible to carry out railways on the full 5 feet 6 inches gauge, the Government should not hesitate to accept any other system of construction which will afford a practical means of extending these works. It is quite well known that perfectly useful and satisfactory lines have been carried out on a much narrower gauge, and it would be evidently unreasonable to reject the provision of such railways if they afford evidence of being profitable, while broader gauge lines, from their greater cost, could not be undertaken with financial propriety. These remarks more particularly apply to the more thinlypeopled and hilly tracts of the Peninsula and Central India. Across these Provinces, main lines on the full gauge have already been carried, giving communication between Bombay and Madras on the one side, and Bombay and the North-Western Provinces on the other; and whatever advantage is to be obtained by the possible transfer of the rolling stock of the north to the south of British India has thus been secured. For the further extension of the network of railways, no hesitation should be felt in accepting whatever system of construction is proved to be economically the best suited to each case.

20. We are disposed, as we indicated in our last despatch on this subject, No. 25, dated 4th March, to consider that too great importance has been attached to the value of uniformity of gauge beyond certain limits. That there are many conveniences in uniformity of gauge is, of course, evident, and in a compact, densely peopled, and highly civilised country like England differences of gauge have been proved by experience to be inconvenient and are highly undesirable. But the inconveniences, where the distances to be gone over are very great, all the centres of pepulation and trade are far apart, as is commonly the case in India, are of a secondary character. For passenger traffic, changes of vehicles, if not frequent, are a very minor objection, and are commonly enforced on passing from the lines of one Company to those of another in every country. For goods, changes of vehicles represent a certain additional charge for loading out of one set of wagons into another. This charge will commonly not exceed the cost of transport for 10 miles of railway, and the practical inconvenience is no greater than that which would have been caused by such an addition to the distance over which the goods had to be carried.

21. The advantage obtained from any facilities of construction of locomotives for a broad gauge must be set off against the corresponding facilities of construction of the road and works for a narrow gauge; and where the traffic is likely to be light and the cost of construction high in comparison to the net profits, the balance may readily rest with the narrow gauge line.

22. It would always be our wish to conform to the 5 feet 6 inches gauge, if the financial objections to it were not insuperable; but we shall hope to receive your approval to our considering it an open question, when the prospects. of the returns from any contemplated system of lines are not satisfactory, whether such lines might not be contaracted on a marrow gauge, say 3 feet 6 inches instead of the ordinary broad Indian gauge.

The Duke of Argyll's despatch in answer to these despatches from the From Secretary of State, No 42, dated 15th Government of India makes no direct July 1869. reference to the question of gauge, but merely remarks, in assenting to the principles enunciated, that the Secretary of State "concurs generally in your reasoning, and in the more important conclusions at which you have arrived." A few months before this despatch was written, the Secretary of State had sanctioned the execution of a railway between Lahore and Rawalpindi as a State undertaking; and in this despatch he gave sanction to the commencement of a line down the Indus Valley, one from Delhi and Agra to the Sambhar Lake, another from Kulburga to Hyderabad (Deccan), and a fourth between Karwar and Hubli. It was on the question as to the proper gauge to be adopted on the Indus Valley and the Lahore-Rawalpindi lines that the battle of the Indian gauges was fought. As soon as the Secretary of State had given his sanction to the Government of India building its own lines of railway, Lord Mayo took up the matter in strong, earnest. He wrote to America to obtain the services of an engineer who had had experience of the construction of light lines of railway, and a gentleman was selected and arrived in India.

The question of gauge for certain lines was also immediately taken up. Despatch to Secretary of State, No. 111R., The propriety of adopting a narrower dated 16th October 1869. many branch railways, which were never likely to become through routes of communication, and the fact that lines on a gauge of 3' 6" had been adopted with more or less success in Norway, Queensland, Chili, and in the Madras Presidency, led the Government of India to think that such a gauge might well suffice for such branches as those from the main lines to the salt works at Sultanpur (near Delhi), to the salt works at Pind Dadan Khan in the Punjab, and for any lines that might be made in Burma. As sufficient information on the subject of cheap lines was not in the possession of the Government of India, the Secretary of State was asked to obtain the best professional opinions of the day on the whole subject. The brief was worded as follows:—

We do not desire that any absolute standard narrow gauge should be fixed, as the peculiar features of very difficult country may make such an extremely small gauge as that of the Festiniog Railway desirable in rare instances. At the same time, we are fully sensible of the disadvantages of a variety of gauges, even when the lines are not in connection, especially in the matter of obtaining stock and material; and we therefore should wish to ascertain what is considered by the highest authorities in England on such a subject to be the narrowest gauge compatible with carrying a passenger and goods traffic—say such as exists on an average branch line in England, at a speed of say 12 miles an hour—with efficiency and economy, the line being supposed to be constructed through country which presents no especial engineering difficulties 'and gradients not steeper than 1 in 100. Of course the economy of first construction must be duly considered and weighed against possible increased charge for working.

Before any report was received in answer to this request, the Government of India made a further representation to the Secretary of State, recommending the more extended use of a narrow gauge for railways in India, and mak-

To Secretary of State, No. 51R., dated 17th May 1870. To Secretary of State, No. 52R., dated 17th May To Secretary of State, No. 52R., dated 17th May 1870. tions to the use of a narrow gauge which had been felt in times past were "based on the practical difficulties met with in the construction,

were "based on the practical difficulties met with in the construction, working and maintenance, in the repair of engines, and in the economical designing and safe working of the vehicle stock," But these objections had been overcome; the evidence which the Government of India had collected of the working of narrow gauge lines in other countries, and the interesting reports on the Festiniog and on the Mid-Wales Bailways which From Secretary of State, No. 23, dated 13th the Secretary of State had sent out to

April 1870. India, clearly showed that the above objections to a narrow gauge "have now been removed by the skill of the manufacturer, and there is abundant evidence to prove that a line can be

% −, #

constructed and stocked so as to carry on a gauge of from 3' to 4' in width all the traffic that is likely to seek any of the secondary lines yet to be constructed in India, if not indeed the traffic of our trunk system.

The proposal of the Government of India was, therefore, to divide the railway necessities of the country of India into two classes, and make a broad distinction between the railways hitherto constructed and which formed a connected system of trunk lines along the great political and commercial routes, and those lines which were about to be taken up and which were of secondary importance in the network of railways designed to open out the resources of India. These secondary lines, as proposed, were very extensive, and formed systems in themselves; and believing that if built on a smaller gauge the demands for traffic would be amply met, and a large saving effected in the initial cost, the Government of India came to the conclusion that substantially built narrow gauge lines were all that were necessary. The following paragraphs of the first despatch (No. 51 Railway) above quoted give the views of the Government of India :---

7. In easy country the saving in first cost of a narrow gauge line, compared with a line on the standard gauge, will be comparatively small. But in difficult country this saving may be increased very considerably, in some cases enormously, by the adoption of steep gradients and sharp curves, which have an important bearing on the location, and therefore on the outlay on the formation. By their introduction deep cuttings and high embankments are avoided with the heavy works necessary for passing the natural drainage through the latter. We may eliminate the effect of the gradients from this discussion as applicable alike to all gauges; but the economy in construction resulting from the adoption of sharp curves in a hilly country will be generally admitted, though it must also be admitted that, with the introduction of specially constructed engines and vehicles, sharp curves can be combined with retention of a wide gauge. There can, however, be no doubt that the narrower the gauge, the sharper are the curves possible; for whatever special construction be applied to the rolling stock, it is applicable to the stock of all gauges alike.

8. Apart, however, from all question of the saving that thus admits of being directly estimated, we are of opinion that the practical declaration involved in the adoption of a narrow gauge, that we are determined in all things to suit ourselves to the requirements of the country, and not to waste a rupee in perpetuating a standard of railway in excess of these requirements, merely because it exists in certain parts where it may, or may not, be suitable, will lead to economies in many indirect ways, the aggregate of which will be important, and will contribute towards the earlier consummation of the extensions already admitted to be required.

9. Firmly convinced of the sufficiency of a narrow gauge to carry the traffic of our secondary lines, and fully satisfied that an important economy must ensue in the aggregate over the whole extension system, we should fail in our duty to India if we hesitated to advocate the adoption of gauge narrower than the present standard. Whether that gauge should be 3' or 3' 6" is comparatively a matter of detail. As at present informed, we should regard 3' 6" as the maximum width that should be adopted. An early decision on the point is called for, so as to admit of timely arrangements being made for rolling stock, and we should be glad if Your Grace would determine it after communication with the best authorities on the subject.

The Government of India in this despatch clearly indicated its desire to have good substantial lines of a narrow gauge than to have light lines with slow speed on the standard 5' 6" gauge. Not that a high speed of 40 to 50 miles an hour drawn by heavy engines with a wheel-load of 7 tons was ever intended on the narrow gauge lines, but the Government of India thought that the lines should be substantial enough to bear locomotives with a wheel-load of 4 tons and to stand a maximum speed of 25 miles an hour.

Paragraph 10 of despatch No. 51 Railway runs thus :--

Your Grace (Duke of Argyll) will not have failed to observe that, thus far, we have kept the question of narrow gauge lines distinct from that of light and slow lines. Obviously they are distinct questions, and it would not be difficult to find a case in which it might be proper to avoid a break of gauge, and at the same time to ensure a large economy, by the use of light rails capable' of bearing the vehicle but not the locomotive stock of the trunk lines combined with a slow speed. The advantage of being able to avail ourselves on such a line of the reserve of the vehicle stock of the entire trunk system to meet a sudden emergency on an exceptional traffic is indubitable; and to take a particular case, such as that of the Lahore and Peshawar line, would be so paramount as to forbid the adoption of a narrow gauge, unless in connection with a much longer length of line on the same gauge, the stock of which could, on occasion, be concentrated, or in combination with a large reserve of stock which, till the emergency occurred, would be useless, and would represent a large unremunerative capital.

- The Government of India proposed to make the whole length of line from Karachi to Lahore, and eventually on to Peshawar, on a narrow gauge. This involved converting about 319 miles between Karachi and Lahore, which was already opened to traffic, to the narrow gauge. The reasons adduced are given in the following extract from despatch No. 52 Railway, dated 17th May 1870:--

The present position of affairs is doubtless well known, but it will be convenient to describe it here. From Karachi to Rawalpindi a line of railway has been sanctioned, and there is little room for doubt that its extension to Peshawar will follow. The total

 Karachi to Kotri Mooltan (Rajghat) to 	Lahore	715 125	Miles. 105 214
- J	lotal ·	Fàz	819

distance by this route from the sea to Peshawar is 1,080 miles, of which 320 miles^{*} in two sections, separated from each other by 500 miles, have been constructed and stocked on the standard gauge, and are now being worked. Of the intervening 490 miles, the section between Mooltan and

Kotri of about 300 miles in length has been surveyed, and the estimates are now under preparation. Of the section from Lahore to Peshawar, construction is just commencing on the 100 miles between Lahore and Jhelum, on the understanding that the rails will be laid on the Trunk Road to the standard gauge; beyond Jhelum, as far as Rawalpindi, the surveys are approaching completion. Between Kotri and Mooltan, and between Lahore and Jhelum, the country presents no features which would demand, on the score of economy in location, the adoption of a narrow gauge in preference to the standard gauge. Beyond Jhelum the country is extremely difficult, and the improvements and diversions of the Trunk Road requisite to admit of rails being laid upon it must entail a heavy expense, which will be reduced the narrower the gauge and the sharper the curves adopted. In brief, the country is such as to indicate distinctly a narrow gauge for the 170 miles between Jhelum and Peshawar. Lahore, it should be added, is the north-west terminus of the standard gauge trunk lines from Calcutta and Bombay.

8. We have no hesitation in saying that were it a question of the section between Lahore and Peshawar alone, we should at once dismiss from consideration all idea of anything but a standard gauge line. The ordinary traffic on this route, with the exception of salt from the Pind Dadan Khan mines, is so small, that any railway of the smallest gauge or lightest rails would carry it. Commercially, the line has little to recommend it. Politically, it is of the highest importance, and in consequence, may, on emergency, be exposed to the demands of a heavy extraordinary traffic. To adopt a different gauge then from the lines terminating in Lahore would involve the necessity of maintaining a large stock in inactivity, so as to be prepared for the emergency. This would be a constant source of outgoing, in addition to the loss of interest on the capital sunk.

4. The question has however presented itself whether, as the gap between Mooltan and Kotri of 500 miles has yet to be constructed, the necessary reserve of stock might not be secured by adopting a narrow gauge for that line. It is true that the country is such that the saving by the adoption of a narrow gauge line would not, as respects the reduction that may be feasible in the works, be so great as in other parts of the plains of India; but there can be no doubt that, in a sparsely populated country like Sind, every possible reduction in the amount of work to be executed should be taken advantage of. There would, however, be a saving which, over 500 miles, may amount, it is roughly estimated, to £200,000, apart from any further saving which may be possible in stocking the line, or by using a light description of permanent-way. The adoption of a narrow gauge on this gap would, however, necessarily involve the relaying of the Sind and, as far as Lahore, of the Punjab line on the same gauge. These lines are at present laid with rails of from 65 lbs. to 68 lbs per yard, chiefly on timber sleepers, about 70 miles of the Punjab line being on iron bowls. The rails are heavier than would be required for the improved stock of the narrow gauge, but, together with the stock at present working over them, can be utilised elsewhere. The consent of the Railway Company would, of course, be necessary; but looking to the probable diminution of their capital account that would result from the laying of these lines with the lighter rails, and to the obvious advantage of uniformity of gauge throughout the Indus Valley, we apprehend that a proposal to this end would not prove unwelcome. The first opportunity under the contract of Government purchasing these undertakings is as yet remote; but it might suit the shareholders to surrender them in anticipation if the proposal were not regarded with favor. The difference of value between the old and new rails and stock should more than sover the cost of relaying.

5. Believing, then, that, irrespective of any saving in first cost by the use of a lighter description of permanent-way, the adoption of a narrow gauge would lead to a large saving on the cost of the 170 miles of line north of Jhelum, to a by no means insignificant saving in outlay on 500 miles between Mooltan and Kotri; also that lighter rails on a narrow gauge may be substituted on the existing railways in the Indus Valley without

57

additional outlay, we would urge Your Grace to accept the recommendation contained in our telegram already referred to, that a narrow gauge should be adopted for the entire line of railway from Karachi to Peshawar. As a light description of permanent-way may be combined with a broad gauge, we have not adduced the saving from its adoption in support of the narrow gauge, but we may mention that we estimate the saving by the use of lighter rails at about £400 a mile over the 760 miles of new line to be constructed. With light rails on a broad gauge, special engines, it should be noted, would be required. The poor returns hitherto realised on the Sind and Punjab Railways and on the Indus Flotilla do not justify our forming any sanguine expectation of an early remunerative traffic on the Indus Valley Railway, even when completed so as to form a through line of communication, and afford an additional reason, if needed, for keeping down the outlay both on first cost and on working to the lowest possible limits.

On the 28th June 1870, probably after perusal of the above despatch, the Duke of Argyll sent the following telegram to Lord Mayo:---

I am carefully considering narrow gauge question. Many objections raised. What does Lord Napier think regarding Indus Valley line on military interests involved?

The answering telegram was sent on 9th July 1870, and was as follows :---

Lord Napier gives his opinion as follows:—'Because nearly one-third of the line from Karachi to Lahore is laid and working on the broad gauge; because of the comparatively casy country of the remaining two-thirds; and especially because of the advantage of accumulating rolling stock of other lines for military emergencies, I am in favor of completing the Indus Valley line with broad gauge.'—Opinion ends. Viceroy only remarks that if narrow gauge is built from Karachi to Peshawar, there will always be the rolling stock of the entire 1,100 miles available for emergency on any short section, such as that above Lahore.

Lord Napier also remarked in his note of 7th July 1870, from which the above opinion was extracted, that there was immediate necessity for a line of railway to Peshawar; and as he noticed that Lord Lawrence, in his scheme for the extension of railways, had put down the Peshawar line to be completed in 1885 and the Indus Valley line in 1890, added that—

rather than see such a fatal delay, I should submit to any minor evil, such as a break of gauge. For instance, a narrow gauge might, I believe, be laid on the Lahore and Peshawar road to complete the communication from Jhelum in one year without turning a spadeful of earth, and would pay its value in political security and economy of transport by the time the main line, according to the programme in Sir John Lawrence's Minute, would be advanced to that point, and it might either be retained or transferred for branch lines to our hill stations.

Lord Mayo did not think that the actual state of the case was quite before Lord Napier when he recorded the above note, so he put an explana-Note by the Governor General, dated 28th tory note on record. He pointed out August 1870. that no importance should be attached to the dates on the map accompanying Lord Lawrence's Minute; that the Indus Valley line had been recommended to the Secretary of State as one of the first which should be made; and "that the rapidity of railway construction can only be regulated in the first instance by the financial strength of the empire, and in the second by the power of organisation of establishment and labor" which it is possible to develop. Considering the extremely difficult nature of the country beyond Jhelum, and the resulting cost of a railway on the 5' 6" gauge, Lord Mayo also demonstrated that no line of railway ought to be made north of Jhelum which should be capable of carrying the stock of the East Indian or Delhi lines; and consequently "if a narrow gauge line is made the whole way from Karachi to Peshawar, the whole rolling stock of a line, 1,100 miles in length, will always be available for working on any portion of the system; and therefore the narrow gauge, constructed as suggested, will give a much greater facility for the transport of troops and military stores from Lahore to all parts of the frontier, north or south, over that of a line which would be composed in part of light broad gauge line."

The Secretary of State again telegraphed to the Viceroy that strong opposition was being shown to the narrow gauge as applied to strategical lines of railway, but that there was a general agreement to the narrow gauge when the strategical lines had been completed. He again asked if the Government of India had fully considered how far the standard 5' 6" gauge,

with a lighter rail, would be best for the Peshawar and Indus Valley lines. In reply to this, the following telegram was sent on the 5th October 1870:-

The Punjab and Sind State Railways should in any case be laid with light rails suited to engines of moderate wheel weights, and the entire rolling stock should be capable of running from Peshawar to Karachi. The special engine stock will rule the transporting power of the line, whatever the gauge may be; and if light rails on standard gauge be adopted on northern and middle sections, we must provide new engines for whole length, otherwise efficiency of line on light sections, but particularly above Jhelum, will, on an emergency, . the reduced by one-third compared with a line of uniform description throughout. For our tiews as to difficulty of country and character of line above Jhelum, see Railway Proceedings No. 44 for August. I consider every line now contemplated north of the Nerbudda in a great degree strategical.

Meanwhile, in accordance with the desires of the Government of India, the Secretary of State had nominated a Committee of Engineers to settle the actual width of narrow gauge lines which would be most suited to the wants of India. This Committee reported in September 1870, and the following summary of their proposals and of opinions of several of the Consulting Engineers to the London Boards of the Indian Guaranteed Railway Companies is extracted from Mr. Danvers' report on Indian Railways for the year 1870 :---

12. A Committee, consisting of Colonel R. Strachey, R.E., C.S.I., Colonel C. H. Dickens, R.A., C.S.I., Mr. John Fowler, C.B., and Mr. A. M. Rendel, Consulting Engineer to the East Indian Railway Company, was accordingly appointed "to consider the precise gauge and general character for and average narrow gauge line of railway in India." The result of their investigations and deliberations was given in two reports—one containing the conclusions at which all the members of the Committee, except Mr. Fowler, had arrived; the other expressing that gentleman's opinion alone. All, including Mr. Fowler, were in favor on the ground of economy, of introducing a parrow gauge in India than the favor, on the ground of economy, of introducing a narrow gauge in India than the present standard of 5' 6" in districts where a break of gauge would not be productive of serious inconvenience, but they differed as to what that gauge should be. Colonel Strachey, Colonel Dickens, and Mr. Rendel recommended 2' 9"; Mr. Fowler 3' 6". The opinion of the former was based upon the conviction that to obtain the greatest economy in construction and consequently the greatest possible extension of million in India that construction, and consequently the greatest possible extension of railways in India, the gauge selected should be not only narrow, but the narrowest which would combine convenience of transport for various goods and passengers with reasonable speed, and with economy and safety in working, and they were persuaded that these conditions would be fulfilled by a 2'9" gauge. Mr. Fowler, on the other hand, was of opinion that a width of 3' 6" should be adopted on the clear ground that it was not greater in first cost of works and rolling stock than a gauge of 2'9", and was greatly superior in carrying capacity, convenience, and economical working. The other members of the Committee considered that the cost of a railway was in proportion to its gauge; he did not. He folt to secure the greatest simplicity and economy of construction and working in a loop of the Committee considered that the cost of a railway was in proportion to its gauge; he did not. He felt, to secure the greatest simplicity and economy of construction and working in a locomotive, a gauge of 3' 6" was required. They thought that engines of sufficient power might be put on a 2' 9" gauge to draw at a sufficient speed the largest traffic which the lines for which a narrow gauge is suitable are likely to carry. The same differences of opinion on similar grounds are expressed in regard to the rolling stock of the respective gauges. Opinions were also given on the subject by Mr. John Hawkshaw, as Consulting Engineer to the Madras and the Eastern Bengal Railways, and by Mr. G. P. Bidder, as Consulting Engineer to the Sind, Punjab and Delhi Railway. They are both opposed to the application of any other than the existing gauge to future lines which may be required as branches to extensions of the systems of railway with which they are connected. They attach great importance to the evils and inconveniences of a break of gauge, and contend that the great importance to the evils and inconveniences of a break of gauge, and contend that the very small saving, if any, which might be secured by the adoption of a narrow gauge would be more than counterbalanced by those disadvantages. Mr. Hawkshaw, however, admits in the early part of his report that if "it were a well ascertained fact that there are districts in India where, having regard to financial reasons, a railway on a narrower gauge could be made, but where a railway on the existing gauge could not and ought not to be made, then that would be a case in which a narrow gauge might be considered as an absolute necessity." He calculates, upon certain assumptions, that the difference in the first cost of a heavy railway on the 5 feet 6 inches and a light railway on the 3 feet 6 inches gauge would be £1,810 per mile, and that saving in maintenance and renewals of permanent-way would be £50 per mile per annum, or, if capitalised at twenty years' purchase, £1,000. He considers, however, that the object of economy would be best attained by constructing a lighter system of railways on the existing gauge, and talculates by this means £1,250 per mile might be saved in the first cost, and £10 per annum in maintenance, or £800 capitalised. Thus, under the least favorable view of the case, a saving of about £800 per mile is admitted. The case above described in Mr. Hawkshaw's words would probably be regarded as the rule, instead of the exception, for future lines in India. If ten thousand miles' are to be laid out, seenomy must be observed in the construction of every mile. • miles are to be laid out, economy must be observed in the construction of every mile, and a saving of £800,000 in every thousand miles, or of £8,000,000 in ten thousaud miles, becomes a matter of importance. , •

13. A much greater saving, however, is expected by the advocates of the narrow gauge. I may mention, in passing, that the estimates for the Carnatic Railway, on the broad and narrow gauge systems, made by Mr. C. Douglas Fox, the Consulting Engineer to that Company, show a saving of £1,700 per mile in favor of the latter. The same capital would thus make 112 miles of the 5 feet 6 inches, or 151 miles of 3 feet 6 inches. I am informed also that in America 80 miles of a line which is to be 850 miles in length has been laid on a 3 feet gauge at a cost of £2,500 per mile, including rolling stock, the rail being 30 lbs. to the yard, joined by fish-plates; the sleepers pine wood, 5 feet long, set 2 feet 6 inches apart.

14. The existence of another gauge in the country necessarily complicates the question of introducing a narrow one; and in some places and situations the inconveniences of a break of gauge may be so great, or the value of a line of communication for strategical purposes may be so impaired by it, as to make it worth while to pay the difference in cost; but under ordinary circumstances these kinds of difficulties may be greatly reduced by improved mechanical appliances and good traffic arrangements. The condition of things, moreover, in this country, where, within short distances, and with an immense traffic, a break of gauge has been found to be most burdensome and objectionable, is very different from that of India.

The Duke of Argyll answered the Government of India in despatch No. 72, dated 26th October 1870. Notwithstanding the very decided proposals made by the Government of India to make the Indus Valley and Peshawar lines on a narrow gauge, and the recommendations of a Committee to adopt a gauge of 2 feet 9 inches, and of one member of that Committee to adopt a gauge of 3 feet 6 inches, the Duke of Argyll would give no definite orders as to the kind of railway to be constructed over those lengths, or as to the width of the narrow gauge if such be adopted; but he confined himself to expressing his agreement with the desire of the Government of India to study rigid economy in the construction of these new railways, and eventually concluded by leaving the main questions to be decided by the Viceroy, Lord Mayo.

From Secretary of State, No. 72, dated 26th This despatch is, however, a very October 1870. important one in the history of the gauge question, and is given below *in extenso* :---

I have had under my consideration in Council Your Excellency's despatch of the 17th May, in which you recommend a narrow gauge for a large part of the contemplated extension, of railways in India, and in particular for the lines beyond Lahore northward to Peshawar, and south-westward down the valley of the Indus.

2. As this proposal raises many questions of the most vital interest, I have taken time to give if may best consideration.

8. The objections to this proposal lie upon the surface. At home we are familiar with the inconveniences arising from a break of gauge. Our estimate of those inconveniences has been derived from our experience of an immense traffic carried upon lines which meet and oross each other in every possible direction, and within a very limited geographical area. The different circumstances of India are not equally familiar, but some of these differences, when remembered, may well be regarded as having an adverse, rather than a favorable bearing on the policy you recommend. It is urged that, whilst the evils of a break of gauge are great in respect of commerce, they are infinitely greater in respect to the military use of railways; that these evils would be specially felt upon the lines specified by you, which are lines mainly valuable for strategic purposes; that the great historical invasions of India have come from the North-West frontier, and that this is now the only frontier on which invasion by an enemy equipped with European appliances of war is possible; that the first object of railway lines to that frontier must be the military object, to enable the Government of India to move a large army rapidly to the front, with all its guns and materials of war. For this purpose an amount of accommodation is required which can only be secured by being able to command the rolling stock of all the lines already completed in India.

4. On the other hand, whilst the objections to your proposal are chiefly military, the arguments on which you rest that proposal are chiefly economic. You represent the narrow gauge as amply sufficient for the commercial traffic of the country, and as capable, under certain conditions, of supplying all that is really wanted for military purposes. Under these circumstances, you desire to secure whatever saving can be effected upon a narrow gauge in the cost of construction, working, and of maintenance.

5. Looking at the great questions of policy involved from these two opposite points of view, I have no hesitation in saying, in the first place, that, under the present circumstancours of India, the military argument must be considered as secondary to the economic. The danger to our Indian Empire from financial embarrassment is a far more real and a more pressing danger than the danger of sudden invasion on the North-West frontier by a great military power.

6. I observe in the second place that, even supposing this particular danger of invasion to be greater than I conceive it to be, it is a danger which has already, to a great extent, been met. Continuous lines of railway on the standard gauge have now been completed, which connect Lahore, the capital of our most northern province, with Calcutta on the one side and with Bombay on the other side of India. As much, therefore, of the rolling stock of all the lines now completed as can be used upon a single line of rail is now available for the concentration of troops upon the Punjab.

- 7. It is true that the communication with Bombay by Allahabad and the Jubbulpore junction is circuitous, as compared with a line down the valley of the Indue; but at the moderate speed of 15 miles an hour, Lahore is now within little more than 100 hours from either Calcutta or Bombay.

8. These considerations, however, may be regarded as proving too much—as proving that the great military lines being now complete, it would be best on economic grounds to stop the railway system at Lahore; and it is urged that, if any military value at all is attached to the extension of lines towards the North-Western passes on the one side and the sea at Karachi on the other side, it is unwise to make them upon a gauge which will _ be comparatively useless for military purposes.

9. As Your Excellency distinctly expresses a strong opinion on the political value of the Peshawar line, the argument I have just mentioned must have been fully considered by you, and you must have seen some sufficient answer to it. That answer will be found, I apprehend, in the nature of the military dangers to which we are actually exposed on our North-West frontier, which is not the danger of invasion by large and well appointed armies, but by the occasional incursions and disturbances of mountain tribes. It does not follow that a railway is useless for such military purposes, because it is not sufficient for the sudden transport of great masses of men, with all their material of war. The rapid or the more rapid movement than can be effected by marching of comparatively small bodies of infantry with a few mountain guns may be of the highest possible importance in preserving the peace of our frontier. Moreover, it may be fairly argued that, even as against a great military invasion of India, of which a few months' or even a few weeks' notice could be had, the narrow gauge lines would afford most important facilities for the concentration of our army.

10. I must add that I cannot regard the lines to Peshawar and down the valley of the Indus as valuable for military purposes alone. A high value is to be attached to such subsidiary lines in India in a commercial point of view, even although it may be many years before they become directly remunerative to the Government, considered merchy as a shareholder. It is very difficult to estimate beforehand the amount of traffic they will create. But everywhere we may look with confidence to the effect they will have in enabling us to deal with the periodical miseries of famine, in raising the value of all agricultural products, and giving new directions to the ancient industry of the people.

11. So far, after the most careful consideration of the case, I entertain no doubt of the soundness of the general principle on which your recommendation is founded. That principle is the pre-eminent value, and indeed the absolute necessity, of the utmost possible economy in the execution of all our great public works. These must of necessity be provided for by loan, and the magnitude of the undertakings before us will involve of necessity a large increase of the public debt, the interest of which, until the works become remunerative, constitutes an annual burden on the revenues of the State. These revenues are already heavily weighted by this burden, whilst special difficulties appear to lie in the way of raising new taxes in India.

12. There is, however, one doubt affecting the application of the narrow gauge system to the Peshawar line and to the line of the Indus Valley, which I leave to the estimate you may form after a careful consideration of the documents I forward with this despatch. It cannot be denied that a break of gauge is in itself an evil and an inconvenience. It is an evil and an inconvenience which may be, and in the peculiar circumstances of India would certainly be, compensated by any very considerable saving in the economy of construction, of working, and of maintenance. But you will see by the papers accompanying this despatch that some authorities in England contend that, by applying a light permanent-way to the standard gauge, and running only at a low rate of speed, a large part of the economy you contemplate can be secured without any break in the continuity of gauge. That some considerable portion of the saving you contemplate can thus be secured, I have no doubt. But what balance of saving will still remain in favor of the narrow gauge as regards the cost of construction, and how much more of that saving will remain on the cost of working and of maintenance, are questions which must depend on the local conditions of country and of probable traffic. I commend these points to your closest investigation. That continuity of gauge with the rest of India would be an advantage in the Indus Valley line, the two terminal portions of which have already been completed on the standard gauge, is a proposition which can hardly be disputed; and if this advantage can really be secured at an inconsiderable cost, it may be well worth while to secure it. But I am npwilling, in the present condition of Indian finances, and in view of the great demands upon it which lie before us, to impose upon you any burden which you think you can avoid, and which I cannot defend as necessary to the accomplishment of the end in view. 13. I concur with you that whatever gauge is adopted for the line to Peshawar ought to be adopted on the Indus Valley; and as the traffic ought not to be interrupted on the two terminal portions of the Indus Valley line which are already completed, it will be necessary, if you decide in favor of the narrow gauge, to adopt the expedient of laying down a third rail upon those portions. The cost of this must be considered in estimating the question of comparative gain and loss, which I have left to your final determination.

14. Should a narrow gauge be determined upon, the further question what that gauge is to be is one of immense importance, because whatever gauge is fixed upon ought to be adopted in all the subsidiary lines over the whole of India. The economy which results from uniformity in plant and rolling stock makes this a matter of the first importance.

The proceedings of the Government of India on receipt of this despatch Memorandum by Lord Mayo, dated 30th December 1870.
policy of the Government of India, and deciding that the Indus Valley and Peshawar Railways should be on a narrow gauge, and that the width of that gauge should be 3 feet 3 inches. The question of adopting in India a metrical system of weights and measures was then under discussion by the Government of India, and a draft Bill was actually before the Legislative Council. As the adopted gauge, 3 feet 3 inches, was so nearly the same as the proposed metrical standard, the narrow gauge for railways was changed very shortly afterwards from 3 feet 3 inches to 3 feet $3\frac{2}{3}$ inches, the length of a metre.

The following is the memorandum :--

We recommended the adoption of the narrow gauge from Lahore to Peshawar, mainly on the grounds that it would be possible to construct the whole line from Lahore to Karachi on this principle; this would ultimately make available the entire ordinary rolling stock of 1,100 miles of railway, which we conceive is amply sufficient for any military emergency.

The question, therefore, that we submitted to Her Majesty's Government was, whether it would be desirable to break the gauge between Mooltan and Kotri, it being assumed that, if this were decided in the negative, a narrow gauge railway northward from Lahore would not be recommended. After more than six months, the whole question is now returned to us for final decision. The result will be that some considerable delay must take place in the commencement of active work on the Lahore and Jhelum line. This cannot be helped, and it is now our duty to arrive at a decision as rapidly as possible and forward it to the Secretary of State. We should endeavour then to recommend the construction of such a railway as will be amply sufficient for all the requirements of the country, and be constructed at the lowest possible cost. Our decision in this will definitely fix what the Indian narrow gauge is to be.

The history of our Indian railways does not show that a sudden outburst of traffic can reasonably be expected, and we cannot anticipate in traversing less fertile and poorer countries than have hitherto been occupied by existing lines; the receipts we shall obtain in the first instance will increase in the same proportion as they occasionally do on American and European lines.

It is impossible to define with any degree of accuracy what the traffic on the new Indian railways is likely to be. The results of the Delhi and Lahore and Mooltan and Lahore lines are not encouraging, and I have no reason to suppose that they will suddenly improve. On the other hand, we must be certain that the railways we are about to construct will amply provide for all military wants and probable commercial requirements for a number of years.

I therefore asked the Council on our last meeting to consider whether we should adhere to our former recommendation, that a narrow gauge should be adopted between Lahore and Karachi on one side, and Lahore and Peshawar on the other. The Council having come unanimously to the conclusion that we should abide by our former recommendation, renders it unnecessary to discuss that question further. A similar conclusion was also arrived at with regard to the Rajputana and Central India lines.

It remains therefore only to consider what should be the dimensions of the narrow gauge line which it will be our duty now to recommend to the Secretary of State.

The great difference of opinion which exists between the high authorities who were consulted by the Secretary of State in this matter, as shown in the accompanying papers, involves us in much difficulty.

In considering unprofessionally such a subject, and in endeavouring to arrive at a sound conclusion as between the two narrow gauges recommended, viz., 3 feet 6 inches and 2 feet 9 inches, we can only be guided by experience and authority. In this view there is no doubt that we should be quite safe in adopting the 3 feet 6 inches gauge; for it has been well and effectively tried, and is admitted to be sufficient for the conveyance of a large amount of traffic.

It is also a fact worthy of notice that those Governments and authorities who are now desirous of providing cheap narrow gauge railways, namely Russia Canada, Queensland, and Norway, have all adopted the 3 feet 6 inches gauge. In Norway a railway of that dimension, 120 English miles long, exists, and it is generally admitted that it has proved to be completely suited to the light traffic of that country.

No such experience is available with regard to the 2'9" gauge. The only line of any length of such small dimensions that I know of is the Festinicg Railway. This is a short line, 2' gauge, with comparatively heavy rails, 49 lbs. per yard: it is worked in a hilly country under peculiar circumstances.

Therefore we have, as between a 8' 6" and a 2' 9" gauge, little or no practical experience to guide us. We know very little of the latter, but we know that the former has succeeded.

I have no means of showing very precisely the difference of cost between a S' 6" and a 2' 9" gauge.

Mr. Fowler, in paragraph 24 of his letter, puts the difference of cost between a 3'6" and a 2'9" railway at £82-10 per mile for Scotland and £15 for Norway; for the 'Indus Valley he puts it at £45 a mile with iron and £110 with wooden sleepers; but he says that in consequence of the additional length and cost of siding which a 2'9" gauge would require, the relative cost would scarcely differ. He further states that, with regard to bridges, the dimensions for the strength and stiffness required would always include the width of a railway of a 3'6" gauge.

The weight of the rails would probably be the same. I am not an advocate of very light rails on any Indian railway, and would recommend a rail proportionately lighter than the 60 lbs. Oudh and Rohilkhand rail, which would be about 40 lbs. for a narrow gauge.

³On the whole, therefore, according to the information at our disposal, I cannot put the difference of cost as between a 3' 6" and a 2' 6" gauge with wooden sleepers and say a 40 lb. rail at a greater amount than £100 a mile. This over the distance from Mooltan to Kotri and from Lahore to Peshawar, which is about 700 miles, makes only a difference of £70,000—a sum which is hardly to be regarded if very superior advantages can be obtained.

I have no reason to suppose that the working expenses of a S' 6" or a 2' 9" railway would differ very materially.

The size of the carriages on the different gauges proposed is a matter of the first importance.

I assume that in most railways, and especially those of narrow gauge, the width of the carriage in the clear may be equal to double the width of the gauge.

I am not aware whether on any first class line carriages whose platforms are double the width of the gauge are actually at work; but Mr. Fowler appears to be of opinion, in paragraph 13 of his letter, that there can be no objection to a 3' 6" gauge bearing a carriage 7' wide. But in none of the papers placed at my disposal does the possibility of increasing the breadth of the carriage beyond this proportion appear to be contemplated.

Whether it would be safe then to put a carriage $6\frac{1}{2}'$ or 7' wide upon wheel 2'9' apart, or a carriage 8' wide upon 3' 6" wheels, I can give no opinion which would be of value. This is a point for engineers to discuss, and one that I suspect nothing but practical experience would satisfactorily solve. I am not aware that the experiment has been tried, and certainly in ordinary conveyances steadiness could not be obtained under such conditions. I believe, therefore, that twice the width of the gauge is the limit of breadth in the construction of our carriages which we ought to recommend.

If we adhere to the principle that this limit ought not to be exceeded, it would take 6" off the internal width of the vehicles and render a carriage of the 2' 9" gauge 5' wide; of a 3' gauge, 5' 6" wide; of a 3' 3" gauge, 6' wide; and of a 3' 6" gauge, 5' 6" wide.

I am inclined to think that from 6' to 6' 4" is the least width that can be conveniently given to a carriage to carry four passengers seated across. I put European and first class passenger traffic out of the question altogether. With 6' 4" you could get 19" for four passengers in a row, which is one-fifth of an inch less than is now given to the new Srd class carriages on the East Indian Railway, and which is not more than sufficient.

There is no advantage to be obtained either in gradients or curves as between any of the gauges. This, however, may be doubted as between a very broad gauge and a very narrow one; but certainly no increased facility in either gradients or curves is gained by a 2' 9" gauge over one of 3' 6" or 3' 3".

A very serious further objection which is urged to the very narrow gauge is, I believe that which is described in the 12th paragraph of Mr. Fowler's letter as regards locomotives. Mr. Fowler; who is a high authority on a practical question of 'this kind, states from experience that in order to secure the greatest simplicity and economy in construction and working, a gauge of S' 6" is required for the engine.

He says that a locomotive may be constructed for almost any gauge, but that no locomotive, simple or strong, can be made with any great chance of success to work on a gauge less than 3 feet. 6 inches; and I may add, in confirmation of this opinion, that Mr. Fell told me in regard to his engines, the great mechanical difficulty with which he had to contend was the extreme narrowness of his gauge, which is 3' $7\frac{1}{2}$ ": this obliged the mechanism to be compressed into so small a compass that, unless workmanship and material of the very first class were used, breakages were always occurring.

The defective character of his machinery, which was made in Paris, has been the greatest difficulty with which Mr. Fell has had to contend from the commencement of his enterprise. No undue weight, however, should be attached to this opinion, because the mechanism for working the central rail complicates the ordinary construction of the locomotive, and I am told that it has lately been found desirable to use two engines on Mr. Fell's railway, one for the central and the other for the outer rails. However, it must be recollected that Mr. Fell's gauge is $10\frac{1}{2}$ inches wider than that advocated by Colonel Dickens and Colonel Strachey.

With regard to carrying capacity, it is affirmed by Mr. Fowler that a 3' 6" gauge has a carrying capacity of 63 per cent. greater than the 2' 9". I am not prepared to adopt this opinion without further proof, but still it is a statement gravely made on high authority.

It is said that even a 2 feet 9 inches gauge might be too much for the wants of the country, and that if a 3 feet 6 inches width were adopted, the stock would be little lighter than the existing stock of the East Indian Railway.

I cannot but think that the power of considerably increasing the carrying capacity of a railway is a great recommendation in its favor, because for the earlier periods of its existence it will be quite possible to build lighter and smaller vehicles than will ultimately be used.

But lightness is by no means regulated by gauge, and we can build as light a carriage on the standard gauge as on any other.

The weight of the carriage ought to be regulated, as nearly as possible, by the exact work it is expected to perform.

I think, therefore, these papers demonstrate that there is no important difference in cost between a 3' 6" and a 2' 9" gauge; that experience shows that a strong serviceable railway on the former size can be made with perfect success; that no difficulties with regard to locomotives are likely to occur; that its carrying capacity is considered much greater, and that, as far as passenger traffic is concerned, more comfort and convenience can be obtained than on the narrow line.

I cannot venture to say that the applicability of a railway to India on the 2'9" gauge is disproved. Hereafter it may turn out that it deserves all that has been said of it. But, on the other hand, it must be admitted that weighty objections have been urged against it; whereas as regards the gauge 9 inches wider success is proved, and it is certain that it possesses requirements sufficient to provide for the locomotive wants of a country where a limited amount of traffic only can be expected, and considerable distances have to be traversed.

I confess I am unwilling to embark on anything in the shape of an experiment in a matter of such enormous importance. An error made now would be irreparable.

We must endeavour by every means to secure the most absolute certainty of success.

I have the greatest respect for the ability and judgment of the experienced engineers who have recommended the 2 feet 9 inches gauge, but the responsibility of selection now devolves upon my shoulders, and I am not prepared to recommend the adoption in India of any system which has not stood the test of experience, and is not supported by the almost unanimous opinion of skilled engineers.

I think, therefore, that the adoption of a 8 feet 6 inches gauge would be a thoroughly safe course for us to take; but if a 3 feet 3 inches one will provide for all the possible requirements of the country, I should prefer it. Some saving in cost would be gained. The small reduction in width could not affect the locomotive question, and a considerable economy of space would be obtained. This would give a carriage of 6 feet width in the interior, and would seat four third class passengers in a row, allowing 18 inches to each seat.

This is quite as small accommodation as, in my opinion, ought to be given, and I have some doubts whether it is quite sufficient.

On the Eastern Bengal Railway, the horse-boxes are 8 feet in the clear, 7 feet in the interior, divided into three partitions, two of 2' 6" and the middle one of 2'... This is, I think, too small.

The 3. feet 3 inches gauge would give, according to these proportions, a horse-box 6 feet 6 inches in the clear, and 5 feet 6 inches in the interior. This would give a space for two horses abreast of 2 feet 9 inches each (including the partition), which is precisely the space allowed on the horseboxes of the East Indian Railway. If, however, a great number of horses have to be moved in a short time, horse-boxes would be little used; and if a rapid transit is desired for military objects, the mainportion of the troopers must always be carried in ordinary goods wagons.

Six feet in the interior of a vehicle will be sufficient to carry gun-carriages for the heaviest artillery whose wheels do not, in scarcely any case, exceed 5' 31".

For goods traffic, especially for the bulky goods, such as unpressed cotton, jute, &c., the additional space will be very valuable; and if a very small traffic is expected, short carriages can be used.

I incline that the opinion that the 40-lb. rail should be adopted, because it is the weight which experience shows has been most generally adopted for lines of this dimension and bears a fair proportion to the 60-lb. rails of the Oudh and Rohilkhand standard gauge. But at the same time I do not wish to say more than that, with three tons on the engine wheel and 2 tons on the wagon wheel, the rail should not be lighter than 36 lbs. to the yard. The final decision on this must be reserved until the precise character of engines and stock on each line is determined.

It appears that in such a country as the Indus Valley or Rajputana a railway of this kind ought to be built for less than $\pounds 5,250$ a mile, and according to Colonel Strachey for $\pounds 2,645$ less than the standard gauge with 60-lb. rails, or $\pounds 1,707$ less than the standard gauge with 45-lb. rails; and it is probable that as we gain experience, the cost might be considerably lessened.

According to the best consideration I can give to this extremely difficult question, I recommend the adoption of a 3' 3" gauge.

This decision as to the width of the narrow gauge, and as to the lines that were to be made on that gauge, was duly reported to the Secretary of State.

Telegram from Viceroy, dated 3rd January 1871. Despatch to Secretary of State, No. 2R., dated 10th January 1871.

Despatch to Secretary of State, No. 3R., dated 10th January 1871. These despatches stated that the Government of India generally accepted the views expressed by the Duke of Argyll in paragraphs 5 to 11 of his despatch* No. 72 Railway, dated 26th October 1870, "as

* Quoted in extense on page 228. to the main military and financial considerations that arise, and that we are satisfied that the economy likely to be obtained from the adoption of the narrow gauge will justify our accepting the break of gauge at Lahore with such inconveniences as it involves."

The matter had been left to the decision of the Governor General; and no sooner had Lord Mayo given his verdict in favor of the narrow gauge, than orders were issued that the Indus Valley Railway, the Lahore-Rawalpindi line, the lines in Rajputana from Agra and Delhi towards Ajmore, and the line from the Great Indian Peninsula Railway to Indore in Central India should be constructed on the narrow gauge. The section between Lahore and Jhelum had already been commenced as a light railway on the 5' 6" gauge, but the work had not progressed sufficiently far to cause any considerable alterations to be required for the narrower gauge. Surveys and estimates for the other lines were then proceeded with on the basis of the gauge being a metre; and the construction of the lines on that gauge was vigorously prosecuted.

During the year 1870 the London newspapers contained many proposals for narrow gauge and light railways, and many were the arguments brought forward showing their superiority over the ordinary standard gauges. In a report on the Festiniog Railway to the Secretary of State for the Colonies by Mr. G. L. Molesworth, who was at that time Director of Public Works in Ceylon, the merits and demerits of these lines were discussed. His conclusions were that the arguments claimed for the 2' gauge of the Festiniog line were not borne out by the facts of the case, and that its superiority over the ordinary gauge of 4' $8\frac{1}{2}$ " under all circumstances was quite delusive.

The merits of narrow gauge lines were, however, from time to time still discussed in the newspapers; and when it became known that it was decided to construct the Indus Valley and the Lahore-Rawalpindi Railways on a narrow gauge, the outcry was great. First and foremost in vehemence against the decision was Mr. Lee Smith, the engineer who had been originally sent out by the Secretary of State to construct the Lahore-Rawalpindi Railway, but who had left the Government service before much advance had Leon made in the prosecution of the works; and the protests were continued by many

59 ·

engineers of high professional standing in England. Mr. Lee Smith maintained that he could construct a light railway on the 5' 6" gauge from Kotri to Mooltan and from Lahore to Peshawar for a sum of money differing only very slightly from the accepted estimates for those lines on the metre gauge, and stated that a firm of contractors were prepared to carry out the

Despatch from Secretary of State, No. 122R., dated 9th October 1872.

Telegram to Secretary of State, dated 8th Janu-

ary 1873. Telegram from Secretary of State, dated 13th January 1873.

Telegram to Secretary of State, dated 16th January 1873. Telegram from Secretary of State, dated 31st

January 1873. Despatch to Secretary of State, No. 40R., dated 14th February 1878.

Lord Northbrook, Governor General.

works on the strength of his estimates. During 1872 considerable correspondence took place between Mr. Lee Smith and the Secretary of State, and this was transmitted to India for information. It was, however, not quite understood whether this correspondence was only sent for information, or whether the Secretary of. State desired an expression of opinion from the Government of India as to the question of the break of gauge on the two

railways. The Duke of Argyll, however, telegraphed that he had hitherto considered the question of gauge as settled, and deprecated any action which might unsettle that decision. The desultory discussion amongst the engineers in England, however, still continued; and as it was much desired to discuss the matter in a rational manner, the Secretary of State permitted the reading of a paper on the subject before the Institute of Civil Engineers. This paper, which was read on the 4th February 1873 by Mr. W. T. Thornton, C.B., the Secretary for Public Works at the India Office, stated simply and openly the reasons which led the Government of India to adopt a narrower gauge, and was followed by a lengthy, and at times acrimonious, discussion.

No direct action was taken on this discussion, but it led shortly after-Public Works Department Proceedings, August wards to a discussion on the same subject 1878, Nos. 97 to 112. in the House of Commons and although in the House of Commons; and although much difference of opinion was expressed during the debate, "Mr. Gladstone intimated that the arguments on both sides would be carefully examined in the light of the discussion, and in the light of such other facts and arguments as may be considered to bear upon the policy involved."

In consequence of all this opposition to the change of gauge, and in con-Despatch from Secretary of State, No. 54R., dated 27th March 1873. formity with the promise made by the Prime Minister in the House of Commons, the Duke of Argyll reviewed the whole state of the case in a lengthy despatch to the Government of India. In this review the Secretary of State showed that lines on the 5' 6" gauge connect the three presidency towns of India, and also are in connection with the principal centres of commerce in the Ganges valley and as far north as Lahore; that the amount of money sunk in guaranteed capital of railways was very large-nearly £94,000,000-and that the produce of the railways only returned a very small percentage on the outlay; and that as far as the commercial aspects of the districts round Labore were concerned, it appeared that, Karachi being its natural outlet, a railway on the metre gauge would amply cope with commercial demands. But as far as the military requirements of the North-West frontier are concerned, the matter might now be different; it was on this aspect of the question that doubts of the soundness of the policy pursued had been raised. From Sceretary of State, No. 54R., dated 27th With reference to these arguments, and March 1873. dismissing the question of danger in India from internal disturbance, the Duke of Argyll wrote:-

29. It is evident therefore that whatever special importance is attached in many minds to the adoption of the standard gauge beyond Lahore is connected with the special danger of invasion from without.

80. On this important part of the subject, the facts presented by the recent war in Europe have very naturally had a powerful influence on opinion. And I have no hesitation in saying that, if the circumstances of India were the same, or had even any analogy with the circumstances of France and Germany, the argument for uniformity of gauge would be conclusive. \$

31. I have therefore to direct your attention to the difference, amounting to contrast, which exists between the two cases.

S2. All the leading States of Europe are in close contact with other nations having armies more or less equal to their own—possessing at least the same advantages of science, of organisation, and of speedy access to their mutual frontiers. The consequence is, that in all these cases great armies with powerful artillery can be placed at very short notice in a position to invade their neighbours.

33. Since the defeat and dissolution of the army which had been trained under Runjeet Singh, and the conquest of the Punjab, no similar conditions exist on our Indian frontier. There is no nation upon that frontier, or for many hundred miles beyond it, with any military science, with any trained or regular army, or with any artillery whatever.

34. I do not place out of view the possibility—although I do place it in a distant future —of a great European power organising offensive operations from beyond the North-West frontier. But even if such operations were possible at the present time, we may be sure of this, that no such invasion of India from that quarter could be effected without the threatened danger being known to us not only many weeks, but many months, before it could actually arise.

The conclusions arrived at by the Secretary of State were that a metre gauge railway from Karachi through Lahore to Peshawar would be amply sufficient for the trade of the country; that such a line would also suffice for all military demands in the event of a war on the frontier; and that consequently only weighty considerations of political necessity would induce him to reopen the question of the gauge of these frontier lines. The following are the concluding paragraphs of the despatch :—

87. In connection with such a system of narrow gauge lines, and a view to increase the amount of rolling stock available upon portions of it, it may be wise ultimately to lay down a third rail on the section of the trunk line between Lahore and Delhi, thus bringing into play the whole carriage accommodation of the projected Rajputana line. But even without this junction, the amount of rolling stock on the Indus Valley and Punjab lines alone would be sufficient, within very moderate limits of time, to afford the most important facilities for military movement.

38. It has indeed been argued, not unnaturally, that if the danger of invasion be really so slight and so distant, these frontier lines should not be made at all. But this does not follow. The time which would be ample for the working of a narrow gauge line, with even the narrowest estimate of accommodation, would not be adequate for the construction of any line whatever. Moreover, although an invasion requiring the concentration of great armies is a very remote danger, border forays and disturbances, and even incursions of a more serious character, are possible and probable enough. These, if unchecked and unpunished, are never without effect on the tranquillity of India. To meet these, the facilities which would be afforded by the narrow gauge in moving amply sufficient bodies of men are facilities so valuable and important, that we are bound to place them in the hands of the Government of India, if we can do so at a moderate cost.

39. These are the considerations which mainly determined my assent to the construction of lines in the Punjab and down the valley of the Indus; and I still regard them as sufficient, provided these lines can be constructed on the cheaper system now generally admitted to be suitable for subsidiary lines.

40. Your Excellency will doubtless bear in mind that the Khyber pass is not the only, nor even perhaps the most probable, direction in which the invasion of India by a large army would be attempted. If, therefore, this danger is to determine our policy, we must be prepared to extend the more costly gauge of railways to much more distant points, and indeed to construct the whole system of lines in connection with the Indus Valley on the same scale of outlay. If the cheaper gauge be adopted throughout, there will be no break of gauge beyond our military base throughout the whole Provinces of the Punjab and of Sind. But the evil of a break of gauge, whatever it may be, will at once arise unless the standard be adopted not only for the line to Peshawar, but for all other lines which may yet have to be constructed in those Provinces.

41. Your Excellency will also doubtless bear in mind that although attempts have been made to show that the expense of working and of maintenance on the standard gauge need not be materially greater than on the narrow gauge, yet these attempts must be regarded as based on the same methods of reasoning which you have rejected as regards the cost of construction. The additional capital which is sunk in construction is therefore only part of the loss which will be incurred. The dead weight arising out of annual loss on traffic will be heavily increased on lines which must be of a comparatively unremunerative character, and the difficulty you experience in diminishing expenditure, and in abstaining from new taxation, will be increased.

42. Lastly, looking to the many other lines into and through richer Provinces of India which are now competing for the favorable attention of your Government, but from which I have been obliged to withhold or to suspend my sanction until clearer evidence be forthcoming as to their remunerative character, I am bound to say that nothing, in my opinion, short of very weighty considerations of political necessity would justify such a large increase of cost on the subsidiary lines as that which you report would be involved in a departure from the decision of Lord Mayo's government on the gauge of those lines.

43. Should any such considerations suggest themselves to your mind, I shall deem it my duty to weigh them carefully in Council. But short of such considerations, and on any mere balance of arguments less grave in character, I should be reluctant to reverse a decision which has not only been deliberately made, but has been already, to a large extent, acted upon, and any departure from which must involve such considerable sacrifices to the revenues of India.

That despatch was received in India in April 1873, and the position of affairs at the time was as follows. Considerable progress had been made on the Punjab Northern Railway on the metre gauge, and the girders for the bridges over the Ravi, Chenab, and Jhelum rivers were made for the narrow gauge. On the Indus Valley Railway work on the metre gauge had been progressing fairly well, and a good start had been made on the bridging of the flood openings required to pass the spill waters of the Indus. Also on both lines a large outlay had been incurred in permanent-way, locomotives, and rolling stock adapted to the metre gauge, and a good deal of this material was already in the country. No arrangements had been entered into or proposals made to the Sind, Punjab and Delhi Railway Company for the provision of a third rail along their line between Karachi and Kotri and between Mooltan and Lahore, so that, as far as was contemplated at that time, there would be a break of gauge at Kotri and another at Mooltan. Moreover, the contract with the Sind, Punjab and Delbi Railway Company was not determinable until 1885, so that any radical alterations of their lines could only be accomplished by arrangement.

The signatures to the despatch to the Secretary of State, No. 52 Railway, dated 17th May 1870, were those of Lord Mayo, Sir H. Durand, Sir J. Strachey, Sir R. Temple, Mr. J. F. Stephen, and Mr. B. H. Ellis; while the Viceroy and Council, to whom the question was now referred, comprised Lords Northbrook and Napier of Magdala, Sir R. Temple, Mr. B. H. Ellis, Sir H. Norman, Mr. A. Hobhouse, and Mr. E. C. Bayley.

In order therefore to have the question of gauge again thoroughly discussed from a military and political point of view, and quite independently of the commercial aspect, the opinions of the Commander-in-Chief and his military advisers were sought, as were also those of Colonel C. H. Dickens, R.A., then Secretary to Government of India in the Public Works Department, and of Mr. G. L. Molesworth, the Consulting Engineer to the Government of India for State Railways. All these opinions were attached to the answering Despatch to Secretary of State, No. 140 Rail- despatch sent to the Secretary of State. way, dated 19th July 1873. Colonel Dickens and Mr. Molesworth, formed very important features in the correspondence, and serve to indicate the change of ideas regarding these frontier lines which was at work in the Government of India, it is necessary to give in some detail the nature of the arguments and opinions therein, expressed.

The Commander-in-Chief was asked if the military considerations involved in making the Indus Valley and Punjab Northern Railways on the metregauge were of such magnitude as to justify the Government of India to revert to the old 5 feet 6 inches gauge, and to incur the large and fruitless expense that such a reversion would involve. The superiority of the broad gauge for military transport purposes was at once admitted, but the Commander-in-Chief was asked to support his opinion with statistics giving the relative value of the two gauges for military purposes, and the effect of a break of gauge in the movement of such bodies of troops as Lord Napier might think likely to require to be moved in the case of war on the North-West frontier.

A practical example of concentrating 10,000 men and 36 guns was worked From Quarter Master General, to Government. out by the Quarter Master General, and of India, Military Department, No. 2552, dated the relative capabilities of the broad and 13th June 1873.

ate memorandum drawn up by Colonel F. Roberts, R.A., V.C. In forwarding

this to Government, Lord Napier remarkel "that the arguments and statistics contained in the memorandum not only conclusively prove the great advantage which the broad gauge possesses over the narrow for military purposes, but he believes moreover that they would even now justify the Government of India in undertaking the expense of a reversion to the 5} feet gauge on both the Indus Valley and the Punjab Northern Railways."

It had been or lered that the Punjab Northern Railway should as far as possible, use a portion of the grand trunk road north of Lahore, and the works then being carried out occupied a portion of that road almost continuously between Luhore and Wazirabad, a distance of 60 miles. Among other de luctions drawn from the Quarter Master General's memorandum was the one " that if the narrow gauge be determined upon, the railway will be used almost exclusively for the transport of stores, &c., and the great mass of the troops will have to march: it is, therefore, most essential that they should be able to do so with speed and regularity." Consequently the Commander-in-Chief represented the vital importance of keeping the grand trunk road free for the movements of troops by route march. Quite apart, however, from the deductions drawn from Colonel Roberts' memorandum, the Government of India had already recognised that their original orders to lay important railways on existing roads required modification, as the existence of a railway did not do away with the necessity of parallel road communication: consequently this point was readily recognised and used in the answering despatch to the Secretary of State.

The Consulting Engineer for State Railways also submitted an elaborate Report on the question of Gauge for the State report on the whole question. Mr. Moles-Railways of India, dated 23rd June 1873. worth commenced his report with the worth commenced his report with the remark that the adoption of the narrow gauge for State railways in India had been settled before his arrival in India, and that he had been informed that the question was not to be reopened. In an annual report he had, however, stated his "conviction that a break of gauge was a very serious evil, and that it should, if possible, be avoided; that a break of gauge was better than no railway; and that having adopted the narrow gauge, the more it is connected and extended into one large system, the less will its evils be felt."

Mr. Molesworth had before him the memorandum by the Quarter Master General (above referred to), and he showed the locomotives and stock designed for the metre gauge lines were little, if at all, inferior to the stock then running on: English railways. Discussing the whole matter impartially, he arrived at the following conclusions :-

1st.—The capacity of the metre gauge stock is sufficient for all purposes of railway transport.

2nd.-The carriages and wagons on the metre gauge railway are nearly equal in capacity to the ordinary stock of English railways.

3rd.—The locomotives designed for low speed on the metre gauge are equal in tractive force to the large express engines designed for high speed on English railways. 4th.—The rolling stock for the metre gauge will be perfectly safe at a speed twice as

great as that proposed for the State railways of India.

5th.—The metre gauge in my opinion is sufficient for all commercial and military purposes. 6th.—The cost of a broad gauge railway (60-lb. rails), with structures designed for the engines and other rolling stock of the Guaranteed railways, will (excluding very large bridges) exceed the cost of the narrow gauge by £1,650 or £2,000 per mile.

7th.—The cost of a broad gauge railway (45-lb. rails), with structures designed only for the carriage and wagon stock of the guaranteed railways (but not for the engines), will exceed the cost of a narrow gauge railway by £720 or £1,000 per mile.

8th .- The cost of a broad gauge railway (40-lb. rails), with structures designed for the same axle loads as the narrow gauge, will exceed the cost of a narrow gauge railway by £350 or £500 per mile.

9/h.-The last of these three would practically be as great an obstacle to the interchange

of traffic as if a break of gauge existed. 10/*k*.—There will be no appreciable difference between the working expenses of the broad and narrow gauge railways.

11th.-The break of gauge in a commercial point of view, though an evil, is not one sufficient to justify the condemnation of the narrow gauge.

12th.—The break of gauge in a military point of view is a very serious evil. 13th.—A reserve of 1,000 vehicles will suffice for any military emergency on the frontier. ÷., .

Mr. Molesworth then proceeded to discuss from a military point of view the several railways in Western India with reference to strategical positions. He recommended a comprehensive system of narrow gauge lines which would include the Punjab Northern, Indus Valley and Rajputana lines, and would necessitate the conversion to narrow gauge of the Sind, Punjab and Delhi and the Bombay, Baroda and Central India Railways. If such a system were adopted and a uniform policy kept in view, he considered that the adoption of the narrow gauge would be completely justified. But if, on the other hand, the Government should consider that such a comprehensive system was too remote or too difficult of attainment, and that the narrow gauge system would remain a series of railways isolated and disconnected, then he considered that the introduction of the metre gauge system was a mistake.

Mr. Molesworth showed by comparative estimates what it would cost to convert the works on the Indus Valley and Punjab Northern lines into broad gauge lines; also that, with a 45-lb. rail and a light class of engine, the conversion could be effected for an increase of about 15 per cent. on the estimated cost for metre gauge, and that in his opinion the maintenance of uniform gauge is worth that additional expenditure.

Colonel Dickens, the then Sccretary in the Public Works Department, reviewed the whole case in a note, which was attached to the answering despatch. In this he stated his concurrence in most of the arguments which Mr. Molesworth has brought forward, and supported that gentleman entirely in the sufficiency of the metre gauge even for military operations. Colonel Dickens also added that "the cases which would attach to the delay of one day, which the break of gauge at Lahore would occasion, might be left out of consideration. But there are more weighty opinions on the opposite side, and by those he thinks the Government should be guided, seeing that if they err, they err on the safe side." He thoroughly approved of the decision to make narrow gauge lines, as the Government could not afford to enter on any general extension of railways without studying the greatest economy, and selecting the lines as to ensure a quick return for the outlay. But as regards the two particular lines in question, the Indus Valley and the Punjab Northern, his—

own opinion was against the change from broad to narrow gauge in 1870-71, not from any doubt as to the capabilities of the narrow gauge, but from the conviction that these two lines would be generally regarded as part of the trunk system of railways in India, and as important chiefly in view to political and military objects. If any military emergency, such as to call these lines into use under severe pressure, was really to arise, the break of gauge would be a very serious matter. And if no such emergency arose, the knowledge that there was such a serious obstacle to their use would detract from the moral effect of the works. These reasons were in his opinion sufficient at least to make these lines undesirable to select as the first to be constituted on the narrow gauge. It is true that the military communication would be the better for a railway on the narrow gauge than without any railway at all. But still the importance attached to the break of gauge, and the dissatisfaction with which a narrow gauge in such a situation would be regarded, seemed more than to balance the financial advantage.

Colonel Dickens also stated that having been absent on leave when the decision was come to, he had not had occasion before to express this opinion officially. Another reason which guided him in thinking that the Indus Valley line should be on the broad gauge was that already 324 miles out of the 814 between Lahore and Karachi were laid and working on the broad gauge; and it was only on the conversion of these parts into narrow guage that the line between Lahore and Peshawar was to be dependent for its extra rolling stock in cases of emergency.

Regarding the adoption of the 5' 6" gauge with lighter rails, Colonel Dickens remarked :---

The adoption of the broad gauge with light rails and rolling stock would enable us to utilise much of the narrow gauge material, and would save time and money therefore. But if a change is made for military and political reasons, it should, I think, be thorough, and leave no doubt that these railways will be completely efficient and equal to all requirements of a military emergency, as much as the lines which are connected with them. In spite of all contrivances and precautions, I feel doubts of the possibility, under pressure of emergency, of keeping, the heavy engines of guaranteed lines off the two lines in question; and to admit them would be to injure seriously these lines when most required to be efficient. If a change is to be made, therefore, I would adopt the $5\frac{1}{2}$ feet gauge with a 60-lb. rail.

Colonel Dickens concluded his note thus

If any military mishap should occur after the establishment on these lines of the narrow gauge, the Government would be said to have courted disaster. Nothing of the kind can be laid to their charge if they adopt the style of construction which has been in use in India heretofore to the satisfaction of the highest military authorities. Hereafter when the metre gauge shall have been tried and gained confidence, it may be quite proper to introduce it on the Indus Valley and Lahore and Peshawar lines. But for the present I come (very unwillingly, I confess) to the conclusion that the progress of the works should be so far delayed as to allow of the introduction of the 5¹/₂ feet gauge with the 60-lb. rail.

I think also that the occupation by the railway of the Lahore and Peshawar road should be given up. But the railway should be by no means taken to such a distance from the road as to be out of reach of easy military communication throughout the route.

The extra expense of the adoption of the broad gauge in this case Iwould regard as a military and political expense, and not as a part of the general system for the extension of railways in India.

The extra cost of adopting the broad gauge with the 60-lb.		£
	***	1,536,200
To abandon the trunk road between Lahore and Jhelum, • well as between Jhelum and Peshawar, would probably cost	88	\$ 60, 0 00
Total	** 1	1,896,200

But if the railway be terminated northwards at Attock, as I think it should be, the difference will be reduced by £171,500, leaving the extra charge to be incurred in round numbers at £1,700,000.

The interest on this sum is less than the cost of maintaining one regiment of European infantry.

These opinions were all duly weighed by the Government of India, and Despatch to Secretary of State, No. 140 Rail. the Duke of Argyll's despatch, dated way, dated 19th July 1873. 27th March 1873, was replied to on the 19th July 1873.

The despatch was signed by all the Council, but in the opinions expressed they were not unanimous. Dissents against a new departure from the existing policy were recorded by Sir R. Temple, the Finance Member, and by the Hon'ble B. H. Ellis, the Member in charge of Public Works; and these dissents were sent home with the despatch.

The despatch commences by saying that the Government of India-

adheres to the views originally expressed, namely, that the economy which will result from the adoption of a narrow gauge in the case of a large proportion of the contemplated railways in India overweighs the disadvantages which accompany a break of gauge; and that although it may be expedient to adopt the 5 feet 6 inches gauge on a few of those lines, new railways in India should, for economical reasons, be generally constructed with the narrow gauge. Our opinion in this respect has been confirmed both by the satisfactory report which we have received of the experimental working of the State railway between Delhi and Rewari and by the general conclusions at which Mr. Molesworth has arrived after a careful comparison of the relative advantages of the broad and narrow gauge.

But Lord Northbrook did not consider that the question now at issue extended to the general suitability of the narrow gauge for State railways, but referred solely to the propriety to continuing to build the Indus Valley and Punjab Northern Railways on the metre gauge. A glance at the map of India was sufficient to show that a line of railway from Lahore to the sea at Karachi must be considered as one of the main trunk lines of India. That distance measured 814 miles, and of this distance 324 miles in two lengths, one at either end, were already built on the broad gauge and were in operation. It was originally proposed to convert this open length to the metre gauge, or to lay down a third rail for the passage of metre gauge vehicles, but this proposal is not dwelt on in this despatch, which only combats with the question of break of gauge. The despatch points that some of the highest military authorities took part in the discussion on the relative merits of the 5 feet 6 inches and smaller gauges at the Institute of Civil Engineers, and that they condemned a break of gauge on military grounds. The consensus of military opinion in India was the same. Also, although the Indus Valley would doubtless be of considerable

value for passenger and commercial traffic, its value for military purposes was of much more importance. The line from Lahore towards Peshawar, and which was already sanctioned as far as Rawalpindi, was designed entirely for military and political reasons; consequently the question of gauge of these lines was a matter which should be settled entirely on military grounds. On this evidence the majority of the Council agreed with the Viceroy in recommending that the 5 feet 6 inches gauge be adopted on these frontier lines, as that would settle for ever all difficulties as to a break of gauge at Lahore.

The despatch then goes on to discuss the relative merits of broad gauge lines with a 45-lb. and with a 60-lb. rail, and finally recommends the adoption on both the Indus Valley and Punjab Northern lines of a 60-lb. rail. The paragraphs recommending this are-

9. We are fully alive to the necessity of giving great weight to financial consideration in regard to the construction of railways and other public works in India, and we shall now proceed to show what additional cost will be incurred by a lopting the broad gauge for the lines under consideration, and how the expense can be met.

Your Grace will find calculations of the cost of several alternative schemes for the broad gauge in Mr. Molesworth's report. A rail weighing 45 lbs. to the yard, which would take the rolling stock of the existing broad gauge lines, but would require special engines, might be used on one or both lines; or a rail weighing 60 lbs. to the yard might be used, which would carry both the rolling stock and engines of the broad gauge. Although a broad gauge line with 45-lb. rails would, to a considerable extent, obviate the disadvantage of a break of gauge, yet the inconvenience of different engines being required would be great, and we should much prefer the adoption of 60-lb. rails for both lines.

The estimated additional cost of construction caused by adoption of the broad gauge (60-lb. rails) for the Indus Valley line and for the portion of the Punjab Northern line for which estimates have been sanctioned, viz., from Lahore to Jhelum, would, as compared with the narrow gauge, be £778,400. The increase of cost becomes greater for the difficult portion of the Punjab Northern Railway between Jhelum and Rawalpindi: it is estimated to amount to £154,000. From Rawalpindi to Attock the additional cost would be £126,560, and from Attock to Peshawar £177,160.

The total additional cost would be-

tal additional cost	would be		· · ·	£
To Jhelum	114	125	***	778,400
" Rawalpindi	***	***	•••	1,232,480
"Attock		***	• • •	1,859,040
" Peshawar	***	***		1,536,200

It may be assumed, from Mr. Molesworth's careful calculations and Mr. Fox's opinion given at the Institute of Civil Engineers, that there will be no difference in the cost of working the broad or the narrow gauge, and therefore that the above figures represent the whole additional expense which we should have to meet.

11. In considering the break of gauge, another question of importance connected with the Punjab Northern Railway has been brought under our notice by His Excellency the Commander-in-Chief; and that is, the partial occupation of the grand trunk road by that line. We are unanimously of opinion that it is necessary that the trunk road should be left free. The cost of the change is estimated as follows :-

			-	. £
Lahore to Jhelum Jhelum to Rawalpindi Rawalpindi to Attock Attock to Peshawar	1 ***	8 11 a		100,000
	***		•••	130,000
	***	*** '		85,000
		***	* * *	45,000
,		Total	•••	860,000

This expense would have to be incurred, whether the broad or narrow gauge be adopted for the Punjab Northern line.

12. If our views receive the approval of Her Majesty's Government, we would ask Your Grace to sanction a total additional expenditure of £1,232,480 for the adoption of the broad gauge (60-lb. rails) for the Indus Valley Railway and for the Punjab Northern Railway as far as Rawalpindi, and of £230,000 for the removal of the latter railway from the grand as far as nawaiping, and of $x \ge 0,000$ for the removal of the latter rankay from the grand trunk road, making a total additional cost for the two lines of about £1,500,000, the interest of which at 4 per cent. would be £63,000 per annum, leaving the question of the extension of the railway to Attock and Peshawar for further consideration. Considering that the estimates for the two lines amount to nearly £6,000,000, we are of opinion that the additional expenditure which is required in order to render them thoroughly efficient for military purposes is amply justified by the circumstances of the case.

Sir Richard Temple dissented from this decision, because the evidence was quite conclusive in showing that the capabilities of the metre gauge were ample for all military requirements, and that it was very much cheaper to reduce the gauge of the open lines between Karachi and Lahore, or to lay down a third rail until those lines could be acquired from the Guaranteed Company.

The dissent of the Hon'ble B. H. Ellis is recorded in a powerful Minute, in which the whole tenor of the despatch is severely criticised. His reasons for dissent are summed up thus in his Minute :---

1st.—The despatch of the Secretary of State, to which this despatch purports to be a reply, has anticipated all the points now urged, and has not really been answered.

2nd.—Though Mr. Molesworth and Colonel Dickens are in accord with the despatch on the particular issue, the facts stated in their notes tend to show that the narrow gauge is efficient for all purposes, and greatly more economical than the broad gauge.

3rd.-The opinions of the military officers, quoted in the despatch, are not relevant.

4th.-The military objections based on the report of Colonel Roberts are overstated.

5th.—Substantially there will be no break of gauge seriously affecting military operations.

6th.—There are alternative suggestions for meeting the requirements of the military authorities in a less objectionable way than by incurring needless expense in constructing a broad gauge line, when a narrow gauge suffices for the traffic.

7th.—The additional cost of the broad gauge will be greater than is estimated in the despatch, and sufficient weight has not been given to the financial considerations involved.

Mr. Ellis laid great stress on the financial points, and warned his colleagues of the results likely to occur if the Secretary of State sanctions a change to the 5 feet 6 inches gauge on these lines.—

In the first place, it cannot be admitted that in this discussion it is only the gauge of the two railways specially named that is being discussed. I warn my colleagues who entertain this belief that the present movement is but the thin end of the wedge; and that if the Government give way on this occasion, the whole policy of the narrow gauge railways in India is imperilled. I know that it is even now sought to construct on the broad gauge the line from Gwalior to Agra, which forms a part of the Rajputana series of metre gauge lines connected with the narrow gauge terminus at Agra. I know also that an effort will be made to adopt the broad gauge on the line from Ajmere to Ahmedabad now under survey, this also heing a part of the regular Rajputana series. Other lines will follow, and the result will be a number of isolated metre gauge lines, each of no great length; and when these are found to be unsuccessful, it will be asserted that the whole scheme was a mistake. But such a result may fairly be attributed, not to the policy itself, but to the divergence, from that policy involved in the departure from its principles in individual instances as they occur.

This despatch was not answered until November 1873, and in the meantime, by the desire of the Secretary of State, the military aspect of the case had been reconsidered in England by General R. Strachey and Major E. C. S. Williams. The notes submitted by these officers were generally directed against the statements and conclusions drawn by the Quarter Master General in India as to the want of capacity of the metre gauge for military purposes.

The question of the change of gauge was a serious one and was discussed by the Cabinet. On the 18th November 1873 the Duke of Argyll telegraphed to Lord Northbrook—

Cabinet consulted gauge question. Unanimously, with me, in declining to expend million and a quarter excess beyond estimate for narrow gauge; but we will not overrule you if you determine after receiving our despatch to take standard gauge with 45-lb. rail, as Molesworth suggests.

A despatch to that effect followed immediately afterwards and reiterated From Secretary of State, No. 177R., dated 20th November 1873 (P.W.D. Proceedings, February 1874, No. 12). the decision in the telegram: The Duke of Argyll remarks in this despatch that while—

the Government of India and its professional advisers are satisfied of the complete sufficiency of the narrow gauge, considered in itself, for all purposes both civil and military, * * * the only objections to adhering to the decision of the Government of

61

Lord Mayo as applied to the particular lines in question are, first, the inconvenience which may result from the occasional necessity of transferring troops and military stores from one set of conveyances to another; and secondly, the inconvenience which may arise from a supposed limitation of rolling stock.

As regards the want of sufficient stock for the metre gauge lines, the Secretary of State remarks that he has seen no evidence to convince him that the systems as proposed by Lord Mayo would not be supplied with as much stock as could be usefully employed. He considers the inconvenience of break of gauge much exaggerated; but as the Government of India attaches so much importance to this convenience from a military standpoint, he will not overrule that Government if it decides on the standard gauge with a 45-lb. rail, as suggested by Mr. Molesworth. And in conclusion, while agreeing to the policy of removing the Lahore-Rawalpindi line from off the grand trunk road, he remarks that-

it is not without the greatest reluctance that I shall advocate any further extension of the exceptionally broad gauge, which was adopted in India when very sanguine expectations were naturally entertained, but which experience has proved to be needlessly cumbrous and expensive for the traffic of the country. I should greatly prefer the other alternative, which is evidently regarded with favor, on its own merits, by Mr. Molesworth, namely, that of making the new narrow gauge system still more extensive and still more connected.

Telegram to Secretary of State of 18th December 1873.

Ditto from ditto of 2nd January 1874. Ditto to ditto of 20th Ditto from ditto of 26th 17 13 ø

Ditto to ditto of 28th ", "," Despatch to Secretary of State, No. 7R., dated 16th January 1874. (P. W. D. Pros., February 1874, Nos. 11 to 25).

But, notwithstanding the fact that the Sind, Punjab and Delhi Railway Company had agreed to modify their engines so as to render practicable the Indus Valley Railway being made on the standard gauge with a 45-lb. rail, the Government of India decided not to adopt the broad gauge with a 45-lb. rail. The Government of India disclaimed that

the question of gauge had been reopened at its instance; but since the Duke of Argyll had permitted its rediscussion, Lord Northbrook was now of opinion. that it had been a mistaken policy to think of constructing either the Indus Valley or the Punjab Northern on the metre gauge, and that nothing short of the standard gauge with a 60-lb. rail would satisfy the exigencies of the case.

The Commander-in-Chief, Lord Napier, was absent from Calcutta at the time this despatch was being discussed, and did not sign it, but his views were ascertained and embodied in the despatch. He gave his decided preference for the broad gauge with a 45-lb. rail; not apparently on the score of economy, from which standpoint the question was being fought, but because it ensured the broad gauge winning the day, as hereafter it would be an easy matter to change the lighter rail for a 60-lb. one when required.

Sir Richard Temple and Mr. Ellis still retained the opinions they had recorded as dissents from the previous despatch; and it was also stated in this despatch that "Mr. Hobhouse, who was unable to attend when the question was before discussed, is inclined to take the same view." The question of changing the gauge of these two lines to the standard gauge was therefore supported by Lords Northbrook and Napier of Magdala, Sir Henry Norman, and Mr. E. C. Bayley.

Apart from the gauge question, the Government of India showed in this despatch that the works on the Punjab Northern Railway had proceeded so far that it was much better to allow the metre gauge line, which had been laid along the side of the grand trunk road, to be finished and used as a temporary line, pending the decision of the gauge for the eventual line which was to be made off the road. To this the Secretary Telegram from Secretary of State, dated 12th February 1874 (P. W. D. Proceedings, April 1874, No. 103). of State agreed, saying that "you may proceed at once with narrow gauge on Punjab Northern line. In a few days I shall tell you what I decide on the Indus Valley, if I decide at all." Mr. Gladstone's Cabinet resigned a few days afterwards, and Lord Salisbury took over the India Office portfolio on the 22nd February 1874; but in the interval between sending the above telegram and the resignation, the Duke of Argyll gave his decision on the gauge question. Despatch from Secretary of State, No. 20R., dated 16th February 1874 (P. W. D. Proceedings, April 1874, No. 104). "to test the persistent representations of those who have contended that no great excess of cost is involved in the broad gauge." The Duke remarked that no loss then three Members of the Viscorov's Council disconted from the mission

no less than three Members of the Viceroy's Council dissented from the views of the majority, and recorded his refusal to constructing these lines on the broad gauge in the following terms :--

9. Under these circumstances, Her Majesty's Government are of opinion that there is no sufficient reason for departing, at very considerable cost, from the careful and well-considered scheme of the late Lord Mayo's Government. That scheme will establish a cheaper system of railways commencing at Lahore and reaching from the extreme frontier of our dominions to the sea. There it will be in unbroken communication with a separate harbour of its own on the western side of India, and as easily accessible as Bombay by the shortest . route from England.

10. The system of railways will be constructed on a gauge which, as shown by your Consulting Engineer, can easily be made to have a carrying capacity of the English standard gauge, and one sufficient for all purposes of railway transport. On the same authority, it appears that the rate of travelling can, with perfect safety, be made double that actually proposed for the State railways of India, and that in other respects it is sufficient for all purposes, whether military or commercial.

11. I have therefore to instruct Your Excellency to proceed with the scheme originally laid down by Lord Mayo's Government, and subsequently adopted under the authority conveyed by my despatch of 26th October 1870, No. 72.

12. You will consider carefully the detailed arrangements (many of which have been already suggested by Mr. Molesworth) which may secure the largest carrying capacity of carriage on the narrow gauge, and the greatest facilities in platform accommodation, &c., for transfer at the one great station, Lahore, where alone it will be required.

Duke of Argyll's despatch (No. 20) as final. But up to the 16th April 1874,

Despatch to Secretary of State, No. 68R., dated 16th April 1874 (P. W. D. Proceedings, April 1874, No. 112).

1874, No. 112). from a military point of view by Colonel F. Roberts, R.A., v.C., no further orders had been received in India. The gauge question was, however, decided early in June of that year, as the Secretary of State telegraphed on June 11th that the standard gauge and rails were sanctioned for the Indus Valley line; but Despatch from Secretary of State, No. 92B., it was not until the 25th June 1874 that

Despatch from Secretary of State, No. 92B., dated 25th June 1874 (P. W. D. Proceedings, September 1874, No. 2).

Lord Salisbury signed the despatch giving definite orders on the subject. As this is question and records a very important

when the Government of India forwarded to the Secretary of State a further memo-

I have the honor to acknowledge the receipt of your despatch No. 63R., dated 16th April last, on the question of the gauge of the Punjab Northern and Indus Valley Railways.

2. I have carefully considered the memorandum submitted by Colonel Roberts, under the sanction of the Commander-in-Chief, in reference to the strategic disadvantage of a break of gauge.

3. It has more than once been pointed out to Your Excellency by my predecessor that the commercial prospects of this railway are not sufficiently favorable to justify any large expenditure, and that, even if designed on the most economical plan, it is not likely to repay the interest of the money expended in its construction. I have seen no arguments which would induce me to depart from his opinion on this point. But upon the military question it is not easy to find such certain grounds of judgment. The opinions advanced on opposite sides cannot be submitted to rigid calculation. They depend, for their value, not merely upon the reasoning by which they are sustained, but upon the authority of the persons who advance them. They cannot be adequately tested, except by those who possess an equal knowledge of military science, and are as closely acquainted with the detailed conditions of the problem under discussion.

4. I am disposed, therefore, to attach very great importance to the unshaken judgment of Lord Napier of Magdala upon this matter. He speaks upon the highest military authority; he is responsible for the defence of India, and his mind has been for some time past anxiously directed to the various strategic and geographical points on which this question turns.

5. Nor can I put aside the political considerations, which must press upon the attention of any one whose duty it is to consider the defence of the North-West frontier of India. It is not requisite that I should dwell upon them here in detail. They are doubtless present to Your Excellency's mind. They have increased in urgency since my predecessor last addressed you on this subject. It is only necessary to say that all the political and strategic considerations connected with this question are gaining, and not losing, value with the lapse of time and the progress of events.

6. On the other hand, I cannot conceal from myself that the financial objections, to which these strategic arguments are opposed, are themselves the subject of much uncertainty. At the highest, the economy to be secured by a break of gauge upon the frontier railway will not exceed £60,000 a year. But many great engineering authorities refuse to admit more than a third or quarter of the saving thus claimed, while some of the highest refuse to allew that there will be any economy at all.

7. Two considerable portions of the Railway, that is, to connect Peshawar with Karachi, have already been constructed by a Company, and their rights must be taken into account. If the narrow gauge is adopted, it will be necessary, in order to avoid three breaks of gauge, to relay upon that system the two broad gauge fragments which exist at present. The price that would be borne by these two fragments, if bought compulsorily, must be a matter of great uncertainty, and must add to the difficulty of relying on any important financial saving from the adoption of the narrow gauge in this case.

8. I have come to the conclusion that it would not be consistent with my duty to allow these uncertain financial expectations to outweigh the great strategic and political dangers which are constantly growing in importance, and which authorities so high as your Excellency and the Commander-in-Chief concur, with many others, in pressing upon Her Majesty's Government.

9. I have therefore to inform Your Excellency that the construction of the Indus Valley Railway from Kotri to Mooltan upon the standard gauge, and with the 60-lb. rail, is sanctioned. I should extend the same instruction to the railway from Lahore to Peshawar, if I did not gather from your despatches that the preparation for laying a narrow gauge railway between those points were more advanced towards completion. There appears to be some doubt whether an immediate change of gauge might not involve both a greater sacrifice of money and time than the advantages to be gained by it would justify. For the purpose of deciding this question, detailed information as to the progress of the works is necessary, which is only accessible in India. I leave it, therefore, absolutely to Your's Excellency to decide whether the whole or any part of the line between Lahore and Peshawar shall be completed for the present on the narrow gauge. If considerations, derived from the advanced state of the works, should not, in your judgment, be of sufficient importance to influence your decision, this railway will be constructed on the same gauge as the Indus Valley line.

This despatch set at rest the question of gauge on these two lines; and not only have they been opened on the 5 feet 6 inches gauge, but important extensions to Peshawar, Khushalgarh, and to the foot of the Bolan pass are also either under construction or built on the same gauge.

During the year 1874 the question of gauge for the branch line from Agra Public Works Department Pros., August 1874, Nos. 4 to 12; Public Works Department Pros., Nov. ember 1874, Nos. 32 to 42. branch belonged to the Rajputana system of narrow gauge lines, that it would not be a paying line, and therefore had nothing in its favor to be considered as a trunk line. But the fact that Maharaja Sindia had promised to lend the Government of India 75 lakhs of rupees at 4 per cent. if the line was made; that he had expressed a desire to have the railway on the 5 feet 6 inches gauge; and that the Commander-in-Chief's representations that such a line ż

was a strategical one and of great importance from a military standpoint, decided the Government of India to make this branch line on the 3 feet 6 inches gauge.

No further questions regarding gauge arose until the Government of India issued orders to commence the line of railway between Ahmedabad and Ajmere.

For several years before it had been the desire of both the Guaranteed Railway Companies, with termini in Bombay, to extend their ventures north-wards, and get an entrance into the Gangetic Valley. The Bombay, Baroda and Central India Railway Company had even been permitted to make a series of surveys as far north as Agra and Delhi; and the Great Indian Peninsula Railway Company was desirous of extending its system into Malwa by means of a branch to Indore. The decision of Lord Mayo's Government to stop all further guarantees on the old system, and for Government to undertake the construction of its own railways, interfered with these proposals, as the construction of all railways through the States of Rajputana and Central India was considered a work which should be exclusively undertaken by Government.

Surveys between Ahmedabad and Ajmere were commenced by the Government of India towards the end of 1872, with a view to eventually running a railway on the metre gauge through that part of Rajputana.

The Government of Bombay, whose views on the subject had been Public Works Department Proceedings, April invited, regretted that the line was not 1874, Nos. 15 to 27, Part A. to be built on the standard cauce. but 1874, Nos. 15 to 27, Part A. to be built on the standard gauge; but as a break of gauge had been determined upon, recommended that it should take place at Pahlanpur, and not at Ahmedabad, as the province of Guzerat was sufficiently fertile to demand a railway on the broad gauge. That Government also. recommended that the section between Ahmedabad and Pahlanpur should be handed over to the Bombay, Baroda and Central India Reilway Company to be built under their guarantee Railway Company to be built under their guarantee.

The London Board of Directors of this Railway Company were also pressing their claims for extension northwards and objecting to any break of gauge; Public Works Department Proceedings, April but they were informed by the Secretary 1874, Nos. 15 to 27, Part A. of State, Sir Charles Wood, that it was not intended to deviate from the policy under which it had been decided not to sanction the extension of that Company's lines with guaranteed capital unless by the possible authorisation of short branches as feeders.

In July 1874, after Lord Salisbury's decision to construct the Indus Public Works Department Proceedings, Novem-ber 1874, Nos. 200 to 210, Part B. Valley line on the 5 feet 6 inches gauge, the Government of Bombay again strongly urged its views, to the effect that "it is imperative that the Ahmedabad and Ajmere line should also be laid on the broad gauge, if not as far as Ajmere, at least as far as the point which is best suited for the junction of any future Sind extension." The Hon'ble B. H. Ellis; before resigning his scat in Council, went over the projected line, and considered that there were no valid reasons for desiring to reopen the question of gauge for any part of this line. Conse-Despatch to Secretary of State, No, 30R., dated 3rd February 1876 (Public Works Department Proceedings, March 1876, Nos. 9 to 18). Despatch from Secretary of State, No. 42R., dated 27th April 1876 (Public Works Department Proceedings, December 1876, Nos. 1 to 9), quently, in the despatch recommending the Secretary of State to give his sanction to lines from Ahmedabad to Ajmere and from Neemuch to Nasirabad, the question of gauge was not mentioned; the

estimates were for a metre gauge line; those estimates were sanctioned, and orders were issued to construct the lines on the metre gauge.

But a feeling was growing up that the sanction between Ahmedabad and Pahlanpur might well stand the broad gauge. Owing to the failure of the south-west monsoon in 1877, severe famine was felt in Guzerat. The Minister of the Baroda State strongly urged the immediate construction of the section

62

between Ahmedadad and Pahlanpur on the broad gauge. This was recommended to the Secretary of State for acceptance, not only because the Baroda Railway

Telegram to Secretary of State, dated 6th August 1877 (Public Works Department Proceed-ings, September 1877, Nos. 166 to 173).

could then work the section and so ultilise its surplus rolling stock, but also because the Baroda State had contributed largely

to a recent loan. The Secretary of State consented, and the earthwork and bridges on this section of the line were ordered to be made for a 5 feet 6 inches gauge. It was considered that this part of the line would probably form part of any line going towards Hyderabad in Sind; and the surplus engineers set free by the completion of the Indus Valley Railway were employed during the cold season of 1877-78 in run-

Public Works Department Proceedings, August ning trial lines between Deesa and Sind. 1878, Nos. 134 to 151. Sir Andrew Clarke considered that such a connecting link was absolutely essential for strategic purposes, and that it would soon have to be undertaken.

It was, however, presently discovered that the Bombay, Baroda and Central. India Railway Company had no powers to work any other line except their. own; and that even if they obtained the requisite Parliamentary power, which they were anxious to get, they would want a large increase of stock

Tolegram from Secretary of State, dated 10th May 1878. Telegram to Secretary of State, dated 24th

May 1878. (Public Works Department Proceedings, August

1870, Nos. 134 to 151.)

Despatch to Secretary of State, No. 24R., dated 24th January 1879 (Public Works Department Proceedings, February 1879, Nos. 76 to 90).

Ċ

to work the extension. Consequently, in May 1878, the Secretary of State asked by telegram if the Government of India was still of "opinion that the portion of the railway between Ahmedadad and Pahlanpur should be constructed on the broad gauge." This was not officially replied to until January 1879, when the Government of India reported that the orders regarding the construction of portionof the line between Ahmedabad and

Pahlanpur on the broad gauge had been rescinded, and that now the whole line between Ahmedabad and Ajmere would be on the metre gauge. Difficulty had been experienced on the southern part of the line in brick-burning; and although the earthwork on the section to Pahlanpur was completed for a broad gauge line, little or no bridgework had been commenced; the additional expense due to the orders in 1877, when famine relief operations were needed, was consequently triffing. The following extract from the despatch gives the argument of the Government of India:-

Our reasons for accepting the alteration from the broad to the metre gauge, suggested by Your Lordship, between Ahmedabad and Pahlanpur, are, first, that the change will effect an immediate saving of some 12 lakhs of rupees ; secondly, that it is better to have a break of gauge at a military station like Ahmedabad than at an outpost like Pahlanpur; thirdly, that the prospect of an extension towards Sind is remote, and that, even when the extension is taken up, it is probable it will be built on the same gauge as the Rajputana system, instead of on the broad gauge of the Baroda Railway; and fourthly, that, as far as can be judged at present, there are no reasonable grounds for apprehending that the metre gauge will not suffice to carry the traffic between Pahlanpur and Ahmedabad.

We are aware that the conclusion we have arrived at will be distasteful to the mercantile community of Bombay and also to the Baroda Railway Company. But the aim of the former is to convert the whole line from Ahmedabad to Delhi and Agra into a broad gauge undertaking, a result which could not be achieved without an expenditure of 2 or 3 millions sterling ; while the object of the latter is to secure the control of the traffic working of the State Railway. Both parties are earnest in their conviction, that the interest of Bombay, as a seaport in competition with Calcutta, is injured by a break in the direct road to the North-Western Provinces, and that the existence of two gauges, with double proprietorship and management, will increase charges for transport, diminish conveniences for travelling, and cause delays in transmission of goods. We believe there is some exaggeration in these apprehensions, and that it would be unjustifiable for us, even if it were feasible under the financial existing circumstances of the empire, to expend in their removal 2 or 3 millions sterling.

To this despatch Sir Andrew Clarke recorded a dissent, as he believed that the econony could only amount to 6 lakhs, which was not commensurate with the advantages to be gained. He also pointed out that, in his belief, the traffic along the Rajputana Railway would be so great soon after its opening right through as to compel its conversion into the broader gauge at no very distant date.

;

The Bombay newspapers have, for many years past, given publicity to Public Works Department Proceedings, October 1875, Nos. 303 and 304. articles on the subject of gauge, and have persistently cried down the metro gauge. persistently cried down the metro gauge, endeavouring to show that the adoption of any smaller gauge than the 5' 6" gauge was undesirable. Memorials on the subject also were frequent. In October 1875 the Bombay Government forwarded a memorial from certain bankers, traders, &c., residing in Surat and Broach for the immediate con-struction of the railway from Ahmedabad to Ajmere, and expressing a hope that immediate sanction would be accorded to the section between Ahmedabad and Pahlanpur being on the 5' 6" gauge.

In September 1876, Mr. E. B. Carroll, the Locomotive Superintendent Public Works Department Proceedings, January of the Bombay, Baroda and Central India 1879, Nos. 34 to 54. Railway, printed a memorandum comparing the the narrow gauge Rajputana Railway with the other Indian railways on the 5' 6" gauge. This was duly forwarded by the Bombay Government to the Government of India, with a hope that the oft-repeated opinion of that Government for the 5'6" from Ahmedabad northwards might receive full consideration. Mr. Carroll's memorandum was carefully examined by Mr. Molesworth and others, and the deductions were questioned. The Government of India did not, however, consider it worth while to take the matter up officially; but answers were published in the Roorkee Professional Papers, and an elaborate refutation by Mr. A. M. Rendel, the Consulting

From Secretary of State, No. 103R., dated 24th July 1879 (Public Works Department Proceedings, September 1879, Nos 237 to 238).

Engineer to the East Indian Railway Company, was forwarded to the Government of India by the Secretary of State. This was published as a Supplement to the Gazette of India.

In December 1876, Mr. Nowrosjee Pestonjee presented a memorandum on the importance of the Western Rajputana Railway to Lord Lytton while at Bombay on tour.

In April 1877, the Bombay Government forwarded a memorial on the question of the gauge of the Western Public Works Department Proceedings, January 1879, Nos. 34 to 54. Rajputana Railway from the Ahmedabad Association and the inhabitants of Guzerat and Kathiawar.

On the 8th June 1877, the Bombay Chamber of Commerce memorialised Public Works Department Proceedings, January the Secretary of State (Lord Salisbury) 79, Nos. 34 to 54. on the subject. A copy of the memorial 1879, Nos. 34 to 54. was forwarded to the Government of India by the Government of Bombay.

On the 29th August 1877, the Sheriff of Bombay convened a public meeting of the inhabitants of Bombay to protest against the construction of the Western Rajputana Railway on the narrow gauge. The speakers at this meeting adopted Mr. Carroll's pamphlet (above alluded to) as their text.

They adopted a memorial to Sir Richard Temple, the Governor of Bombay, Public Works Department Proceedings, January and this was duly sent forward to the 1879, Nos. 34 to 54. Government of India. t, t

• 1

•

In June 1878, the Bombay Chamber of Commerce again warmly returned Public Works Department Protectings, January 1879, Nos. 34 to 54. to the subject, and submitted a comparison of the working of the Raiputana Railway 1879, Nos. 34 to 54. with that of the older lines on the standard gauge, drawn out by the Chief Auditor of the Bombay, Baroda and Central India Railway Company. This also was forwarded to the Government of India, and the Government of Bombay asked that some definite reply to all these memorials might soon be given. Again in January 1879 the Government of Bombay submitted copies of Public Works Department Proceedings, June further correspondence on the subject 1879, Nos. 175 to 188. further correspondence on the Subject between that Government and the Bombay Chamber of Commerce, and also forwarded a copy of another memorial to the Secretary of State which the inhabitants of Bombay had adopted at a public meeting on the 21st February 1879. This memorial forwarded another pamphlet comparing the two gauges by Mr. Carroll, the Locomotive Superintendent of the Bombay, Baroda and Central India Railway Company—a comparison showing a strong bias in favor of the broader gauge.

All these petitions had to be carefully considered, and were the cause of Despatch to Secretary of State, No. 24R., dated 24th January 1879. Telegram to Secretary of State, dated 14th April 1879. April 1879. April 1879. All these petitions had to be carefully considered, and were the cause of delaying the prosecution of. work on the southern portion of the Rajputana Railway. However, as before stated, the Government of India had decided in January 1879 that

the whole line from Ahmedabad northwards should be built on the metre gauge. Regarding the memorials from Bombay to the Secretary of State, Lord Lytton telegraphed as follows :—

Rajputana Railway. * * * There is no necessity for postponing your orders on Bombay memorial. It contains nothing new, and I have nothing further to say, General Strachey can fully explain grounds of decision, reported in our despatch of 24th January. Sir A. Clarke, retaining opinion that whole line from Ahmedabad to Delhi must ultimately be converted to broad gauge, recommends that memorialists be told that the under works of the line to Ajmere not yet built will be made for a broad gauge; and that, though it is now necessary to continue to lay down the metre gauge so as to ensure earlier establishment of through communication, this course will expedite the conversion into broad gauge, should such a measure be finally decided upon. This course will, he thinks, involve no great immediate expenditure. My own opinion is, that no futher expenditure of any kind should be allowed beyond what is unavoidable for making the narrow gauge line efficient.

In confirming the orders of the Government of India to make this line Despatch from Secretary of State, No. 53R., dated 24th April 1879 (Public Works Department Proceedings, June 1879, Nos. 175 to 188).

Your Railway letter No. 24 of 24th January last, and your subsequent telegrams of 9th and 14th instant, inform me that the prolonged deliberations of Your Excellency in Council as to the most suitable gauge for the Pahlanpur section of the Western Rajputana State Railway have terminated in selection of the same metre gauge as had been already adopted for the rest of the line.

2. This choice was not, indeed, altogether unanimous, having been dissented from by the Member of your Council having charge of Public Works; nor can it fail to be viewed with disfavor by a considerable portion of the commercial community of Bombay. But although much may, no doubt, be said on both sides, the balance of argument seems to me to be strongly in favor of the course on which your Government have finally decided. I confirm your decision the more readily, as, among other recommendations, it will have that of effecting an immediate saving of 12 lakhs.

8. It is satisfactory that the question which has hitherto so much retarded progress has at length been set at rest; and it is hoped that every endeavour will now be used to complete the line as early as possible.

The Secretary of State, in replying to the memorials from the inhabitants Public Works Department Proceedings, June of Bombay, sent a copy of the foregoing 1879, No. 188. despatch for information; and, while regretting that his decision was adverse to their wishes, added that "the selection of the metre gauge for the line of railway in question was not made without careful consideration by Her Majesty's Government, as well as by the Government of India, of all the circumstances of the case; and my conviction of its propriety remains unchanged."

The question of gauge on the Rajputana system of railway was thus set at rest; works for the metre gauge were prosecuted with vigor, and the line was opened throughout on the 1st January 1881.

in India.]

A few notes on the gauge question as it has affected the Australian Colonies may not be out of place here.

The Royal Commission appointed to consider the question of break of gauge in England made its report in 1846; and in that year Mr. Gladstone, the Secretary of State for the Colonies, recommended that, in the event of railways being made in the Australian Colonies, they should all be constructed on the 4' $8\frac{1}{2}''$ gauge.

As early as 1848, some railway projects were brought forward for construction in the Colony of New South Wales; and being referred to the Home Government, Lord Grey applied to the Commissioners of Railways to state what gauge would, in their opinion, be most advantageous to Australia. The reply was the 4' $8\frac{1}{2}$ " gauge; and Lord Grey in consequence pressed on all the Colonies the adoption of that gauge.

In 1850, the Sydney Railway Company strongly recommended to Sir Charles Fitzroy, the Governor General of New South Wales, the expediency of adopting a gauge of 5' 3"; arguing that, as that line would be the alteration constructed in Australia, a timely notification to the other Colonies of the alteration would prevent any inconvenience which might otherwise arise from such alteration. This question was again referred to the English Railway Commissioners; but as they had no particular reasons to press a gauge of $4' 8\frac{1}{5}''$ on the Australian colonists, and as it was opposed to the wishes of the colonists, the change of gauge to 5 feet 3 inches was sanctioned by the Home Government.

An Act of the Legislature of New South Wales was accordingly passed in 1852, providing that all railways in that Colony should be constructed on the 5' 3" gauge. This Act received the royal assent, and was transmitted to the Governors of Victoria and South Australia for guidance.

In 1853, the Sydney Railway Company having changed their engineer, altered their views on the subject of the gauge. An application to this effect was made to the Governor General, and having been considered by the Legislature, the Act fixing the gauge at 5' 3" was repealed, and another passed making the gauge of 4 feet $8\frac{1}{2}$ inches imperative throughout that Colony.

As these proceedings were at variance with those which had been taken by the Railway Companies in Victoria, and who had already ordered rolling stock adapted to the 5' 3" gauge, a strong remonstrance was made to the Colonial Office by the Governor of the Colony against such a vacillating course of legislation. The remonstrance was not successful, and the royal assent was given to the Act ordering that a gauge of 4' $8\frac{1}{2}$ " be adopted throughout the Colony of New South Wales. This is the gauge that has since been adopted throughout that Colony.

In consequence of these proceedings in the Legislature of New South Wales, a Select Committee of the Legislative Council of Victoria was appointed in September 1853 to take evidence and report upon the best gauge for railways in that Colony. The opinion of this Committee being conclusively in favor of the 5' 3" gauge, that gauge has been recognised and acted upon as the standard gauge for Victoria.

The South Australian Legislature adopted the 5' 3" gauge as the standard gauge for that Colony; the gauge in Queensland is 3' 6". Thus it will be seen that already in Australia they have three different gauges. Of late years railway communication has rapidly extended, and as through railway communication may soon be established, between Melbourne and Sydney, the colonists are likely soon to feel the inconvenience of a change of carriage at the frontier.

ADMINISTRATION BEPORT FOR 1880-81. [The Gauge in India.

The discussions that had taken place in the English papers about the year 1870 again led to the question of gauge being seriously discussed in the several Colonial Legislatures, and Commissions were appointed to study and report on the question. No changes, however, were recommended in any of the Colonies.

The inconvenience of break of gauge will, however, probably be felt less in Australia than in many other parts of the world. Speaking generally, the interior of the country is unsuited for agricultural purposes; and as the probabilities of many points in the interior becoming the centres of manufacturing industry are remote, there cannot be more than a sparse population for many years to come; consequently the traffic on the railways will be limited to the conveyance of pastoral produce from the interior to the seaboard, and of provisions and other supplies to the pastoral districts of the interior. Moreover, the Colonies having fenced themselves with heavy protective duties, there will be little or no cross country goods traffic between them, but the goods traffic in each Colony will find its entrance and exit through the seaports of the Colony interested. The small passenger traffic that will be interchanged between the Colonies will therefore be the only traffic that will be inconvenienced for the present by the breaks of gauge that are imminent in Australia.

CHAPTER VII.

STORES.

THE operation of the State Railways Store Department for 1880-81 may be summarised as follows:---

The value of stores of each class contracted for in England was-

	A. '	B,	C,	D	3,	7.	G.	
Contract price of stores.	Bridge work,	Engineer's plant.	Workshop machinery.	Permaneni- way,	Rolling stock.	Station materials,	Tools and stores.	Grand Total.
•	£	£	*	2	£	£		
From 1st April 1880 to Slst March 1881.	53,190	6,305	75,594	103,040	276,708	82,125	, 25,265 ,	879,185

• The number and tonnage of ships which brought State Railway stores to the several ports were-

Memorandum abowing vessels arrived and gross tonnage received at ports.		CALOUTTA.		BOMBAT.		Kabicht.		Madras.		TOTAL.		BANGOON.		Total.
tonnage received	No. of	Gross tonnage.	No. of vessels.	Gross tonnage.	No. of vessels.	Gross tonnage.	No. of vessels.	Gross tonnage.	No, of vessels,	Gross tonnage.	No. of vessels.	Gross konnagr.	No. of venuels.	Gross tonnage.
From 1st April 1880 to Sist March 1881.	71	9,250	108	51,720	. 82	85,830	29	3,460	290	160,300	7	30	297	160,290

The stores for the strategic lines of the Punjab frontier were brought from 1st April 1879 to 31st March 1880 in 22 vessels aggregating 32,100 tons, and from 1st April 1880 to 31st March 1881 in 65 vessels aggregating 83,105 tons. The largest consignments went to Karachi. The pressure on the very limited resources of this port was very great. The following stores were landed in each month at Karachi :---

-		 	• -	Mo	ıth.						No. af v e	ssels arrived.	Gross tons of stores landso
April May June July August September Joctober November Jecomber Jecomber Jecomber Jecomber Jecomber Maroh	1880 # # # # # # 1891 #	 54% 54% 540 540 540 540 540 540 540 540 540 540	••	275 90% 410 247 246 444 247 247 917 917		237 239 449 440 443 237 447 744 744 744 744 744 744 744 744 7	4 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	-	194 195 195 195 195 195 197 197 197 197 197 197 197 197 197 197		•	7 8 8 8 8 1 4 1 6 7	8,018 16,401 8,376 10,741 1,548 8,746 10,743 23 2,287 23 1,304 8,623
							Total		***	784		65	83,106

The progress made in the supply of rolling stock is shown in the following statement :---

Shops.	Seco	nd quar 1880.	er of	This	d quart 1860,	er of	Ýou	th quart 1880.	er of	Totals f	or three of 1860.	quartere
Metre Gauge.	L,	C,	. C ,	Ì.	C.	G ,	Ŀ.	C.	G.	L.	с.	G.
Nagpur Howrah, East Indian Ballway Ajmere, Rajputana State Railway Parel, Bombay, Baroda and Central India. Khandwa Lucknow, Oudh and Rohilkhand Somastipur Bhavnagar Burn and Company, Caloutta Saidpur Sabarmati Purchased from Lower Ganges Canal	**** 8 *** *** 8 *** 4 8 *** 8 ***	**************************************	129 *** *** *** *** *** ***	2 10 10 11 1		50 80 80 11 78 12 12 12 11 1 78		""11 24 16 5 11 "42 " "	81 30 149 25 72 84 20 	2 14 10 8 7 10 1	· 78 44 80 • 8 47 ···45 ··· 3 ···	209 60 184 32 34 20 34
Total	15	< 94	170	24 .	47	91 8	21	211	4407	- 60	263	797

?

ADMINISTRATION REPORT FOR 1880-81.

[Stores.

					•						<u> </u>	
Shops.	Beco	nd quart 1690.	er of	Thi	ird quaria 1880.	ar of	Foa	rth quari 1880.	er of	Totals	for three of 1880.	quarters
5' 8" Gauge,	L.	C.	G.	L.	G.	Ģ.	L.	C.	G.	L,	C.	G. *
Ahmednagar Eastern Bengal Railway, Kanohra- para.	483 / 494	1	348 539	, 250 ¹⁰ , 412	6 ≁ +ų2	81 ***	-18.7 16.1	,11 8	196 	234 591	18 10	167
Barn and Company, Calcutta	 	10 	· *** 7	 11	. 14	 "41	 	"10 1	 115	 	24 10 9	163
Adamwahan, Indus Valley Railway Parel, Bombay, Baroda and Central India Railway,	675	544 170	55 48	146°		-24 18			2 34	194 194	8 16	81 98
WAPOTA		***	838	EM					60	***	a,	60
Total	10	23	130	11	38	112	9	36	347	30	95	569

Metro	e Gauge Si	to <mark>ck put</mark> o	n Lines.		
Up to 31st March 1880 Up to 31st December 1880	- 	588 888	Engines. 259 319	Coaching vehicles. 840 1,148	Goods Vehicles 4,646 5,386
Diffe	rence	212	60	308	. 740
Metre Gauge Stock	under ere	ction on l	31st Dece	mber 1880.	•
		•	Engines.	Coaching vehicles	Goods Vehicles
In all workshops	***	1 • 2	85	857	669
Total put on lines and in wa 31st December 1880	orkshops	on the	854	1,505	6,055
Broad	Gauge Sto	ck put on	Lines.	• •	<u>-</u>
,	-	-	Engines.	Coaching vehicles.	Goods Vehicles
Up to 31st March 1880			158 188	570 704	3,094 3,624
Up to 31st December 1880		6 E 49	100		-,

In all workshops Total put on lines and	in workshops on t	····	Engines. 12	Coaching vehicles. 23	Goods wehicles. 372
31st December 1880	w wordshops on I	4 # 3	200	727	3,998

The above figures do not include the following metre gauge stock in Burma and the North-Western Provinces on the 31st December 1880 :---

On Rangoon and On Muttra and			Engines. 31 5	Cosching vehicles, 199 32	Goods vehicles. 636 75
Railway	· .	• •		: 	
•		Total	 36	231	711

The total value of stores purchased in India by the State Railway Storekeepers at the ports of Bombay, Calcutta, and Karachi during 1880-81 was Rs. 29,73,062. Of this sum, about Rs. 12,50,000 was for English coal and for oil, timber, and other articles of indigenous origin. The balance of Rs. 17,23,000 was for metals, hardware, and other European stores.

The Store establishments were reorganised during the year by bringing into Class III of the Superior Revenue Scale the three Port Storekeepers and the Stock Verifier, with a special allowance to the latter and to the Storekeepers at Calcutta and Bombay, and into Class III and IV the other officers required for open lines; the remaining officers being brought into classes C, D, E and F of the Subordinate Revenue Establishment. Seven officers who were in excess of the requirements of the State lines were retired. For the purposes of promotion, the Storekeepers are to remain on one list, and their numbers will vary with the amount of work required.

CHAPTER VIII.

DETAILS OF THE PRINCIPAL RAILWAYS IN INDIA.

BROAD GAUGE.

1. East Indian.—This line extends from Calcutta (Howrah) to Delhi, and has a branch of about 224 miles from Nynee, near Allahabad, to Jubbulpore, and several shorter branches, aggregating 82 miles, none of which exceeds 27 miles in length. The stations of Kanoo and Luckieserai are also connected by a loop line, 250 miles in length, which formed at one time the main line of the system and followed the windings of the river Ganges. It is in junction with the Sind, Punjab and Delhi Railway at Ghaziabad, with the Great Indian Peninsula Railway at Jubbulpore, with the Oudh and Rohilkhand Railway at Aligarh and Cawnpore, with the Sindia State Railway at Agra, and with the Patna-Gya State Railway at Bankipur; all of these lines are on the broad gauge. It also exchanges traffic with the Oudh and Rohilkhand Railway across the river Ganges vid Benares, where a connecting bridge is now being built. Its junctions with narrow gauge lines are at Nalhati, Cawnpore, Agra, Hathras Road, and Delhi; it is also connected with the Tirhoot State Railway by a short branch and ferry at Barrh.

The Railway has a double road for 411 miles.

There are 158 stations at an average distance apart of 91 miles, and these are engine stations.

Construction was commenced in January 1851, and the first section, 23 miles from Howrah to Hooghly, was opened on the 15th August 1854. The line has been open throughout its whole length since January 1871.

The earthwork and bridges generally are for a double line, except the superstructure of large bridges. The road consists of double-headed rails, varying in weight from 74 to 82 lbs. per yard, carried on cross-sleepers, for the most part of wood and a small proportion of iron. Steel rails are being used for renewals where the traffic is heavy.

2. Eastern Bengal.—This line extends from Calcutta (Sealdah) to Goalundo on the bank of the Ganges near its confluence with the Brahmaputra. It has a branch 4 miles long to Kooshtea, also on the right bank of the Ganges and some 45 miles up-stream from Goalundo. There is also a short branch 2 miles long to Chitpore, where junction is effected with the Calcutta Port Trust Railway. There is a connection with the Calcutta and South-Eastern State Railway at the terminus Sealdah. From Poradaha at the 103rd mile there is a State branch, worked by the Company. This branch is 13 miles long and extends to Damukdea on the Ganges, whence it is connected with the Northern Bengal State Railway by a steam ferry.

The Railway is laid with a single track throughout. There are 32 stations at an average distance apart of 5 miles and 4 engine stations. Construction was commenced in April 1859, and the first section (451 miles) from Calcutta to Ranaghat was opened in September 1862. The second section (62 miles) to Jagati was opened in November 1862. The extension to Goalundo was opened in January 1871.

The earthwork and the masonry of bridges and viaducts have been constructed for a double line. The rails are double-headed, weighing 74 lbs. per yard, and are laid principally on creosoted pine sleepers.

3. Oudh and Rohilkhand.—The Oudh and Rohilkhand Railway runs in a north-westerly direction from Benares, and is approximately parallel to the East Indian Railway at a mean distance of 80 miles, the river Ganges running between the two. It has junctions only with the East Indian Railway, as noted in paragraph 1 above.

61 ·

ť

The Railway is laid with a single track throughout. There are 80 stations averaging 7 miles apart and 5 engine stations,

Construction was commenced in January 1864. The length of 42 miles from Lucknow in the direction of Cawnpore was opened in April 1867. Two other sections of 30 miles each were opened on the 1st February 1872; and with the exception of the bridge at Cawnpore and the junction with the East Indian Railway at that station, which was completed in July 1875, the line may be said to have been opened throughout in the early part of 1874.

Land has been taken for a double line, but the formation is for a single way. Between Lucknow and Nawabganj, however, the masonry of the bridges has been constructed for a double track. The permanent-way adopted consists of 60-lb. flat-footed rails on cast-iron oval bowl sleepers; but there are short lengths on wrought-iron saddle sleepers and on Bessemer steel saddle sleepers.

4. Sind, Punjab and Delhi.—This Railway consists of two distinct and separate sections, viz., the Punjab section, 554 miles in length from Ghaziabad (the junction with the East Indian Railway) to Sher Shah Bandar on the left bank of the Indus and 15 miles beyond Mooltan; and the Sind section, 110 miles long, from Kotri (the junction with the Indus Valley State Railway) to Karachi. On the Punjab section there is a junction at Lahore with the Punjab Northern State Railway, and another at Muzaffarabad, 7 miles to the east of Mooltan, with the Indus Valley State Railway.

The road is laid with a single track on both sections, except $4\frac{1}{2}$ miles of double way in Karachi.

There are 73 stations on the Punjab section, being at an average distance of $7\frac{1}{2}$ miles, and 10 on the Sind section at 12 miles' intervals. There are 6 engine stations on the former and 2 on the latter.

The Sind section was commenced in April 1858, and was opened throughout its length in May 1861.

The length from Amritsar to Mooltan and Sher Shah, 250 miles, was commenced in February 1859, and was opened to Lahore, 32 miles, in April 1862, and from Lahore to Mooltan, 208 miles, in April 1865.

The portion from Ghaziabad to Amritsar, 304 miles, was commenced early in 1864; and in May 1865 Messrs. Brassey and Company entered into a contract for the construction of the line in five years. This period was subsequently extended to six years, owing to the magnitude and large additions made to the original design of the Sutlej bridge. The first length to Meerut city, $27\frac{1}{2}$ miles, was opened in April 1867, and in November of the same year 26 miles were opened from the Beas river to Amritsar. Uninterrupted communication between Mooltan and Delhi *vid* Ghaziabad was established by the completion of the Sutlej bridge in November 1869.

On the Sind section the earthwork is for a single line, masonry of bridges for a double line, and iron superstructure for one road. The permanent-way consists of double-headed rails, 65 lbs. to the yard, laid on sleepers of creosoted pine and babul.

From Amritsar to Mooltan and Sher Shah the earthwork and bridges are for a single way. Double-headed rails of 68 lbs. per yard have been used throughout, $77\frac{1}{2}$ miles being supported on Greaves' bowls, the remainder on wooden sleepers, which, however, are being renewed with iron.

From Amritsar to Beas the earthwork is for a double road; that of the remaining distance to Ghaziabad is for a single line. The rails used were single-headed of "steel iron," weiging 60 lbs. to the yard: these have, how-ever, failed, and are being replaced by solid steel.

5. Madras.—This Railway at Arconum, 42 miles to the west of Madras, bifurcates into two main lines, viz., the North-West line, which meets the Great Indian Peninsula Railway at Raichur, 308 miles,* and has a branch, $31\frac{1}{2}$ miles long, to Bellary; and the South-West line, which runs to Beypore on the west coast, 364 miles,* with branches to Bangalore, 87 miles, and to Mettapalaiyam at the foot of the Nilgiri hills, 26 miles. There are junctions with the South Indian Railway at Arconum and Erode, and with the Mysore State Railway at Bangalore, both these lines being of the metre gauge.

With the exception of a double road from Madras to Arconum, the line is single throughout.

There are 105 stations, giving intervals of 84 miles, and 10 engine stations.

Work was commenced on the South-West line in June 1853, which, in July 1856, was opened to Arcot, 63 miles, through communication with Beypore being established in May 1862. Junction was effected with the Great Indian Peninsula Railway in March 1871.

Except on the double portion, the embankments are for a single track; but the bridges and viaducts are built for a double way, except on the Nilgiri and Bellary branches. The rails, weighing from 65 to 84 lbs. per yard, are supported on iron pot sleepers, with the exception of a few miles near Beypore of creosoted pine. The South-West line was originallylaid with sleepers of indigenous woods; but these were not found to answer, and have nearly all been replaced by iron.

6. Great Indian Peninsula.—This line, starting from Bombay, divides into two at Kalian, on the 33rd mile. The north-east line, 582 miles,* meets the East Indian Railway at Jubbulpore, and has a branch of 215 miles to Nagpur, and a short coal line of 12 miles to Mohpani. The south-east line, 409 miles,* meets the Madras Railway at Raichur, and has a branch of 71 miles (seldom worked) to Campuli, at the foot of the Ghats. Besides those abovementioned, there are junctions with the Bombay, Baroda and Central India Railway at Dadur, with the Dhond and Manmad State Railway at Dhond and Manmad, with the Wardha Coal Railway at Wardha, the two small Berar lines at Jalamb and Badnera, and with the Nizam's Railway at Wadi—all these lines being on the broad gauge: it also effects a junction at Nagpur with the metre gauge Nagpur and Chhattisgarh State Railway.

There are 325 miles of double road. There are 163 stations at average intervals of nearly 8 miles and 17 engine stations. Construction was commenced in October 1850, and a length of $20\frac{1}{3}$ miles from Bombay to Thana was opened in April 1853. This was the first Railway opened in India.

Excepting the double portion, the earthwork is for a single line, and the bridges and viaducts for a double line of rails. Most of the rails weigh 68 lbs. per yard; on some short lengths, however, rails weighing 84 lbs. to the yard have been laid. Most of the rails are of iron, but are being replaced by steel as renewals become necessary. The sleepers are chiefly of wood, with a portion of iron bowls.

7. Bombay, Baroda and Central India.—The Railway runs nearly due north from Bombay, skirting the coast for 200 miles of its length; it has two short branches, viz., from Anand to Pali, 32 miles, and from Viramgam to Kharaghora, $22\frac{1}{2}$ miles. This latter is the property of the State, but is worked as part of the Company's undertaking.

The junction with the Great Indian Peninsula Railway, being only 6 miles from Bombay, is used solely for the exchange of goods traffic. There are junctions with the Bhavnagar-Gondal and the Rajputana State Railways, both metre gauge, at Wadhwan and Sabarmati (near Ahmedabad) respectively. There are also two junctions with the Gaekwar of Baroda's line, of 2 feet 6 inches gauge, at Miyagam and Baroda.

The Railway has a double track for short sections, aggregating 23 miles in length. There are 74 stations at an average distance of 6 miles apart and 8 engine stations.

Work was commenced in May 1856, and the first section from Amreli to Ankleswar, $28\frac{1}{2}$ miles, was opened in February 1860. In January 1861, $43\frac{3}{4}$ miles were opened from Baroda to the south; and hefore the end of the year communication between Bulsar and Baroda (123 miles) was established. This length was not connected with Bombay until November 1864, when the main line to Ahmedabad may be said to have been completed. Except on the double portions, the earthwork is for a single line, the bridge piers and abutments being generally built for a double road. With the exception of a short length of Adams' rails, the double-headed rail, weighing 68 lbs. per yard, has been used throughout the main line, supported for the most part on wooden sleepers; iron bowls are used in suitable places. The Wadhwan branch is laid with 60-lb. rails on iron bowl sleepers.

Calcutta and South-Eastern.—This line extends from Calcutta to Port
 Canning; it was constructed under a guarantee at the time that the Port Cinning Company were endeavouring to divert some of the Calcutta shipping business to Canning. In consequence of the Railway having been worked at a loss since its opening (May 1863), the Company surrendered it to Government, under the provisions of their contract, on the 1st April 1868, since which date the net earnings have amounted to nearly one lakh of rupees. The line is laid with a single track throughout. There are 8 stations at an average distance of 4 miles. From Sonapur on this Railway an extension is now under construction connecting Calcutta with Diamond Harbour via Magra Hat.

9. Patna-Gya.—This Railway connects Bankipur on the East Indian Railway with Gya; it has a single track throughout, which for the first 29 miles has been laid on an existing road with few deviations; the remainder has its own alignment. The rails weigh 60 lbs. to the yard, and are supported on iron bowl sleepers.

The first 28 miles were opened in April and the remaining 29 miles in June 1879. At the end of 1880 the interest on capital had been more than recouped by the net earnings. There are 8 stations at an average distance apart of 8 miles. There are proposals for extending this line to Palamow.

10. Dildarnagar-Ghazipur.-This line is being worked as a branch of the East Indian Railway.

11. Dhond-Manmad.—This is a chord line between the two trunk lines of the Great Indian Peninsula Railway. It was constructed by the State, but is now being worked as part of the latter. There are 18 stations at an average distance apart of $8\frac{1}{2}$ miles.

12. Wardha Coal.—This Railway was constructed to carry the coal from the Warora Mines to the Great Indian Peninsula Railway, and its traffic chiefly depends on the output of coal, which, owing to defects in machinery, was much restricted in 1880.

13. Sindia.—Until this year, 1881, the traffic on this line has been seriously affected by the want of the bridge over the Chambal. The line now extends from Agra to Gwalior, 75 miles, and is worked as part of the East Indian Railway.

14. Punjab Northern.—This Railway extends in a north-westerly direction from Lahore (its junction with the Sind, Punjab and Delhi Railway) to Attock on the Indus, 237 miles. The river Indus is being bridged, and the line is being continued to Peshawar, 45 miles.

There is a branch on the metro gauge from Lala Musa, 82 miles from Lahore, to Miani on the Jhelum, constructed chiefly for the carriage of salt. A branch 67 miles long has also been constructed from Tarnaul, 11 miles west of Rawalpindi, to Khushalgarh on the Indus, in the direction of Kohat. This was opened to Khushalgarh in April 1881.

The line is constructed with a single track throughout,

From Lahore to Pindi, 174 miles, the rails weigh 60 lbs. to the yard, and are carried on cross-sleepers, chiefly of deadar.

Beyond Pindi 62-lb. steel, rails have been used. Here the gradients are very heavy, $\frac{1}{2}$ and $\frac{1}{4}$ for considerable lengths, which adds considerably to the cost of working.

The line has been opened in a very incomplete state, in order to accommodate the troop traffic to and from Afghanistan, and is only now being got into working order.

15. Indus Valley and Kandahar.—This line unites the two portions of the Sind, Punjab and Delhi Railway. At Ruk near Sukkur a line called the Kandahar Railway branches off northwards in the direction of Kandahar and runs as far as Sibi, 133 miles, and thence to Nari gorge, 7 miles. From Sibi there is a branch of 19 miles to the mouth of the Bolan press at Pir Chauki.

The line is laid with a single track throughout. Excluding the branch, there are 49 stations and 7 engine stations.

The Indus at Sukkur is unbridged, and communication is kept up by means of a steam ferry, goods being ferried across without breaking bulk. The rails used weigh 60 lbs. to the yard, and are carried on cross-sleepers, chiefly of creosoted pine and deodar.

16 and 17. *Khamgaon and Amraoti.*—These short lines, situated in Berar, were constructed chiefly to connect the cotton marts of the names they bear with the Great Indian Peninsula Railway. They are now worked as branches of that Railway.

18. Nizam's.—This line connects the Great Indian Peninsula Railway with Hyderabad at a point 376 miles from Bombay in the direction of Madras, and is the property of the Nizam. Work was commenced about the middle of 1871, and the line was opened throughout in October 1874. There is a single track only, of which 87 miles are laid with double-headed 68-lb. rails on iron bowl sleepers, and the remainder with 60-lb. flat-footed rails on creosoted pine. There are 12 stations at average intervals of 11 miles and 2 engine stations.

NARROW GAUGE.

1. South Indian.—This line, which now has a metre gauge throughout, originally consisted of several portions. The length from Negapatam to Erode, 167 miles, was commenced in May 1859 by the Great Southern of India Railway Company, and was completed on the 5' 6" gauge. The portion from Arconum to Little Conjeveram was commenced in March 1864 on the 3 feet 6 inches gauge, and in January 1863 a contract and 3 per cent. guarantee were granted to the Carnatic Railway Company for the extension to Cuddalore. In July 1874 the two undertakings were amalgamated, under the title of the South Indian Railway, and the whole system is now on the metre gauge.

The earthwork and bridges are for a single way, except from Negapatam to Trichinopoly, where the bridges have been built for a double road. On the section between Negapatam, the old rails, weighing 68 lbs. to the yard, are laid on iron and wooden sleepers, but on the greater length of the system the rails are 40.3 lbs. to the yard on wooden sleepers.

There are 99 stations at average intervals of 6¹/₂ miles and 10 engine stations.

2. Nalhati.—This short line meets the East Indian Railway at a point 145 miles from Calcutta and runs to Azimganj. It was constructed on the 4 feet gauge by the Indian Branch Railway Company, and bought by the State in March 1872. It was opened for traffic in December 1863.

The line was laid on one-half of a metalled road with rails weighing 32 lbs. per yard.

3. Northern Bengal.—Omitting the broad gauge portion worked as part of the Eastern Bengal Railway, as noted above, this line extends from the north bank of the Ganges to Siliguri at the foot of the Himalayas, whence there is a steam tramway to Darjeeling.

There is a branch of 34 miles from Parbatipur to Kaunia on the river Teesta.

There are 30 stations on the line, rather less than 8 miles apart, and 6 engine stations.

The line is constructed for a single track, but sufficient land has been taken for a second line of rails.

The first section opened consists of 134 miles between the Atrai river and Jalpaiguri, and the mail line was completed by the opening of the northern section in June 1878. The road is laid with 40-lb. rails on wooden cross-selepers, chiefly creosoted pine, with a proportion of sal and red gum.

4. Tirhoot.—With the exception of the short branch from Barrh on the East Indian Railway, this line is located to the north of the Ganges. From Somastipur, 27 miles from Ganges bank, there is a branch to the north-west, which was opened to Muzaffarpur, 32 miles, in February 1877. This is now being extended to Bettiah, another 78 miles. The present mail line continues from Somastipur to Durbhanga, 23 miles, and is being extended to Pipra Ghat, 28 miles. The Durbhanga line, after having been partially opened for short periods, was finally opened for traffic in November 1875.

The line is single, and is built with 40-lb. rails on wooden cross-sleepers, chiefly deodar.

The stations average a distance of $7\frac{1}{3}$ miles apart.

5. Muttra-Hathras.—This line, which connects the left bank of the river Jumna, opposite to the town of Muttra, with the East Indian Railway at a point 857 miles from Calcutta, borders and is partly laid on a metalled road. The rails weigh 30 lbs. to the yard, and are laid on wooden cross-sleepers, chiefly of deodar. An extension of 24 miles from Muttra to Achneyra on the Rajputana Railway is in course of construction. On this length heavier metals will be used.

6. Cawnpore-Farukhabad.—This line is now open from Cawnpore on the East Indian Railway to Farukhabad, 86 miles. The first section, as far as Mira Serai, 49 miles, was opened on the 15th December 1880.

7. Nagpur-Chhattisgarh.—This line, starting from the Great Indian Peninsula Railway station at Nagpur, passes through the cantonment of Kampti, and takes a westerly direction. It was opened to Tumsar, 53 miles, for goods traffic in April 1880, and for passenger traffic in November. It is in contemplation to extend this line to Bilaspur, 261 miles from Nagpur, with the view of opening out the rich grain-producing districts of Chhattisgarh.

8. Rangoon and Irrawaddy Valley.—The location of this line is expressed in its name. It was opened throughout its length from Rangoon to Prome, 161 miles, in May 1877. The stations are a little short of 7 miles apart on an average. An extension of 42 miles to Allanmyo is included in the original proposal.

9. Rajputana.—This line connects Delhi with Bombay, its northern termini being at Delhi and Agra, where there are junctions with the East Indian Railway, and its southern terminus being at Sabarmati near Ahmedabad, where it effects a junction with the Bombay, Baroda Railway. The lines from Delhi and Agra meet at Bandikui, 134 miles from the former and 93 from the latter. There is a junction with the Holkar and Sindia-Neemuch Railway at Ajmere, and on the completion of this latter line the two railways will probably be worked as one undertaking. There is a short Salt branch to the Sambhar lake, leaving the main line at 184 miles from Agra. Through communication with Bombay was established on the 1st January 1881.

The line is constructed for a single track, but sufficient land has been taken for a double road. The rails weigh 36 and 40 lbs. per yard, but as renewals become necessary on the main line, the heavier rail is to be everywhere used. The sleepers used are chiefly deodar.

The stations are on the average $8\frac{1}{3}$ miles apart, and there are 10 engine stations.

10. Holkar and Sindia-Neemuch.—This Railway, which will shortly be opened throughout, and will then be known as the Malwa Railway, extends from Khandwa on the Great Indian Peninsula Railway to Ajmere, passing through Indore, Neemuch, and Nasirabad, and crossing the Vindhya range. There is a branch, 12 miles long from Fatehabad, 25 miles from Indore, to Ujjain. The total length of the line will be 390 miles.

The stations are at average intervals of $8\frac{1}{5}$ miles.

The construction is similar to that of the Rajputana line, except that the sleepers are chiefly of creosoted pine.

11. Western Rajputane. With the through opening of the Rajputana Railway on the 1st January, 1881, this section became merged in the main line, and its existence as a separate railway ceased. 12. Gaekwar of Barolla's.—This line is the property of His Historem the

12. Gaekwar of Baroda's.—This line is the property of His Highness the Gaekwar of Baroda. The gauge is 2 feet 6 inches. The rails are flat-footed, weighing 30 lbs. to the yard, and are spiked to wooden sleepers. The entire line is on embankment, the formation width being 10 feet. The management

and working are in the hands of the Bombay, Baroda and Central India Railway Company. The stations are at intervals of 9 miles on the average.

۲,

CHAPTER IX.

¥ .

Ţ

*.

.4

+.

STATISTICS.

Statement showing the general results of working of Indian Railways during the years 1877 to 1880—Statement showing the mileage, average age, cost, and general results of working of all Indian Railways (exclusive of Steam Boat Service figures) up to the year 1880—Abstract of ditto—Return of Rolling Stock on all Indian Railways on 31st December 1880.

ADMINISTRATION REPORT FOR 1880-81.

[Statistics]

Statement showing the general results of working

				LENGT	e or Lin	e Open.			
:	•		. *			•			
No,	RAILWAYS.								
		ľ	1877.	1878.	1879.	1880.	1881.	1877.	1878.
		•			• · · · ·			· · ·	
			Miles.	Miles.	Miles.	Miles.	Miles.	Rs.	Rs.
1	East Indian		1,506	1,507	1,507	1,507		1,07,54,853	1,06,54,17
2	Great Indian Peninsula		1,268	1,268	1,272	1,276		58,53,868	61,72,16
3	Sind, Punjab and Delhi	781	663	663	663	663		25,78,941	30,77,57
4	Madras		858	857	857	858		26,99,426	27,82,51
5	Bombay, Baroda and Central Inc	dia	444	444	444	444	•	23,96,211	23,67,42
6	Eastern Bengal,		171	172	172	172		12,85,016	15,29,35
7	Oudh and Rohilkhand	3 41	544	547	547	547		17,28,690	17,18,03
8	Indus Valley		3 t'i 9	501	508	642		***	2,29,08
9	Punjab Northern		103	103	103	228	•	8,38,552	3,94,88
10	Dhond and Manmad	,,,	229	145	+ 145	145	N	#**	49,64
'n	Patna-Gya	•••	1. 	***	57	57	27	.	
12	Nizam's	•••	120	120	120	120		2,97,145	2,62,21
13	South Indian	942	600	611	625	647	-	15,96,193	19,06,08
14	Rajputana	¥435	896	428	445	• 484		8,91,288	8,23,17
15	Holkar and Sindia-Neemuch		107	172	172	254		2,03,655	3,31,84
16	Nagpur and Chhattisgarh	•••		, +11 ,	# 4.	53		7 » A	176
17	Rangoon and Irrawaddy Valley		161	161	161	161	•	2,80,860	6,73,07
18	Northern Bengal	···	134	219	225	231	* ,	16,008	3,18,30
19	Tirhoot		76	82	82	82		1,53,815	1,92,90
ieo ,	Cawnpore and Faraklabad			***	I 4 1	₽ •33		•	4 <u>6</u> 3
21	Bhavnagar-Gondal†		 		¥	• • •	•	***	₿ ₹ \$.
		-							· •

* Opened for traffic on † Opened for traffic on

Statistics.]

.

of Indian Railways during the years 1877 to 1880.

		EARN	INGS.		È	<u></u>		
COACHING.					Goods.	·····		
1879.	1880.	1881.	1877.	1878.	· 1879.	1880.	1881.	N
Rs.	Rs.	Rs.	 Rs.	Rs.	Ra.	 Rs.	Re,	-
1,11,77,844	1,16,79,269		3,13,34,202	2,75,56,929	3,02,19,425	2,98,32,892		
60,82,221	61,30,903	/···	2,58,16,905	2,11,05,590	1,85,21,797	1,88,14,143		
38,76,099	43,33,619		50,94,748	46,53,180	63,83,378	67,34,266		
26,21,195	25,45,839		, 70,87, 341	35,69,536	\$7, 80,522,	83,41,781		
23,20,288	27,00,522		47,86,326	43,48,393	46,17,278	51,81,628		
14,92,425	14,88,015		29,31,399	26,19,807	25,10,442.	28,73,263		
17,89,287	19,13,161		21,86,177	24,86,714	21,31,663.	22,16,668		
7,93,996	18,03,906			3,18,543	.22,01,809.	40,08,327		
6,90,372	10,79,731		3,38,479	4,92,804	10,99,774	18,78,514		
1,43,473	3,20,825	- 	, jas 5	80,029	. 2,46,822	8,39,760	•	1
1,69,452	3,38,392		: ## # **	н ВЯЗ — 1	. 50,009	1,38,952		
3, 00,359	3,08,771		5,31,700	5,27,443	. 3,81,623 .	8,79,944		
20,03,022	20,62,513	- 	. 15,14,783	12,26,495	13,09,593	14,45,911		
9,27,916	10,66,881	- -	17,31,470	20,61,368	25,08,999	25,75,546		
3,97,998	5,79,716		2,60,503	5,68,818	7,08,909	7,83,979		1
	19,712		¥93		1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	83,823		1
6,9 6,980	7,45,221	•	61,738	2,79,213	2,44,123	5,58,177		1
4,41,998	5,32,237		13,983	4,42,359	8,75,877.	8,07,999		1
. ,1 2 ,236	2,27,433	x	96,263	1,58,087	1,48,660	2,03,339	ŕ	1
₩1.1	ÉRL	•	F ##		- F64 - 10-1		* ' - -	
dra .	f #4		fis			f14 F	4 4 4 1 1 1 1 1 1 1 1 1 	
÷.				•			م ایر به مو	

the 15th December 1880. the 20th December 1880.

.

.

Å

. ADMINISTRATION REPORT FOR 1880-81.

[Statistics.

Statement showing the general results of working of

.

				•	STEAD	m Boat Sei	BVICE.		
No.	RAILWAYS.			<u> </u>					<u>, , , , , , , , , , , , , , , , , , , </u>
•		-		1877.	1878.	1879.	1880.	1881.	1877.
	- <u></u>	·					• 	-	
	•			Rs.	. Rs.	Rs.	Rs.	Rs.	Rs.
1	East Indian	a fa	582	45,550	41,118	28,801 -	30,686		22,17,157
2	Great Indian Peninsula	21 3	•••	68 4	183	ih	***		11,03,376
3	Sind, Punjab and Delhi	***	í 412	15,09,300	8,48,436	4,48,861	2,43,930		6, 63,392
. 4	Madras	1\$1	88#	₹#¥	TÍL	## #	***		2,48,528
5	Bombay, Baroda and Cent	ral India	13)	***	727	215	V ÚÁ	i and in the second sec	6,16,375
6	Eastern Bengal		941	4,71,031	4,28,833	4,38,113	4,84,843		1,39,587
* 7	Oudh and Rohilkhand	120	- 93+	24 1	384	-11.0	**1		4,26,938
8	Indus Valley	824	***	548 	18,061	81,224	1,89,723		
9	Punjab Northern	***	8 .8>		t €¥	4#2 ¥	के में स		19,730
10	Dhond and Manmad	99 F	***	7 Ř.	≩\$ \$	281	= 4 =		
11	Patna-Gya	4==	***	376 -	- 381 (*	3,57	147 -		, v 641
12	Nizam's	***	585	11 L	•	i nu	₹4 ¥		1,923
19	South Indian	**1	\$ 93	*n -	410	17.	· • • • •	•	1,22,270
14	Rajputana	•••	***	51 K	347	b > 6	***	•	73,929
15	Holkar and Sindia-Neemuc	ĥ		5 74	21 1	₩88 4	##1	, - -	15,970
16	Nagpur and Chhattisgarh		***	\$ 28	\$ \$\$	13 1		•	. 14
· 17	Rangeon and Irrawaddy V	alley	412	Ph.	*****	4 69	řą:		1,856
- 18	Northern Bengal	a Na Bala Maria	*17) 44	92,059	1,31,949	1,63,505		18,726
: 19	Tirkoot		44.0		72,159	74,194	98,143	•	* 33,844
- 20	Cawnpore and Farukhabad	• • •	173	471 + 14	124	471	*** 、	· · · ·	• •
- 21	Bhavnagar-Gondal	545	***	а 	•••		** *	,	
•	· · ·	•	-					-	م ^ت ريب

•

Statistics.]

Indian Railways during the years 1877 to 1880-continued.

EARNINGS-continued.

UNDBIES, 1	NCLUDING 7	ELEGRAPH.				TOTAL.		·····	
1878.	1879.	1880.	1881.	1877.	1878.	1879.	1880.	1881.	N
Rs.	Rs.	Rs.	Rs.	Rs.	Re.	Rs.	 Rs.	Ra.	
15,25,786	18,90,151	14,08,269		4,43,51,760	3,97,78,009	4,33,16,221	4,29,45,116		
10,87,061	6,44,297	5,08,207		3,27,74,149	2,83,64,811	2,52,48,315	2,49,53,253		
3,51,023	7,06,937	10 <u>,</u> 49,703	·	98,46,381	89,30,215	1,14,14,676	1,24,11,518		
. 2,78,121	2,74,769	2,74,975		1,00,35,295	66,30,174	66,26,486	61,62,545	•	
1,89,135	2,15,007	3,62,225		77,98,912	69,05,677	1,52,788	82,44,375		
67,825	62,945	90,040		48,27,033	46,45,821	45,03,925	49,36,161	-	
4,17,286	4,23,893	3,25,321		43,41,805	46,22,037	43,44,843	44,55,150		
6,421	2,00,511	6,60,426		1	5,72,109	32,77,540	66,62,382		
21,886	59,935	4,10,038		6,96,761	9,09,571	18,50,081	33,68,284		
5,584	77,262	34,509		the	1,35,254	4,67,557	6,95,094	*1 18 9.	
aire Aire	11,048	4,212		142 .		2,30,509	4,81,556		
2,097	12,419	14,001		8,30,768	7,91,753	. 6,94,401	7,02,716	·	ļ
1,00,557	49,452	51,170		32,33,246	32,33,139	33,62,067	35,59,594		
88,060	1,08,504	1,81,292		26,96,687	29,72,601	35,45,420	37,23,719		
28,382	· 38,931 :	37,564	•	4,80,128	9,29,045	11,45,838	14,01,259		
- •••		417			775		1,03,952		
10,677	14,815	19,312		3,44,452	9,62,969	9,55,918	13,22,710		
1,26,808	1,34,436	1,09,060		48,717	9,79,530	13,84,260	16,12,801	f	
18,158	23,643	22,152	* *	2,99,557	4 , 41, 808	4,58,733	5,51,067		
~ 119	491	141	•	. 134	f te	ages 🖷		• •	
• • * •	b •9	***	- -	516	5*0	- 444 - 7	·	;* -	
3						3,*		,	

• .

[Statistics.

Statement showing the general results of working of

			•						~		·	
No.	RAILWAYS.		MAINT	BNANC: INCLU	e pre À Ding S	TILE OF IDINGS.	Тваск,		otel ner	total to	rain-mil	
	· · · · · · · · · · · · · · · · · · ·		;			- 		ـــــــــــــــــــــــــــــــــــــ	l			e.
			1877.	1878.	1879.	1880.	1881.	1877.	1878.	1879.	1880.	1881.
			Rs.	Rs.	Rs.	Rs.	. Rs.	As	As.	Ás.	As.	As.
• 1	East Indian	4 7 3	1,584	1,912	1,946	1,974		5.95	6-49	6*63	7.02	
2	Great Indian Peninsula		1,618	1,810	2,264	1,894		11-91	12.28	13.30	12.92	
3	Sind, Punjab and Delhi	•••	1,924	1,859	1,923	1,521		12.20	13-23	12-18	12.38	
4	Madras	•••	1,244	1,272	1,321	1,248		9*52	11.88	11 [°] 86 .	11.48	
5	Bombay, Baroda and Central India		1,814	1,426	1,335	1,391		12.46	13-90	13 ·19	16.23	
6	Eastern Bongal	131	1,698	1,680	1,830	1,902	. A	9.26	10.61	10.11	9.83	** -
7	Oudh and Rohilkhand	•••	817	670	829	980	•	9.06	10-41	9 93	879	
. 8	Indus Valley		140	478	910	1,237			12.83	14.20	16.54	
: 9	Punjab Northern		1,459	2,499	1,602	1,482		12.52	15.46	20-96	17.70	
• 1 0	Dhond and Manmad		• • •		637	620		- 10	16-73	18 [.] 61	17-25	-
· 11	Patna-Gya			4.47	423	672		des		7.91	10.16	1997 - 1997 1997 - 1997 - 1997 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 1997 - 19
12	Nizam's	•••	828	1,076	928	559		*	*	15.38	11.03	
13	South Indian	• • •	710	1,033	832	854	• •	10.34	11-20	10.06	13-17	-
14	Rajputana		1,054	796	962	944		12.61	11-58	11-39	13.44	
15	Holkar and Sindia-Neemuch	•••	668	872	907	1,099		10.30	9.48	11.24	11.96	
16	Nagpur and Chhattisgarh	••••	ĕ+ ≢ * ` `	4 1 1	- 				***	*11	14.29	×
17	Rangoon and Irrawaddy Valley	•••	552	1,595	1,420	1,132		14.94	10-87	11.60	9.75	
18	Northern Bengal	•••	414	524	1,175	738		10.62	9*04	9.57	7.65	
19	Tirhoot	s	411	639	729	706		8.00	8.67	9.27	8.69	
2 0	Cawnpore and Farukhabad	••••	1 69 -	***	. 18****				•••	÷	574	
21	Bhavnagar-Gondal	•••	••• '	• • • •						- 554		
	· • •	J			Contraction of the second second							. E
'n	<u> </u>			 	•				<u> </u>	<u> </u>		,

* Included with Great

Statistics.]

Indian Railways during the years 1877 to 1880-continued.

EXPENDITURE.

		EAPI	EN DI:		la 															
1	Locoi	TOTIA	}.	•				•				CA	BRIAGI	AND	WAG	01.			:	
. (Cost o t	f fuel rain-m	per tot ile.	al	Repa	irs per	total	train-	mile.		Per tot	al trai	n-mile		Repa	irs of tra	stocl ain-m	r per ile.	total	No.
1877	1878	1879.	1880.	1881.	1877.	1878.	1879.	1880.	1881.	1877.	1878.	1879.	1880.	1881.	1877	1878	1879	1880	1881	
As.	A 8,	A 8.	As.	As.	As.	Az.	A 8.	A 8.	As,	As.	As.	Ая.	As ,	Ås.	A 8.	A s.	As.	As.	Ås.	
1.30	1.33	1.67	1.58		1·13	1.42	135	1 62	.) () ()	2.32	271	2.44	3 ·08		1.88	2 ·29	1.89	2 •56		1
5.78	5.34	5 51	5 11	\$ 9	1.92	2.38	2.58	2.29		4.28	3.52	4·15	5.12		8 -99	2·8 6	3·3 0	4.21		3
5.39	6.87	6.77	6 11		1.94	1.91	1.84	2.21	× .	2 [.] 88	2 [.] 55	2.80	9·15		2.14	1·8 6	8·14	2-46		8
4:47	4.71	4 25	3.96		2.36	3-36	3.46	3.23	-	3.09	4.46	2.72	2.64		2.54	8·37	1∙83	2 •56		4
5.78	6.11	6·74	6.41		2.28	3.02	2.05	2.61		2.92	3 ·30	3.86	2 .62		2.24	2.75	2 ·08	2 ·93		5
3.15	3.64	3.36	3 ·31		1.37	2.01	1,75	1.92		3.48	4-49	4.67	4.84		2.59	3.64	3 ·63	3 ∙87		8
4.51	4.78	4:47	4.03		1.39	1.87	- 1*58	1.21		2.24	3.22	3 03	2.99		1.79	2.28	2.24	2.25		7
*13	5-02	5-64	8 30			1.85	2.94	2 93		58 <u>5</u>	2.31	2·51	Ź·26		•••	0.71	1.24	1.87		8
5.23	8.27	14 [.] 52	10.62		1.22	1.21	0.86	1.21		2.05	2.04	1.83	1.42	•	1.23	1.43	1·2 8	0.98		9
	, 7·51	10.40	10.03	:	¥=¥	0.86	1.18	2.28		691	0.58	1.02	1.39		•••	0.04	0.20	0.74	-	10
***	1 * *	2 97	471		474	4 K.a.	0-22	0.93		184	* ***	1.46	2.69		1 11	197	0.21	1 -99		11
*.	*	10 18	6-26	•	*		1 07	0-79	•	. *	*	071	1.79		٠	•	0.32	1.58		12
4.62	4.75	4 15	3-86		1 91	2.62	2 [.] 16	2 39		1.80	1.28	4.71	4.40	•	1.41	1.18	1.24	1.28		19
5-32	4 ·88	4 ·84	5-66		1.94	1.71	1.97	2.82		2.80	2.14	1.92	1.26		1.94	1.37	1.27	1.00		14
2.20	3.08	4 .70	4 2 0	·	1.66	1.12	1.33	2.527		2 ·28	2.03	4.79	S•36		1.62	1.09	2·8 9	2 31		15
- + 5	T1 1	P±1	4.99	1-	#3L	344		0 [.] 53		427	617	y**	3·72		***	\$ • 7	***	1.63		16
2.92	2.93	2.57	2.25		2.06	1 69	3·22	2.36		1.43	0.88	1.28	1.69		0.64	0.59	0.64	O 97		17
4.24	2.87	3.78	3·25	,	0.33	0 61	0-99	0.24		0.47	1.87	1.28	1.11		0-02	0.41	0.23	0.42		19
2.36	2 ·86	2.78	2.78		0.62	1.35	1.33	1-23		0.79	1 81	2 [.] 11	2 [.] 21		0.37	1.28	1.28	1.46		19
***			a t 4 [°]		***	4 8 7	•••	495				p.7.4	•	-		*15		***		20
	***	422		a	147	***		145		***	785 2	,			<i></i>	×¥•	•••	<i>, , ,</i>		21
						•									-					
<u></u>	· •	1				1	·				<u>!</u>				1	· · ·		¥	-	

Indian Peninsula Railway.

.

1

٠

67

.

Statement showing the general results of working of

												• 	· EX	(PEND)
No.	RAILWAYS.	Traff	ic prr Ea	CENT. RNING	of Te 5.	AFFIC	Genee Eabni	NGS, B	r cent xclud Boat.	r. of (ing St	FROSS	•	Ste	м-Волт
	· · · ·	1877.	1878.	1879.	1880.	1881.	1877.	1878. -	- 1879.	1880.	1881.	1877.	1878.	1879.
										· •		· Rs.	Rs.	Rs.
1	East Indian • •	6-63	7.02	6-33	6.24		3.44	3.95	3 54	3 ·97		87,720	38,924	32,231
2	Great Indian Peninsula	6·9 0	7.88	8-95	8 ·32	*	3-22	3.95	4.35	4·15	*	114	•••	4
3	Sind, Punjab and Delhi	9 ·31	9.98	9.06	9· 58		6-29	6 49	5 16	5.54		10,66,583	8,69,819	7,79,423
4	Madras	8.35	13.14	11.24	11·2 1		4 ·30	6.82	6 ·85	7· 10			*ð*	•••
5	Bombay, Baroda and Central India.	1 8-25	2 9.05	8.44	7.32		6.41	7.01	6.82	5 87		126	9,001	3,314
6	Eastern Bengal	. 12-0	8 15-26	11.49	11.28	3	6·58	7.04	7-46	6.77		2,64,955	2,82,260	2,89,992
- 7	Oudh and Rohilkhand	. 12-1	1 11.85	13.35	12.93		6.90	7.77	8.69	8 •59		***		
8	Indus Valley	• 315	15.4(14.73	10-83	\$	455	18.91	7 ·21	5.45		,	16,572	90,66
9	Punjab Northern	. 13.6	6 11.46	10.41	11.28		16·53	12.50	6.07	4.00			£13	P71
10	Dhond and Manmad .		16.4	21.91	12.86	3		24.54	14:59	12 01	-	1=1	•••	
11	Patna-Gya .	• • • • •		11-26	8:05	5	•••		8.61	9.33		* •••	•••	•••
12	Nizam's .		*	13.65	5 12·40		*	*	11.08	 11·12	A A A A A A A A A A A A A A A A A A A	b > x		<u>.</u>
13	South Indian .	8.8	6 9.1	2 9.38	9.73		4.94	7.61	7∙38	7.75		· · · ·		11 <i>)</i>
14	Rajputana .	9 91	1 9.6	9.82	9.61	-	10.28	9-95	7.75	7.62			\$*1	• • **
15	Holkar and Sindia Neemuch.	- 18.5	0 12·2 6	3 12·92	12.33		14-90	12.74	9 16	7.49		T= 6		
16	Nagpur and Chhattin garh.	•			21.4		·•••	**1		15.30		• ar	• • •	, m
17	Rangoon and Irrawadd Valley.	y 32.6	0 19·6 4	14.83	13-39		20.35	13.20	13-48	9-19		•••	、 •••	•
18	Northern Bengal	. 56.5	4 19.61	19.59	12.21		53·20	9.26	20.55	12.97		- 1 17	1,07,081	1,07,824
19	Tirhoot .	. 17.8	4 15-28	14 46	12.65	5	15.72	11.82	14.26	12-27	•	15,621	81,322	64,399
20	Cawnpore and Faruklabad.	-	***				•••	11,1	•••				***	
21	Bhavnagar-Gondal		314				***	*	***				•••	• • •
									Ċ					

.

* Included with Great

Statistics.]

Indian Railways during the years 1877 to 1880-continued.

TURE-continued.

		M1s O	p Gros		PEB CE INGS, E M-BOAT			-	Total.			Z
1880.	1881.	1877.	1878.	1879.	1880.	1881.	1877.	1878.	[·] 1879.	1880.	1881,	
Rs.	Rs.		•				Rs.	Rs.	Rs.	Rs.	Rs.	
37,040		3-36	2.04	1.83	1.02		1,41,27,854	1,41,96,819	1,42,35,292	1,41,90,698		
, ,,,		5 -69	2.93	3.04	1.98		1,58,28,683	1,38,73,563	1,50,57,714	1,38,47,702		
,56,298		: 1·08	2.33	- 4-23	4 92		56,57,8 88	57,60,124	68,74,155	69,40,656		
•••	. 9	6-29	2.74	1.62	2-33		59,47,403	50,42,194	45,51,316	42,05,409		
1,270	• • •	0.40	0-87	1.27	0.87	_	82,73,330	32,18,551	33,59, 890	35,09,722		
,04,304		1.36	0.76	07 0_	1.25		19,82,511	20,30,749	20,70,395	22,11,851		
	· .	1 .252	1.19	0.88	0.99		22,74,205	25,06,568	25,24,907	25,50,740		
01,586	4 -	*11	12.56	11-29	11.98		÷٤چ	7,03,550	2 6,60,079	47,39,983		
• #2. *	-	1.43	14.95	23-31	25.83		6,04,879	9,03,761	14,71,192	28,04,113		
***	×	er, er, Arg	37-01	13.09	8-73		 19*	1,77,195	4,95,222	6, 06,875		1
aip (484	12-37	11-16	-		++1	1,28,723	2,70,300		1
		*	*	10-97	6.22	-	6,44,081	6,79,907	6,04,476	4,78,407		
***	-	4.22	4 81	1.79	0.46		16,45,026	21,55,032	22,98,815	26,29,576		1
888	· · ·	0.10	0.23	0.55	0.16		18,33,367	18,42,130	23,66,253	24,90,414	•	1
3		0.82	1.03	0.29	0 15	-	3,69,047	6,27,128	8,54,009	10,47,268		1
***	±		· . • • •	} •==	0.39		474	A	đ + 1	82,681		1
		0.99	1.79	4.41	0.68		4,45,584	8,95,812	8,14,175	8,01,626		1
,14,906		1°44.	1-18	2.43	1.12		68,347	7,37,724	12,59,140	9,69,292		1
48,596		1.45	1.01	5-54	0-49		2, 09,25İ	3,32,500	8,50,914	3,10,795		1
433		*14					•	***	***	***		2
- '7*2		¥ 8 8	- ••*		-			165	• • • •			21

Indian Peninsula Railway.

ADMINISTRATION REPORT FOR 1880-81.

[Statistics.

Statement showing the general results of working

.

•

				<i>.</i>		- :	RE	SULT	s ex	CLUS	IVE ()F ST	EAM-	BOAT	ſ
No.	RAILWAYS.	EAT	ningi Tej	5 PER	TRAF.	fic	Ехри	NDITU TEA	RE PE IN-MI	R TR	FFIC	Ŋı	ŢĒ. J	ENING FEAIN	
	• 	1877.	1878.	1879.	1880.	1881.	1877.	1878.	1879.	1880.	1881.	1877.	1878.	1879	-
		Rs.	Rs.	Rs.	Rs.	Rs.	Rs.	Rs.	Rs.	Rs.	Ŗş.	Rs.	Rs.	Rs.	-
1	East Indian	5.00	4.93	5-24	5.61	: - :	1.23.	1-76	1.72	1.85	.÷	3.41	3.17	3.25	
2	Great Indian Poninsula	402	4 40	4.12	4·24		1.94	2 15	2.46	2.35	•	2.08	2.25	1.66	
3	Sind, Punjab and Delhi	4.79	4·41	4.31	4 ·39		2.64	2:67	2.40	2.30		2· 15	1.74	1.91	
4	Madras	2.82	3.08	3.20	3.29		1.67	2.34	2·2 0	2.25		1·15 _。	0.74	1.00	
5	Bombay, Baroda and Central India	6 [.] 46	5.93	5.26	6 07		2-71	2.75	2.59	2.58		3∙75	3.18	2.97	
6	Eastern Bengal	6.63	6.62	6-07	6-59		2.61	2.76	2.66	2-82		402	3.89	3·41	
7	Oudh and Rohilkhand	3.29	3.39	3-38	3-55		· •	1.84	1.97	2.03		1 56	1 55	1.41	
8	Indus Valley	•••	2.33	3.21	3.76			2.88	2.82	2.64				0.69	
9	Punjab Northern	2.82	3.64	4.84	3-66		2-45	3.62	3.85	3:05		0.37	0.02	0:99	
10	Dhond and Manmad	• * 2 [°]	2.34	3.19	3.08	,	••••	3-07-	3.38				-0.73	-0.19	
11	Patna-Gya ,			5-36	4-26			1 E E	2.99	2.39		-4941 -	541	2.37	
. 12	Nizam's	3-40	2.62	2.96	3.04		2.64	2.25	2.28	2.07		0.76	0.32	0.38	
13	South Indian	2.84	2.75	2.80	2 ·99		1.44	1-83	1.98	2.21	•	1.40	0.92	0.92	
14	Rajputana	8-25	2.99	2.41	2.75		2.21	1•85	1.61	1.84	•	1.04	1.14	0.80	
15	Holkar and Sindia-Neemuch	2.79	2.74	2.68	2.74		2.14	1.85	2.00	2.05		0 64	0.89	0.68	
16	Nagpur and Chhattisgarh			<u>-</u>	2.66			122	***	2.12	-	۰ ۲۶۰	£4.2	111	
17	Rangoon and Irrawaddy Valley	2-22	3.08	3.16	3 93		2.87	2.86	2.69	2-38		-0.62	0.25	047	
18	Northern Bengal	175	2.84	2.73	2.76		2.45	2.02	2.21	1.63		-0.70	0.82	0.22	
19	Tirhoot	3.08	3.00	3.08	3.71		2.15	2.04	2.29	2.15		0.93	0.96	079	
20	Cawnpore and Farukhabad			•••					•••			1.81	•••		
21	Bhavnagar-Gondal	1.5				ŀ				; ;			•••	4.9.4	ŀ
	• (•	
-		1	1		1				l	l ·]	_

.

of Indian Railways during the years 1877 to 1880-continued.

ery	ICE.			-		**	•	CAPIT	AL EXPEND	ED		
	u)me		PER ME				On C)pen Line, in	VOLUSIVE OF I	ROLLING STOCE	٤.	No.
1880.	1881.	1877.	1878,	1879.	1880.	1881,	1877.	1878.	1879.	* 1880.	1881.	
Rs.	Ŗs.	" Bor	Rs.	- Ra	Rs.	Ret		r. Re.	Rs.	Rs.	Re.	
176		567	509	554	548		32,42,03,444	32,53,63,079	32,94,21,094	33,03,98,294		
-89		497	429	183	377*	*	24,15,85,669	24,63,02,172	24,85,83,445	24,99,77,200	,	2
9.09		238	230	,812	-353-		10,94,60,302	11,09,81,062	11,37,04,800	11,52,29,919		8
-04	-	225	-148	149	138		10,87,19,585	10,99,59,654	11,05,95,550	11,08,55,385	1	
3-49		338	298-	9 10	857		8,14,97,945	8,14,91,989	8,23,22,437	8,21,07,875		
3.77		529	- 413	458	- 498		3,30,24,862	3,38,11,811	3,42,84,355	\$,45,85,309		
-52	8.7.	* 153 -	-163	-158	157	•	6,33,86,570	5,52,55,100	5,61,92,646	5,81,44,361		1
-12			55	, 121	221		414 	5,13,35,647	5,70,01,762	6,92,82,608		8
61.		130. 5	170	345	423	1	1,70,25,460	1,71,07,578	2,45,80,202	4,04,24,501	•	9
)-39		3 - 2 - 1 -	64	76	92		4 67	71,17,400	95,38,053	1,04,58,463		10
L-87		119	· ••• •	128,	162		· · · ·	i tati	28,45,078	82,20,951		Ì 1
)°97		- 132	126_,	111	112		1,15,06,385	1,14,59,384	1,16,10,466	1,20,62,228		19
) 78	•	107	102	1 05	107		3,77,65,242	3,93,32,379	4,09,09,354	4,16,72,963		13
)• 8 0		131	• 137	156	154		2,53,82,403	2,83,21,943	3,09,43,568	3,40,81,947		14
) 69	·	- 86	122	129	118		1,14,38,860	1,95,98,318	2,00,13,727	2,53,37,858		15
•54	-			. 	• - 51				114	30,37,689		18
•55		61	115	114	158		88,45,886	1,12,12,847	1,18,94,894	1,23,07,244		17
·13		20	87	107	121	*	1,28,04,745	1,69,11,622	1,90,96,004	2,00,98,652	*	- 18
-56		69	91	· 90	106	•	44,91,006	50,09,950	51,33,919	53,46,672	-	19
*** * *		***	, •t+	859	915 -		, 	***	***	- ••••		2 0
***			₹£.	1 2 uu 1			, 1 12		•	+I+		21
						•				•	•	

269

Statement	showing th	ie general	results of	working
			<u></u>	

		<u> </u>					<u> </u>
					NRT EARNING	S.	
							• •
No.	RAILWAYS.				-		
2101	INALL WA 15.						
			1877.	1878.	. 1879.	1880.	1881.
					12.4	· -	
		<u> </u>			*** <u>*</u> }	[<u></u>
-	· · · · ·		Rs.	Rs	- Rs	Rs	Rs.
· · ·						•	· ·
··· 1	East Indian	- 903. -	3,02,23,905	2,55,81,189	2,00,80,929	2,87,54,418	
2	Great Indian Peninsula		1,69,45,466	1,44,91,248	1,01,90,601	1,11,05,551	
3	Sind, Punjab and Delhi	211	41,88,493	31,70,091	45,40,520	54,70,862	1
_					and the second	ана стана Алана стана r>Алана стана • -	
. 4	Madras	· • • • • •	40,87,892	15,87,980	20,75,170	19,57,136	
5	Bombay, Baroda and Central India	• > >	45,25,582	36,87,126	37,92,898	-47,34,653	-
		,,,	wojacjoca .		01102,000	, ''''''''''''''''''''''''''''''''''''	
8	Eastern Bengal	-4 4.A	28,44,522	26,15,072	24,33,530	27,24,310	
7	Oudh and Rohilkhand	.	20,67,600	21,15,469	18,19,936	19,04,410	
8	Indus Valley	2		T.81.441	6,17,459	19.22.399	27 12
		***					5
9]	Panjab Northern	در کشر ر 4** چ	91,882	5,810.	3,78,889	5,64,171	
- •		× 4					
IQ	Dhond and Manmad	Þ1+		-41,941		e 68,219	ι.
11	Patna-Gya		int.		1,01,787	2,11,256	* 194
	· · · · · · · · · · · · · · · · · · ·		-				- 2
12	Nizam'e		1,86,687	1,11,846	89,925	2,24,309	
	The second second second second second second second second second second second second second second second se						* * * *
19	South Indian	***	15,88,220	10,78,107	10,63,252	9,30,018	
14	Rajputana	•**	8,63,320	11,30,471	11,79,167	12,33,305	
•							
15	Holkar and Sindia Neemuch	· •••	1,11,081	8,01,917	2,91,828	3,53,991	•
16	Nagpur and Chhattisgarh				•	*****	
, TO	Magpar and Chuscongaru	488	¥¥.		•••	21,271	1 7 - 2
17	Rangoon and Irrawaddy Valley	155	1,01,132	67,157	1,41,743	5,21,084	
			· ··		· · · · · · · · · · · · · · · · · · ·	-,-,-,-3	
18	Northern Bengal		—19,630	2,41,806	1,25,120	6,43,509	
19	Tirhoot		00.000	100.000		×	
4.4	THROOD 314 \$24	***	90,306	1,08,808	1,07,818	2,40,272	
20	Cawnpore and Farukhabad				•==	# R #	
مع				•			
21	Bhavnagar-Gondal	447	÷ » 4	• • • •			
	• C				, .	·	
				1			

•

• . •

of Indian Railways during the years 1877 to 1880-concluded,

PER	SENTIGE O	- Expense	ELENI	NAR.	PBEC	ENT. OF PRO	FITS PRR AN	INUR ON CA	PITAL	
LPRI		F Expense	S TO EARNI	NG8. -	Same of Same	E	IPEN DITURI	h		
* 1	-			1 430		1]		
			walk .			na di secondo di secondo di secondo di secondo di secondo di secondo di secondo di secondo di secondo di second Tecno di secondo di seco	~			No.
1877.	1878.	1879	1880,	1681	1877	1878	1879.	1880.	1881.	
			1 4 1 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1							Ì
					· · · · · · · · · · · ·				*	
			i nove	7		· · · · · ·				
-	. • ,		بالج والمحاضر ا						1	
6 1·85	35 69	- 32 86			., 932	7.86	8-83	8.70		. 1
48-30	48 91	.59.64	55-49	<u> </u>			4.10			
40.00	40.91	.09.041	1 00 49		h ∕: _701	5 •88	4.10	4:44		8
67.46	- 64 [.] 50	60 22	55 92	. •	* 8.82	2-86	3.99	4.75		8
•	• •					1.4		na again an an a' a' a' a' a' a' a' a' a' a' a' a' a'		nie.
59-26	76 05'	58 68	68-24	`	3.76	1.44	- 1.88	1.77	~	4
41.97	46 61	₹ 46 97	17 June	•	 .	1.70				
* 791.97	410.0T	C 40.94	42.57	. . 	5 55	4.2	4.61	5.77		5
41.07	43.71	45 97	44.81		8-61	7.73	7.10	7.88		6
3		1. C		· · · · · · · ·			,			
52.38	54 23	358 II	57 25	1.	3-86	.	3-24	3.29		7
	122 97		ور او میں اور اور اور اور اور اور اور اور اور اور			· · ·	, ⁴		•	
na tata . Serat Salto	.122.04		71.15	1		0-26	1.08	2.77		8
86 FT		8	83 25	al an an an an an an an an an an an an an	0.54	0.03	1.54	1.40		9
							• *			
	131 01	- 105 92	87.31		-	0.58	-0.29	- 0-84	1 P 4	10
		7 1 - 3					÷	~ ~.	류 · ·	
	میں دور جب رہے کہ درجہ	55.84	56-13		and Lan	**1	• • 8-58	0.58		11
77-53	85-87	\$7 of	68.08		1.62	0.88	0.77	1.86	•	12
				· ,		480	U # #		•	
60.88	66 65	68-38	73-87		4 21	2.74	2-60	- 2.23		E
• . • .	• • •			• • •						
, 67.99 .	61.97	66.74	66-88		3.40	8-99	3 ·81	8.62		- 14
76.86	67.50	74.53	74-74		0.97	1.24	1.46	1.40		1
•	01.00		1414		- 03/	104	- 140	140	•	15
	н 2-4 913	α == 2 Γ φ∋1α	79-54	-	114 .			0.70		16
		•								
129.36	93.03	85-17	60.60	•	1.14	0.60	. 1·19	4-23		17
1 (0.00	PF-01	2 00:00	20-10		0.15	. 1.40	0.00	6.40	•	10
140-29	, 75·31	90.96	60 10		0.12	1.43	0 .66	8.20	•	18.
69.85	75 34	76.49	56 40		2.01	2.17	2.10	4.49		19
			ų – – – – – – – – – – – – – – – – – – –						*.	
··· ·	1.000 (1.000) 1.000 (1.000)	4. .646			•••		444			20
***		алар (1842) Алар (1842) Алар (1843)	•1• •			(1979) 	* •••	· · · · ·		21
		4.1.1.1	•			•	•		*	,
							,	•		

•

.

· Statement showing the mileage, average age, cost, and general results of working of all Indian Railways up to the year 1880.

.

.

~

			(Precer	TAGE ON COST OF	Capital	Gross		
Year. Miles open a end of year		es at Capital Outlay	Cost per mile open.	Gross earnings during year.	Working ex- penses during year.	Net profits of year.	Gross samings.	Working expenses.	Net profits.	earnings per mile per week.	Romarks.	
<u> </u>	<u>_]1</u>	I	Rs.	Rs.	Rs.	l Rs.	J	<u></u>		Rs.		• ,
•		•	EA	AST INDIAN	I RAILWAY	•		۰.				• ·
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	0.36	2,14,021 2,14,021 2,14,361 2,14,361 2,14,732 2,14,950 2,15,668 2,16,440 2,18,993 2,19,643	93,280 6,36,210 10,48,369 14,59,306 18,23,919 32,88,702 36,65,092 53,86,874 1,39,31,130 1,82,50,754 2,19,89,012 2,35,33,695 2,43,83,184 2,81,41,532 2,99,06,157 2,65,15,841 2,88,53,069 2,99,35,196 3,71,69,144 2,93,67,977 3,54,43,718 4,43;06,210 3,97,36,891 4,32,87,420 4,29,14,430	58,005 3,30,548 4,25,896 5,56,354 8,48,021 14,72,197 17,72,274 25,02,719 34,36,702 59,65,820 70,75,628 81,79,114 97,28,447 1,15,09,210 1,09,43,821 1,25,00,880 1,30,63,749 1,14,96,674 1,19,56,058 1,16,00,980 1,32,67,702 1,16,00,138 1,24,34,645 1,40,40,134 1,41,57,895 1,42,03,061 1,41,53,658	35,275 3,05,662 6,22,473 9,02,952 9,75,898 18,16,505 18,92,818 28,80,341 29,50,172 48,79,231 68,55,502 -,1,00,71,640 1,22,60,565 1,34,39,363 1,56,40,652 1,68,42,408 1,50,19,167 1,68,97,011 1,83,34,216 2,39,01,442 1,77,07,839 2,30,09,073 3,02,66,076 2,55,78,396 2,90,84,359 2,87,60,772	···· ··· ··· ··· ··· ··· ··· ··· ··· ·	··· ··· ··· ··· ··· ··· ··· ··· ··· ··	5.70. 7.41 5.49 7.12 9.34 7.86 8.83 8.71	$ \begin{array}{r} 181 \\ 108 \\ 167 \\ 232 \\ 279 \\ 253 \\ 231 \\ 240 \\ 192 \\ 222 \\ 253 \\ 374 \\ 376 \\ 376 \\ 346 \\ 399 \\ 424 \\ 338 \\ 368 \\ 382 \\ 474 \\ 374 \\ 452 \\ 566 \\ 507 \\ 552 \\ 549 \\ 552 \\ 549 \\ $		

[N.B.-The figures in this statement have been taken from the half-yearly Revenue Accounts. The figures relating to the Steam Boat Service have been omitted.]

					• • •	EASTER	N BENGAL	RAILWAY.	•			•		
1862 1863 1864 1865 1866 1867 1868 1869 1870 1871 1872 1873 1874 1875 1876 1877 1878 1879 1880	Kak 1774 Kak 1774 1775 1774	* 107·25 107·25 111·25 111·25 111·25 111·25 111·25 111·25 111·25 111·25 111·25 111·25 111·25 111·25 156·25 156·25 158·00 158	$\begin{array}{r} 19 \cdot 76 \\ 107 \cdot 25 \\ 110 \cdot 75 \\ 111 \cdot 25 \\ 156 \cdot 25 \\ 156 \cdot 25 \\ 156 \cdot 25 \\ 156 \cdot 25 \\ 156 \cdot 25 \\ 158 \cdot 00 \\ 158 \cdot$	018 118 213 319 413 513 613 713 813 679 779 870 970 1070 1070 1170 1270 1370 1470 1570	3,05,37,109 3,16,15,099 3,16,15,099 3,18,80,302 3,20,75,662 3,21,03,753 3,25,89,022 3,30,17,629 3,31,68,524	 	96,656 8,32,921 10,15,049 13,51,424 14,15,941 16,19,833 17,87,154 18,14,151 19,42,823 21,98,314 28,02,173 30,84,504 85,64,841 29,34,327 33,01,377 33,01,377 33,01,377 43,56,002 42,16,988 40,65,812 44,51,318	53,731 4,03,380 5,44,741 6,61,987 7,22,863 7,88,971 8,28,037 9,12,291 10,82,049 12,31,267 18,65,279 15,13,798 18,60,141 18,23,909 14,41,286 17,17,556 17,48,489 17,80,403 19,07,547	$\begin{array}{r} 42,925\\ 4,29,541\\ 4,70,308\\ 6,89,437\\ 6,93,078\\ 8,30,862\\ 0,59,117\\ 9,01,860\\ 8,60,774\\ 9,36,894\\ 15,70,706\\ 17,04,700\\ 11,10,418\\ 18,60,091\\ 26,38,446\\ 24,68,499\\ 22,85,409\\ 25,43,771\end{array}$	···· ··· ··· ··· ··· ··· ··· ··· ··· ·	4.96 5.88 5.72 4.49 5.35 5.36 5.39 5.75	5-14 5-39 3-48 5-80 8-21 7-58 6-92 7-67	94 149 176 233 243 279 808 313 335 270 344 377 433 856 401 629 512 494 540	* Excluding the length from Kooshtea en- gine-shed to old Kooshtea (³ / ₄ mile).
	• •	ł	• • •		01		D ROHILKI	IAND RATE	WAY.	**************************************	•		• •	ж.
1867 1868 1869 1870 1871 1872 1878 1874 1875 1876 1876 1877 1878 1879 1880	•	42.00 42.00 42.00 42.00 293.50 456.50 543.75 543.75 543.75 543.75 546.75 546.75 546.75	29°11 42°00 42°00 42°00 144°17 387°51 533°00 542°01 543°75 543°75 543°75 544°25 546°75 546°75	0.69 1.69 2.69 3.69 4.69 1.16 1.69 2.33 3.31 4.31 5.31 6.28 7.28 8.28	3,02,03,680 4,64,67,380 5,07,05,050 5,29,66,230 5,42,39,610 5,50,82,280 5,59,73,380 5,77,96,380	 	1,12,166 2,62,647 2,12,925 2,45,793 2,56,144 4,22,760 11,23,900 20,04,020 27,51,244 34,11,422 43,41,805 46,22,037 43,44,843 44,55,150	1,19,986 1,69,521 1,74,041 5,60,232 1,77,541 2,89,922 8,19,458 12,90,826 16,42,745 21,81,020 22,74,205 25,74,205 25,50,740	7,820 93,126 38,884 3,14,439 78,603 1,32,838 3,04,442 7,13,194 11,08,499 12,30,402 20,67,600 21,15,469 18,19,936 19,04,410	 3.72 4.31 5.42 6.44 8.00 8.39 7.76 7.71	 2.71 2.78 3.24 4.12 4.19 4.55 4.51 4.41	 1.01 1.53 2.18 2.32 3.81 3.84 3.25 3.30	74 120 97 112 117 56 56 72 97 120 153 163 163 153 163	•

					*					PERCER	TAGE ON . COST OF	CAPITAL		
~	Year.	Miles open at end of year.		Mean age of lines at end of year.	Capital outlay at close of year.	Cost per mile open.	Gross earnings during year.	Working ex- penses during year.	Net profits of year.	Gross earnings.	Working expenses.	Net profits.	Gross earnings per mile per week.	Remarks.
	••- 1				Rs.	Rs.	Rs.	Rs.	Rs.	· · ·	· · · ·	/ <u>;;;</u>	Re.	
	· .	1	· ·		SIN	D, PUNJ	AB AND DE	LHI RAILV	VAY.	1	1 .	1	Í I	
361 362 363 364 365 366 366 366 370 372 373 374 375 376 377 377 377 377 377 377 377 377 377	· · · · · · · · · · · · · · · · · · ·	$\begin{array}{c} 141.76\\ 141.75\\ 141.75\\ 349.75\\ 349.75\\ 403.25\\ 403.25\\ 621.25\\ 663.50\\$	$\begin{array}{c} 70.06\\ 133.07\\ 141.75\\ 141.75\\ 285.36\\ 349.75\\ 373.53\\ 403.25\\ 543.35\\ 644.74\\ 663.50\\ $	$\begin{array}{c} 0.64\\ 1.43\\ 2.43\\ 3.43\\ 2.21\\ 3.21\\ 3.71\\ 4.71\\ 3.93\\ 4.65\\ 5.65\\ 6.65\\ 7.65\\ 8.65\\ 9.65\\ 10.65\\ 11.65\\ 12.65\\ 13.65\\ 14.65\\ 14.65\\ \end{array}$	9,04,02,458 8,44,36,811 10,36,23,458 10,41,58,735 10,46,37,469 10,61,58,240 10,89,27,371 11,04,52,484	 1,36,251 1,27,260 1,56,177 1,56,984 1,57,705 1,59,997 1,64,171 1,66,470	$\begin{array}{r} 2,11,207\\7,76,082\\12,56,851\\12,51,843\\14,93,936\\21,21,223\\23,53,895\\23,59,764\\33,04,109\\46,78,353\\42,25,118\\46,41,549\\53,16,035\\66,02,995\\55,84,762\\64,37,104\\83,37,081\\80,81,779\\1,09,65,815\\1,21,67,588\end{array}$	$\begin{array}{c} 2,05,460\\ 6,07,683\\ 10,43,747\\ 10,92,345\\ 12,27,676\\ 16,79,002\\ 21,07,930\\ 22,58,168\\ 26,66,257\\ 35,63,101\\ 41,86,072\\ 39,80,906\\ 36,50,505\\ 36,54,750\\ 35,78,912\\ 43,15,083\\ 45,91,305\\ 48,90,305\\ 60,94,732\\ 63,84,358\end{array}$	$\begin{array}{c} 5,747\\ 1,68,399\\ 2,13,104\\ 1,59,498\\ 2,66,260\\ 4,42,221\\ 2,45,965\\ 1,01,596\\ 6,37,852\\ 11,05,252\\ 39,046\\ 6,60,643\\ 16,65,530\\ 29,48,245\\ 20,05,850\\ 21,22,021\\ 37,45,776\\ 31,91,474\\ 48,71,083\\ 57,83,230\\ \end{array}$	 	 	1.84 5.49 1.94 2.04 3.58 3.00 4.47 5.24	$\begin{array}{c} 58\\112\\171\\170\\101\\116\\121\\112\\117\\140\\122\\134\\154\\191\\161\\186\\241\\234\\317\\352\end{array}$	· · ·
				· •		M	ADRAS RAI	LWAY.	- - -		• •			
856 857 859 860 861 862	, 	65.00 80.50 95.50 95.50 136.50 296.50 446.75	32:77 75:15 89:83 95:50 129:51 241:89 892:79	0.50 1.34 2.07 3.07 3.10 2.24 2.37	0000000 191 0000 200 0000 200 0000 200 0000 200 0000 200 0000 200 0000	••• ••• ••• •••	$\begin{array}{r} 1,27,863\\ 3,58,102\\ 4,33,762\\ 6,06,769\\ 7,91,500\\ 11,45,172\\ 17,16,671\end{array}$	66,058 1,68,762 2,40,889 3,66,155 5,81,760 8,13,998 12,70,751	61,805 1,89,340 1,92,873 2,40,614 2,09,740 3,31,174 4,45,920	••••• •••• •••• ••• •••	· · · · · · · · · · · · · · · · ·	•••• •••• ••• ••• •••	75 91 93 122 117 91 84	•

· · ·

• • • •

Statement showing the mileage, average age, cost, &c., of all Indian Railways-continued.

.

.

and the second second

N 4

[Statistics.

.

.

274

		•					1		• .			. •		•
1863	(446.75	446 75)	3.37		(25,53,504	17,50,964	8,02,540 (·)		110	
1864		569.20	491.81	8.51			34,09,057	16,91,491	17,17,566				133	
1865		609.00	582 70	4.24		***	44,18,249	20,18,527	23,99,722			1999 1997	145	
1866	1	643-25	623 36	4.96			47,80,942	21,81,509	25,99,433				147	,
1867	***	643-25	643 25	5-96	10 + 1 + 1 + 1 + 1 + 1 + 1 + 1 + 1 + 1 +		51,38,099	22,23,125	29,14,974			₩ ## .	153	
	1.9 N 1				4.63.645	16 M M				1. A. A.	1.9.X .	****		
1868		675-75	654 11	6.64			61,76,100	25,62,820	36,13,280	1. No. 1	***	• •,•	181	
1869		705.50	688-22	7.32			61,37,801	30,17,661	31,20,140	***		1.20	171	
1870		781-50	709-66	7.52	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1		53,80,501	28,33,023	25,47,478			**.*	146	
1871		830.00	823.62	8.07	*****	4.5.5	59,90,455	30,71,093	29,19,362	[139	
1872		830.00	830.00	9.07			62,05,653	32,38,962	29,66,691			PP K	143	
1873		858.00	842.49	9.76	10,52,09,935	1,22,622	68,83,350	39,19,378	29,63,972	6.54	3 72	2.82	157	÷
1874		858.00	858.00	10.76	10,59,29,106	1,23,046	59,06,500	38,19,533	20,86,967	5.57	3.60	1.97	132	•
1875 .	101	858.00	858.00	11.76	10,63,19,302	1,23,915	64,29,752	45,18,602	19,11,150	6.05	4 25	1.80	144	
1876		858.00	858.00	12.76	10,66,82,346	1,24,338	71,13,773	45,79,778	25,33,995	6.67	4.29	2.38	159	
1877	P#1	858.00	858.00	13.76	10,87,19,585	1,26,713	1,00,35,295	59,47,403	40,87,892	9.23	5.47	8.76	225	

1878		858.00	858.00	· 14·76	10,99,59,654	1,28,158	66,30,174	50,42,194	15,87,980	6-03	4 59	1.44	148	
1879		858.00	858.00	15.76	11,05,95,550	1,28,899	66,26,486	45,51,316	20,75,170	5.86	4 11	1-88	148	
1880		858.00	858.00	16-76	11,08,55,385	1,29,202	61,62,545	42,05,409	19,57,136	5-56	3 79	1.77	138	
	· · ·									1			A B	
	•	•	,		•									
												- -		
					and the second second second second second second second second second second second second second second second		*					•	•	

٠

SOUTH INDIAN RAILWAY.

1861	***	1 48 ·25 1	9·53 [0.20			37,871	17,969 \	• 19,902	••• I.			77
1862		01.80	75.42	1.04	544194		2,38,607	1,06,033	1,33,574	i	·		61
1863		81.75	81-75	2.04	******	***	3,13,899	1,40,001	1,73,898	***	***	4.8.8	74
1864	804	1 D1.77	81-75	3.04	*****	444	2,95,279		1,25,350	••• ,	***	***	69
1865	***	99.25				/14	2,90,278	1,69,929	1,20,000	***	***	• • • • •	79
1866	## #		93.16	8.45	*****	wa.a. 🚦	3,84,396	1,90,381	1,94,015	· · · · ·		***	100
1000		143.75	102.79	8.10		4.64	5,71,677	2,81,709	2,89,968	· · · · ·		444	106
1867			152-19	8.72	1 1 4 July	K KA	6,85,132	8,40,264	3,44,868		••••]		86
1868			182.00	4-24		••• I	8,46,331	4,11,646	4,34,685			4**	90
1869			184 00	5.24			8,13,028	5,23,940	2,89,088	3,84	•••	444	84
1870			184 00	6-24		*** /	8,09,549	5,05,148	3,04,401	A.4.7	***	***	84
1871	***		184 00	7-24			8,13,882	4,52,563	3,61,319			***	84
1872	***		184-00	8.24		ł	8,42,022	4,78,872	8,63,150	1			87
1873		184.00	184-00	9-24	1,53,11,600	82,426	11,53,212	5,76,462	5,76,750	- 7.53	8.76	3.77	120
1874	***	184.00	184.00	10.24	1,53,21,663	82,182	9,69,746	5,89,679	3,80,067	6-33	3 85	2.48	101
1875	•••	280.00	216.09	7.36	2,06,06,170	73,593	10,78,481	5,19,400	5,59,081	5.23	2.52	2.71	96
1876		460.00	423.15	6-25	3,13,68,386	68,468	19,90,800	10,60,522	9,30,278	6-35	3 35	8.00	90
1877		800.00	577 98	5-12	8,71,85,036	62,182	32,33,246	16,45,026	15,88,220	8.69	4.42	4.27	107
1877 1878	***	1 010-76 Í	605-70	6'00	3,87,44,014	63,437	82,33,139	21,55,032	10,78,107	8.34	5.56	2.78	102
1879		6 691.20	613-73	6.77	4,09,01,593	64,769	33,62,067	22,98,815	10,63,252	8-22	5.62	2.60	105
1880		1 648-58	637-26	7-61	4,16,72,963	64,584	85,59,594	26,29,576	9,30,018	8.54	6.31	2.23	106
					10 <i>112,0</i> 00	03,009	00,00,004	010,820	<i><i><i>q</i>,<i>0</i>,<i>0</i>,0,0</i></i>	0.04	7 01	÷ 40	-00
		<u> </u>			[ļ	ا	<u> </u>			ا
			۰.	· ,		,			*	•			
		•				·							

•

275

Statistics.]

ADMINISTRATION REPORT FOR 1880-81.

			, <u></u>						'n		Percen	TAGE ON COST OF	CAPITAL		
^ - •	Year.	,	Miles open at end of year.	Mean mileage open during year.	Mean age of lines at end of year.	Capital outlay at close of year.	Cost per mile open.	Gross earnings during year.	Working ex- penses during year.	Net profits of year.		Working expenses.	Net profits.	Groes earnings per mile per week.	Remarks.
						Rs.	Rs.	Rs.	Rs.	Rs.		- -	· · · ·	Rs.	· · · · ·
						GRE	AT IND						. •		
1853 1854 1856 1856 1856 1856 1862 1863 1864 1863 1864 1865 1866 1867 1868 1869 1868 1869 1872 1873 1872 1873 1878 1878 1878 1878 1879 1879 1879 1879			20.50 33:25 49:50 87:25 193:50 244:25 297:00 437:75 495:00 555:00 587:50 703:75 *817:75 854:50 875:50 1,260:50 1,275:75 1,275:75 1,275:75 1,275:75 1,275:75 1,275:75 1,275:75 1,275:75 1,275:75 1,275:75 1,275:75 1,275:75	$\begin{array}{c ccccc} 14'49\\ 29'06\\ 37'35\\ 73'70\\ 87'25\\ 113'37\\ 203'23\\ 286'29\\ 370'16\\ 451'40\\ 532'37\\ 561'14\\ 603'72\\ 735'16\\ 843'21\\ 872'79\\ 875'50\\ 1,162'74\\ 1,270'74\\ 1,275'75\\ 1,$	$\begin{array}{c} 0.71\\ 1.31\\ 1.63\\ 1.77\\ 2.77\\ 1.83\\ 2.28\\ 2.84\\ 2.78\\ 3.37\\ 3.96\\ 4.70\\ 4.76\\ 5.12\\ 5.86\\ 6.72\\ 7.72\\ 6.28\\ 7.20\\ 8.20\\ 9.20\\ 10.20\\ 10.20\\ 10.20\\ 11.20\\ 12.20\\ 13.20\\ 14.20\\ 15.20\\ 16.20\\ 16.20\\ 16.20\\ 16.20\\ 10.98\\ \end{array}$	23,62,39,190 23,67,57,570 23,80,65,870 23,97,99,600 24,15,85,669 24,63,02,172 24,85,83,445 24,99,77,200 BOMBAY, BA	•.		41,144 84,045 1,23,971 1,82,862 3,28,272 4,74,278 9,35,971 13,06,892 20,45,332 21,68,018 32,58,899 50,17,777 77,14,871 79,53,801 90,32,796 99,79,215 1,05,53,746 1,12,85,474 1,27,62,671 1,20,32,009 1,20,81,127 1,19,32,583 1,01,75,853 1,16,77,891 1,58,28,683 1,38,73,563 1,50,57,714 1,38,47,702 AL INDIA 46,559 2,23,639	48,490 54,175 52,589 2,50,740 3,96,943 6,49,971 8,92,557 8,36,679 6,33,541 13,27,572 15,65,253 19,44,219 52,41,754 67,43,353 71,85,887 61,66,667 52,47,464 68,43,463 74,84,374 66,96,256 67,69,993 82,33,390 1,13,48,718 1,28,57,522 1,69,45,468 1,44,91,248 1,01,90,601 1,11,05,551 RAILWAY. 19,790 1,83,215	···· ···· ···· ··· ··· ··· ··· ··· ···	5'04 4'27 4'87 6'56 5'63 6'06	3·44 4·77 5·30 7·03 5·88 4·10	3 303 7 324 3 369 1 492 3 429 3 429 0 383	*

Statement showing the mileage, average age, cost, &c., of all Indian Railways-continued.

.

5

[Statistics.

	*			-					· · · · · · · · · · · · · · · · · · ·					
			·	1 N.			•		in the second second second second second second second second second second second second second second second	•				
1862 1863 1864	•••	167·25 185·00	144-93 184-03	1.65 2.40	**************************************		7,06,723 13,73,292	3,54,370 6,79,869	3,52,353 6,93,423	, 		*** *	94 138	· · ·
1865 1866	••• •••	305·75 305·75 305·75	196·25 305·75 305·75	2·05 3·05 4·06		an 1.	15,95,503 35,62,142 44,47,505	13,61,402 22,79,827 31,98,915	2,34,101 12,88,314 12,48,590	pinta Patalan Patalan		8.00 8.00 7.40	156 223 278	
1867 1868 1869	•••	305·75 306·75 807·50	305·75 305·75 307·15	5.06 6.04 7.02	8****** ###***	*** * ###	46,36,910 45,78,698 49,20,186	30,86,175 33,72,675 36,56,821	15,50,735 12,06,023 12,63,365		*** ***	инн - Кин *	291 287 307	
1870 1871 1872	•••	312·50 349·75 389·25	312·41 323·31	7-91 8-00	Bas Jan	*** 1 ***	53,79,250 54,74,096	32,56,664 32,67,071	21,22,586 22,07,025		4,935 1794 4444		327 300	47 1 1 D 4 2 D
1873 1874	8 8 8 8 8 8 8 7 8	1411.75 428.50	373.67 403.67 424.05	8·15 8·69 9·34	7,90,85,433 8,10,04,047	1,92,071 1,89,041	56,49,316 55,89,798 58,58,414	33,87,867 33,10,942 30,53,218	22,61,449 22,78,856 28,05,196	7·07 7·23	4·19 3·77	2·88 3·46	260 265	‡Includes Patri Branch.
1875 1876 1877	••••	430-25 439-25 444-00	430-23 430-89 443-63	10·30 11·07 11·94	8,13,99,633 8,14,56,207 8,22,35,127-	1,89,191 1,85,467 1,85,214	63,86,783 67,72,292 77,98,912	34,75,021 37,07,006 82,73,204	29,11,762 30,65,286 45,25,708	7-84 8-31 9-48	4·27 4·55 3·98	- 3·57 3·76 5·50	285 296 345	х 1
1878 1879 1880	***	444.00 444.00 444.00	444.00 444.00 444.00	12·94 13·94 14·94	8,22,31,760 8,30,57,040 8,28,42,480	1,85,207 1,87,065 1,86,582	69,04,950 71,52,573 82,44,375	82,09,550 33,56,576 35,08,452	36,95,400 37,95,997 47,35,923	8 [.] 40 8 [.] 61 9 [.] 95	3·91 4·04 4·23	4·49 4·57 5·72	298 309 355	<i>t</i>
		**** ***	WWW VU		0,20,32,300	1,00,0027	<i>04</i> , 13 ,07 0	00,00,202	-11001000		- 40		000	

CALCUTTA AND SOUTH-EASTERN RAILWAY.

¥

1

					· ·	•				• .		1			
1862]	15.00 (14.96)	1.00 1			27,780	35,668	7,888			t	1 36	1	w
1863		28.00	23.23	1.36	*****	***	47,328	62,032					38		
1864		28.00	28.00	2.36	*****	•••	77,332	1,05,971		***	***		53	•	
1865		28-00	28.00	3-36			1,08.952	1,24,552		R4 F			75	ļ.	
1866		28.00	28.00	4.36	*****	344	1,15,293	1,36,731	-21,438				79		
1867	•	28.00	28.00	5 ·36	*****	***	92,920	1,24.198	·	***	•••	·	64	• •	
• 1868	•••	28.00	28.00	6.36	*** #	4,4 4	87,878	1,52,131	64,253	***	***		60		
1869	***	28.00	28.00	7.36	*****			1,04,101	-36,793		**-		55		
1870	*** .	28.00	28.00		******	***	80,786	1,17,579		•••	•••				
1871	***			8.36	·	***	98,844	1,03,670		***	***		55	1	
1071	•••	28.00	28.00	9.36	******	•••	79,308	72,027	7,281	***			40		
1873	***	28:00	28.00	10-36			58,711	54,057	4,654	••••			40		•
1873	***	28.00	28.00	11.36	73,21,970	2,61,499	1,02,072	1,04,687	-2,615	1.39	1.43	0.04	70		
1874		2800	28:00	12.36	73,08,800	2,61,499	99,489	77,945	21,544	1.36	1.07	0.53	68		
1875		28.00	28.00	13.36	69,07,090	2,46,682	1,03,660	83,429	20,231	1.20	1.21	0.53	71		
1876		28.00	28.00	14-36	69,01,150	2,46,470	98,343	1,06,824	8,4-31	1.43	1.55	0.12	68		
○ 1877 [■]		28.00	28.00	15.36	69,01,160	2,46,470	1,18,487	96,847	21,640	1.72	1.40	0.31	79	,	
1878		28.00	28.00	16.36	69,01,160	2,46,470	1,25,694	94,372	31,322	1.82	1.37	0.45	83	r	
1879		28-00	28.00	17.36	66,39,840	2.37,137	1,34,087	89,088	44,999	2.02	1.34	0.68	92		
1880		28.00	28.00	18.36	66,39,843	2,37,137	1,42,098	1,01,344	40,754	2.14	1.23	0.61	98		
					00,00,010	104,104		LULDE	- E O HORE		A VU		i **		
:	1	· ·							1						
		•							1	ر بدرور ده استوراسه در ر	· · · · · · · · · · · · · · · · · · ·	1 	/ '		

Statistics.]

ADMINISTRATION REPORT FOR 1890-81.

3

. • .

				Mean age						PERCE	NTAGE ON COST OF	Capital		
•	Year.	Miles open at end of year.	Mean mileage open during year.	of lines at end of year.	Capital outlay at close of year.	Cost per mile open.	Gross earnings during year.	Working ex- penses during year.	Net profits of year.	Gross earnings.	Working expenses.	Net profits.	Gross earnings per mile per week.	, Remarks.
					Ra.	Rs.	Rs.	Rs.	Rs.	<u></u>			Rs.	
						NALHA	TI RAILWA	Y.					•	
864 865 866 868 869 870 871 872 873 874 875 876 877 878 889 889		27:25 27:25 27:25 27:25 27:25 27:25 27:25 27:25 27:25 27:25 27:25 27:25 27:25 27:25 27:25 27:25 27:25 27:25 27:25 27:25	$\begin{array}{c} 27\cdot 25\\$	1.03 2.03 3.03 4.03 5.03 6.03 7.03 8.03 9.03 10.03 11.03 12.03 13.03 14.03 15.03 16.03 17.03	3,00,000 2,73,170 2,71,690 2,71,690 2,71,690 2,71,690 2,87,610 3,17,030 3,25,210	 11,009 10,024 9,970 9,970 9,970 10,554 .11,684 .11,934	*52,086 57,507 52,102 63,118 81,365 84,595 86,271 77,875 56,447 84,453 85,122 80,098 75,199 89,454 90,261 91,779 69,925	*25,460 36,392 54,787 43,432 68,024 50,454 42,077 45,219 32,252 50,724 57,220 61,144 83,585 89,875 71,677 62,009 73,653	$\begin{array}{r} *26,626\\ 21,115\\2,685\\ 19,686\\ 13,341\\ 34,141\\ 44,194\\ 32,656\\ 24,195\\ 33,729\\ 27,902\\ 18,954\\8,386\\421\\ 18,584\\ 29,770\\3,728\\ \end{array}$	 28'15 31'16 29'48 27'68 32'92 31'38 28'95 21'50	 16·91 20·95 22·50 30·76 33·08 24·92 19·56 22·65	···· ··· ··· ··· ··· ··· ··· ··· ··· ·	36 41 36 45 57 60 60 55 53 60 61 57 54 64 65 49	 From 21st Decembrance 1863 to 31st December 1864.
	r		· · ·		N	ORTHER	N BENGAL	RAILWAY.				-		,
877 878 879 880	••• ••• •••	134·25 232·50 243·50 243·50	46·34 210·12 238·94 243·50	0-34 1-10 2-03 3-03	1,28,04,740 1,68,95,580 1,76,12,060 1,96,73,726	95,558 77,149 76,243 80,796	48,717 8,87,471 12,52,311 14,49,296	68,347 6,30,642 11,51,317 8,54,386		0 [.] 38 5 [.] 25 7 [.] 11 7 [.] 36	0.23 3.73 6.24 4.34	0·15 1·52 0·53 3 ·02	20 81 101 114	· · ·
						TIRE	IOOT RAIL	WAY.						•
875 876 877 878 879 880	··· ··· ···	43.00 43.00 78.00 78.00 85.00 85.00 85.00	7·19 43·00 70·69 78·17 78·00 85·00	0 ⁻¹⁶ 1 ⁻¹⁶ 1 ⁻⁵⁵ 2 ⁻⁵¹ 3 ⁻⁵⁵ 4 ⁻⁵⁵	16,64,126 23,33,401 44,48,248 48,87,801 49,99,086 51,51,330	38,723 54,265 57,029 62,664 58,813 62,821	14,830 1,79,414 2,83,922 4,41,308 4,58,733 4,52,924	15,960 1,23,196 1,93,620 3,32,500 3,50,914 2,62,199	1,130 56,218 90,302 1,08,808 1,07,819 1,90,725	0.89 7.69 6.38 9.03 9.18 8.79	0.96 5.28 4.35 6.80 7.02 5.09	0.07 2.41 2.03 2.23 2.16 3.70	39 71 77 108 113 102	

								44 J.			,		
•				a a second		PATNA A	ND GYA RA	ILWAY.	· · · · •	н н. "		, 19	
1879 1880	•••	57·00 57·00	36·49 57·00	0.64 1.64	28,45,078 32,20,951	49,914 56,508	2,30,510 4,81,556	1,28,723 2,70,300	1,01,787 2,11,256	8·10 14·95	4·52 3·5 8·39 6·5		
		· ,		· · ·		MUTTRA-	HATHRAS I	RAILWAY.		* . •			•
1875 1876 1877 1878 1879 1880	1441 4444 4774 4774 4774 4774 4774	29.00 29.00 29.00 29.00 29.00 29.00 29.00	5-88 29:00 29:00 29:00 29:00 29:00 29:00	0·20 1·20 2·20 3·20 4·20 5·20	9,55,863 9,21,560 9,91,590 9,93,600 10,34,729 10,88,160	32,961 31,778 34,193 34,262 35,680 37,523	33,151 83,406 98,900 98,308 1,25,930 1,35,226	19,287 48,159 53,689 52,431 69,222 77,556	13,864 35,247 45,211 45,877 56,708 57,670	3·47 9·05 9·98 9·89 12·17 12·43	2.02 1.4 5.23 3.8 5.42 4.5 5.27 4.6 6.69 5.4 7.13 5.3	12 55 6 66 92 65 18 83	
• .	•		•		CAW	NPORE-F.	ARUKHABA	D RAILWAY	*	•			•
1880		49 •25	2.29	0.02	27,08,089	54,987	2,202	5,134	2,932	0.08	0.19 -0.1	1 18	
1	:				-	****			•		:		
	, , ,						`	TR RAILWAY		1 -10-1	:		
1880		12.00	2.89	0.54	5,63,297	46,941	8,351	10,717	2,366	1.48	1.90 0.4	2 56	
		i		•		RAJPU	JTANA RAII	LWAY.	- , , , ,				
187 8 1874 1875 1876 • 1877 1878 1879 1850	•••• ••• ••• ••• ••• ••• •••	91.75 291-75 378-75 399-00 899-00 431-25 465-50 489-50	64.47 171.30 344.36 393.90 399.00 419.41 438.47 470.30	0.70 0.80 1.53 2.44 3.44 4.16 4.80 5.52	1,32,70,992 2,12,63,580 2,38,46,230 2,53,82,440 2,83,46,980 3,09,43,568 3,40,61,947	45,488 56,141 60,016 63,615 66,128 66,474 69,585	1.08,717 6,18,314 17,46,960 23,29,592 26,96,687 29,72,601 35,45,420 37,23,719	$1,05,011 \\ 4,96,548 \\ 11,18,692 \\ 15,23,623 \\ 18,33,367 \\ 18,42,130 \\ 23,66,253 \\ 24,90,414 \\ $	3,706 1,21,766 6,28,268 8,05,969 8,63,320 11,30,471 11,79,167 12,33,305	4.66 8.22 9.77 10.62 10.49 11.46 10.93	3.74 0.9 5.26 2.9 6.39 3.3 7.22 3.4 6.50 3.9 7.65 3.8 7.31 3.6	6 98 8 114 0 130 9 136 1 153	

ADMINISTRATION REPORT.FOR 1880-81.


279

•

Statistics.]

• • •

•



Statement showing the mileage, average age, cost, &c., of all Indian Railways-continued.

[Statistics.

1876 1877 1878 1879 1880	•••• ••• •••	18:50 46:50 46:50 46:50 46:50 46:50	18:50 23:70 46:50 46:50 46:50	2.91 1.66 2.66 3.66 4.66	12,66,152 45,99,370 47,73,695 47,99,450 56,15,804	68,440 98,911 1,02,660 1,03,214 1,20,769	21,836 79,087 1,30,399 1,65,158 1,55,900	25,536 55,555 1,22,372 1,34,833 2,38,376	3,700 23,532 8,027 30,325 82,476	1.72 1.72 2.73 3.44 2.78	$\begin{array}{c c} 2 \cdot 02 \\ 1 \cdot 21 \\ 2 \cdot 56 \\ 2 \cdot 81 \\ 4 \cdot 25 \\ 4 \cdot 25 \end{array} \begin{array}{c} -0 \cdot 30 \\ 0 \cdot 51 \\ 0 \cdot 63 \\ -1 \cdot 47 \\ -1 \cdot 47 \end{array}$	23 67 54 69 65	
			· · · · · ·		NAGPU	JR AND C	HHATTISG	ARH RAIL	WAY.	•			, لد
1880	***	53-00	39.21	0.74	30,37,689	57,315	1,03,952	82,681	21,271	3.42	2.72 0.70	51	
, , , , , , , , , , , , , , , , , , ,		· .	۰ ۲		RANGQON	AND IRI	RAWADDY	VALLEY R	AILWAY.		•		• .
1877 1878 1879 1890	• • • • • • • • • • • • • • • • • • •	161·00 161·00 161·00 161·00	108.07 161.00 161.00 161.00	0.67 1.67 2.67 3.67	88,39,650,4 1,12,12,842 1,18,94,894 1,23,07,244	59,645 78,881	3,44,452 9,62,969 9,55,918 . 13,22,710	4,45,584 8,95,812 8,14,175 8,01,626	$\begin{array}{c} -1,01,132\\ 67,157\\ 1,41,743\\ 5,21,084 \end{array}$	3·90 8·59 8·04 10·74	$\begin{array}{c c} 5 \cdot 04 \\ 7 \cdot 99 \\ 6 \cdot 85 \\ 6 \cdot 51 \end{array} \begin{array}{c} -1 \cdot 14 \\ 0 \cdot 60 \\ 1 \cdot 19 \\ 4 \cdot 23 \\ \end{array}$	61 115 114 158	
	:	•				SIN	DIA RAILW	AY.				•	· .
1878 1879 1880-	444	34·00 66·50 66·50	33-16 44-68 66-50	0·95 1·15 2·15	42,42,416 73,20,207 81,51,903	1,24,777 1,10,078 1,22,585	93,911 90,916 2,01,824	1,25,186 1,22,688 1,77,714	$\begin{array}{c c} -31,275 \\ -31,772 \\ 24,110 \end{array}$	2·21 1·24 2·48	$\begin{array}{c c} 2.95 \\ 1.68 \\ 2.18 \\ \end{array} \begin{vmatrix} -0.44 \\ 0.30 \\ \end{array}$	54 39 58	
.,	r,		n de la composición d La composición de la c		· P	UNJAB N	ORTHERN	BAILWAY.	•				
• 1875 1876 1877 1878 1879 1880	···· *	62.00 103.25 103.25 103.25 103.25 103.25 224.75	44·84 90·88 103·25 103·25 103·25 103·25 180·13	0·72 1·31 2·31 3·31 4·31 2·78	1,70,25,460 1,73,40,018 2,44,93,832	87,209 1,73,926 1,64,895 1,67,942 2,37,228 1,79,921	1,42,788 4,75,946 6,96,761 9,09,571 18,50,081 33,68,284	90,543 3,67,778 6,04,879 9,03,761 14,71,192 28,04,113	52,245 1,08,168 91,882 5,810 3,78,889 5,64,171	2.64 2.65 4.09 5.24 7.55 8.33	$\begin{array}{c c c c c c c c c c c c c c c c c c c $	61 101 130 169 345 360	•
		•		٦.	INDUS V	ALLEY A	ND KANDA	HAR RAI	LWAYS.		· · ·		•
1878 1879 1880	*** *** #**	501-00 501-00 653-00	188-57 501-00 594-18	0·37 1·37 1·96	5,70,95,291	1,02,293 1,13,963 1,06,099	5,72,109 31,96,316 64,72,659	7,03,550 25,69,418 45,38,397		1 12 5 60 9 34	$\begin{array}{c c c c c c c c c c c c c c c c c c c $	56 121 209	•
· .					· · · · ·	<u>,</u>						*	

ADMINISTRATION REPORT FOR 1880-81.

٠

Statistics.]

•						-		*	PERCEN	TAGE ON (COST OF .	APITAL		.		
Tear.	Miles open at end of year.	Mean mileage open during year.	Mean age of lines at end of year.	Capital outlay at close of year.	Cost per mile open.	Gross earnings during year.	Working ex- penses during year.	Net profits of year.	Gross carnings.	Working expenses.	Net profits.	Gross earnings per mile per week.	Remarks.		ج ب ب
			•	Rs.	Rs.	Rs.	Rø.	· Rs.		<u></u>	-	Rs.		* *	Υ ΑD
^	^			V	VESTERN	I RAJPUTAI	NA RAILWA	Υ.						.* ` -'	MIN
79 80	82·63 82·63	10·50 82·63	0 ⁻¹³ 1 ⁻¹³	63,17,255	76,452	47,810 6,50,103	41,056 5,57,724	6,754 92,379	10-29	8.83	146	86 151		х -	ADMINISTRATION
r • • •				G	AEKWAI	COF BARO	DA'S RAILW	AY.	·	. ,			,		
73 74 75 76 77 78 79 80	20.00 20.00 20.00 20.00 20.00 20.00 40.25 57.75	14.68 20.00 20.00 20.00 20.00 20.00 30.65 49.07	0-73 1-73 2-73 3-73 4-73 5-73 3-61 3-37	*4,00,000 *4,00,000 *4,00,000 3,82,500 3,82,500 6,67,687 11,44,210	1 20.001	15,758 33,087 34,302 39,776 46,400 44,891 72,083 1,28,824	26,965	261 8,013 7,337 9,805 10,115 16,869 31,609 65,137	9-94 12-13 11-74 10-80	6·27 6·74 7·49 9·49 7·33 6·07 5·57	2·00 1·83 2·45 2·64 4·41 4·73 5·69	21 32 33 38 45 45 43 46 51	* Approximate.		REPORT FOR 18
	• .	• •		. •	KH	AMGAON R	AILWAY.	• · · ·							1880-81.
70 71 72 73 74 75 76 77 78 79 80	8:00 8:00 8:00 8:00 8:00 8:00 8:00 8:00	6*64 8*00 8*00 8*00 8*00 8*00 8*00 8*00 8*0	0.83 1.83 2.83 3.83 4.83 5.83 6.83 7.83 8.83 8.83 9.83 10.83	4,85,054 4,85,054 4,44,630 4,44,630 4,44,630 4,85,054 4,71,140 5,23,328 5,08,187	 60,632 55,579 55,579 60,632 58,892 65,416 63,523	10,713 23,306 12,910 18,147 28,517 40,318 32,274 50,990 52,991 38,086 27,363			3·74 5·88 9·07 7·26	3:32 3:09 6:22 5:26 6:49 4:57 7:33 4:55	 0.42 2.79 2.85 2.00 4.02 6.68 	31 56 31 127 174 132 154 191 146 98	Opened for tra 4th March 187	ffic on O.	81. [Statistics.

n	Opened for traffic on 6th February 1871.	70	, 101	·••		5,129	13,956	19,085	***	•••	0.87	5.24	6,00	
	oth February 10/1.	74 77	0.82	6.34	5.52	2,757 	20,268 27,745	23,025 24,124	72,880	4,37,278	1·87 2·87	6·00 6·00	6·00 6·00	*** ***
	<i>¶</i> !	74 77 101 186	0·27 3·26	6·96 11·23 11·17	5·52 7·23 14·49		30,434 45,039	31,615 58,106	72,880	4,37,278 4,00,840 4,37,278	3·87 4·87	. 6'00 6'00	6'00 6'00	***
		212 257	4·65 12·05 11·77	6.26	15·82 18·31	20,303 52,709 50,144	48,863 27,383	69,166	72,880 72,880	4,37,278 4,37,278 4,25,848	5·87 6·87	6.00 6.00	6.00 6.00	857 858
į		286 224	3.47	9·15 11·54 10·87	20.92 15.01 11.71	50,144 16,176 3,639	48,863 27,383 38,980 53,728 47,226	89,124 69,904 50,865	72,880 70,975 77,617 72,377	4,25,848 4,65,695 4,34,261	7·87 8·87 9·87	6.00 9.00 9.00	6.00 6.00 6.00	
		163	0.84	10.91		0,000	47,220	00,000	به <i>ا</i> درک <i>ا</i>	₽	001			*##* • • • •
	· .			•			WAY.	IZAM'S RAI	Ň			• •	· ,	,
		ì	. 1	1	1	1		-1- 1			•	1	. 1	1
		79	0.06 0.62	1·10 5·44	1.16	5,748	1,09,482 5,63,904	1,15,230 4,96,519 5,81,738	82,084 85,750	99,32,1 20	0.23 1.23	27 [.] 85 121.00	121.00 121.00	
	¥ ,,	79 92 132	0.79	4*69 5*60	1·16 4·79 5·48 7·22	5,748 67,385 83,064 1,86,687 1,11,846 89,925 2,24,309	4.98.674	5,81,738 8,30,768	87,793 95,094	99,32,120 1,03,75,760 1,06,23,010 1,15,06,385 1,14,59,384 1,16,10,466 1,90,62,929	2·23 3·23	121.00 121.00	121.00	
, , , , , , , , ,		126 110	0.98 0.77	5·93 5·21	6·91 5·98	1,11,846 89,925	6,44,081 6,79,907 6,04,476	8,30,768 7,91,753 6,94,401	94,706 95,954	1,14,59,384 1,16,10,466	4·23 5·23	121·00 121·00	121.00 121.00	
		112	1.86	8.97	5.83	2,24,309	4,78,407	7,02,716	99,688	1,20,62,228	ʻ 6·23	121.00	121.00) · · · · · ·
	·.			•				•		•				
			•						• •					
· 6	•				•									
	•					-			•	•	19 A. A. A. A. A. A. A. A. A. A. A. A. A.			
•	•							·						
	с										•			
• ,				•	·	•					₩ ₩ 1			
	т. ч.	4			•									

ADMINISTRATION REPORT FOR 1880-81.

[Statistics.

Abstract of statement showing the mileage, average age, cost, and general results of working of all Indian Railways up to the year 1880.

		year.	open during	at end of	se of year.		g year.	uring year.		Peri Ca	CENTAG PITAL (OF	TROS	le per week.	
Numher.	BAILWAYS.	Miles open at end of year.	Mean milenge op year-	Mean age of lines year.	Capital outlay at close	Cost per mile open.	Gross earnings during yeat.	Working expenses during year.	Net profite of year.	Gross earnings.	Working expenses.	Net profits.	Gross earnings per mile per	Remarks.
. 1	BROAD GAUGE.				B s.	Rs.	R 8.	Bs.	Rs.				Bs.	
	5 FRET 6 INCHES.			•	-		- - -	-						·
- 1	East Indian	1,504-25	1,504.25	17-73	85,03,99,294	2,19,643	4,29,14,430	1,41,53,858	2,87,60,772	12.99	4;28	8'71	549	c r
3	Eastérn Bengal	158.00	158.00	16-70	9,31,68,524	2,08,935	44,51,918	19,07,547	26,43,771	19·42	. 5 -75	. ⊄ 7∙67	540	
3	Oudh and Rohilkhand	548 •75	546 .75	8*28	5,77,98,380	1,05,709	44,55,15 0	25,50,740	19,04,410	7.71	4*41	3 ·30	1 167	
4	Sind, Punjab and Delhi	663·5 0	663-50	14-85	11,04,62,484	1,66,470	1,21, 8 7,588	63,84,358	57,83,290	11.03	5 78	5 [.] 24	352	
5	Mədras	85 8-00			11,08,55,385	1,29,202	61,62,545	42,05,40 9	19,57,136	5. 26	8.79	1.77	139	
6 7	Great Indian Peninsuls				24,09,77,200	۰.				· .				
, 8	Bombay, Baroda and Central India. Calcutta and South-					1,86,582 2,37,137				9 [.] 95 2 [.] 14	•	,		
9	Patna-Gya	57-0					4,81,556	3,70,300					99 162	
10	Dildarnagar-Ghazipur	12.0	2.8	0"84	5,63,297	48,941	8,351	10,717		·		0-42		- - -
. 11	Dhond and Manmad	145-7	5 145.71	2 274	1,04,58,485	71,758	6,05,09*	6,06,875	68,219	6-65	5-80	0'85	9 1	
38	Wardha Coal	46 [°] 6		4.86	56,15,8 04	1,20,789	1,55,9 X	2,59,370		2.78	4 -25	1:47	65	
18	Sindia 🐨 🖕	66-5	÷.* • 66•50	2-15	81,51,903	1,22,585	2,01,824	1,77,714	84,110	2-48	2.18	0·80	58	•
14						1,79,921		28,04,113	5,64,171	8'33	6-93	1*40	360	• ·
18 10	1. h.									ς.		2'79	209	۔ ک
17					5,08,167 6, 84,281			. .						
18	Nizam's	131-00	-			_	-	•			10-87 8-97	۰.		
							• • • • • • • • • • • • • • • • • • •							· ·
	Total and average	0,818 [.] 71	6,706-10	15-00	1,18,28,65,611	1,66,140	11,56,55,869	,6,68,54,441	5 ,9 5,00,928	10-21	4.93	5 '28	325	
	(<u> </u>					· · ·	· •	<u> </u>					-

[N.B.-Steam Boat earnings and expenses have been excluded from these figures.]

• Including Patri Branch.

~

284

Statistics.]

ADMINISTRATION REPORT FOR 1880-81.

Abstract of statement showing the mileage, average age, cost, and general results of working of all Indian Railways up to the year 1880—continued.

	•	year.	a during	at end of	e of year.		r year.	fing year.	•		DATRE D LATH CO		a pur week.	··· 2
Number.	RAILWAYS.	Miles open at end of ;	Mean mileage open year.	Mean age of lines i year.	Capital outlay at close	Cost per mile open.	Gross earnings during year.	Working expenses during year.	Ket profits of year.	Gross samings.	Working expenses.	Net profite.	Gross semings per mile	Ramarka,
•	NABROW GAUGE.				Be.	Rs.	Ba,	Ba.	Ra.				Re.	
*	Изтел.													
1	South Indian	645 25	637-2 8	7:61	4,16,72,963	64,584	35,59,594	26,39, 576	9,30,018	8-54	0.81	9 -93	106	-t
. 1	Nalhati	27*25	27-25	17-03	8,25,210	11,934	69,035	73,653	3,729	31. 60	22:65	-1-18		4 feet gauge,
8	Northern Bengal 7 Tirhoot	243°50 85°00	243-50 65-00	8*03 4*55	1,96,73,728 51,61,830		14,49,396	8,64,580 9,63,199					114 102	
\$	Muttra-Hathras	- 55 00 - 29 00	28.00	5-20	10,88,180		4,52,924 1,95,228	77,550	57,6 70			5·30		
	Cawnpore and Farakh- abad,	49 '25	S*29	0-05	97, 08,089	54,937	2 ,202	5,134		G-06	0.18	-0.11	18	
-7	Nagpur and Chhattis- garh.	- 53 -00	89 -21	- 0.74	30,37,6 89)	67,315	1,03,962	82,681	21,97 1	14	8'73	07 0	51	
.8	Rangoon and Irrawaddy Valley.	161-00	161 00	3-07	1,23,07,344	76,443	13,29,710	8 ,01, 02 6	5,21,084	10-74	6.91	6-23	158	
9	Bajputana	489-50			8,40,61,947	69, 585	-		12,33,305				152	-
,10 ,11	Holkar and Sindia- Neemuch. Western Bajputana	254·50 82·63	•	§·22 1-13	2,53,37,866 03,17,255		-	_10,47,268 5,57,724	8,63,991 • • • • •	5*68 10*39	-	1.40 1.40	118 - - 151	
12	His Highness the Gackwar's.	67-75	· 40°07	8-37	11,44,910				65,137	11-26	5 *57	5-69	5 1	I feet 6 inch gauge.
•	Total and average	2,177-63	2,054 22	5-3 0	15,29,25,681	70,180	1,20,90,734	9 9,45,904	40,53,880	8.20	5.85	3 -65	123	•
· . ·	Total and average Guaranteed.	6,095-50	8,087°51	14 76	1,01,71,68,710	1,66,971	10,69,08,253	4,01,87,442	5,77 ,20,6 11	10-51	4:84	6 ∙07	807	
÷	Total and average State	2,900-88	2,672 90	8.72	*28,56,47,582	92,668	3,17,48,85 0	1,56,12,908	61,33,947	 8-10	5 -81	3:29	150	
<u>.</u>	GRAND TOTAL AND	8,004-30	8,780-41	11-20	1,28,68,91292	1.42.912	12,96.55.105	j 6,45,00,345	6,38,54,758	10-01	5 °04	4197	261	
	AVERIGE.		01100.21	3	1,20,00,41260					,		72		· · · · · · · · · · · · · · · · · · ·

 $\mathbf{72}$

					· ·	Ret	urn o	f Lo	: co m0	tive	Stoc	k on	all]	India	in R	ailw	ays or	: 31:	t De	cembe	er 18	80.	3 •		38° . 8		λη.	¢			, ,		
Етотта.	Bust Indian.	Estem Bongal.	Oudh & Rohfikhand.	Sind, Punjab and Delbi,	Madrue.	South Indian.	Great Indian Penin- sula.	Bombay, Baroda and Contral India.	Calentia and South- Eastern.	Nalheti.	Northern Bengal.	Tirhoot.	Patus-Gya.	Mattre-Rathras.	Cawnpore-Farnkh- abad.	Dildarnegar-Gharlpur.	Dhond and Manmad.	Wardha Coal.	Nagpur and Chhat- tiagarh.	Rangcon and Irrst waddy Valley.	Sindia, Northern Sec- tion.	Sindia, Southern Sec- tion.	Bajputana.	Western Rajputana.	Holkar and Bindig- Neemuch.	Punjab Northern.	Indus Valley and Kandahar.	Khamgaon.	Amraoti.	Nizam's.	Geekwar of Baroda's.	Bamarks.	•
Tank, Mail Tank Tank, Goods Goods Mixed Engines Passengors, 5 wheels coupled Tank, # wheels coupled Tank, # wheels coupled Tank, # wheels coupled Tank, # wheels coupled Narora Nelison & Co.'s, Chass E A Class Engine B E F F Avonside Engine Works, Bristol Bogle, B and C Classes Narana Engine Däbs & Co.'s, Classes A, B and F Nasmyth & Co.'s, Classes B and C Yorkshire Engine Co.'s, Class F Kitson and Stevenson Shary, Stewart & Co. Passenger	463 463 		···· 8 90 25 8 ··· ··· ··· ··· ··· ··· ··· ··· ···		18 187 187 	···· 78 (b)2 ···· ··· ··· ··· ··· ··· ··· ··· ···	···· 2777 ···· ··· ··· ··· ··· ··· ··· ·	*** 8 (a) 33 *** *** *** *** *** *** ***	1 5 	···· 6	7	1 9 	···· ··· ··· ··· ··· ··· ··· ··· ··· ·	···· ····· ···· ····· ····· ······	···· ···· ···· ··· ··· ··· ··· ··· ···	Worked by the East Indian Bailway.	Worked by the Great Indian Penineula Railway.				Worked by the East Indian Raiway.		18 86 	5 30 	··· ··· ··· ··· ··· ··· ··· ··· ··· ··	9 65 	6 70 	•••• •••	Worked by the Great Indian Peninsula Railway.	 (c)10 	···· ··· ··· ··· ··· ··· ··· ··· ··· ·		

~

ľ

•

(a) Included with passenger engines (see d) .. (b) Converted from 3' 6" gauge. (c) 9 of these are Dubs' H class, and 1 of Slaughter and Grunning & Cor (d) Include tank, goods.

ADMINISTRATION REPORT FOR 1880-81.

								<u>n</u> et	turn (97 C	oacni	ng D	LOCK (on ai	6 I.T.	43UN *		wuys	\$.	100			1- 		· .	۰ ۰ ۰۰	· · · · · · · · · · · · · · · · · · ·	- ·		****	****			
COAURTRO V	n HIOLNA,	8	Esst Indian.	Estern Bengal.	Oudh & Bohilkhand.	Sind, Punjab and Delhi.	Mađras,	South Indian.	Great Indian Penin; sula.	Bombay, Baroda and Central India.	Calcutta and South- Eastern.	Nalhati,	Northern Bengal,	Tirhoot.	Patna-Gya.	Muttra-Hathros.	Cawnpore-Farakh- abad.	Dildarnagar-Ghazi-	Dhond and Manued.	Wardha Coal.	Nagpur and Chhat- tisgarh.	Bangoon and Irra- waddy Valley.	Sindla, Northern Beo- tion.	Sindia, Southern See- tion.	Bajputana.	Western Rojputana.	Holkar and Sindia-	Punjab Northern.	Indus Valley and Kandahar.	Khangaon.	Amraotie	Nizam'n.	Gaekwar of Baroda's.	Remarks.
Royal Saloon Saloon Carriages , Tender Family Carriages First Orass as Composite : Second Class : Intermediate Class Carriages Fourth Class Carriages Fourth Class Burnless Steeping Carriages Steeping Carriages Double-tiared Beaswed , Attendants Officers' or Inspectic Dynamometer Carris Post Office Vans Prison : Engage ; Sheep and Pooltry W Compound Srd Class Through Luggage V Road Vans Cocking ; Produce Wagons Horse Boxes Carriage Trucks	Class Comj Carriages ** ** ** ** ** ** **	444 455 455 455 455 455 455 455 455 455	9 21 81 17 963 435 435 435 435 435 435 435 435 435 43	 	(J)200 (J	288 282 283 284 284 284 284 284 284 284 284 284 284	(m))) 137 137	(a) 255 (c) 17 (d) 300 (h) 300 (h) 300 (i) 40 (i) 4	151 288 160 91 5 361 29 	18	1 		21 9 6 10 53 53 53 58 58 58 58 58 58 58 58 58 58 58 58 58	1 				Worked by the East Indian Railway.	1 2 3 12 7 13 7 13 7 14 7 12 7 13 7 14 7 15 7 15 7 15 7 15 7 15 7 15 7 15		···· ···· ···· ···· ···· ···· ···· ···· ···· ····	*** *** *** *** *** *** *** ***	Worked by the East Indian Railway.		8 4 39 10 45 12 912 11 12 912 12 912 12 912 12 912 12 912 12 912 12 912 12 912 12 912 12 912 12 912 12 912 12 912 13 912 13 912 13 912 13 912 13 912 13 912 13 912 13 912 13 912 13 912 13 912 13 912 13 12 13 13 13 13 13 13 13 13 13 13 13 13 13 12 13 	······································	1 1 1 1 1 2 82 1 2 82 1 2 82 1 2 82 1 2 82 1 2 82 1 2 82 1 2 82 1 2 82 1 2 82 1 2 82 1 2 82 1 2 82 1 1 2 82 1 1 2 82 1 1 2 82 1 1 2 82 1 1 1 2 82 1 1 1 2 82 1 1 1 2 82 1 1 1 1	39 1 10 8 11 78 78 4 12 12 12	163 (e)17 (f)125 163 	Worked by the Great Indian Peninsul	Worked by the Great Indian Peninanis Railway.			
•	TOTAL	t at	983	199	332	550	586	459	1,314	310	58	11	158	60	31	82	11		27	9	19	184		16	506	97	193	141	263			65	27	
(a) 3 convr (d) Luciuda (c) 6 convr (d) 6 convr	e valoon on erted from 3	rriages / 6" ga	L Ugge.	.	45	(y)	• this		uningen carringe					mođáti	on for	(#) (4)	Includ One-th	in y 4th	overed (a class o 16 lowes agest.	arriagu r classi	18 10 - 14	. · ·	Ν.	•	`	laor.	(r) h	d ciass	in valid	i van	۶.			Commodation

m 2

(c) Half of 6 carriages allotted to Postal Service. (2) 30 converted from 2 6" gauge.

.

30

(m) Invalid carriages. Öffice Tába. (*) Including 6 combined and class Post

۲

(0) 3 converted from 2 0" gauge.

1.21.1

287

ADMINISTRATION REPORT FOR 1880-81.

Return of Coaching Stock on all Indian Railways on 31st December 1880.

Statistics.

..

Goods VENICINS.	Bast Indian.	Eastern Bongal,	Oudh & Robitkhand.	Sind, Punjab and Delhi.	Madraı,	' South Indian.	Great Indian Penin- sula.	Bombay, Baroda and Central India.	Calcutta and Bouth Eastern.	Nalhati.	Northern Bengal.	Thhoat.	Patna-Gya.	Muttra-Hathras.	Cawnpore-Farakh- abad.	Dildarnagar-Ghari- pur.	Dhond and Manmad.	Wardha Coal.	Nagpur and Chhattis- garh.	Rangoon and Irrawad- dy Valley.	Sindia, Northern Sec- tion.	Bindia, Boathern Bec- tion.	Rajputana.	Western Rajputana.	Holker and Sindia- Neemuch.	Punjab Northern.	Indus Valley and Kandahar.	K hamgaon.	Amraoti.	Nizam's.	Goekwar of Baroda's.	Remarks.
High-sided ** ** 1, Open-sided ** ** *** Low-sided ** *** Iron cylindrical ** *** Iron cylindrical ** *** Iron rectangular ** *** Track ** *** Travelling tank ** *** Covered goods (for ambulance purposes). Goods brake vans . Cattle ** *** Treasure ** *** Treasure ** *** Treasure ** *** Treasure ** *** Bioep ** Powder ** *** Treasure ** *** Treasure ** *** Treasure ** *** Bioep ** Treasure ** *** Treasure ** *** Store dalivery ** Tools ** *** Relief ** Dish ** *** Timber trucks *** Bogie ** Gotton ** Boite ** Fuel ** Find ** Timber trucks *** Timber ** Doile ** Timber ** Cotton ** Doile ** Travelling Cranes *** Miscellaneous Bail carriers	,223 91 178 63 151 127 44 13	{ 76 500 270 1 200 1 2 200 1 2 200 1 2 200 1 2 200 1 2 200 1 2 200 1 2 2 200 1 2 2 2 2	2,642 72 121 6 157 3,008	2,277 108 747 97 20 177 5 6 3,384	40 3,200 158 317 	897 (5)20 150 30 6 37 29 1 29 1 	3,503 1,162 2,550 250 250 47 47 47 47 47 47 47 47 57 97 47 57 97 47 57 97 47 57 97 47 57 97 47 57 97 7,853	961 26 303 176 31 18 12 6 55 55 2,701	140 72 24 5 1 5 1 5 1 5 1 252	15 9 	566 101 80 2 2 8 3 16 6 780	171 288 44 	59 40 	54 19		Worked by the East Indian Baliway.	14 68 (0)15 		183 152 123 123 8 8 8866	461 30 60 50 	Worked by the East ludian Rollway.		1,516 (a)97 466 163 164 165 165 165 165 165 165 165 165 165 165 165 165 165 165 165 165 165 165 165 175 165 175 175 175 165 175 	235 100 100 100 100 100 100 100 100 100 10	513 ⁸ 105 ¹³⁵ ¹³⁵ ¹³⁵ ¹³⁵ ¹³⁵ ¹³⁵ ¹³⁵ ¹³⁵ ¹³⁷ 	731 197 140 91 85 85 36 	895 175 269 65 4 8 79 8 79 8 79 14 3 80 14 3 9 267	Worked by the Great Indian Peninaula	Worked by the Great Indian Peninsula Railway.	65 44 18 18	26 155 	

Return of Goods Stock on all Indian Railways on 31st December 1880.

*

(a) Including 31 high-sided (horse) wagons. (b) Converted from 3' 6" gauge. (c) Including 6 ballast brake vans. (d) Accident vans. (e) Plank wagons. (f) Dummy guard's van. (g) Accident oranes.

·•••*

[Statistic:

283

TABLE OF APPENDICES.

.

.

		÷ PAOB
APPENDIX	A STATEMENT SHOWING LENGTH OF RAILWAYS IN INDIA CONSTRUC-	•
	TED AND IN PROGRESS, TOGETHER WITH NAMES OF CHIEF	
	OFFICERS ADMINISTERING THEM	i
12	B New Contract with the East Indian Railway Company	v
51	CAgreement between the Secretary of State for India	
.	AND THE BENGAL CENTRAL RAILWAY COMPANY	XV
	D,-PROCEEDINGS OF THE RAILWAY CONFELENCES HELD IN CALCUTTA	
	IN 1879 AND 1880	XXV
	E,-EFFECTS OF WIND PEBSSURE UPON RAILWAY STRUCTURES	xlv
	FSTATEMENT SHOWING EXTENT OF EMPLOYMENT OF NATIVES	
	AS ENGINE DEIVERS AND SHUNTERS ON INDIAN RAILWAYS	
	DUBING 1880	liii

APPENDIX A.

Statement showing the length of all the Railways in India constructed, in progress, and under survey on 1st January 1881, together with the names of the Officers who have served as Heads of Departments on each line during the year 1880.

:

					-		· ·	· s				
	•							HBAS	ie of Departm	2318.		
č .	Ga	uge.	Railway.	Total length open on let Jan- uary 1681.	Under construc- tion,	Under survey or not yet com- menced.	Agent or Manager.	Engineering Department.	Traffio Department.	Locomotive Department.	Audit and Accounts.	Bomarka,
t 	· · · ·	-	State. Ppajad and Sind.									
	B '	۴)	° Punisb Northern	226 (1)	129 (8)	- 138	Captain W. Sedgwick.	Captain W. Sedgwick,	C. J. Keens	A. B. Thom-	Captain J. S. Biscos,	 Labore to Haji Shah. (Atiook). Luis Muss to Miani.
	8	94" }		54 (3)	- 	<i>4</i> 38	Major E. L. Marryat from Nov- ember 1880.	Major E. L. Marryst from Nov- ember 1880.	,	482422	Captain A. G. Begbis from Nov- ember 1880,	(3) Haji Shah to Pesha- war, 60 miles. Turnool to Kushal- garh, 73 miles.
•		6 7	Indus Valley	501	4 417	434	Captain T. B. B. Sayi,	R. T. Mallet J. Ramsay from Nov- ember 1880.	G. F. Mathew	G. E. Thomas	J. S. Hub- bard. R. K. Wil- liams from September 1880.	¢
	6,	6″	Kandah ar	153 (4)	41 (5)	257 (6)	Į'10'22\$	R. P. Storey	B1749.4	, A281140		(4) Ruk to Sibi, 133 miles. Sibi to Pir Chauki.
•		-							•	-		 19 miles. (5) Sibi to Spintangi (since discon- tinued). (6) Spintangi to Kanda- har, 200 miles.
•		° •	Amritsar-Pathankot	, , , , , 1131	540	65		. aseance -	[41136	AFT	*****	Branch to Queits, 18 miles,
		1	North-Western Prov- inoss Provincial.									
4		₩″	Muttra-Hathras	39	ана - тар	10. 1028	C. W. E. Henslowe,	C. W. E. Henslowe,	C. W. R. Henslows,	W. C. Gib- bous,	H. Marten.	
		94″ 94″	Muttra-Achneyrs Cawnpore-Farukh- abad.	•••• ••••	23] 36] (7)	 10 3 (0)	C. ₩. 2. Henslows,	E. L. Hunt C. W. E. Henslowe from Feb- Ruary 1880.	 C, W, E. Henslowe.	a W. C. Gib- bons.	H. Marten H. Bainer from Decem- ber 1890.	 (7) Miran Sarai to Far- rukhabad. (8) Extension from Far- ukhabad to Ha- three.
*	č'	Q″ .	Dildarnagar-Ghazi- pur.	, 13 _(9)	- 9034	uļų	Afaraş	G. V. Martyr to December 1880.	- . (1993)	, miti	P5 (1994	(9) Worked by East In- dian Rallway from December 1890,
	-	9″ 9″	Bhaupur-Kalpi Bareilly-Pilibhit		412 457	33 33	yozzat, Vetecy	Q. H. List C. V. Macivor	843 978	1)2345 1)2345	P493455	
			Bengal Provincial.									/
		6 ¹⁷	Calcutta and South- Eastern,	28	15 (10)	13] (11)	B. G. Moo- kerjee.	Chief Engl- neer, Ben- gal.	B. G. Moo- kerjes,	A. W. Ren- dell.		 (10) Sonspur to Magra Hat. (11) Magra Hat to Dia- mond Harbour.
-	*	0* 8†"}	Nalhati 113 Northern Bengal {	273 2301 }	444	*** 78 (13)	Ditto Captain W.	Ditto Captain W.	Oitto G. M. Drury	Ditto Ditto	Ditte, Ditte	(15) Poradaha Section
		6") N//>		18 (19))			A.J. Wal- lace.	A. J. Wai- lace.				worked by Eastern Bengal Railway. (13) Teesta river to Dhue bri, 63 miles. Parbatipur to Din- agepur, 20 miles.
		₩*} •*`}	Tirhoot " {	821 21(14)	103 (15)	65 (16)	¥. Bighy	V. Rigby	W. M. John- stone. A. W. N. Pope from May 1990,	 H. M. Carden	J. Dougias	 (14) Barth Branch work- ed by East Indian Railway. (16) Muzeffarpur to Bet- tiah, 78 miles. Durbhange to Pipm Ghat, 24 miles. (16) Pipra Ghat exten- sion, 30 miles. Muzaffarpur to Haji-
•	V	8	Patna-Gya ais	67	FTT	80 (17)	Ditto	Ditte	Ditto	Ditto	Disto	pur, 36 miles, (17) Gys to Palamow,
			Dacos-Mymensingh	ai.		128	*****		Meres	9 417 9 7	\$25×28	

APPENDIX A.

Statement showing the length of all the Railways in India constructed, in progress, and under survey on 1st January 1881, &c.—continued.

			*	· ,		HEAT	S OF DEFART	MRNTS,		
iaoge,	Bailwsy.	Total length open on lst Jan- uary 1881.	Under construc- tion.	Under aurvey or not yet com- menced.	Agent or Manager.	Engineering Department.	Traffic Department.	Locomotive Department.	Audit and Accounts.	Remarks,
					· · ·					
	STATE—conid. Bombay and Central India.		¥			• •	•	·		• ,
81" } 8"' }	Bajpatana {	725) (18) 1) (19)	}		Major W. S. S. Bisset.	B. W. Bleod	J. O'Calla- ghan. P. D. Barelay from March	W. R. S. Jones (Carri-		(18) Includes West Rajputana R. way. (19) Agra Fort stati
· 8#*	Holker and Sindia- Neemuch.	264 1	1351 (90)	- · ·	H. Danger- field. C. H. Croud- ace from	H. Danger- field. C. H. Croud- ace from	1	age and Wa. gon). C. M. Davies	J. W. Ford- ham.	to East Ind Railway station. (20) Neemuch to Chitt 33 miles, since op ed in March 188
-					Septem b e r 1880.	Septem b e r 1880,				0 1 4 5
6"	Sindia ,	66] (21)	8] (22)	100 (23)		1	- •	- 10,000 - 10	· imiri C	 (21) Worked by East dian Railway. (22) Chambal bridge a approaches oper 15th May 1881.
6"	Patri	22 1 (24)		•				-		(23) Gwalior to M Ranipur,
			-	****	¥988£	793934	107629 	4187434 <u>.</u> 	6mu - ,	(24) Worked by Bomb Baroda and Cent India.
6"	Dhond-Manmad	145 <u>1</u> (25)	***	313 	Major W. J. Engledue. E. H. Hal- lum from 6th Decem-	E. H. Hallum	W.J. Cham- berlain,	E. W. M. Hughes,	W. H. Brand	(25) Worked by Gr Indian Penins Railway from N ember 1880.
ba+	Bombay Eastern Deccan (28).	- 1 3 B	tet	179	ber 1880.	W. L. Buyers	12220	41533+	3(1111	(26) Provincial.
. 6 ¹⁷	Barsi Road to Pan- dharpur.		*##	33	11+101	E. H. Hallum	(1995)	11/451	¥41×43	Proposed brand
6″ 3 } ″	Baral Road to Baral Karwar	15 *	* * *	201	¥ž×¢JD	*9 \$9 ¥\$	117332	772412	ðiðbrá "	from Great Indi Peninsula Railway
7		· 69		264) (27).	UNT <i>IN</i> (* .)	115831 ··· ··	uesžis *	41)ki 1.y	**** Abbarb **	(27) A portion of t earthwork fr Bellary to Hosp was carried out a famine work
To 1	Marmagao-Hubli	4 b 7	- 355	124 (28)	****	W. L. Buyers	IJ\$9#\$	434355		1877. (28) Preliminary surv made.
6″	Contral Provinces, Wardha Coal	46)		· -	J. Y. David-		J. W. Hartley			
8 ł "	Nagpur-Chhaittis-	53 (29)	75# (30)	···· 185 (31)	BOR. Ditto	Son Ditto	Ditte	J. Y. David-	F. L. Brown Ditto	(20) Negrous to Toma
	garh.			×	×	· ~ · · · · · · · · · · · · · · · · · ·	•••	50D.		 (29) Nagpur to Tames (30) 50th mile to Dogargarh. (31) Dongargarh 40 laspur.
31″	Burma Provincial. Rangoon and Irra-	183	• - •	49 (98)				1		
3]"	waddy Valley. Re- goon and Sittang Valley.		* ***	42 (98) • • •	H. M. Ma- thews,	thews	÷	H. T. Fer- gueon.	S. M. John- -son.	(32) Prome to Allanmy
	Valley				1415	******	****** * 1	1163-17	Ikšing	- • • · -
174	Dibrugarh-Sadiya Native States.		57.T	75	245445	-		zebita, s		•
ગ ય	Jodhpur	Þ74	17 (32a)	43 (925)	******	, •\$**##	407520		*43.948	(32a) Kharchi to Pali.
6"	Bhopal		62 (33)	104 (34)	4284474 -	H. T. Geo- ghegan.	+++++,	 •••••	. 41111J	 (325) Pali to Jodhpur. (33) Itarsi to Bhopal. (34) Bhopal towar
4 *	Bhavoagar-Gondal (35).	105	871 (36)	t bar	6231121	A. Izet	******	J. Rhind	J. B. Braddon	Jhanai. (35) From Bhavnagar Wadhwan a
					•	· · ·				(36) Dhoraji. (36) Dhola to Dhor opened 19th Ja uary 1881.
6 "	Usekwar of Barods'- (37).	•	2	, 140	****** * :		۰ ا		¹ 317334	(37) Constructed a worked by Bo bay, Baroda a Central India Ra
8 ™	Berara Branches Kham- gaon Amrao- ti,	1 -		(3S)	••••••	******	******	1165336 1'13	141	(38) Worked by Gre Indian Peninsu

ï

•

APPENDIX A.

							HEAD	OF DEFINITION	Lett.		
G	auge.	Railway.	Total length open on lst Jan- uary 1881.	Under construc- tion,	Under survey or not yet com- menced.	Agent or Manager,	Bngineering Department.	Traffio Department.	Locomotive Department.	Àudit and Accounts.	Bomarks,
	-		*		<u>.</u>		, • ,		•		
		. STATE-conold.					** ***			.•	
		Native States				~		-7			
۲	6 ″	Nizam's	121	- 141		Lieut. F. T. Maxwell,	Lieut. F. T. Maxwell.	W. Sandford	E. W. M. Hughes,	F. Morrison.	
8' 8'	3 ¦ ″ 0 ″	Мувого	8 (39)	851 (40)	'મધ	J114812	Major A. Le Messurier.	843+833 1 ¹ 1	, 03144 T	\$1\$£5\$	(39) Bangalore canton- mout to Bangalore city worked by Madras Bailway
	-				•	•	• • •	•••			Company. (40) 58 miles show open- ed to Mandya.
Acres P		P QUARINTERD COMPANIES, p			•		· · ·		e -	•	
		Sind, Punjab Sec- Punjah tion.	5534	385	*11-	R. Bocquet	C. Stone (41)	D. Ross ii.	C. Sandeford	J. Lightfoot	(41) Officiating from 1st January 1600 to 7th
U .	6 ″	Delhi. Sind Sec-	109]	***	с 853а ^г	835688 -	T. A. Cor [*] L. H. Michel (42).	527584 -	W. Bocquet	<u>,</u> 8838845	June 1890. (42) Officiating from 6th June 1880 to Slat December 1880.
V .	6 ″	Oudh and Rohil-	548	5 <u>4</u> (43)	÷рі.	Col. J. H. Jenkins.	H. B. Heder-	S. Hartwell	J. G. Cooke	G. O. Smith	(48) Benares bridge.
ő'	6"	Eastern Bengal	158‡	***	-atu	F. Prestage	W. Nicholson	T. Brander	T. Hindmann	G. L. Calder,	
V	6″	Bombay, Baroda and Central India,	421]	411	, șin ,	F. Mathew	F. Mathew	J. R. Dax- bury.	E. B. Carroll	J. O'Connell. N. Morhouse acting.	· · ·
51	6"	Great Indian Penin-	1,288	Vit	914 	G. A. Barnet	Wilson Bell	H. Conder	S. Jackson	E. V. Jordan.	
81	8 ¹¹	Madras en	600}	141	aŭţ	A. M. Saun- ders.	W. B. Bobin-	H. E. Church	F. H. Treir- thick.	F. Church.	
87	34 °	South Indian	6532	148 I	539	W.S. Betterne	D. Logen	A, Stanton	E. G. She- ward. J. M. Budge acting.	J. 8mith.	
5	8 ″	BAST INDIAN	1,5042	62 (46)	534	Bradford Les- lie.	Bradford Los- lio.	N. St. L. Carter.	D. W. Camp- bell. B. Pearce, Carriage Su- porintend- ant.	E.C.S. Mack- anzie.	New contract between the Secretary of Biate and the Company came into force on 1st Janu- ary 1880. (44) Bhadreswar Branch,
		SUBSIDISED Company,			-						21 miles. Hooghly Bridge Branch, 4 miles.
87 - 32 - 1	6 /7	Bengal Central	. ear	AN1	217			ykspax *	#BŠIAL	2.627.44	Section from Banaghat to Jessore and Kul- na, 824 miles, and from Bongong to Caloutta, 47 miles, have been undertaken by the Bon- cal Content Balinese
		Total for East In- dian and Guaran- teed Bailways	1	12 -	-			-			gal Central Railway Company. Work was commenced on 12th May 1881.

Statement showing the length of all the Railways in India constructed, in progress, and under survey on 1st January 1881, &c.—continued.

GOVERNMENT ADMINISTRATION.

The following Officers of Government were more or less directly connected with the administration of the several Railways :---

	Colonel The Hon'ble Sir Andrew Clarke, K.C.M.G., C.B., C.I.E., R.E. The Hon'ble J. Gibbs, C.S.I., C.I.E., C.S. (from 9th June 1880).	Member of the Governor General's Council in charge of Pub- lic Works Department.
-	Major-General Alexander Fraser, C.B., B.E.	Secretary to Government of India. Officiated as Hon'ble Member of Council from 2nd March 1880 to 9th June 1880.
-	Major-General J. S. Trevor, C.S.I., B.E	Director General of Railways and Deputy Secretary to the Gov- ernment of India. Officiated as Secretary to Government from 2nd March 1880 to 9th June 1880.
	G. L. Molesworth, C.I.E., M. INST. C.E	Consulting Engineer to Government of India for State Rail. ways. Officiated as Deputy Secretary from 2nd March 1880 to 9th June 1880.
	Colonel W. S. Trevor, v.c., R.R.	Attached to Office of Director General of Railways. Since appointed Director General of Railways.
		,

v	APPEI	NDIX A.
Colonel L. Russell, R.E.		Chief Engineer and Joint Secretary to Govern- ment of North-Western Provinces and Oudh.
Colonel J. O. Mayne, B.E.		Chief Engineer and Secretary, Central Provinces.
Colonel W. S. Trevor, v.C., R.E. W. C. Furnivall, M. INST. C. E. (fro October 1880).	om 26th }	Chief Engineer and Secretary, Burma.
Colonel F. S. Stanton, R.E.	***	Director of State Railways in Bengal and Secre- tary to Government of Bengal.
Lieutenant-Colonel R. C. B. Pember R. T. Mallet, M. INST. C.E. (Octobe	ton, r.e. r 1880)	Director of Stores.
Major A. J. Filgate, R.E.		Officiating Accountant General and Officiating Deputy Secretary to Government of India.
Captain F. Firebrace, R.B.	544	Under Secretary to Government of India, Railway Branch.
Colonel J. Shaw-Stewart, E.I.	***	Consulting Engineer for Railways and Joint Secretary to Government, Madras.
Colonel H. F. Hancock, R.E.		Consulting Engineer for Railways and Joint Secretary to Government, Bombay.
Major G. W. Oldham, R.E. (or during Colonel Hancock's absence		Deputy Consulting Engineer for Railways and Under Secretary to Government, Bombay.
Colonel F. S. Taylor, R.E.)	and a second second second second second second second second second second second second second second second
Lieutenant-Colonel R. deBourbel (from September 1880).	, R.D.	Consulting Engineer to Government of India for Guaranteed Railways, Caloutta.
Colonel J. G. Medley, R.E.	•••	Consulting Engineer to Government of India for Guaranteed Railways, Lahore.
Lieutenant-Colonel R.C.B. Pembert	oņ, R. E.	Consulting Engineer to Government of India for Guaranteed Railways, Lucknow.

•

iv

APPENDIX B.

Contract between the Secretary of State in Council and the East Indian Railway Company as to the maintenance, management, and working of the undertaking by the East Indian Railway Company, dated 22nd December 1879.

This Indenture made the 22nd day of December 1879 between the Secretary of State in Council of India of the one part and the East Indian Railway Company incorporated by an Act of Parliament passed in the session of the 12th and 13th years of the reign of Her present Majesty intituled "an Act for incorporating the East Indian Railway Preamble. Preamble.

*Whereas by the East Indian Railway Company Purchase Act 1879 hereinafter called the "Act of 1879" the parties hereto are authorized and empowered to enter into contracts for the purposes hereinafter expressed.

Now this Indenture witnesseth and it is hereby agreed and declared as follows-

Interpretation of terms.

1. In this contract-

¥.,

, •

the expression " the Secretary of State " means the Secretary of State in Council of "Secretary of State," India—

"the Company," the expression "the Company" means the East Indian Railway Company-

- the expression " the East Indian Railway" means the Railways and works of whatever "the East Indian Railway," description forming the undertaking of the Company on the 31st of December 1879—
- the expression "the undertaking" means the East Indian Railway or such part thereof "the undertaking." as shall on the 1st of January 1880 be handed over to the Company for the purposes of this

contract together with any improvements, alterations and additions of whatever description that may from time to time be made therein or thereto by or with the sanction of the Secretary of State.

Duration of Contract.

2. This contract shall continue in force for the period of fifty years from the 1st of Duration of contract. Duration of contract.

As to deferring one-fifth of the Annuity.

3. During the continuance of this contract the payment of one-fifth of the annuity of Annuity deferred.
Annuity deferred.
6 £4 per cent. per annum on the sum of £6,550,000 being the capital sum represented by such one-fifth shall be paid by the Secretary of State to the Company in London by half-yearly of State to the Ist of July 1880 in respect of the half-year immediately preceding that date.

As to the Undertaking to be transferred to the Company and matters connected therewilk.

4. On the 1st of January 1880 the Secretary of State shall hand over to the Company Railway & to be handed over. machinery belonging thereto subject to the following exceptions —

(1) The land occupied by the Company in the Sulkeah yard at Howrah now or lately Land in Sulkeah yard. Company if and so soon as the Secretary of State shall obtain the use of other sufficient land

for the storage of such material.

, b

Telegraph to remain State property.

(2) The telegraphs and all telegraphic appliances belonging to the East Indian Reilway. which shall remain vested in the Secretary of State subject as hereinafter provided.

5. On the 1st of January 1880 or so soon thereafter as may be the Secretary of States shall deliver to the Company and the Company : shall accept for the purposes of the undertaking Stores to be handed over.

all stores belonging to the East Indian Railway that may be in hand or in course of delivery on the first of January 1880 except such as on the representation of the Company to be • made in writing on or before the 31st day of December 1879 the Secretary of State may adjudge to be unserviceable or surplus stores.

6. During the continuance of this contract the Secretary of State shall provide and allow the Company to use such telegraphs and Use and maintenance of telegraph. Use and maintenance of telegraph. telegraphic appliances as the Company shall with the sanction of the Secretary of State from time to time require for the purposes of the undertaking and shall maintain the said telegraphs and telegraphic appliances in good repair and good working condition. The working of the said telegraphs shall be exclusively in the hands of the Company but the Company if so directed by the Secretary of State shall observe the rules for the time being in force in the case of State Railway telegraphs or such of the said rules as the Secretary of State may from time to time prescribe for their observance and the Company shall furnish the Secretary of State with such free passes as he may require for

persons employed by him in or about the erection Free passes for telegraph employés. maintenance or inspection of the said telegraphs and telegraphic appliances or otherwise in connection therewith.

7. A separate agreement shall be made between the Secretary of State and the Company as to the working of the Serampore and Kurhur. Collieries. ballie coal fields which are intended to be part of the undertaking Provided nevertheless that the rent payable to Government in respect of the said coalfields shall not exceed the aggregates of the fixed rents now payable in respect of the same.

8. If the Branch Railway from the Mogul Serai station on the main line of the East Indian Railway to the river Ganges opposite Benares Benares Branch. shall be part of the undertaking handed over to the Company on the 1st of January 1880 the Secretary of State may at any time require the Company to retransfer such branch railway to him and the Company shall not claim any compensation in respect of such retransfer.

9. As soon as may be after the 1st of January 1880 an inventory of the undertaking and an inventory and valuation of the rolling Inventory and valuation of undertaking. Inventory and valuation of undertaking. stock plant and machinery belonging thereto as on the 1st of January 1880 shall be made and signed by or on behalf of the Secretary of State and the Company the valuation being based on the sums outstanding on that day in the capital account of the Company.

As to the Maintenance and Management of the Undertaking.

÷

10. The Company shall keep the undertaking in good repair in good working condi-keep undertaking in good working condi- tion and fully supplied with rolling stock plant To keep undertaking in good working condition. and machinery to the satisfaction of the Secretary of State. If the Company shall fail for the space of one calendar month to comply with any requirement in writing of the Secretary of State in regard to the matters aforesaid or any of

In case of non-compliance Secretary of State may enter and execute works.

them the Secretary of State may enter on the undertaking and execute all such works and provide all such rolling stock plant and machinery as may

- in his opinion be required for the purposes of the undertaking.
 - 11. The Company shall keep the rolling stock plant and machinery belonging to the Rolling stock and machinery. undertaking in good repair and in good working Rolling stock and machinery. condition to the satisfaction of the Secretary of

State.

- 12. The Company shall maintain a sufficient staff for the purposes of the undertaking to the satisfaction of the Secretary of State. Sufficient staff to be maintained.
- 13. The Secretary of State may from time to time by notice in writing require the Company to carry out any alteration or improvement Alteration or improvement. in the undertaking or any addition thereto that

may in his opinion be necessary for the safety of passengers or for the safety of the public or for the effectual working of the undertaking. Such notice shall specify the alteration improvement or addition required and shall also in general terms describe the works to be executed for the purpose of carrying out such alteration improvement or addition. On receiving any such matice the Company shall with all reasonable speed commence and proceed to execute the Supply of funds and land. works described therein the Secretary of State supplying the necessary funds and providing any

Supply of funds and land, land that may be required for the purpose. If in any case the Company shall neglect to proceed with the proposed works or fail to complete the same to the satisfaction of the Secretary of State the Secretary of State may enter on the undertaking and execute the said works.

14. The Secretary of State shall provide and maintain for the purposes of the undertak-Police. Ing such a force of police as the Company with the approval of the Secretary of State shall from

time to time require with this qualification that in case of difference between the Secretary of State and the Company as to the force required for the preservation of law and order the determination of the question shall rest with the Secretary of State. The cost of providing the force required for and maintaining the force of police required for

Cost of providing and maintaining police force. and maintaining the force of points required for the purposes of the undertaking shall be defrayed in the following manner that is to say three-tenths shall be borne by the Secretary of State and the remaining seven-tenths shall be treated as part of the working expenses of the undertaking.

As to the Use and Working of the Undertaking and the Conregance of Traffic.

35. The Company shall cause to be run so many trains at such times at such rates of speed between such places and with such conveniences and accommodations as the Secretary of State shall from time to time require.

16. The Company shall charge such rates and fares for the carriage of goods and pass-Rates and fares. State Provided that the Secretary of State may require the charges for the conveyance of any mineral or mineral substance or any article of agricultural produce over distances not less than 300 miles to be reduced to any rate not below one-sixth of a pie per maund per mile for full wagon loads and may also require the fare of passengers conveyed in closed carriages with

17. The Secretary of State may from time to time require the Company to carry out Alteration or improvement in working. sary for the safety of passengers or for the safety of the public or for the effectual working of the undertaking.

seats to be reduced to any rate not below two pies per mile.

18. All services which the Secretary of State may require the Company to perform Conveyance of Government servants and stores. for the Post Office the Military Department the

Conveyance of Government servants and stores. Police Department or any other Department of the State or for high Government officials (including in such services the conveyance of mails as defined by the Post Office Act or Acts for the time being in force in India the conveyance of Post Office servants when on duty the conveyance of troops and sailors military and naval establishments horses and other animals used for military purposes guns military stores and equipments the conveyance of police prisoners and paupers the conveyance of telegraph stores instruments officers and workmen and of any public stores whatever) shall be performed by the Company on the same general conditions as may for the time being be in force on State Bailways and at such rates as may be approved by the Secretary of State not being less than the highest rates in force for the time being for similar services on State Bailways of the same gauge.

 19. The Company shall convey gold and silver bullion and coin and copper coin belongspecial rates for coin and bullion.
 to time approved by the Secretary of State,

20. The Company shall from time to time upon the requisition of the Secretary of State Government demands to have precedence. over all ordinary traffic.

cost of conveyance.

^{21.} All stores intended to be used for the purposes of the undertaking shall be conveyed Rates for conveyance of stores for the undertak. ing. by the Company at rates to be approved by the Secretary of State not being less than the actual

APPENDIX[®]B.

As to Receipts Payments and Expenditure.

22. All monies which shall be received by or on account of the Company in Lidit in respect of the undertaking or from the iso working of the telegraphs and telegraphic in the secretary of State may from time to time direct be paid without deduction into the Treasury of the Government of India at Calcutta to a separate account.

23. All monies required by the Company for the purposes of the undertaking shall be Supply of funds. to time be made between the Secretary of State and the Company.

24. All monies expended by the Company on account of the undertaking and all other Statements of expenditure to be submitted for sanction.

sanction. to the Secretary of State for his sanction and as between the Company and the Secretary of State shall be allowed only so far as the same shall from time to time have been sanctioned by the Secretary of State.

As to Accounts.

25. The Company shall keep all such accounts relating to the undertaking and all such accounts as between the Company and the Secretary of State as the Secretary of State shall from

Secretary of State. in such form and under such heads or divisions and with such details as the Secretary of State shall from time to time prescribe. The said accounts so far as the same are kept in India shall

be kept in rupees of the Government of India and so far as they are kept in England shall be kept in sterling money. Such of the said accounts as are kept in England shall from time to time be transmitted by the Secretary of State to

English accounts to be transmitted to India. Rate of exchange. time be transmitted by the Secretary of State to the Government of India at Calcutta and there incorporated in the accounts of the Company in-

India each account for the purpose of such incorporation being converted into rupees at the rate fixed for the adjustment of financial transactions between the Government of the United Kingdom and the Government of India and in use on the day to which such account shall have been made up.

26. Unless and until otherwise directed the Company shall keep the following accounts-

Accounts to be kept.

A Revenue Account.
A Capital Advance Account.
A Capital Account.
A Stores Account.

27. The Revenue Account shall contain an account of all receipts and payments on account

Revenue Account.

of an account of all receipts and payments on account of revenue, and shall be made up half-yearly to the 30th of June and the 31st of December in each

year or to such other days as the Secretary of State shall from time to time prescribe. The Revenue Account shall be regularly submitted by the Company to the Secretary of State who may audit the same concurrently with or after expenditure or in both ways as he may think fit

Adjustment of errors in Revenue Account. and may in case of any error being discovered therein correct the same within three calendar months after the account containing such error shall have been submitted to him. Every Revenue Account shall be considered as settled at the expiration of three calendar months after the same shall have been submitted to the Secretary of State but nevertheless any error which may subsequently be discovered therein shall be corrected in the next Revenue Account or in any subsequent Revenue Account or Accounts as the Secretary of State may determine.

28. All monies advanced by the Secretary of State for the purpose of carrying out works chargeable to capital or for the purchase of stores or for the payment off of debentures or debenture stock of the Company shall be entered in the Capital Advance Account and interest at

Capital Advance Account. the Secretary of State and the Company shall from time to time be payable to the Secretary of State on the balance of such account not passed to the Capital Account or to the Stores Account.

29. All monies which the Secretary of State shall pay to the Company in respect of the Capital Account. the said Kurhurballic and Serampore coalfields and all monies which shall be actually expended APPENDIX B.

by the Company or by the Secretary of State upon works rolling stock plant or machinery the cost of which is chargeable to capital and the value of all land provided by the Secretary of State after the 1st of January 1880 for the purposes of the undertaking shall be entered in the Capital Account which shall be made up and stated afresh as often as occasion shall require. Interest at the rate of 44 per cent. per annum or such other rate as shall from time to time be agreed upon by the Secretary of State and the Company shall from time to time be payable to the Secretary of State on the balance from time to time standing at the debit of the Capital Account

30. The Company shall on or before the 30th of June 1880 make up and deliver to the Secretary of State an account of all stores Account of Stores taken over. delivered to the Company as on the 1st of January

1880 and of the value of such stores the value being taken as entered in the books of the Company on the 31st of December 1879 except in those cases if any in which a different value shall be agreed upon by the Secretary of State and the Company. As soon as possible after the 30th of June and the 31st of December in each year or such other half-yearly days as the Secretary of State may from time to time prescribe for the making up of

Revenue Account made up half-yearly.

the Revenue Account the Company shall make up and deliver to the Secretary of State an account of all stores in hand on the half-yearly

Account of Stores used and in hand.

day immediately preceding the making up of the account and of all stores used by the Company for the purposes of the undertaking since the 1st of January 1880 or since the date to which the Stores Account was last made up as the case may be showing the purposes for which such stores have been used. As often as any of the stores in hand shall be used by the Company

Stores used to be charged off.

Stores used to be charged off. for the purposes of the undertaking the value of the stores so used as entered in the books of the Company shall be charged to the Revenue Account or to the Capital Account as the case may require in accordance with the provisions in that behalf herein contained. Interest at the rate of 41 per cent. per annum or such other rate as shall from time to time be agreed upon by the Secretary of State and the Company shall from time to time be payable to the Secretary of State on the value of stores in hand.

31. The stores in hand shall from time to time be revalued at such time or times as the

Revaluation of stores. Deterioration to be charged to revenue account.

Secretary of State shall direct and in such manner as shall from time to time be agreed upon by the

of the stores in hand as entered in the books of the Company shall be corrected in accordance with such revaluation. Any deterioration or loss that may be ascertained or discovered upon any revaluation shall be charged to Revenue Account.

82. The question whether any expenditure incurred for the purposes of the undertaking is to be treated in the whole or in part as a charge Incidence of charge. incurred on Capital Account or how the same is

to be dealt with shall be determined on the general principle that capital is to bear the cost of new works of additional rolling stock plant and machinery and of substantial improvements of and additions to old works rolling stock plant and machinery including the cost of any temporary new work the construction of which is requisite for the construction of a work properly chargeable to Capital and that the cost

Minor works may be charged to Revenue.

of repairs restorations renewals replacements or Provided nevertheless that any item of expenditure substitutions is to be borne by Revenue. properly chargeable to Capital in accordance with this principle but not exceeding 2,000 rupees may at the discretion of the Secretary of State be charged to Revenue but so that the aggregate expenditure charged to Revenue on account of such items shall not exceed 25,000 rupees in any half-year and provided also that except with the sanction of the Secretary of State no portion of the salaries or allowances of any of the Com-

No portion of salaries of permanent staff to be charged to capital.

pany's permanent supervising staff shall be chargeable to Capital although for the time being employ-

ed partly or wholly in directing or superintending work so chargeable and that no expenses connected with the engagement or passage from or to England of any person in the Company's service shall be chargeable to Capital unless such person shall have been specially engaged to carry out work chargeable to Capital and actually employed upon such work.

33. If any difference shall arise between the Secretary of State and the Company as to the incidence of expenditure between Capital and Disagreement as to incidence of expenditure to be settled. Revenue in any particular case the matter in difference shall be referred to the decision of the Joint

Auditor if the Secretary of State and the Company shall have appointed such an officer but in case a Joint Auditor shall not have been appointed then the matter in difference shall be referred for final decision to the Company's Auditor or some other person to be named by the Company and a Government Examiner of Railway Accounts or some other person to be named by the Secretary of State or in case of their being unable to agree to a referee to be

iπ

named by them. The costs of any such reference shall unless the Secretary of State shall otherwise direct be treated as part of the working expenses of the undertaking.

As to the Working Expenses and the application of the Receipts of the Undertaking.

The working expenses of the undertaking shall be paid out of the gross receipts of 34.

the undertaking (including in such receipts all monies received by the Company for the use and Working expenses to be paid out of gross receipts. working of the telegraphs and telegraphic appliances

provided for the Company under this contract) and shall so far as possible be borne by the gross receipts of the half-year to which such working expenses are properly attributable.

85. Working expenses shall include all costs and expenses incurred by the Company with the sanction of the Secretary of State in or Working expenses.

about the maintenance management and working of the undertaking and all other sums if any proper to be allowed out of Revenue in connection with the maintenance management or working of the undertaking or in connection with the conduct of the affairs of the Company and which shall be sanctioned by the Secretary of State.

In the working expenses of the undertaking there shall be reckoned --

- (1) Such sum or sums of money as shall from time to time be agreed upon between the Secretary of State and the Company as proper London Office expenses. to be allowed in respect of the rent of the Company's Office in London office expenses Director's fees and salaries of clerks and Servants.
- So much of the cost of providing and maintaining a police force for the purposes of (2) the undertaking as is not hereby agreed to be Police. borne by the Secretary of State.
- (3) All expenditure incurred by the Company with the sanction of the Secretary of State or by the Secretary of State in keeping the Maintenance. condition and fully supplied with rolling stock plant and machinery except such

part if any of such expenditure as may be charged to Capital.

- All expenditure incurred by the Company with the sanction of the Secretary of (4) State in keeping the rolling stock plant and machinery belonging to the undertaking in good repair and in good working condition, Maintenance of rolling stock and machinery.
- (5) All expenditure incurred by the Company with the sanction of the Secretary of State or by the Secretary of State in the execution Works chargeable to Revenue. of any works chargeable to Revenue.
- Such a sum not exceeding Rs. 50,000 in any half-year as may be required by Charges of State control. Charges of State control. Charges of State control. (6) control of the Company by the Secretary of State.
- (7) The charges of the Government Telegraph Department for rent maintenance and inspection of the telegraphs and telegraphic Telegraph charges, appliances provided for the use of the Company.
- All such other expenses as the Secretary of State and the Company agree to treat (8) as part of the working expenses of the under-Other agreed expenses, taking.
- 36. The receipts of the undertaking in each half-year after deducting working expenses and all other charges to Revenue Account properly Application of receipts, attributable to that half-year shall be applied in

- In payment of interest upon the debenture stock of the Company in existence on (1)the 1st of January 1880 and upon the debentures Interest on debenture stock. of the Company outstanding on that day.
- (2) In payment to the Secretary of State of so much of the annuity of £1,473,750 as is not deferred under this contract. Annuity not deferred,
- In payment to the Secretary of State of interest at the rate of 4 per cent. per annum (8) on the capital sum represented by the portion of the annuity deferred under this contract. Interest in lieu of annuity deferred.
- In payment of interest payable to the Secretary of State on money standing to the Interest on Capital end Capital debit of the Capital Advance Account and the Capital Account (4) Capital Account.
- (5) In payment of interest payable to the Secretary of State on the value of stores Interest on value of stores in hand. in hand,

- (6) In payment of such sum as shall from time to time be payable to the Provid-Payments to Provident Institution. ent Institution in connection with the undertaking.
- (7) And the surplus if any shall be applied in manner following that is to say four-fifths thereof shall belong to the Secretary of State on behalf of the Government of India and one-fifth thereof shall belong to the Company and shall as soon as ascertained be forthwith paid over to the Company at Calcutta for distribution among the persons entitled thereto under the Act of 1879.

If in any half-year the net receipts of the undertaking shall not be sufficient to answer

Deficit to be made up from surplus receipts of subsequent half-years. the purposes coming before the division of the surplus the deficiency with interest at the rate of 41 per cent. per annum shall be a charge upon the

surplus net receipts of subsequent half-years and may be retained by the Secretary of State out of the surplus net receipts of any subsequent half-year before division of profits between the Secretary of State and the Company.

As to Running Powers and other Facilities and Accommodation for other Railway Companies and State Railways and the Secretary of State.

37. The Secretary of State may from time to time require the Company to allow the use Running powers. of the railways forming part of the undertaking for the passage of engines and trains belonging to other Railway Companies or to State Railways upon the payment of reasonable tolls and under reasonable conditions and restrictions.

38. The Secretary of State may from time to time require the Company to supply other Supply of stock to other Railways.
Railway Companies or State Railways with any of the rolling stock of the undertaking which shall not for the time being be required for the purposes thereof upon reasonable terms and conditions.

39. The Secretary of State may from time to time require the Company to execute work Execution of State Railway work in shops. reasonable prices and upon such terms as shall be agreed upon between the Secretary of State and the Company but so nevertheless as not to impede or unduly interfere with the ordinary operations of the Company as carried on therein.

40. The Secretary of State may from time to time require the Company to land at Howrah Landing State Railway stores at Howrah or Calcutta railway stores belonging to the Secre-Calcutta. The Company shall be paid for such services at such reasonable rates as shall from time to time be provided by the Secretary of State.

41. The Secretary of State may from time to time require the Company to make reason-Interchange of traffic and rolling stock. able arrangements for the interchange of traffic and rolling stock with railways belonging to other

Companies or to the State.

42. The Secretary of State may from time to time require the Company to allow the use Joint use of stations. of any of the stations forming part of the undertaking for the accommodation of the traffic of any other Railway Company or State Railway upon the payment of reasonable tolls and under reasonable conditions and restrictions and may also require the Company to make such alterations and additions as may in the opinion of the Secretary of State be necessary or convenient for the purposes of such accommodation upon such terms as may be agreed upon between the Secretary of State and the Company.

43. The Secretary of State may at any time require the Company to make such altera-Running of metre gauge stock over certain sections of line. tions and additions in or to the sections of the railways comprised in the undertaking situate respectively between the following points that is to

say between Delhi and Ghaziabad and between Agra and Toondla as will admit of metre gauge stock of the Rajputana State Railway running upon such sections respectively upon such terms as may be agreed upon between the Secretary of State and the Company.

41. If the Chairman or Deputy Chairman of the Board of Directors of the Company Referee to decide difference.
 by the Secretary of State purporting to be made under this part of the contract not to be in writing and if there shall then be a difference.

reasonable upon any ground to be stated by him in writing and if there shall then be a difference of opinion between the Secretary of State and the Company as to the reasonableness of the requirement in question or as to the propriety of any modification or alteration therein the matter in difference shall be referred for decision to an officer of the Government to be named by the Secretary of State and to an officer of the Company to be named by them or if such officers are unable to agree then to some person to be appointed by them.

If the matter in difference shall be determined adversely to the Secretary of State or if Cost of reference may be treated as working of the Secretary of State shall be recommended or

in any event if the Secretary of State shall so expenses. direct the costs of the reference shall be treated as part of the working expenses of the undertaking.

As to the Construction and Working of Auxiliary or Branch Railways.

45. The Secretary of State may require the Company to construct any auxiliary or branch railway of the same gauge in connection Auxiliary or Branch Railways. with any railway forming part of the undertak-

ing and to work any auxiliary or branch railway of the same gauge in connection with any railway forming part of the undertaking whether constructed by the Company or not either as agents of the Secretary of State or as part of the undertaking, as the Secretary of State may determine upon such terms and conditions as may in each case be agreed upon between the Secretary of State and the Company.

The Company to comply with the requirements of the Secretary of State.

46. The Company shall with all reasonable speed comply with all such requirements as the Secretary of State shall from time to time make Company to comply with requirements of Secin accordance with this contract. retary of State.

As to the Supervision and Control of the Secretary of State and the Appointment of a Govern-1.7

ment Director.

47. In all matters relating to the undertaking and not herein specially provided for the Company shall be subject to the supervision and Supervision and control. Control of the Secretary of State.

e 13

48. For the purpose of inspecting the undertaking and auditing the accounts of the Government Auditor or controlling officer. Government Auditor or controlling officer. Government Auditor or controlling officer.

Secretary of State by the contract the Secretary of State may from time to time appoint such person or persons as he may think proper with such powers as he may consider necessary or expedient and the Company shall afford every person so appointed all reasonable facilities for the purpose of enabling him to perform the duties entrusted to him by the Secretary of ~ State.

49. The Company shall record and keep in proper books full and particular accounts of all their transactions and proceedings including full and true minutes of all their meetings

meetings of Directors communications with India and correspondence so as at all times to exhibit fully and truly the state of their affairs and the Secretary of State or any person or persons appointed by him in that behalf shall at all reasonable times have free access to all the books accounts papers and documents of the Company relating to the undertaking with power to call for or make copies of or extracts from the same,

50. The Secretary of State may from time to time appoint any one person to be a Di-rector of the Company. The Government Di-· Government Director of the Company.

rector shall be ex officio a member of all Committees appointed by the Board of Directors of the Company or by the Company in relation to the undertaking or any matter connected therewith and he may moreover exercise at his discretion an absolute right of veto in all proceedings whatever at the Board of Directors. The Government Director shall not be removable except by the Secretary of State. The Secretary of State may from time to time, as often as occasion shall require appoint a person to represent the Government Director at any meeting of the Board or at any Committee meeting at which the Government Director may not be present and the person so appointed shall have all such rights, and may exercise all such powers as the Government Director if present would have had or might have exercised.

Miscellancous Provisions.

51. The Company shall not during the continuance of this contract without the sanction of the Secretary of State in writing first Company to abstain from other business. obtained engage in or carry on any business other than the business which is the subject of this contract.

52. The Company shall not during the continuance of this contract without the sanc-Company not to acquire property without sano. tion of the Secretary of State in writing first obtained acquire any property in India. If the tion. Company shall in contravention of this clause

acquire any property such property shall not be disposed of by the Company without the sanction in writing of the Secretary of State and the Secretary of State may at any time during the continuance of this contract or within one calendar month after the determination thereof purchase such property from the Company at the price actually paid by the Company for the same and if the purchase money for such property shall be paid to the Company during the continuance of the contract the expenditure shall be carried to Capital Account.

53.- If in the opinion of the Secretary of State any land in the possession of the Company Land in possession of the Company not required. opinion to the Company. Upon receipt of such certificate or so soon thereafter as may be the Company shall state in writing whether they acquiesce in the opinion of the Secretary of State or whether they object thereto and if so the grounds of their objection. If no objection is stated by the Company or if the grounds of their objection if any are not in the opinion of the Secretary of State sufficient the land in question shall upon the requisition of the Secretary of State be restored to him and thereupon the value of such land if entered in the Capital Account shall be written off such account.

54. The Company shall from time to time make such returns and furnish such statistics in such form and under such heads and divisions Returns and statistics. and with such details as the Secretary of State may from time to time require. The costs of preparing such returns and statistics and incidental thereto shall be treated as part of the working expenses of the undertaking.

55. The Secretary of State shall promote the passing by the Legislature in India of any Act or Acts which may be required to enable Act to give effect to this contract? -the Company to carry into effect this contract.

۰.

56. No claim shall be made upon the Secretary of State by the Company for compensa-tion in respect of any Act of the Indian Legislature of general applicability which may prejudicially affect the undertaking or the profits thereof. due to legislation.

Provident Institution. Savings Bank.

of State.

• 57. The Company may if they think it expedient and shall if required by the Secretary of State maintain and manage a Provident Institution and a Savings Bank for the benefit of the servants of the Company upon such terms and under such rules and regulations as shall from time to time be approved by the Secretary

58. Any notice direction appointment certificate of opinion approval or sanction to be Signature of Secretary sufficient. be sufficient and binding if in writing signed by the Secretary of State or one of his Under-Secretaries or by a Secretary of Government at Calcutta or by any other officer or servant duly • authorized to act on behalf of the Secretary of State in respect of the matters to which the same shall relate and the Secretary of State shall not in any case be bound in respect of the matters aforesaid unless by some writing signed in the manner before mentioned.

59. The Company shall at all times during the continuance of this contract keep an Agent at Calcutta. Agency with whom the Secretary of State and the Government of India or other officer or officers deputed in that behalf may communicate on affairs concerning the undertaking and all drafts drawn and receipts given by the said Agent or Committee of Agency or under his or their authority on behalf of the Company concerning the undertaking and the affairs thereof or their authority on behalf of the Company concerning the undertaking and the affairs thereof shall be binding on the Company and every notice to be given to the Company (save any notice with respect to the determination of this contract as hereinafter provided) shall be sufficiently given if left at the said office or personally served on the said Agent or any member of the said Committee of Agency.

As to the Determination of the Contract.

60. The Secretary of State or the Company may determine this Contract at the end of the 20th or at the end of any succeeding 5th year Determination of Contract. (computed from the 1st of January 1881) of the said term of fifty years on giving two clear years' notice in writing to the other, party hereto of his or their intention so to do and thereupon on the 31st day of December on which the

, d


aforesaid notice shall expire the Company shall give the Secretary of State possession of the undertaking together with the rolling stock plant and machinery belonging thereto and all stores in hand or in course of delivery on that day and all plans books surveys sections printings writings and documents whatsoever in anywise connected with the undertaking and all other property if any belonging or appertaining thereto. And the Secretary of State shall be bound to indemnify the Company their property and effects against all such debts and liabilities if any as they may have incurred with the sanction of the Secretary of State and . which shall be then subsisting and thereupon this Contract shall determine without prejudice to the rights of either party against the other in respect of any covenant herein contained which may have been previously broken.

Arbitration.

61. If the Secretary of State and the Company shall fail to agree touching any matter Arbitration. Arbitration.

this contract or if in any case not herein specially provided for any dispute question or controversy shall at any time arise between the Secretary of State and the Company touching these presents or any clause or thing therein contained or the construction hereof or any matter connected with these presents or the operation hereof or the rights duties or liabilities of either party in relation to the prefinese then and in every such case the matter as to which the Secretary of State and the Company shall fail to agree or the matter in difference as the case may be shall be referred to two arbitrators or their umpire pursuant to and so as with regard to the mode and consequences of the references and in all other respects to conform to the provisions in that behalf contained in the Common Law Procedure Act 1854 or any subsisting statutory modification thereof and upon every such reference the arbitrators and unpire shall respectively have power to examine witnesses upon oath or affirmation and either to fix settle and determine the amount of costs of the reference and award respectively or incidental thereto to be paid by both parties or by either party or to direct the same to be taxed either as between solicitor and client or otherwise and to direct and award where and by and to whom such costs shall be paid and every or any such reference may be made a rule of Her Majesty's High Court of Justice or of the High Court of Judicature at Fort William in Bengal on the application of the Secretary of State or of the Company and either the Secretary of State or the Company may instruct Counsel to consent thereto for the other party.

In Witness whereof Sir Barrow Helbert Ellis Knight Commander of the Most Exalted Order of the Star of India and Sir Frederick James Halliday Knight Commander of the Most Honorable Order of the Bath being two Members of Council of India have hereunto set their hands and scals and the said Railway Company have hereunto caused their Common Seal to be affixed the day and year first above written.



APPENDIX D.

RAILWAY CONFERENCE.

The following extracts from the recorded proceedings and from Government Resolutions passed in connection with the objects of the Railway Conferences of 1879 and 1880 give detailed information of the business that was transacted by the two Conferences :—

* Proceedings of the Railway Conference held at Calcutta in February 1879.

OBSERVATIONS.—The Conference of Railway Delegates assembled at Calcutta on the 10th February in accordance with Government of India Resolution Nos. 375-99, dated 20th January 1879, and held six meetings.

2. The primary object of the Conference was to lay down rules for the interchange of rolling stock between all connected railways.

Twenty-two rules were framed and passed, and a Resolution was recorded to the effect that these rules, with approval of the several Boards of Directors, should come into force on the 1st September next.

3. The Conference also had under consideration the want of a revised set of general rules and regulations for all Indian railways, and the following resolutions were passed :--

i)—In the opinion of this Conference, a revised set of general rules and regulations for all Indian railways should be compiled and published under section 14 of the new draft Act, or under the corresponding section of the Act as passed.

(ii)—That Government be asked to appoint an officer to compile the rules and regulations, and that the Agent of each Company be requested to decide, on behalf of his own Company, on the adoption or modification of such rules.

(iii)—That the Agents of the several Companies be invited to send in to the Secretary of the Railway Conference any new rules or regulations they would like added to those now in force on their lines, and also any corrections or alterations they wished to have made in the existing rules.

4. The question of establishing Provident Funds for railway employés was discussed, and it was suggested that certain proposals submitted by the Agents of the Bombay, Barola and Central India and Madras Railways be referred to the various Boards of Directors and the Government of India, with a view to ascertain if they would be prepared to contribute such a fund out of working expenses, and if so, to, what extent.

5. The Hon'ble Sir Andrew Clarke brought before the Conference the subject of technical and industrial education for the children of railway employés, and said that he would be glad to learn the views of the Agents on the establishment of a large Central Technical and Industrial School in the hills for the elder children of railway employés. The State to build the school, the annual maintenance to be paid by the parents, and by a grant-in-aid, per pupil attending, from the revenue of the several lines. Schools to be constructed to accommodate at least 800 boys or 800 girls, as the expense per head for smaller numbers would be, in Sir Andrew Clarke's opinion, almost prohibitory. The Agents stated that they would, after communication with their London Boards, address Government on this matter.

6. Sir Andrew Clarke introduced for discussion the draft Railway Bill, which was read clause by clause, and various suggestions and alterations were noted for the consideration of the Select Committee to which the Bill had been referred.

RESOLUTION.—The Government of India learn with satisfaction that a practical set of rules for the interchange of rolling stock have been passed by the Conference.

2. The Resolutions touching on the compilation of a revised set of general rules and regulations are approved. Copies of the existing rules and regulations, and also the corrections

and alterations which are desired by the railway authorities, should be submitted to the Government of India at an early date. 1.00

8. The question of instituting Provident Funds should be taken into consideration.

4. Attention should be invited to paragraphs 34, 35 and 36 of the Conference Minutes on the subject of establishing a Central Technical and Industrial School for the children of railway employés; on this point Government will await the communications promised by the Agents. of the Railway Companies. •

5. The thanks of the Government of India should be conveyed to the Railway Delegates for the care and attention they have bestowed on the subjects brought before them, and for the careful and conciliatory manner in which the intricate question of interchange of rolling stock has been dealt with. The thanks of His Excellency the Governor General in Council are also due to Major-General J. S. Trevor, R.E., the President of the Conference, for his conduct of this special matter of the interchange of rolling stock.

Proceedings of the Conference of Railway Delegates assembled at Calcutta on the 10th of February 1879, in accordance with Government of India, Public Works Depart-ment, Resolution No. 375-99 (Railway), dated 20th January 1879.

INTERCHANGE OF ROLLING STOCK BETWEEN ALL CONNECTED BROAD GAUGE RAILWAYS IN INDIA.

No. 1.

1. At a Meeting of the Railway Delegates held at the Public Works Secretariat in Calcutta on the 10th February 1879-€ ...

۰.	PRESENT:	۰.	÷
		 • •	

•	COLONEL, J. S. TREVOR, R.E.	· President.	
	G. L. MOLESWORTH, ESQ., Consg. Engr. to Govt. of India, Delegate from State Rys.	Vice-President	-
•	BRADFORD LESLIE, ESQ., Agent and Chief Engr., E. I. Ry. (FRANKLIN PRESPACE, ESQ.,	Co.	
	Agent, "E. B. Ry. Colonel J. H. JENEINS, B.S.C.,	Co.	
•	D. Ross, Esq., Traffic Manager,	Members:	•
•	JABEZ LIGHTFOOT, ESQ.; Jone vote, J Auditor, J		•
• •	F. MATHEW, Eso., Agent and Chief Engr., , B., B.& C. H. CONDER, Eso.,	. I. Ry. Co.	•
	General Traffic Manager, ,, G. I. P. R A. M. SAUNDERS; ESQ.,	ty. Co.	•
	Agent and Manager Madras Ry	v. Co.	-

The following officers also attended the Meeting and joined in the discussion, but did not vote on the questions put to the Meeting

N. Sr. L. CARTER, Esq., Traffic Manager, E. I. Ry. Co. CAPTAIN W. SEDGWICK, R.E., Offg. Manager, P. N. State Railway. J. CONDER, Esq., Traffic Manager, I. V. State Railway. CAPTAIN R. A. SARGEAUNT, R.E., Secy. to the Conference.

2. The following rule, which had been previously proposed and circulated, was read, viz. :—

Rule for regulating the mode in which the decisions of the Conference of Railway Delegates are to be arrived as and given effect to.

" It shall not be competent for any representative of a Railway Company to intimate the withdrawal of his Company from any resolution arrived at by the majority of the Conference, but no resolution will be brought in force till three months have elapsed from the date on which it may be passed ; and it will be open to the London Board of Directors of any Company within that period to record its dissent, on which such resolution will, as regards their line, be inopera-tive"

Proposed by Mr. Saunders and seconded by S., P. & D. Ry. Delegate that the three months in the above rule be extended to six months. There being no objection raised to this extension

of time, the proposition was carried. With this modification the rule was agreed to (subject, as far as the Great Indian Peninsula Railway are concerned, to paragraphs 2 and 3 of their Agent's letter No. 1415 of the 30th January 1879, addressed to the Consulting Engineer for Railways, Bombay, being recorded below).

Extract from Great Indian Peninsula Railway Agent's letter No. 1415.

With regard, however, to the rule proposed to be adopted for regulating the mode in which the decisions of the Conference are to be arrived at and given effect to, the circumstances of the English Railway Clearing House are hardly sufficiently similar to form a guide to the rule which should be adopted to provide for alterations in India. Moreover, any Resolution of the Conference would scarcely be in "the hands of the Directors in sufficient time to enable them to communicate their opinion upon it within three months.

"3. I am therefore to state that the Agent cannot accept any decision arrived at by the Conference until it has been approved of by the Board of Directors."

3. General rules for interchange of rolling stock were then discussed.

The following rules were agreed to as applicable to all Indian broad gauge railways :-

GENERAL.

- RULE I.—The day is to be reckoned as twenty-four hours, commencing at midnight, Madres time to be adopted in all cases. The week to end at midnight on Saturday.

No dies non to be allowed under these rules.

RULE II.—All stock to be considered as handed over when entered in the number taker's book at the junction station, and it is to be so entered directly it is put into the lines or sidings in which such stock is usually placed for that purpose.

Calculation of free time and demurrage charges to be reckoned from the first complete hour after delivery, fractions of hours being disregarded.

RULE III.—Passenger carriages, horse boxes, carriage trucks, break vans, and passenger road or luggage vans, are to be, in all cases, reckoned as coaching vehicles, whether they run upon passenger or goods trains. All other kinds of vehicles are to be reckoned as goods vehicles.

• RULE IV.—No return vehicle shall be run, whether loaded or empty, unless otherwise mutually arranged, on any other than the exact route to its own line by, which it was received, under a penalty of rupees twenty-two per diem from the time it was missent, until it returns to a station on the route by which it was received.

Vehicles may under the above conditions be loaded on their return journey to any station on the route to the owning line or beyond via the owning line.

.

RULE V.—So soon as the rolling stock of any railway passes into the custody or possession of any other railway, such other railway is to be responsible for all and every contingency that may arise from the use of such stock while it remains in their possession. Except that if the contingency is clearly traceable to defect of material or workmanship, the actual repair or replacement of the vehicle in which there was such defect, but not of any other vehicle or any other consequent damage, is to be at the expense of the owning railway.

The cost of repairs ansing from ordinary wear and tear to be always borne by the owning railway; but cases of palpable damage (such as dropping heavy weights into wagons and so damaging the bottoms, neglect of greasing or oiling, and other similar neglects), and all cases of accidents or collision to be borne by the railway in whose custody or possession the stock may be at the time the damage occurs.

No claim shall be admitted for the cost of repairs of stock unless sent to the railway which is responsible for the payment of it within three months of the time at which the repairs are completed.

RULE VI.—Six additional days to be allowed in case of damage to the stock of either railway on the line of another railway for the repairs of such stock, and no demurrage shall be charged for those six days. But if the damage is such as will require longer than six days to complete the repair, the stock must be returned to the owning railway. If not sent within the six additional days, whether repaired or not, demurrage will be charged after the expiration of the six days unless specially exempted by the Traffic Manager of the owning railway. XXVIII

N

. .*

÷.

e (***) 1 *** ? >

Notice to be sent within one month to the owning railway in all cases how and when the damage took place and the nature of it. • • • •

COACHING.

RULE VII .- The exchange of passenger stock to be subject in extent to mutual arrangement between the respective railways.

RULE VIII.—The mileage charge on coaching vehicles to be seven pies per mile both on the outwards journey and in returning, except that no mileage is to be charged on the return journey for horse boxes, carriage trucks, hospital carriages, prison vans, and special saloon carriages not used for ordinary traffic unless returning under load.

Double horse boxes while carrying four or more horses to be counted and charged mileage as two vehicles.

RULE IX .- Coaching vehicles to be allowed one hour for every twelve and a half miles. run on foreign lines, and twenty-four hours extra at destination, free of demurrage.*

RULE X .- Demurrage to be charged on all coaching vehicles detained beyond the time named in Rules VI and IX at the rate of eight annas per hour. .

The Conference adjourned till 11 A.M. on the following day.

- • · · · · · · ·

No. 2.

4. The Conference re-assembled at 11 A.M. on Tuesday, the 11th February.

PRESENT .

As on the 10th, with the exception that the Eastern Bengal Railway Company was represented by Mr. G. Low Calder, Chief Accountant, instead of by Mr. Prestage.

The proceedings of the previous meeting were read.

The discussion of the rules for the interchange of rolling stock was continued. 5.

Goods.

RULE XI.—The interchange of goods stock to extend to all connected lines and branches, a fair proportion of through traffic being accepted at junctions in time of pressure.

(N.B.-This rule has been modified in accordance with Resolution under paragraph 25, page7) , ÷ *

RULE XII. - All consignments of less than three tons to be transhipped at junction. In all other respects, the interchange of goods traffic and stock shall be unrestricted.

Traffic Managers to be at liberty to make exceptions by mutual agreement as to the amount to be transhipped in cases of consignments which, from their bulk or weight, fully occupy a wagon, or require exceptional care, such as furniture, glass-ware, stationery, millinery, pictures, musical instruments, &c., &c.

The above two rules were unanimously agreed to.

6. The following rule was then proposed :---

No mileage charge to be made on goods vehicles when running empty, or returning with a load of eighty-one maunds or more to the owning line.

Mr. Molesworth proposed as an amendment that all words after the word "empty" be struck out.

For. Mr. Molesworth. "Mathew. "Conder (G. I. P. Ry.).	Against. Colonel Jenkins. Mr. Leslie. " Calder.
", Saunders. The S., P. and D. Ry. Delegate.	
Colonel Trev	vor did not vote.

Fide paragraph 6, page 4.

The amendment was carried and the rule passed as under, vis :---

RULE XIII .- No mileage charge to be made on goods vehicles when running empty.

7. The following rule was next proposed :-

* That, subject to the proviso in Rule XIII, mileage be paid to the sending railway for goods vehicles of all descriptions at the rate of one pie per ton or fraction of a ton of goods conveyed in either direction in such vehicles. In respect of every mile a goods vehicle of one railway may carry goods on the line of another railway.

Mileage to be paid on the weight entered in the invoice of charges.

This rule was agreed to by all Members of the Conference except Mr. Conder, Great Indian Peninsula Railway, who proposed a mileage rate of 3rd of a pie per ton.

* (For Rule XIV as finally passed, vide page 8.)

[When read at the following meeting the mileage rate was further discussed, and Mr. Conder (Great Indian Peninsula Railway) suggested that, with the view of obtaining an unanimous proposal, a compromise as to the rate of mileage be made, and that the rate be fixed at half of a pie per ton, and the daily speed at 150 miles. This met with no. seconder.]

8. The Conference agreeing that a free allowance of time should be made according to the mileage run, on a foreign line or lines, and also that twenty-four hours should be allowed for unloading and the same for re-loading free of demurrage, it was put to the meeting whether the allowance of time should be reckoned both for coaching and goods vehicles by miles per hour or by miles per day.

For miles per hour, Col. Jenkins. Mr. Leslie. 28 Calder. The S., P. and D. Ry, Delegate.

For miles per day. Mr. Molesworth. Conder (G. I. P. R.). Saunders.

ħ

3

Colonel Trevor did not vote.

Carried, that the reckoning be made at per hour. .

Mr. Leslie proposed an allowance of seven miles per hour. .

Mr. Leslie. Col. Jenkins. The S., P. and D. Ry. Delegator Mr. Calder. Col. Trevor. Mr. Calder. Mr. Calder. Mr. Calder. Col. Trevor.		For.	,* .4	•		Against.	· • _•	•
	.	Col. Jenkins. The S., P. Li Mr. Calder.	nd. D. Ry.	Delegator	f	Mathew.	-	·R.).

carried.

10. The opposers of this motion wished the following opinions to be recorded :-

Messrs. Molesworth and Mathew were in favour of a speed of six and a half miles an hour.

on Messrs. Cder (Great Indian Peninsula Railway) and Saunders were of opinion that the speed should be fixed at 140 miles a day:

11. The opinion of the majority being in favour of a speed of seven miles an hour, the following rule was passed, viz.

* Goods vehicles to be allowed one hour for every seven miles run on a foreign line, and for unloading and re-loading twenty-four hours for each and every operation free of demurrage.

* (For Rule XV, yide page 8.)

12. Mr. Conder proposed that a free allowance of twelve hours at each junction be granted. This being supported by Mr. Saunders only, was lost.

13. It was then proposed that demurrage should be at the rate of one anna per ton of carrying capacity.

For.

The Sind, Punjab and Delhi Railway Delegate. Mr. Calder. ,, Leslie.

- Col. Jenkins.
- " Trevor.

Carried.

14. Mr. Conder, in recording his dissent, stated that, in his opinion, the rate of demurrage should be Rs. 12 a day, or if the hourly rate had to be adopted, it should be annas 8 per hour. With this opinion Mr. Saunders concurred. Messrs. Molesworth and Mathew were in favour of the rate being fixed at annas 8 per hour.

15. The following clause was passed by the majority, viz. :--

RULE XVI.—Demurrage to be charged on all goods vehicles detained beyond the time named in Rules VI and XV at the rate of one anna per ton of carrying capacity per hour.

The Conference adjourned till 11 A.M. on the following day.

Nd. 3.

. The Conference re-assembled at 11 A.M. on Wednesday, the 12th February 1879.

16. PRESENT :- As at meeting No. 1.

The proceedings of the previous meeting were read.

17. Proposed by the Sind, Punjab and Delhi Railway Delegate that-

RULE XVII.—The receiving railway may call upon the forwarding railway to accept. empty wagons with a view to equalize the ton-mileage.

This rule was agreed to without dissent.

18. Proposed by Mr. Leslie, and seconded by the Sind, Punjab and Delhi Bailway Delegate, that-

RULE XVIII.—The tailway on which through traffic originates shall provide wagons for such traffic. But when the through traffic offering is more than the wagon stock of the sending, railway can cope with, it may call on the receiving railway to place a daily average capacity of wagon stock at its disposal at the junction for traffic to, and vid, the receiving railway; and in the event of failure to comply within one week, the sending railway shall be entitled to charge two pice per ton-mile on all traffic to the extent of the wagon stock short supplied, which it may send through in its own stock : Provided that the receiving railway shall not be required to supply more wagons than sufficient to maintain an equal interchange of stock based on the carrying capacity. Open wagons to be accepted if supplied with proper sheets and ropes.

This rule was agreed to by all members of the Conference with the exception of Mr. Conder (Great Indian Peninsula Railway), who did not vote.

19. Proposed-

ROLE XIX.—In case any goods vehicles are loaded on the homeward journey to any station short of the junction with the owning railway, the Audit Offices of the respective railways shall make a special return of the same to each other, and the mileage charge under Rule XIV shall be charged to the railway so loading such wagons.

This rule was agreed to without dissent.

20. Proposed by Mr. Conder (Great Indian Peninsula Railway), and seconded by the Sind, Punjab and Delhi Railway Delegate, that---

Whatever amount is paid for mileage, demurrage or penalty for wrong sending by any Company for the use of vehicles of other Companies is, in all cases, to belong, and be paid over to, the owning Company.

Against.

Mr. Conder (Great Indian Peninsula Ry.).

Molesworth. Saunders.

" Mathew.

22

APPENDIX D.

Mr. Leslie proposed as an amendment that the word "demurrage" be struck out.

F	01	

Mr. Leslie. "Prestage. Col. Jenkins. Mr Mathew.

Col. Trevor.

Mr. Molesworth. ,, Conder (Great Indian Peninsula Ry.). ,, Saunders. The Sind, Punjab and Delhi Ry. Delegata.

Against.

The amendment was carried, and the rule passed as under :--

RULE XX.—Whatever amount is paid for mileage and penalty for wrong sending by any railway for the use of vehicles of other railways is in all cases to belong to, and be paid over to, the owning railway.

21. The following rule was proposed :-

RULE XXI.—Each railway to accept the statements of other railways with respect to the loads and wagons, unless the number takers at the junction notice and record that the loads have been interfered with, when the actual contents, and their condition, must be ascertained and recorded by a responsible officer of the receiving railway.

This rule was unanimously agreed to.

22. Proposed that-

ે જે તેવું જેન

RULE XXII. The accounts referring to any mileage, demurrage or penalty for wrong sending, in which any railway is concerned, shall be open to the inspection of such railway.

This rule was passed without dissent.

23. The want of a revised set of rules and regulations for all railways in India was brought by the President before the Conference. Several of the existing rules and regulations were made under Act XVIII of 1854, section 29, and now require revision.

The President suggested that these rules should be printed in the manner adopted on English railways, *i.e.*, such portions as relate to all railways being in a uniform type, and the special rules for each railway, if any, exhibited in a type peculiar to each railway.

* Such a compilation, he thought, could best be prepared by an independent officer, in communication with an officer of each Company nominated for the purpose.

Resolved that. In the opinion of this Conference, a revised set of general rules and regulations for all Indian railways should be compiled and published under section 14 of the new draft Act, or under the corresponding section of the Act as passed.

Resolved further that Government be asked to appoint an officer to compile the rules and regulations, and that the Agent of each Company be requested to decide, or behalf of his own Company, on the adoption or modification of such rules.

Resolved also that—The Agents of the several Companies be invited to send in to the Secretary of the Railway Conference any new rules or regulations they would like added to those now in force on their lines, and also any corrections or alterations they wished to have made in the existing rules.

This was agreed to ..

[Mr. Conder (Great Indian Peninsula Railway), not having been aware that this question was to be brought before the Conference, preferred not to express any opinion.]

۶.,

The Conference adjourned till 3 P.M. on the following day.

24. The Conference re-assembled at 3 P.M. on Thursday, the 13th February." PRESENT :—As at meeting No. 1, except that Mr. Carter did not attend. The proceedings of the previous meeting were read.

No. 4.

APPENDIX D.

25. Mr. Saunders proposed that the following be added to Rule XI, viz. :--

It shall not be competent for any railway Company to refuse to receive traffic booked through from connected Railways, so as to devote all their resources to traffic booked locally; but a fair proportion of through traffic must be accepted.

Mr. Molesworth proposed as an amendment that the following be added to Rule XI, viz. :---

A fair proportion of through traffic being accepted at junctions in times of pressure.

The amendment was carried unanimously.

26. Mr. Conder (Great Indian Peninsula Railway) stated that from what he had heard there was a disposition to re-consider Rules XIV, XV and XVIII, and requested that they might receive further discussion; and, with the consent of the President, he made the three following propositions, which were voted on as a whole :--

(i) That the mileage rate for goods vehicles on foreign lines be fixed at 3rds of a pie per ton or fraction of a ton of goods conveyed.

(ii) That goods vehicles be allowed one hour for every 61 miles run on a foreign line.

(iii) That in Rule XVIII the rate per ton mile be fixed at double the ordinary mile-

For.

Mr. Conder. ,, Prestage. ... Mathew. Colonel Jenkins. The Sind, Punjab and Delhi Ry. Delegate. Mr. Leslie. , Saunders.

4 +

Against.

Colonel Trevor and Mr. Molesworth did not vote.

The motion was lost.

27. After further discussion, Mr. Conder (Great Indian Peninsula Railway) was given to understand that if he would withdraw the third item of his proposals, the Conference would, for the sake of arriving at a general agreement, accept his first two proposals. Mr. Conder (Great Indian Peninsula Railway) wishing to meet the general views of the Conference, and agreeing that a unanimous proposal on this much vexed and important question was desirable, withdrew his third item accordingly, and the following was put to the Conference :--

(i) That the mileage rate for goods vehicles on foreign lines be fixed at frds of a pie per ton or fraction of a ton of goods conveyed.

(ii) That goods vehicles be allowed one hour for every 61 miles run on a foreign line 👟

Carried without dissent.

The following rules were then passed :----

RULE XIV.—That, subject to the provisos in Rules XIII and XVIII, mileage be paid to the sending vailway for goods vehicles of all descriptions at the rate of frds of a pie per ton or fraction of a ton of goods conveyed in either direction in such vehicles, in respect of every mile a goods vehicle of one railway may carry goods on the line of another railway.

RULE XY.—Goods vehicles to be allowed one hour for every 61 miles run on a foreign line, and twenty-four hours for unloading and twenty-four hours for re-loading at destination, and twelve hours at intermediate stations for each of these operations free of demurrage.

28. It was decided that the rules should be printed consecutively.

The Conference adjourned till 11 A.M. on Saturday, the 15th February.

No. 5.

29. The Conference re-assembled at 11 A.M. on Saturday, the 15th February.

PRESENT :- As at meeting No. 1, except that the following were absent-Mr. Molesworth, Captain Sedgwick, and Messrs. Carter and J. Conder.

30. The minutes of meetings were read from commencement, and some additions and verbal alterations made, which were embodied in the proceedings.

31. The rules for the interchange of rolling stock as settled from time to time by the Conference having been separately printed,* were read and confirmed.

32. It was resolved that these rules, subject to the approval of the several 'Boards of Directors, come into force on the 1st September 1879. It being arranged that any notices which may have been given to terminate existing agreements be considered as expiring on the 31st August 1879.

53. Mr. Saunders brought forward for discussion the question of establishing Provident Funds for railway employés. It was decided that this should be taken up at a subsequent meeting.

34. The President, at the desire of Sir Andrew Clarke, handed to the Delegates copies of the rules for free passes on State Railways. He also stated that Sir Andrew Clarke trusted that all Companies would endeavour to encourage the education of the children of all railway employes, and grant them free conveyance to and from school. The Agents present promised that the matter should continue to receive consideration.

35. Sir Andrew Clarke (through the President) said that he would be glad to learn the views of the Agents on the establishment of a large Central Technical and Industrial school in the hills for the elder children of railway employés. The State to build the school; the arnual maintenance to be paid by the parents, and by a grant-in-aid, per pupil attending, from the revenue of the several lines. Schools to be constructed to accommodate at least 800 boys or 800 girls, as the expense per head for smaller numbers would be, in Sir Andrew Clarke's opinion, almost prohibitory.

36. The Agents stated that they would, after communication with their London Boards, address Government on this matter.

The Conference adjourned till 11 A.M. on Monday the 17th February.

No. 6.

37. The Conference re-assembled at 11 A.M. on Monday, the 17th February.

PRESENT :- As at meeting No. 5.

38. - The minutes of the previous meeting were read.

39. Colonel Sir Andrew Clarke, K.O.M.G., C.B., R.E., joined the Conference.

40. The draft Railway Act was read clause by clause, and various suggestions and alterations were noted for the consideration of the Select Committee to which the Bill had been referred.

41. With reference to minute No. 83, the following resolution was passed :---

The Conference is of opinion that it is necessary to establish provident funds on all railways irrespective of surplus profits. They therefore suggest that Mr. Saunders' proposal, as well as one submitted by Mr. Mathew, the referred to the various Boards of Directors and the Government of India, with a view to ascertain if they would be prepared to contribute to such a fund out of working expenses; and if so, to what extent.

The Conference was dissolved.

•	1 *	T O TOTAL OF Coloral R R
CALCUTTA ;	2	J. S. TREVOR, Colonel, R.E.,
The 17th February 1879.	<u></u>	President.

Proposed Conference to consider General Rules and Regulations for Indian Railways.

OBSERVATIONS.—At the Railway Conference assembled at Calcutta in February last, the following resolutions were passed, viz. :--

(1) " In the opinion of this Conference, a revised set of general rules and regulations
 Section 8 of the Railway Act of 1879. for all Indian railways should be compiled and published under section 14* of the new draft Act, or under the corresponding section of the Act as passed."

Attached.

Э.

+ Printed and attached.

3

xxxiv

(2) "Government be asked to appoint an officer to compile the rules and regulations, and that the Agent of each Company be requested to decide, on behalf of his own Company, on the adoption or modification of such rules."

(3) "The Agents of the several Companies be invited to send in to the Secretary of the Railway Conference any new rules or regulations they would like added to those now in force on their lines, and also any corrections or alterations they wished to have made in the existing rules."

2. Several sections of the rules have now been revised and circulated for the consideration of the several Railway Administrations, and the remaining sections are in the press and will issue shortly.

RESOLUTION.—The general rules and regulations hitherto in force have remained the same with little alteration for the last twenty-four years. These were based on the railway practice of the day in England, and only one set of rules was allowed for all Indian railways.

2. Under the present law (section 8 of Act No. IV of 1879), every railway Administration is bound to make general rules for the purposes set forth, and such rules require the sanction of the Governor General in Council before they can take effect.

3. Under the same Act, section 26, it is a punishable offence for any railway servant to disobey "any rule or order not inconsistent with the general rules aforesaid, and which such servant was bound by the terms of his employment to obey, and of which he had notice."

4. As most Indian railways are now connected, and as several junction stations are common to two railways, and as in some instances the trains of one line work over portions of another line, and further as the subsidiary rules above described do not require formal sarction, the Governor General in Council is pleased to decide that, in the interests of good administration and of public safety and convenience, there should be, as far as practicable, one set of general rules applicable to all Indian railways.

5. With the view of compiling such a set of general rules it is proposed to hold a conference of Railway Delegates next cold season, by which time the opinions of all Railway Administrations on the revised drafts which have been circulated should have been received, and the work of deciding on a satisfactory code rendered comparatively easy.

6. The exact time and place of the proposed Conference will be notified hereafter; but in the meantime the Agents of Guaranteed Railway Companies should be invited to cooperate and nominate one or more Delegates to represent their railways.

Proceedings of the Railway Conference held at Calcutta in January 1880.

OBSERVATIONS.—The Conference of Railway Delegates assembled at Calcutta on the 6th January in accordance with Government of India Resolution now read again, and was attended by the following gentlemen :—

MAJOR-GENERAL J. S. TREVOR, R.E., Director General	of Railways		President.
BRADFORD LESLIE, Esq., C.E., Agent and Chief Engine	eer, East Ind		
Railway Company	<u> </u>	••••	· Vice-President.
D. W. CAMPBELL, Ésq., Locomotive Superintendent N. ST. L. CARTER, Esq., Traffic Manager	\mathbf{B} Delegates	fro	m E. I. Ry. Co.
G. A. BARNETT, Esq., Agent	Ĵ.		
H. CONDER, Esq., General Traffic Manager	} "	22	G. I. P. Ry. Co.
F. MATHEWS, Esq, C.E., Agent and Chief Engr.	Delegate	33	B., B. & C. I. Ry. Co.
D. Ross, Esq., Traffic Manager	٦		1.y. 00.
C. SANDIFORD, Esq., Loco. Supdt.	Delegates		S P & D P
T. Cox, Esq., C.E., Offg. Chief Engr.	}8	"	S., P. & D. Ry. Co.
S. HARTWELL, Esq., Deputy Agent	า์		
J. G. COOKE, Esq., Loco. Supdt.	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	33	O. & R. Ry. Co.
FRANKLIN PRESTAGE, Esq., Agent	5		· · · ·
J. BRANDER, Esq., Loco. Supdt.	>))	E. B. Ry. Co.
A. M. SAUNDERS, Esq., Agent and Manager	j		
F. H. TREVITHICE, Esq., Loco. Supdt.	> Delegate	"	Madras Ry. Co.
W. S. BETTS, Esq., Agent	,, ,,		S. I. Ry. Co.
CAPT. W. A. J. WALLACE, B.E., Engrin-Chief and) ″	"	
Manager	> Delegates	23	Bengal State
A. W. RENDELL, Esq., Loco. Supdt.)	,,,	Rys.
G. L. MOLESWORTH, Esq., C. E., Consg. Engr. to Govt.	1		
of India 🗸			
Col. J. G. MEDLEY, R.E., Consg. Engr. for Guaranteed			0. / 7. 11
Railways to the Govt. of India	7 77	"	State Railways.
CAPT. W. J. ENGLEDUE, R'E., Offg. Manager, Dhond			
and Manmad State Railway.	J		
CAPT. R. A. SARGEAUNT, R.E., Depy. Consg. Engr. for	Guantel, Bai	1000	79

L. SARGEAUNT, R.E., Depy. Consg. Engr. for Guantd. Railways, Secretary to the

.

Secretary to the Conference.

2. The Conference held seven meetings, and was dissolved on the 13th January.

3. The Conference was convened for the purpose of revising the code of Rules and Regulations for Indian railways, and also for considering the question of adopting some uniform system of recording locomotive miscellaneous services. Other subjects hereafter mentioned, however, were permitted to be brought forward, and were fully discussed.

4. The draft Code of Rules and Regulations, which had been previously circulated, was discussed; and after laying down general principles and fixing certain salient points, a Sub-Committee of ten was appointed to consider the rules in detail. The following are the names of the gentlemen elected to serve :--

G. L. MOLESWORTH, Esq., Consulting Engineer for State Railways ... Chairman. W. S. BEITS, Esq., Agent, South Indian Railway Co.

F. PRESTAGE, Esq., Agent, E. B. Railway Co.

4

S. HARTWELL, Esq., Deputy Agent, O. and R. Railway Co.

D. W. CAMPBELL, Esq., Locomotive Superintendent, E. I. Railway Co.

N. ST. L. CARTER, Esq., Traffic Manager, E. I. Railway Co. -

H. CONDER, Esq., General Traffic Manager, G. I. P. Railway Co.

D. Ross, Esq., Traffic Manager, S., P. and D. Railway Co.

F. H. TREVITHICK, Esq., Locomotive Superintendent, Madras Railway Co.

A. W. RENDELL, Esq., Locomotive Superintendent, N. B. State Railway.

5. The existing rules for the record of train-mileage and locomotive services were revised.

6. On the proposal of Mr. Mathew, it was agreed to recommend that " the carriage of material, including coal and ballast, on Revenue Account be charged to the Department requiring the material."

7. At the request of the Delegates' from the East Indian, Madras and Great Indian Peninsula Railways, a rule regarding the interchange of rolling stock at junctions was passed subsidiary to Rule XVII of the Conference of 1879.

8. On the motion of Captain Wallace, it was decided to solicit Government to appoint a Committee to revise the forms of statistics of railway working.

9. Mr. Campbell brought forward the advisability of adopting one system of continuous brakes for all Indian railways.

10: On a proposition by Colonel Medley, the establishment of a central clearing-house. was considered; and it was found to be the opinion of the Conference that the time had not yet arrived for such an institution.

11. A memorandum on the claims of Guaranteed Railway staff to Government pensions and retirement allowances signed by nine of the Delegates was recorded.

12. Certain questions were raised as to the application of the Government Savings Bank rules to Guaranteed Railway employés.

13. The adoption of an uniform goods classification for all India was considered, and an opinion recorded.

RESOLUTION.—The Government of India learns with satisfaction that a code of general Rules and Regulations for all Indian railways is in course of preparation, and awaits the result of the labors of the Sub-Committee.

The opinions given on the system of recording train-mileage and locomotive miscellaneous services will receive full attention; and revised rules based on the various resolutions passed should be prepared and submitted for sanction.

The proposal to charge for the carriage of all revenue stores would, if carried out, involve such a radical change in the Revenue Accounts that the Government of India besitates to adopt it without further consideration, and desires to communicate with Her Majesty's Sccretary of State on the subject before passing any definite orders.

It is trusted that the subsidiary rule, which has been added to the rules for the interchange of rolling stock passed at the Conference last year, will remove all difficulty experienced as regards this important question, and that the several Railway Companies will units in render-

APPENDIX D.

ing every facility in their power for the expeditious and effective working of through traffic by which the general welfare of the country as well as that of each railway undertaking is greatly affected.

A Committee will be appointed, as suggested, to revise the present form of railway statistics.

The Government of India considers the question of uniformity of continuous brakes for all connected railways one of great importance, and fully concurs in the views brought forward by Mr. Campbell; and, in order to avoid the adoption of various systems on different Indian lines, desires that no system be adopted without its previous sanction.

The thanks of the Government of India should be communicated to the Railway Delegates for the service they have rendered and for the valuable opinions they have recorded.

Proceedings of the Conference of Railway Delegates assembled at Calcutta on the 6th of January 1880, in accordance with Government of India, Public Works Department, Resolution No. 262-81R.T., dated 18th November 1879.

No. 1.

1. The Conference assembled at the Public Works Secretariat in Calcutta at noon on Tuesday, the 6th January 1880.

PRESENT :

MAJOR GENERAL J. S. TREVOR, R.E., Director General of Railways ... PRESIDENT. BRADFORD LESLIE, Esq., C.E., Agent and Chief Engineer, E. I. Ry. Co. VICE-PRESIDENT. G. A. BARNETT, Esq. Agent, H. CONDER, Esq., General Traffic Manager, Delegates from G. I. P. Ry. Co. F. MATHEW, Esq., C.E., Agent and Chief Engineer, B., B. & C. I. Ry. Co. " D. Ross, Esq., Traffic Manager, C. SANDIFORD, Esq., Locomotive Superintendent, S., P. & D. Ry. Co. T. Cox, Esq., C.E., Officiating Chief Engineer, S. HARTWELL, Esq., Deputy Agent, J. G. COOKE, Esq., O. & R. Ry. Co. 33 33 Locomotive Superintendent, FRANKLIN PRESTAGE, Esq., Agent, J. BRANDER, Esq., E. B. Ry. Co. Traffic Superintendent, CAPTAIN W. A. J. WALLACE, R.E., MEMBERS. Engineer-in-Chief and Manager, Northern Bengal State Railway, **Bengal State Railways** A. W. RENDELL, Esq., Locomotive Supdt., N. B. S. Ry., G. L. MOLESWORTH, Esq., C. E., Consg. Engr. to Govt. of India, Col. J. G. MEDLEY, R.E., Consg. Engr. for Guaranteed Railways to the Government State Railways 33 33 of India, CAPTAIN W. J. ENGLEDUE, R.E., Offg. Manager, D. and M. State Railway, D. W. CAMPBELL, Esq., Locomotive Superintendent, E. I. Ry. Co. **3**3 N. ST. L. CARTER, Esq., Traffic Manager, V. S. BETTS, Esq., Delegate " S. I. Ry. Co. Agent, CAPTAIN R. A. SARGEAUNT, R.E.,

Deputy Consg. Engr. for Railways ...

Secretary to the Conference.

xxxvii

•

The following telegram was received from Madras :---

"Agent and Locomotive Superintendent, Madras Railway, will reach Calcutta on Thursday night for Conference."

2. The Conference proceeded to consider the general Rules and Regulations.

As in the general opinion of the Conference the draft rules entered into too much detail, it was agreed in the first instance to decide on what points rules should be drawn up and submitted for the sanction of the Governor General in Council in accordance with section 8 of the Railway Act of 1879, for general adoption on all Indian railways.

3. Mr. Conder, General Traffic Manager, Great Indian Peninsula Railway, remarked that, as the Conference was constituted, it was a question whether each delegate should have a separate vote, and proposed that—

The State Railways combined and that each Railway Company have only one vote each. On this point there was some discussion; but it was decided that votes should be taken individually, each delegate having one vote.

4. The subjects comprised in sections I, II, III and VI having been discussed, it was agreed that the following rules of the draft be struck out, being replaced, where necessary, by subsidiary rules framed by each Railway Administration, viz. :-Rules 4, 23, 29, 32, 33, 31, 37, 39, 40, 41, 44, 48, 97, 138 (first paragraph), 148, 151, 153, 154, 158, 163 and 165.

It was also decided that-

Rule 129 be transferred to section VIII, "Guards."

Rule 163 be replaced by a new rule.

Rules 167 and 168 be transferred to section I, and that-

Rule 169 be placed after Rule 171.

The Conference adjourned till the following day.

No. 2.

5. The Conference re-assembled at 11 A.M. on Wednesday, the 7th January.

PRESENT :--- As at Meeting No. 1.

6. The consideration of the general Rules and Regulations was continued; and the subjects comprised in sections IV, V, VII, VIII and IX as far as Rule 293 having been discussed, it was agreed that the following rules of the draft be struck out, viz.:-63, 78, 84, 86 to 93 inclusive, 175, 176, 180, 183, 187, 197, 206, 212, 218, 225, 226, 228, 229 (last two paragraphs), 232 (first paragraph), 237, 239, 249, 252, 253, 254, 256, 260, 261, 288 (last two paragraphs), 290 (last paragraph).

It was also decided that-

Section V should be re-cast so as to conform more closely to the existing practice on Indian railways.

That-

The note at head of Section VI should be incorporated in the definitions, and that-

Rules 191, 223 and 289 be entirely re-cast.

From Rule 224 to omit from "when" in line 4 to "station" in line 8.

In Rule 278 the latter portion stands as follows —"without a written order, except in cases of unavoidable necessity to be established by the engine driver."

In Rule 282 the portion after "distant signal" in line 7 be omitted.

The Conference adjourned till the following day.

No. 3.

7. The Conference re-assembled at 11 A.M. on Thursday, the 8th January.

PRESENT :- As at previous meetings, with the addition of - '

A. M. SAUNDERS, Esq., Agent and Manager F. H. TREVITHICK, Esq., Locomotive Superintendent

APPENDIX D.

8. The consideration of the general rules and regulations was continued to the end of section X.

It was decided that the following portions of the draft be struck out, viz.,-

In rule 294 from the word "when," line four, to the word "station" inclusive; rules 296, 298; paragraph 3, 300, paragraph 2, the words "and must not stop short of, or overrun the platform"; 300 paragraph 5, in note 303 all words after "operation," rules 305, 306, 307, paragraph 1, 309, 310, 316, 320, 321, 322, 322a.

It was decided that the following rules be added in the proper place, viz.-

Engine drivers with trains must run within the limits of speed fixed for the section of the line they are upon; but these limits, on the 5' 6" gauge are not on any line to exceed for passenger trains 60 miles an hour, and for goods or mixed trains 30 miles an hour, and on the metre gauge, are not to exceed for passenger trains 40 miles an hour and for goods or mixed trains 20 miles an hour.

Engine drivers with trains must not make up between stations more time than is allowed to be made up in that distance by the Railway Administration.

It was agreed to strike out the following, viz. :---

Rules 332, 334, 344 paragraph 2, 345, in rule 346 the words from "every" to "also" inclusive, 347, 348 the words "in a length of at least twenty yards," 360 the words "to secure themselves from the risk of passing trains," 361, 364, 365, 366.

It was decided that-

in 335 for "one mile" read " $\frac{1}{2}$ mile on the level and $\frac{3}{4}$ mile on a falling gradient steeper than 1 in 250," in rules 336 and 338 that "a quarter of a mile" be substituted for "half a mile," and after "mile" in 338, paragraph 1, add "or such lower speed as may be ordered."

That-

A general rule on the subject of rule 345 be added to section I.

Rule 340 be modified as follows :----

No lorry used for the conveyance of material, trolly for the conveyance of men may, in any case, be placed on the line, except by the authorized person, who is responsible for its proper protection and use according to the rules in force on the Railway.

In 339 for "is" substitute "loaded or empty," and omit the words "or men along the line," for "three quarters of" substitute "half," for "any" substitute "a double."

That-

After the word "lorry" in rule 341, the words "or trolly" be added,

That after the word "due" in rule 342 the words be added "except on lines worked on the block system when the time must not be less than five minutes."

In 357 for "two feet" "three feet" be substituted,

9. It was proposed by Mr, Barnett that-

the consideration in detail of the rules generally agreed to, be referred to a Sub-Committee.

This was agreed to without dissent,

The Conference adjourned till the following day.

No. 4.

10. The Conference re-assembled on Friday the 9th January at 11 A.M.

Present :- As at meeting No. 3.

11. The President proposed that-

A Sub-Committee of ten members of the Conference, viz.-

2 from the East Indian Railway,	1 from the B. B. and C. I. Railway,
1 ,, O. and R. c ,,	1 ,, G. I. P. Railway,
1 ,, S. P. and D. ,,	1 ,, S. I. ,,
1 c ,, Madras ,,	2 ,, State Bailways
be appointed to revise rules in detail."	2 " State Railways,

And that the revised rules, when prepared, be circulated to the Railway Administrations for re-concurrence on general principles before submission for sanction of the Governor General in Council.

Mr. Saunders proposed as an amendment that-

From the General Conference, 3 Sub-Committees be formed from the 3 Executive Departments to consider and reframe the rules, and to report to the General Conference as soon as they have completed their work. It being suggested to them that one week should be sufficient for the purpose.

The amendment was lost.

Mr. Molesworth proposed that-

Four officers be elected by the Members of the Conference to consider the wording of the rules, viz. :--

An Agent, An Engineer, A Traffic Manager, A Locomotive Superintendent,

and that a State officer nominated by the President be added to act as Chairman of the Sub-Committee, having only a casting vote.

This amendment was lost.

. The original proposition being carried, the following were elected Members of the Sub-Committee, yiz. :--

Mr. Molesworth, Chairman.

Mr.	Carter.		•	1	Mr.	Conder.	
37	Campbell. Hartwell.				3 3	Trevithick. Betts.	
>> >>	Ross.	••		• •]	33 33	Prestage.	
	•		Ъſ.	Dandall			

Mr. Kendell.

Colonel Medley proposed that-

In case no reply is received from any Raifway Administration within six months of the date on which the revised rules are put in circulation, it shall be understood that such Administration has no objection to their being formally sanctioned.

12. This was carried nem. con.

13. The consideration of the general Rules and Regulations was continued.

It was decided that-

In Rules 368 all words after " train-guards " be struck out,

In Bules 371 the word " require " be substituted for " direct."

Rule 372 read "No ballasting is to be carried on except with permission of the Engineer in charge of the section of Railway."

Rule 373 be struck out.

Rule 376 be made to agree with 342.

Rule 377 be repeated in section of definitions.

In Rule 382 the words "when authorized "be struck out and after "fog "" or dust storm "be added.

Rule 383 read "Ballast trains may be run with a pushing engine on a written order, but in such cases the speed must not exceed fifteen miles an hour," or be recast in these terms to agree with Rule 295.

In Rule 386 the words "viz., a tri-coloured hand lamp, red, green, and white flags and 12 detonating signals," be struck out.

In Rule 387 omit "locked."

Rule 389 be omitted.

In Rule 395 omit " person from."

In 398 for " test the " read " satisfy himself of the proper."

In Rule 401 for the words "when the following precautions must be adopted "substitute "on the authorized rules for working in such cases in force on the Railway."

The subsequent portion of section XIII be struck out.

14. On the proposal of Mr. Barnett it was agreed that the Sub-Committee be requested to revise Sections XIV, XV, XVI, XVII and XVIII, and frame a set of general rules for each system of working applicable to all Indian Railways.

Mr. Saunders observing that the system in force on the Madras Railway was not provided for, it was agreed that a section should be added to make good the omission.

Mr. Conder proposed that-

Rule 1 in Section I be modified as follows :----

Every line of Railway upon which engine power is used for the conveyance of passengers must be worked upon one of the following systems, namely-

A.—Line clear obtained by telegram by which either authority is given for one train only to run between any two stations at one time, or authority is given for trains to follow each other between any two stations at intervals.

B.—Train despatching,

C.—Train Staff and Ticket,

D.-Pilot Guard,

E.—One engine only,

in accordance with the Rules laid down in section * * for the several systems respectively.

Mr. Molesworth proposed as an amendment that-

Rule read-

Every line of Railway upon which engine power is used for the conveyance of passengers must be worked on one of the following systems, viz.:--

"Line clear and caution message."

- "Absolute Block."
- "Train Despatching."
- "Train Staff and Ticket."
- " Pilot Guard."
- " One engine only."

in accordance with the Rules laid down in sections * * for the system adopted.

Mr. Saunders proposed as an amendment that-

The wording of Rule 1 be left to the Sub-Committee with instructions to define the systems under which lines may be worked with or without an electric telegraph.

The amendment being lost, Mr. Molesworth's amendment was put to the Meeting and carried.

15. Major A. Filgate, R.E., Officiating Accountant General, Public Works Department, joined the Conference.

System of recording shunting and other miscellaneous locomotive services.

16. Proposed by the President that-

All light engine running required to equalize the up and down traffic mileage be classed as traffic train-mileage, and that the divisions under train-miles run for the Traffic Department be-

Passengers. Goods. Mixed. Light.

After discussion this was carried by a majority.

17. Proposed by Mr. Barnett that-

The mileage of mixed trains be divided between coaching and goods in the proportion of the mileages of goods and coaching vehicles on such trains, and that light engine mileage be reckoned as goods or according to the class of train from which the necessity for such light mileage arose.

This was agreed to.

18. Proposed by Mr. Mathew that-

In the opinion of this Conference it is desirable, and that it be recommended that the carriage of material, including coal and ballast, on revenue account be charged to the Department requiring the material.

The proposition was adopted.

The Conference adjourned till the following day.

No. 5.

19. The Conference re-assembled at 11 A.M. on Saturday the 10th January.

Present :—As at the latter portion of Meeting No. 4, with the exception of Colonel Medley and Captain Wallace, who were unavoidably absent.

20. Proposed by Mr. Leslie that-

Paragraph c of the existing Government rules as follows be adhered to.

Proposed by Mr Ross as amendment that-

The mileage of trains containing vehicles running on revenue account be divided on the same principle as that adopted for the division of mixed train, between coaching and goods.

The amendment being lost, the original proposition was carried.

21. Proposed by Mr. Cox that-

A mileage allowance be made per hour for the whole time engines are kept under steam for the Engineering Department.

Carried.

Mr. Cox proposed that a rider be added to the preceding, viz., that-

The above rule does not apply to any time-table train running for the Engineering Department.

This proposition was lost.

22. Mr. Leslie proposed that-

The mileage allowance for engineering trains be at the rate of 8 miles an hour, with a minimum of 5 hours a day.

Mr. Trevithick proposed as an amendment that-

The mileage allowance for engineering trains be at the rate of 10 miles an hour with a minimum of 60 miles a day.

Mr. Cooke proposed as an amendment that-

The mileage allowance for engineering trains be at the rate of 61 miles an hour.

Both amendments being lost, the original proposition was carried.

23. Proposed by Mr. Saunders that-

The time for engineering trains be reckoned from the time the engine is taken charge of each day by the Traffic Department for working the train until it is released from duty by the Traffic Department,

Carried.

. .

24. Proposed by the President that-

The time occupied at stations by traffic train engines standing in steam be not taken into account.

Carried.

25. Proposed by Mr. Trevithick that-

If any engine is lighted up by order of the Traffic Department, but not used, a minimum allowance of five hours be made to the Locomotive Department as shunting mileage.

e k

Proposed as an amendment by Mr. Carter, that "three hours" be substituted for "five hours."

The amendment was carried.

26. Mr. Campbell proposed that-

Any shunting done by train engines at road side, terminal and changing stations, beyond ten minutes shunting done to their own trains, be booked from commencement, a certificate for the same being obtained from the Station Master.

Mr. Conder proposed as an amendment that-

No shunting certificate be given for less than 15 minutes and that the first 15 minutes shunting be not reckoned.

The amendment was carried.

27. Mr. Campbell proposed that-

All shunting done by engines, specially provided at the request of the Traffic Department at terminal, changing, or other stations, be reckoned, and that the whole time such engines are "standing in steam" be allowed.

Carried.

28. Proposed by the President that-

The word "piloting" be struck out in clause e of the present Rules, and the words "standing in steam for traffic purposes" be inserted instead.

Carried.

29. Proposed by Mr. Campbell that-

All time of engines used for shunting or standing in steam for traffic purposes be reckoned at five miles an hour.

Mr. Saunders proposed as an amendment-

That the rate be fixed at 6 miles an hour.

The amendment being lost, the original proposition was carried.

30. Proposed by the President that-

The word "piloting" be limited to engines running for the protection of trains, and that the mileage of such engines be reckoned as traffic train-mileage.

Carried.

31. Proposed by Mr. Barnett that-

No record be kept of the time occupied in lighting fires, and getting in and out of shed.

Carried nem. con.

The Conference adjourned till Monday the 12th January.

32. At Meeting No. 6, when the proceedings were read for confirmation, it was-Proposed by Mr. Molesworth that-

In the heads d, e, and f of the Government Rules the word "time" be struck out, and that the heads read—

(d)-Miles run in assisting disabled engines.

(e)-Miles run in shunting calculated at 5 miles an hour.

(f)—Miles run for miscellaneous services calculated on the actual distance run. Carried.

~ 33. Proposed by the President that-

The resolutions arrived at be embodied in a revised draft of rules for recording mileage, and that they be adopted from the 1st January 1880.

Càrried.

- 34. The Conference re-assembled at noon on Monday the 12th January.

Present :- As at the latter portion of Meeting No. 4.

35. The proceedings of Meetings 1 to 5 were read, and the proposals shown in clauses 32 and 33 were added.

· 36. Mr. Saunders stated that-

Since the introduction of the rules for interchange of rolling stock passed at the last Conference, questions have arisen respecting the working of Rule XVII. And the East Indian and Great Indian Peninsula Railway Companies join with the Madras Railway Company in requesting that this rule may be discussed by the Conference before it separates.

It was agreed to discuss the question.

37. Proposed by Mr. Leslie and seconded by Mr Saunders that-

Rule XVII should only be brought into force when the daily average excess of wagons passing the junction in one direction exceeds for one week thirty per diem, and in that case the forwarding Company should not be called upon to take more than one-third of such excess number in empties. The demurrage on these empties to be paid at the rate of two pies k zł per ton of carrying capacity per hour instead of at the usual rate. This ruling to have force . From the 1st January 1880.

Carried without dissent.

. .

with the

1

The Conference adjourned.

No. 7.

, 38. The Conference re-assembled at 11 A.M. on Tuesday the 13th January. Present :- As at Meeting No. 6.

-- 39. The proceedings of Meeting No. 6 were read and confirmed.

40. Proposed by Mr. Ross that-To ruling in minute 37 the following be added-

That forty-eight hours' notice be given by wire by the receiving Company of its intention to forward empties.

This was agreed to.

41. Proposed by Mr. Leslie that-

In addition to the resolution in minute 17-

It also be recommended that in statistics of Railway working, the results be shown on passenger, ton and vehicle mileage, as per attached extract of letter dated the 7th December 1878 (printed Appendix).

Proposed by Captain Wallace as an amendment-

That the present statistical returns require revision, with a view to uniformity in the statements prepared, and a reduction of the quantity of useless information furnished at great labor and expense. Government be requested to appoint a Committee to make this revision at an early date, and that Mr. Leslie's memorandum, dated 7th December 1878, be placed before the Committee for careful consideration.

The amendment was carried.

* --- 42. Proposed by Mr. Campbell that-

Proposals having been put forward for the introduction of continuous brakes, it is recommended that one system be adopted on all Indian Railways, in order that vehicles belonging to the different Railways may be so fitted as to be easily interchangeable; thus avoiding the very great inconvenience, insecurity and expense at present found to be the case on English Railways through so many different kinds of continuous brakes being in use of lines running in connection with one another.

and the second Adopted.

2

Lost.

i ki si ji s

43. Proposed by Colonel Medley, seconded by Mr. Saunders that-

In the opinion of this meeting, the time has arrived for the establisment of a Railway Clearing House in some central position (such as Jubbulpore) for the whole system of Indian Railways on the basis of the English clearing house, and that the Government , be asked to undertake the subject accordingly.

. 1	• For the	proposition	see S votes.	
	Against	*** ·	15e ,,	-

APPENDIX D.

44. Mr. Mathew, seconded by Mr. Saunders, desired that the following might be recorded in the minutes. This was agreed to :--

- The undersigned members of the Conference, before separating, desire to submit to Government, and to the Home Boards of the Guaranteed Companies, the claims
 - of the members of Railway staff in India to such privileges as regards pensions and retirement allowances as Government has allowed to the members of every other branch of the public service in this country.
- 2. The cost of pensions and retirement allowances would, in part, fall on the Railway shareholders, and the undersigned are confident that the Railway Companies would willingly contribute their share on any scale adopted and recommended by Government.
- 3. The Members of the Indian Railway Staff, whose services Government has frequently in formal resolutions acknowledged, have, now, during several years, been looking forward to a settlement of the claims which they have submitted; and, after the meeting of this Conference held a year ago, it was hoped that suitable regulations would have been established.
- 4. Looking to the progressive increase of the revenue from Indian Railways and the further growth of that revenue, which may with confidence be anticipated, it is submitted that the provision of pension and retirement allowances for the members of the staff may be made—without disturbing the financial budget of the department—with real advantage to the public service and to the Railway Companies, as well as to the members of the working establishment.
- 5. The undersigned, with the conviction that the measure, whilst being only fair to the members of a service which has most arduous duties to perform, would also, by offering an inducement to continuous service, and by facilitating retirement in due time, conduce to efficient and economical working of undertakings which have now become of great magnitude, beg most respectfully to submit the subject for the consideration of Government.
 - A. M. SAUNDERS, Agent and Mauager, Madras Railway.
 - W. S. BETTS, Agent, South Indian Railway.
 - F. MATHEW, Agent and Chief Engineer, Bombay, Baroda and Central India Ry.
 - F. PRESTAGE, Agent, Eastern Bengal Railway.
 - J. BRANDER, Traffic Superintendent, Eastern Bengal Railway.
 - F. H. TREVITHICK, Locomotive Superintendent, Madras Railway.
 - J. G. COOKE, Locomotive and Carriage Superintendent, Oudh and Rohilkhund Railway.
 - C. SANDIFORD, Locomotive and Carriage Superintendent, Scind, Punjab and Delhi Railway.
 - T. COX, Acting Chief Engineer, Scind, Punjab and Delhi Railway.
 - D. ROSS, Traffic Manager, Scind, Punjab and Delhi Railway.

45. Mr. Conder brought up the rules lately promulgated for the formation of State Railway Savings Banks, and enquired whether the Government of India would withdraw, in the case of the servants of Guaranteed Railway Companies, the restriction of deposits to a maximum of Rs. 5,000 in one year, and also whether Government were disposed to listen favourably to any proposals for the extension of these rules to Guaranteed Companies.

The President, in reply, stated that there would probably, on application, be no objection to cancel the maximum annual limit for deposits, and that the Government of India would be inclined to regard with favour any suggestion for the extension of the State Railway Savings Banks rules to Guaranteed Companies, but that no pledge could be given, as the question would have to be referred for the orders of the Secretary of State.

Recorded.

46. Enquiry was made by the President whether it would be desirable on another occasion to bring before a Conference the question of the adoption of an uniform goods classification for all India.

On the matter being discussed it appeared that in the opinion of the Members it was certainly desirable that differences in the classifications of the several Railway Administrations should be removed as far as possible, and it was gathered that communications were frequently passing between Traffic Managers with this object. It was, however, impossible in a large country like India to obtain the desired result without experience and careful study of the local peculiarities of Railway goods traffic. Under these circumstances it was considered that the time had not yet arrived when a satisfactory result could be hoped for from a discussion at a Conference, and it was decided that the subject should be left to the several Railway Administrations with a recommendation that the removal of variations should continue to receive the attention of the traffic officers.

The Conference was dissolved.

Report of the Committee appointed to consider the question of Wind Pressure on Railway Structures.

The disaster of the Tay Bridge led to the appointment by the Board of Trade of a Committee to consider the question of wind pressure on Railway Structures.

The following distinguished gentlemen were appointed to serve on the Commission :-

Sir William George Armstrong, C.B., F.R.S.

William Henry Barlow, Esq., F.R.S. Sir John Hawkshaw, F.R.S.

-, 4**0**

Professor George Gabriel Stokes, M.A., D.C.L., F.R.S.

Colonel William Yolland, R.E., F.R.S.

The report has been published, and is so extremely interesting that extracts from it are published in this report :-

WIND PRESSURE (RAILWAY STRUCTURES) COMMISSION.

To the Right Honourable the President of the Board of Trade.

London, May 20th, 1881.

SIR,—In compliance with the instructions from the Board of Trade (a copy of which is given in the Appendix) to consider the question of wind pressure on railway structures, and to report to them on the subject, we have made such inquiries and procured such information on the subject referred to us as we deemed necessary, and have now the honour to report the conclusions at which we have arrived.

It was necessary in the first instance to ascertain as accurately as possible from the sources which were accessible to us what the highest pressures of the wind in this country amount to. With this object we obtained from those observatories and stations where the pressure or velocity of the wind is measured the statements which we give in the Appendix. In order to exhibit the action of the wind during heavy storms, we have also appended lithographed copies of wind diagrams taken by means of self-registering apparatus at Bidston, Glasgow and Greenwich.

At some of the stations from which we have obtained returns the wind pressures are measured directly by Osler's self-registering pressure anemometers; at others the velocity only of the wind is measured by Robinson's rotating anemometers, the velocity of the wind being taken at three times the velocity of the revolving cups.

For some stations the only published information is the run in miles of the wind during each hour. These can obviously be no more than a general accordance between this and the greatest pressure experienced during the hour. To utilize for our purpose observations taken at stations where the velocity only of the wind is recorded, the records of the Bidstone Observatory, where both elements are recorded, have been employed as furnishing a means of connection between the two. In the case of high winds, with which alone we have to deal, it was found that the greatest pressure recorded in an hour was tolerably well proportional to the square of the mean velocity during the hour, and that the empirical V۶

formula 100 = P, where V = maximum run in miles of the wind in any one hour and P =

maximum pressure in pounds on the square foot at any time during the storm to which V refers, represented very fairly the greatest pressure as deduced from the mean velocity for an hour. We have accordingly given in the Appendix a table calculated from the above formula for deducing maximum pressures from observed velocities.

In addition to the tables obtained from English, Irish and Scottish stations, which are those only that are strictly applicable to our inquiry, we give as matter of information a summary of strong winds registered at stations on the Continent and in India.

It will be seen on reference to the Tables that the wind pressures vary greatly at different stations. This, no doubt, mainly arises from difference of exposure of the stations to the action of the wind in consequence of the geographical and local circumstances of their position, but may in some cases be partly caused by differences in the instrument used for measurement. Thus at Glasgow the highest recorded pressure per square foot is 47 lbs., while at Bidston near Liverpool the indicated pressure on one occasion amounted to 90 lbs., and on another occasion to 80 lbs.

But the pressures at Bidston seem very abnormal, being much beyond what have been noticed at any of the other stations. The conformation of the ground on which the Bidston Observatory stands is such that the velocity of the wind there might be greatly intensified.

It will be noticed in the lithographs that the records of exceptional high pressures indicate a very brief duration. From inquiries we have made, we are satisfied that these records are not referable to instrumental error, depending on the recording instrument being carried by 'its momentum beyond' the position of equilibrium under the wind pressure acting at the moment, but represent a real phenomenon. But whether the exceptionally high velocities to which such pressures are due extend over a considerable space in a lateral direction, or, on the other hand, are extremely local, is a point on which we have not been able to find experimental evidence.

The differences of the wind pressures observed at different stations led us to consider whether there were any other modes of approximately ascertaining the force of the wind for our purpose. There are many buildings, tall chimneys, ship building sheds, &c., which probably would not withstand pressures so extreme as those we refer to; but in most cases the contour of the adjoining ground, and the obstruction to wind by adjoining buildings, trees, and other surrounding objects would render conclusions drawn from such cases unreliable. It occurred, however, to us that some useful information might be drawn from another source, viz., from railways themselves.

It is obvious that on existing railways that have been long in use, a series of experiments, if we may apply such an expression to them, have for many years been carried on; for over them trains have been running at all times of the day and night on high and unsheltered embankments and along other spaces exposed in many cases to very strong winds.

Now, a wind pressure varying from 30 to 40 lbs. per square foot is sufficient to overturn the ordinary railway carriages that have been in use during the last twenty-five or thirty years; and we thought it useful to inquire from the different Railway Companies for cases where railway carriages have been overturned by the force of the wind. The only cases of this kind that have been brought to our knowledge are appended to this Report.

From the information thus acquired, from the inquiries we have made, and from the consideration we have given to the subject, we are of opinion that the following rules will sufficiently meet the cases referred to us :---

- (1) That for railway bridges and viaducts a maximum wind pressure of 56 lbs. per square foot should be assumed for the purpose of calculation.
- (2) That where the bridge or viaduct is formed of close girders, and the tops of such girders are as high or higher than the top of a train passing over the bridge, the total wind pressure upon such bridge or viaduct should be ascertained by applying the full pressure of 56 lbs. per square foot to the entire vertical surface of one main girder only. But if the top of a train passing over the bridge is higher than the tops of the main girders, the total wind pressure upon such bridge or viaduct should be ascertained by applying the top of the main girders, the total wind pressure upon such bridge or viaduct should be ascertained by applying the full pressure of 56 lbs. per square foot to the entire vertical surface from the bottom of the main girders to the top of the train passing over the bridge.
- (3) That where the bridge or viaduct is of the lattice form or of open construction the wind pressure upon the outer or windward, girder should be ascertained by applying the full pressure of 56 lbs. per square foot, as if the girder were a close girder, from the level of the rails to the top of a train passing over such bridge or viaduct, and by applying in addition the full pressure of 56 lbs. per square foot to the ascertained vertical area of surface of the ironwork of the same girder situated below the level of the rails or above the top of a train passing over such bridge or viaduct. The wind pressure upon the inner or leeward girder or girders should be ascertained by applying a pressure per square foot to the ascertained vertical area of surface of the ironwork of one girder only situated below the level of the rails or above the top of a train passing over the level of the rails or above the top of a train passing over the level of the rails or above the top of a train passing over the level of the rails or above the top of a train passing over the level of the rails or above the top of a train passing over the level of the rails or above the top of a train passing over the level of the rails or above the top of a train passing over the said bridge or viaduct, according to the following scale via.

 - (b) If the surface area of the open spaces lie between two-thirds and three-fourths of the whole area included within the outline of the girder, the pressure should be taken at 42 lbs. per square foot.
 - (c) If the surface area of the open spaces be greater than three-fourths of the whole: area included within the outline of the girder, the pressure should be taken at the full pressure of 56 lbs. per square foot.
- (4) That the pressure upon arches and the piers of bridges and viaducts should be ascertained as nearly as possible in conformity with the rules above stated.
 (5) That in order to ensure a proper margin of safety for bridges and viaducts in respect
- (5) That in order to ensure a proper margin of safety for bridges and viaducts in respect of the strains caused by wind pressure, they should be made of sufficient strength to withstand a strain of four times the amount due to the pressure calculated by the foregoing rules. And that, for cases where the tendency of the wind to overturn structures is counteracted by gravity alone, a factor of safety of 2 will be sufficient.

With regard to the eighth paragraph of the Report of the Select Committee on the North British Railway (Tay Bridge) Bill, to which you have drawn our attention, we beg to observe that where trains run between girders they will generally be sufficiently proAPPENDIX E.

tected from the wind, the degree of protection afforded by the girders depending on the extent to which the girders are open or close; where the girders are so open as to afford insufficient protection, or where trains run, as in some cases they may do, on the tops of girders, we assume that the engineer will provide a sufficient parapet; but we are indisposed to go further into detail on this subject, as it might tend to stereotype modes of construction, which we think is undesirable.

In conclusion, we beg to point out that the velocity of wind, like that of every other moving body, is more or less retarded by friction, and will be affected therefore by the character of the surfaces over which it has to pass, which may be rough, smooth, or irregular. It will follow, therefore, that other things being the same, greater velocities will be attained at higher altitudes than at low ones, the wind at higher altitudes being further removed from retardation by friction.

Though we are of opinion that no bridge or viaduct is likely to be built in such a situation as to expose it to wind pressures equal to those which have been occasionally indicated by the disc on the Bidston Observatory, yet even if that were possible, a bridge or viaduct constructed according to the rules we have given would not be subjected to strains nearly equal to its theoretical strength.

On the other hand, there will be many structures of small altitude or in sheltered situation which never can be exposed to the wind pressure we have assumed, and where the application of the rules we have given would require modification.

Some modification of the rules may else be required in the case of suspension of other bridges of very large span; but such cases will be of rare occurrence, and we recommend that they should be specially considered when they arise.

₽₹

ź

We have the honour to be, SIB, Your most obedient Servants,

> JOHN HAWKSHAW. W. G. ARMSTRONG. W. H. BARLOW. G. G. STOKES. W. YOLLAND.

We, the undersigned, concur in the above Report so far as it goes ; but we think the following clause should be added, viz. :--

The evidence before us does not enable us to judge as to the lateral extent of the extremely high pressure occasionally recorded by anemometers, and we think it desirable that experiments should be made to determine this question. If the lateral extent of exceptionally heavy gusts should prove to be very small, it would become a question whether some relaxation might not be permitted in the requirements of this Report.

> W. G. ARMSTRONG. G. G. STOKES.

Extract from a letter dated 11th August 1880 from H. G. Calcarft, Esq. (Assistant Scoretary, Railway Department, Board of Trade), to W. Airy, Esq. (Secretary to the Wind Pressure Commission), referred to in page 2 of the foregoing Report.

"I am further to enclose a copy of the Report of the Select Committee on the North British Railway (Tay Bridge) Bill of the present session; and in drawing your attention to paragraph 8, in which the Committee refer to the question of providing shelter from the wind for trains passing over the bridge, to suggest for the consideration of the Committee that this point might be included in the scope of their inquiry."

Paragraph 8 of the Report of the Select Committee on the North British Railway (Tay Bridge)

Bill.

"No provision for giving any shelter to the train from the wind during its passage over the bridge was included in the scheme before the Committee. This subject they consider most important, and it will no doubt receive the attention of the Company's Engineer in preparing plans for the reconstruction of the bridge.

Summary of Strong Winds registered at Stations in England and Scotland where the pressures were measured directly by Osler's Self-registering Anemometers.

GLASCOW.

The Osler anemometer is at a height of 40 feet above the ground, and 218 feet above mean sea level. It is placed on the top of the observatory, which stands on a hill of no great height on the outskirts of Glasgow, and it is fully exposed to the wind on the south and west, though sheltered to some extent on the north and east by tall buildings and hills. The area of the pressure plate was at first 1.3 square feet, afterwards 1 square foot, and subsequently 2 square feet.

Recorded Maximum Pressures up to or above 30 lbs. on the Square Foot from 1861 to 1873.

•	Date.			Maximum Pressure in Lbs. per Sq. Foot.		Date.	• : •		Maximum Pressure in Lbs. per Sq. Foot,
1861—January	24	£88	\$ g }	30	1862-October	19			33
February	2	***		38	32	27	40 L		36
March	6	1.5.1	***	45	December	15			30
	8		101	40	* 97	18			42
	17			47	1863-January	19			45
	18	•	***	34	-	22	44.3		40
October	13	4#L		30	37	26			40
November		***	# 4.1	33	October	29	**.5		45
	21	***	* 941	34	1864—February		***		40
5	24	***	***	42	1865—December	10	133 -		35
1862—January	9	345	8×+	38	1866—December		### "	***	31
	7	*** 、	***	35			***	. 100	
June		***	***		1868-January	24			40
July	19	***	***	35	April	29		R 1 1	32
October	17	245	***	40					-

NOTE.-No pressures up to 30 lbs. recorded during the years 1869, 1870, 1871, 1872, 1873.

GREENWICH.

The anemometer is at a height of 56 feet above the ground, and 213 feet above mean sea level. It is placed on the top of the observatory, which stands on the brow of a hill breaking down very steeply towards the north. The exposure of the anemometer to the wind is complete and extremely severe. The area of the pressure plate during the years referred to in the table was 2 square feet.

Recorded Maximum Pressures up to or above 25 lbs. on the Square Foot from 1872 to 1878.

	Date.		Maximum pressure in Los. per Sq. Foot.		Date.			Maximum Pressure in Lbs. per Sq. Foot,
1872—January "" March November December 1878—January	4 5 17 18 23 24 27 28 26 7 8 4 18	444 244 244 244 244 244 244 244 244 244	 25·1 *42·0+ *42·0+ *42·0+ *42·0+ *42·0+ *42·0+ *42·0+ *42·0+ *42·0+ *5·0 *1·0	1873-November 1874-December 1875-January June November 1876-March 1877-February April November 1878-August	27 8 24 25 12 6 12 15 20 16 17 11 30	1 1	····	30.0 29.0 30.0 *42.0+ 25.0 25.0 25.0 25.0 25.0 35.0 27.5 34.0 29.3 32.6 34.0

Norm.—The instrument did not record pressures greater than 42 lbs. on the square foot. On those occasions when the pressure is marked thus $(42.0 + \text{ in the above table, the plate was repeatedly forced back to the extreme limit of its range by the wind, and the maximum pressure was undoubtedly greater than 42 lbs. This was specially the case with the storm of December 8th, 1872, when from the violence of the back-lash indications of the pencil trace, there is reason for thinking that the maximum pressure must have exceeded 50 lbs., and probably approached 60 lbs. on the square foot.$

ADDENDUM.—In the month of May 1880, the anemometer at the Greenwich Observatory was altered so as to record pressure somewhat greater than 50 lbs. per square foot, by the reduction of the area of the pressure plate from 2 square feet to $1\frac{1}{3}$ square feet, and the anemometer was carefully adjusted and verified. On the 18th January 1881 an extremely violent gale from the east occurred, and the anemometer recorded pressures up to or greater than 50 lbs. per square foot four times during that storm. The highest pressure attained was $51\frac{1}{2}$ lbs.

LIVERPOOL (BIDSTON).

The anemometer is at a height of 56 feet above the ground, and 251 feet above the mean sea level. It is placed on the top of the Bidston Observatory, which is situated on the top of a range of hills on the couth side of the Mersey; these hills rise abruptly from the sea level on both sides, but specially on the west side. The exposure of the anemometer to the wind is complete and remarkably severe. The area of the pressure plate was 4 square fect up to 1873, and was then reduced to 2 square feet.

	Date.	•	Maximum Pressure in lbs. per square foot.	Date.	Maximum pressure in lbs. per square foot.
1868 January February March April November December 1869 January February March September 1870 September 0ctober	4th 22nd 8th 21st 7 3rd 27th 31st 27th 28th 1st 7 19th	···· ··· ··· ··· ··· ··· ··· ··· ··· ·	 51.2 700 490 650 530 47.5 490 400 490 490 450 500 450 650 650 650 500 465	1872-November 6th December 9th 1874-January 2nd October 21st 1875 January 20th September 27th 1877-January 30th February 20th November 22nd 23rd	900 550 570 505 505 500 504 700 690 455 50 455 50 10 630 10 50 10 10 50 10 50 10 10 10 10 10 10 10 10 10 1

Recorded Maximum Pressures up to or above 45 lbs. on the Square Fool from 1868 to 1879.

Method of deducing the maximum pressure of the wind during a storm from the maximum run of wind in any one hour during the same storm.

At the stations of the Meteorological Office the actual run of the wind in miles is recorded from hour to hour throughout the day by a self-registering apparatus. But the pressures of the wind are not measured at those stations. In order to deduce the maximum pressures from the maximum runs of the wind in any one hour, it is necessary to have recourse to some good station where both of these sets of quantities have been measured. A table can then be formed giving the average relation which exists between the maximum pressure and the maximum runs of wind in any one hour at that station.

The station selected for the formation of such a table is the Bidston Observatory. This station is very suitable, both from the wide range of the velocities and pressures experienced, and from the care and order with which the observations have been recorded and published. The table has been formed from the published results of the Bidston observations from 1st January 1870 to 31st December 1878. The method of forming the table was as follows :---

As the object of the table was to deal with the higher velocities and pressures of the wind, no notice was taken of maximum hourly runs of the wind smaller than 35 miles in an hour. A first subsidiary table was then formed of all the maximum hourly runs of the wind lying between 35 and 45 miles in an hour with the maximum pressures corresponding : these were respectively added up and an average result obtained of a maximum pressure of 14.71bs. per square foot for a maximum hourly run of the wind of 40 miles. A second subsidiary table was then formed of all the maximum hourly runs of the wind lying between 45 and 55 miles in an hour with the maximum pressures corresponding, and an average result obtained as before. A third subsidiary table was then formed of all the maximum hourly runs of the wind lying between 55 and 65 miles in an hour with the maximum pressures corresponding. And so on to the highest velocities registered. The results obtained in this manner were as follows :---

	Maximum hourly run of the wind in miles.	Maximum pressure in lbs. on the square foot.	
	40 50 60	14.7 23.7 33.9	•
•••	70 80	48-0 65-5	

On an examination of the above figures it is seen that the pressures are very nearly proportional to the squares of the velocities in every case; and that the simple formula $\frac{Vi}{100} = P$ will serve with tolerable accuracy as the basis for the computation of a table connecting the maximum run of the wind in miles in any one hour (V) with the maximum pressure in lbs. on the square

APPENDIX E.

foot (P) at any time during the storm to which (V) refers. The following table has been computed from the above formula :---

Table for converting maximum hourly runs of the wind into maximum pressures, calculated from the Formula $\frac{V2}{100} = P$, where V = the maximum run in miles of the wind in any one hour, and P = the maximum pressure in lbs. on the square foot at any time during the storm to which V refers.

Maximum hourly run of the wind in miles.	Maximum pressure in lbs. on the square foot.	Maximum hourly runs of the wind in miles.	Maximum pressure in lbs. on the square foot.
 40	16.0	71	50.4
. 41	16.8	72	51.8
42	17.6	73	53.3
43	18.5	74	54.8
44	19.4	75 76	56.2
45	20.2	76	57-8
46	21.2	77	59.3
47	22-1	78	60.8
48	23-0	79	62.4
49	24.0	80	64.0
50 51	25.0	81 82	65.0
51	26.0	82	67-2
52	27-0	83 -	68.9
53	28.1	84	70.6
54	29.2 -	85	72-2
55	30.2	86	74.0
56	31.4	87	75-7
57	32.5	88	77-4
58	33.6	89	79-2
59 60	34.8	90	81.0
61	36.0	² 91	82.8
62	87·2 38·4	92 93	84.6
63	89.7	94	86°5 88°4
64	41.0	95	90.3
65	42.2	96	92.2
66	43.6	97.	941
67	43 0 44 9	98	960
68	46 2	99	980
69	47.6	. 100	1000
70	49.0	. <u>.</u>	1000
		· .	•

Summary of Strong Winds registered at Stations in India.

The pressure was in all cases measured directly by Osler's anemometers,

BOMBAY.

Recorded Maximum Pressures up to or above 10 lbs. on the Square Foot, from 1849 to 1865.

Date.			Maximum pressure in lbs. per sq. foot.	Date	• •		Maximum pressure in lbs. per sq. foot.
1849—June 21st 1850—Oct. 7th Nov. 1st 1851—May 28th June 10th July 11th Aug. 1st 1852—June 21st Aug. 1st 1854—Nov. 1st 1854—Nov. 1st 1855—June 11th	···· ···· ···· ···· ···· ··· ···	- - - - - - - - - - - - - - - - - - -	110 140 100 110 130 100 100 110 110 380	1856-May 21st ,, 30th ,, 31st June 1st 1857 ,, 25th 1858-, 24th 1859-, 3rd July 16th 1860-June 14th Oct. 16th 1862-June 14th 01865	1/ 	· · · · · · · · · · · · · · · · · · ·	16.0 14.0 11.0 11.0 10.0 12.0 11.0 11.5 16.0 16.0 16.0 10.7 10.5

•• :	Date.		-	Maximum pressure in lbs. per sq. foot	Date.	•		Maximum pressure in lbs. per sq. foot.
1870—Apl.	8th		- 	18.0	1874-Mar. 8th	***		18.0
	9th			40.0	Oct. 15th	444		120
1871 "	3rd	e+4	***	30°0	1875-May 2nd	***		110
May	7th	6.4 k		19.5	" 9th	***	(1).	84.0
15	25th	***		22.0	" 19tb	***		14.0
**	26th			· 114	17th	***		18-0
1872—Apl.	let			12.0	" 24th			340
	4th		***	10-0	" 26th	-		13.2
11	23rd	***	***	11-2	, 27th		***	12.0
May	18th	***	12.5	11.8	June 1st	544		10.2
1873—Apl.	28th		······································	80.4	July 14th		•••	11.3
May	3rd	¥##,		10-3	1876-Mar. 16th	144		200
38	4th	# 2 K?	3 34	25.0	Nov. 1st			14.0
	24th	ֈ.	***	11.0	1877-Mar. 17th			410

CALCUTTA. Recorded Maximum Pressures up to or above 10 lbs. on the Square Fool, from 1870 to 1877.

DODABETTA,

An exposed station on the top of the Nilgherry Hills, 8,640 feet above the level of the sea.

• Recorded Maximum Pressures up to or above 25 lbs. on the Square Foot, from 1847 to 1854.

	Date.	4	Maximum pressure in lbs. per sq. foot.	Date	•	Maximum pressure in lbs. per sq. foot.
1847—April May Junə July Sept. " " 1848—April Juna " " " July 1849—Jun9	24th 12th 26th 26th 8th 9th 10th 30th	900 100 100 100 100 100 100 100 100 100	*35-0+ 28-5 30-0 27-0 32-0 27-5 28-0 28-0 *35-0+ 27-0 26-0 29-0 29-0 29-0 29-0 29-0 29-0 29-0 29	" 22nd July 25th " 29th " 30th " 31st 1851—May 3rd Jane 9th	23.7 24. 43.7 73. 43.7 73. 43.7 73. 43.7 74. 73.6 73. 73.6 73. 73.6 73. 73.6 73. 73.7 73. 73.8 74. 73.8 74. 73.8 74. 73.8 74. 73.8 74. 73.8 74. 73.8 74. 73.8 74. 73.8 74.	280 290 290 275 805 805 805 280 280 820 820 820 820 820 820 820 820

* The anemometer did not at these times record pressures greater than 35 lbs. No explanation is given concerning the pressures of 38 lbs. and 40 lbs, in the latter part of the table, and it is possible that the instrument may have been altered so as to record pressures higher than 36 lbs.

MADEAS.

Recorded Maximum Pressures above 1 lb. on the Square Foot, from 1841 to 1851.

	Data.		· · · ·	Maximum pressure in lbs. per sq. foot (partly estimated).	Data.		Maximum pressure in lbs. per sq. foot (partly estimated).
1841—April	29th	***	***	8.1	1846-October 20th		•16·9
May	15th		·	12·2	November 24th		8.4
	16th	• • • •		17-1	25th		#33-8
1842-May	SOth	***		7.6	1847-October 13th		15-7
June	17th	***		7.5	December 12th	114	7.6
July	24th	***		6.9	, 13th	444	7-7
October	23rd			17.2	1848-March 8rd		11.0
	24th		***	16.0	May lat		7.8
1843-May	20th			7.6	November 1st		8.7
-	21st			9.7	1850-May 23rd		15 6
November	SOth	***	124	7.3	1851-May 8rd		7.8
December	lst			7-9	, 4th		22.7
1844-May	8th			6.8		•••	
December	25th	***		6.6	0	-	
1845-May	24th	***	- 184	7-9			

• On these occasions the instrument failed to perform, and it is possible that the maximum pressures were even higher.

higher. Note.--The published pressures in the Madras tables give the average force of the wind reckoned during 10 minutes before, and 10 minutes after each hour. The maximum of such published pressures has been increased 30 per cent. in the above table to obtain the probable maximum pressure of the day, this being, on an average, the proportion which existed in the Dodabetta observations, where both the average pressures and the maximum pressures are given.

3

2

List of Accidents to Railway Trains caused by the force of the Wind.

ENGLAND.

In September 1855 a goods and cattle train which was being run from Preston to Carlisle was brought to a stand by wind pressure on the Shap Bank, for about 20 minutes, and then three empty cattle wagons and three empty sheep vans, next to the engine, were blown over on their sides.

On the 5th January 1867 the 8.20 P.M. local mail train from Holyhead, consisting of two engines, breakvan, post-office van, three carriages, a guard's van, and a truck, came to a stand on a high embankment about two miles from the Aber station, on the Chester and Holyhead line, owing to the snow and the force of the wind. Just afterwards the coupling chain between the second engine and the first break-van separated, and a few minutes later the breakvan and the post-office tender were turned over on their sides.

On the 11th April 1876 the down night Irish mail, consisting of an engine and twelve vehicles, and on the 11th August, of the same year, the up night Irish mail train, consisting of an engine and 14 vehicles, were stopped dead by wind-pressure on the Chester and Holyhead Railway, between Gaerwen and Bodorgan, on what is known as the Llangaffo Bank, the gradient being 1 in 100.

About six years ago (*i.e.*, about 1874), exact date unknown, the down night Irish mail train was brought to a stand on the Llangaffo Bank by wind pressure, and also on the Llandulas Bank, between Abergele and Colwyn, on the Chester and Holyhead line, from the same cause. In the latter instance the train had to be divided and taken up the incline (the gradient of which is 1 in 100) in two parts.

In 1865, on the Festiniog railway, the gauge of which is I' $11\frac{1}{2}$ ", a van with not more than one cwt. of luggage in it was blown over on an embankment. The speed was about 12 miles an hour, upon a slight curve, the inner rail being $\frac{1}{2}$ " lower than the outer rail; the difference of level aiding the fall of the van.

INDIA.

On the 5th October 1864 on the Eastern Bengal Railway two trains were upset during a violent storm. One of these was a train of eight passenger vehicles and was upset near Echapore. The other was a train of 12 passenger vehicles and was upset near Arrunghatta. In both cases all the passenger vehicles were blown over on their sides. Besides these cases four wagons were blown from a siding at Baggoolah, and capsized about half-a-mile north of that station on the same day. Other accidents happened on the same day from collisions caused by wagons which were started from sidings by the force of the wind.

On the 21st September 1878, a long train of wagons travelling at about eight miles per hour, on the Eastern Bengal Railway was brought to a standstill by a heavy storm and was then forced back about a mile with full steam and brake against it; eighteen wagons were then detached, but even with half the train it was found difficult to continue the journey.

On the 21st November 1880, at Negapatam, on the South Indian Railway, an empty covered goods wagon was upset by the wind while standing at rest in a siding.

Numerous instances have occurred on the Indian Railway of trains being stopped, or nearly so, by the force of the wind.

NEW ZEALAND.

On the 11th September 1880, on the Rimutaka incline a train was blown over while crossing a gully which entered the main valley at right angles. The gauge of the railway is 3' 6", and the incline was worked by a Fell engine, which was situated in the middle of the train, having two passenger vehicles and a guard's van in front of it, and two luggage vans and an incline brakevan behind it. The carriages and van in front of the engine were first blown over: the front carriage went to pieces and the passengers in it were mostly killed; the other carriage and the van hung to the engine by the couplings. The goods vans and the other brakevan behind the engine retained their position on the rails for a minute or two, and then the goods vans were blown over.

FRANCE.

Five trains have been upset by the wind of the railway from Perpignan to Narbonne, between 1860 and 1868, as follows :---

On the 27th February 1860 a passenger train of six carriages, travelling at a speed of about 15 kilometres an hour, was blown off the line and rolled down the embankment. On the same day a luggage train was blown off the rails near Rivesaltes; six empty wagons were turned over, and dragged with them a loaded wagon; four trucks loaded with iron goods and three loaded wagons were not upset.

On the 19th January 1863 16 empty wagons standing on a siding at the station of Leucate were upset by the wind.

On the 11th February 1865 11 goods wagons standing on the same siding at Leucate were appet by the wind.

On the 5th December 1867 a passenger train travelling at a speed of about 30 kilometres an hour, and consisting of an engine and seven vehicles, one of which was a brakevan, was upset by the wind. All the carriages were thrown over, but the brakevan, which was heavier, merely left the rails.

APPENDIX F.

Statement showing the extent of the employment of Natives as Engine Drivers and Shunters on Guaranteed and State Railways during 1880.

	NUMBER I	WPLOYED.		
Railways.	Engine Drivers and Shunters	Firemen, &c.	Observations of Railway Administrations.	Remarks.
East Indian Railway	• 2 27	760	The further extension of the movement has for	
			a time become somewhat limited on account of the want of education amongst the oldest	
	•		classes of the native shunters and firencen. This obstacle to progress was anticipated as	
		` *	far back as 1876, when inducements were held	
· •		-	out to the men to attend school after work hours. Finding that something further was	
	· `,	· •	required, departmental schools were intro-	
	с К		duced in 1877, and promotion to the grade of native fireman was made subject to the men	
		· · · · ·	attending school and showing some progress in one or other of the native languages.	
			There are now 18 departmental schools estab-	
	· 💦	· ·	lished for this purpose, and the average daily attendance is about 400 men.	
*	1 . · ·		Native firemen have been working on goods	
100 °	· ·	· ·	no less than 760 men being on the staff at	
e la compañía de la c			the present time is sufficient to prove that their employment is a success. As far as	
			carefulness of their engines is concerned, it	
	₽		has been found that nutives are as careful in that respect as Europeans with a similar	
			length of service on the footplate.	
			During the 6 years ending with 1880 a saving of about Rs. 15,95,924-8-10 has been effected.	
			In hallast train drivers' wages a saving is now effected in this department of nearly Rs. 2,000	
	. ^		per month, or Rs. 24,000 annually. This	* *
			represents the saving resulting from replacing only six European drivers by natives on the	
۲. ۲		. r	following districts, o'z., Howrah yard, Ram- pore Haut, Sahibgunge, Jumalpore, Allahabad	
-	l.		(with Jubbulpore line), and Cawnpore. The	
* `			cost in drivers' wages, overtime and allowance to these districts prior to native drivers being	
" .	L .	·· .	put in charge of the trains in April 1880	
			amounted to Rs. 2,140 per month, and it has now been reduced to Rs. 220 a month, show-	•
			ing a clear gain of 90 per cent. It has never been contemplated to work ballist	•
	•		trains with native guards, so that there is no	•
		÷ .	drawhack to the abovementioned savings by the substitution of native drivers.	
Madras Railway			The number of drivers working the trains now	
Association and a second second			is less than the number on the books five years ago, and arrangements are in progress for the	
			gradual introduction of native drivers ; but it	
			will be several years before any considerable number can be had, as those who have sought	
-			employment as firemen are not sufficiently	◄.
	· · · · · ·		intelligent ever to make drivers.	
South Indian Railway	- , 20	- 488 - R	Principally engaged doing shunting, driving special goods trains, and in some cases passen-	
•		'.	ger trains on branch lines. It is impossible	
	- Sec		to get a better or educated clars of natives to join the service, so as to become engine	
- 1	**		drivers; and even if they are willing, they are not physically capable of carrying out the	
	** Å		dutics necessary for an engine driver. Their	
÷	•	· • ·	caste prejudices interfore in many ways. The great drawback is want of education.	\$.
	• • •		Recruiting of European and Eur sian Gremen has been stopped, and encouragement has	* ا ر •
			been given to the best native firemen to qualify	
Orcat Indian Peuin	. 39	60	for drivers.	· · · · ·
sula l'ailway.	· · ·		*	

≠ .

APPENDIX F.

	NUMBER	EMPLOYED		
Railways.	Engine Drivers and Shunters.	Firemen, &c.	Observations of Railway Administrations.	Rewarks.
Bombay, Baroda and Central India Rail-	8		In addition to these, there are 2 West Indians, 9 Eurasians, 7 Portuguese, and 5 Parsees.	
way. Enstern Bengal Rail- way.		178	There are no natives in charge of locomotive engines at present. There are 18 European and Eurasian main line drivers and 9 shunters. It is considered absolutely neces- sary to adhere to the present system of em- ploying Europeans and Eurasians as shunters.	
Oudh and Rohilkhand Railway.	57	•••	Of the number noted, 26 were employed as drivers and 31 as shunters. The saving by employing the 26 drivers is Rs. 4,082 per mouth. Their working is reported as having been satisfactory, as they have been attentive and have given little cause of complaint. In cases of breakdowns also, they have on every occasion done credit- ably. Their education in English and the vernacular is, however, not so far advanced as is desirable; but the men feel the necessity of improving themselves in this direction, and are educating themselves in their spare time.	ŗ
Sind, Punjab and Delhi Railway.	38	191	In addition to the number shown, some 300 natives were employed in various capacities about the running sheds, a proportion of whom in time no doubt will be eligible as material to use on engines. The two men named drivers are employed on the Gazeeabad and Delhi Branch, and do their work very satisfactorily.	
Northern Bengal State Railway.	3	4		
Tirhoot and Patna-Gya Railways.	2	\$10°	One man is employed as a shunter to work the engine that takes the trains from Bazidpur to the Ghât, 7 miles, in order to save driver's overtime. He has done very well and has had no accidents. The other man does all the shunting in the Somastipur yard, and was appointed in place of a European dispensed with. He also runs goods trains when re- quired.	
Calcutta and South- Eastern.	4	8	All the drivers and shunters employed on hoth lines are natives. The speed on these lines is slow and traffic small. The native drivers have	
Nalbati State Railway	8	8	so far given satisfaction. They are not so economical in fuel as Europeans, but there is considerable saving in cost of establishment.	
uttra-Hathras Rail- way.	4	50% -1	One driver was promoted from fireman, 2 other drivers had been running for some years, and one new man was obtained who had been a driver. All natives. Their work has been generally satisfactory.	
awnpore and Farnkh- abad Railway.		-	Was not open for public traffic in 1880.	
lildarnagar and Gha- zipur and Sindia State Railways.	•••		The Sindia State Railway is worked by Euro- pean as well as native drivers with native firemen. The Dildarnagar branch was mostly worked by a European driver with 2 native firemen. The necessary arrangements for working entirely with native staff is not yet completed.	
lizam's State Rail- way.	•••	15 3	The full complement of drivers, including two Parsecs, are employed. It is difficult, if not impossible, to procure native drivers.	
liarnagar-G on d a l Railway.	•••	`	Nothing has been done in the way of training natives as drivers and shunters.	
angoonsand Irrawad- dy Valley State Railwar,	4	ξ 0 с	Natives of India or Burms are not employed as drivers, except upon suburban lines, in Rangoon. All first and second class firemen employed on this line are natives of India. Four natives of India are employed in driving and shunting, and 50 first and second class firemen.	•

a: ,

.


APPENDIX F.


•	NUMBER EMPLOYED.		
Railways.	Engine Drivers aud Shunters. Firemen, &c.	Observations of Railway Administrations.	Remarks.
Punjab Northern State Railway.		Employed as shunters; but owing to their de- fective knowledge of reading and writing, they are not qualified to be employed on the main line.	,
Indus Valley State Railway. Bajputana Railway		 Employed in shunting. It is under contemplation to run the whole Sibi-Ruk service with native drivers. A statement is furnished to August 1881 showing that there are 4 native drivers and 16 shunters. On the whole, the performance of the 4 drivers may be deemed astisfactory. The shunters also work well, and 9 or 8 are recommended to work branch trains by their district officers. The advancement of native drivers is deemed slow On the whole of the line there are but 4 men deemed capable of working trains. In time the gradual advancement of native firemen and shunters to drivers will increase. There is an advantage in employing them wherever a suitable man can be found. One native apprentice fireman was eppointed on the line in September 1880. Another maters and the set of the	*
• Neemuch Raiiway		tive apprentice freman was entertained in February 1881. Both have worked satisfac- torily and have been favorably reported on. Owing to slackness of traffic, more men of this slass have not been engaged.	₹ ₹ ₹


Statement showing the extent of the employment of Natires, &c-concluded.

l۳

á









Administration Report 1880-81.

. . .

Note. 5 fl. 6 in. gauge, shewn black. Metre gauge, red.


Photomorginghed at the Surveyor Seconds office, Consult.








Administration Report 1880-81.

Note .-- 5 ft. 6 in. gauge, shewn black. Metre gauge, red.









Note. -- 5 ft. 6 in. gauge, shewn black. Metre gauge, red.