

59028

Whittaker C.T.  
1 Robinson G.

8r

SERVANTS OF INDIA SOCIETY'S LIBRARY,  
POONA 4

Cl. No. B 13 H6 Date of release for loan  
Ac. No. 59028

This book should be returned on or before the date last mentioned below.

*Failure to comply will involve cancellation of the Borrower's Card and forfeiture of deposit.*

10 SEPT 1962		
10 APR 1963		
8 FEB 1964		
9 FEB 1964		
23 JAN 1965		
26 AUG 1965		
20 JAN 1968		
- 7 APR 1998		

A. B. P. P.]

THE  
CALCULUS OF OBSERVATIONS

**BLACKIE & SON LIMITED**  
50 Old Bailey, LONDON

17 Stanhope Street, GLASGOW

**BLACKIE & SON (INDIA) LIMITED**

Warwick House, Fort Street, BOMBAY

**BLACKIE & SON (CANADA) LIMITED**

TORONTO

# THE CALCULUS OF OBSERVATIONS

A Treatise on Numerical Mathematics

BY

E. T. WHITTAKER  
LL.D., Sc.D., F.R.S.

PROFESSOR OF MATHEMATICS IN THE UNIVERSITY OF EDINBURGH

AND

G. ROBINSON  
M A, BSc

FORMERLY LECTURER IN MATHEMATICS IN THE UNIVERSITY OF EDINBURGH

*THIRD EDITION*

BLACKIE & SON LIMITED  
LONDON AND GLASGOW

59028

*First print 1924.*

*Second impression (with corrections) 1924.*

*Third impression (Second edition) 1926.*

*Fourth impression 1929.*

*Fifth impression 1932*

*Sixth impression 1937.*

*Seventh impression (Third edition) 1940.*

*Printed in Great Britain by Blackie & Son, Ltd., Glasgow*

## PREFACE

THE mathematical problems which arise in dealing with numerical data are attractive and important. Some knowledge regarding them is required by workers in many different fields—astronomers, meteorologists, physicists, engineers, naval architects, actuaries, biometricalists, and statisticians, as well as pure mathematicians; but until recently there has been very little instruction on the subject in the mathematical departments of the British universities. Of late, however, there has been a great awakening of interest in it, and it is now included in the syllabus for the Open Competitive Examination for appointments in the Home and Indian Civil Services, the Colonial Service, etc.

The present volume represents courses of lectures given at different times during the years 1913–1923 by Professor Whittaker to undergraduate and graduate students in the Mathematical Laboratory of the University of Edinburgh, and may be regarded as a manual of the teaching and practice of the Laboratory, complete save for the subject of Descriptive Geometry, for which a separate text-book is desirable. The manuscript of the lectures has been prepared for publication by Mr. Robinson, who has performed the whole of the work of numerical verification and has contributed additional examples.

The exposition has been designed to make each chapter, as far as possible, intelligible to those who have not mastered the preceding chapters; so that any one who is interested in some special problem may, by the help of the Table of Contents,

find and understand what is said about it without being obliged to read from the beginning of the book.

One feature which perhaps calls for a word of explanation is the prominence given to arithmetical, as distinguished from graphical, methods. When the Edinburgh Laboratory was established in 1913, a trial was made, as far as possible, of every method which had been proposed for the solution of the problems under consideration, and many of these methods were, graphical. During the ten years which have elapsed since then, the graphical methods have almost all been abandoned, as their inferiority has become evident, and at the present time the work of the Laboratory is almost exclusively arithmetical. A rough sketch on squared paper is often useful, but (except in Descriptive Geometry) graphical work performed carefully with instruments on a drawing-board is generally less rapid and less accurate than the arithmetical solution of the same problem.

The material equipment essential for a student's mathematical laboratory is very simple. Each student should have a copy of Barlow's tables of squares, etc., a copy of Crelle's "Calculating Tables," and a seven-place table of logarithms. Further, it is necessary to provide a stock of computing paper (*i.e.* paper ruled into squares by rulings a quarter of an inch apart; each square is intended to hold two digits; the rulings should be very faint, so as not to catch the eye more than is necessary to guide the alignment of the calculation), and lastly, a stock of computing forms for practical Fourier analysis (those used in Chapter X. of this book may be purchased). With this modest apparatus nearly all the computations hereafter described may be performed, although time and labour may often be saved by the use of multiplying and adding machines when these are available.

Attention may be drawn to the opportunities which the subject presents to the research worker in Mathematics. There is an evident need for new and improved methods of dealing with many of the problems discussed in the later chapters.

The authors wish to acknowledge their indebtedness to Mr. G. J. Lidstone, F.I.A., F.R.S.E., whose unique knowledge of actuarial literature has been of constant value to them. To him mainly it is due that the book is so rich in theorems and methods derived from actuarial sources, with which mathematicians are not usually well acquainted. Mr. Lidstone and Dr. John Dougall, F.R.S.E., have read the proof-sheets; by their suggestions many references have been added, many demonstrations simplified, and many obscurities removed.

E. T. W.  
G. R.

#### PREFACE TO THE SECOND EDITION

Many correspondents have kindly sent notes of errata, which have been corrected in the present impression.

I gratefully acknowledge the help of Dr. A. C. Aitken, Lecturer in Mathematics and Statistics in the University of Edinburgh, whose recent contributions to the theory of Graduation have made it necessary to rewrite the latter part of Chapter XL.

E. T. W.

OCTOBER, 1925.

## CONTENTS

### CHAPTER I

#### INTERPOLATION WITH EQUAL INTERVALS OF THE ARGUMENT

SECT.	PAGE
1. Introduction . . . . .	1
2. Difference tables . . . . .	2
3. Symbolic operators . . . . .	4
4. The differences of a polynomial . . . . .	5
5. The differences of zero . . . . .	6
6. The differences of $x(x - 1)(x - 2) \dots (x - p + 1)$ . . . . .	7
7. Representation of a polynomial by factorials . . . . .	8
8-9. The Gregory-Newton formula of interpolation . . . . .	10
10. The Binomial Theorem . . . . .	15
Examples on Chapter I. . . . .	16

### CHAPTER II

#### INTERPOLATION WITH UNEQUAL INTERVALS OF THE ARGUMENT

11. Divided differences . . . . .	20
12. Theorems on divided differences . . . . .	22
13-15. Newton's formula for unequal intervals of the argument . . . . .	24
16. Divided differences with repeated arguments . . . . .	27
17-18. Lagrange's formula of interpolation . . . . .	28
19. Remainder-term in Lagrange's formula . . . . .	32
Examples on Chapter II. . . . .	33

x THE CALCULUS OF OBSERVATIONS

CHAPTER III

CENTRAL-DIFFERENCE FORMULAE

SECT.		PAGE
20.	Central-difference notations . . . . .	35
21-22.	The Newton-Gauss formulae of interpolation . . . . .	36
• 23.	The Newton-Stirling formula of interpolation . . . . .	38
24.	The Newton-Bessel formula of interpolation . . . . .	39
25.	Everett's formula . . . . .	40
26.	Example of central-difference formulae . . . . .	41
27.	Summary of central-difference formulae . . . . .	42
28.	The lozenge diagram . . . . .	43
29.	Relative accuracy of central-difference formulae . . . . .	47
30.	Preliminary transformations . . . . .	50
	Examples on Chapter III . . . . .	51

CHAPTER IV

APPLICATIONS OF DIFFERENCE FORMULAE

31-32.	Subtabulation . . . . .	53
33.	King's formula for quinquennial sums . . . . .	57
34.	Inverse interpolation . . . . .	60
35.	The derivatives of a function . . . . .	62
36.	Derivatives in terms of central differences . . . . .	64
37.	Derivatives in terms of divided differences . . . . .	65
	Examples on Chapter IV . . . . .	68

CHAPTER V

DETERMINANTS AND LINEAR EQUATIONS

38.	The numerical computation of determinants . . . . .	71
39.	The solution of a system of linear equations . . . . .	75
	Examples on Chapter V . . . . .	76

## CONTENTS

xi

## CHAPTER VI

THE NUMERICAL SOLUTION OF ALGEBRAIC AND  
TRANSCENDENTAL EQUATIONS.

SECT.		PAGE
40. Introduction . . . . .		78
41. The pre-Newtonian period . . . . .		79
42. The principle of iteration . . . . .		79
43. Geometrical interpretation of iteration . . . . .		81
44. The Newton-Raphson method . . . . .		84
45. An alternative procedure . . . . .		87
46. Solution of simultaneous equations . . . . .		88
47. Solution of a pair of equations in two unknowns by Newton's method . . . . .		90
48. A modification of the Newton-Raphson method . . . . .		90
49. The rule of false position . . . . .		92
50. Combination of the methods of § 44 and § 49 . . . . .		94
51. Solutions of equations by use of the calculus of differences . .		96
52. The method of Daniel Bernoulli . . . . .		98
53. The Ruffini-Horner method . . . . .		100
54. The root-squaring method of Dandelin, Lobachevsky, and Graeffe . . . . .		106
55. Comparison of the root-squaring method with Bernoulli's method . . . . .		111
56. Application of the root-squaring method to determine the complex roots of an equation . . . . .		113
57. Equations with more than one pair of complex roots . . . . .		115
58. The solution of equations with coincident roots by the root- squaring method . . . . .		117
59. Extension of the root-squaring method to the roots of functions given as infinite series . . . . .		118
60. A series formula for the root . . . . .		120
61. General remarks on the different methods . . . . .		123
62. The numerical solution of the cubic . . . . .		124
63. Graphical method of solving equations . . . . .		126
64. Nomography . . . . .		128
Miscellaneous examples on Chapter VI. . . . .		130

## CHAPTER VII

## NUMERICAL INTEGRATION AND SUMMATION

SECT		PAGE
65.	Introduction . . . . .	132
66.	The approximate value of a definite integral . . . . .	132
67.	The Euler-Maclaurin formula . . . . .	134
68	Application to the summation of series . . . . .	136
69	The sums of powers of the whole numbers . . . . .	137
70	Stirling's approximation to the factorial . . . . .	138
71.	The remainder term in the Euler-Maclaurin expansion .	140
72.	Gregory's formula of numerical integration . . . . .	143
73.	A central-difference formula for numerical integration .	146
74.	Lubbock's formula of summation . . . . .	149
75.	Formulae which involve only selected values of the function .	150
76.	The Newton-Cotes formulae of integration . . . . .	152
77	The trapezoidal and parabolic rules . . . . .	156
78.	Woolhouse's formulae . . . . .	158
79.	Chebyshev's formulae . . . . .	158
80.	Gauss' formula of numerical integration . . . . .	159
	Miscellaneous examples on Chapter VII . . . . .	162

## CHAPTER VIII

## NORMAL FREQUENCY DISTRIBUTIONS

81	Frequency distributions . . . . .	164
82.	Continuous frequency distributions . . . . .	165
83	Basis of the theory of frequency distributions . . . . .	167
84.	Galton's quincunx . . . . .	167
85.	The probability of a linear function of deviations . . . . .	168
86	Approximation to the frequency function : . . . . .	171
87.	Normal frequency distributions and skew frequency distributions . . . . .	173
88.	The reproductive property of the normal law of frequency . . . . .	175
89	The modulus of precision of a compound deviation . . . . .	175
90	The frequency distribution of tosses of a coin . . . . .	176

## CONTENTS.

	xiii
	PAGE
SECT.	
91. An illustration of the non-universality of the normal law	177
92. The error function . . . . .	179
93. Means connected with normal distributions . . . . .	182
94. Parameters connected with a normal frequency distribution .	183
95. Determination of the parameters of a normal frequency distribution from a finite number of observations . . . . .	186
96. The practical computation of $\alpha$ and $\sigma$ . . . . .	188
97. Examples of the computation of $\alpha$ and $\sigma$ . . . . .	189
98. Computation of moments by summation . . . . .	191
99. Sheppard's corrections . . . . .	194
100. On fitting a normal curve to an incomplete set of data	196
101. The probable error of the arithmetic mean . . . . .	196
102. The probable error of the median . . . . .	197
103. Accuracy of the determinations of the modulus of precision and standard deviation . . . . .	194
104. Determination of probable error from residuals . . . . .	204
105. Effect of errors of observation on frequency curves . . . . .	206
Miscellaneous examples on Chapter VIII. . . . .	207

## CHAPTER IX

### THE METHOD OF LEAST SQUARES

106. Introduction . . . . .	209
107. Legendre's Principle . . . . .	209
108. Deduction of the normal equations . . . . .	210
109. Reduction of the equations of condition to the linear form .	214
110. Gauss' "Theoria Motus": the postulate of the arithmetic mean . . . . .	215
111. Failure of the postulate of the arithmetic mean . . . . .	217
•112. Gauss' "Theoria Motus" proof of the normal law. . . . .	218
113. Gauss' "Theoria Motus" discussion of direct measurements of a single quantity . . . . .	220
114. Gauss' "Theoria Motus" discussion of indirect observations	223
115. Laplace's proof and Gauss' "Theoria Combinationis" proof .	224
116. The weight of a linear function . . . . .	226
117. Solution of the normal equations . . . . .	231

XIV	THE CALCULUS OF OBSERVATIONS	PAGE
SECT.		
118.	Final control of the calculations . . . . .	234
119	Gauss' method of solution of the normal equations . . . . .	234
120	"The "Method of Equal Coefficients" for the solution of the linear equations . . . . .	236
121.	Comparison of the three methods of solving normal equations	239
122.	The weight of the unknowns . . . . .	239
123.	Weight of any linear function of unknowns . . . . .	242
124.	The mean error of a determination whose weight is unity . . . . .	243
125.	Evaluation of the sum of the squares of the residuals . . . . .	246
126.	Other examples of the method . . . . .	248
127.	Case when two measured quantities occur in the same equation of condition . . . . .	250
128.	Jacobi's theorem . . . . .	251
129.	Case when the unknowns are connected by rigorous equations	252
130.	The solving processes of Gauss and Seidel . . . . .	255
131.	Alternatives to the method of least squares . . . . .	258

## CHAPTER X

### PRACTICAL FOURIER ANALYSIS

132.	Introduction . . . . .	260
133.	Interpolation of a function by a sine series . . . . .	263
134	A more general representation of a trigonometric series . . . . .	264
135.	The 12-ordinate scheme . . . . .	267
136.	Approximate formulae for rapid calculations . . . . .	271
137	The 24-ordinate scheme . . . . .	273
138.	Application of the method to observational data . . . . .	278
139.	Probable error of the Fourier coefficients . . . . .	280
140	Trigonometric interpolation for unequal intervals of the argument . . . . .	282
	Miscellaneous examples on Chapter X . . . . .	283

## CHAPTER XI

### GRADUATION, OR THE SMOOTHING OF DATA

141.	The problem of graduation . . . . .	285
142.	Woolhouse's formula of graduation . . . . .	286

## CONTENTS

	<b>xx PAGE</b>
143. Summation formulae . . . . .	288
144. Spencer's formula . . . . .	290
145. Graduation formula obtained by fitting a polynomial . . . . .	291
146. Table of these formulae . . . . .	295
147. Selection of the appropriate formula . . . . .	296
148. Tests performed on actual data . . . . .	297
149. Graduation by reduction of probable error . . . . .	300
150. The method of interlaced parabolas . . . . .	300
151. A method of graduation based on probability . . . . .	303
152. The analytical formulation . . . . .	306
153. The theorems of conservation . . . . .	307
154. The solution of the difference equation . . . . .	308
155. The numerical process of graduation . . . . .	315
156. Other methods . . . . .	316

## CHAPTER XII

### CORRELATION

157. Definition of correlation . . . . .	317
158. An example of a frequency distribution involving correlation . . . . .	319
159. Bertrand's proof of the normal law . . . . .	321
160. The more general law of frequency . . . . .	324
161. Determination of the constants in a normal frequency distribution with two variables . . . . .	324
162. The frequencies of the variables taken singly . . . . .	327
163. The coefficient of correlation . . . . .	329
164. Alternative way of computing the correlation coefficient . . . . .	330
165. Numerical examples . . . . .	330
166. The coefficient of correlation for frequency distributions which are not normal . . . . .	334
167. The correlation ratio . . . . .	336
168. Case of normal distributions . . . . .	337
169. Contingency methods . . . . .	338
170. Case of normal distributions . . . . .	339
171. Multiple normal correlation . . . . .	340

xvi THE CALCULUS OF OBSERVATIONS

CHAPTER XIII

THE SEARCH FOR PERIODICITIES

SECT	PAGE
172. Introduction . . . . .	343
173. Testing for an assumed period . . . . .	345
174. The periodogram in the neighbourhood of a true period . . . . .	346
175. An example of periodogram analysis . . . . .	349
176. Bibliographical note . . . . .	360

CHAPTER XIV

THE NUMERICAL SOLUTION OF DIFFERENTIAL EQUATIONS

177. Theory of the method . . . . .	363
178. Bibliographical note . . . . .	367

CHAPTER XV

SOME FURTHER PROBLEMS

179. The summation of slowly-convergent series . . . . .	368
180. Prony's method of interpolation by exponentials . . . . .	369
181. Interpolation formulae for functions of two arguments . . . . .	371
182. The numerical computation of double integrals . . . . .	374
183. The numerical solution of integral equations . . . . .	376

ANSWERS . . . . . 383

INDEX OF NAMES . . . . . 387

GENERAL INDEX . . . . . 391

TABLES

FOURIER ANALYSIS FORM . . . . .	<i>Facing p.</i>	270
FOURIER ANALYSIS FORM . . . . .	"	278
FOURIER ANALYSIS FORM (Completed Example) . . . . .	"	280
GRADUATION TABLE . . . . .	"	316

## INDEX OF NAMES

*(The numbers refer to the pages)*

- |  |  |
|--|--|
| <p>Abel, N. H., 376.<br/>         Ackland, T. G., 286.<br/>         Adams, J. C., 363.<br/>         Aitken, A. C., 300, 308, 375.<br/>         Ampère, A. M., 20.<br/>         Andoyer, H., 369.</p> <p>Baer, W. S., 228.<br/>         Baillaud, B., 283.<br/>         Balls, W. L., 362.<br/>         Barlow, P., 94.<br/>         Bartels, J., 362.<br/>         Baethforth, F., 363.<br/>         Bateman, H., 367, 376, 381.<br/>         Bayes, T., 219.<br/>         Bennett, A. A., 367.<br/>         Berger, A., 163.<br/>         Bernoulli, D., 98, 112, 124.<br/>         Bernoulli, James, 138, 141.<br/>         Bernstein, F., 228.<br/>         Bertrand, J., 224, 321, 327.<br/>         Bessel, F. W., 39, 206, 224, 264.<br/>         Buckley, W. G., 154.<br/>         Biermann, O., 372.<br/>         Birge, R. T., 291.<br/>         Bockwinkel, H. B. A., 369.<br/>         Borel, E., 119.<br/>         Bravais, A., 323.<br/>         Briggs, H., 2.<br/>         Brodetsky, S., 106, 128.<br/>         Broggi, U., 216.<br/>         Bronwan, B., 159.<br/>         Brouncker, W., 368.<br/>         Brown, E. H., 373.<br/>         Bruns, H., 172.<br/>         Burgess, J., 181.<br/>         Burn, J., 373.<br/>         Burnside, W., 375.<br/>         Buys-Ballot, C. H. D., 361.</p> <p>Camp, K., 53.<br/>         Campbell, L., 362.<br/>         Cardan, G., 124.</p> | <p>Carse, G. A., 360.<br/>         Catalan, E. C., 369.<br/>         Cauchy, A. L., 25, 86, 169, 282, 380.<br/>         Cavalieri, B., 156.<br/>         Charlier, C. V. L., 172.<br/>         Chebyshev, P. L., 158.<br/>         Chio, F., 71.<br/>         Chystal, G., 9.<br/>         Clairaut, A. C., 263.<br/>         Clasen, B., 236.<br/>         Collins, J., 12, 79, 144.<br/>         Condon, E., 291.<br/>         Comrie, L. J., 41, 53, 60.<br/>         Cotes, R., 154.<br/>         Craig, J. I., 361.</p> <p>Dale, J. B., 360.<br/>         Dandelin, G. P., 94, 106.<br/>         Darbshire, A. D., 330.<br/>         Dary, M., 79.<br/>         Davis, W. B., 61.<br/>         De Moivre, A., 176.<br/>         De Morgan, A., 18, 20, 86, 106, 120,<br/>             130, 149.<br/>         Descartes, R., 123.<br/>         Dodd, E. L., 218, 362.<br/>         Dodgson, W., 361.<br/>         Douglass, A. E., 362.</p> <p>Edgeworth, F. Y., 172, 259.<br/>         Elderton, W. P., 339, 373.<br/>         Emde, F., 53.<br/>         Encke, J. F., 107, 234.<br/>         Erlang, A. K., 208.<br/>         Euler, L., 98, 112, 135.<br/>         Everett, J. D., 40, 46,</p> <p>Faber, G., 86.<br/>         Falkner, V. M., 363.<br/>         Fechner, G. T., 217.<br/>         Fermat, P., 317.<br/>         Fisher, R. A., 199.<br/>         Forsyth, C. H., 69.</p> |
|--|--|

- Fourier, J. B., 123, 169, 260, 263.  
 Fraser, D C, 12, 46, 49, 50  
 Frewin, G L, 375  
 Galton, F, 167, 184.  
 Gauss, K F, 37, 159, 160, 175, 183,  
     185, 199, 201, 203, 215, 224, 227,  
     228, 234, 241, 242, 243, 247, 255,  
     257, 283, 300, 374.  
 Gerling, C L, 257  
 Glaisher, J. W. L., 144, 252.  
 Goedseels, P. J. E., 259.  
 Gram, J P, 172  
 Graeffe, C. H., 106  
 Gregory, J., 2, 12, 79, 144, 154, 156.  
 Gruber, O., 167  
 Hardy, G. F., 151, 193, 286, 288.  
 Hartree, D R, 363.  
 Hausdorff, F, 177, 204.  
 Havelock, T H, 378  
 Hermite, C, 174, 283.  
 Higham, J. A., 289.  
 Hopfner, F., 362  
 Horner, W G, 100.  
 Hutton, C, 100.  
 Ingram, A, 100.  
 Jackson, D, 197.  
 Jacobi, C G J, 140, 251, 257.  
 Joffe, S A., 36.  
 Kapteyn, J. G, 329.  
 King, A E, 151  
 King, G, 57, 59, 303.  
 Knott, C G., 376.  
 Kruloff, A., 363  
 Kummer, E. E., 369  
 Kutta, M. W, 367.  
 Lagrange, J. L., 29, 53, 98, 263, 282,  
     360, 373.  
 Lambert, J. H., 373.  
 Lanczos, C, 316  
 Laplace, P. S., 40, 167, 168, 172, 184,  
     224, 227, 259, 300  
 Legendre, A. M., 210, 259.  
 Leibnitz, G. W von, 154.  
 Lidstone, G J., 41, 49, 59, 193, 288.  
 Lindelof, E, 367.  
 Lippmann, G, 179  
 Lobachevsky, N I, 106.  
 Lubbock, J. W, 149.  
 Maclaurin, C, 135, 155.  
 Markoff, A. A., 369  
 Martin, C., 280.
- Mayer, T, 259.  
 Medell, B, 218  
 Milne, W. E, 367.  
 Mises, R. v, 363  
 Mouton, G, 68.  
 Narumi, S, 371.  
 Newton, I., 12, 15, 20, 25, 37, 39,  
     79, 85, 124, 154  
 Nicoletti, O, 81  
 Nielsen, H P, 144  
 Nystrom, E. J, 381.  
 d'Ocagne, M, 128, 248.  
 Oppenheim, S, 362.  
 Oppermann, L. H. F., 20.  
 Peano, G., 32, 156.  
 Pearl, R., 328  
 Pearson, K., 316, 328, 336, 338, 342,  
     371, 377.  
 Peters, C A F, 206  
 Pizzetti, P., 215.  
 Poincaré, J. H., 179, 218.  
 Poisson, S. D, 168.  
 Pólya, G, 119  
 Prasad, Gorakh, 367, 381.  
 Prony, A L., 369, 378.  
 Raabe, J L, 141.  
 Radau, R, 161, 162.  
 Raphson, J, 85.  
 Rayleigh, J. W. Strutt, Lord, 208  
 Rhodes, E. C, 316.  
 Rietz, H. L., 334.  
 Rigaud, S P., 2, 12, 70, 144.  
 Ross, R., 81.  
 Rufini, P., 100.  
 Runge, C, 271, 367.  
 Schiaparelli, G, 216.  
 Schummack, R., 216.  
 Schott, C A, 257.  
 Schulz, G, 363  
 Schumacher, H. C, 228.  
 Schuster, A, 346, 361.  
 Seeliger, H. H, 217.  
 Seidel, P. L, 218, 256.  
 Selling, F, 371  
 Shea, J D., 291.  
 Shearer, G, 360.  
 Sheppard, W. F, 35, 49, 151, 181,  
     194, 196, 291, 300, 375.  
 Sherriff, C W M, 291, 297.  
 Shovelton, S. T., 151, 162.  
 Simpson, T, 156, 166, 375.  
 Smeal, G., 106.  
 Smith, J., 12.

- |  |  |
|--|--|
| Spencer, J., 290, 373.<br>Sprague, T. B., 149, 286, 303.<br>Steffensen, J. F., 34, 155, 367.<br>Sterne, T. E., 362.<br>Stewart, B., 361.<br>Stirling, J., 39, 51, 138, 140, 368, 369.<br>Stokes, G. G., 361.<br>Störmer, C., 363.<br>Strachey, R., 361.<br>Sturm, J. K. F., 323.<br><br>Thiele, T. N., 171, 172, 374.<br>Thompson, S. F., 271.<br>Todhunter, R., 41.<br>Tracomi, F., 381.<br>Turner, H. H., 362.<br><br>Uven, M. J. van, 321.<br><br>Vallée-Poussin, C. J. de la, 259. | Vieta, F., 79<br>Volterra, V., 378.<br><br>Wallis, J., 85, 86, 130.<br>Waring, E., 112.<br>Warner, W., 79<br>Watson, G. N., 119, 159, 169, 174, 179,<br>181, 182.<br>Weber, W. E., 217.<br>Weddle, T., 151.<br>Weldon, W. F. R., 333.<br>Whewell, W., 86, 286.<br>Whittaker, E. T., 119, 120, 124, 128,<br>159, 169, 174, 179, 181, 182, 280,<br>303, 377, 378<br>Woolhouse, W. S. B., 158, 286, 370.<br>Wronski, H., 121<br><br>Yule, G. U., 334. |
|--|--|

## GENERAL INDEX

- |  |   |
|--|---|
| <p>Abel's integral equation, 376<br/>         Adams' method of solving differential equations, 363<br/>         Algebraic equations, 78<br/>         Alternants, 380<br/>         Argument, 1<br/>         Arithmetic mean of absolute deviations, 184<br/>             "    postulate of, 215,<br/>                 217, 321<br/>             "    probable error of,<br/>                 196, 206<br/>         Asymptotic expansion of error function, 181<br/>         Axioms for postulate of arithmetic mean, 216<br/> <br/>         Barycentre, symmetric, 249<br/>         Bernoullian numbers, 134<br/>         Bernoulli's method of solving equations, 98<br/>             "    of solving equations compared with root-squaring method, 112<br/>             "    polynomials, 141<br/>         Bertrand's proof of normal law for two variables, 321<br/>         Bessel function, 119<br/>         Bessel's formulae for probable error of arithmetic mean, 206<br/>             "    interpolation formula, 39, 47<br/>         Binomial Theorem, 15<br/>         Bronwin's formula for integration, 159<br/>         Brouncker's series, 368<br/>         Brownian motion, 208<br/>         Burnside's formula for double integrals, 375<br/> <br/>         Cauchy's formula for trigonometric interpolation, 282       </p> | <p>Central differences, 35<br/>         Central-difference formula for numerical integration, 146<br/>         Chebyshev's formulae for integration, 158<br/>         Coefficient of correlation, 329, 335<br/>         Coefficients, Fourier, 263<br/>             "    probable error of, 280<br/>         Coin, frequency distribution of tosses of, 176<br/>         Coincident roots of an equation, 117<br/>         Complex roots of an equation, 113<br/>         Compound deviation, modulus of precision of, 175<br/>         Condition, equations of, 209<br/>         Conjunctive probability, 317<br/>         Conservation, theorems of, 307<br/>         Constituent tides, 343<br/>         Contingency methods, 338<br/>         Correlation, 317-342<br/>             "    as a test for periodicity, 345<br/>             "    coefficient, 329, 335<br/>             "    ratio, 336<br/>         Cotes' assumption, 322<br/>         Cubic, numerical solution of, 124<br/> <br/>         Dandelin's method of solving equations, 108<br/>         Data, smoothing of, 285<br/>         Derivatives of a function, 62<br/>             "    of a function in terms of central differences, 64<br/>             "    "    of a function in terms of divided differences, 65<br/>         Determinants, 71<br/>         Deviation, 168<br/>         Difference tables, 2<br/>         Differences, for functions of two arguments, 371<br/>             "    in terms of derivatives, 364       </p> |
|--|---|

392 THE CALCULUS OF OBSERVATIONS

- |   |   |
|---|---|
| Differences of data, probable value of,<br>297<br>,, cential, 35<br>,, divided, 20, 96, 104, 371<br>,, leading, 3<br>Differentiation, generalised, 376<br>Direct measurements of a single quantity, 220<br>Divided differences, 20, 96, 104<br>,,     for functions of two arguments, 371<br>,,     with repeated arguments, 27<br>Double integrals, computation of, 374<br>Edgeworth's method, 259<br>Encke roots, 107<br>Equal coefficients, method of, 236<br>Equations, algebraic and transcendental, 78-131<br>,, linear, 75, 231, 234, 236, 239<br>,, of condition, 209<br>,,     reduction to linear form, 214<br>,, simultaneous, 88, 90<br>Error Function, 179<br>,, mean, 183, 184<br>,, mean, of a determination, 243<br>,, of mean square, 183<br>,, probable, 184<br>,,     of Fourier coefficients, 280<br>Errors, 210<br>,, of observation, effect on frequency curves, 206<br>Euler-Maclaurin formula, 134, 140<br>Everett's formula, 40, 46<br>Exponentials, interpolation by, 369<br>Factorial, differences of, 8<br>,, Stirling's approximation to, 138<br>False position, rule of, 92<br>Fechner's psychophysical law, 217<br>Fidelity to data, expression of, 305<br>Fitting inverse powers, 248<br>,, normal frequency curves, 186-196<br>Forcing of numbers, 187<br>Fourier analysis, 260-284<br>Fredholm's integral equation, 381<br>Frequency distribution, 164<br>,,     involving correlation, 319 | Frequency distribution, not normal, 173, 334<br>,, function, approximation to, 171<br>,, general law of, 172, 324<br>Function, 1<br>,, given as series, roots of, 118<br>,, interpolatory, 20<br>Galton's quincunx, 167<br>Gauss' formulae of interpolation, 36, 46<br>,,     ,,     back ward, 37<br>,,     ,, for integration, 159<br>,,     ,, for interpolation (trigonometric), 283<br>,, method of solution of normal equations, 234<br>,, postulate of the arithmetic mean, 215, 217<br>,, <i>Theoria Combinatoris</i> proof of the Method of the Least Squares, 224<br>,, <i>Theoria Motus</i> proof of the normal law, 218<br>Gauss and Seidel's solving process, 255<br>Genus of entire functions, 119<br>Graduation, 285<br>,, Aitken's development of Whittaker's method, 308<br>,, formula, Higham's, 289<br>,,     ,, Rhodes's, 316<br>,,     ,, Sheppard's, 291, 300<br>,,     ,, Spencer's, 290<br>,,     ,, Whittaker's, 303<br>,,     ,, Woolhouse's, 286<br>Graeffe's method of solving equations, 106<br>Gregory's formula of integration, 143<br>Gregory-Newton formula, 10<br>,,     ,, generalised to two arguments, 373<br>Hardy's formula for integration, 151<br>Hermite's formula for trigonometric interpolation, 283<br>,, functions, 174<br>Hilbert's integral equation, 381<br>Horner's method, 100<br>,,     ,, and divided differences, 104<br>Incomplete data for normal curve, 196<br>,, Gamma Function, 377 |
|---|---|

- Indirect observations, Gauss' *Theoria Motus* discussion, 223
- Infinite series, roots of, 118
- Integral equations, 376
- Integrals, double, computation of, 374
- Integration, numerical, 132
- Interlaced parabolas, graduation formula, 300
- Interpolation by exponentials, 369
  - by sine series, 263
  - inverse, 60
  - trigonometric, 263
  - trigonometric, for unequal intervals, 282
- Interpolation formula
  - for functions of two arguments, 371
  - for quinquennial sums, 57
  - Gregory-Newton, 10, 26
    - backward, 365
    - Lagrange's, 28
      - remainder term in, 32
    - Laplace-Everett, 40, 46
    - Newton, for unequal intervals, 24
    - Newton-Bessel, 39, 47
    - Newton-Gauss, 36, 46
      - backward, 37
    - Newton-Stirling, 38, 43, 46
  - Interpolatory functions, 20
  - Inverse interpolation, 60
  - Iteration, 79
  - Jacobi's theorem in Least Squares, 251
  - King's formula for quinquennial sums, 57
  - Lagrange's interpolation formula, 28
    - " " remainder term in, 32
  - Laplace-Everett formula, 40, 46
  - Laplace's hypothesis on frequency distributions, 167
    - " proof of Method of Least Squares, 224
  - Least Squares, Method of, 209-259
  - Legendre polynomial, 74 [209]
  - Legendre's principle of Least Squares, 10
  - Linear equations, solution of, 75, 231, 234, 236, 239
    - " function of deviations, probability of, 168
    - " function of unknowns, weight of, 242
  - Lobachevsky's method of solving equations, 106
  - Lozenge diagram, 43
  - Lubbock's formula for summation, 149
  - Mayer's method, 258
  - Mean absolute deviation, 184
    - " contingency, 338
    - " error, 183, 184
    - " " of a determination, 243
    - " of observations, weight of, 222
  - Means, allowance for, in Fourier analysis, 279
    - " connected with normal distributions, 182
  - Median, 188
    - " probable error of, 197
  - Method of equal coefficients, 236
    - " of Least Squares, 209-259
      - " " " alternatives to, 258
  - Minimum approximation method, 259
  - Modulus, 80
    - " of precision, 175, 179
    - " " accuracy of determination, 199
  - Moments, computation by summation, 191
  - Multiple normal correlation, 340
  - Newton's formula for unequal intervals, 24
    - " " for unequal intervals, generalised to two arguments, 371
  - Newton-Bessel interpolation formula, 39, 47
  - Newton-Cotes formulae of integration, 152
  - Newton-Gauss interpolation formula, 36, 46
  - Newton-Gauss interpolation formula, backward, 37
  - Newton-Gregory interpolation formula, 10, 26
  - Newton-Gregory interpolation formula, backward, 365
  - Newton-Raphson method, 84, 90
  - Newton-Stirling interpolation formula, 38, 43, 46
  - Nomography, 128
  - Normal curve with incomplete data, 196
    - equations, 211, 224
      - " " solution of, 231, 234, 236, 239
    - " frequency distributions, 164-208

394 THE CALCULUS OF OBSERVATIONS

- |  |  |
|--|--|
| Normal law, Gauss' <i>Theoria Motus</i><br>proof of, 218<br>" " non-universality of, 177<br>" " of frequency for two variables, 321<br>" " of frequency for two variables, determination of constants, 324,<br>Nucleus of an integral equation, 376  | Quadratic mean error of a determination, 245<br>Quartile, 184<br>" " probable error of, 203<br>Quincunx, Galton's, 167   |
| Operators, symbolic, 4<br>Parabolic rule for integration, 156<br>Parabolic-cylinder functions, 174<br>Parameters connected with a normal distribution, 183, 186<br>Period, adjustment to, in a Fourier analysis, 278<br>Periodicities, search for, 343-362<br>Periodicity, correlation as a test for, 345<br>Periodogram, 346<br>" " equation of, 348<br>Schuster's, 361 | Repeated roots of an equation, 117<br>Reproductive property of normal law, 175   |
| Peteis' formulae for probable error of arithmetic mean, 206<br>Pivotal element, 71<br>Poisson's integral equations, 377<br>Polynomial differences of, 5<br>Polynomials of Bernoulli, 141<br>Position, Rule of False, 92<br>Postulate of the arithmetic mean, 215, 217  | Residuals, 234<br>" " determination of probable error from, 204<br>" " sum of squares, 246   |
| Powers, sums of, 137, 294<br>Precision, measure of, 245<br>" " modulus of, 175, 179  | Root-mean-square contingency, 338<br>Root-squaring method of solving equations, 106<br>Root-squaring method of solving equations, compared with Bernoulli's method, 112<br>Roots, square, 79<br>Ruffini-Horner method, 100<br>" " " and divided differences, 104 |
| Rule of False Position, 92   | Rule of False Position, 92   |
| Schuster's periodogram, 346, 361<br>Secular change, in Fourier analysis, 279<br>Seidel's solving process, 255<br>Seminvariants, 171<br>Series, formula for root of an equation, 120  | Series, formula for Fourier, 263<br>" " roots of, 118<br>" " summation of slowly-convergent, 368   |
| Sheppard's corrections, 194<br>" " graduation formulae, 291  | Sheppelton's formula for integration, 151  |
| Shovelton's formula, 156, 157<br>Simpson's formula, 156, 157   | Simultaneous equations, 88, 90<br>Skew frequency distributions, 173<br>Slowly-convergent series, summation of, 368   |
| Smoothing of data, 285<br>Smoothness, expression of, 305<br>Solving process of Gauss and Seidel, 255   | Smoothing of data, 285<br>Smoothness, expression of, 305<br>Solving process of Gauss and Seidel, 255   |
| Spencer's graduation formula, 290<br>Square roots, 79<br>Standard deviation, 183   | Spencer's graduation formula, 290<br>Square roots, 79<br>Standard deviation, 183<br>" " accuracy of determination of, 19   |
| " " form, reduction of, 235<br>" " mean deviation, 183   |  |

## GENERAL INDEX

395.

- |  |  |
|--|--|
| <p>Standard deviation for attributes taken singly, 327<br/>             " " of sum, etc., of two measures, 328</p> <p>Stirling's approximation to the factorial, 138<br/>             " interpolation formula, 38, 43, 46<br/>             " method for slowly-convergent series, 368</p> <p>Subtabulation, 53</p> <p>Sum of squares of residuals, 246</p> <p>Summation, 191<br/>             " by <math>n</math>'s, 287, 288<br/>             " by parts, 52<br/>             " formulae of graduation, 288<br/>             " numerical, 132, 136, 149<br/>             " of slowly-convergent series, 368</p> <p>Symmetric barycentre, 249</p> <p><i>Theoria Motus, Gauss'</i>, 215, 224</p> <p>Three-eighths rule for integration, 157</p> <p>Transcendental equations, 78</p> <p>Transformations preliminary to interpolation, 50</p> <p>Trapezoidal rule for integration, 156</p> <p>Trigonometric interpolation, 263</p> <p>Trisection method of solving cubic, 124</p> | <p>Twelve-ordinate scheme for Fourier analysis, 267</p> <p>Twenty-four ordinate scheme for Fourier analysis, 273</p> <p>Unequal intervals, trigonometric interpolation for, 282</p> <p>Unknowns connected by rigorous equations, 252</p> <p>Weber-Fechner psychophysical law, 217</p> <p>Weddle's formula for integration, 151</p> <p>Weight of a linear function, 222, 226<br/>             " of a linear function of the unknowns, 242<br/>             " of an observation, 220, 221, 225, 228<br/>             " of the unknowns, 239</p> <p>Whittaker's formula for root of a series 120<br/>             " graduation method, 303<br/>             " nomogram for quadratic, 128<br/>             " solutions of integral equations, 377</p> <p>Woolhouse's formula for integration, 158<br/>             " formula of graduation, 286, 289</p> <p>Zero, differences of, 6</p> |
|--|--|

**SERVANTS OF INDIA SOCIETY'S LIBRARY  
POONA 4.**

1. Books taken from the Library may not be retained for more than a fortnight.
2. Borrowers will be held strictly responsible for any damage done to books while the books are in their possession.