KW - 173 - L



INDIAN CENTRAL COTTON COMMITTEE TECHNOLOGICAL LABORATORY.

COTTON RESEARCH IN INDIA

BEING

AN ACCOUNT OF THE WORK DONE AT THE INDIAN CENTRAL COTTON COMMITTEE TECHNOLOGICAL LABORATORY, 1924-1935

By

NAZIR AHMAD, M.Sc., Ph.D., F. Inst. P.,

Member, Imperial Council of Agricultural Research and its Advisory Board; Fellow, Bombay University; Fellow, Indian Academy of Sciences; etc., Director, Technological Laboratory, Matunga, Bombay.

WITH A FOREWORD

By

Diwan Bahadur Sir T. VIJAYARAGHAVACHARYA, K.B.E.

J781:76:3.2-r G5 10571

FOREWORD.

INDIA is the second largest cotton growing country in the world. Out of a total *cultivated* area of about 300 million acres, no less than 25 million acres, or some 8 per cent. are sown under cotton, yielding a crop of about 6 million bales. Approximately half of it is consumed in India's 365 mills which employ 4,15,000 hands, the remainder is exported to foreign countries. Thus, whether we look to the agricultural, the trade or the industrial side, a large number of people in India earn their livelihood by work on cotton and their welfare depends entirely upon the condition of the crop and the prosperity of the cotton trade and industry. Cotton is easily the foremost organised industry in India.

Cotton is one of those crops which needs continual attention. Left to itself it deteriorates in quality owing to the mixing of seeds in the fields and the ginneries which gives rise to undesirable hybrids. Moreover, it is not only highly susceptible to climate and environment but also falls an easy prey to a host of pests and diseases. The cotton breeders have to be, therefore, untiring in their efforts to evolve improved varieties, which, in a given area, could resist the onslaught of pests and diseases, give a higher yield and ginning out-turn or should mark an improvement in staple over the already established cotton. But the work of the cotton breeder is restricted to the fields; he has no means of assuring himself that the variety evolved by him will ultimately prove acceptable to the spinner. There is thus a very clear need for an institution where the fibre-properties and the spinning performance of cottons can be accurately determined. An institution of this type forms an indispensable link in the chain of cotton cultivation and consumption.

The Indian Central Cotton Committee was one of the first bodies to recognise the need of having a technological laboratory of its own where tests could be made on improved varieties and research could be undertaken on cotton. The Technological Laboratory has now worked in collaboration with the Provincial Agricultural Departments for over 10 years. It has, besides, carried out a number of investigations on problems which are of direct importance to the cotton breeder, the merchant or the millowner. These investigations cover a wide range of subjects as will be seen from a perusal of this brochure and in this respect alone the Laboratory will bear comparison with any other similar institution. The results obtained at the Laboratory have been described in numerous bulletins, leaflets and circulars, but it was felt by the Committee that if a compact and connected account of the activities of the Laboratory since its inception were written up, it would give the public, both the scientific workers and the laymen, an idea of the nature of work which is being done here and the type of problems which have been investigated in the past 10 years.

I take pride to myself that Dr. Nazir Ahmad was one of my "discoveries." Very soon after I became President of the Indian Central Cotton Committee under an amendment of the Indian Cotton Cess Act made in 1929, it was brought to my notice that the newly created appointment of Assistant Director though advertised in the Indian Press could not be filled as no suitable applicants were forthcoming in India. I suggested that I should be allowed to write round a personal letter to the Indian Universities and as a result there was a useful letter from Dr. Meghnath Saha suggesting some names, Dr. Nazir Ahmad's being one of them. The Selection Committee appointed for the purpose chose him as the most suitable of the candidates who were interviewed. He took over his duties at Matunga in March 1930. Quite unexpectedly our first Director, Dr. Turner, had to leave us in December of the same year to take up an appointment in Manchester and the Committee appointed Dr. Nazir Ahmad to succeed him. In view of the shortness of time he had been in Matunga this was somewhat in the nature of an experiment, but the remarks of successive Technological Research Sub-Committees show what an unqualified success it has been.

There is no finality in scientific research and any "live" institution is bound to grow and expand. Under Dr. Nazir Ahmad, as under Dr. Turner, the Technological Laboratory at Matunga has progressed in new directions and is being called upon to deal with a variety of new problems.

I trust that this brochure will interest the public in the work carried on so unobtrusively in Matunga.

T. VIJAYARAGHAVACHARYA.

SIMLA, 28th September 1935.

ü

PREFACE.

The cultivation of cotton and its use for the manufacture of textiles goes back to pre-historic times in India. This fact has been established beyond doubt by the recent excavations at Mohenjo-Daro, when certain household articles were unearthed, which had remained buried underground for the last 5,000 years. These were wrapped in tiny fragments a material which, on careful examination under the microscope, was found to be made from cotton. From those ancient times the cotton industry in India developed slowly but steadily, until in the middle ages the fame of her fabrics, which were then unrivalled in fineness of texture or beauty of design, spread far and wide. These halcyon days were followed by a period of decay, when the hand spinning and hand loom industries declined owing to the rapid development of power machinery in the West and the quality of cotton suffered deterioration owing to the lack of scientific control.

With the organisation of the agricultural departments, however, a new leaf was turned, and steps were taken to improve the quality of the cotton crop. During the past fifteen years these efforts have been co-ordinated under the aegis of the Indian Central Cotton Committee, which has financed numerous schemes for this purpose. In this work the Technological Laboratory of the Indian Central Cotton Committee has played an integral and important part by making the requisite tests on the new strains and improved varieties evolved by the cotton breeders and undertaking investigations on the fibreproperties and the spinning qualities of Indian cottons. It is now nearly twelve years since the Laboratory began to function, and it was felt that the time was ripe for taking a stock of the work done in the past. Most of the investigations carried out at the Laboratory have already been described in Technological Bulletins, but it was thought that a connected account in one volume would enable those sections of the public, who are interested in the production, marketing or consumption of cotton, to form a correct perspective of the ground that has already been covered, and to elicit valuable suggestions for lines of development in the future. It need hardly be said that such suggestions would receive the most careful consideration of the Indian Central Cotton Committee.

The success of an institution depends to a very great extent upon those who are at the helm of its affairs and upon those who are selected to conduct its work. The Technological Laboratory has been fortunate in both respects. The principal office-bearers of the Committee have been distinguished men with wide knowledge of administrative and public affairs and their direction of the Laboratory's work has been to its great and lasting advantage. Space does not permit me to recount the names of all, but special mention must be made of Diwan Bahadur Sir T. Vijayaraghavacharya, K.B.E., and Sir Purshotamdas Thakurdas, Kt., who were respectively President and Vice-President of the Committee when this brochure was under preparation, and who by their sympathetic interest made it possible for the Laboratory to expand in a

steady manner. Mr. B. C. Burt, C.I.E., who has now taken over from Sir T. Vijayaraghavacharya, has been associated with the Laboratory from its inception and the Laboratory owes him a deep debt of gratitude for his valuable help and fruitful suggestions. As regards the staff, the Laboratory was fortunate in having as its first Director, Dr. A. J. Turner who not only laid the foundations of its work truly and well, but established its reputation among the cotton research centres of the world. All the work described in Technological Bulletins upto No. 17 (Series A), No. 13 (Series B) and Technological Circulars upto No. 36 was done under his guidance. As the work of the Laboratory grew, the contribution of the Spinning Section became increasingly important, and I must take this opportunity to acknowledge the untiring zeal and the valuable assistance of the present Spinning Master, Mr. R. P. Richardson. The duties of the other sections of the Laboratory have also steadily increased in a corresponding measure and I have pleasure in appreciating the work of Mr. Hari Rao Navkal, who has all along been in charge of the Fibre Testing Section, and Mr. V. Venkataraman who was until recently in charge of the Yarn Testing Section. On the research side Messrs. D. L. Sen, R. S. Koshal, A. N. Gulati and C. Nanjundayya have made valuable contributions. Limitations of space do not permit me to mention by name the testing and clerical staff of the Laboratory, who have performed their arduous duties in a spirit of loyal co-operation. Apart from its own staff, the Laboratory has been favoured with assistance and useful suggestions from public bodies like the East India Cotton Association, Bombay, the Millowners' Associations of Bombay and Ahmedabad, etc. In this connection I must offer my special thanks to Major W. Ellis Jones who for many years very kindly undertook to value the samples of cotton sent to the Laboratory for tests.

December, 1935.

N. A.

CONTENTS.

| II. F | ibre Test | s and R | esearch on | | Fibre | and V | arn | | | |
|-------|------------|---------------|--------------------------|--------------------|---------------|---------|--------------|---------|-----------|-----------|
| | The Im | portance | and Valu | e of Fib | re Test | 9 | | •• | ••• | •• |
| 2 | Routine | Tests | | | | | •• | •• | •• | •• |
| | (a) | Agricul | Itural samı | nles. | •• | •• | ••• | •• | •• | •• |
| | (a) (b) | Trade | amnlee | [//03 | •• | •• | | •• | •• | •• |
| 3 | Cotton | Fibre an | d Varn Re | search | •• | •• | •• | •• | •• | •• |
| υ. | (1) | Samoli | | Scarch | •• | •• | •• | •• | •• | •• |
| | (1) | Methor | ing | •• | •• | •• | •• | •• | •• | •• |
| | (2) | // | Fibra pros | | •• | •• | •• | •• | •• | •• |
| | | (4) | Varn sho | | +ice | •• | •• | •• | •• | •• |
| | | () | Verne | 14010115 | 115 | •• | •• | •• | •• | •• |
| | | (4 |) Tanisti | trength | •• | •• | •• | •• | •• | •• |
| | (9) | Other 1 | j iwisti Investice t | n yarns | •• | •• | •• | •• | •• | •• |
| | (J) (J) | Magar | investigati | 66 | •• | •• | •• | •• | •• | •• |
| | (4) | Theasu . | ement of I | incre più | Spercies | . — | Anu an 1 a 1 | • | | |
| | | ribrej | ci | in relati | ton to a | gricui | turai ci | aracte | ers : | |
| | | (4) | Ginning 1 | rercent | age and | int i | naex | •• | •• | •• |
| | | (11) | Fibre-wei | gnt per | inch | •• | •• | ••• | | |
| | 4.00 | (111) | Variation | of hbre | -proper | ties or | i the su | rface o | ota seed | |
| | (5) | Measu | rement of | yarn ch | aracteri | stics | •• | •• | •• | •• |
| | | (1) | Yarn diar | neter a | nd the | influe | nce of | twist o | on diame | eter |
| | | | and st | trength | of yarn | •• | ••• | •• | •• | •• |
| | | (11) | Relation 1 | between | Lea Te | est and | 1 Single | e Threa | id Test | •• |
| | (6) | Relatio | onship betv | ween fib | re-prop | ertiesa | and yar | n chara | cteristic | 's:— |
| | | (1) | Fibre-stre | ngth an | d yarn- | streng | gth | •• | •• | •• |
| | | (11) | Clinging p | ower ar | nd spinr | ing q | uality | •• | •• | •• |
| | | (iii) | Fibre-leng | th irreg | gularity | and s | pinning | g quali | ty | •• |
| | | (iv) | Fibre-mat | urity a | nd yarn | neppi | iness | •• | •• | •• |
| | | _ (v) | Wax cont | ent and | feel | •• | •• | •• | •• | •• |
| | | (vi) | Prediction fibre-prop | ı of the ertics | spinnir •• | ig val | ue of a | cotto | on from | its •• |
| | (7) | Other | Investigati | ions :— | | * | | | | |
| | | (i) | Variation | of fiore | -strengt | h witl | h humie | dity | •• | •• |
| | | (11) | Variation fibre | in hair | -weight | per i | nch alo | ng the | length | ofa. |
| | | (iii) | Variation | of fibre | -strengt | h with | the ler | igth of | the fibre | : |
| | | (<i>iv</i>) | Chemical | analysis | s of Sta | ndard | Indian | Cotto | ns | •• |
| | (8) | Miscel | laneous :— | - - | | | | | | |
| | (0) | (i) | Antiquity | of Indi | ian cott | ons | •• | •• | • • | • - |
| • | | (ij) | Selection | of warn | specim | ens in | cloth s | ampli | 19 | •• |
| | | (11) | Review of | work | lone un | to 199 | 7 | | -0 | •• |
| • | | | | | | | - | •• | •• | •• |

PAGE.

| | c . | v | |
|--|------------|---|---|
| | v | - | • |
| | | | |

| 111. | Spinning | g Tests a ne Teste | nd Technol | ogical R | esearc | h :— | | | | |
|-------|----------|-----------------------|------------------------------|--------------------------------|-------------------|---------------------|--|--------------------|-----------------|----------------|
| | /1\ | Agricui | •• Itural came | •• | •• | •• | •• | •• | •• | •• |
| | . (1) | Agricu | Now we | mintion | •• | •• | •• | •• | •• | •• |
| | | (0 |) New Va | neues | •• | •• | •• | •• | •• | •• |
| | (0) | Depres | ontativo tra | cperimer | nts | •• | •• | •• | •• | •• |
| | (2) | Repres | entative tra | de varie | eties | •• | •• | •• | •• | •• |
| | (3) | Leanet | s | •• | •• | •• | •• | •• | •• | •• |
| - | (4) | Mill sa | mples | •• | •• | •• | •• | •• | •• | •• |
| 2 | . Techno | blogical | Kesearch : | | | | | | | |
| | (1) | Techni | que of spini | ung and | fibre | tests | | •• | •• | •• |
| | (2) | Physic | al condition | s inside | the L | aborato | ory | •• | •• | •• |
| | (3) | Physic | al condition | s outsid | e the | Labora | tory | •• | •• | •• |
| | | (i) | Storage of | kapas p | rior to | ginnin | g | •• | •• | •• |
| | | (11) | The effect nery of a e | of usin on the fi cotton | g diffe bre pi | rent ty ropertie | pes of the second secon | of ginn l spinn | ing m ing qu | achi- ality |
| | | (111) | The effect the b | of artiale on the | ficial he qua | humidi lity of | ficatio cottor | n befo | re pre | ssing |
| | | · (iv) | The deteri | oration | of Bro | ach co | tton w | ith tim | 1e | •• |
| | | (v) | Compariso a she | n of the 1 at Ka | effect rachi | of sto | rage i | n the o | open a | nd in |
| | (4) | Process | sing of cotto | on and t | ests of | n India | n cott | ons : | | |
| | ••• | <i>(i)</i> | Blow-room | treatm | ent | •• | •• | •• | | •• |
| | | (ii) | Spindle sp | eeds | | | •• | •• | | •• |
| | | (iii) | Balanced a | and unb | alance | d draft | S | | | |
| | | (iv) | Passage in | the dra | wing f | rame | •• | | | |
| | | (v) | Ordinary a | und high | ı draft | systen | ns of s | pinnin | g | |
| | | (vi) | Effect of t | wist | | | | • • • | · · · | |
| • | | (vii) | Effect of o | ombing | | | | | | |
| | • | (viii) | Effect of mixin | using b | alance ared fi | d and om Ind | unba lian co | lanced | draft | s on |
| | | (ix) | The effect the fl | of em | ployin s | g diffe | rent : | roller | setting | s in |
| | | (*) | Further w of spi | ork on t nning to | he app India | licatio in cotto | n of h | igh dr. | aft sys | tems |
| | | (<i>xi</i>) | The effect frame | tof emp | ployin | g diffe | rent f | twists : | in the | ring |
| | | (xii) | Standard | cottons | and o | ther va | rictics | | | |
| | | (xiii) | Punjab co | ttons | •• | •• | •• | •• | •• | •• |
| | | (xiv) | Banilla co | otton | •• | | | | | •• |
| | | (xv) | Mixings | | | | | •• | •• | •• |
| IV. | Exhibits | , | | | •• | | | •• | •• | •• |
| v | Moisture | content | of Indian C | ottons a | and Al | lied Pr | oblem | s | | |
| VT | Summary | , | | •• | •• | •• | •• | | | •• |
| • • • | | , | | | | | | | | |

vi

PLAN OF THE TECHNOLOGICAL LABORATORY.



ł

ł.

•

16. Office.

17. Store Room.

- 1. Physics Laboratory.
- 2. Director's Room.
- 3. Library.
- 4. Research Room.
- 5. Workshop.

.

6. Balance Room.

8. Record Room.

- 9. Chemistry Laboratory.
- 10. Combustion Room.
- 11. General Office.
- 12. Microscopy Room.
- 13. Colloids Room.

- - 19. Spinning Room.
 - 20. Gin'Room.
 - 21. Cotton Samples Room.

22. Blow Room.

- 15. Yarn Testing Room.

VIL LIST OF PUBLICATIONS.

. . •

.

TECHNOLOGICAL BULLETINS, SERIES A.

| Series A No. | Title. | Date of Publication. | Price | | |
|--------------------|--|-------------------------|--------|------------|----|
| | | | Rs. | a . | p. |
| 1 | Explanatory Note on the Conduct of Spinning Tests in the Technological Laboratory, and Standard Cotton Tests Reports | April 1925 | 0 | 4 | Ó |
| 2 3 | Results of Spinning Tests on Standard Indian Cottons Technological Reports on Standard Indian Cottons, 1092-98 | May 1926 May 1927 | 2 2 | 0 | 0 |
| 4 | The Effect of Temperature and Humidity on Cotton Spinning with particular reference to Conditions in Bombay | August 1927. | 2 | 0 | 0 |
| 5 | The Effect of Subjecting Cotton to Repeated Blow- room Treatment. | September 1927, | 1 | 0 | 0 |
| 6 | Technological Reports on Standard Indian Cottons, 1927. | November 1927. | 2 | 0 | 0 |
| 7 | The Effect of different Spindle Speeds on the Results of Spinning Tests. | May 1928 | 1 | 0 | 0 |
| 8 | The Effect of Using Unbalanced instead of Balanced Drafts in the Spinning Preparation for Spinning Tests | June 1928 | 1 | 0 | 0 |
| 9 | Technological Reports on Standard Indian Cottons, 1928. | June 1928 | 2 | 0 | 0 |
| 10 | Further Tests on the Effect of Temperature and Humi- dity on Cotton Spinning. | March 1929. | 1 | 0 | 0. |
| 11 | The Effect of Using either One Head or Two Heads of Drawing instead of Three Heads of Drawing in the Spining Preparation for Spining Tests | April 1929 | 1 | 0 | 0 |
| 12 | Technological Reports on Standard Indian Cottons, 1929. | May 1929 | 2 | 0 | 0 |
| 13 | Technological Reports on Samples of Punjab-American and Mollisoni (desi) Cottons grown in different parts of the Punjab in the season 1928-29. | May 1929 | 0 | 6 | o |
| 14 | Technological Reports on Standard Indian Cottons, 1930. | June 1930 | 2 | 0 | 0 |
| 15 | Preliminary Spinning Tests on Mixings of American and Indian Cottons using Ordinary and High Drafts. | June 1930 | 1 | 0 | 0 |
| 16 | Technological Report on Banilla Cotton | June 1930 | 0 | 6 | 0 |
| 17 | Limit Spinning Tests on Cambodia and Mollisoni Cottons, | November 1930. | 1 | 0 | 0 |
| 18 | Technological Report on Standard Indian Cottons, 1931. | July 1931 | 2 | 0 | o |
| 19 | Application of Different systems of High Draft Spin- ning to Mixings of Indian Cottons. | March 1932. | 1 | 8 | 0 |
| 20 | Spinning Tests on mixings of Long Staple and Short Staple Indian Cottons. | April 1932 | 1 | 0 | 0 |
| 21 | Technological Reports on Standard Indian Cottons, 1932. | July 1932 | 2 | 0 | 0 |
| 22 | Technological Report on Banilla Cotton | October 1932. | 0 | 8 | • |

.

•

| TECHNOLOGICAL | BULLETINS, | Series | A-contd. |
|---------------|------------|--------|----------|

.

.

91

| Series A No. | Title. | Date of Publication. | Price. | |
|--------------------|--|-------------------------|--------|------------|
| | | | Rs. a. | p . |
| 23 | Variation in the Moisture Content of Baled Indian Cotton with Atmospheric Humidity. | June 1933 | Ø: 1 | 0 |
| 24 | Technological Reports on Standard Indian Cottons, 1933. | July 1933 | 18 | 0 |
| 25 | Testing of Indian Cottons for Quality at the Technolo- gical Laboratory. | September 1933. | 08 | 0 |
| 26 | Technological Reports on Standard Indian Cottons, 1934. | September 1933. | 18 | 0 |
| 27 | Combing of Good Quality Indian Cottons | March 1935 | 10 | 0 |

TECHNOLOGICAL BULLETINS, SERIES B.

| Series B No. | Title. | Date of Publication. | Pr | ice. | |
|--------------------|--|-------------------------|-----|----------|------------|
| | | | Rs. | a. | <u>р</u> . |
| 1 | The Foundations of Yarn Strength and Yarn Exten- sion: Part IThe General Problem Part IIThe Relation of Yarn Strength to Fibre- Strength. | March 1928 | 1 | 0 | 0 |
| 2 | Research in Cotton Technology in India, 1927 | April 1928 | 1 | 0 | 0 |
| 3 | A Note on the Early History of Cotton | October 1928. | • | 8 | 0 |
| • | Ginning Percentage and Lint Index of Cotton in Kela- tion to the Number of Cotton Fibres per Seed; the Effect of Environment on Ginning Percentage; and the Determination of Unit Fibre-Weight. | red, 1929 | 1 | U | U |
| 5 | A Comparison of some Methods of Testing the Breaking Strength of Single Cotton Fibres. | January 1930 | 0 | 8 | 0 |
| 6 | Studies in Sampling of Cotton for the Determination of Fibre Properties : Part I-Introductory and Experimental Part II-Frequency Curves for Various Fibre Properties. | April 1930 | 1 | 0 | 0 |
| 7 | The Weight per inch of Fibres of Different Lengths, and the Numbers of Fibres of Different Lengths per Seed, for each of the Standard Indian Cottons. | May 1930 | 0 | 8 | 0 |
| 8 | The Foundations of Yarn-Strength and Yarn-Exten- sion : Part III-The Clinging Power of Cotton. | July 1930 | 0 | 8 | 0 |
| 9 | The Foundations of Yarn-Strength and Yarn-Exten- sion : Part IVThe Influence of Yarn-Twist on the Diameters of Cotton Yarns and on the Proportions of Fibre-Slippage and Fibre-Fracture in Yarn-Breakage. | August 1930. | • 0 | 8 | 0 |
| 1 | | | | | |

| TECHNOLOGICAL | BULLETINS, | Series | B—contd. |
|---------------|------------|--------|----------|
| | · · · · · | | |

| Series B No. | Title. | Date of Publication. | Pr | ic e . | |
|--------------------|---|-------------------------|-----|---------------|------------|
| | | | Rs. | а. | <u>р</u> . |
| 10 | Studies in the Sampling of Cotton for the Determina- tion of Fibre Properties: Part III—The Size and Reliability of a Satisfactory Sample | Sept. 1930 | 1 | 0. | 0 |
| 11 | Random and Systematic Selections of Warp-Specimens in Cloth Sampling. | October 1930. | 0 | 8 | 0 |
| 12 | A Study of Comparative Results for Lea, Single Thread, and Ballistic Tests on Yarns from Standard Indian Cottons. | Nov. 1930 | 0 | 8 | 0 |
| 13 | The Determination and Variation of Twist in Ring-spun Cotton Yarns | Nov. 1930 | 0 | 8 | 0 |
| 14 | Variations in the Properties of the Cotton Fibre in relation to its position on the surface of the seed. | May 1932 | 1 | 0 | 0 |
| 15 | Examination of a Proposed Relationship between the Lea Test and the Single Thread Test Results. | October 1932. | 0 | 8 | 0 |
| 16 | Fibre Length Irregularity in Cotton | May 1933 | 0 | 8 | 0 |
| 17 | Foundations of Yarn-Strength and Yarn-Extension: Part V—Prediction of the spinning value of a cotton from its fibre properties. | June 1933 | 1 | 0 | .0 |
| 18 | A Note on the Wax Content of Indian Cottons with special reference to their feel. | Dec. 1933 | 0 | 8 | 0 |
| 19 | Effect of Storage Prior to Ginning on the spinning quality of cotton. | Jan. 1935 | 0 | 8 | 0 |

TECHNOLOGICAL CIRCULARS.

| | • • • | TECHNOLOGICAL CIRCULARS. | • | | | | | |
|-----------------|------------|---|-----------|-------------------|-----|-----|-------------|------------|
| Circular No. | | Title. | D: Pub | ate of licatio | n. | Pı | ic e | |
| 7 | | | · | | | Rs. | a. | <u>р</u> . |
| | 1 | Comparative Spinning Tests on Machine-ginned and Saw-ginned Puniah-American Type 289F. | April | 192 6 | ••• | 0 | 4 | 0 |
| | 2 | Technological Report on Umri-Bani, 1927-28 | Dec. | 1927 | | 0 | 4 | 0 |
| | 3 | Technological Report on Punjab-American 4F, 1927-28. | Jan. | 1928 | | 0 | 4 | 0 |
| 1.5 | ;4 | Technological Report on Punjab-American 289F, 1927- 28. | Ĵan. | 1928 | •• | 0 | 4 | 0 |
| <i>.</i> | 5 | Technological Report on Verum 262, 1927-28 (out of print). | Jan. | 1928 | •• | 0 | 4 | 0 |
| | 6 | Technological Report on Surat 1027 A. L. F., 1927-28 | April | 1928 | •• | 0 | 4 | 0 |
| <i>•</i> > | 7 | Technological Report on Gadag 1, 1927-28 | April | 1928 | •• | · 0 | - 4 | 0 |
| | 8 · | Technological Report on Dharwar 1, 1927-28 | April | 1928 | •• | 0 | 4 | 0 |
| | 9 | Technological Report on Cambodia Co.1 (295) 1927-28. | April | 1928 | •• | Ű | 4 | 0 |
| | 10 | Technological Report on Hagari 25, 1927-28 | May | 1928 | •• | 0 | 4 | 0 |

| TECHNOLOGICAL | CIRCULARScontd. |
|---------------|-----------------|

| Circular No. | Title. | Date of Publication. | Pr | ica | |
|-----------------|--|-------------------------|-----|------------|----|
| | | | Rs. | a. | р. |
| 11 | Technological Report on Rajpipla Cotton, 1927-28 | August 1928. | 0 | 4 | 0 |
| 12 | Technological Report on Verum 262, 1928-29 | Nov.1928 | 0 | -4 | 0 |
| 13 | Technological Report on Punjab-American 4F, 1928-29 | Dec. 1928 | 0 | 4 | 0 |
| 14 | Technological Report on Punjab-American 289F, 1928- 29. | Dec. 1928 | • 0 | 4 | 0 |
| 15 | Technological Report on Umri-Bani, 1982-29 | Dec. 1928 | 0 | 4 | 0 |
| 16 | Technological Report on Surat 1027 A. L. F., 1928-29 | March 1929 | 0 | 4 | 0 |
| 17 | Technological Report on Cambodia Co.1 (295), 1928-29. | April 1929 | 0 | 4 | 0 |
| 18 | Technological Report on Dharwar 1, 1928-29 | April 1929 | 0 | : 4 | 0 |
| 19 | Technological Report on Verum 262, 1929-30 | Jan, 1930 | 0 | 4 | 0 |
| 20 | Technological Report on Umri-Bani, 1929-30 | Jan. 1930 | 0 | 4 | 0 |
| 21 | Technological Report on Punjab-American 4F, 1929-30. | Feb. 1930 | 0 | 4 | 0 |
| 22 | Technological Report on Punjab-American 289F, 1929-30. | Feb. 1930 | 0 | 4 | 0 |
| 23 | Spinning Test Report (No. 111) on samples of Fine and Superfine Khandesh Cottons, 1929-30. | Feb. 1930 | 0 | 4 | 0 |
| 24 | Spinning Test Report (No. 112) on samples of Fine and Superfine C. P. No. 1 Cottons. 1929-30. | Feb. 1930 | 0 | <u>4</u> | 0 |
| 25 | Spinning Test Report (No. 113) on samples of Fine and Superfine Berar Cottons, 1929-30 | Feb. 1930 | 0 | 4 | 0 |
| 26 | Spinning Test Report (No. 114) on samples of Fully Good and Fine Muttia Costons 1929-30 | Feb. 1930 | 0 | 4 | 0 |
| 27 | Spinning Test Report (No. 115) on samples of Latur, Nauded and Punjab American Cottons 1929-20 | Feb. 1930 | 0 | 4 | 0 |
| 28 | Spinning Test Report (No. 125) on samples of Dholleras | May 1930 | 0 | 4 | 0 |
| 29 | Spinning Test Report (No. 126) on samples of Broach | May 1930 | 0 | 4 | 0 |
| 30 | Spinning Test Report (No. 127) on samples of Jagadia | May 1930 | 0 | 4 | 0 |
| 31 | Spinning Test Report (No. 129) on samples of Kalagin Cottons, 1929-30 | June 1930 | 0 | 4 | 0 |
| 32 | Spinning Test Report (No. 130) on samples of Farm Western Bijapur and Bagalkote Cottons 1929-30 | June 1930 | 0 | 4 | 0 |
| 33 | Spinning Test Report (No. 131) on samples of Coompta, Cambodia and Karunganni Cottons, 1929-30. | June 1930 | 0 | 4 | 0 |
| 34 | Spinning Test Report (No. 140) on samples of Westerns, Upland, and Tinnevelly Cottons, 1929-30. | July 1930 | 0 | 4 | 0 |
| 35 | Spinning Test Report (No. 175) on sample of Bengals Cotton 1930-31 | Nov. 1930 | 0 | 4 | 0 |
| 36 | Technological Report on Verum 262 (Akola), 1930-31 | Dec. 1930 | 0 | 4 | 0 |
| 37 | Spinning Test Report (No. 178) on samples of Kampala, Busna, and Linia Cottors, 1029-30 | Dec. 1930 | Ō | 4 | ŏ |
| 38 | Technological Report on Verym 969 (Nagour) 1020-21 | Dec. 1930 | ۵ | | ٨ |
| 39 | Spinning Test Report (No. 104) on samples of Khandesh | Feb 1931 | ŏ | Ā | ň |
| 40 | Cottons, 1930-31. | Fab 1091 | ~ | - | ~ |
| 40 | Cottons, 1930-31. | red, 1931 | v | 2 | U |

TECHNOLOGICAL CIRCULARS-contd.

| Circular No. | Title. | Date of Publication, | Pr | ice. | |
|-----------------|--|-------------------------|--------|------|------------|
| | | | Rs. | a. | p . |
| • 41 • 42 | Technological Report on Umri-Bani, 1930-31 | Feb. 1931 March 1931 | 0 0 | 4 | 0 0 |
| 43 | Technological Report on Punjab-American 4F, 1930-31. | March 1931 | 0 | 4 | 0 |
| 44 | Spinning Test Report (No. 203) on samples of C. P. | March 1931 | 0 | 4 | 0 |
| 45 | Spinning Test Report (No. 204) on samples of Lattur | March 1931 | U | 4 | 0 |
| ! 1: 40 | and Nanded Cottons, 1930-31. | 16 | | | |
| 940 | Broach (Salar) Cotton, 1930-31. | March 1931 | U | • | U |
| 47 | Spinning Test Report (No. 206) on samples of Jagadia, Bawla and Kadi Cottons, 1930-31. | March 1931 | 0 | 4 | 0 |
| * 48 | Spinning Test Report (No. 208) on samples of Hubli, Kumpta and Hubli Unland Cottons, 1930-31 | April 1931 | 0 | 4 | 0 |
| · 4 9 | Spinning Test Report (No. 209) on samples of Surat | April 1931 | 0 | 4 | 0 |
| 50 | Spinning Test Report (No. 213) on samples of Bail- | May 1931 | 0 | 4 | 0 |
| 51 | hongal and Hubli-Kumpta Cottons, 1930-31. Spinning Test Report (No. 214) on samples of Punjab- American Lagadia Farm and Navsari Cottons | May 1931 | 0 | 4 | 0 |
| 4+ | 1930-31. | | | | |
| 52 | Spinning Test Report (No. 215) on samples of Karun- ganni and Karnool-Cambodia Cottons 1930-31 | June 1931 | 0 | 4 | 0 |
| 53 | Spinning Test Report (No. 217) on a sample of Nandyal Cotton. 1930-31. | June 1931 | 0 | 4 | 0 |
| 54 | Spinning Test Report (No. 218) on samples of Surat, Navsari and Cambodia Cottons, 1930-31 | June 1931 | 0 | 4 | 0 |
| 55 | Spinning Test Report (No. 229) on samples of Dholleras, Westerns Farm Westerns and Kumpta Cottons | July 1931 | 0 | 4 | 0 |
| | 1930-31. | | | | |
| 56 | Spinning Test Report (No. 228) on samples of A. R. Kampala, A. R. Busoga, and A. R. Jinja Cottons, | August 1931. | 0 | 4 | 0 |
| 57 | Spinning Test Report (No. 239) on samples of Kalagin, | August 1931. | 0 | 4 | 0 |
| 58 | Spinning Test Report (No. 240) on samples of Upland | August 1931. | 0 | 4 | 0 |
| 59 | Spinning Test Report (No. 245) on samples of Kadi- | Sept. 1931 | 0 | 4 | 0 |
| 60 | Spinning Test Report (No. 258) on sample of Dhulia | Dec. 1931 | 0 | 4 | 0 |
| | (Khandesh) Cotton, 1931-32. | T 1000 | 0 | 4 | 0 |
| 62 | Technological Report on Umn-Bani, 1931-32 | Jan. 1932 Jan 1932 | 0 | 4 | 0 |
| 63 | Spinning Test Report (No. 259) on samples of Ujjain | Feb. 1932 | ŏ | 4 | ŏ |
| : 64 | Cottons, 1931-32. Spinning Test Report (No. 260) on samples of Khandesh | Feb. 1932 | 0 | 4 | 0 |
| · • = | Cottons, 1931-32. | Eab 1000 | ~ | | ~ |
| 60 | reconological Report on verum 202 (Nagpur) | red. 1932 | U | 4 | U |

TECHNOLOGICAL CIRCULARS-contd.

| Circular No. | Title. | Date of Publication. | Pri | ic e. | |
|-----------------|--|-------------------------|--------|--------------|---------|
| | | | Rs. | a. 1 | -). |
| 66 | Technological Report on Punjab-American 289F, 1931-32 | Feb. 1932 | 0 | 4 | 0 |
| 67 | Technological Report on Punjab-American 4F, 1931-32 | Feb. 1932 | 0 | 4 | 0 |
| 68 | Technological Report on Jayawant (Kumpta), 1931-32. | April 1932 | Ō | 4 | Ô |
| -69 | Spinning Test Report (No. 272) on samples of Broach (Salar), Bailhongal and Hubli-Kumpta Cottons, 1931-32 | May 1932 | 0 | 4 | 0 |
| 70 | Spining Test Report (No. 273) on samples of Jagadia and Kadi Cottons, 1931-32. | May 1932 | 0 | 4 | 0 |
| 71 | Spinning Test Report (No. 275) on samples of Hubli- Kumpta and Hubli Upland Cottons, 1931-32. | May 1932 | 0 | 4 | 0 |
| 72 | Spinning Test Report (No. 276) on samples of C. P. No. 1, Muttia and Berar Cottons, 1931-32. | May 1932 | , O | 4 | 0 |
| 13 | and Nanded Cottons, 1931-32. | May 1932 | 0 | 4 | _ |
| 74 | and Broach Cottons, 1931-32. | June 1932 | 0 | 4 | 0 |
| 75 | Spinning Test Report (No. 280) on samples of Punjab- American, Jagadia Farm, and Navsari Cottons, 1931-32. | June 1932 | 0 | 4 | 0 |
| 76 | Spinning Test Report (No. 281) on samples of Dhollera, Westerns and Kumpta Cottons, 1931-32. | July 1932 | 0 | 4 | 0 |
| 77 | Spinning Test Report (No. 288) on samples of Bijapur and Tinnevelly Cottons, 1931-32. | July 1932 | 0 | 4 | 0 |
| 78 | Spinning Test Report (No. 289) on samples of Upland Cambodia and Karunganni Cottons, 1931-32. | July 1932 | 0 | 4 (| 0 |
| 79 | Spinning Test Report (No. 302) on samples of Kadi Viramgam and Khandesh Cottons, 1931-32. | August 1934. | 0 | 4 (| 0 |
| 80 | Spinning Test Report (No. 303) on samples of Kalagin and Bagalkote Cottons, 1931-32. | August 1934. | 0 | 4 (| D |
| 81 | Spinning Test Report (No. 319) on samples of A. R. Kampala, A. R. Busoga and A. R. Jinja Cottons, 1931-32. | Oct. 1932 | 0 | 4 (| D |
| 82 | Technological Report on Punjab-American, 1932-33 | Dec. 1932 | 0 | . 9 |) |
| 83 | Spinning Test Report on Verum 262 (Akola) | Jan. 1933 | 0 | 4 (| |
| 84 95 | and Ujjain Cottons, 1932-33. | Jan. 1933 | U | 4 (| |
| 00 | and Moglai Cottons, 1931-32. | Jail, 1955 | v | • (| , |
| 87 | Technological Report on Umn-Bani, 1932-33 | Jan. 1955 | U 0 | 4 (| , |
| 88 | Spinning Test Report (No. 348) on samples of Dijain | Jan. 1933 | Å | 9 (1 A | , |
| | Cotton, 1932-33. | | v | = U | |
| 89 | lecnnological Report on Punjab-American 4F, 1932-33. | March 1933. | 0 | 40 |) |
| 90 | Spinning lest Report (No. 352) on samples of Broach. Cotton, 1932-33. | March 1933 | 0 | s 0 | |
| 91 | Spinning Test Report (No. 353) on samples of Khandesh Cotton, 1932-33. | April 1933 | 0 | 4 0 |) |

| .% |
|--------------------------------|
| TECHNOLOGICAL CIRCULARS—contd. |

| Circular No. | Title. | Date of Publication. | Pr | ic e . | |
|-----------------|--|-------------------------|--------|---------------|---|
| | | | Rs. | a . | P |
| 92 | Spinning Test Report (No. 356) on samples of C. P. No. 1 and Berar Cottons, 1932-33. | April 1933 | 0 | 4 | 0 |
| 93 | Spinning Test Report (No. 357) on samples of Latur and Nanded Cottons, 1932-33. | April 1933 | 0 | 4 | (|
| 94 | Technological Report on Surat 1027 A.L.F., 1932-33 | April 1933 | 0 | 4 | 0 |
| 95 | Spinning Test Report (No. 360) on samples of Hubli- Kumpta and Hubli Upland Cottons, 1932-33. | April 1933 | 0 | 4 | C |
| 96 | Spinning Test Report (No. 361) on samples of Surat, Tiruppur Cambodia and African Busoga Cottons, 1932-33. | May 1933 | 0 | 4 | (|
| 97 | Spinning Test Report (No. 366) on samples of Bailhon- gal and Farm Westerns Cottons, 1932-33. | May 1933 | 0 | 4 | (|
| 98 | Spinning Test Report (No. 368) on samples of Jagadia Cotton, 1932-33. | May 1933 | 0 | 4 | (|
| 99 | Spinning Test Report (No. 369) on a sample of Navsari Cotton, 1932-33. | May 1933 | 0 | 4 | (|
| 100 | Spinning Test Report (No. 370) on samples of Broach and Surat Cottons, 1932-33. | June 1933 | 0 | 4 | (|
| 101 | Spinning Test Report (No. 371) on samples of Navsari, Jagadia and Rajpipla Cottons, 1932-33. | June 1933 | 0 | 4 | (|
| 102 | Spinning Test Report (No. 389) on samples of Dholleras and Kadi-Viramgam Cottons, 1932-33. | August 1933. | 0 | 4 | • |
| 103 | Spinning Test Report (No. 390) on samples of Muttia and Kalagin Cottons, 1932-33. | August 1933. | 0 | · • | 1 |
| 104 | velly and Karunganni Cottons, 1932-33. | Sept. 1933 | U | 4 | |
| 105 | Spinning Test Report (No. 393) on samples of Westerns and Farm Westerns Cottons, 1932-33. | Sept. 1933 | U | | |
| 100 | and Upland Cottons, 1932-33. | Sept. 1933 | 0 | - | |
| 107 | American and Cambodia Cottons, 1932-33. | Sept. 1033 | | - | |
| 100 | and Bagalkote Cottons, 1932-33. | Sept. 1033 | Ň | 4 | ł |
| 105 | Kampala, A. R. Busoga and A. R. Jinja Cottons, 1932-33. | Scpt. 1000 | Ū | - | |
| 110 | Technological Report on Umri Bani, 1933-34 | Dec. 1933 | . 0 | 4 | 9 |
| 111 | Technological Report on Verum 262 (Akola) | Jan. 1934 | U U | 4 | |
| 112 | Spinning Test Report (No. 438) on samples of Khandesh and Bengals Cottons, 1933-34. | red, 1934 | U | 4 | |
| 113 | Spinning 1est Report (No. 440) on samples of Ujjain Cotton, 1933-34. | red. 1934 | U A | - | |
| 114 | 1ecnnological Report on Funjab-American 289F, 1933-34. | Feb 1024 | 0 | | |
| 110 | Seinning Test Report on verum 202 (Nagpur) | Feb 1034 | ŏ | Ā | ì |
| 110 | Spinning rest Report (No. 443) on samples of C.F. No. 1 | | v | - | |

,

TECHNOLOGICAL CIRCULARS .- contá.

| Circular No. | Title. | Date of Publication. | Pri | çe. | |
|-----------------|---|-------------------------|-----|-----|---|
| | · · · · · · · · · · · · · · · · · · · | | Rs. | a. | P |
| 117 | Spinning Test Report (No. 444) on samples of Khandesh Cotton, 1933-34. | Feb. 1934 | 0 | 4 | (|
| 118 (| Spinning Test Report (No. 446) on samples of Ujjain (Mandsaur) Cotton, 1933-34. | Feb. 1934 | .0 | 4 | (|
| 119 | Spinning Test Report (No. 447) on samples of Moglai Cotton 1933-34 | Feb. 1934 | 0 | 4 | • |
| 120 | Technological Report on Punjab-American 4F, 1933-34 | March 1934 | 0 | 4 | (|
| 121 | Spinning Test Report (No. 457) on samples of Muttia Cotton 1933-34 | March 1934 | 0 | 4 | • |
| 122 | Spinning Test Report (No. 458) on samples of Lattur and Nanded Cottons 1933-34 | March 1934 | 0 | 4 | • |
| 123 | Spinning Test Report (No. 462) on samples of Hubli Kumpta and Hubli Upland Cottons 1933-34 | April 1934 | 0 | 4 | (|
| 124 | Spinning Test Report (No. 463) on samples of Broach and Surat Cottons 1933-34 | April 1934 | 0 | 4 | i |
| 125 | Spinning Test Report (No. 464) on samples of Punjab- | April 1934 | 0 | 4 | |
| 126 | Spinning Test Report (No. 467) on samples of Westerns | May 1934 | 0 | 4 | |
| 127 | Technological Report on Surat 1027 A. L. F., 1933-34 | May 1934 | 0 | 4 | |
| 128 | Technological Report on Hagari 1, 1933-34 | May 1934 | 0 | .4 | |
| 129 | Technological Report on Cambodia Co. 2 (Cambodia 440), 1933-34. | May 1934 . | 0 | 4 | |
| 130 | Technological Report on Gadag 1, (Dharwar-American) 1933-34. | , May 1934 | 0 | 4 | |
| 131 | Spinning Test Report (No. 469) on samples of Surat and Tiruppur Cambodia Cottons, 1933-34. | May 1934 | 0 | 4 | |
| 132 | Spinning Test Report (No. 470) on samples of Farm Westerns Cotton, 1933-34. | May 1934 | 0 | 4 | |
| 133 | Spinning Test Report (No. 471) on samples of Kumpta Cotton 1933-34 | May 1934 . | 0 | 4 | |
| 9134 | Spinning Test Report (No. 472) on samples of Jagadia Cotton 1933-34 | May 1934 | -0 | 4 | |
| 135 | Technological Report on Jayawant (Kumpta). 1933-34 | June 1934 . | 0 | 4 | |
| 136 | Spinning Test Report (No. 481) on samples of Dholleras Cotton, 1933-34. | July 1934 | Ó | 4 | |
| 137 | Spinning Test Report (No. 482) on samples of Kalagin Cotton, 1933-34 | July 1934 | 0 | 4 | |
| 138 | Spinning Test Report (No. 483) on samples of Western Cotton 1933-34 | s July 1934 . | 0 | 4 | |
| 139 | Spinning Test Report (No. 487) on samples of Bailhon | July 1934 . | 0 | 4 | |
| 140 | Spinning Test Report (No. 488) on samples of Farm | July 1934 | 0 | 4 | |
| 141 | Spinning Test Report (No. 489) on samples of Broach | July 1934 | 0 | 4 | |
| 142 | Spinning Test Report (No. 490) on samples of Jagadia | July 1934 | 0 | 4 | |

TECHNOLOGICAL CIRCULARS-contd,

| Circular No. | Title. | Date of Publication. | Pr | ice | ۔ د ب |
|-----------------|--|-------------------------|-----|-----|------------|
| -1 | • | | Rs, | а. | <u>р</u> . |
| , 143 | Spinning Test Report (No. 491) on samples of Bawla | July 1934 | 0 | 4 | 0 |
| : 144 | Spinning Test Report (No. 498) on samples of Karun- | August 1934. | 0 | 4 | 0 |
| 145 | Spinning Test Report (No. 503) on samples of Navsari | August 1934. | 0 | 4 | 0 |
| 146 | Spinning Test Report (No. 504) on samples of Cambodia | August 1934. | 0 | 4 | 0 |
| 147 | Spinning Test Report (No. 509) on samples of Kadi- Virangam Cotton 1933-34 | August 1934. | 0 | .4 | 0 |
| . 148 | Spinning Test Report (No. 510) on samples of Tinne- velly Cotton 1933-34 | August 1934. | 0 | 4 | 0 |
| . 149 | Spinning Test Report (No. 511) on samples of Bagal- kote Cotton, 1933-34. | August 1934. | 0 | 4 | 0 |
| 150 | Spinning Test Report (No. 514) on samples of A. R. Kampala, A. R. Busoga, and A. R. Jinja Cottons, 1933-34 | Sept. 1934 | 0 | 4 | 0 |
| 151 | Spinning Test Report (No. 515) on samples of Bijapur Cotton 1933-34 | Sept. 1934 | 0 | 4 | 0 |
| 152 | Spinning Test Report (No. 516) on samples of Upland Cotton 1933-34 | Sept. 1934 | 0 | 4 | 0 |
| 153 | Spinning Test Report (No. 517) on samples of Karun- ganni Cotton, 1933-34. | Sept. 1934 | 0 | 4 | 0 |
| 154 | Technological Report on Verum 262 (Nagpur), 1934-35. | Dec. 1934 | 0 | 4 | 0 |
| 155 | Technological Report on Verum 262 (Akola), 1934-35 | Dec. 1934 | 0 | 4 | 0 |
| 156 | Technological Report on Umri Bani, 1934-35 | Jan. 1935 | 0 | 4 | 0 |
| 157 | Technological Report on Punjab-American 289F, 1934-35. | Jan. 1935 | 0 | 4 | 0 |
| 158 | Spinning Test Report (No. 559) on samples of C. P. No. 1 Cotton, 1934-35. | Feb. 1935 | 0 | 4 | 0 |
| 159 | Spinning Test Report (No. 560) on samples of Berar Cotton, 1934-35. | Feb. 1935 | 0 | 4 | 0 |
| .160 | Spinning Test Report (No. 561) on samples of Khan- desh Cotton, 1934-35. | Feb. 1935 | 0 | -4 | 0 |
| 161 | Spinning Test Report (No. 566) on samples of Khan- desh Cotton, 1934-35. | Feb. 1935 | 0 | 4 | 0 |
| 162 | Spinning Test Report (No. 567) on samples of Moglai Cotton 1934-35. | Feb. 1935 | . 0 | 4 | 0 |
| 163 | Spinning Test Report (No. 568) on samples of Bengals | Feb. 1935 | 0 | 4 | 0 |
| 164 | Spinning Test Report (No. 570) on samples of Ujjain | Feb. 1935 | 0 | 4 | 0 |
| 165 | Spinning Test Report (No. 571) on samples of Ujjain | Feb. 1935 | 0 | 4 | 0 |
| 166 | Spinning Test Report (No. 577) on Samples of Hubli Kumpta Cotton 1934-35 | March 1935 | 0 | 4 | 0 |
| 167 | Technological Report on Gadag 1 (Dharwar-Ameri- | April 1935 | 0 | 4 | 0 |
| 3 . P | Call, 1707-00. | | | | |

.

TECHNOLOGICAL CIRCULARS,---conid.

| | | 1 | 1 | | |
|-----------------|--|-------------------------|----------|-----|-----|
| Circular No. | Title. | Date of Publication. | Pr | ice | . y |
| , | | | Rs. | а. | |
| 168 | Spinning Test Report (No. 582) on samples of Latur Cotton, 1934-35 | April 1935 | 0 | 4 | 0 |
| 169 | Spinning Test Report (No. 583) on samples of Nanded Cotton, 1934-35 | April 1935 | . 0 | 4 | 0 |
| 170 | Spinning Test Report (No. 584) on samples of Muttia Cotton 1934-35 | April 1935 | 0 | 4 | 0 |
| 171 | Spinning Test Report (No. 591) on samples of Broach Cotton 1934-35 | June 1935 | 0 | 4 | 0 |
| 172 | Spinning Test Report (No. 592) on samples of Jagadia Cotton 1934-35 | June 1935 | 0 | 4 | 0 |
| 173 | Spinning Test Report (No. 593) on samples of Punjab- American Cotton 1934-35 | June 1935 | 0 | 4 | 0 |
| 174 | Spinning Test Report (No. 595) on samples of Bail- | June 1935 | 0 | ;4. | 0 |
| 175 | Spinning Test Report (No. 596) on samples of Broach | June 1935 | 0 | 4 | 0 |
| 176 | Spinning Test Report (No. 597) on samples of Karun- | June 1935 | 0 | 4 | 0 |
| 177 | Spinning Test Report (No. 598) on samples of Tiruppur | June 1935 | Ģ | 4 | 0 |
| 178 | Cambodia Cotton, 1934-35. Spinning Test Report (No. 599) on samples of Northern | June 1935 | 0 | 4 | 0 |
| 179 | Cambodia Cotton, 1934-35. Spinning Test Report (No. 600) on samples of Farm | June 1935 | 0 | 4 | 0 |
| 180 | Westerns Cotton, 1934-35. Spinning Test Report (No. 601) on samples of Westerns | June 1935 | 0 | 4 | 0 |
| 181 | Cotton, 1934-35. Spinning Test Report (No. 602) on samples of Miraj | June 1935 | 0 | 4 | 0 |
| 182 | Cotton, 1934-35. Spinning Test Report (No. 603) on samples of Nandyal | June 1935 | 0 | 4 | 0 |
| 183 | Cotton, 1934-35. Spinning Test Report (No. 604) on samples of Surat | July 1935 | 0 | 4 | 0 |
| 184 | Cotton, 1934-35. Spinning Test Report (No. 606) on samples of Tiruppur | July 1935 | 0 | 4 | 0 |
| 185 | Cambodia Cotton, 1934-35. Spinning Test Report (No. 607) on samples of African | July 1935 | 0 | 4 | 0 |
| 186 | Busoga Cotton, 1934-35. Spinning Test Report (No. 608) on samples of Kampala | July 1935 | 0 | 4 | 0 |
| 187 | Cotton, 1934-35. Spinning Test Report (No. 609) on samples of Hubli | July 1935 | 0 | 4 | 0 |
| 188 | Upland Cotton, 1934-35. Technological Report on Punjab American 4F 1934-35. | Inly 1935 | 0 | 4 | 0 |
| 180 | Technological Report on Surat 1027 A L F 1934.35 | July 1935 | ŏ | Ā | ŏ |
| 190 | Spinning Test Report (No. 612) on samples of Kalagin | July 1935 | ŏ | 4 | Ő. |
| 191 | Spinning Test Report (No. 613) on samples of Farm | July 1935 | 0 | 4 | 0 |
| 100 | Technological Report on Jammant/Kumnta) 1094 05 | Aug 1025 | Δ. | | ۵ |
| 109 | Technological Report on Combadia Co. 9 (Combadia | Ang 1025 | ň | Ā | ň |
| 103 | recimological Report on Cambodia Co. 2 (Cambodia | nug. 1000 | v | | |

| • | 100 |
|------------|------------------------|
| TECH NOLOG | ICAL CIRCULARS concld. |

| Circular No. | Title. | Date of Publication. | Pı | rice. | , |
|-----------------|--|-------------------------|-----|-----------|------------|
| · | · · · · · · · · · · · · · · · · · · · | | Rs. | . 8. | <u>р</u> . |
| 194 | Spinning Test Report (No. 620) on samples of Navs Cotton, 1934-35. | ari Aug. 1935 | 0 | 4 | 0 |
| 195 | Spinning Test Report (No. 621) on samples of Upla Cotton, 1934-35. | Ind Aug. 1935 | 0 | 4 | Ö |
| 196 | Spinning Test Report (No. 624) on samples of Dholle Cotton, 1934-35. | ras Sept. 1935 | 0 | 4 | 0 |
| 197 | Spinning Test Report (No. 626) on samples of Weste Cotton, 1934-35. | rns Sept. 1935 | 0 | 4 | 0 |
| 198 | Spinning Test Report (No. 627) on samples of Su Cotton, 1934-35. | rat Sept. 1935 | 0 | 4 | 0 |
| 199 | Spinning Test Report (No. 628) on samples of Tinneve Cotton, 1934-35. | elly Sept. 1935 | • 0 | 4 | 0 |
| 200 | Spinning Test Report (No. 630) on samples of Cambo Cotton, 1934-35. | dia Sept. 1935 | 0 | 4 | 0 |
| 201 | Spinning Test Report (No. 631) on samples of Kar ganni Cotton. 1934-35. | un-Sept 1935 | 0 | 4 | 0 |
| 202 | Spinning Test Report (No. 633) on samples of Bija Cotton, 1934-35. | pur Sept. 1935 | 0 | 4 | 0 |
| 203 | Spinning Test Report (No. 634) on samples of Bagalk Cotton 1934-35 | ote Sept. 1935 | 0 | 4 | 0 |
| 204 | Spinning Test Report (No. 635) on samples of A. Jinia Cotton 1934-35 | R. Sept. 1935 | 0 | 4 | 0 |
| 205 | Spinning Test Report (No. 637) on samples of A. Busoga Cotton 1934-35 | R. Sept. 1935 | 0 | <u>+4</u> | 0 |
| 206 | Spinning Test Report (No. 638) on samples of A. Kampala Cotton 1934-35 | R. Sept. 1935 | • 0 | 4 | 0 |
| 207 | Spinning Test Report (No. 640) on samples of Kum Cotton, 1934-35. | pta Sept. 1935 | 0 | 4 | 0 |

TECHNOLOGICAL LEAFLETS.

•

| Leaflet No. | Title. | Date of Publication |
|-----------------|---|------------------------|
| . 1 | Note on the harmful effects of adulterating good quality Indian cottons | October 193 |
| 2 | Note on Green-stained Sind-American cotton | October 193 |
| : 3 | Blow-Room Treatment in relation to Leafiness in cotton | March 193 |
| 4 | Blow-Room Treatment for a Long-staple cotton | April 193 |

100