

BIBLIOGRAPHY

- Abbot, A. C. 1912. On induced variations in bacterial functions. An experimental study. *Jour. Med. Research* 26:513-521.
- Arkwright, J. A. 1920. Variation in bacteria in relation to agglutination by salts and by specific sera. *Jour. Path. and Bact.* 23:358-360.
- Arkwright, J. A. 1921. Variation in bacteria in relation to agglutination both by salts and by specific serum. *Jour. Path. and Bact.* 24:36-60.
- Arkwright, J. A. 1924. The source and characteristics of certain cultures sensitive to bacteriophage. *Brit. Jour. Expt. Path.* 5:23-33.
- Arkwright, J. A., and Goyle, A. N. 1924. The relation of the "smooth" and "rough" forms of intestinal bacteria to the "O" and "H" forms of Weil and Felix. *Brit. Jour. Expt. Path.* 5:104-114.
- Arkwright, J. A. 1927. The value of different kinds of antigen in prophylactic "enteric" vaccines. *Jour. Path. and Bact.* 30:345-364.
- Arkwright, J. A. 1930. System of Bacteriology. Medical Research Council (London).
- Baerthlein, K. 1912. Untersuchungen über *Bact. coli* mutabile. *Centralbl. Bakt.* I Abt., Orig. 66:21-35.
- Baerthlein, K. 1918. Ueber bacterielle Variabilität insbesondere so-genannte Bakterienmutationen. *Centralbl. Bakt.* I Abt., Orig. 81:369-435.
- Benians, T. H. C. 1919. A record of an inagglutinable form of Shiga's dysentery bacillus, experimentally derived from an agglutinable culture. *Jour. Path. and Bact.* 23:171-176.
- Buchanan, R. E., and Truax, R. 1910. Non-inheritance of impressed variations in *Streptococcus lacticus*. *Jour. Infect. Diseases* 7:680-697.
- Burri, R. 1910. Ueber scheinbar plötzliche Neuerwerbung eines bestimmten Gärungsvermögens durch Bakterien der Coligruppe. *Centralbl. Bakt.* II Abt. 28:321-345.
- Chamberlain, Ch., and Roux, E. 1883. Sur l'atténuation de la virulence de la bactéridie charbonneuse, sous l'influence des substances antiseptiques. *Compt. Rend. Acad. Sci. [Paris]* 96:1088-1991.
- Cole, L. J., and Wright, W. N. 1916. Application of the pure-line concept to bacteria. *Jour. Infect. Diseases* 19:208-221.
- Dawson, A. I. 1919. Bacterial variations induced by changes in the composition of culture media. *Jour. Bact.* 4:133-148.
- Dearstyne, R. S., Kaupp, B. F., and Wilfong, H. S. 1929. Study of pullorum disease from a flock standpoint. *N. C. Agr. Expt. Sta. Tech. Bul.* 36, 53 pp.
- De Kruif, P. H. 1921. Dissociation of microbic species. I. Coexistence of individuals of different degrees of virulence in cultures of the bacillus of rabbit septicemia. *Jour. Expt. Med.* 33:773-789.
- Dobell, C. 1912. Some recent work on mutation in microorganisms. II. Mutations in bacteria. *Jour. Genetics* 2:325-350.
- Durham, H. T. 1898. A discussion on the agglutinating or sedimenting properties of serums and their relation to immunity. *Brit. Med. Jour.* 2:588-592.
- Eisenberg, P. 1906. Ueber sekundäre Bakterienkolonien. *Centralbl. Bakt.* I Abt., Orig. 40:188-194.
- Eisenberg, P. 1912. Untersuchungen über die Variabilität der Bakterien. II. Mitteilung über sogenannte Mutationsvorgänge bei Choleravibronen. *Centralbl. Bakt.* I Abt., Orig. 66:1-19.

- Eisenberg, P. 1918. Untersuchungen über die Variabilität der Bakterien. VI. Mitteilung: Variabilität in der Typhus-Coli Gruppe. Centralbl. Bakt. I Abt., Orig. 80:385-413.
- Enderlein, G. 1925. Bakterien-Cyclogenie. Prologomena zu Untersuchungen über Bau, geschlechtliche und ungeschlechtliche Fortpflanzung und Entwicklung der Bakterien. p-1.
- Furth, J., and Landsteiner, K. 1928. On precipitable substances derived from *Bacillus typhosus* and *Bacillus paratyphosus* B. Jour. Expt. Med. 47: 171-184.
- Goodman, H. H. 1908. Variability in the diphtheria group of bacilli. Jour. Infect. Diseases 5:421-442.
- Goyle, A. N. 1927. The effect of heat on the agglutination of bacterial emulsions. Jour. Path. and Bact. 30:331-344.
- Gwatkin, R. 1927. Bacteriophage experiments. Ontario Vet. Col. Rpt. 1926:48-58.
- Hadley, P. 1927. Microbic dissociation. Jour. Infect. Diseases 40:1-312.
- Henry, B. S. 1933. Dissociation in the genus *Brucella*. Jour. Infect. Diseases 52:374-402.
- Hiss, P. H. 1904. On fermentative and agglutinative characters of bacilli of the "dysentery group." Jour. Med. Research 13:1-51.
- Horton-Smith, P. 1900. The typhoid bacillus and typhoid fever. (The Gaulstonian Lectures.) Brit. Med. Jour. 2:827-834.
- Jacobsen, K. A. 1910. Mitteilungen über einen variablen Typhusstamm (*Bacterium typhi mutabile*) sowie über eine eigentümliche hemmende Wirkung des gewöhnlichen Agar, verursacht durch Autoklavierung. Centralbl. Bakt. I Abt., Orig. 56:208-216.
- Jordan, E. O. 1917. The differentiation of the paratyphoid-enteritidis group I. Jour. Infect. Diseases 20:457-484.
- Jordan, E. O. 1926. The interconvertibility of "rough" and "smooth" bacterial types. Jour. Amer. Med. Assoc. 86:177-178.
- Kauffmann, F. 1930. Die Technik der Typenbestimmung in der Typhus-Paratyphusgruppe. Centralbl. Bakt. I Abt., Orig. 119:152-160.
- Koser, S. A., and Styron, N. C. 1930. The production of smooth from rough forms of *Bacterium dysenteriae* Sonne. Jour. Infect. Diseases 47:443-452.
- Lancefield, R. C., and Todd, E. W. 1928. Antigenic differences between matt hemolytic streptococci and their glossy variants. Jour. Expt. Med. 48: 769-790.
- Li, C. P. 1929. Studies on the dissociation of the hog cholera bacillus. I. The isolation and differentiation of dissociants. II. Serological reactions, virulence, and stability of the variant forms. III. Active immunization with R forms. Jour. Expt. Med. 50:245-254, 255-262, and 767-775.
- Löhnis, F. 1922. Studies upon the life cycles of the bacteria. Mem. Nat. Acad. Sci. Part I:1-335.
- Mackie, T. J. 1920. Variation in agglutinability of bacteria associated with variation of cultural characters. Brit. Jour. Expt. Path. 1:213-217.
- MacKenzie, G. M., and Fitzgerald, H. 1933. Studies in microbic dissociation. I. The effects of dissociation upon the antigenic behavior of *Salmonella* and *Shigella* cultures. Jour. Immunol. 25:397-417.
- Mallmann, W. L. 1932. The dissociation of *Salmonella pullorum* and related species. Mich. Agr. Expt. Sta. Tech. Bul. 122:3-40.
- Massini, R. 1907. Ueber einen in biologischer Beziehung interessanten Koli-stamm (*Bacterium coli mutabile*). Arch. Hyg. 61:250-292.

- Müller, R. 1911. Mutationen bei Typhus und Ruhrbakterien (Mutationen als spezifisches Kulturmerkmal). Centralbl. Bakt. I Abt., Orig. 58:97-106.
- Nägeli, C. v. 1877. Untersuchungen über die niedere Pilze und ihrer Beziehung zu den Infektionskrankheiten und der Gesundheitspflege. (Cited by Hadley, P. Microbic dissociation. Jour. Infect. Diseases 40:1-312, 1927.)
- Nicolle, Ch. 1898. L'agglutination spontanee des cultures, ses rapports avec L'agglutination par les serums. Compt. Rend. Soc. Biol. [Paris] 50:1054-1055.
- Peckham, A. W. 1907. The influence of environment upon the biological processes of the various members of the colon group of bacilli. Jour. Expt. Med. 2:549-591.
- Penfold, W. J. 1911. Studies in bacterial variation. (With special reference to the chemical functions of the members of the Typhoid-Coli group.) Jour. Hyg. [London] 11:30-67.
- Penfold, W. J. 1912. On the specificity of bacterial mutation. (With a résumé of the results of an examination of bacteria found in feces and urine, which undergo mutation when grown on lactose medium.) Jour. Hyg. [London] 12:195-217.
- Plastridge, W. N., and Rettger, L. F. 1930. An epidemic disease of domestic fowl caused by a hitherto undescribed organism of the *Salmonella pullorum* type. Jour. Infect. Diseases 47:334-339.
- Plastridge, W. N., and Rettger, L. F. 1932. Variants of *Salmonella pullorum*. Jour. Infect. Diseases 50:146-161.
- Plastridge, W. N., and Rettger, L. F. 1934. Virulence of *Salmonella pullorum*. Jour. Infect. Diseases 54:23-34.
- Preisz, H. 1904. Studien über Morphologie und Biologie des Milzbrandbacillus. Centralbl. Bakt. I Abt., Orig. 35:280-293.
- Rettger, L. F. 1900. Septicemia among young chicks. N. Y. Med. Jour. 71:803-805.
- Rettger, L. F., and Harvey, S. C. 1908. Fatal septicemia in young chickens, or "White Diarrhea." Jour. Med. Research 18:277-290.
- Rettger, L. F., and Sherrick, J. L. 1911. Studies on bacterial variation. Jour. Med. Research 24:265-284.
- Rettger, L. F., and Plastridge, W. N. 1932. Pullorum disease of domestic fowl. Monograph. Conn. (Storrs) Agr. Expt. Sta. Bul. 178.
- Rettger, L. F., and Gillespie, H. B. 1933. Bacterial variation, with special reference to pleomorphism and filtrability. Jour. Bact. 26:289-317.
- Revis, C. 1912. The production of variation in the physiological activity of *Bacillus coli* by the use of malachite green. Roy. Soc. [London] Proc., Ser. B. 85:192.
- Roux, E. 1890. Bactéridie charbonneuse asporogène. Ann. Inst. Pasteur 4:25-34.
- Rowland, S. 1914. The influence of cultivation in serum containing media upon the virulence and immunizing properties of the plague bacillus. Jour. Hyg., Plague Supplement 3:403-411.
- Savage, W. G. 1901. Pseudo-clumping in cultures of the typhoid bacillus. Jour. Path. and Bact. 7:388-399.
- Savage, W. G., and White, P. B. 1925. An investigation of the *Salmonella* group, with special reference to food poisoning. Special Report Series No. 91, Med. Research Council (London).
- Schütze, H. 1921. The permanence of the serological paratyphoid B. types, with observations on the non-specificity of agglutination with "rough" variants. Jour. Hyg. [London] 20:330-341.

- Soule, M. H. 1928. Microbic dissociation (*B. subtilis*). *Jour. Infect. Diseases* 42:93:148.
- Stearn, E. W., and Stearn, A. E. 1933. The effect of the reaction of the medium on the characteristics of bacteria. I. General presentation of the problem, and results obtained with *Bacillus coli-communior*, *Salmonella enteritidis* and *Pseudomonas pyocyanea*. *Jour. Bact.* 26:9-36.
- Steinhardt, E. 1904. Variations in virulence in organisms acted upon by serum, and the occurrence of spontaneous agglutination. *Jour. Med. Research* 13:409-418.
- Twort, F. W. 1907. The fermentation of glucosides by the bacteria of the typhoid-colic group and the acquisition of new fermenting powers by *B. dysenteriae* and other microorganisms. *Roy. Soc. [London] Proc., Ser. B.* 79:320-336.
- Webster, L. T., and Pritchett, I. W. 1927. Studies on the mode of spread of *B. enteritidis* mouse typhoid infection. I. Native epidemicity. *Jour. Expt. Med.* 46:847-853.
- Webster, L. T., and Burn, C. 1927. Studies on the mode of spread of *B. enteritidis* mouse typhoid infection. III. Studies of bacterial cells taken from smooth, mucoid and rough colonies. *Jour. Expt. Med.* 46:871-886.
- White, P. B. 1926. Further studies of the *Salmonella* group. Special Report Series, No. 103, Med. Research Council (London).
- White, P. B. 1928. Further notes on spontaneous agglutination of bacteria. *Jour. Path. and Bact.* 31:423-433.
- White, P. B. 1932. Observations on *Salmonella* agglutination and related phenomena. Concerning an alcohol-soluble antigen (Substance Q). *Jour. Path. and Bact.* 35:77-89.
- White, P. B. 1933. Observations on *Salmonella* agglutination and related phenomena. IV. The p-variant and an antigen soluble in acidified 75 per cent alcohol. *Jour. Path. and Bact.* 36:65-76.
- Wilson, G. S. 1928. Discontinuous variation in the virulence of *Bact. aertrycke Mutton*. *Jour. Hyg. [London]* 28:295-317.