The Mathematical Problem of the Price Index

.

Mathematical Problem of the Price Index

BY

J. K. MONTGOMERY M.A., M.Sc. Member of the Econometric Society

LONDON P. S. KING & SON, LTD. ORCHARD HOUSE, WESTMINSTER 1937

X:76:(B284) G7

Printed in Great Britain by RICHARD CLAY AND 40N5, LIMITED B U N G A Y Suffolk

11168

CONTENTS

PAG

CHAP.		PAGE
I.	THE CONCEPTION OF THE PRICE INDEX OF A	
	GROUP OF COMMODITIES	I
II.	THE TRANSFORMATION OF MEASURES OF	
	Change	8
III.	THE DETERMINATION OF THE FORMULA FOR	
·	THE PRICE INDEX	29
IV.	THE PRICE INDICES OF SEPARATE COMMODI-	
	TIES IN THE GROUP	40
v.	THE DIFFERENTIAL METHOD OF DETERMINING	
	THE PRICE INDEX	49
VI.	Some Properties of the Price Index .	56
VII.	THE PRACTICAL APPLICATION OF THE FORMULA	
	FOR THE PRICE INDEX	66

CHAPTER I

THE CONCEPTION OF THE PRICE INDEX OF A GROUP OF COMMODITIES

ONE of the reasons why there has been so much controversy on the subject of the price index of a group of commodities is that writers have never agreed on a definition. Certainly it is not easy to define the price index in a few words nor to form a precise conception of it.

The following statement of what the writer puts forward, without claiming any originality for it, as the most satisfactory conception of the price index can hardly be called a definition, as he proceeds by first expressing the conception in vague terms and afterwards trying to give a more precise meaning to those terms.

In accordance with the usual notation, let the prices of the commodities in the base year be p_0', p_0'', p_0''' , etc., and the prices in the given year p_1', p_1'', p_1''' , etc. Let the quantities of the commodities in the base year be q_0', q_0'', q_0''' , etc., and the quantities in the given year q_1', q_1'', q_1''' , etc.

Then the values of the commodities are $p_0'q_0'$, $p_0''q_0''$, $p_0'''q_0'''$, etc., in the base year and $p_1'q_1'$, $p_1'''q_1'''$, $p_1'''q_1'''$, etc., in the given year.

The aggregate value of the commodities is $\Sigma p_{0}q_{0}$ in in the base year and $\Sigma p_{1}q_{1}$ in the given year.

2 THE MATHEMATICAL PROBLEM OF THE PRICE INDEX

Comparing the commodities in the given year with the commodities in the base year, we note that both prices and quantities have changed. The aggregate value has also changed, and the change in aggregate value is partly due to the changes in price and partly to the changes in quantity.

Here we are using vague phrases: "due to the changes in price" and "due to the changes in quantity." We shall hope to make clearer, presently, what we mean by these phrases.

Let us now suppose that, instead of varying with the commodity, the change of price had been uniform for all commodities in the group and that, in like manner, there had been a uniform change in the quantities. Let the proportionality factor for price be P_{01} and the proportionality factor for quantity Q_{01} .

Then, in this case (which we will call the hypothetical case, to distinguish it from the actual case), we have a group of commodities of which the prices in the base year are the same as in the actual case, but the prices in the given year are $P_{01}p_0'$, $P_{01}p_0''$, $P_{01}p_0'''$, etc., while the quantities in the base year are the same as in the actual case, but the given year are $P_{01}p_0'$, $P_{01}p_0''$, $P_{01}p_0'''$, etc., while the quantities in the base year are the same as in the actual case, but the quantities in the given year are $Q_{01}q_0''$, $Q_{01}q_0'''$, etc.

The aggregate value, in the hypothetical case, is $\Sigma p_0 q_0$ in the base year and $\Sigma P_{01} p_0 Q_{01} q_0$ or (since P_{01} and Q_{01} are the same for all the commodities) $P_{01} Q_{01} \Sigma p_0 q_0$ in the given year.

So far, it will be observed, we may attach any values we like to P_{01} and Q_{01} .

Now, a fundamental conception of the price index and the quantity index is that, if they are applied as proportionality factors to the prices and quantities of the commodities in the base year, the resulting aggregate value of the commodities is the same as the aggregate value in the given year in the actual case. In other words, if P_{01} and Q_{01} are the price index and the quantity index, they must fulfil the condition

$$\Sigma P_{01} p_0 Q_{01} q_0 = \Sigma p_1 q_1$$

or, since P_{01} and Q_{01} are the same for all the commodities,

$$P_{01}Q_{01} = \frac{\sum p_1 q_1}{\sum p_0 q_0}$$

If it were not so, P_{01} and Q_{01} would have no relation to the prices and quantities in the given year, and could in no way serve to establish a comparison between the prices in the given year and the prices in the base year and between the quantities in the given year and the quantities in the base year.

Up to this point there is general agreement. It is usually admitted that the price index, P_{01} , and the quantity index, Q_{01} , must have the property indicated by the above equation.

But this does not carry us very far towards the determination of P_{01} and Q_{01} . Obviously there is an infinite series of pairs of values for P_{01} and Q_{01} which fulfil the condition. They take the forms $\left(\frac{\sum p_1 q_1}{\sum p_0 q_0}\right)^a$ and $\left(\frac{\sum p_1 q_1}{\sum p_0 q_0}\right)^{1-a}$.

Hence it is clear that P_{01} and Q_{01} must fulfil other conditions. The conception (the writer submits) must be extended by saying that the price index must correspond to the change in the aggregate value due to the changes in price and the quantity index must correspond 4 THE MATHEMATICAL PROBLEM OF THE PRICE INDEX to the change in the aggregate value due to the changes in quantity.

But here again we are using vague terms. What do we mean by "correspond to" and by "due to the changes in price"? And how is the change in aggregate value measured?

Let us answer the last question first.

The change in aggregate value may be measured in three ways :

(1) As the ratio of the aggregate value in the given year to the aggregate value in the base year, or $\frac{\sum p_1 q_1}{\sum p_0 q_0}$;

(2) As the difference between the aggregate value in the given year and the aggregate value in the base year, or $\Sigma p_1 q_1 - \Sigma p_0 q_0$;

(3) As the ratio of the difference between the aggregate value in the given year and the aggregate value in the base year to the aggregate value in the base year,

or $\frac{\Sigma \dot{p}_1 q_1 - \Sigma \dot{p}_0 q_0}{\Sigma \dot{p}_0 q_0}.$

Reverting to the conception of P_{01} and Q_{01} as proportionality factors and recalling what we have called the hypothetical case, we may note that the change of aggregate value, in whichever way it may be measured, is the same in the hypothetical case as in the actual case, since

$$\begin{split} \Sigma P_{01} p_0 Q_{01} q_0 &= \Sigma p_1 q_1 \\ \Sigma P_{01} p_0 Q_{01} q_0 - \Sigma p_0 q_0 &= \Sigma p_1 q_1 - \Sigma p_0 q_0 \\ \frac{\Sigma P_{01} p_0 Q_{01} q_0 - \Sigma p_0 q_0}{\Sigma p_0 q_0} &= \frac{\Sigma p_1 q_1 - \Sigma p_0 q_0}{\Sigma p_0 q_0}. \end{split}$$

and

The first measure of the change of aggregate value, $\sum p_{1}q_{1}$, is a ratio. Let us suppose that it is transformed into the product of two ratios, one (which we will call R_{P}) representing the change in the aggregate value due to the changes in price, and the other (which we will call R_{0}) representing the change in the aggregate value due to the changes in quantity. We have still to explain what we mean by "due to the changes in price" and "due to the changes in quantity," but let us postpone the explanation for a moment.

In the hypothetical case, let us suppose that the change in aggregate value $\frac{\sum P_{01} p_0 Q_{01} q_0}{\sum p_0 q_0}$ (which is equal to $\frac{\sum p_1 q_1}{\sum p_0 q_0}$) is transformed into the product of two ratios, one (which we will call $[R_r]$) representing the change in the aggregate value due to the changes in price and the other (which we will call $[R_0]$) representing the changes in quantity.

Then $[R_r]$ must be equal to R_r and $[R_e]$ must be equal to R_e . This is what we mean when we say that "the price index must correspond to the change in the aggregate value due to the changes in price, and the quantity index must correspond to the change in the aggregate value due to the changes in quantity."

In the hypothetical case, it is obvious that $[R_r]$ is P_{01} and that $[R_0]$ is Q_{01} . Hence, if we can determine R_r and R_0 our problem is solved.

There must be a similar correspondence if we take the other measures of the change in the aggregate value. If the change in the aggregate value is

6 THE MATHEMATICAL PROBLEM OF THE PRICE INDEX

 $\Sigma p_1 q_1 - \Sigma p_0 q_0$, we may speak of it as the increase in the aggregate value and divide it into the sum of two values, one (which we will call V_P) being the increase in the aggregate value due to the changes in price, and the other (which we will call V_q) being the increase in the aggregate value due to the changes in quantity.

In the hypothetical case the increase in the aggregate value is $\Sigma P_{01}p_0Q_{01}q_0 - \Sigma p_0q_0$ (which is equal to $\Sigma p_1q_1 - \Sigma p_0q_0$). Let us divide it into two values, one (which we will call $[V_P]$) being the increase in the aggregate value due to the changes in price, and the other (which we will call $[V_{\bullet}]$) being the increase in the aggregate value due to the changes in quantity.

Then $[V_P]$ must be equal to V_P and $[V_Q]$ to V_Q .

Again, if the change in the aggregate value is expressed by $\frac{\sum p_1 q_1 - \sum p_0 q_0}{\sum p_0 q_0}$ (the proportional increase) we may divide it into the sum of two ratios, one (which we will call \dot{R}_r , to distinguish it from R_r) representing the proportional increase in the aggregate value due to the changes in price, and the other (which we will call \dot{R}_q) representing the proportional increase in the aggregate value due to the aggregate value due to the changes in price.

In the hypothetical case, the proportional increase in the aggregate value is expressed by $\frac{\sum P_{01}p_0Q_{01}q_0 - \sum p_0q_0}{\sum p_0q_0}$ (which is equal to $\frac{\sum p_1q_1 - \sum p_0q_0}{\sum p_0q_0}$), and we may divide it into the sum of two ratios, one (which we will call $[\dot{R}_r]$) representing the proportional increase in the aggregate value due to the changes in price, and the other (which we will call $[\dot{R}_e]$) representing the pro-

THE CONCEPTION OF THE PRICE INDEX

portional increase in the aggregate value due to the changes in quantity.

Then $[\dot{R}_{P}]$ must be equal to \dot{R}_{P} and $[\dot{R}_{e}]$ to \dot{R}_{e} .

But obviously $\dot{R}_{P} = \frac{V_{P}}{\Sigma \dot{p}_{0} q_{0}}$, $\dot{R}_{e} = \frac{V_{e}}{\Sigma \dot{p}_{0} q_{0}}$, $[\dot{R}_{P}] = \frac{[V_{e}]}{\Sigma \dot{p}_{0} q_{0}}$ and $[\dot{R}_{e}] = \frac{[V_{e}]}{\Sigma \dot{p}_{0} q_{0}}$.

Hence, if $[V_P] = V_P$ and $[V_q] = V_q$, we also have $[\dot{R}_P] = \dot{R}_P$ and $[\dot{R}_q] = \dot{R}_q$, so that the last two equations do not give us any new conditions for determining P_{01} and Q_{01} .

It should be noted that all the conditions above indicated must be fulfilled. We must have $[R_F] = R_F$, $[R_Q] = R_Q$, $[V_F] = V_F$, $[V_Q] = V_Q$, $[\dot{R}_F] = \dot{R}_F$ and $[\dot{R}_Q] = \dot{R}_Q$. It is not that we arbitrarily choose one method of expressing the change in aggregate value. It must be indifferent which method we choose.

7

CHAPTER II

THE TRANSFORMATION OF MEASURES OF CHANGE

WE have now to make clear what we mean by "the change in the aggregate value due to the changes in price," and "the change in the aggregate value due to the changes in quantity." We shall obtain a clearer idea of this by studying the following series of propositions relating, not to prices, quantities and values, but to pure numbers.

 $I.-Let A + a + b + c + \ldots = BRaRbRc \ldots$

where (speaking in vague terms) R_a corresponds to a, R_b to b, R_c to c, and so on. Let us further assume that A is positive and that, although any of the terms a, b, c, etc., may be negative, A + a + b + c + ... is also positive.

Speaking more precisely, let A + a + b + c + ...be equal to B multiplied by factors Ra, Rb, Rc, etc., such that the operation of multiplying B by Ra (simultaneously with the other factors) contributes as much to the product BRaRbRc... as the operation of adding a to A contributes to the sum A + a + b + c + ..., and similarly for Rb, Rc, etc. (We need not say "adding a to A simultaneously with the other terms," for the effect of adding a is the same whether it is added with the other terms or is added separately.)

If a = 0, Ra = 1, since adding 0 leaves the sum

unchanged and multiplying by I leaves the product unchanged. Hence, putting a = 0, b = 0, c = 0, and so on, we have A = B.

Thus we must say :

Let $A + a + b + c + \ldots = ARaRbRc \ldots$

We must consider closely what we are doing when we endeavour to determine Ra, Rb, Rc, etc. We know precisely what are the changes, *measured as differences*, produced by adding a, b, c, etc., to A; we want to know what are those changes *measured as ratios*.

If only a is added to A, there is no difficulty. We have

$$A + a = ARa$$
$$Ra = \frac{A + a}{A}$$

which gives

But if there are even two terms added, a and b, the problem becomes more complicated.

Let $A + a + b = AR_aR_b$

Now suppose that a + b is constant and equal to K, but that a and b vary.

If a = 0, it is clear, as we have seen above, that $R_a = 1$. In this case, b = K and $R_b = \frac{A+K}{A}$.

Now let a increase gradually, and b decrease gradually, a + b always remaining equal to K. Then, since the change produced by adding a gradually increases and the change produced by adding b gradually diminishes, R_a must gradually increase and R_b must gradually diminish.

When a = b, adding b increases the sum by the same amount as adding a, and multiplying by R = must, 10 THE MATHEMATICAL PROBLEM OF THE PRICE INDEX therefore, increase the product by the same amount as multiplying by R_s . Hence $R_s = R_b = \left(\frac{A+K}{4}\right)^{\frac{1}{2}}$.

As a continues to increase and becomes larger than b, R_a becomes greater than R_b . When a becomes equal to K and b becomes o, $R_a = \frac{A+K}{A}$ and $R_b = I$. If a still continues to increase b becomes negative. As the change produced in A by adding a negative quantity is to decrease it, R_b must now be less than I. As a continues to increase until it reaches ∞ , R_a also reaches ∞ , and R_b decreases until it becomes o. R_b does not become negative since, by hypothesis, A + a + b is positive.

A special case, which does not occur when we suppose a + b = K, is when a + b = 0, or b = -a. In this case, since the total change produced is nil, RaRb = I, or $Rb = \frac{I}{Ra}$.

Similar reasoning may be applied to any number of terms and to cases where a, b, c, etc., vary independently and we obtain the following general properties, which apply not only to Ra and Rb, but to any two of the factors Ra, Rb, Rc, etc.

If a = 0, $R_a = 1$; if b = 0, $R_b = 1$, and so on. If $a \ge b$, $R_a \ge R_b$.

If
$$a = -b$$
, $Ra = \frac{1}{Rb}$.

Again, if we treat a + b as a single term of the sum and let R_{a+b} be the factor corresponding to a + b, then $R_{a+b} = R_a R_b$, since multiplying by $R_a R_b$ increases the product by the same amount as adding both a and b(that is, a + b) to the sum. If b = a, we have $R_{2a} = (R_a)^2$, and this may be extended so that, where x is a positive integer, $R_{xa} = (R_a)^s$.

Again, from the fact that when b = -a, $R_b = \frac{I}{R_s} = (R_s)^{-1}$ we can deduce that $R_{-2s} = (R_s)^{-3}$, and this can be extended, so that where x is a negative integer it is also true that $R_{xs} = (R_s)^{x}$.

Now let a = xr, b = yr, c = zr, and so on, where x, y, z, etc., are integers. This can always be done by making r small enough.

Then
$$A + a + b + c + \ldots = ARaRbRc \ldots$$

 $= ARxrRyrRsr \ldots$
 $= A(Rr)^{x}(Rr)^{y}(Rr)^{z} \ldots$
 $= A(Rr)^{x+y+s+\cdots}$
Hence $R_{r} = \left(\frac{A + a + b + c + \ldots}{A}\right)^{\overline{x+y+s+\cdots}}$
But $R_{s} = R_{sr} = (Rr)^{s}$
Therefore $R_{s} = \left(\frac{A + a + b + c + \ldots}{A}\right)^{\overline{s+y+s+\cdots}}$
 $= \left(\frac{A + a + b + c + \ldots}{A}\right)^{\overline{s+y+s+\cdots}}$
Similarly $R_{b} = \left(\frac{A + a + b + c + \ldots}{A}\right)^{\overline{a+b+c+\cdots}}$
 $R_{c} = \left(\frac{A + a + b + c + \ldots}{A}\right)^{\overline{a+b+c+\cdots}}$

and so on.

In the special case in which A = I we have

 $\mathbf{I} + \mathbf{a} + \mathbf{b} + \mathbf{c} + \ldots = R \mathbf{a} R \mathbf{b} R \mathbf{c} \ldots$

$$Ra = (\mathbf{I} + a + b + c + \dots)^{\underline{a+b+c+\dots}}$$
$$Rb = (\mathbf{I} + a + b + c + \dots)^{\underline{b+b+c+\dots}}$$
$$Re = (\mathbf{I} + a + b + c + \dots)^{\underline{a+b+c+\dots}}$$

and so on.

It will be noted that we are not transforming a + b + c + ... into the product of factors R_a , R_b , R_c , etc., of which R_a corresponds to a, R_b to b, R_c to c, and so on, but $\mathbf{I} + a + b + c + ...$ It would seem that it is not possible to convert a + b + c + ... into the product of such factors.

2.—In the equation

 $A + a + b + c + \ldots = ARaRbRc \ldots$

let $A = a_0 + b_0 + c_0 + \ldots$, $a = a_1 - a_0$, $b = b_1 - b_0$, $c = c_1 - c_0$, and so on. We must further assume that $a_0 + b_0 + c_0 + \ldots$ and $a_1 + b_1 + c_1 + \ldots$ are both positive, though any of the terms $(a_1 - a_0)$, $(b_1 - b_0)$, $(c_1 - c_0)$, etc., may be negative.

Then we can say:

Let
$$a_0 + b_0 + c_0 + \ldots + (a_1 - a_0) + (b_1 - b_0) + (c_1 - c_0) + \ldots$$

= $(a_0 + b_0 + c_0 + \ldots)Ra_2 - a_0Rb_1 - b_0Rc_1 - c_0 \ldots$

In this case Ra_1-a_0 is such that multiplying $(a_0 + b_0 + c_0 + ...)$ by Ra_1-a_0 (simultaneously with the other factors Rb_1-b_0 , Rc_1-c_0 , etc.) contributes as much to the product $(a_0 + b_0 + c_0 + ...)Ra_1-a_0Rb_1-b_0Rc_1-c_0$... (which is equal to $a_1 + b_1 + c_1 + ...$) as changing a_0 to a_1 contributes to the sum $a_1 + b_1 + c_1 + ...$ (or, in other words, adds to the sum $a_0 + b_0 + c_0 + ...$),

THE TRANSFORMATION OF MEASURES OF CHANGE 13 and similarly for $R_{b_1-b_0}$, $R_{c_1-c_0}$, etc. Hence we may say that $R_{a_1-a_0}$ represents the change (measured as a ratio) in $a_0 + b_0 + c_0 + \ldots$ due to the change of a_0 to a_1 , $R_{b_1-b_0}$ represents the change (measured as a ratio) due to the change of b_0 to b_1 , and so on.

On the analogy of the formula in section 1, we have

$$Ra_{1}-a_{0} = \begin{pmatrix} a_{0} + b_{0} + \dots + (a_{1} - a_{0}) \\ + (b_{1} - b_{0}) + \dots \\ a_{0} + b_{0} + c_{0} + \dots \end{pmatrix}^{\overline{(a_{1} - a_{0}) + (b_{1} - b_{0}) + \dots}}$$
$$= \left(\frac{a_{1} + b_{1} + c_{1} + \dots }{a_{0} + b_{0} + c_{0} + \dots}\right)^{\overline{(a_{1} - a_{0}) + (b_{1} - b_{0}) + (c_{1} - c_{0}) + \dots}}$$

and similarly for $Rb_1 - b_0$, $Rc_1 - c_0$, etc.

Hence we can transform the ratio $\frac{a_1 + b_1 + c_1 + \ldots}{a_0 + b_0 + c_0 + \ldots}$ into the product of factors corresponding to $a_1 - a_0$, $b_1 - b_0$, $c_1 - c_0$, etc., that is corresponding to the changes from a_0 to a_1 , from b_0 to b_1 , from c_0 to c_1 , etc.

Let
$$A + \frac{a+b+c+\ldots}{B} = AR_aR_bR_c\ldots$$

defining R_{\bullet} , R_{\bullet} , R_{\bullet} , etc., in a similar manner to the way in which they are defined in section I, we find that

$$R_a = \left(1 + \frac{a+b+c+\ldots}{AB}\right)^{\overline{a+b+c+\ldots}}$$

By putting A = 1, $B = a_0 + b_0 + c_0 + \ldots$, $a = a_1 - a_0$, $b = b_1 - b_0$, $c = c_1 - c_0$, etc., we arrive at the same result as in section 2.

14 THE MATHEMATICAL PROBLEM OF THE PRICE INDEX

4.—If we say:
Let
$$A + a + b + c + \ldots =$$

 $B + Ra + Rb + Rc + \ldots$

where R_a contributes as much to the sum $B + R_a + R_b + R_c + ...$ as *a* contributes to the sum A + a + b + c + ..., and similarly for R_b , R_c , etc., then it is obvious that B = A, $R_a = a$, $R_b = b$, $R_c = c$, and so on, but if we shut our eyes to the obvious fact and calculate R_a , R_b , R_c , etc., by similar methods we find that

$$R_a = (a + b + c + \dots) \frac{a}{a + b + c + \dots} = a$$

$$R_b = (a + b + c + \dots) \frac{b}{a + b + c + \dots} = b$$

$$R_c = (a + b + c + \dots) \frac{b}{a + b + c + \dots} = c$$

and so on. This serves as a check on the soundness of our method.

5.—Let $Aabc_{a} \ldots = B + Ra + Rb + Rc + \ldots$

where R_a corresponds to a, R_b to b, R_c to c, and so on. Speaking more precisely, let R_a , R_b , R_c , etc., be such

that adding R_a to B contributes as much to the sum $B + R_a + R_b + R_c + \ldots$ as multiplying A by a (simultaneously with the other factors) contributes to the product $Aabc \ldots$, and similarly for R_b , R_c , etc.

If a = 1, $R_a = 0$, since multiplying by I leaves the product unchanged and adding 0 leaves the sum unchanged. Hence, putting a = 1, b = 1, c = 1, and so on, we have A = B.

Thus we must say :

Let $Aabc \ldots = A + Ra + Rb + Rc + \ldots$

THE TRANSFORMATION OF MEASURES OF CHANGE 15

Let us consider, in this case also, what we are doing when we endeavour to determine R_a , R_b , R_c , etc. We know what are the changes, *measured as ratios*, produced in A by multiplying it by a, b, c, etc. We wish to know what those changes are *measured as* differences.

•

If A is only multiplied by one factor, a, we have Aa = A + Ra, which gives Ra = Aa - A.

If, however, A is multiplied even by only two factors, a and b, the problem is already more complicated. We have Aab = A + Ra + Rb.

Let us suppose that ab remains constant and equal to K but that a and b vary.

If a = 1, Ra = 0, as we have seen above. In this case b = K and Rb = AK - A.

Now let a increase gradually and b gradually decrease. Then R_a gradually increases and R_b gradually decreases.

When a = b, $R_a = R_b$, since in this case multiplying by a increases the product by the same amount as multiplying by b and, therefore, adding R_a must increase the sum by the same amount as adding R_b .

As a continues to increase and b to decrease, a becomes greater than b, and R_a becomes greater than R_b . When a becomes equal to K and b to I, $R_a = AK - A$ and $R_b = 0$. If a increases still further, so that b becomes less than I, the change produced in A by multiplying it by b is to reduce it and therefore R_b becomes negative. When a becomes ∞ and b becomes $0, R_a = \infty$ and $R_b = -\infty$.

A case that does not occur when we suppose that ab = K is the case in which ab = I or $b = \frac{I}{a}$. In this case,

the result of multiplying by ab is to leave A unchat Hence the result of adding R_a and R_b must be to A unchanged. Thus $R_a + R_b = 0$ or $R_b = -1$

The same reasoning may be extended to factors and applied in cases in which a, b, c_1 , vary independently, and thus we obtain the foll general properties, which apply not only to Ra as but to any two of the terms Ra, Rb, Rc, etc.

If a = 1, Ra = 0; if b = 1, Rb = 0, and so on. If $a \ge b$, $Ra \ge Rb$. If $b = \frac{1}{a}$, Rb = -Ra.

Again, if we treat ab as a single factor and le be the term corresponding to ab, then Rab = Rasince multiplying by both a and b (that is, bincreases the product by the same amount as a both Ra and Rb (that is, Ra + Rb) to the sum.

From this it also results that $R_{a^*} = xR_a$, wh is a positive integer, and from the property the $b = a^{-1}$, $R_b = -R_a$ it can also be shown that is xR_a , where x is a negative integer.

Now let $a = r^x$, $b = r^y$, $c = r^z$, and so on, x, y, z, etc., are integers. This can always be not absolutely, but to any desired degree of approxim provided a, b, c, etc., are positive, and in what fc we must suppose this to be the case.

For example, let a = 1.36, b = .84, c = 15.27. We have:

Log 1.36 = .1335389Log $.84 = \overline{1.9242793} = -.0757207$ Log 15.27 = 1.1838390 1.36 is approximately equal to $(10^{\frac{1}{10^{\circ}}})^{1335389}$.84 is approximately equal to $(10^{\frac{1}{10^{\circ}}})^{-757207}$ 15.27 is approximately equal to $(10^{\frac{1}{10^{\circ}}})^{11838390}$

The larger the number of places of decimals to which the logarithms are calculated the closer the approximation becomes.

Hence, if a, b, c, etc., are positive, we may say let $a = r^{x}$, $b = r^{y}$, $c = r^{z}$, and so on, where x, y, z, etc., are integers.

Then Aabc . . . = $Ar^{*}r^{*}r^{*}$. . . = $A + Rr^{*} + Rr^{*} + Rr^{*} + Rr^{*} + \dots$ = $A + xRr + yRr + zRr + \dots$

where R_r is the term corresponding to the factor r.

Hence Aabc . . . -A = (x + y + z + . . .)Rr

$$R_r = A(abc \dots - 1) \frac{1}{x + y + z + \dots}$$

But $R_s = R_r^s = xR_r$

Therefore $R_a = A(abc \dots - 1) \frac{x}{x + y + z + \dots}$

But $x: y: x \ldots = \log a: \log b: \log c \ldots$

since $\log a = x \log r$, $\log b = y \log r$, $\log c = x \log r$, and so on.

Therefore

$$R_{a} = A(abc...-I) \frac{\log a}{\log a + \log b + \log c + ...}$$
$$= A(abc...-I) \frac{\log a}{\log abc...}$$

18 THE MATHEMATICAL PROBLEM OF THE PRICE INDEX Similarly

$$R_b = A(abc \dots - \mathbf{I}) \frac{\log b}{\log abc \dots}$$
$$R_c = A(abc \dots - \mathbf{I}) \frac{\log c}{\log abc \dots}$$

and so on.

In the special case in which A = I, we have

$$abc \dots = \mathbf{I} + Ra + Rb + Rc + \dots$$
$$R_a = (abc \dots - \mathbf{I}) \frac{\log a}{\log abc \dots}$$
$$R_b = (abc \dots - \mathbf{I}) \frac{\log b}{\log abc \dots}$$
$$R_c = (abc \dots - \mathbf{I}) \frac{\log c}{\log abc \dots}$$

and so on.

This only applies where a, b, c, etc., are all positive.

6.—In the equation

$$Aabc \ldots = A + Ra + Rb + Rc + \ldots$$

let $A = a_0 b_0 c_0 \dots$, $a = \frac{a_1}{a_0}$, $b = \frac{b_1}{b_0}$, $c = \frac{c_1}{c_0}$, and so on,

where a_0 , b_0 , c_0 , etc., and a_1 , b_1 , c_1 , etc., are all positive. Then

$$(a_0 b_0 c_0 \dots) \frac{a_1}{a_0} \cdot \frac{b_1}{b_0} \cdot \frac{c_1}{c_0} \dots = a_0 b_0 c_0 \dots + R_{\frac{a_1}{a_0}} + R_{\frac{b_1}{b_0}} + R_{\frac{c_1}{c_0}} + \dots$$

where $R_{\frac{a}{2}}$ is such that adding $R_{\frac{a}{2}}$ to $a_0b_0c_0\ldots$ contributes as much to the sum $a_0b_0c_0\ldots + R_{\frac{a}{2}} + R_{\frac{b}{2}} + R_{\frac{b}{2}} + R_{\frac{b}{2}} + \dots$ (which is equal to $a_1b_1c_1\ldots$) as multiTHE TRANSFORMATION OF MEASURES OF CHANGE 19 plying $a_0b_0c_0 \ldots$ by $\frac{a_1}{a_0}$ (simultaneously with the other factors $\frac{b_1}{b_0}$, $\frac{c_1}{c_0}$, etc.) contributes to the product $(a_0b_0c_0 \ldots)\frac{a_1}{a_0}$, $\frac{b_1}{b_0}$, $\frac{c_1}{c_0}$... (which is also equal to $a_1b_1c_1$...) and similarly for $R_{b_1}^{b_1}$, $R_{c_1}^{c_2}$, etc. Hence we may say that R_{b_1} represents the change (measured as a difference) in $a_0b_0c_0$... due to the change from a_0 to a_1 , that $R_{b_1}^{b_1}$ represents the change (measured as a difference) in $a_0b_0c_0$... due to the change from b_0 to b_1 , and so on. We have

$$R_{\frac{a_{1}}{b_{2}}} = (a_{1}b_{1}c_{1} \dots - a_{0}b_{0}c_{0} \dots) \frac{\log \frac{a_{1}}{a_{0}}}{\log \frac{a_{1}b_{1}c_{1} \dots}{a_{0}b_{0}c_{0} \dots}}$$

$$R_{\frac{b_{1}}{b_{2}}} = (a_{1}b_{1}c_{1} \dots - a_{0}b_{0}c_{0} \dots) \frac{\log \frac{b_{1}}{b_{0}}}{\log \frac{a_{1}b_{1}c_{1} \dots}{a_{0}b_{0}c_{0} \dots}}$$

$$R_{\frac{a_{1}}{c_{2}}} = (a_{1}b_{1}c_{1} \dots - a_{0}b_{0}c_{0} \dots) \frac{\log \frac{c_{1}}{c_{0}}}{\log \frac{a_{1}b_{1}c_{1} \dots}{a_{0}b_{0}c_{0} \dots}}$$

and so on.

Thus we can transform the difference $a_1b_1c_1 \ldots - a_0b_0c_0 \ldots$, which is the increase of $a_0b_0c_0 \ldots$ due to the change of a_0 to a_1 , b_0 to b_1 , c_0 to c_1 , and so on, into the sum of a series of terms R_{\bullet} , R_{\bullet} , R_{\bullet} , R_{\bullet} , etc., of which R_{\bullet} represents the increase of $a_0b_0c_0 \ldots$ due to the change of a_0 to a_1 (simultaneously with the

20 THE MATHEMATICAL PROBLEM OF THE PRICE INDEX change of b_0 to b_1 , c_0 to c_1 , and so on), $R_{b_0}^{b_1}$ represents the increase of $a_0b_0c_0$... due to the change of b_0 to b_1 (simultaneously with the other changes), and so on.

It should be noted that in this case it is not necessary that a_0 , b_0 , c_0 , etc., and a_1 , b_1 , c_1 , etc., should be pure numbers, since the reasoning turns on the supposition that $\frac{a_1}{a_0} = r^x$, $\frac{b_1}{b_0} = r^y$, $\frac{c_1}{c_0} = r^x$, and so on, and $\frac{a_1}{a_0}$, $\frac{b_1}{b_0}$, $\frac{c_1}{c_0}$, etc., are ratios and therefore pure numbers. It is, of course, essential that a_1 and a_0 should be measured in the same unit, that b_1 and b_0 should be measured in the same unit, and so on, and that it should be possible to attach a meaning to $a_1b_1c_1$... and $a_0b_0c_0$...

7.---If we say :

Let Aabc . . . = BRaRbRc . . .

where R_a is such that it contributes as much to the product $BR_aR_bR_c$... as *a* contributes to the product Aabc..., and similarly for R_b , R_c , etc., then it is obvious that B = A, $R_a = a$, $R_b = b$, $R_c = c$, and so on. But if we shut our eyes to this and calculate R_a , R_b , R_c , etc., by similar methods, we get the result :

 $Ra = (abc \dots)^{\frac{\log a}{\log abc \dots}} = e^{(\log abc \dots)\frac{\log a}{\log abc \dots}} = e^{\log a} = a$ $Rb = (abc \dots)^{\frac{\log b}{\log abc \dots}} = e^{(\log abc \dots)\frac{\log b}{\log abc \dots}} = e^{\log b} = b$ $Rc = (abc \dots)^{\frac{\log c}{\log abc \dots}} = e^{(\log abc \dots)\frac{\log c}{\log abc \dots}} = e^{\log c} = c$

and so on. This is a further check on the soundness of our method.

8.—Applying the method to other functions, giving in each case the appropriate definitions of R_a , R_b , R_c , THE TRANSFORMATION OF MEASURES OF CHANGE 21 etc., and making the necessary limitations, we obtain the following results :---

If
$$t^{abc} \cdots = tRaRbRc \dots$$

 $Ra = (t^{abc} \cdots x)^{\frac{\log a}{\log abc}}$

If
$$t^{a_1b_1c_1\cdots} = t^{a_ab_ac_a\cdots} R_{\substack{a_1 \ b_1 \ b_2 \ c_1 \ c_2 \ c_3 \ c_4 \ c_4 \ c_5 \ c_6 \$$

.

If
$$t^{abc} \cdots = t + Ra + Rb + Rc + \ldots$$

$$Ra = (t^{abc} \cdots - t) \frac{a}{a+b+c+\ldots}$$

If
$$t^{a_1b_1c_1\cdots} = t^{a_0b_0c_0\cdots} + R_{a_1}^{a_2} + R_{b_1}^{b_3} + R_{c_1}^{c_3} + \dots$$

$$R_{\frac{a_1}{a_0}}^{\underline{a_1}} = (t^{a_1b_1c_1}\cdots - t^{a_0b_0c_1}\cdots)\frac{\frac{a_1}{a_0}}{\frac{a_1}{a_0} + \frac{b_1}{b_0} + \frac{c_1}{c_0} + \cdots}$$

If
$$t^{a+b+c+\cdots} = \mathbf{I} + Ra + Rb + Rc + \cdots$$

 $R_a = (t^{a+b+c+\cdots} - \mathbf{I}) \frac{a}{a+b+c+\cdots}$

If
$$f^{a_1+b_1+c_1+\cdots} = f^{a_0+b_0+c_0+\cdots} + R_{a_1-a_0} + R_{b_1-b_0} + R_{c_1-c_0} + \dots$$

 $R_{a_1-a_0} = (f^{a_1+b_1+c_1+\cdots} - g^{a_0+b_0+c_0+\cdots}) \frac{a_1-a_0}{(a_1-a_0)+(b_1-b_0)+(c_1-c_0)+\dots}$

22 THE MATHEMATICAL PROBLEM OF THE PRICE INDEX If $t^{a+b+c+\cdots} = RaRbRc$. . .

$$Ra = (t^{a+b} t^{c+\cdots})^{\overline{a+b+c+\cdots}} = t^{a}$$

as it obviously must be.

If
$$\log (\mathbf{I} + a + b + c + ...) = Ra + Rb + Rc + ...$$

 $Ra = \{\log (\mathbf{I} + a + b + c + ...)\}\frac{a}{a + b + c + ...}$

If
$$\log (a_1 + b_1 + c_1 + ...) =$$

 $\log (a_0 + b_0 + c_0 + ...) + Ra_1 - a_0 + Rb_1 - b_0 + Rc_1 - c_0 + ...$
 $Ra_1 - a_0 = \left\{ \frac{\log (a_1 + b_1 + ...)}{\log (a_0 + b_0 + ...)} \right\} \frac{a_1 - a_0}{(a_1 - a_0) + (b_1 - b_0) + ...}$

If
$$\log Aabc \dots = (\log A)RaRbRc \dots$$

 $Ra = \left(\frac{\log Aabc \dots}{\log A}\right)^{\frac{\log a}{\log abc \dots}}$

In this case if A = I, R_a , R_b , R_c , etc., all become equal to infinity.

If
$$\log a_1 b_1 c_1 \dots = (\log a_0 b_0 c_0 \dots) R^{\bullet}_{a_0} R^{b_1}_{b_1} R^{c_1}_{c_1} \dots$$

$$R^{\bullet}_{a_0} = \left(\frac{\log a_1 b_1 c_1 \dots}{\log a_0 b_0 c_0 \dots} \right)^{\log \frac{\bullet}{a_0} b_1 c_1 \dots}_{\log \frac{\bullet}{a_0 b_0 c_0 \dots}}$$

If
$$\log abc \ldots = Ra + Rb + Rc + \ldots$$

 $Ra = (\log abc \ldots) \frac{\log a}{\log abc \ldots} = \log a$

as it obviously must be.

THE TRANSFORMATION OF MEASURES OF CHANGE 23

9.—We must now endeavour to apply the method to a more complex function.

In the equation

$$A + a + b + c + \ldots = ARaRbRc \ldots$$

let $A = a_0'b_0'c_0' \ldots + a_0''b_0''c_0'' \ldots + \ldots$, let $a = a_1'b_1'c_1' \ldots - a_0'b_0'c_0' \ldots$, $b = a_1''b_1''c_1'' \ldots - a_0''b_0''c_0'' \ldots$, and so on. Let us further assume that all the numbers of the form a_0 , a_1 , b_0 , b_1 , c_0 , c_1 , etc., are positive.

Then $a_0'b_0'c_0' \dots + a_0''b_0''c_0'' \dots + \dots + (a_1'b_1'c_1'' \dots - a_0'b_0'c_0) + (a_1''b_1''c_1'' \dots - a_0''b_0''c_0'' \dots) + \dots = (a_0'b_0'c_0' \dots + a_0''b_0''c_0'' \dots + \dots)R(a_1'b_1'c_1' \dots - a_0'b_0'c_0'' \dots + a_0''b_0''c_0'' \dots) + \dots$ where $R(a_1'b_1'c_1' \dots - a_0'b_0'c_0'' \dots + a_0''b_0''c_0'' \dots + \dots)$ by $R(a_1'b_1'c_1'' \dots - a_0'b_0''c_0'' \dots + \dots)$ by $R(a_1'b_1'c_1'' \dots - a_0'b_0''c_0'' \dots + a_0''b_0''c_0'' \dots + \dots)$ by $R(a_1'b_1'c_1'' \dots - a_0'b_0'c_0'' \dots + a_0''b_0''c_0'' \dots + \dots)$ by $R(a_1'b_1'c_1'' \dots - a_0'b_0'c_0' \dots + a_0''b_0''c_0'' \dots + \dots)$ by $R(a_1'b_1'c_1' \dots - a_0'b_0'c_0' \dots + a_0''b_0''c_0'' \dots + \dots)$ by $R(a_1'b_1'c_1' \dots - a_0'b_0'c_0' \dots + a_0''b_0''c_0'' \dots + \dots)$ (which is equal to $a_1'b_1'c_1' \dots + a_1''b_1''c_1'' \dots + (a_1'b_1'c_1' \dots + a_0''b_0''c_0'' \dots + \dots)$ contributes to the sum $a_0'b_0'c_0' \dots + a_0''b_0''c_0'' \dots + \dots$ (which is also equal to $a_1'b_1'c_1' \dots + a_1''b_1''c_1'' \dots + a_1''b_1''c_1'' \dots + \dots)$ and similarly for the other factors.

24 THE MATHEMATICAL PROBLEM OF THE PRICE INDEX We may write this more simply

$$R(a_{1}'b_{1}'c_{1}'\ldots - a_{0}'b_{0}'c_{0}'\ldots) = \left(\frac{\sum a_{1}b_{1}c_{1}\ldots}{\sum a_{0}b_{0}c_{0}}\right)^{\frac{a_{1}c_{1}c_{1}}{\sum (a_{1}b_{1}c_{1}\ldots - a_{0}b_{0}c_{0}'\ldots)} \xrightarrow{(a_{1}c_{1}c_{1}c_{1}\ldots - a_{0}b_{0}c_{0}c_{0}'\ldots)}$$
Now $a_{1}'b_{1}'c_{1}'\ldots = \frac{a_{1}'}{a_{0}'}a_{0}'\frac{b_{1}'}{b_{0}'}b_{0}'\frac{c_{1}'}{c_{0}'}c_{0}'\ldots$
and $a_{0}'b_{0}'c_{0}'\ldots + a_{0}''b_{0}''c_{0}''\ldots + \ldots + (a_{1}''b_{1}''c_{1}''\ldots - a_{0}'b_{0}'c_{0}''\ldots) + (a_{1}''b_{1}''c_{1}''\ldots - a_{0}''b_{0}''c_{0}''\ldots) + \ldots$

$$= a_{1}'b_{1}'c_{1}'\ldots + a_{1}''b_{1}''c_{1}''\ldots + \ldots$$

$$= \frac{a_{1}'}{a_{0}'}a_{0}'\frac{b_{1}'}{b_{0}'}b_{0}'\frac{c_{1}'}{c_{0}'}c_{0}'\ldots + \frac{a_{1}''}{a_{0}''}a_{0}''\frac{b_{1}''}{b_{0}''}b_{0}''\frac{c_{1}''}{c_{0}''}\ldots + \ldots$$
Let
$$= (a_{0}'b_{0}'c_{0}'\ldots + a_{0}''b_{0}''c_{0}''\ldots + (a_{1}''b_{1}''c_{1}''\ldots + \ldots + (a_{1}'b_{1}''c_{1}''\ldots + \ldots))R_{\frac{a_{1}''}}^{\frac{a_{1}''}}a_{0}''\frac{b_{1}''}{b_{0}''}b_{0}''\frac{c_{1}''}{c_{0}''}\ldots + \ldots + (a_{1}''b_{1}''c_{1}''\ldots + \ldots + (a_{1}''b_{1}''c_{1}''\ldots + \ldots + (a_{1}''b_{1}''c_{1}''\ldots + \ldots + a_{1}''b_{1}''c_{1}''\ldots + \ldots + (a_{1}''b_{1}''c_{1}''\ldots + \ldots + a_{1}''b_{1}''c_{1}''\ldots + \ldots + (a_{1}''b_{1}''c_{1}''\ldots + \ldots + (a_{1}''b_{1}''c_{0}''\ldots + \ldots + a_{1}''b_{1}''c_{1}''\ldots + \ldots + (a_{1}''b_{1}''c_{0}''\ldots + \ldots + (a_{1}''b_{0}''c_{0}''\ldots + \ldots + (a_{1}''b_{1}''c_{0}''\ldots + \ldots + (a_{1}''b_{0}''c_{0}''\ldots + \ldots + (a_{1}''b_{0}''b_{0}''c_{0}''\ldots + \ldots + (a_{1}''b_{0}''c_{0}''\ldots + \ldots + (a_{1}''b_{0}''c_{0}''\ldots + \ldots + (a_{1}''b_{0}''c_{0}''\ldots + \ldots + (a_{1}''b_{0}''b_{0}''c_{0}''\ldots + \ldots + (a_{1}''b_{0}''c_{0}'''\ldots + \ldots + (a_{1}''b_{0}''b_{0}''c_{0}'''\ldots + \ldots + (a_{1}''b_{0}''c_{0}'''\ldots + \ldots + (a_{1}''b_{0}''c_{0}''''\ldots + \ldots + (a_{1}''b_{0}''c_{0}'''''\ldots + \ldots + (a_{1}''b_{0}''c_{0}'''''\ldots + \ldots + (a_{1}''b_{0}''c_{0}'''''\ldots + \ldots + (a_{1}''b_{0}''c_{0}'''''\ldots + \ldots + (a_{1}''b_{0}''c_{$$

THE TRANSFORMATION OF MEASURES OF CHANGE 25 $\frac{a_1''}{a_0''}a_0''\frac{b_1''}{b_0''}b_0''\frac{c_1''}{c_0''}c_0'' \dots + \dots$ (which is also equal to $a_1'b_1'c_1' \ldots + a_1''b_1''c_1'' \ldots + \ldots$), and similarly for the other factors.

Now, in the second case, multiplying $a_0'b_0'c_0'$... by $\frac{a_1'}{a_0'}$, $\frac{b_1'}{b_0'}$, $\frac{c_1'}{c_0'}$... produces precisely the same result as adding $(a_1'b_1'c_1' \ldots - a_0'b_0'c_0' \ldots)$ to $a_0'b_0'c_0' \ldots + a_0''b_0''c_0'' \ldots + \ldots$ in the first case. Hence $R_{\underline{a_1'}}R_{\underline{b_1'}}R_{\underline{c_1'}} \ldots = R(a_1'b_1'c_1' \ldots - a_0'b_0'c_0' \ldots)$

Reasoning on the same lines as in sections I and 5, it is clear that $R_{\frac{a_1'}{a_0}}, \frac{b_1'}{b_0'} = R_{\frac{a_1'}{a_0}}, R_{\frac{b_1'}{b_0}}, \text{ and that if } \frac{b_1'}{b_0'} = \frac{a_1'}{a_0'}$ $R_{\frac{b}{b}}^{b'} = R_{\frac{b}{b}}^{a'}$. Hence it can be shown that if x is a positive integer, $R_{\left(\frac{a_{1}}{a_{0}}\right)^{a}} = \left(\frac{R_{a_{1}}}{a_{0}}\right)^{a}$. Again if $\frac{b_{1}}{b_{0}} = \frac{1}{\frac{a_{1}}{a_{0}}}, \frac{a_{1}}{a_{0}}, \frac{b_{1}}{b_{0}} = 1$

and $R_{\underline{a_1}}^{\underline{a_1}} \cdot R_{\underline{b_1}}^{\underline{b_1}} = \mathbf{I}$, whence $R_{\underline{b_1}}^{\underline{b_1}} = \frac{\mathbf{I}}{R_{\underline{a_1}}} = (R_{\underline{a_1}})^{-1}$. From this it can be shown that, if x is a negative integer,

it is also true that $R(\underline{a_i})^* = (R\underline{a_i})^*$. (It must be noted that if $\frac{b_1''}{b_1''} = \frac{a_1'}{a_1'}$, $R_{\frac{b_1''}{b_1''}}$ is not equal to $R_{\frac{a_1'}{a_1'}}$. Now let $\frac{a_1'}{a_1'} = (r')^{x'}$, $\frac{b_1'}{b_1'} = (r')^{y'}$, $\frac{c_1'}{c_1'} = (r')^{x'}$, and so

on, where x', y', z', etc., are integers. Then $R_{\underline{a},\underline{c}} = (Rr)^{x}$, $R_{\underline{b},\underline{c}} = (Rr)^{y}$, $R_{\underline{c},\underline{c}} = (Rr)^{x}$, and so on.

 $R_{\underline{a_i}} R_{\underline{b_i}} R_{\underline{c_i}} \dots = (R_{\mathbf{f}'})^{\mathbf{x'}+\mathbf{y'}+\mathbf{x'}+\dots}$ Thus $R_{\underline{a_1}}^{\underline{a_1}} R_{\underline{b_1}}^{\underline{b_1}} R_{\underline{c_1}}^{\underline{c_1}} \dots = R(a_1'b_1'c_1'\dots - a_n'b_n'c_n'\dots)$ But

26 THE MATHEMATICAL PROBLEM OF THE PRICE INDEX Therefore

$$(Rr')^{s'+s'+s'+\cdots} = \left(\frac{\sum a_1 b_1 c_1 \dots a_s b_s c_1 \dots a_s b_s c_s \dots a$$

But

Hence Ra

$$= \left(\underbrace{\sum a_1 b_1 c_1 \dots}_{\sum a_0 b_0 c_0 \dots} \right)^{\frac{a_1' b_1' c_1' \dots - a_0' b_0' c_0' \dots}{\sum (a_1 b_1 c_1 \dots - a_0 b_0 c_0 \dots)}} \cdot \underbrace{\frac{s'}{s' + s' + s' + \dots}}_{\substack{a_1' b_1' c_1' \dots - a_0' b_0' c_0' \dots}} \cdot \underbrace{\log \frac{a_1'}{a_0}}_{\substack{a_1' b_0 c_0' \dots}} \cdot \underbrace{\log \frac{a_1'}{a_0}}_{\substack{a_1' b_0' c_0' \dots}} \cdot \underbrace{\log \frac{a_1'}{a_0'}}_{\substack{a_1' b_0' c_0' \dots}} \cdot \underbrace{\log \frac{a_1'}{a_0' \dots}}_{\substack{a_1' b_0' c_0' \dots}} \cdot \underbrace{\log \frac{a_1'}{a_0' \dots}}_{\substack{a_1' b_0' c_0' \dots}} \cdot \underbrace{\log \frac{a_1' b_0' c_0' \dots}_{\substack{a_1' b_0' c_0' \dots}} \cdot \underbrace{\log \frac{a_1' b_0' c_0' \dots}_{\substack{a_1' b_0' c_0' \dots}} \cdot \underbrace{\log \frac{a_1' b_0' c_0' \dots}_{\substack{a_1' b_0' c_0' \dots}} \cdot \underbrace{\log \frac{a_1' b_0' c_0' \dots}_{\substack{a_1' b_0' c_0' \dots}} \cdot \underbrace{\log \frac{a_1' b_0' c_0' \dots}_{\substack{a_1' b_0' c_0' \dots}} \cdot \underbrace{\log \frac{a_1' b_0' c_0' \dots}_{\substack{a_1' b_0' c_0' \dots}} \cdot \underbrace{\log \frac{a_1' b_0' \dots}_{\substack{a_1' b_0' c_0' \dots}} \cdot \underbrace{\log \frac{a_1' b_0' \dots}_{\substack{a_1' b_0' \dots}} \cdot \underbrace{\log \frac{a_1' b_0' \dots}_{\substack{a_1' b_0' \dots}} \cdot \underbrace{\log \frac{a_1' b_0' \dots}_{\substack{a_1' b_0' \dots}} \cdot \underbrace{\otimes a_1' b_0' \dots}_{\substack{a_1'$$

$$= \left(\frac{\sum a_1 b_1 c_1 \dots }{\sum a_0 b_0 c_0 \dots }\right)^{\frac{a_1 c_1 c_1 \dots - a_n b_n c_0 \dots }{\sum (a_1 b_1 c_1 \dots - a_n b_n c_0 \dots)}} \cdot \frac{1}{\log \frac{a_1 b_1 c_1 \dots }{a_n b_n c_n \dots }}$$

Similarly Rक्ष

$$= \left(\frac{\sum a_1 b_1 c_1 \dots}{\sum a_0 b_0 c_0 \dots} \right)^{\sum (a_2 b_2 c_2 \dots - a_0 b_0 c_0 \dots)} \frac{\log \frac{b_1}{b_0}}{\log \frac{a_1 b_1 c_1 \dots - a_0 b_0 c_0 \dots)}}$$

and so on.

If we now say :

Let
$$\sum \frac{a_1}{a_0} a_0 \frac{b_1}{b_0} b_0 \frac{c_1}{c_0} c_0 \dots$$

= $(\sum a_0 b_0 c_0 \dots) R(\frac{a_1'}{a_0'}, \frac{a_1''}{a_0''}, \frac{a_1'''}{a_0''} \dots) R(\frac{b_1'}{b_2'}, \frac{b_1''}{b_0''}, \frac{b_1'''}{b_0''}) \dots$

where $R(\underline{a_1'}, \underline{a_1''}, \underline{a_1'''}, \underline{a_1'''}, \ldots)$ is such that multiplying $\sum a_0 b_0 c_0 \ldots$ by $R(\underline{a_1'}, \underline{a_1''}, \underline{a_1'''}, \ldots)$, simultaneously with the other factors, contributes as much to the product $(\sum a_0 b_0 c_0 \ldots) R(\underline{a_1'}, \underline{a_1'''}, \underline{a_1'''}, \ldots) R(\underline{b_1'}, \underline{b_1''}, \underline{b_1'''}, \ldots) \ldots$ (which is equal to $\sum a_1 b_1 c_1 \ldots$) as multiplying $a_0' b_0' c_0' \ldots$ by

THE TRANSFORMATION OF MEASURES OF CHANGE $\frac{a_1'}{a_0'}, a_0''b_0''c_0'' \dots$ by $\frac{a_1''}{a_0''}, a_0'''b_0'''c_0''' \dots$ by $\frac{a_1''}{a_0''}$ and so on (at the same time that $a_0'b_0'c_0'$... is multiplied by $\frac{b_1'}{b_0'}, \frac{c_1'}{c_0'}$, etc., $a_0''b_0''c_0''$... is multiplied by $\frac{b_1''}{b_n''}, \frac{c_1''}{c_n''}$, etc., and so on), and similarly for the other factors, then it is evident that

$$R_{\left(\frac{a_{1}'}{a_{0}'},\frac{a_{1}''}{a_{0}''},\frac{a_{1}'''}{a_{0}'''}\ldots\right)} = R_{\frac{a_{1}'}{a_{0}'}}R_{\frac{a_{1}'''}{a_{0}'''}}R_{\frac{a_{1}'''}{a_{0}'''}}.$$

Hence

$$\binom{K(\underline{b_1},\underline{b_m},\underline{b_1}^m,\ldots)}{[\underline{b_0},\underline{b_0}^m,\ldots]} = (\underbrace{\overline{\Sigma a_0 b_0 c_0 \ldots}}_{0})$$

and so on.

It will be seen that it is not necessary that the symbols of the form a_0 , b_0 , c_0 , etc., and a_1 , b_1 , c_1 , etc., should represent pure numbers. It is, however, essential that each pair of the form a_0 and a_1 , b_0 and b_1 , c_0 and c_1 , and so on, should be measured in the same unit, so that $\frac{a_1}{a_0}$, $\frac{b_1}{b_0}$, $\frac{c_1}{c_0}$, etc., are pure numbers. It is also essential that all products of the form $a_0b_0c_0$. . . or $a_1b_1c_1$... should represent the same thing and be measured in the same unit.

But $R(\underline{a_1}, \underline{a_1}^{m}, \underline{a_2}^{m}, \ldots)$ is the change, measured as a ratio, of $\sum a_0 b_0 c_0$... due to the changes of a_0' to a_1' ,

28 THE MATHEMATICAL PROBLEM OF THE PRICE INDEX of a_0'' to a_1'' , of a_0''' to a_1''' , and so on, and similarly for $R(\frac{b_1'}{b_0''}, \frac{b_1'''}{b_0'''}, \ldots)$, etc. Thus in transforming $\sum a_1 b_1 c_1 \cdots \\ \sum a_0 b_0 c_0 \cdots$ into the product of ratios $R(\frac{a_1'}{a_0'}, \frac{a_1'''}{a_0'''}, \ldots)$, $R(\frac{b_1'}{b_0''}, \frac{b_1''}{b_0'''}, \ldots)$, etc., we have solved a problem of which the problem of the price index and the quantity index is only a special case.

CHAPTER III

THE DETERMINATION OF THE FORMULA FOR THE PRICE INDEX

WE are now in a position to determine the formulæ for P_{01} and Q_{01} in accordance with the conception that we have put forward. Of course, if a different conception is adopted, the mathematical problem will be different.

1.—Taking the measure of the change of aggregate value as $\frac{\sum p_1 q_1}{\sum p_0 q_0}$, we have said: Let us suppose that it is transformed into the product of two ratios, one (which we will call R_r) representing the change in the aggregate value due to the changes in price, and the other (which we will call R_q) representing the change in the aggregate value due to the changes in quantity.

In the light of the illustrations given, we may expand this by saying :

Let
$$\Sigma \frac{p_1}{p_0} p_0 \frac{q_1}{q_0} q_0 = (\Sigma p_0 q_0) R_P R_e,$$

where R_{\bullet} and R_{\bullet} are such that multiplying $\Sigma p_0 q_0$ by R_{\bullet} (simultaneously with R_{\bullet}) contributes as much to the product $(\Sigma p_0 q_0) R_{\bullet} R_{\bullet}$ (which is equal to $\Sigma p_1 q_1$) as multiplying $p_0' q_0'$ by $\frac{p_1'}{p_0'}$, $p_0'' q_0''$ by $\frac{p_1''}{p_0''}$, $p_0''' q_0'''$ 30 THE MATHEMATICAL PROBLEM OF THE PRICE INDEX by $\frac{p_1}{p_0}^{\prime\prime\prime}$, and so on (simultaneously with the multiplication of $p_0'q_0'$ by $\frac{q_1'}{q_0'}$, $p_0''q_0''$ by $\frac{q_1''}{q_0'''}$, $p_0'''q_0'''$ by $\frac{q_1''}{q_0'''}$, and so on) contributes to the sum $\Sigma \frac{p_1}{p_0} p_0 \frac{q_1}{q_0} q_0$ (which is also equal to $\Sigma p_1 q_1$) and multiplying $\Sigma p_0 q_0$ by R_q (simultaneously with R_P) contributes as much to the product $(\Sigma p_0 q_0) R_P R_q$ as multiplying $p_0'q_0'$ by $\frac{q_1'}{q_0''}$, $p_0''q_0''$ by $\frac{q_1''}{q_0'''}$, $p_0'''q_0'''$ by $\frac{q_1'''}{q_0'''}$, and so on (simultaneously with the multiplication of $p_0'q_0'$ by $\frac{p_1'}{p_0''}$, $p_0''q_0''$ by $\frac{p_1''}{p_0}p_0\frac{q_1}{q_0}q_0$. If now we say : Let $\Sigma \frac{p_1}{p_0}p_0\frac{q_1}{q_0}q_0 = (\Sigma p_0 q_0) R_{p_1} R_{p_1''} R_{p_1'''} R_{p_1'''} R_{p_1'''} R_{p_1'''} R_{p_1'''}$

Let $\Sigma_{p_0}^{-1} p_0 \frac{q_0}{q_0} = (\Sigma_{p_0} q_0) R_{p_1}^{p_1} R_{q_1}^{q_1} R_{q_2}^{q_1} R_{q_1}^{q_1} R_{q_2}^{q_1} R_{q_1}^{q_1} R_{q_2}^{q_1} R_{q_1}^{q_1} R_{q_2}^{q_1} R_{q_2}^{q_2} R_{q_2}^{q_1} R_{q_2}^{q_1} R_{q_2}^{q_1} R_{q_2}^{q_2} R_{q_2}^{q_1} R_{q_2}^{q_2} R_{q_2}^{q_2} R_{q_2}^{q_1} R_{q_2}^{q_2} R_{q_2}$

THE DETERMINATION OF THE FORMULA

$$\begin{array}{l} R_{\underline{\mathbf{p}}_{i}}^{*} R_{\underline{\mathbf{p}}_{i}}^{*} R_{\underline{\mathbf{p}}_{i}}^{*} \dots = R_{\mathbf{p}} \\ R_{\underline{\mathbf{p}}_{i}}^{*} R_{\underline{\mathbf{p}}_{i}}^{*} R_{\underline{\mathbf{p}}_{i}}^{*} \dots = R_{\mathbf{p}} \\ R_{\underline{\mathbf{q}}_{i}}^{*} R_{\underline{\mathbf{q}}_{i}}^{*} R_{\underline{\mathbf{q}}_{i}}^{*} R_{\underline{\mathbf{q}}_{i}}^{*} \dots = R_{\mathbf{q}} \end{array}$$

and

But the equation is of the form

$$\Sigma a_1 b_1 c_1 \ldots = (\Sigma a_0 b_0 c_0 \ldots) R_{\underline{a_1}}^{\underline{a_1}} R_{\underline{b_1}}^{\underline{b_1}} R_{\underline{c_1}}^{\underline{c_1}} \ldots R_{\underline{a_k}}^{\underline{a_k}''} R_{\underline{b_k}''}^{\underline{c_1}''} \ldots$$

Hence on the analogy of

$$R_{\frac{a_1}{a_0}} = \left(\frac{\sum a_1 b_1 c_1 \dots }{\sum a_0 b_0 c_0 \dots }\right)^{\frac{\log \frac{a_1}{a_0}}{\log (c_1 \dots - a_0) b_0 c_0 \dots }} \log \frac{\log \frac{a_1}{a_0}}{\log \frac{a_1 b_1 c_1 \dots }{a_0 b_0 c_0 \dots }}$$

we have

$$R_{P} = \frac{R_{P_{1}}^{p_{1}'} - p_{0}^{p_{1}'} q_{1}}{p_{0}'} \dots$$

$$R_{P} = \frac{R_{P_{1}}^{p_{1}'} R_{P_{1}}^{p_{1}''} R_{P_{1}}^{p_{1}''} R_{P_{1}}^{p_{1}'''}}{p_{0}'' p_{0}'''} \dots$$

and since

we obtain

$$R_{P} = \left(\frac{\sum p_{1}q_{1}}{\sum p_{0}q_{0}}\right)^{\frac{\sum (p_{1}q_{1} - p_{0}q_{0})}{\sum (p_{1}q_{1} - p_{0}q_{0})}}$$

Similarly

$$R_{q} = \left(\frac{\sum p_{1}q_{1}}{\sum p_{0}q_{0}}\right)^{\frac{\log \frac{q_{1}}{q_{0}}}{\log \frac{p_{1}q_{1}}{\log \frac{p_{1}q_{1}}}{\log \frac{p_{1}q_{1}}}$$

It is obvious that $R_{\mathbf{r}} = P_{\mathbf{0}1}$ and $R_{\mathbf{0}} = Q_{\mathbf{0}1}$, but we need not assume this.

In the hypothetical case :

Let
$$\Sigma P_{01} p_0 Q_{01} q_0 = (\Sigma p_0 q_0) [R_r] [R_q]$$

where $[R_r]$ and $[R_0]$ are defined in an analogous way.

31

32 THE MATHEMATICAL PROBLEM OF THE PRICE INDEX

By substituting P_{01} for $\frac{p_1}{p_0}$ and Q_{01} for $\frac{q_1}{q_0}$ in the formula for R_P , we have

$$[Rr] = \left(\frac{\sum P_{01} p_0 Q_{01} q_0}{\sum p_{0q_0}}\right)^{\frac{\sum (P_{n1} p_0 Q_{n1} q_0 - p_{ofl})}{\sum (P_{n2} p_0 Q_{n1} q_0 - p_{ofl})}}$$
$$= \left(\frac{\sum p_{1q_1}}{\sum p_{0q_0}}\right)^{\frac{\log P_{o1}}{\sum p_{ofl}}}$$
$$= \left(e^{\log \frac{\sum p_{1q_1}}{\sum p_{ofl}}\right)^{\log \frac{\sum p_{1q_1}}{\sum p_{ofl}}}$$
$$= e^{\log P_{n1}}$$
$$= P_{01}$$

Similarly $[R_{\mathbf{Q}}] = Q_{\mathbf{Q}\mathbf{I}}$.

As, in accordance with the conception $[R_{P}] = R_{P}$ and $[R_{Q}] = R_{Q}$, we have $P_{01} = R_{P}$ and $Q_{01} = R_{Q}$,

100 21

hence

$$P_{01} = \left(\frac{\sum p_1 q_1}{\sum p_0 q_0}\right)^{\frac{\sum (p_1 q_1 - p_{ofl})}{\sum (p_1 q_1 - p_{ofl})}}$$

and

$$Q_{01} = \left(\frac{\sum p_1 q_1}{\sum p_0 q_0}\right)^{\frac{\sum (p_1 q_1 - p_0 q_0)}{\sum (p_1 q_1 - p_0 q_0)}}$$

2.—If we now take the second measure of the change in the aggregate value, that is, $\Sigma p_1 q_1 - \Sigma p_0 q_0$, which we may speak of as the increase in aggregate value, we notice first that the increase due to the change of $p_0'q_0'$ to $p_1'q_1'$ is clearly $p_1'q_1' - p_0'q_0'$. Hence if we can transform $p_1'q_1' - p_0'q_0'$ into the sum of two
THE DETERMINATION OF THE FORMULA 33 values, of which one, $V_{\frac{p_1}{p_0}}$, represents the increase of $p_0'q_0'$ due to multiplying $p_0'q_0'$ by $\frac{p_1'}{p_0'}$ (simultaneously with $\frac{q_1'}{q_0'}$) and the other, $V_{\frac{q_1'}{q_0}}$, represents the increase of $p_0'q_0'$ due to multiplying $p_0'q_0'$ by $\frac{q_1'}{q_0'}$ (simultaneously with $\frac{p_1'}{p_0'}$), then $\Sigma V_{\frac{p_1}{p_0}}$ will represent the increase in $\Sigma p_0 q_0$ due to the changes in price and $\Sigma V_{\frac{q_1}{q_0}}$ will represent the increase in $\Sigma p_0 q_0$ due to the changes in quantity.

Hence V_P , as we defined it on page 6, is equal to ΣV_P , and V_P is equal to ΣV_P .

We have

$$p_{1}'q_{1}' - p_{0}'q_{0}' = V_{\frac{p_{1}'}{p_{0}}} + V_{\frac{q_{1}'}{q_{0}}}$$

$$p_{1}'q_{1}' = p_{0}'q_{0}' + V_{\frac{p_{1}'}{p_{0}}} + V_{\frac{q_{1}'}{q_{0}}}$$

or

This last equation is of the form

 $a_1b_1c_1 \ldots = a_0b_0c_0 \ldots + R_{\frac{c_1}{c_0}} + R_{\frac{b_1}{b_0}} + R_{\frac{c_1}{c_0}} + \ldots$ in which case we have found that

$$R_{\frac{a_1}{a_0}} = (a_1b_1c_1 \ldots - a_0b_0c_0 \ldots) \frac{\log \frac{a_1}{a_0}}{\log \frac{a_1b_1c_1 \ldots}{a_0b_0c_0 \ldots}}$$

Hence
$$V_{p_0'}^{p_1'} = (p_1'q_1' - p_0'q_0') \frac{\log \frac{p_1}{p_0'}}{\log \frac{p_1'q_1'}{p_0'q_0'}}$$

and
$$V_{\mathbf{q}_{1}'} = (p_{1}'q_{1}' - p_{0}'q_{0}') \frac{\log \frac{q_{1}}{q_{0}'}}{\log \frac{p_{1}'q_{1}}{p_{0}'q_{0}'}}$$

ņ

34 THE MATHEMATICAL PROBLEM OF THE PRICE INDEX We have therefore

$$V_{P} = \Sigma V_{\frac{p_{1}}{p_{*}}} = \Sigma (p_{1}q_{1} - p_{0}q_{0}) \frac{\log \frac{p_{1}}{p_{0}}}{\log \frac{p_{1}q_{1}}{p_{0}q_{0}}}$$

σ.

and
$$V_{e} = \Sigma V_{\frac{q_{1}}{q_{e}}} = \Sigma (p_{1}q_{1} - p_{0}q_{0}) \frac{\log \frac{q_{1}}{q_{0}}}{\log \frac{p_{1}q_{1}}{p_{0}q_{0}}}$$

Turning to the hypothetical case we may say :

Let
$$P_{01}p_0'Q_{01}q_0' = p_0'q_0' + V \frac{p_{01}p_0'}{p_0'} + V \frac{Q_{01}q_0}{q_0'}$$

where $V_{\frac{P_{i},p_{i}}{P_{i}}}$ and $V_{\frac{Q_{i},q_{i}}{q_{i}}}$ are defined in an analogous way.

Then $[V_{P}]$, as we defined it on page 6, is equal to $\Sigma V_{\frac{P_{0}P_{0}}{P_{0}}}$ and $[V_{e}]$ is equal to $\Sigma V_{\frac{Q_{0}q_{0}}{P_{0}}}$.

Substituting P_{01} for $\frac{p_1'}{p_0'}$ and Q_{01} for $\frac{q_1'}{q_0'}$ in the formulæ for $V_{\underline{e}}$ and $V_{\underline{e}}$ we have

$$V_{\frac{P_{01}p_{0}'}{p_{0}'}} = (P_{01}p_{0}'Q_{01}q_{0}' - p_{0}'q_{0}')\frac{\log P_{01}}{\log P_{01}Q_{01}}$$
$$V_{\frac{Q_{01}q_{0}'}{q_{0}'}} = (P_{01}p_{0}'Q_{01}q_{0}' - p_{0}'q_{0}')\frac{\log Q_{01}}{\log P_{01}Q_{01}}$$

These give

$$[V_{F}] = \Sigma V_{\frac{P_{0}p_{0}}{p_{0}}} = \Sigma (P_{01}p_{0}Q_{01}q_{0} - p_{0}q_{0}) \frac{\log P_{01}}{\log P_{01}Q_{01}}$$
$$= \Sigma (p_{1}q_{1} - p_{0}q_{0}) \frac{\log P_{01}}{\log \frac{\Sigma p_{1}q_{1}}{\Sigma p_{0}q_{0}}}$$

and

$$[V_{0}] = \sum V_{\frac{p_{1}q_{0}}{q_{0}}} = \sum (p_{1}q_{1} - p_{0}q_{0}) \frac{\log Q_{01}}{\log \frac{\sum p_{1}q_{1}}{\sum p_{0}q_{0}}}$$

But, in accordance with the conception, $[V_{P}] = V_{P}$ and $[V_q] = V_q$.

Hence

Hence

$$\Sigma(p_{1}q_{1} - p_{0}q_{0}) \frac{\log P_{01}}{\log \frac{\Sigma p_{1}q_{1}}{\Sigma p_{0}q_{0}}} = \Sigma(p_{1}q_{1} - p_{0}q_{0}) \frac{\log \frac{p_{1}}{p_{0}}}{\log \frac{p_{1}q_{1}}{p_{0}q_{0}}}$$

$$\Sigma(p_{1}q_{1} - p_{0}q_{0}) \frac{\log \frac{p_{1}}{p_{0}}}{\log \frac{p_{1}q_{1}}{p_{0}q_{0}}}$$

$$\log P_{01} = \left(\log \frac{\Sigma p_{1}q_{1}}{\Sigma p_{0}q_{0}}\right) \frac{\Sigma(p_{1}q_{1} - p_{0}q_{0})}{\Sigma(p_{1}q_{1} - p_{0}q_{0})}$$
which gives

$$\Sigma(p_{1}q_{1} - p_{0}q_{0}) \frac{\log \frac{p_{1}}{p_{0}}}{\log \frac{p_{1}q_{1}}{p_{0}q_{0}}}$$
Similarly

$$\Sigma(p_{1}q_{1} - p_{0}q_{0}) \frac{\log \frac{p_{1}}{p_{0}}}{\Sigma(p_{1}q_{1} - p_{0}q_{0})}$$

$$Q_{01} = \left(\frac{\sum p_1 q_1}{\sum p_0 q_0}\right)^{\frac{\sum (p_1 q_1 - p_0 q_0)}{\sum (p_1 q_1 - p_0 q_0)}}$$

These are the same formulæ that we obtained by taking $\frac{\Sigma p_1 q_1}{\Sigma p_0 q_0}$ as the measure of the change in aggregate value.

3 .--- Still taking the change in aggregate value as expressed by $\Sigma p_1 q_1 - \Sigma p_0 q_0$, we can obtain the same result without introducing the hypothetical case.

Let $\Sigma p_0 q_0 + \Sigma V_{\frac{p_1}{p_0}} + \Sigma V_{\frac{q_1}{q_0}} = (\Sigma p_0 q_0) R_P R_q$

where R_P and R_e are such that multiplying $\Sigma p_0 q_0$ by R_P (simultaneously with R_e) contributes as much to the product $(\Sigma p_0 q_0) R_P R_e$ (which is equal to $\Sigma p_1 q_1$) as adding $\Sigma V_{\frac{P}{P_e}}$ to $\Sigma p_0 q_0$ contributes to the sum $\Sigma p_0 q_0 + \Sigma V_{\frac{P}{P_e}} + \Sigma V_{\frac{P}{P_e}}$ (which is also equal to $\Sigma p_1 q_1$), and similarly for R_e . Then it is evident that $R_P = P_{01}$ and $R_e = Q_{01}$, since $\Sigma V_{\frac{P}{P_e}}$ represents the change (measured as an increase) in the aggregate value due to the changes in price and $\Sigma V_{\frac{P}{P_e}}$ represents the change (measured as an increase) in the aggregate value due to the changes in price and $\Sigma V_{\frac{P}{P_e}}$ represents the change (measured as an increase) in the aggregate value due to the changes in quantity.

But the equation

$$\Sigma p_0 q_0 + \Sigma V_{\frac{p_1}{p_0}} + \Sigma V_{\frac{q_1}{q_0}} = (\Sigma p_0 q_0) R_P R_P$$

is analogous to the equation

 $A + a + b + c + \ldots = A R a R b R c \ldots$

In this case

$$R_a = \left(\frac{A+a+b+c+\ldots}{A}\right)^{\overline{a+b+c+\ldots}}$$

111/101

Hence by analogy

$$R_{P} = \left(\frac{\Sigma p_{0}q_{0} + \Sigma V_{p_{1}} + \Sigma V_{q_{1}}}{\Sigma p_{0}q_{0}}\right)^{\frac{\Sigma V_{p_{1}}}{p_{0}} + \Sigma V_{q_{1}}}}{\sum p_{0}q_{0}} \int_{\frac{\Sigma (p_{1}q_{1} - p_{0}q_{0})}{\log \frac{p_{1}}{p_{0}}}} \frac{\log \frac{p_{1}}{p_{0}}}{\log \frac{p_{1}q_{1}}{p_{0}q_{0}}}}{= \left(\frac{\Sigma p_{1}q_{1}}{\Sigma p_{0}q_{0}}\right)^{\frac{\Sigma (p_{1}q_{1} - p_{0}q_{0})}{\Sigma (p_{1}q_{1} - p_{0}q_{0})}}$$

Hence
$$P_{01} = \left(\frac{\sum p_1 q_1}{\sum p_0 q_0}\right)^{\frac{\log p_1}{p_1}} \frac{\log \frac{p_1}{p_1}}{\log \frac{p_1 q_1}{p_0 q_0}}$$

Similarly
$$Q_{01} = \left(\frac{\sum p_1 q_1}{\sum p_0 q_0}\right)^{\frac{\sum (p_1 q_1 - p_0 q_0)}{\sum (p_1 q_1 - p_0 q_0)}} \frac{\log \frac{q_1}{q_0}}{\log \frac{p_1 q_1}{p_0 q_0}}$$

4.—We have already seen (page 7) that the third measure of the change in aggregate value, $\frac{\Sigma p_1 q_1 - \Sigma p_0 q_0}{\Sigma p_0 q_0}$, does not give us any further conditions for determining P_{01} and Q_{01} . But by three different methods we have arrived at the result that

$$P_{01} = \left(\frac{\sum p_1 q_1}{\sum p_0 q_0}\right)^{\frac{\log p_1}{p_0}} \frac{\log \frac{p_1}{p_0}}{\log \frac{p_1 q_1}{p_0 q_0}}$$

$$P_{01} = \left(\frac{\sum p_1 q_1}{\sum p_0 q_0}\right)^{\frac{\sum (p_1 q_1 - p_0 q_0)}{\log \frac{p_1 q_1}{p_0 q_0}}}$$

$$Q_{01} = \left(\frac{\sum p_1 q_1}{\sum p_0 q_0}\right)^{\frac{\sum (p_1 q_1 - p_0 q_0)}{\sum (p_1 q_1 - p_0 q_0)}}$$

and

5.—In the case that
$$\frac{p_1}{p_0} = \frac{\mathbf{I}}{q_1}$$
, $(p_1q_1 - p_0q_0) \frac{\mathbf{P}_0 \cdot p_0}{\log \frac{p_1q_1}{p_0q_0}}$
takes the form $\frac{\mathbf{O}}{\mathbf{O}}$, but it does not become indeterminate.
We have $(p_1q_1 - p_0q_0) \frac{\log \frac{p_1}{p_0}}{\log \frac{p_1q_1}{p_0q_0}} = (p_1q_1 - p_0q_0) \frac{\log \frac{p_1}{p_0}}{\log \left(\mathbf{I} + \frac{p_1q_1 - p_0q_0}{p_0q_0}\right)}$

37

log 21

But when
$$\frac{p_1q_1 - p_0q_0}{p_0q_0}$$
 is infinitesimal
 $\log_s \left(\mathbf{I} + \frac{p_1q_1 - p_0q_0}{p_0q_0} \right) = \frac{p_1q_1 - p_0q_0}{p_0q_0}$
Hence when $\frac{p_1}{p_0} = \frac{\mathbf{I}}{q_1}$
 q_0
 $(p_1q_1 - p_0q_0) \frac{\log \frac{p_1}{p_0}}{\log \frac{p_1q_1}{p_0q_0}} = p_0q_0 \log_s \frac{p_1}{p_0}$

It must be noted that in this case we must use logarithms to the base e.

Again if $\Sigma p_1 q_1 = \Sigma p_0 q_0$, log P_{01} takes the form $\frac{0}{0}$, but it is not indeterminate.

$$\begin{split} \Sigma(p_{1}q_{1}-p_{0}q_{0}) \frac{\log \frac{p_{1}}{p_{0}}}{\log \frac{p_{1}q_{1}}{p_{0}q_{0}}} \\ \log P_{01} = \left(\log \frac{\Sigma p_{1}q_{1}}{\Sigma p_{0}q_{0}}\right) \frac{\Sigma(p_{1}q_{1}-p_{0}q_{0})}{\Sigma(p_{1}q_{1}-p_{0}q_{0})} \\ = \left\{\log \left(1 + \frac{\Sigma(p_{1}q_{1}-p_{0}q_{0})}{\Sigma p_{0}q_{0}}\right)\right\} \frac{\log \frac{p_{1}}{p_{0}}}{\Sigma(p_{1}q_{1}-p_{0}q_{0})} \\ \text{Hence when } \frac{\Sigma(p_{1}q_{1}-p_{0}q_{0})}{\Sigma p_{0}q_{0}} \text{ is infinitesimal} \\ \Sigma(p_{1}q_{1}-p_{0}q_{0}) \frac{\log \frac{p_{1}}{p_{0}}}{\log \frac{p_{1}q_{1}}{p_{0}q_{0}}} \\ \log_{\theta} P_{01} = \frac{\Sigma p_{0}q_{0}}{\Sigma p_{0}q_{0}} \end{split}$$

In the case in which, for all commodities, $\frac{p_1}{p_0} = \frac{\mathbf{I}}{\frac{q_1}{q_1}}$

$$\log_{\theta} P_{01} = \frac{\sum p_{0}q_{0}\log_{\theta}\frac{p_{1}}{p_{0}}}{\sum p_{0}q_{0}}$$

6.—We must emphasize that our formulæ have been arrived at on the basis of the conception that we have outlined at the beginning of these notes. If a different conception is adopted, the mathematical problem is different and the resulting formulæ will be different.

Assuming, however, that our conception is admitted, we may venture, in the light of the foregoing discussion of the problem, to give the following definition of the price index and the quantity index as here conceived :—

The price index is the change, *measured as a ratio*, in the aggregate value produced by the changes in price (when occurring simultaneously with the changes in quantity), and the quantity index is the change, *measured as a ratio*, in the aggregate value produced by the changes in quantity (when occurring simultaneously with the changes in price).

This definition is perfectly consistent with the conception put forward and avoids the notion of proportionality factors and the introduction of the hypothetical case, but it is hardly intelligible without the explanations and illustrations we have given.

CHAPTER IV

THE PRICE INDICES OF SEPARATE COMMODITIES IN THE GROUP.

I.—WE have not only determined the formula for the general price index of a group of commodities, but incidentally we have determined the formula for the price index of each separate commodity in the group, when treated as part of the group and not considered independently. The factors R_{p_1} , R_{p_1} etc., as defined on page 30, represent, in fact, the change, measured as a ratio, in the aggregate value produced by the changes in price of the separate commodities (when occurring simultaneously with the changes in price of the other commodities and the changes in quantity of all the commodities).

These factors, $R_{\underline{p}_1}, R_{\underline{p}_1}, R_{\underline{p}_1}, R_{\underline{p}_1}, R_{\underline{p}_1}$, etc., are, then, the price indices of the separate commodities, when regarded as part of the group. They must be carefully distinguished from the price relatives, $\frac{p_1'}{p_0}$, $\frac{p_1''}{p_0''}$, $\frac{p_1'''}{p_0'''}$ etc., of the commodities when considered separately and apart from the group. log

But we have :

$$R\underline{p_{1'}}_{p_{0'}} = \left(\frac{\sum p_{1}q_{1}}{\sum p_{0}q_{0}}\right)^{\frac{\sum p_{1}q_{1}}{\sum p_{0}q_{0}}}$$

and similarly for $R_{\underline{P}_{\bullet}}^{\underline{P}_{\bullet}}$, $R_{\underline{P}_{\bullet}}^{\underline{P}_{\bullet}}$, etc.

THE PRICE INDICES OF SEPARATE COMMODITIES 41

If, then, we call the price index of any commodity in the group P_{P_n} (instead of $R_{\frac{P_n}{P_n}}$) we have

$$Pp_{e1} = \left(\frac{\sum p_1 q_1}{\sum p_0 q_0}\right)^{\frac{(p_1 q_1 - p_0 q_0)}{\log \frac{p_1 q_1}{p_0 q_0}}}$$

and $P_{p_n} P_{p_n} P_{p_n} \cdots \dots = P_{01}$.

The indices of separate commodities may be of considerable practical value as furnishing a measure of the change in aggregate value due to the change in price of each commodity of the group. Where, for example, there is a general rise in prices, it is of interest to inquire which commodities have contributed most to the rise. The price indices of the separate commodities will give precise indications of this, and will enable the commodities to be arranged in order according to the extent to which their rise in price has contributed to the increase in aggregate value.

2.—Price indices can also be calculated for subgroups of commodities, treated, of course, as forming part of the whole group. These must not be confused with the price indices of the sub-groups when taken separately.

Let the prices of a sub-group of commodities be p_{m_0}' , p_{m_0}'' , p_{m_0}'' , p_{m_0}'' , p_{m_1}'' , q_{m_1}'' , q_{m_1}'' , q_{m_1}'' , q_{m_1}'' , etc., in the base year and q_{m_1} , q_{m_1}'' , q_{m_1}'' , q_{m_1}'' , etc., in the given year. Then if $P_{P_{m_{m_1}}}$ is the price index of any commodity in the sub-group and $P_{PM_{m_1}}$ is the price index of the sub-group treated as part of the whole group

....

$$P_{PM_{e1}} = \frac{\left(\frac{\sum p_{1q_{1}}}{\sum p_{0q_{0}}}\right)^{\frac{\log \frac{p_{m_{0}}}{p_{m_{0}}}}{\log \frac{p_{m_{0}}(m_{1})}{p_{m_{0}}(m_{1})}}}{\sum \left(p_{1q_{1}} - p_{0q_{0}}\right)^{\frac{\sum (p_{1q_{1}} - p_{0q_{0}})}{\sum (p_{1q_{1}} - p_{0q_{0}})}}}$$

$$P_{PM_{e1}} = P_{p_{M_{e1}}}P_{p_{M_{e1}}}P_{p_{M_{e1}}}P_{p_{M_{e1}}}\cdots$$

$$= \left(\frac{\sum p_{1q_{1}}}{\sum p_{0q_{0}}}\right)^{\frac{\sum (p_{1q_{1}} - p_{0q_{0}})}{\sum (p_{1q_{1}} - p_{0q_{0}})}}$$

On the other hand, if PM_{01} is the price index of the sub-group independently of the rest of the whole group

$$\dot{P}M_{01} = \left(\frac{\sum p_{m_1}q_{m_1}}{\sum p_{m_2}q_{m_1}}\right)^{\frac{\sum (p_{m_1}q_{m_2} - p_{m_2}q_{m_2})}{\sum (p_{m_1}q_{m_1} - p_{m_2}q_{m_2})}}$$

It may also at times be useful to calculate PM_{01} , but care must be taken to distinguish it from P_{FMR} .

3.—In the same way as we have determined a price index for each commodity separately, we can also determine a quantity index. This we may call Q_{fe} , and we have

$$Q_{q_{n}} = \left(\frac{\sum p_{1}q_{1}}{\sum p_{0}q_{0}} \right)^{-\frac{\log \frac{q_{1}}{q_{0}}}{\log \frac{p_{1}q_{1}}{p_{0}q_{0}}}} Q_{q_{n}} Q_{$$

and

But there is also a value index for each commodity, that is, the increase, measured as a ratio, in the aggreTHE PRICE INDICES OF SEPARATE COMMODITIES 43 gate value due to the change in value (or to the change in price and to the change in quantity jointly) of each commodity. If we call this Vv_n we have

$$V_{v_{ai}} = P_{p_{ai}}Q_{q_{ai}} = \left(\frac{\Sigma p_1 q_1}{\Sigma p_0 q_0}\right)^{\frac{p_1 q_1 - p_0 q_0}{\Sigma (p_1 q_1 - p_0 q_0)}}$$
$$V_{v_{ai}} V_{v_{ai}} V_{v_{ai}} V_{v_{ai}} \dots = \frac{\Sigma p_1 q_1}{\Sigma p_0 q_0}$$

and

We need not speak of a general value index, as this would be merely $\frac{\sum p_1 q_1}{\sum p_0 q_0}$.

We can thus present a complete picture of the changes in aggregate value produced by the changes in price and the changes in quantity by giving for each commodity the following indices :

$$P_{p_{u1}} = \left(\frac{\sum p_1 q_1}{\sum p_0 q_0}\right)^{\frac{\log p_1}{p_0}} \frac{\log \frac{p_1}{p_0}}{\sum \frac{\log p_0 q_0}{\log \frac{p_0 q_0}{p_0 q_0}}}$$

$$P_{p_{u1}} = \left(\frac{\sum p_1 q_1}{\sum p_0 q_0}\right)^{\frac{p_0 q_0}{\sum (p_1 q_1 - p_0 q_0)}} \frac{\log \frac{q_1}{q_0}}{\log \frac{p_0 q_0}{p_0 q_0}}$$

$$V_{v_{u1}} = \left(\frac{\sum p_1 q_1}{\sum p_0 q_0}\right)^{\frac{p_1 q_1 - p_0 q_0}{\sum (p_1 q_1 - p_0 q_0)}}$$

as well as the general price index, P_{01} , and the general quantity index, Q_{01} .

4.—If we wish to express the increase in aggregate value due to the change in the price of a single commodity as a percentage of the increase in aggregate

value due to all the changes in price, we can convert the product $P_{p_n} P_{p_n} P_{p_n} \dots$ (which is equal to P_{01}) into a sum of terms.

Let
$$P_{p_{\mathbf{a}}'}P_{p_{\mathbf{a}}''}P_{p_{\mathbf{a}}'''} \dots = \mathbf{I} + R_{\mathbf{r}p_{\mathbf{a}}'} + R_{\mathbf{r}p_{\mathbf{a}}''} + R_{\mathbf{r}p_{\mathbf{a}}'''} + \dots$$

Then Repar

$$= (P_{p_{n}'}P_{p_{n}''}P_{p_{n}''}P_{p_{n}''} \dots - 1) \frac{\log P_{p_{n}'}}{\log P_{p_{n}'}P_{p_{n}''}P_{p_{n}''}P_{p_{n}''}} \dots$$
$$= (P_{01} - 1) \frac{\log P_{p_{n}'}}{\log P_{01}}$$
$$\frac{R_{Pp_{n}'}}{P_{01} - 1} = \frac{\log P_{p_{n}'}}{\log P_{01}}$$

Hence the increase in the aggregate value due to the increase in the price of a single commodity, expressed as a percentage of the increase in aggregate value due to all the changes in price, is $\frac{100 \log P_{Pa}}{\log P_{e1}}$.

Again, if we wish to express the increase in the aggregate value due to the change in the price of a single commodity as a percentage of the total increase in the aggregate value we can convert $P_{Pai} P_{Pai} P_{Pai} \cdots P_{Pai} \cdots Q_{qai} Q_{qai} \cdots Q_{q$

Let
$$P_{p_n}P_{p_n}P_{p_n}\cdots \dots Q_{q_n}Q_{q_n}\cdots Q_{q_n}\cdots \dots$$

= $\mathbf{I} + \hat{R}_{p_n} + \hat{R}_{p_n} + \hat{R}_{p_n}\cdots + \dots + \hat{R}_{oq_n} + \hat{R}_{oq_n}\cdots + \hat{R}_{oq_n}\cdots + \hat{R}_{oq_n}\cdots + \dots$

This gives

$$\frac{\ddot{R}P_{01}}{P_{01}Q_{01}-1} = \frac{\log P_{P_{01}}}{\log P_{01}Q_{01}}$$

Hence the increase in the aggregate value due to the increase in the price of a single commodity expressed as a percentage of the total increase in aggregate value is $\frac{100 \log P_{P_{e1}}}{\log P_{e1}O_{e1}}$

But
$$\frac{\log P_{P_{a'}}}{\log P_{01}} = \frac{(p_1'q_1' - p_0'q_0')}{\sum (p_1q_1 - p_0q_0)} \frac{\log \frac{p_1'}{p_0'}}{\log \frac{p_1'q_1'}{p_0'q_0'}}{\log \frac{p_1}{p_0}}$$

 $= \frac{V_{\frac{p_1'}{p_0}}}{\sum V_{\frac{p_1}{p_0}}}{\frac{p_1'q_1}{\log \frac{p_1q_1}{p_0q_0}}}$

 $\frac{\log P_{P_{u'}}}{\log P_{01}Q_{01}} = \frac{\log P_{P_{u'}}}{\log \frac{\Sigma p_1 q_1}{\Sigma p_0 q_0}}$ and $= (p_1'q_1' - p_0'q_0') \frac{\log \frac{p}{p}}{\log \frac{p}{p}}$ $\frac{\sum (p_1q_1 - p_0q_0)}{\sum (p_1q_1 - p_0q_0)}$ $=\frac{V_{\Delta_1'}}{\Sigma(\phi, a_1 - \phi, a_2)}$

Hence the increase in aggregate value due to the change in the price of a single commodity expressed as a percentage of the increase in aggregate value due to all the changes in price is $\frac{100V_{\ell_1}}{\sum V_{\ell_2}}$ and expressed as a

percentage of the total increase in aggregate value is 100VA

 $\frac{p_{\bullet}}{\Sigma(p_1q_1-p_0q_0)}.$

But these results could have been obtained directly. We have determined them indirectly in order to give a further demonstration of the soundness and flexibility of our method of transforming measures of change.

5.—In like manner we can express the increase in the aggregate value due to the change in quantity of any one commodity as a percentage either of the increase in aggregate value due to all the changes in quantity, or as a percentage of the total increase in aggregate value.

We can further express the change in aggregate value due to the change in the value of any one commodity (that is, to the change in price and in quantity jointly) as a percentage of the total change in aggregate

value. This is obviously $\frac{100(p_1q_1 - p_0q_0)}{\Sigma(p_1q_1 - p_0q_0)}$.

We can present another complete picture of the changes in the aggregate value due to the changes in price, in quantity and in value, in the form of percentages of the total increase in the aggregate value. To do so we must give for each commodity :

The increase in the aggregate value due to the increase in price of the commodity expressed as a percentage of the total increase in the aggregate value. The formula for this is

$$\frac{100(p_1q_1-p_0q_0)}{\frac{\log \frac{p_1}{p_0}}{\log \frac{p_1q_1}{p_0q_0}}}$$

The increase in the aggregate value due to the increase in quantity of the commodity expressed as a percentage of the total increase in aggregate value:

$$\frac{100(p_1q_1 - p_0q_0)}{\frac{\log \frac{q_1}{q_0}}{\log \frac{p_1q_1}{p_0q_0}}}$$

The increase in the value of the commodity expressed as a percentage of the total increase in aggregate value :

$$\frac{100(p_1q_1 - p_0q_0)}{\Sigma(p_1q_1 - p_0q_0)}$$

To these must be added :

.

The increase in aggregate value due to the changes in price in all the commodities, expressed as a percentage of the total increase in aggregate value :

$$\frac{100\Sigma(p_1q_1 - p_0q_0)}{\frac{\log \frac{p_1}{p_0}}{\log \frac{p_1q_1}{p_0q_0}}}$$

The increase in aggregate value due to the changes in quantity in all the commodities, expressed as a percentage of the total increase in aggregate value :

$$\frac{100\Sigma(p_1q_1 - p_0q_0)}{\frac{\log \frac{q_1}{q_0}}{\log \frac{p_1q_1}{p_0q_0}}}$$

By substituting $\Sigma p_0 q_0$ for $\Sigma (p_1 q_1 - p_0 q_0)$ in the denominator of the foregoing formulæ we can express the increases in aggregate value due to the changes in price, quantity and value of the separate commodities as percentages of the aggregate value in the base year, and these are possibly even more useful figures.

CHAPTER V

THE DIFFERENTIAL METHOD OF DETERMINING THE PRICE INDEX

The writer first obtained his formulæ for P_{01} and Q_{01} by applying differential methods,¹ and though the reasoning is not entirely convincing in itself, the fact that it results in precisely the same formulæ as the methods set out in the preceding chapters may serve as a confirmation of the soundness of those methods.

In applying differential methods we suppose that the changes in price from p_0' to p_0'' , from p_0''' to p_1'' , from p_0''' to p_1''' , and so on, and the changes in quantity from q_0' to q_1' , from q_0'' to q_1'' , from q_0''' to q_1''' , and so on, take place by infinitesimal increments. This is the weak point in the method, as it obviously does not correspond to reality. However, there is nothing to prevent us from making the assumption and analysing the changes on the basis of that supposition.

Taking the equation

$$p_1q_1 = p_0q_0 + V_{\frac{p_1}{p_0}} + V_{\frac{q_1}{q_0}}$$

where V_{e_1} and V_{e_2} are defined as on page 33, we may write it in the form

¹ The first to apply differential methods to the price index was Professor F. DIVISIA, See: "Economique rationelle," Paris, 1928, Chapter XIV.

E

$$V_{\frac{p_1}{p_0}} + V_{\frac{q_1}{q_0}} = p_1 q_1 - p_0 q_0$$

Treating p_0 and q_0 as constant, and making the equation general for any value of p_1 and q_1 , we have

$$V_{\frac{p}{p_0}} + V_{\frac{q}{q_0}} = pq - p_0 q_0$$

Differentiating, we have

$$\delta V_{\frac{p}{p_0}} + \delta V_{\frac{q}{q_0}} = q\delta p + p\delta q$$

But $q\delta p$ is clearly the infinitesimal increment of value due to the increment of price δp , and $p \delta q$ is the increment of value due to the increment of quantity δq.

Hence
$$\delta V \underbrace{p}_{p_0} = q \delta p$$

and $\delta V \underbrace{q}_{q_0} = p \delta q$

a

These equations cannot be integrated to determine V_{2} and V_{2} unless we assume a relation between p and q, because the differential forms are such that the integral depends on the path. What assumption are we justified in making? Is there any assumption that we are compelled by the conditions of the problem to make?

Here we fall back on the principle of symmetry; $\Sigma p_1 q_1$ and $\Sigma p_0 q_0$ are symmetrical in relation to p and q. At every stage in the determination of P_{01} and Q_{01} there must be symmetry as between p and q; they must, in fact, be interchangeable without altering the equations obtained at any point. Hence the assumption we make must be symmetrical. If we assume that $\frac{q}{q_0} = f(\frac{p}{p_0}, \frac{p_1}{p_0}, \frac{q_1}{q_0})$, then the function must be such

that the same equation can be written $\frac{p}{p_0} = f\left(\frac{q}{q_0}, \frac{q_1}{q_0}, \frac{p_1}{p_0}\right)$. Moreover, the symmetry must be continued along the path in either direction beyond the tract that lies between the points (p_0, q_0) and (p_1, q_1) . We must imagine p and q increasing from o to ∞ or decreasing from ∞ to o with symmetry at every point. Hence the path must pass through the points (o, o) and (∞, ∞) or through the points (∞, o) and (o, ∞) .

An assumption that fulfils these conditions is

$$\frac{q}{q_0} = \left(\frac{p}{p_0}\right)^{\bullet}$$

a being determined by the fact that the path passes through (p_0, q_0) and (p_1, q_1) , and it does not appear that any other assumption fulfils them.

This assumption gives the relation

$$\frac{q}{q_0} = \left(\frac{p}{p_0}\right)^{\log \frac{p_1}{p_0}} p_0$$

which may also be written

$$\frac{p}{p_0} = \left(\frac{q}{q_0}\right)^{\log \frac{p_0}{q_0}}$$

Continuing, for the sake of simplicity, to write a

for
$$\frac{\log \frac{q_1}{q_0}}{\log \frac{p_1}{p_0}}$$
, we have
 $\delta V \underline{e} = q \delta p$
 $= \frac{q_0}{p_0} p^* \delta p$

п.

$$\int_{0}^{\frac{p_{1}}{p_{0}}} dV_{\frac{p}{p_{0}}} = \frac{q_{0}}{p_{0}} \int_{p_{0}}^{p_{1}} dp$$

$$V_{\frac{p_{1}}{p_{0}}} = \frac{q_{0}}{p_{0}} \cdot \frac{1}{a+1} (p_{1}^{a+1} - p_{0}^{a+1})$$

$$= \frac{1}{a+1} (p_{1} \frac{p_{1}^{a}}{p_{0}^{a}} q_{0} - p_{0} q_{0})$$

$$= \frac{1}{a+1} (p_{1} q_{1} - p_{0} q_{0})$$
But $\frac{1}{a+1} = \frac{\log \frac{p_{1}}{p_{0}}}{\log \frac{p_{1} q_{1}}{p_{0} q_{0}}}$
Hence $V_{\frac{p_{1}}{p_{0}}} = (p_{1} q_{1} - p_{0} q_{0}) \frac{\log \frac{p_{1}}{p_{0}}}{\log \frac{p_{1} q_{1}}{p_{0} q_{0}}}$
Similarly, $V_{\frac{q_{1}}{q_{0}}} = (p_{1} q_{1} - p_{0} q_{0}) \frac{\log \frac{q_{1}}{p_{0}}}{\log \frac{p_{1} q_{1}}{p_{0} q_{0}}}$

In the hypothetical case :

$$V_{\frac{P_{0}}{P_{0}}}^{P_{0}} = (P_{01}p_{0}Q_{01}q_{0} - p_{0}q_{0})\frac{\log P_{01}}{\log P_{01}Q_{01}}$$

and

d
$$V_{\frac{Q_{11}Q_{0}}{q_{0}}} = (P_{01}p_{0}Q_{01}q_{0} - p_{0}q_{0})\frac{\log Q_{01}}{\log P_{01}Q_{01}}$$

Equating $\Sigma V_{\frac{p_1}{p_2}}$ with $\Sigma V_{\frac{p_1p_2}{p_2}}$ and $\Sigma V_{\frac{p_1}{p_2}}$ with $\Sigma V_{\frac{q_1p_2}{p_2}}$ we obtain the same formulæ for P_{01} and Q_{01} as we obtained in Chapter III.

The formulæ for P_{01} and Q_{01} have been arrived at by differential methods, but without directly obtaining differential equations for P and Q. These may, however, be obtained.

By the conception of the price index, the increase in aggregate value due to the increases in price when the prices are increased from ϕ_0 to ϕ and the quantities from q_0 to q is equal to the increase in aggregate value due to the increases in price when the prices are increased from p_0 to Pp_0 and the quantities from Q_0 to Qq_{0} .

Similarly, the increase in the aggregate value due to the increases in price when the prices increase from p_0 to $p + \delta p$ and the quantities increase from q_0 to $q + \delta q$ is equal to the increase in the aggregate value when the prices increase from p_0 to $(P + \delta P)p_0$ and the quantities from q_0 to $(Q + \delta Q)q_0$.

By subtraction, we get that the increase in aggregate value due to the increases in price when the prices increase from ϕ to $\phi + \delta \phi$ and the quantities from q to $q + \delta q$ is equal to the increase in aggregate value when the prices increase from Pp_0 to $(P + \delta P)p_0$ and the quantities from Qq_0 to $(Q + \delta Q)q_0$.

Hence	$\Sigma Q q_0 \delta P p_0 = \Sigma q \delta p$
	$Q\delta P$. $\Sigma p_0 q_0 = \Sigma q \delta p$
	$\delta P \qquad \Sigma q \delta p$
	$\overline{P} = \overline{PQ\Sigmap_{0}q_{0}}$
	Σαδρ
	$= \frac{1}{\Sigma pq}$
Similarly	$\delta Q = \Sigma p \delta q$
Similariy,	$\overline{Q} = \overline{\Sigma pq}$

The differential equation

$$\frac{\delta P}{P} = \frac{\Sigma q \delta p}{\Sigma p q}$$

is analogous to the differential equation for the monetary index worked out by Professor Divisia¹:

$$\frac{\delta I}{I} = \frac{\Sigma q \delta p}{\Sigma p q}$$

and could have been arrived at by precisely the same reasoning as that used by Professor Divisia.

In the form

$$\frac{\delta P}{P} = \frac{\Sigma q \delta p}{\Sigma p q}$$

the differential equation for P cannot be integrated even by making the assumption

$$\frac{q}{q_0} = \left(\frac{p}{p_0}\right)^4$$

But in the form

$$Q\delta P\Sigma p_0 q_0 = \Sigma q\delta p$$

it can be integrated by making this assumption and the further assumption that, by analogy, $Q = P^A$. This assumption is justified, as we must assume that whatever path is followed by the point (p, q), an analogous path must, in the hypothetical case, be followed by the point (Pp_0, Qq_0) .

In fact, it will be observed that, in the calculations by which we arrived at the formulæ for P_{01} and Q_{01} , if, instead of deducing $V_{\frac{P_{01}P_{0}}{P_{0}}}$ from $V_{\frac{P_{1}}{P_{0}}}$, we had calculated it by integration, we should have had to make the assumption

$$Q = P^{\frac{\log Q_{ei}}{\log P_{ei}}}$$

¹ F. DIVISIA, op. cit., page 269.

THE DIFFERENTIAL METHOD

analogous to the assumption

$$\frac{q}{q_0} = \left(\frac{p}{p_0}\right)^{\log \frac{q_1}{q_0}}$$

The result of integrating the differential equations with the aid of the two assumptions is to give precisely the same formulæ as we have obtained by other methods.

CHAPTER VI

SOME PROPERTIES OF THE PRICE INDEX

WITHOUT actually determining the formulæ for P_{01} and Q_{01} , some properties of the price index and of the quantity index may be deduced from the conception here adopted.

I.—It is possible, for example, to determine the limits between which P_{01} and Q_{01} must lie.

We have

$$V_{\frac{p_1}{p_0}} + V_{\frac{q_1}{q_0}} = p_1 q_1 - p_0 q_0 \\ = (p_1 - p_0) q_0 + (q_1 - q_0) p_0 + (p_1 - p_0) (q_1 - q_0)$$

Now $(p_1 - p_0)q_0$ is clearly part of the increase in value due to the increase of price, while $(q_1 - q_0)p_0$ is part of the increase in value due to the increase of quantity.

Hence V_{p_1} lies between $(p_1 - p_0)q_0$ and $(p_1 - p_0)q_0 + (p_1 - p_0)(q_1 - q_0)$, that is, between $(p_1 - p_0)q_0$ and $(p_1 - p_0)q_1$.

Similarly V_{1} lies between $(q_1 - q_0)p_0$ and $(q_1 - q_0)p_1$. Note that, since

$$V_{\frac{p_1}{p_0}} + V_{\frac{q_1}{q_0}} = p_1 q_1 - p_0 q_0$$

if Ve were at the limit $(p_1 - p_0)q_0$, then Ve would be

 $(q_1 - q_0)p_1$, and if V_{e_1} were at the limit $(p_1 - p_0)q_1$, then V_{e_1} would be $(q_1 - q_0)p_0$.

Hence it is more correct to say :

Ve lies between $(p_1 - p_0)q_0$ and $(p_1 - p_0)q_1$, and V_0 lies between $(q_1 - q_0)p_1$ and $(q_1 - q_0)p_0$.

Taking the whole group of commodities, $\Sigma V_{\frac{p_1}{p_0}}$ lies between $\Sigma(p_1 - p_0)q_0$ and $\Sigma(p_1 - p_0)q_1$, and $\Sigma V_{\frac{p_1}{q_0}}$ lies between $\Sigma(q_1 - q_0)p_1$ and $\Sigma(q_1 - q_0)p_0$.

Substituting $P_{01}p_0$ for p_1 and $Q_{01}q_0$ for q_1 in these statements, we have that, in the hypothetical case, $\Sigma V \frac{p_{01}p_0}{p_0}$ lies between $\Sigma (P_{01} - \mathbf{I})p_0q_0$ and $\Sigma (P_{01} - \mathbf{I})p_0Q_{01}q_0$ and $\Sigma V \frac{q_{01}q_0}{q_0}$ lies between $\Sigma (Q_{01} - \mathbf{I})q_0P_{01}p_0$ and $\Sigma (Q_{04} - \mathbf{I})p_0q_0$.

Equating the limits of $\Sigma V_{\frac{p_1}{p_1}}$ and $\Sigma V_{\frac{p_1p_2}{p_2}}$ and those of $\Sigma V_{\frac{p_1}{p_2}}$ and $\Sigma V_{\frac{p_1p_2}{p_2}}$, we have at the one limit

and
$$(P_{01} - 1)\Sigma p_0 q_0 = \Sigma (p_1 - p_0) q_0$$

 $P_{01}(Q_{01} - 1)\Sigma p_0 q_0 = \Sigma (q_1 - q_0) p_1$

and at the other limit

and
$$\begin{array}{c} Q_{01}(P_{01}-1)\Sigma p_{0}q_{0} = \Sigma(p_{1}-p_{0})q_{1}\\ (Q_{01}-1)\Sigma p_{0}q_{0} = \Sigma(q_{1}-q_{0})p_{0} \end{array}$$

These equations give at the one limit

$$P_{01} = \frac{\Sigma p_1 q_0}{\Sigma p_0 q_0} \quad \text{and} \quad Q_{01} = \frac{\Sigma p_1 q_1}{\Sigma p_0 q_0}$$

and at the other limit

$$P_{01} = \frac{\sum p_1 q_1}{\sum p_0 q_1} \quad \text{and} \quad Q_{01} = \frac{\sum p_0 q_1}{\sum p_0 q_0}.$$

Hence P_{01} lies between $\frac{\Sigma p_1 q_0}{\Sigma p_0 q_0}$ and $\frac{\Sigma p_1 q_1}{\Sigma p_0 q_1}$ and Q_{01} lies between $\frac{\sum p_1 q_1}{\sum p_1 q_0}$ and $\frac{\sum p_0 q_1}{\sum p_0 q_0}$.

This explains why Professor Irving Fisher's " ideal " formulæ ¹

and
$$P_{01} = \sqrt{\frac{\Sigma p_1 q_0}{\Sigma p_0 q_0}} \cdot \frac{\Sigma p_1 q_1}{\Sigma p_0 q_1}$$
$$\frac{2p_1 q_1}{\Sigma p_0 q_1} \cdot \frac{\Sigma p_1 q_1}{\Sigma p_1 q_1}$$
$$\frac{2p_1 q_1}{\Sigma p_0 q_0} \cdot \frac{\Sigma p_1 q_1}{\Sigma p_1 q_0}$$

give a very good approximation for the price index and the quantity index, since they are the geometrical means of the limits between which P_{01} and Q_{01} must lie.

2.—In the special case in which $q_1 = q_0$, that is, in which the quantities remain unchanged, the limits coincide, so that $P_{01} = \frac{\sum p_1 q_0}{\sum p_0 q_0}$ and $Q_{01} = I$. Similarly, if the prices remain unchanged, $P_{01} = I$ and $Q_{01} =$ $\frac{\Sigma p_0 q_1}{\Sigma p_0 q_0}$

3.—We are now in a position to prove that, if the conception of the price index here put forward is adopted, the price index cannot have the property

$$P_{02} = P_{01}P_{12}$$

one case of which would be that, if the base were changed, the price index in the given year relative to the new base would be equal to the price index in

¹ Irving FISHER, "The Making of Index Numbers," Boston and New York, 1922.

the given year relative to the old base, multiplied by the price index in the old base year relative to the new base.

If the equation $P_{02} = P_{01}P_{12}$ were generally true, it would be true whatever were the prices and quantities in the year indicated by the figure I. Let us suppose that the prices in that year were the same as in the year 0, but that the quantities were the same as in the year 2. In other words, for each commodity, let $p_1 = p_0$ and $q_1 = q_2$. In this case $P_{01} = I$ and $P_{12} = \frac{\sum p_2 q_2}{\sum p_0 q_0}$, so that

$$P_{01}P_{12} = \frac{\sum p_2 q_2}{\sum p_0 q_2}$$

Now let us make the supposition that in the year I the prices were the same as in the year 2, but the quantities were the same as in the year 0. In other words, for each commodity, let $p_1 = p_2$ and $q_1 = q_0$. In this case $P_{01} = \frac{\sum p_2 q_0}{\sum p_0 q_0}$ and $P_{12} = I$, so that $P_{01}P_{13} = \frac{\sum p_2 q_0}{\sum p_0 q_0}$.

But P_{02} cannot be equal both to $\frac{\sum p_2 q_3}{\sum p_0 q_2}$ and to $\frac{\sum p_2 q_0}{\sum p_0 q_0}$, so that it cannot be generally true that $P_{02} = P_{01}P_{12}$.

Professor Fisher recognised that the formula for the price index ought not to have this property, and that his so-called "circular test" is not strictly applicable.¹ The foregoing is a formal proof that, if the price index be as we here conceive it, P_{02} cannot generally be equal to $P_{01}P_{12}$.

¹ Irving FISHER, op. cit., page 270.

59

4.—Another special case in which the price index can be calculated without determining the general formulæ for P_{01} and Q_{01} is the case in which the increases in price and quantity are all infinitesimal.

In the formulæ representing the limits between which P_{01} must lie, substitute p_i for p_0 , $p_i + \delta p_i$ for p_1 , q_i for q_0 , $q_i + \delta q_i$ for q_1 .

Then
$$P_{t,t+\delta t}$$
 lies between $\frac{\Sigma(p_t + \delta p_t)q_t}{\Sigma p_t q_t}$ and
 $\frac{\Sigma(p_t + \delta p_t)(q_t + \delta q_t)}{\Sigma p_t (q_t + \delta q_t)}$.
But $\frac{\Sigma(p_t + \delta p_t)q_t}{\Sigma p_t q_t} = I + \frac{\Sigma q_t \delta p_t}{\Sigma p_t q_t}$
and $\frac{\Sigma(p_t + \delta p_t)(q_t + \delta q_t)}{\Sigma p_t (q_t + \delta q_t)} = I + \frac{\Sigma q_t \delta p_t}{\Sigma p_t q_t} \left(I + \frac{\Sigma p_t \delta q_t}{\Sigma p_t q_t}\right)$
 $= I + \frac{\Sigma q_t \delta p_t}{\Sigma p_t q_t} \left(I - \frac{\Sigma p_t \delta q_t}{\Sigma p_t q_t}\right)$
 $= I + \frac{\Sigma q_t \delta p_t}{\Sigma p_t q_t}$
Hence the limits coincide and
 $P_t \to \infty = I + \frac{\Sigma q_t \delta p_t}{\Sigma q_t \delta p_t}$

 $P_{t.t+\delta t} = \mathbf{I} + \frac{1}{\sum p_{t} q_{t}}$ Similarly $Q_{t.t+\delta t} = \mathbf{I} + \frac{\sum p_{t} \delta q_{t}}{\sum p_{t} q_{t}}$.

These equations also give

$$\log P_{i.i+s_i} = \frac{\sum q_i \delta p_i}{\sum p_i q_i}$$
$$\log Q_{i.i+s_i} = \frac{\sum p_i \delta q_i}{\sum p_i q_i}$$

and

This property can be used to supply an additional test of the correctness of any formulæ that may be proposed for the price index and the quantity index.

5.—From the differential equation

$$\delta \log P = \frac{\Sigma q \delta p}{\Sigma p q}$$

and the above formula for $\log P_{\ell,\ell+M}$ another property of the price index can be deduced.

Since
$$\log P_{i,i+\delta i} = \frac{\sum q_i \delta p_i}{\sum p_i q_i}$$

 $\log P_{i,i+\delta i} = \delta \log P_{\delta i}$
 $= \log P_{0,i+\delta i} - \log P_{\delta i}$.
Therefore $P_{i,i+\delta i} = P_{i,i+\delta i}$.

Therefore $P_0 \cdot t + \delta t = P_0 t \cdot P t \cdot t + \delta t$

Hence if the differences between p_3 and p_1 and between q_3 and q_1 are infinitesimal $P_{02} = P_{01} P_{13}$.

6.—We turn now to properties of P_{01} and Q_{01} as we have determined them.

The writer's formulæ comply with Professor Fisher's " time reversal test," ¹ though that test was not used in determining them. We have

$$\Sigma(p_1q_1 - p_0q_0) \frac{\log \frac{p_1}{p_0}}{\log \frac{p_1q_1}{p_0q_0}} \\ \log P_{01} = \left(\log \frac{\Sigma p_1q_1}{\Sigma p_0q_0}\right) - \frac{\Sigma(p_1q_1 - p_0q_0)}{\Sigma(p_1q_1 - p_0q_0)} \\ \Sigma(p_0q_0 - p_1q_1) \frac{\log \frac{p_0}{p_1}}{\log \frac{p_0q_0}{p_1q_1}} \\ \log P_{10} = \left(\log \frac{\Sigma p_0q_0}{\Sigma p_1q_1}\right) - \frac{\Sigma(p_0q_0 - p_1q_1)}{\Sigma(p_0q_0 - p_1q_1)} \\ \frac{1}{\Gamma \text{ Irving FISHER, op. cit., page 64.}}$$

62 THE MATHEMATICAL PROBLEM OF THE PRICE INDEX and it is easy to see that

$$\log P_{10} = -\log P_{01}$$
$$P_{10} = \frac{I}{P_{01}}$$
$$Q_{10} = \frac{I}{Q_{01}}$$

whence

Similarly

7.—The formulæ determined are such that they can readily be extended to other factors, if such factors exist. This results from the manner in which they were calculated, as the general propositions on which they are based are applicable to any number of factors. But we may prove this property in another way.

Let us suppose that, besides price and quantity, there is a third factor, represented by r. Treating qr as a single factor we have :

$$\begin{split} \Sigma(p_{1q_{1}r_{1}} - p_{0q_{0}r_{0}}) \frac{\log \frac{p_{1}}{p_{0}}}{\log \frac{p_{1q_{1}r_{1}}}{p_{0q_{0}r_{0}}}} \\ \log P_{01} = \left(\log \frac{\Sigma p_{1q_{1}r_{1}}}{\Sigma p_{0q_{0}r_{0}}}\right) \frac{\Sigma(p_{1q_{1}r_{1}} - p_{0q_{0}r_{0}})}{\Sigma(p_{1q_{1}r_{1}} - p_{0q_{0}r_{0}})} \frac{\log \frac{q_{1}r_{1}}{p_{0q_{0}r_{0}}}}{\log \frac{q_{1}r_{1}}{q_{0}r_{0}}} \\ \log (QR)_{01} = \left(\log \frac{\Sigma p_{1q_{1}r_{1}}}{\Sigma p_{0q_{0}r_{0}}}\right) \frac{\Sigma(p_{1q_{1}r_{1}} - p_{0q_{0}r_{0}})}{\Sigma(p_{1q_{1}r_{1}} - p_{0q_{0}r_{0}})} \frac{\log \frac{q_{1}r_{1}}{p_{0q_{0}r_{0}}}}{\Sigma(p_{1q_{1}r_{1}} - p_{0q_{0}r_{0}})} \end{split}$$

Analogous formulæ can be obtained for $\log Q_{01}$, $\log (PR)_{01}$, $\log R_{01}$ and $\log (PQ)_{01}$ and it will readily be seen that

$$P_{01}Q_{01}R_{01} = \frac{\Sigma p_1 q_1 r_1}{\Sigma p_0 q_0 r_0}$$

and that $Q_{01}R_{01} = (QR)_{01}$, $P_{01}R_{01} = (PR)_{01}$ and $P_{01}Q_{01} = (PQ)_{01}$. Treating the "ideal" formulæ in the same way

we get

$$P_{01} = \sqrt{\frac{\sum p_1 q_0 r_0}{\sum p_0 q_0 r_0}} \cdot \frac{\sum p_1 q_1 r_1}{\sum p_0 q_1 r_1}$$

and $(QR)_{01} = \sqrt{\frac{\sum p_0 q_1 r_1}{\sum p_0 q_0 r_0}} \cdot \frac{\sum p_1 q_1 r_1}{\sum p_1 q_0 r_0}$

with analogous formulæ for Q_{01} , $(PR)_{01}$, R_{01} and $(PQ)_{01}$. These formulæ fail to comply with the conditions

and
$$P_{01}Q_{01}R_{01} = \frac{\sum p_1 q_1 r_1}{\sum p_0 q_0 r_0}$$
$$Q_{01}R_{01} = (QR)_{01}, \text{ etc.}$$

8.—It is only a special case of the same property that the formulæ are applicable to theoretical cases in which there is a different fundamental relation between P_{01} and Q_{01} . Let us suppose, for example, that

$$P_{01}^{2}Q_{01} = \frac{\sum p_{1}^{2}q_{1}}{\sum p_{0}^{2}q_{0}}$$

However the calculation may be made, the writer's formula gives

$$\Sigma(p_1^2 q_1 - p_0^2 q_0) \frac{\log \frac{p_1}{p_0}}{\log \frac{p_1^2 q_1}{p_0^2 q_0}} \\ \log P_{01} = \left(\log \frac{\Sigma p_1^2 q_1}{\Sigma p_0^2 q_0}\right) \frac{\Sigma(p_1^2 q_1 - p_0^2 q_0)}{\Sigma(p_1^2 q_1 - p_0^2 q_0)}$$

The " ideal " formula, on the other hand, gives

$$(P_{01})^{a} = \sqrt{\frac{\sum p_{1}^{a} q_{1}}{\sum p_{0}^{a} q_{0}}} \cdot \frac{\sum p_{1}^{a} q_{1}}{\sum p_{0}^{a} q_{0}} \cdot \frac{\sum p_{1}^{a} q_{1}}{\sum p_{0}^{a} q_{1}}$$

â

$$P_{01} = \sqrt{\frac{\Sigma \dot{p}_1 \dot{p}_0 q_0}{\Sigma \dot{p}_0^2 q_0}} \cdot \frac{\Sigma \dot{p}_1^2 q_1}{\Sigma \dot{p}_0 \dot{p}_1 q_1}$$

OĽ

according as we treat p^2 as one factor and q as the other, or p as one factor and pq as the other.

o.-The formulæ possess another property which it is not easy to express simply. Let us suppose that our group of commodities is divided into sub-groups. Let the prices in the first sub-group be $p_{m_1}', p_{m_2}'', p_{m_2}'''$ etc., in the base year and $p_{m_1}', p_{m_2}'', p_{m_3}'''$, etc., in the given year. Let the prices in the second subgroup be $p_{n_0}', p_{n_0}'', p_{n_0}'''$, etc., in the base year and $p_{n_1}', p_{n_1}'', p_{n_1}'''$, etc., in the given year. Let the quantities be similarly indicated, substituting q for p. Let PM_{01} and QM_{01} be the price index and quantity index of the first sub-group, considered separately, and PN_{01} , and QN_{01} the price index and quantity index of the second sub-group, considered separately, while P_{01} and Q_{01} are the price index and quantity index of the whole group. Suppose that, in a hypothetical year, the prices in the first sub-group become $PM_{01}pm_{0'}, PM_{01}pm_{0''}, PM_{01}pm_{0''},$ etc., and the quantities $QM_{01}qm_0'$, $QM_{01}qm_0''$, $QM_{01}qm_0'''$, etc., while the prices in the second sub-group become $PN_{01}p_{\pi_0}$, $PN_{n1}p_{n_1}$, $PN_{n1}p_{n_2}$, etc., and the quantities $QN_{n1}q_{n_1}$, $QN_{01}qn_{0}^{\prime\prime}, QN_{01}qn_{0}^{\prime\prime\prime},$ etc. Combine the two sub-groups in the hypothetical year and let PMN_{01} and QMN_{01} be the price index and the quantity index of the combined group in the hypothetical year in relation to the whole group of commodities in the base year. Then, if the formulæ are correct, we should have $PMN_{01} = P_{01}$ and $QMN_{01} = Q_{01}$.

The writer's formulæ comply with this condition. Noting that the formula for P_{01} may be written

$$\begin{pmatrix} \underline{\Sigma}p_1q_1\\ \underline{\Sigma}p_0q_0 \end{pmatrix} \xrightarrow{\Sigma \vee \mathbb{P}_3}_{\mathbb{P}}$$

we have

$$PMN_{01} = \left(\frac{\sum PM_{01}pm_{0}QM_{01}qm_{0}}{\sum PN_{01}pn_{0}QN_{01}qn_{0}} + \frac{\sum PM_{01}pm_{0}QM_{01}qm_{0}}{\sum pm_{0}qm_{0} + \sum pn_{0}qm_{0}}\right)^{\frac{\sum PM_{01}pm_{0}QM_{01}qm_{0}}{p_{0}}}$$

$$= \left(\frac{\sum p_{m_1}q_{m_1} + \sum p_{m_1}q_{m_1}}{\sum p_{m_0}q_{m_0} + \sum p_{m_0}q_{m_0}}\right)^{\frac{\sum V^{\frac{N}{M_0}p_0} + \sum p_{m_0}q_{m_0}}{\sum p_{m_0}q_{m_0} + \sum p_{m_0}q_{m_0}}}$$

But and

$$\frac{\sum V \frac{PM_{s1}p_s}{p_s} = \sum V \frac{p_{m_1}}{p_{m_2}}}{\sum V \frac{PN_{s1}p_s}{p_s}} = \sum V \frac{p_{m_1}}{p_{m_2}}$$

Hence

$$PMN_{01} = \left(\frac{\sum p_{m_1}q_{m_1} + \sum p_{n_1}q_{m_1}}{\sum p_{m_0}q_{m_0} + \sum p_{n_0}q_{m_0}} \right)^{\frac{\sum (p_{m_1}q_{m_1} + p_{m_1}q_{m_0} - p_{m_0}q_{m_0} - p_{m_0}q_{m_0} - p_{m_0}q_{m_0} - p_{m_0}q_{m_0}} = \left(\frac{\sum p_1 q_1}{\sum p_0 q_0} \right)^{\frac{\sum (p_1 q_1 - p_0 q_0)}{p_0}} = P_{01}$$

Similarly $QMN_{01} = Q_{01}$.

The same property holds good into however many sub-groups the group of commodities may be divided, and, using the writer's formula, the price index may be calculated in a series of stages without affecting the ultimate result.

The "ideal" formulæ break down under this test also.

F

CHAPTER VII

THE PRACTICAL APPLICATION OF THE FORMULA FOR THE PRICE INDEX

WHILE the formula for the price index, as determined in the preceding chapters, is more correct than any of the formulæ in use, the calculations involved are so laborious that its use can be recommended only when close accuracy is required or when it is desired to give a complete picture, either in the form of indices or in that of percentages, of the changes in aggregate value due to the changes in price and in quantity of each of the separate commodities. Where fluctuations are not wide the results obtained by using Professor Fisher's "ideal" formulæ and by using the writer's formulæ differ very slightly. But neither the "ideal" formulæ nor any other formulæ at present in use will enable the complete picture to be given.

The following method is suggested for calculating the general price index and the general quantity index, but practice would no doubt enable simplifications to be made.

Arrange the names of the different commodities and the figures relating to them in columns, as follows :----

- Col. I: Numbers of the commodities.
- Col. 2: Names of the commodities and units' of measure.
- Col. 3: p_1

Col. 4: p_0 Col. $5: q_1$ Col. 6: q_0 Col. $7: p_1 q_1$ Col. 8: p_0q_0 Col. 9: $p_1q_1 - p_0q_0$ Col. IO: $\log \phi_1$ Col. II : $\log p_n$ Col. 12 : $\log q_1$ Col. 13: $\log q_0$ Col. 14 : $\log \frac{p_1}{p_0}$ Col. 15 : $\log \frac{q_1}{q_0}$ Col. 16 : $\log \frac{p_1 q_1}{p_0 q_0}$ Col. 17: $\frac{\log \frac{p_1}{p_0}}{\log \frac{p_{19_1}}{p_{99_0}}}$ Col. 18: $(p_1q_1 - p_0q_0) \frac{\log \frac{p_1}{p_0}}{\log \frac{p_1q_1}{p_0}}$

In columns 14 to 16, as the items enter into operations of multiplication and division, the logarithms, when negative, should be expressed as completely negative numbers and not in the usual way, in which the mantissa is positive and the characteristic is negative.

Dividing
$$\Sigma(p_1q_1 - p_0q_0) \frac{\log \frac{p_1}{p_0}}{\log \frac{p_1q_1}{p_0q_0}}$$
, the total of column

68 THE MATHEMATICAL PROBLEM OF THE PRICE INDEX 18, by $\Sigma(p_1q_1 - p_0q_0)$, the total of column 9, and multiplying by $\log \frac{\Sigma p_1q_1}{\Sigma p_0q_0}$, calculated from the totals of columns 7 and 8, we obtain

$$\frac{\Sigma(p_1q_1 - p_0q_0) \frac{\log \frac{p_1}{p_0}}{\log \frac{p_1q_1}{p_0q_0}}{\log \frac{p_1q_1}{p_0q_0}}$$

This is equal to $\log P_{01}$, whence P_{01} can be obtained. Again, $\log Q_{01} = \log \frac{\sum p_1 q_1}{\sum p_0 q_0} - \log P_{01}$, so that Q_{01} can be easily calculated.

If we desire to obtain the price indices, quantity indices and value indices of the separate commodities, additional columns are necessary.

Col. 19:
$$\frac{p_{1q_{1}} - p_{0q_{0}}}{\Sigma(p_{1q_{1}} - p_{0q_{0}})}$$
$$(p_{1q_{1}} - p_{0q_{0}})\frac{\log \frac{p_{1}}{p_{0}}}{\log \frac{p_{1q_{1}}}{p_{0q_{0}}}}$$
Col. 20:
$$\frac{(p_{1q_{1}} - p_{0q_{0}})}{\Sigma(p_{1q_{1}} - p_{0q_{0}})}\frac{\log \frac{q_{1}}{p_{0q_{0}}}}{\log \frac{p_{1q_{1}}}{p_{0q_{0}}}}$$
Col. 21:
$$\frac{\sum(p_{1q_{1}} - p_{0q_{0}})}{\Sigma(p_{1q_{1}} - p_{0q_{0}})}$$
Col. 22:
$$\left(\log \frac{\Sigma p_{1q_{1}}}{\Sigma p_{0q_{0}}}\right)\frac{p_{1q_{1}} - p_{0q_{0}}}{\Sigma(p_{1q_{1}} - p_{0q_{0}})}$$
$$(p_{1}q_{1} - p_{0}q_{0}) \frac{\log \frac{p_{1}}{p_{0}}}{\log \frac{p_{1}q_{1}}{p_{0}q_{0}}}$$
Col. 23: $\left(\log \frac{\sum p_{1}q_{1}}{\sum p_{0}q_{0}}\right) \frac{\sum (p_{1}q_{1} - p_{0}q_{0})}{\sum (p_{1}q_{1} - p_{0}q_{0})}$
 $(p_{1}q_{1} - p_{0}q_{0}) \frac{\log \frac{q_{1}}{q_{0}}}{\log \frac{p_{1}q_{1}}{p_{0}q_{0}}}$
Col. 24: $\left(\log \frac{\sum p_{1}q_{1}}{\sum p_{0}q_{0}}\right) \frac{\sum (p_{1}q_{1} - p_{0}q_{0})}{\sum (p_{1}q_{1} - p_{0}q_{0})}$

Column 21 may be calculated by subtracting from each item of column 19 the corresponding item of column 20, and column 24 may be calculated by subtracting from each item of column 22 the corresponding item of column 23.

Column 22 gives us, for each commodity, log $V_{v_{a}}$, whence $V_{v_{n}}$, the value index, can be obtained.

Similarly $P_{P_{n}}$, the price index, can be obtained, for each commodity, from column 23, and $Q_{q_{n}}$, the quantity index, from column 24.

With one additional column we shall be in a position to give the increase in value due to the increase in the price and in the quantity of each commodity, both in absolute figures and as a percentage of the aggregate increase in value.

The column required is :

Col. 25:
$$(p_1q_1 - p_0q_0) \frac{\log \frac{q_1}{q_0}}{\log \frac{p_1q_1}{p_0q_0}}$$

This may be calculated by subtracting from each item of column 9 the corresponding item of column 18.

70 THE MATHEMATICAL PROBLEM OF THE PRICE INDEX

Column 9 gives us the increase in the value of each commodity due to the change both in price and in quantity and the total is the increase in aggregate value.

Column 18 gives us the increase in the value of each commodity due to the change in price and the total is the increase in aggregate value due to all the changes in price.

Column 25 gives us the increase in the value of each commodity due to the change in quantity and the total is the increase in aggregate value due to all the changes in quantity.

Columns 19, 20 and 21 (each item being multiplied by 100) give us the same increases in value expressed as percentages of the aggregate increase in value.

To express the same increases of value as percentages of the aggregate value in the base year we need three more columns.

Col. 26:
$$\frac{p_{1q_{1}} - p_{0q_{0}}}{\Sigma p_{0q_{0}}}$$
$$(p_{1q_{1}} - p_{0q_{0}}) \frac{\log \frac{p_{1}}{p_{0}}}{\log \frac{p_{1q_{1}}}{p_{0q_{0}}}}$$
Col. 27:
$$\frac{(p_{1q_{1}} - p_{0q_{0}}) \frac{\log \frac{q_{1}}{p_{0}}}{\Sigma p_{0q_{0}}}}{(p_{1q_{1}} - p_{0q_{0}}) \frac{\log \frac{q_{1}}{q_{0}}}{\log \frac{p_{1q_{1}}}{p_{0q_{0}}}}}$$
Col. 28:
$$\frac{\Sigma p_{0q_{0}}}{\Sigma p_{0q_{0}}}$$

The percentages are obtained by multiplying each item of columns 26, 27 and 28 by 100.

THE PRACTICAL APPLICATION OF THE FORMULA 71

An illustration of the use of the writer's formulæ is given in the following tables, in which they are applied to the group of commodities taken by Professor Fisher himself as the basis of his calculations in "The Making of Index Numbers." The group contains 36 commodities, with prices and quantities for six successive years, 1913 to 1918, and our example relates to the prices and quantities in 1913 and 1917.¹ The difference between the price index as calculated by the "ideal" formula and the price index as calculated by the writer's formula is trifling; the "ideal" formula gives 161.56, while the writer's formula gives 161.74.

¹ For the full list of prices and quantities see pages 489 and 490 of "The Making of Index Numbers." Our p_1 and q_1 correspond to p_4 and q_4 in the full list.

TABLE I.

7

Prices and Quantities ¹ in the Given Year and in the Base Year in the Example Chosen.

No. of com- modity.	Commodity and unit of measure.	₽1	Þ.	91	90
I	Bacon, lb.	0'2382	0'1236	1187.00	1077.00
2	Barley, bu.	1.3232	0.6261	200.00	178.20
3	Beef, lb.	0.1672	0.1502	8417.00	6580.00
4	Butter, lb.	0.4034	0.2969	1842.00	1757.00
Ś	Cattle, cwt.	15.6354	12.0396	103.20	69.80
6	Cement, bbl.	2.0942	1.5800	88.10	85.80
7	Coal, anth., ton	5.6218	5.0636	7.83	6.90
8	Coal, bit., ton .	3.2800	1.2700	552.00	477.00
9	Coffee, lb	0.0050	0.1113	1320.00	863.00
10	Coke, short ton	10.000	3.0300	56.70	46.30
II	Copper, lb	0.2764	0.1233	1316.20	812.30
12	Cotton lb	0.2320	0.1279	3423.00	2785.00
13	Eggs, doz.	0.4012	0.2468	1882.00	1722.00
14	Hay, ton	17.6042	11.500	94'90	79.20
15	Hides, lb	0.3838	0.1727	1113.00	672.00
10	Hogs, cwt.	15.7047	8.3654	67.80	68.40
17	Iron, bar, cwt.	4.0000	1.2100	133.00	79.20
18	Iron, pig, ton	38.8082	14'9025	38.20	31.00
19	Lead (white), lb.	0.1151	0.0626	230.00	286.00
20	Lead, lb.	0.0820	0.0432	1099.80	823.70
21	Lumber, M. bd. ft.	105.0400	90'3974	21.50	21.80
22	Mutton Ib.	0'1664	0.1052	474.00	732.00
23	Petroleum, gal.	0.1245	0.1533	14880.00	10400'00
24	Pork, Ib.	0.2435	0.1480	8427.00	9211.00
25	Rubber, Ib.	0.6477	0.8021	375.90	115.90
20	Silk, ID	5.9957	3.0083	29.40	10.10
27	Sliver, oz	0.8142	0.2090	133.00	140.10
28	Skins, skin	5.208	2.2933	2.70	0.20
29	Steel rails, ton .	38.0000	28.0000	2.94	3.20
30	Tin, pig, cwt.	01.0200	44'3200	1.20	1.04
31	lin, plate, cwt.	9.1220	3.2283	29.20	15.30
32	Wheat, ou	2.3211	0.0131	005.00	555.00
33		1'2041	0.2993	707:00	448.00
54	Lune, DDL, 300 ID.	1.2004	1.2500	24.00	23.30
35	Cote bu	0.2170	0.1101	927.00	1100.00
30	Uais, Di	0.0322	0.3728	1207.00	1122.00

¹ The prices are expressed in dollars per unit and the quantities in millions of units.

TABLE II.

No. of com- modity.	Commodity.	Price indices of Separate commodities.	Quantity indices of separate commodities.	Value indices of separate commodities.
		100 Pp _{e1}	100 Q4e1	100 V v _{e1}
I	Bacon , ,	100.71	100.10	100'73
2	Barley .	100.74	100.50	100.00
3	Beef .	101.54	101.48	103.04
4	Butter	101.02	100.10	101.50
5	Cattle	101.60	102.26	104.30
6	Cement	100'24	100.02	100'36
7	Coal, anth.	100.05	100.04	100.02
8	Coal, bit.	106.71	100.05	107.69
9	Coffee	99.89	100'25	100.14
10	Coke	102.10	100.32	102.24
11	Copper	100.21	100.28	101.30
12	Cotton	101.83	100.38	102.42
13	Eggs .	101.25	100.38	101.80
14	Hay	103.02	101.55	104'30
15	Hides	100.23	100.24	101.08
ID	Hogs .	102.74	99.96	102.20
17	Iron, Dar	101.20	100.28	102.30
18	Iron, pig	104 66	101.00	105.78
19	Lead (white) .	100.00	99.97	100.03
20	Lead	100.23	100.10	100.33
21	Lumber	101.2	99.68	101.30
22	Fotroloum	100.20	99.82	100.05
*5	Pork	100.00	103.04	103.11
	Pubbar	104.01	99.19	103.75
4) 26	Silt	99'81	101.00	100.91
27	Silver	100.27	100.39	100.55
28	Skine	100.10	99.92	100.17
20	Steel rails	99.93	100.09	100.01
30	Tin nig	100-17	99.90	100.07
31	Tin plate	10012	10015	100 27
32	Wheat	100 45	100 40	101 17
33	Wool	104 14	100 42	104 97
34	Lime	100:07	100.01	100.02
35	Lard	100'58	100.02	102.77
šč	Oats	101.94	101.32	103.24
	General Indices	161.74	118.80	192.23
		100P ₀₁	100Q ₆₁	$100 \frac{\sum p_1 q_1}{\sum p_0 q_0}$

Price Indices, Quantity Indices and Value Indices of Separate Commodities.

TABLE III.

Changes in Aggregate Value due to the Changes in Price Quantity and Value of Separate Commodities, in Absolut Figures and as Percentages of the Aggregate Value in the Base Year.

No. of mod- ity.	Commod- ity.	Increases in value due to increases in price of separ- ate com- modities.	Increases in value due to in- creases in quantity of separ- ate com- modities.	Increases in value of separate commo- dities.	Increases in value due to in- creases in price ex- pressed as per- centages of the aggregate value in the base year.	Increases in value due to increases in quan- tity ex- pressed as per- centages of the aggregate value in the base year.	Increases in value of separate commodities expressed as per- centages of the aggregate value in the base year.
		VP1 Pa	V <u>ei</u> fo	¢191 — Pole	100 V <u>P1</u> <u>P</u> 9 Σρ ₉ 4 ₀	100 VA 100 Zpele	<u>100 (p₁q₁-p_qq_e)</u> Σρ _q q _e
	Bacon .	110-3000	10-1161	140.6262	100.0	0.148	I-142
2.	Barley	135-0624	28.0707	164-0421	1.017	0.331	1.229
	Beef	282.0241	271-1228	554-0460	2.140	2.069	4.228
4	Butter .	101-8420	20.5675	221.4005	1.404	0.226	1-690
	Cattle .	110-2420	467.6578	777-8008	2.367	3.569	5-936
ŏ	Cement	44.7348	4.2002	48.0350	0.341	0.033	0-374
÷.	Coal. antb.	4 1102	4.0607	0.0700	0.011	0.038	0.000
Ŕ	Coal bit.	1201-1107	160-2503	7970-9700	0.101	1.202	10-457
ŏ	Coffee .	- 10.6607	26.5761	6-0144	-0.140	0.153	0-203
10	Coke	800-7415	64-3075	464-1920	1.020	0.401	3*542
11	Copper	191-5727	107-7811	230-2550	T'004	0.822	1.826
	Cotton	934-2727	712-4014	448:2025	2.554	0.866	3'420
	Roos	270-1866	\$7.0468	220-6234	9-122	0.100	2.525
÷3	Hav	555-2426	224-2050	270.6186	4-218	1.711	4-04Q
- 22	Hides	08-2186	100:4834	108:2020	0.740	0.767	1.516
22 22	Home	400-5100	_6088	400.000	0.949	-0.053	9.750
	Iron bar	499 3030 176-Boot	744:6600	47012880	31101	1.103	\$1208
	Iron nig	84130271	1 100.6844	420-3000	61449	1.403	7-035
10	Lond Land	044-2140	195.0037	1033.0330	0.444		,,,,,,
xg	(mbita)			6a.		-0.017	0:040
	Tand	11-3315	-4.0021	60.6060	0.000	-003/	01403
20	Loau .	43'9222	17.7343	00.0707	0.327	-0130	7-055
31	Lunder .	314.0035	-30.3000	330.1047	2.401	-0.440	0-020
33	Detrolature	37-2700	35 4 3 4 4	3.0430	0.304	-0.233	4.317
23	Derle	11-2304	334-3170	303.7700	0.000	4.4.3.4	#-214
34	Pubben	-33-3447	- 120.1049	003-2109	0.339	7.493	1-145
25	CUDDEL	- 34:4719	104.4001	150.0082	-0.203	0.280	0.225
20	Cibrant •	50.0132	51.0110	101.0221	0.300	0.309	o // 3
27	Shine .	30'1404	- 0.7371	21.4093	0.530		-0.018
28	Steel mil-	12-2097	-14-0110	-2.4019	0.032	-0.720	0-105
29	Tin nia	31.9700	-10.3200	13.7200	0'244	-0.134	0-181
30	Tip plat-	22.4720	27.0080	50.0013	0-171	0.679	71630
31	Wheat	Bar.c.5520	00.2120	807:435	6.266	0.680	6.849
32	Wool	406-697	73.9300	544950	0.209	TATO	4-010
33	Time .	400.0375	437-0530	044-3003	3.103	0:003	0.100
34	• • • • •	12.0003	- 46-00	13-1240	0.002	-0.206	0.011
32		107 0443		180.490	0.017	1.481	4.400
30		355.0903	233.0993	209.2000	3.710	1-703	
	lotais .	0092'0543	4193.4721	12030-3205	07.037	24.301	
		2773	EV11	$\Sigma(p_1q_1 - p_2q_2)$	1002778	100 EV12	$\frac{100\Sigma(p_1q_1-p_1q_2)}{\Sigma p_1q_2}$
					2.Pello	4 P 0%8	

.