

DEPARTMENT OF STATISTICS
(COMPUTER SECTION)
UNIVERSITY OF LONDON, UNIVERSITY COLLEGE

TRACTS FOR COMPUTERS

EDITED BY KARL PEARSON, F.R.S.

No. I

Tables of the Digamma and Trigamma Functions

By ELEANOR PAIRMAN, M.A.

CAMBRIDGE UNIVERSITY PRESS

C. F. CLAY, MANAGER

LONDON: FETTER LANE, E.C. 4

ALSO

Lewis & Co., Ltd., 136, Gower Street, London, W.C. 1

W.M. WESLEY & SON, 28, Essex Street, London, W.C. 2

Chicago : University of Chicago Press

Melbourne, Calcutta, Madras : Macmillan & Co., Limited

Toronto : J. M. Dent & Sons, Limited

Tokyo : The Maruzen-Kabushiki-Kaisha

1919

Price Three Shillings net

The Cambridge University Press, Fetter Lane, London, E.C. 4, and their Agents, are now the sole Agents for the sale of the following publications of the Biometric and Galton Laboratories, University of London:

Eugenics Laboratory Publications

MEMOIR SERIES.

- I. The Inheritance of Ability. By EDGAR SCHUSTER, D.Sc., Formerly Galton Research Fellow, and ETHEL M. ELDERTON, Galton Scholar. Price 4s. net.
- II. A First Study of the Statistics of Insanity and the Inheritance of the Insane Diathesis. By DAVID HERON, D.Sc., Formerly Galton Research Fellow. Price 8s. net.
- III. The Promise of Youth and the Performance of Manhood. By EDGAR SCHUSTER, D.Sc., formerly Galton Research Fellow. Price 2s. 6d. net.
- IV. On the Measure of the Resemblance of First Cousins. By ETHEL M. ELDERTON, Galton Research Fellow, assisted by KARL PEARSON, F.R.S. Price 8s. 6d. net.
- V. A First Study of the Inheritance of Vision and of the Relative Influence of Heredity and Environment on Sight. By AMY BARRINGTON and KARL PEARSON, F.R.S. Price 4s. net.
- VI. Treasury of Human Inheritance (Pedigrees of physical, psychical, and pathological Characters in Man). Parts I and II (double part). (Diabetes insipidus, Split-Foot, Polydactylyism, Brachydactylyism, Tuberculosis, Deaf-Mutism, and Legal Ability.) Price 14s. net.
- VII. The Influence of Parental Occupation and Home Conditions on the Physique of the Offspring. By ETHEL M. ELDERTON, Galton Research Fellow. [In preparation]
- VIII. The Influence of Unfavourable Home Environment and Defective Physique on the Intelligence of School Children. By DAVID HERON, M.A., D.Sc., Formerly Galton Research Fellow. Price 4s. net. Sold only with complete sets.
- IX. The Treasury of Human Inheritance (Pedigrees of physical, psychical, and pathological Characters in Man). Part III. (Angioneurotic Oedema, Hermaphroditism, Deaf-Mutism, Insanity, Commercial Ability.) Price 6s. net.
- X. The Influence of Parental Alcoholism on the Physique and Intelligence of the Offspring. By ETHEL M. ELDERTON, assisted by KARL PEARSON. Second Edition. Price 4s. net.
- XI. The Treasury of Human Inheritance (Pedigrees of physical, psychical, and pathological Characters in Man). Part IV. (Cleft Palate, Hare-Lip, Deaf-Mutism, and Congenital Cataract.) Price 10s. net.
- XII. The Treasury of Human Inheritance (Pedigrees of physical, psychical, and pathological Characters in Man). Parts V. and VI. (Haemophilia.) Price 16s. net.
- XIII. A Second Study of the Influence of Parental Alcoholism on the Physique and Intelligence of the Offspring. By KARL PEARSON, F.R.S., and ETHEL M. ELDERTON. Price 4s. net.
- XIV. A Preliminary Study of Extreme Alcoholism in Adults. By AMY BARRINGTON and KARL PEARSON, F.R.S., assisted by DAVID HERON, D.Sc. Price 4s. net.
- XV. The Treasury of Human Inheritance. Dwarfism, with 49 Plates of Illustrations and 8 Plates of Pedigrees. Price 16s. net.
- XVI. The Treasury of Human Inheritance. Prefatory matter and indices to Vol. I. With Frontispiece Portraits of Sir Francis Galton and Ancestry. Price 8s. net.
- XVII. A Second Study of Extreme Alcoholism in Adults. With special reference to the Home-Office Inebriate Reformatory data. By DAVID HERON, D.Sc. Price 5s. net.
- XVIII. On the Correlation of Fertility with Social Value. A Cooperative Study. Price 6s. net.
- XIX—XX. Report on the English Birthrate. Part I. England, North of the Humber. By ETHEL M. ELDERTON, Galton Research Fellow. Price 9s. net.

Vol. I of *The Treasury of Human Inheritance* (VI+IX+XI+XII+XIII+XV+XVI of the above memoirs) may now be obtained bound in buckram, price 52s. 6d. net. Buckram cases for binding can be purchased at 2s. 9d. with impress of the bust of Sir Francis Galton. A photograph (11" x 13") of Sir Francis Galton by the late Mr Dew Smith can be obtained by sending a postal order for 10s. 6d. to the Secretary to the Laboratory, University College, London, W.C.

LECTURE SERIES. Price 1s. net each (Nos. III and X excepted).

- I. The Scope and Importance to the State of the Science of National Eugenics. By KARL PEARSON, F.R.S. Third Edition.
- II. The Groundwork of Eugenics. By KARL PEARSON, F.R.S. Second Edition.
- III. The Relative Strength of Nurture and Nature. Much enlarged Second Edition. Part I. The Relative Strength of Nurture and Nature. (Second Edition revised.) By ETHEL M. ELDERTON. Part II. Some Recent Misinterpretations of the Problem of Nurture and Nature. (First Issue.) By KARL PEARSON, F.R.S. Price 2s. net.
- IV. On the Marriage of First Cousins. By ETHEL M. ELDERTON.

TRACTS FOR COMPUTERS

No. I

PREFATORY NOTE

During the course of the past five years the Department of Applied Statistics in the University of London (University College) has carried out a great deal of computing work of one kind or another bearing on special war problems of a physical character. Its members have been struck by the absence of any simple text-book for the use of computers and still more by the absence of obviously necessary auxiliary tables. The present series of *Tracts for Computers* will endeavour to fill this gap as far as it lies in our power. It will not concern itself with the higher mathematical theory, but solely with the practical difficulties of the computer, or rather such difficulties as we have met with in our own experience. The first tract will be followed not only by others containing recently computed tables or by the republication of old tables at present very inaccessible, but by tracts dealing with interpolation, quadrature, mechanical integration, calculating machines, tabling machines, and bibliographies of memoirs and of tables having special value to the practical computer. In regard to the present tract, giving the values of the digamma and trigamma functions, we should ourselves have been saved many weeks of work had it been in existence four years ago. Further, we believe it will be of help not only in many physical problems, other than those we have had to deal with ourselves, but to the schoolmaster, who grasps the urgent importance of teaching practical mathematics to the modern schoolboy. The table of logarithms is not the only table that a schoolboy should learn to handle. In most modern computing laboratories a table of logarithms is very rarely used—and when used it is generally one to 10 or 14 figures* where multiplications are necessary which exceed the range of the ordinary multiplying machine. Nowadays the schoolboy ought to be practised in computing, and this practice should run parallel with his algebraic work. He should be exercised in the use of tables which are not becoming obsolete

* And where in seeking the antilog. the schoolboy's knowledge of the process is idle!

like the smaller tables of logarithms. He comes at a fairly early stage to the summation of series and he is liable to regard certain series as unsummable because he has not approached them numerically, just as he unfortunately regards certain integrals as unintegrable, because he is not introduced at a quite early stage to graphical, mechanical and numerical methods of quadrature. The present tract covers a very wide class of numerically summable series, and we can conceive no better practice than the schoolmaster could provide for his pupils by teaching them to sum all such series by tabular aid. If the pupil be asked at the same time to compare the result obtained by summing directly 15 to 20 terms of the series set (using tables of logarithms if he likes !), he will have learnt during the process a good deal of the practical value of logarithms, of tests for convergency, of partial fractions, of interpolation and of the value of tabular aids to the computer. He will further have realised that "proportional parts" are neither the sole nor necessarily adequate method of entering a table;—a belief not indeed infrequently found to dominate the post-graduate as well as the schoolboy mind and probably arising from the same limitation of experience—the very words "mathematical tables" being treated as synonymous with the smaller tables of common and trigonometrical logarithms.

K. P.

August 1919.

TABLES OF THE DIGAMMA AND TRIGAMMA FUNCTIONS

$$\frac{d}{dz} \log \Gamma(1+z) \text{ AND } \frac{d^2}{dz^2} \log \Gamma(1+z),$$

TO FACILITATE THE SUMMATION OF SERIES OF THE FORM

$$S = \sum_{i=1}^{\infty} \frac{a_0 + a_1 i + a_2 i^2 + \dots + a_{n-1} i^{n-1}}{(p_1 i + q_1)(p_2 i + q_2) \dots (p_n i + q_n)}.$$

BY ELEANOR PAIRMAN, M.A.

In work recently undertaken by the Biometric Laboratory on the torsion-flexure of aeroplane propeller blades it was found necessary to sum a large number of series of the form

$$S = \sum_{i=1}^{\infty} \frac{a_0 + a_1 i + a_2 i^2 + \dots + a_{n-1} i^{n-1}}{(p_1 i + q_1)(p_2 i + q_2) \dots (p_n i + q_n)},$$

where the a 's, p 's and q 's are numerical quantities; and any number of pairs of factors in the denominator may be equal. By multiplying numerator and denominator by a suitable numerical factor this can always be thrown into the form

$$S = \sum_{i=1}^{\infty} \frac{b_0 + b_1 i + b_2 i^2 + \dots + b_{m+2n-1} i^{m+2n-1}}{(i+r_1)(i+r_2) \dots (i+r_m)(i+s_1)^2(i+s_2)^2 \dots (i+s_n)^2}.$$

As it stands this series is only very slowly convergent, as many as from 60 to 80 terms being sometimes required to calculate it to eight figure accuracy.

The expression can always be broken up into partial fractions and we have

$$S = \sum_{i=1}^{\infty} \left[\frac{A_1}{i+r_1} + \frac{A_2}{i+r_2} + \dots + \frac{A_m}{i+r_m} + \frac{B_1}{i+s_1} + \frac{B_2}{i+s_2} + \dots + \frac{B_n}{i+s_n} + \frac{C_1}{(i+s_1)^2} + \frac{C_2}{(i+s_2)^2} + \dots + \frac{C_n}{(i+s_n)^2} \right],$$

where the A 's, B 's and C 's are readily determined.

We cannot, however, re-arrange the terms in S and sum each of the series $\sum \frac{A_1}{i+r_1}$, ..., $\sum \frac{B_1}{i+s_1}$, ..., $\sum \frac{C_1}{(i+s_1)^2}$... separately, since a series of the form $\sum \frac{1}{i+\alpha}$ is divergent.

Calling the i th term in the series $v(i)$ we have

$$\begin{aligned} v(i) &= \frac{A_1}{i+r_1} + \frac{A_2}{i+r_2} + \dots + \frac{A_m}{i+r_m} + \frac{B_1}{i+s_1} + \frac{B_2}{i+s_2} + \dots + \frac{B_n}{i+s_n} \\ &\quad + \frac{C_1}{(i+s_1)^2} + \frac{C_2}{(i+s_2)^2} + \dots + \frac{C_n}{(i+s_n)^2} \\ &= A_1 \left(\frac{1}{i+r_1} - \frac{1}{i} \right) + A_2 \left(\frac{1}{i+r_2} - \frac{1}{i} \right) + \dots + A_m \left(\frac{1}{i+r_m} - \frac{1}{i} \right) \\ &\quad + B_1 \left(\frac{1}{i+s_1} - \frac{1}{i} \right) + B_2 \left(\frac{1}{i+s_2} - \frac{1}{i} \right) + \dots + B_n \left(\frac{1}{i+s_n} - \frac{1}{i} \right) \\ &\quad + \frac{C_1}{(i+s_1)^2} + \frac{C_2}{(i+s_2)^2} + \dots + \frac{C_n}{(i+s_n)^2} \\ &\quad + \frac{1}{i} (A_1 + A_2 + \dots + A_m + B_1 + B_2 + \dots + B_n). \end{aligned}$$

Also from the general theory of Partial Fractions we have*

$$A_1 + A_2 + \dots + A_m + B_1 + B_2 + \dots + B_n = 0,$$

which gives $v(i) = -\frac{A_1 r_1}{i(i+r_1)} - \frac{A_2 r_2}{i(i+r_2)} - \dots - \frac{A_m r_m}{i(i+r_m)} - \frac{B_1 s_1}{i(i+s_1)} - \frac{B_2 s_2}{i(i+s_2)} - \dots - \frac{B_n s_n}{i(i+s_n)} + \frac{C_1}{(i+s_1)^2} + \frac{C_2}{(i+s_2)^2} + \dots + \frac{C_n}{(i+s_n)^2}.$

* If

$$\begin{aligned} &\frac{b_0 + b_1 i + b_2 i^2 + \dots + b_{m+2n-2} i^{m+2n-2}}{(i+r_1)(i+r_2)\dots(i+r_m)(i+s_1)^2(i+s_2)^2\dots(i+s_n)^2} \\ &= \frac{A_1}{i+r_1} + \dots + \frac{A_m}{i+r_m} + \frac{B_1}{i+s_1} + \dots + \frac{B_n}{i+s_n} + \frac{C_1}{(i+s_1)^2} + \dots + \frac{C_n}{(i+s_n)^2}, \end{aligned}$$

then

$$\begin{aligned} &b_0 + b_1 i + b_2 i^2 + \dots + b_{m+2n-2} i^{m+2n-2} \\ &\equiv A_1(i+r_1)\dots(i+r_m)(i+s_1)^2\dots(i+s_n)^2 + \dots + A_m(i+r_1)\dots(i+r_{m-1})(i+s_1)^2\dots(i+s_n)^2 \\ &\quad + B_1(i+r_1)\dots(i+r_m)(i+s_1)(i+s_2)^2\dots(i+s_n)^2 + \dots \\ &\quad + B_n(i+r_1)\dots(i+r_m)(i+s_1)^2\dots(i+s_{n-1})^2(i+s_n)^2 \\ &\quad + C_1(i+r_1)\dots(i+r_m)(i+s_2)^2\dots(i+s_n)^2 + \dots + C_n(i+r_1)\dots(i+r_m)(i+s_1)^2\dots(i+s_{n-1})^2. \end{aligned}$$

Equating the coefficients of i^{m+2n-1} on each side of this identity we obtain the result

$$A_1 + A_2 + \dots + A_m + B_1 + B_2 + \dots + B_n = 0.$$

But $\sum_{i=1}^{\infty} \frac{1}{i(i+a)}$ and $\sum_{i=1}^{\infty} \frac{1}{i(i+b)^2}$ are both absolutely convergent series. Hence we can now re-arrange the terms of S and have

$$\begin{aligned} S &= -A_1 \sum_{i=1}^{\infty} \frac{r_1}{i(i+r_1)} - A_2 \sum_{i=1}^{\infty} \frac{r_2}{i(i+r_2)} - \dots - A_m \sum_{i=1}^{\infty} \frac{r_m}{i(i+r_m)} \\ &\quad - B_1 \sum_{i=1}^{\infty} \frac{s_1}{i(i+s_1)} - B_2 \sum_{i=1}^{\infty} \frac{s_2}{i(i+s_2)} - \dots - B_n \sum_{i=1}^{\infty} \frac{s_n}{i(i+s_n)} \\ &\quad - C_1 \sum_{i=1}^{\infty} \frac{1}{(i+s_1)^2} - C_2 \sum_{i=1}^{\infty} \frac{1}{(i+s_2)^2} - \dots - C_n \sum_{i=1}^{\infty} \frac{1}{(i+s_n)^2}. \end{aligned}$$

Now it is known* that

$$\frac{d}{dt} \log \Gamma(1+t) = -\gamma + \sum_{n=1}^{\infty} \frac{t}{n(n+t)},$$

$$\frac{d^2}{dt^2} \log \Gamma(1+t) = \sum_{n=1}^{\infty} \frac{1}{(n+t)^2},$$

where γ = Euler's Constant = 0.5772157....

Therefore

$$\begin{aligned} S &= -A_1 \left\{ \frac{d}{dr_1} \log \Gamma(1+r_1) + \gamma \right\} - A_2 \left\{ \frac{d}{dr_2} \log \Gamma(1+r_2) + \gamma \right\} - \dots \\ &\quad - A_m \left\{ \frac{d}{dr_m} \log \Gamma(1+r_m) + \gamma \right\} \\ &\quad - B_1 \left\{ \frac{d}{ds_1} \log \Gamma(1+s_1) + \gamma \right\} - B_2 \left\{ \frac{d}{ds_2} \log \Gamma(1+s_2) + \gamma \right\} - \dots \\ &\quad - B_n \left\{ \frac{d}{ds_n} \log \Gamma(1+s_n) + \gamma \right\} \\ &\quad + C_1 \frac{d^2}{ds_1^2} \log \Gamma(1+s_1) + C_2 \frac{d^2}{ds_2^2} \log \Gamma(1+s_2) + \dots + C_n \frac{d^2}{ds_n^2} \log \Gamma(1+s_n); \end{aligned}$$

or putting $\frac{d}{dr_i} \log \Gamma(1+r_i) = F(r_i)$,

$$\frac{d^2}{dr_i^2} \log \Gamma(1+r_i) = F'(r_i),$$

and remembering that $A_1 + \dots + A_m + B_1 + \dots + B_n = 0$, we have finally

$$\begin{aligned} S &= -A_1 F(r_1) - A_2 F(r_2) - \dots - A_m F(r_m) \\ &\quad - B_1 F(s_1) - B_2 F(s_2) - \dots - B_n F(s_n) \\ &\quad + C_1 F(s_1) + C_2 F(s_2) + \dots + C_n F(s_n). \end{aligned}$$

* Cf. Whittaker and Watson, *Modern Analysis* (2nd Edition), § 12.16.

† It is convenient to speak of these functions as the "digamma and trigamma functions."

TABLES OF THE DIGAMMA AND

where $F(z)$ and $F'(z)$ are the functions here tabled for values of z from $z=0.00$ to $z=20.00$, the increment in z being .02.

The tables were calculated by means of the asymptotic expansions for the logarithmic derivates of the Gamma-function

$$F(z) = \frac{d}{dz} \log \Gamma(1+z) = \log(1+z) - \frac{1}{2} \frac{1}{z+1} + \sum_{r=1}^{\infty} \frac{(-)^r B_r}{2r(1+z)^{2r}},$$

$$F'(z) = \frac{d^2}{dz^2} \log \Gamma(1+z) = \frac{1}{1+z} + \frac{1}{2} \frac{1}{(z+1)^2} + \sum_{r=1}^{\infty} \frac{(-)^{r+1} B_r}{(1+z)^{2r+1}},$$

in conjunction with the formulae

$$F(z-1) = -\frac{1}{z} + F(z),$$

$$F(z-1) = \frac{1}{z^2} + F(z).$$

If values of the functions outside the range of the tables are desired they may be obtained from the first of these pairs of equations, or, alternatively, from the formulae

$$F(nz) = \log n + \frac{1}{n} \left\{ F\left(z - \frac{n-1}{n}\right) + F\left(z - \frac{n-2}{n}\right) + \dots + F\left(z - \frac{1}{n}\right) + F(z) \right\}$$

and

$$F(nz) = \frac{1}{n^2} \left\{ F\left(z - \frac{n-1}{n}\right) + F\left(z - \frac{n-2}{n}\right) + \dots + F\left(z - \frac{1}{n}\right) + F(z) \right\},$$

which are deduced from Gauss' multiplication-theorem for the Gamma-function.

This latter pair are the more useful for values of z lying between 20 and 40.

$$\begin{aligned} \text{E.g. } F(37.68) &= \log 2 + \frac{1}{2} [F(18.34) + F(18.84)] \\ &= .69314718 \\ &\quad + 1.46804980 \\ &\quad + \underline{1.48114342} \\ &= 3.64244040 \end{aligned}$$

$$\begin{aligned} F(37.68) &= \frac{1}{2} [F(18.34) + F(18.84)] \\ &= \frac{1}{2} \left\{ \begin{array}{l} -05306611 \\ +05169480 \end{array} \right\} \\ &= \frac{1}{2} [10476091] \\ &= .02619023. \end{aligned}$$

Besides the values of the functions there are tabled their second and fourth differences, and the formula of interpolation to be used is Everitt's Central Difference Formula:

$$\begin{aligned} f(a + \theta\omega) &= \theta f_1 + \phi f_0 - \frac{\theta\phi}{6} \{(\theta+1)\delta f_1 + (\phi+1)\delta f_0\} \\ &\quad + \frac{\theta\phi(\theta+1)(\phi+1)}{120} \{(\theta+2)\delta^2 f_1 + (\phi+2)\delta^2 f_0\} \end{aligned}$$

where

$$\omega = \text{increment in } a = .02,$$

$$f_1 = f(a + .02),$$

$$f_0 = f(a),$$

$$\theta + \phi = 1.$$

$$\text{E.g. } F(8.615),$$

$$a = 8.60, \quad \theta = \frac{1}{2}, \quad \phi = \frac{1}{2}.$$

$$F(8.615)$$

$$\begin{aligned} &= \frac{1}{2}(2.20877652) + \frac{\frac{1}{2} \cdot \frac{1}{2}}{6} \left\{ \frac{1}{2}(479) \right\} \\ &\quad + \frac{1}{2}(2.21096971) \quad \left\{ + \frac{1}{2}(482) \right\} \\ &= 2.21042186. \end{aligned} \qquad \qquad \qquad \begin{aligned} &= \frac{1}{2}(-10977999) - \frac{\frac{1}{2} \cdot \frac{1}{2}}{6} \left\{ \frac{1}{2}(106) \right\} \\ &\quad + \frac{1}{2}(-10953972) \quad \left\{ + \frac{1}{2}(105) \right\} \\ &= -10959969. \end{aligned}$$

It was not discovered until the present tables were almost completed that a certain portion of the work had been already performed. Gauss (*Werke*, Bd III, pp. 161, 162, Göttingen, 1863 etc.) gives tables of $\frac{d}{dz} \log \Gamma(1+z)$ correct to 18 decimal places for values of z between 0 and 1, the increment in z being .01. Prof. G. N. Watson (*Report of the British Association*, 1916, pp. 125, 126) gives tables of the same function correct to 13 decimal places for all integers and halves of odd integers from 0 to 100. These two valuable tables have been made use of as a check on the present 8-figure tables.

So far as has been discovered there are no other tables of $\frac{d^2}{dz^2} \log \Gamma(1+z)$.

The following illustrations are some which have recently occurred in practice. They were previously calculated by the longer method, and the results obtained from the two methods agree exactly.

$$\begin{aligned} \text{(i)} \quad S &= \sum_{i=1}^{\infty} \frac{1}{(4i+3)(4i+2)4i(4i+4)} \\ &= \sum_{i=1}^{\infty} \left[\frac{1}{3} \frac{1}{4i+3} - \frac{1}{4} \frac{1}{4i+2} + \frac{1}{24} \frac{1}{4i} - \frac{1}{8} \frac{1}{4i+4} \right] \\ &= \sum_{i=1}^{\infty} \left[\frac{1}{12} \frac{1}{i+75} - \frac{1}{16} \frac{1}{i+50} + \frac{1}{96} \frac{1}{i} - \frac{1}{32} \frac{1}{i+100} \right] \\ &= -\frac{1}{12} F(75) + \frac{1}{16} F(50) - \frac{1}{96} F(00) + \frac{1}{32} F(100). \end{aligned}$$

TABLES OF THE DIGAMMA AND

$$\begin{aligned} F(75) &= \frac{1}{2} \left\{ -23980321 \right\} + \frac{\frac{1}{2} \cdot \frac{1}{3} \cdot \frac{1}{4}}{6} \left\{ 22802 \right\} - \frac{\frac{1}{2} \cdot \frac{1}{3} \cdot \frac{1}{4} \cdot \frac{1}{5}}{120} \left\{ 27 \right\} \\ &\quad \left\{ + 25508551 \right\} \left\{ + 22161 \right\} \left\{ + 26 \right\} \\ &= 24744436 + 2810 - 1 = 24747245. \end{aligned}$$

$$\begin{aligned} \text{Hence } S &= \frac{00228062 - 02062270}{601266} \\ &\quad \underline{1321201} \\ &= 02150529 - 02062270 = 00088259. \end{aligned}$$

$$\begin{aligned} \text{(ii)} \quad S &= \sum_{i=1}^{\infty} \frac{1}{(4i+2)(4i+1)(4i+3)^2} \\ &= \sum_{i=1}^{\infty} \left[-\frac{1}{4i+2} + \frac{1}{4} \frac{1}{4i+1} + \frac{3}{4} \frac{1}{4i+3} + \frac{1}{2} \frac{1}{(4i+3)^2} \right] \\ &= \frac{1}{4} F(-50) - \frac{1}{16} F(-25) - \frac{3}{16} F(-75) + \frac{1}{32} F(-75). \end{aligned}$$

$$\begin{aligned} F(-25) &= -\frac{1}{2} \left\{ -23949368 \right\} + \frac{1}{16} \left\{ 54251 \right\} - \frac{3}{16} \left\{ 140 \right\} \\ &\quad \left\{ + 21554617 \right\} \left\{ + 52024 \right\} \left\{ + 129 \right\} \\ &= -22751993 + 6642 - 3 = -22745354. \end{aligned}$$

$$\begin{aligned} F(-75) &= \frac{1}{2} \left\{ -23980321 \right\} + \frac{1}{16} \left\{ 22802 \right\} - \frac{3}{16} \left\{ 27 \right\} \\ &\quad \left\{ + 25508551 \right\} \left\{ + 22161 \right\} \left\{ + 26 \right\} \\ &= 24744436 + 2810 - 1 = 24747245. \end{aligned}$$

$$\begin{aligned} F(-75) &= \frac{1}{2} \left\{ -76976109 \right\} - \frac{1}{16} \left\{ 32695 \right\} + \frac{3}{16} \left\{ 75 \right\} \\ &\quad \left\{ + 75852269 \right\} \left\{ 31363 \right\} \left\{ + 70 \right\} \\ &= 76414189 - 4004 + 2 = 76410187. \end{aligned}$$

$$\begin{aligned} \text{Hence } S &= 00912249 - 04640108 \\ &\quad \underline{01421585} \\ &\quad \underline{02387818} \\ &= 04721652 - 04640108 = 00081544. \end{aligned}$$

$$\begin{aligned} \text{(iii)} \quad S &= \sum_{i=1}^{\infty} \frac{30}{(60i+29)(60i+30)(60i+31)^2} \\ &= \sum_{i=1}^{\infty} \left[\frac{30}{4} \frac{1}{60i+29} - \frac{30}{60i+30} + \frac{90}{4} \frac{1}{60i+31} + \frac{30}{2} \frac{1}{(60i+31)^2} \right] \\ &= -\frac{1}{8} F(\frac{3}{8}) + \frac{1}{2} F(\frac{11}{8}) - \frac{3}{8} F(\frac{3}{4}) + \frac{3}{16} F(\frac{11}{4}). \end{aligned}$$

$$\begin{aligned} F(\frac{3}{8}) &= F(48 + \frac{1}{8}(02)) \\ &= \frac{1}{8} (01762627) + \frac{\frac{1}{8} \cdot \frac{5}{8}}{6} \left\{ \frac{11}{8} (34312) \right\} - \frac{\frac{1}{8} \cdot \frac{5}{8} \cdot \frac{11}{8}}{120} \left\{ \frac{11}{8} (60) \right\} \\ &\quad + \frac{1}{8} (03648997) \left\{ + \frac{1}{8} (33157) \right\} \left\{ + \frac{1}{8} (55) \right\} \\ &= 02077022 + 2352 - 1 = 02079373. \end{aligned}$$

$$\begin{aligned} F\left(\frac{1}{6}\right) &= F(50 + \frac{1}{6}(-02)) \\ &= \frac{1}{6}(03648997) + \frac{\frac{1}{6} \cdot \frac{1}{6}}{6} \left\{ -\frac{1}{6}(33157) \right\} - \frac{\frac{1}{6} \cdot \frac{1}{6} \cdot \frac{1}{6} \cdot \frac{1}{6}}{120} \left\{ +\frac{1}{6}(55) \right\} \\ &\quad + \frac{1}{6}(05502211) \left\{ +\frac{1}{6}(32056) \right\} \\ &= .05193842 + 2256 - 1 = .05195597. \end{aligned}$$

$$\begin{aligned} F\left(\frac{1}{6}\right) &= F(50 + \frac{1}{6}(-02)) \\ &= \frac{1}{6}(93480220) - \frac{\frac{1}{6} \cdot \frac{1}{6}}{6} \left\{ -\frac{1}{6}(56379) \right\} - \frac{\frac{1}{6} \cdot \frac{1}{6} \cdot \frac{1}{6} \cdot \frac{1}{6}}{120} \left\{ +\frac{1}{6}(178) \right\} \\ &\quad + \frac{1}{6}(91850353) \left\{ +\frac{1}{6}(53685) \right\} \\ &= .92121998 - 3801 + 2 = .92118199. \end{aligned}$$

Hence $S = .01824499 - .00259922$

$$\begin{aligned} &\frac{389826}{-02208325} - \frac{1948349}{-02208271} = .00000054. \end{aligned}$$

$$\begin{aligned} \text{(iv)} \quad S &= \sum_{i=1}^{\infty} \frac{1}{(2i+1)(6i-7)(6i+13)^2} \\ &= \sum_{i=1}^{\infty} \left[-\frac{1}{10^3} \frac{1}{2i+1} + \frac{3}{4} \frac{1}{10^3} \frac{1}{6i-7} + \frac{9}{4} \frac{1}{10^3} \frac{1}{6i+13} + \frac{3}{2} \frac{1}{10^3} \frac{1}{(6i+13)^2} \right] \\ &= \frac{1}{10^3} \left[\frac{1}{2} F(50) - \frac{1}{8} F\left(-\frac{7}{6}\right) - \frac{3}{8} F\left(\frac{13}{6}\right) + \frac{5}{12} F\left(\frac{13}{6}\right) \right], \end{aligned}$$

$$\begin{aligned} F\left(-\frac{7}{6}\right) &= \frac{1}{6} + F\left(-\frac{1}{6}\right) = \frac{1}{6} + \frac{1}{6} + F\left(\frac{1}{6}\right) \\ &= 6\frac{1}{6} + F(82 + \frac{1}{6}(-02)) \\ &= 6.85714286 + \frac{1}{6}(-29962710) + \frac{\frac{1}{6} \cdot \frac{1}{6}}{6} \left\{ -\frac{1}{6}(20390) \right\} - \frac{\frac{1}{6} \cdot \frac{1}{6} \cdot \frac{1}{6} \cdot \frac{1}{6}}{120} \left\{ +\frac{1}{6}(21) \right\} \\ &\quad + \frac{1}{6}(31405886) \left\{ +\frac{1}{6}(19845) \right\} \\ &= 6.85714286 + .30924827 + 2232 = 7.16641345. \end{aligned}$$

$$\begin{aligned} F\left(\frac{13}{6}\right) &= F(216 + \frac{1}{6}(-02)) \\ &= \frac{1}{6}(-98407878) + \frac{\frac{1}{6} \cdot \frac{1}{6}}{6} \left\{ -\frac{1}{6}(5468) \right\} \\ &\quad + \frac{1}{6}(-99148578) \left\{ +\frac{1}{6}(5389) \right\} \\ &= -98654778 + 604 = -98655382. \end{aligned}$$

$$\begin{aligned} F\left(\frac{13}{6}\right) &= F(216 + \frac{1}{6}(-02)) \\ &= \frac{1}{6}(-37171057) - \frac{\frac{1}{6} \cdot \frac{1}{6}}{6} \left\{ -\frac{1}{6}(3982) \right\} \\ &\quad + \frac{1}{6}(-36899640) \left\{ +\frac{1}{6}(3897) \right\} \\ &= -37080585 - 438 = -37080147. \end{aligned}$$

$$\begin{aligned} \text{Hence } S &= \frac{1}{10^3} \left[.01824499 - .89580168 \right. \\ &\quad \left. -.15450061 \quad .36995768 \right] \\ &= \frac{1}{10^3} [17274560 - 1.26575936] = -0.00109301. \end{aligned}$$

Studies in National Deterioration (continued).

- VII. On the Intensity of Natural Selection in Man. (On the Relation of Darwinism to the Infantile Death-rate.) By E. G. SNOW, D.Sc. Price 8s. net.

- VIII. A Fourth Study of the Statistics of Pulmonary Tuberculosis: the Mortality of the Tuberculous: Sanatorium and Tuberulin Treatment. By

W. PALIN ELDERTON, F.I.A., and SIDNEY J. PEABY, A.I.A. Price 8s. net.

- IX. A Statistical Study of Oral Temperatures in School Children with special reference to Parental, Environmental and Class Differences. By M. H. WILLIAMS, M.B., JULIA BELL, M.A., and KARL PEARSON, F.R.S. Price 8s. net.

Technical Series.

- I. On a Theory of the Stresses in Crane and Coupling Hooks with Experimental Comparison with Existing Theory. By E. S. ANDREWS, B.Sc. Eng., assisted by KARL PEARSON, F.R.S. Issued. Price 8s. net.

- II. On some Disregarded Points in the Stability of Masonry Dams. By L. W. ATCHERLEY, assisted by KARL PEARSON, F.R.S. Issued. Price 7s. net. Sold only with complete sets.

- III. On the Graphics of Metal Arches with special reference to the Relative Strength of Two-pivoted, Three-pivoted and Built-in-Metal Arches. By L. W. ATCHERLEY and KARL PEARSON, F.R.S. Issued. Price 5s. net.

- IV. On Torsional Vibrations in Axles and Shafting. By KARL PEARSON, F.R.S. Issued. Price 8s. net.

- V. An Experimental Study of the Stresses in Masonry Dams. By KARL PEARSON, F.R.S., and A. F. CAMPBELL POLLARD, assisted by C. W. WHITEN, B.Sc. Eng., and L. F. RICHARDSON, B.A. Issued. Price 7s. net.

- VI. On a Practical Theory of Elliptic and Pseudo-elliptic Arches, with special reference to the ideal Masonry Arch. By KARL PEARSON, F.R.S., W. D. REYNOLDS, B.Sc. Eng., and W. F. STANTON, B.Sc. Eng. Issued. Price 4s. net.

- VII. On the Torsion resulting from Flexure in Prisms with Cross-Sections of Uni-axial Symmetry only. By ANDREW W. YOUNG, E. M. ELDERTON and KARL PEARSON, F.R.S. Issued. Price 7s. 6d. net.

Questions of the Day and of the Fray.

- I. The Influence of Parental Alcoholism on the Physique and Ability of the Offspring. A Reply to the Cambridge Economists. By KARL PEARSON, F.R.S. Price 1s. net.

- II. Mental Defect, Mal-Nutrition, and the Teacher's Appreciation of Intelligence. A Reply to Critics of the Memoir on 'The Influence of Defective Physique and Unfavourable Home Environment on the Intelligence of School Children.' By DAVID HERON, D.Sc. Price 1s. net.

- III. An Attempt to correct some of the Misstatements made by Sir VICTOR HORESLEY, F.R.S., F.R.C.S., and MARY D. STRUBZEE, M.D., in their Criticisms of the Memoir: 'A First Study of the Influence of Parental Alcoholism,' &c. By KARL PEARSON, F.R.S. Price 1s. net.

- IV. The Fight against Tuberculosis and the Death-rate from Phthisis. By KARL PEARSON, F.R.S. [Out of print.]

- V. Social Problems: Their Treatment, Past, Present and Future. By KARL PEARSON, F.R.S. Price 1s. net.

- VI. Eugenics and Public Health. Lecture to the York Congress of the Royal Sanitary Institute. By KARL PEARSON, F.R.S. Price 1s. net.

- VII. Mendelism and the Problem of Mental Defect. I. A Criticism of Recent American Work. By DAVID HERON, D.Sc. (Double Number.) Price 2s. net.

- VIII. Mendelism and the Problem of Mental Defect. II. The Continuity of Mental Defect. By KARL PEARSON, F.R.S., and GUSTAV A. JAEDERHOLM, Ph.D. Price 1s. net.

- IX. Mendelism and the Problem of Mental Defect. III. On the Graduated Character of Mental Defect, and on the need for standardizing Judgments as to the Grade of Social Inefficiency which shall involve Segregation. By KARL PEARSON, F.R.S. (Double Number.) Price 2s. net.

- X. The Science of Man; Its Present Needs and Future Prospects. Being the Address to Section H, British Association, 1920. By KARL PEARSON, F.R.S. Price 1s. 6d. net.

Tracts for Computers.

- I. The Digamma and Trigamma Functions (to assist the summation of series in products of inverse linear factors). By ELEANOR PAIRMAN, M.A. Price 8s. net.

- II. On the Construction of Tables and on Interpolation. Part I. Uni-variate Tables. By KARL PEARSON, F.R.S. Price 8s. 9d. net.

- III. On the Construction of Tables and on Interpolation. Part II. Bi-variate Tables. By KARL PEARSON, F.R.S. Price 8s. 9d. net.

- IV. Facsimile Reissue of Legendre's Γ -Function Tables. Price 8s. 9d. net.

- V. Table of the Coefficients of Everett's Central-Difference Interpolation Formula. By A. J. THOMPSON, B.Sc. Price 8s. 9d. net.

- VI. Smoothing. By E. C. RHODES, B.A. Price 8s. 9d. net.

- VII. On the Evaluation of the Incomplete Γ -Function. By H. E. SOPER, M.A. Price 8s. 9d. net.

- VIII. Table of the Logarithms of the Complete Γ -Function, for Arguments 2 to 1200, i.e. beyond Legendre's Range. By ECON S. PEARSON, B.A. Price 8s. 9d. net.

- IX. Log $\Gamma(x)$ from $x = 1$ to 50·9 by intervals of ·01. By JOHN BROWNLER, M.D., D.Sc. Price 8s. 9d. net.

TABLES OF $F(x)$ AND $F(x)$

$x=200$ to 400

x	$F(x)$	δ^1_-	$F(x)$	δ^1_+	x	$F(x)$	δ^1_-	$F(x)$	δ^1_+
2.00	.92278434	6165	.39493407	4758	3.00	1.25611767	3201	.28382296	1795
2.02	.93065235	6071	.39187540	4650	3.02	1.26177818	3166	.28223108	1765
2.04	.93845966	5979	.38886323	4546	3.04	1.26740703	3131	.28065686	1736
2.06	.94620718	5889	.38589653	4445	3.06	1.27300457	3097	.27910000	1708
2.08	.95389582	5801	.38297428	4347	3.08	1.27857114	3063	.27756022	1680
2.10	.96152644	5715	.38009550	4252	3.10	1.28410709	3029	.27603723	1653
2.12	.96909992	5631	.37725923	4159	3.12	1.28961274	2997	.27453077	1626
2.14	.97661709	5549	.37446456	4069	3.14	1.29508843	2964	.27304056	1600
2.16	.98407878	5468	.37171057	3982	3.16	1.30053447	2933	.27156636	1574
2.18	.99148578	5389	.36899640	3897	3.18	1.30595119	2901	.27010790	1550
2.20	.99883889	5312	.36632119	3814	3.20	1.31133889	2871	.26866494	1525
2.22	1.00613888	5237	.36368413	3734	3.22	1.31669789	2840	.26723723	1501
2.24	1.01338651	5163	.36108440	3656	3.24	1.32202848	2811	.26582453	1478
2.26	1.02058250	5090	.35852123	3580	3.26	1.32733097	2781	.26442661	1455
2.28	1.02772759	5020	.35599385	3506	3.28	1.33260564	2752	.26304323	1432
2.30	1.03482249	4950	.35350154	3434	3.30	1.33785279	2724	.26167418	1410
2.32	1.04186788	4882	.35104357	3364	3.32	1.34307270	2696	.26031923	1389
2.34	1.04886446	4816	.34861924	3296	3.34	1.34826565	2668	.25897817	1368
2.36	1.05581287	4750	.34622788	3230	3.36	1.353343192	2641	.25765078	1347
2.38	1.06221379	4686	.34368881	3166	3.38	1.35857177	2615	.25633686	1327
2.40	1.06956784	4624	.34154140	3103	3.40	1.36368548	2588	.25503621	1307
2.42	1.07637565	4562	.33924501	3042	3.42	1.36877331	2562	.25374862	1287
2.44	1.08313784	4502	.33697905	2982	3.44	1.37383551	2537	.25247391	1268
2.46	1.08985501	4443	.33474290	2924	3.46	1.37887235	2512	.25121187	1249
2.48	1.09654775	4385	.33253599	2867	3.48	1.38388407	2487	.24996233	1231
2.50	1.10315664	4328	.33035776	2812	3.50	1.38887093	2462	.24872510	1213
2.52	1.10974225	4273	.32820765	2759	3.52	1.39383316	2438	.24750000	1195
2.54	1.11628513	4218	.32608512	2706	3.54	1.39877101	2414	.24628685	1178
2.56	1.12278583	4164	.32398966	2655	3.56	1.40368471	2391	.24508548	1161
2.58	1.12924489	4112	.32192075	2605	3.58	1.40857450	2368	.24389572	1144
2.60	1.13566284	4060	.31987790	2557	3.60	1.41344062	2345	.24277741	1128
2.62	1.14204018	4009	.31786061	2510	3.62	1.41828327	2323	.24155937	1112
2.64	1.14837743	3960	.31586842	2463	3.64	1.42310270	2301	.24039445	1096
2.66	1.15467508	3911	.31390087	2418	3.66	1.42789913	2279	.23924949	1081
2.68	1.16093363	3863	.31195749	2374	3.68	1.43267276	2258	.23811534	1065
2.70	1.16715354	3816	.31003786	2331	3.70	1.43742381	2236	.23699184	1051
2.72	1.17333529	3770	.30814154	2289	3.72	1.44215250	2216	.23587885	1036
2.74	1.17947935	3724	.30626811	2248	3.74	1.44685903	2195	.23477622	1022
2.76	1.18558617	3680	.30441717	2208	3.76	1.45254362	2175	.23368380	1008
2.78	1.19165619	3636	.30258831	2169	3.78	1.45620645	2155	.23260146	994
2.80	1.19768985	3593	.30078114	2131	3.80	1.46084774	2135	.23152906	980
2.82	1.20368758	3551	.29899529	2094	3.82	1.46546768	2115	.23046647	967
2.84	1.20964980	3509	.29723038	2058	3.84	1.47006646	2096	.22941354	954
2.86	1.21557693	3468	.29548604	2023	3.86	1.47464428	2077	.22837014	941
2.88	1.22146697	3428	.29376193	1987	3.88	1.47920133	2059	.22733616	928
2.90	1.22732754	3389	.29205768	1953	3.90	1.48373779	2040	.22631146	916
2.92	1.23325181	3350	.29037298	1920	3.92	1.48825385	2022	.22529592	904
2.94	1.23894258	3312	.28870747	1888	3.94	1.49274969	2004	.22428942	892
2.96	1.24470024	3275	.28706084	1856	3.96	1.49722549	1986	.22329184	880
2.98	1.25042514	3238	.28543277	1825	3.98	1.50168142	1969	.22230305	869
3.00	1.25611767	3201	.28382296	1795	4.00	1.50611767	1952	.22132296	857

Interpolation Formula:

$$f(\theta + \phi) = f_0 + \theta f_1 - \frac{\theta \phi}{6} \{ (\phi + 1) \delta^1 f_0 + (\theta + 1) \delta^1 f_1 \} + \frac{\theta \phi (\theta + 1) (\phi + 1)}{120} \{ (\phi + 2) \delta^2 f_0 + (\theta + 2) \delta^2 f_1 \} \text{ where } \theta + \phi = 1.$$

TABLES OF $F(x)$ AND $F'(x)$

$x=4.00$ to 6.00

x	$F(x)$	δ^1_-	$F(x)$	δ^1_+	x	$F(x)$	δ^1_-	$F(x)$	δ^1_+
4.00	1.50611767	1952	-22132296	857	5.00	1.70611767	1312	-18132296	473
4.02	1.51053440	1935	-22035143	846	5.02	1.70973759	1302	-18066952	468
4.04	1.51493178	1918	-21938836	835	5.04	1.71334448	1293	-18002076	463
4.06	1.51930999	1901	-21843364	824	5.06	1.71693845	1284	-17937663	458
4.08	1.52366918	1885	-21748717	814	5.08	1.72051958	1275	-17873709	453
4.10	1.52800953	1869	-21654883	803	5.10	1.72408796	1266	-17810208	448
4.12	1.53233119	1853	-21561852	793	5.12	1.72764369	1257	-17747155	444
4.14	1.53663432	1837	-21469614	783	5.14	1.73118685	1248	-17684546	439
4.16	1.54091909	1821	-21378160	773	5.16	1.73471754	1239	-17622376	435
4.18	1.54518564	1806	-21287478	763	5.18	1.73823583	1230	-17560640	430
4.20	1.54943413	1791	-21197560	754	5.20	1.74174182	1222	-17499335	425
4.22	1.55366471	1776	-21108395	744	5.22	1.74523359	1213	-17438455	421
4.24	1.55787754	1761	-21019975	735	5.24	1.7487723	1205	-17377996	417
4.26	1.56207275	1746	-20932290	726	5.26	1.75218682	1197	-17317954	412
4.28	1.56625050	1732	-20845331	717	5.28	1.75564444	1188	-17258324	408
4.30	1.57041093	1718	-20759089	708	5.30	1.75909018	1180	-17199103	404
4.32	1.57455418	1704	-20673555	700	5.32	1.76252411	1172	-17140286	400
4.34	1.57868040	1690	-20588721	691	5.34	1.76594632	1164	-17081869	396
4.36	1.58278972	1676	-20504578	683	5.36	1.76935688	1156	-17023847	392
4.38	1.58688228	1662	-20421117	674	5.38	1.77275588	1149	-16966218	388
4.40	1.59095821	1649	-20338331	666	5.40	1.77614340	1141	-16908976	384
4.42	1.59501765	1635	-20256212	658	5.42	1.77951950	1133	-16852119	380
4.44	1.59906074	1623	-20174751	650	5.44	1.78288427	1126	-16795642	376
4.46	1.60308760	1610	-20093940	643	5.46	1.786293778	1118	-16739541	373
4.48	1.60709836	1597	-20013772	635	5.48	1.78958011	1111	-16683813	369
4.50	1.61109315	1584	-19934239	628	5.50	1.79291133	1104	-16628454	365
4.52	1.61507210	1572	-19855333	620	5.52	1.79623152	1096	-16573460	362
4.54	1.61903532	1560	-19777048	613	5.54	1.79954074	1089	-16518828	358
4.56	1.62298296	1547	-19699376	606	5.56	1.80283907	1082	-16445554	355
4.58	1.62691511	1535	-19622310	599	5.58	1.80612658	1075	-16410635	351
4.60	1.63083192	1523	-19545843	592	5.60	1.80940335	1068	-16357067	348
4.62	1.63473349	1512	-19469967	585	5.62	1.81266943	1061	-16303847	344
4.64	1.63861995	1500	-19394677	578	5.64	1.81592491	1054	-16259971	341
4.66	1.64249140	1488	-19319964	572	5.66	1.81916985	1047	-16198437	338
4.68	1.64634797	1477	-19245824	565	5.68	1.82240431	1041	-16146240	335
4.70	1.65018977	1466	-19172249	559	5.70	1.82562836	1034	-16094379	331
4.72	1.65401691	1455	-19099232	552	5.72	1.82884208	1027	-16042848	328
4.74	1.65782950	1444	-19026768	546	5.74	1.83204552	1021	-15991646	325
4.76	1.66162765	1433	-18954850	540	5.76	1.83523876	1014	-15940768	322
4.78	1.66541147	1422	-18883472	534	5.78	1.83842185	1008	-15890213	319
4.80	1.66918107	1412	-18812629	528	5.80	1.84159487	1002	-15839977	316
4.82	1.67293656	1401	-18742313	522	5.82	1.84475787	995	-15790057	313
4.84	1.67667803	1391	-18672520	516	5.84	1.84791091	989	-15740450	310
4.86	1.68040560	1380	-18603243	511	5.86	1.85105407	983	-15691153	307
4.88	1.68411937	1370	-18534476	505	5.88	1.85418739	977	-15642163	304
4.90	1.68781943	1360	-18466215	500	5.90	1.85731095	971	-15593477	302
4.92	1.69150588	1350	-1839454	494	5.92	1.86042480	965	-15545093	299
4.94	1.69517884	1340	-18331186	489	5.94	1.86352901	959	-15497008	296
4.96	1.69883839	1331	-18264408	483	5.96	1.86662363	953	-15449219	293
4.98	1.70248464	1321	-18198112	478	5.98	1.86970872	947	-15401723	291
5.00	1.70611767	1312	-18132296	473	6.00	1.87278434	941	-15354518	288

Interpolation Formula:

$$f(a+0.2\theta) = \phi f_0 + \theta f_1 - \frac{\theta\phi}{6} \{ (\phi+1) \delta^1 f_0 + (\theta+1) \delta^1 f_1 \}$$

$$+ \frac{\theta\phi(\theta+1)(\phi+1)}{120} \{ (\phi+2) \delta^1 f_0 + (\theta+2) \delta^1 f_1 \} \text{ where } \theta + \phi = 1.$$

TABLES OF $F(x)$ AND $F(x)$

$x=6.00$ to 8.00

x	$F(x)$	δ^1 -	$F(x)$	δ^1 +	x	$F(x)$	δ^1 -	$F(x)$	δ^1 +
6.00	1.87278434	941	1.5354518	288	7.00	2.01564148	708	1.3313701	188
6.02	1.87585054	935	1.5307600	285	7.02	2.01830068	704	1.3278396	186
6.04	1.87890739	930	1.5260968	283	7.04	2.02095285	700	1.3243277	185
6.06	1.88195495	924	1.5214619	280	7.06	2.02359801	697	1.3208343	184
6.08	1.88499326	919	1.5168550	278	7.08	2.02623620	693	1.3173593	182
6.10	1.88802239	913	1.5122758	275	7.10	2.02886746	690	1.3139025	181
6.12	1.89104238	908	1.5077242	273	7.12	2.03149182	686	1.3104637	179
6.14	1.89405330	902	1.5031998	270	7.14	2.03410932	682	1.3070429	178
6.16	1.89705520	897	1.4987024	268	7.16	2.03672000	679	1.3036398	177
6.18	1.90004813	891	1.4942318	265	7.18	2.03932390	675	1.3002545	175
6.20	1.90303214	886	1.4897878	263	7.20	2.04192103	672	1.2968866	174
6.22	1.90600730	881	1.4853701	261	7.22	2.04451145	668	1.2935361	172
6.24	1.90897364	876	1.4809784	258	7.24	2.04709519	665	1.2902028	171
6.26	1.91193123	871	1.4766126	256	7.26	2.04967228	662	1.2868867	170
6.28	1.91488011	865	1.4722725	254	7.28	2.05224275	658	1.2835875	168
6.30	1.91782034	860	1.4679577	252	7.30	2.05480664	655	1.2803052	167
6.32	1.92075196	855	1.4636681	250	7.32	2.05736398	651	1.2770396	166
6.34	1.92367502	851	1.4594034	247	7.34	2.05991481	648	1.2737906	165
6.36	1.92658959	846	1.4551635	245	7.36	2.06245915	645	1.2705581	163
6.38	1.92949569	841	1.4509481	243	7.38	2.06499705	642	1.2673419	162
6.40	1.93239340	836	1.4467570	241	7.40	2.06752853	638	1.2641419	161
6.42	1.93528274	831	1.4425900	239	7.42	2.07005363	635	1.2609581	160
6.44	1.93816377	826	1.4384469	237	7.44	2.07257237	632	1.2577902	159
6.46	1.94103654	822	1.4343275	235	7.46	2.07508480	629	1.2546382	157
6.48	1.94390110	817	1.4302316	233	7.48	2.07759094	626	1.2515019	156
6.50	1.94675748	812	1.4261590	231	7.50	2.08009082	623	1.2483812	155
6.52	1.94960575	808	1.4221094	229	7.52	2.08258447	619	1.2452760	154
6.54	1.95244594	803	1.4180828	227	7.54	2.08507193	616	1.2421862	153
6.56	1.95527810	799	1.4140788	225	7.56	2.08755323	613	1.2391117	152
6.58	1.95810227	794	1.4100974	223	7.58	2.09002839	610	1.2360524	151
6.60	1.96091850	790	1.4061383	221	7.60	2.09249745	607	1.2330081	150
6.62	1.96372684	785	1.4022013	219	7.62	2.09490043	604	1.2299788	148
6.64	1.96652732	781	1.3982863	218	7.64	2.09741737	601	1.2269642	147
6.66	1.96932000	776	1.3943930	216	7.66	2.09980830	598	1.2239644	146
6.68	1.97210491	772	1.3905214	214	7.68	2.10231324	596	1.2209793	145
6.70	1.97488209	768	1.3866711	212	7.70	2.10475222	593	1.2180086	144
6.72	1.97765160	764	1.3828420	211	7.72	2.10718528	590	1.2150523	143
6.74	1.98041348	760	1.3790341	209	7.74	2.10961244	587	1.2121103	142
6.76	1.98316775	755	1.3752470	207	7.76	2.11203373	584	1.2091826	141
6.78	1.98591448	751	1.3714806	205	7.78	2.11444918	581	1.2062689	140
6.80	1.98865369	747	1.3677347	204	7.80	2.11685882	579	1.2033692	139
6.82	1.99138543	743	1.3640093	202	7.82	2.11926267	576	1.2004834	138
6.84	1.99410974	739	1.3603040	200	7.84	2.12166076	573	1.1976114	137
6.86	1.99682666	735	1.3566188	199	7.86	2.12405312	570	1.1947530	136
6.88	1.99953623	731	1.3529934	197	7.88	2.12643978	568	1.1919083	135
6.90	2.00223849	727	1.3493078	196	7.90	2.12882077	565	1.1800771	134
6.92	2.00493347	723	1.3456818	194	7.92	2.13119610	562	1.1862593	133
6.94	2.00762123	719	1.3420752	193	7.94	2.13356581	560	1.1834548	132
6.96	2.01030179	716	1.3384878	191	7.96	2.13592993	557	1.1806635	131
6.98	2.01297519	712	1.3349195	190	7.98	2.13828847	554	1.1778853	130
7.00	2.01564148	708	1.3313701	188	8.00	2.14064148	552	1.1751201	129

Interpolation Formula:

$$f(\theta + 0.02\phi) = f_0 + \theta f_1 - \frac{\theta\phi}{6} \{ (\phi+1) \delta^2 f_0 + (\theta+1) \delta^2 f_1 \} + \frac{\theta\phi(\theta+1)(\phi+1)}{120} \{ (\phi+2) \delta^3 f_0 + (\theta+2) \delta^3 f_1 \} \text{ where } \theta + \phi = 1.$$

TABLES OF $F(x)$ AND $f(x)$
 $x = 8.00 \text{ to } 10.00$

x	$f(x)$	$\delta^2 -$	$f(x)$	$\delta^2 +$	x	$F(x)$	$\delta^2 -$	$F(x)$	$\delta^2 +$
8.00	2.14064148	552	.111751201	129	9.00	2.25175259	442	.10516634	93
8.02	2.14298896	549	.111735679	128	9.02	2.25385371	440	.10494580	92
8.04	2.14533096	547	.111696286	128	9.04	2.25595043	438	.10472619	92
8.06	2.14766749	544	.111669020	127	9.06	2.25804276	436	.10450750	91
8.08	2.14999837	542	.111641880	126	9.08	2.26013073	435	.10428971	90
8.10	2.15232425	539	.111614867	125	9.10	2.26221436	433	.10407283	90
8.12	2.15464453	537	.111587978	124	9.12	2.26429365	431	.10385685	89
8.14	2.15695945	534	.111561214	123	9.14	2.26636864	429	.10364176	89
8.16	2.15926902	532	.111534572	122	9.16	2.26843933	427	.10342757	88
8.18	2.16157328	529	.111508053	121	9.18	2.27050575	426	.10321425	88
8.20	2.16387225	527	.111481656	121	9.20	2.27256790	424	.10300181	87
8.22	2.16616595	524	.111455379	120	9.22	2.27462582	422	.10279025	87
8.24	2.16845441	522	.111429222	119	9.24	2.27667952	421	.10257955	86
8.26	2.17073765	519	.111403184	118	9.26	2.27872901	419	.10236971	86
8.28	2.17301509	517	.111377265	117	9.28	2.28077431	417	.10216073	85
8.30	2.17528856	515	.111351463	117	9.30	2.28281545	415	.10195260	85
8.32	2.17755629	512	.111325777	116	9.32	2.28485242	414	.10174531	84
8.34	2.17981888	510	.111300208	115	9.34	2.28688526	412	.10153887	84
8.36	2.18207638	508	.111274753	114	9.36	2.28891398	410	.10133326	83
8.38	2.18432879	506	.111249413	114	9.38	2.29093860	409	.10112848	82
8.40	2.18657615	503	.111224186	113	9.40	2.29295913	407	.10092452	82
8.42	2.18881847	501	.111199072	112	9.42	2.29497559	405	.10072139	81
8.44	2.19105579	499	.111174070	111	9.44	2.29698799	404	.10051907	81
8.46	2.19328811	497	.111149179	111	9.46	2.29899635	402	.10031755	81
8.48	2.19551547	494	.111124399	110	9.48	2.30100070	401	.10011686	80
8.50	2.19773788	492	.111099729	109	9.50	2.30300103	399	.09991696	80
8.52	2.19995536	490	.111075168	108	9.52	2.30499738	397	.09971785	80
8.54	2.20216795	488	.111050715	108	9.54	2.30698975	396	.09951954	79
8.56	2.20437566	486	.111026369	107	9.56	2.30897817	394	.09932201	78
8.58	2.20657851	484	.111002131	106	9.58	2.31096264	393	.09912526	78
8.60	2.20877652	482	.10977999	106	9.60	2.31294318	391	.09892929	77
8.62	2.21096971	479	.10953972	105	9.62	2.31497982	390	.09873410	77
8.64	2.21315811	477	.10930950	104	9.64	2.31680255	388	.09853967	76
8.66	2.21534174	475	.10906233	103	9.66	2.31886141	387	.09834601	76
8.68	2.21752061	473	.10882519	103	9.68	2.32082640	385	.09815310	75
8.70	2.21969475	471	.10858907	102	9.70	2.32278754	384	.09796095	75
8.72	2.22186418	469	.10835398	101	9.72	2.32474484	382	.09776955	75
8.74	2.22402892	467	.10811990	101	9.74	2.32669832	381	.09757890	74
8.76	2.22618899	465	.10788683	100	9.76	2.32864800	379	.09738898	74
8.78	2.22834440	463	.10765477	100	9.78	2.33059389	378	.09719981	73
8.80	2.23049518	461	.10742369	99	9.80	2.33253600	376	.09701137	73
8.82	2.23264135	459	.10719361	98	9.82	2.33447435	375	.09682365	72
8.84	2.23478293	457	.10696451	98	9.84	2.33640895	373	.09663666	72
8.86	2.23691994	455	.10673639	97	9.86	2.33833982	372	.09645039	72
8.88	2.23905240	453	.10650923	96	9.88	2.34026697	370	.09626484	71
8.90	2.24118032	451	.10628304	96	9.90	2.34219042	369	.09608000	71
8.92	2.24330372	450	.10605781	95	9.92	2.34411018	368	.09589587	70
8.94	2.24542264	448	.10583353	95	9.94	2.34602626	366	.09571244	70
8.96	2.24753707	446	.10561019	94	9.96	2.34793868	365	.09552971	70
8.98	2.24964705	444	.10538780	93	9.98	2.34984745	363	.09534768	69
9.00	2.25175259	442	.10516634	93	10.00	2.35175259	362	.09516634	69

Interpolation Formula:

$$f(a + 0.02\theta) = f_0 + \theta f_1 - \frac{\theta\phi}{6} \{(f_0 + 1)\delta^2 f_0 + (f_1 + 1)\delta^2 f_1\}$$

$$+ \frac{\theta\phi(\theta+1)(\phi+1)}{120} \{(f_0 + 2)\delta^3 f_0 + (f_1 + 2)\delta^3 f_1\} \text{ where } \theta + \phi = 1.$$

TABLES OF $f(x)$ AND $F(x)$

$x = 10.00$ to 12.00

x	$F(x)$	δ^2_-	$F(x)$	δ^2_+	x	$F(x)$	δ^2_-	$F(x)$	δ^2_+
10.00	2.35173259	362	.09516634	69	11.00	2.44266168	302	.08690187	52
10.02	2.35365411	361	.09498568	68	11.02	2.44439821	301	.08675119	52
10.04	2.35555202	359	.09480571	68	11.04	2.44613173	300	.08660103	52
10.06	2.35744634	358	.09462642	68	11.06	2.44786225	299	.08645139	52
10.08	2.35933708	357	.09444781	67	11.08	2.44958979	298	.08630226	51
10.10	2.36122426	355	.09426987	67	11.10	2.45131435	297	.08615365	51
10.12	2.36310788	354	.09409260	67	11.12	2.45303594	296	.08600534	51
10.14	2.36498797	353	.09391599	66	11.14	2.45475457	295	.08585795	51
10.16	2.36686453	351	.09374005	66	11.16	2.45647026	294	.08571086	50
10.18	2.36873757	350	.09356476	65	11.18	2.45818301	293	.08556427	50
10.20	2.37060712	349	.09339013	65	11.20	2.45989283	292	.08541819	50
10.22	2.37247318	347	.09321614	65	11.22	2.46159974	291	.08527260	50
10.24	2.37433577	346	.09304280	64	11.24	2.46330374	290	.08512750	49
10.26	2.37619490	345	.09287011	64	11.26	2.46500485	289	.08498290	49
10.28	2.37805058	343	.09269806	64	11.28	2.46670306	288	.08483879	49
10.30	2.37990283	342	.09252664	63	11.30	2.46839480	287	.08469517	49
10.32	2.38175165	341	.09235585	63	11.32	2.47009087	286	.08455203	48
10.34	2.38359706	340	.09218569	63	11.34	2.47178048	285	.08440938	48
10.36	2.38543908	338	.09201616	62	11.36	2.47346725	284	.08426720	48
10.38	2.38727771	337	.09184725	62	11.38	2.47515118	283	.08412551	48
10.40	2.38911297	336	.09167896	61	11.40	2.47683227	282	.08398428	47
10.42	2.39094488	335	.09151128	61	11.42	2.47851055	281	.08384354	47
10.44	2.39277343	334	.09134422	61	11.44	2.48018602	280	.08370326	47
10.46	2.39459863	332	.09117776	60	11.46	2.48185868	279	.08356345	47
10.48	2.39642054	331	.09101191	60	11.48	2.48352856	278	.08342410	46
10.50	2.39823913	330	.09084666	60	11.50	2.48519565	277	.08328522	46
10.52	2.40005442	329	.09068201	60	11.52	2.48685997	276	.08314681	46
10.54	2.40186641	328	.09051796	59	11.54	2.48852153	275	.08300885	46
10.56	2.40367514	326	.09035449	59	11.56	2.49018033	275	.08287134	45
10.58	2.40548060	325	.09019162	59	11.58	2.49183038	274	.08273430	45
10.60	2.40728281	324	.09002933	58	11.60	2.49348970	273	.08259770	45
10.62	2.40908177	323	.08986762	58	11.62	2.49514029	272	.08246155	45
10.64	2.41087751	322	.08970650	58	11.64	2.49678817	271	.08232586	45
10.66	2.41267004	321	.08954595	57	11.66	2.49843333	270	.08219060	44
10.68	2.41445936	319	.08938597	57	11.68	2.50007579	269	.08205580	44
10.70	2.41624548	318	.08922656	57	11.70	2.50171557	268	.08192143	44
10.72	2.41802842	317	.08906772	56	11.72	2.50335265	267	.08178750	44
10.74	2.41980819	316	.08890945	56	11.74	2.50498707	267	.08165401	43
10.76	2.42158480	315	.08875173	56	11.76	2.50661882	266	.08152095	43
10.78	2.42335827	314	.08859458	56	11.78	2.50824791	265	.08138833	43
10.80	2.42512859	313	.08843798	55	11.80	2.50987435	264	.08125613	43
10.82	2.42689579	312	.08828193	55	11.82	2.51149816	263	.08112437	43
10.84	2.42865987	310	.08812643	55	11.84	2.51311933	262	.08099303	42
10.86	2.43042085	309	.08797148	54	11.86	2.51473788	261	.08086212	42
10.88	2.43217874	308	.08781707	54	11.88	2.51635382	261	.08073162	42
10.90	2.43393354	307	.08766320	54	11.90	2.51796715	260	.08060155	42
10.92	2.43568527	306	.08750987	54	11.92	2.51957788	259	.08047190	42
10.94	2.43743394	305	.08735708	53	11.94	2.52118603	258	.08034266	41
10.96	2.43917955	304	.08720481	53	11.96	2.522779159	257	.08021384	41
10.98	2.44092213	303	.08705308	53	11.98	2.52439459	256	.08008543	41
11.00	2.44266168	302	.08690187	52	12.00	2.52599501	256	.07995743	41

Interpolation Formula:

$$f(a + \theta \phi) = f_0 + \theta f_1 + \frac{\theta \phi}{6} \{ (\phi+1) \delta^2 f_0 + (\theta+1) \delta^2 f_1 \}$$

$$+ \frac{\theta \phi (\theta+1) (\phi+1)}{120} \{ (\phi+2) \delta^4 f_0 + (\theta+2) \delta^4 f_1 \} \text{ where } \theta + \phi = 1.$$

TABLES OF $F(x)$ AND $F(x)$

$x=12.00$ to 14.00

x	$F(x)$	$\delta^2 -$	$F(x)$	$\delta^2 +$	x	$F(x)$	$\delta^2 -$	$F(x)$	$\delta^2 +$
12.00	2.52599501	256	.07995743	41	13.00	2.60291809	219	.07404027	32
12.02	2.52759289	255	.07982984	41	13.02	2.60439780	219	.07393084	32
12.04	2.52918821	254	.07970265	40	13.04	2.60587533	218	.07382174	32
12.06	2.53078099	253	.07957587	40	13.06	2.60735067	217	.07371295	32
12.08	2.53237125	252	.07944949	40	13.08	2.60882385	217	.07360449	32
12.10	2.53395898	252	.07932351	40	13.10	2.61029485	216	.07349635	32
12.12	2.53554419	251	.07919793	40	13.12	2.61176370	215	.07338852	32
12.14	2.53712690	250	.07907275	39	13.14	2.61323040	215	.07328101	31
12.16	2.53870710	249	.07894796	39	13.16	2.61469494	214	.07317381	31
12.18	2.54028482	248	.07882357	39	13.18	2.61615735	214	.07306693	31
12.20	2.54186005	248	.07869956	39	13.20	2.61761762	213	.07296035	31
12.22	2.54343280	247	.07857595	39	13.22	2.61907577	212	.07285409	31
12.24	2.54500309	246	.07845272	39	13.24	2.62053179	212	.07274814	31
12.26	2.54657091	245	.07832988	38	13.26	2.62198570	211	.07264249	31
12.28	2.54813629	245	.07820742	38	13.28	2.62343749	210	.07253715	30
12.30	2.54969921	244	.07808535	38	13.30	2.62488718	210	.07243212	30
12.32	2.55125970	243	.07796365	38	13.32	2.62633478	209	.07232739	30
12.34	2.55281776	242	.07784234	38	13.34	2.62778028	209	.07222296	30
12.36	2.55437340	242	.07772140	38	13.36	2.62922370	208	.07211883	30
12.38	2.55592662	241	.07760083	37	13.38	2.63066504	207	.07201500	30
12.40	2.55747743	240	.07748064	37	13.40	2.63210430	207	.07191147	30
12.42	2.55902585	239	.07736082	37	13.42	2.63354150	206	.07180824	30
12.44	2.56057187	238	.07724137	37	13.44	2.63497663	206	.07170530	29
12.46	2.56211551	238	.07712229	37	13.46	2.63640971	205	.07160266	29
12.48	2.56365676	237	.07700358	37	13.48	2.63784074	204	.07150031	29
12.50	2.56519565	236	.07688522	36	13.50	2.63926973	204	.07139826	29
12.52	2.56673218	236	.07676724	36	13.52	2.64069667	203	.07129649	29
12.54	2.56826634	235	.07664961	36	13.54	2.64212159	203	.07119501	29
12.56	2.56979816	234	.07653234	36	13.56	2.64354447	202	.07109383	29
12.58	2.57132764	233	.07641544	36	13.58	2.64496534	202	.07099293	29
12.60	2.57285478	233	.07629888	36	13.60	2.64638419	201	.07089231	28
12.62	2.57437960	232	.07618269	35	13.62	2.64780104	200	.07079198	28
12.64	2.57590209	231	.07606684	35	13.64	2.64921587	200	.07069193	28
12.66	2.57742227	231	.07595135	35	13.66	2.65062872	199	.07059217	28
12.68	2.57894015	230	.07583621	35	13.68	2.65203956	199	.07049269	28
12.70	2.58045572	229	.07572142	35	13.70	2.65344842	198	.07039348	28
12.72	2.58196901	229	.07560697	35	13.72	2.65485530	198	.07029456	28
12.74	2.58348000	228	.07549287	34	13.74	2.65526021	197	.07019591	28
12.76	2.58498872	227	.07537911	34	13.76	2.65766314	196	.07009754	28
12.78	2.58649517	226	.07526569	34	13.78	2.65906411	196	.06999944	27
12.80	2.58799935	226	.07515262	34	13.80	2.66046312	195	.06990162	27
12.82	2.58950128	225	.07503988	34	13.82	2.66186018	195	.06980407	27
12.84	2.59100095	224	.07492748	34	13.84	2.66325529	194	.06970679	27
12.86	2.59249838	224	.07481542	33	13.86	2.66464845	194	.06960979	27
12.88	2.59399357	223	.07470369	33	13.88	2.66603968	193	.06951305	27
12.90	2.59548653	222	.07459230	33	13.90	2.66742898	193	.06941658	27
12.92	2.59697726	222	.07448124	33	13.92	2.66881635	192	.06932038	27
12.94	2.59846578	221	.07437050	33	13.94	2.67020179	192	.06922445	27
12.96	2.59995209	220	.07426010	33	13.96	2.67158533	191	.06912878	26
12.98	2.60143619	220	.07415002	33	13.98	2.67296695	191	.06903337	26
13.00	2.60291809	219	.07404027	32	14.00	2.67434666	190	.06893823	26

Interpolation Formula:

$$f(a + \theta \phi) = f_0 + \theta f_1 - \frac{\theta \phi}{6} \{ (\phi + 1) \delta^2 f_0 + (\theta + 1) \delta^2 f_1 \}$$

$$+ \frac{\theta \phi (\theta + 1)(\phi + 1)}{120} \{ (\phi + 2) \delta^4 f_0 + (\theta + 2) \delta^4 f_1 \} \text{ where } \theta + \phi = 1.$$

TABLES OF $F(x)$ AND $F'(x)$

$x=14.00$ to 16.00

#	$F(x)$	δ^x	-	$F(x)$	δ^x	+	x	$F(x)$	δ^x	-	$F(x)$	δ^x	+
14.00	2.67434666	190		.06893823	26		15.00	2.74101333	166		.06449378	21	
14.02	2.67572448	190		.06884335	26		15.02	2.74230237	166		.06441073	21	
14.04	2.67710040	189		.06874873	26		15.04	2.74358976	165		.06432789	21	
14.06	2.67847443	188		.06865436	26		15.06	2.74487549	165		.06424526	21	
14.08	2.67984657	188		.06856026	26		15.08	2.74615957	165		.06416285	21	
14.10	2.68121684	187		.06846642	26		15.10	2.74744201	164		.06408065	21	
14.12	2.68258523	187		.06837283	26		15.12	2.74872280	164		.06399865	21	
14.14	2.68395175	187		.06827950	25		15.14	2.75000195	163		.06391687	21	
14.16	2.68531641	186		.06818042	25		15.16	2.75127947	163		.06383529	21	
14.18	2.68667921	185		.06809359	25		15.18	2.75255537	163		.06375392	21	
14.20	2.68804016	185		.06800102	25		15.20	2.75382963	162		.06367276	21	
14.22	2.68933926	184		.06790870	25		15.22	2.75510228	162		.06359181	21	
14.24	2.69075651	184		.06781063	25		15.24	2.75637331	161		.06351106	21	
14.26	2.69211192	183		.06772480	25		15.26	2.75764272	161		.06343052	20	
14.28	2.69346550	183		.06763323	25		15.28	2.75891053	160		.06335018	20	
14.30	2.69481725	182		.06754190	25		15.30	2.76017673	160		.06327004	20	
14.32	2.69616718	182		.06745082	25		15.32	2.76144133	160		.06319011	20	
14.34	2.69751529	181		.06735999	24		15.34	2.76270434	159		.06311037	20	
14.36	2.69886158	181		.06726940	24		15.36	2.76396575	159		.06303084	20	
14.38	2.70020607	180		.06717905	24		15.38	2.76522557	158		.06295151	20	
14.40	2.70154874	180		.06708894	24		15.40	2.76648381	158		.06287238	20	
14.42	2.70288962	180		.06699908	24		15.42	2.76774047	158		.06279345	20	
14.44	2.70422871	179		.06690945	24		15.44	2.76899555	157		.06271471	20	
14.46	2.70556600	179		.06682007	24		15.46	2.77024906	157		.06263617	20	
14.48	2.70690151	178		.06673092	24		15.48	2.77150100	156		.06255783	20	
14.50	2.70823524	178		.06664201	24		15.50	2.77275137	156		.06247968	20	
14.52	2.70957620	177		.06655334	24		15.52	2.77400019	156		.06240173	19	
14.54	2.71089738	177		.06646490	23		15.54	2.77524744	155		.06232397	19	
14.56	2.71222579	176		.06637670	23		15.56	2.77649315	155		.06224641	19	
14.58	2.71355245	176		.06628873	23		15.58	2.77773730	155		.06216904	19	
14.60	2.71487734	175		.06620100	23		15.60	2.77899991	154		.06209186	19	
14.62	2.71620049	175		.06611350	23		15.62	2.78022098	154		.06201487	19	
14.64	2.71752189	174		.06602622	23		15.64	2.78146050	153		.06193807	19	
14.66	2.71884154	174		.06593918	23		15.66	2.78269850	153		.06186147	19	
14.68	2.72015945	173		.06585437	23		15.68	2.78393496	153		.06178505	19	
14.70	2.72147564	173		.06576578	23		15.70	2.78516690	152		.06170883	19	
14.72	2.72277909	173		.06567942	23		15.72	2.78640332	152		.06163278	19	
14.74	2.72410281	172		.06559329	23		15.74	2.78763522	151		.06155692	19	
14.76	2.72541382	172		.06550738	22		15.76	2.78886560	151		.06148126	19	
14.78	2.72672311	171		.06542170	22		15.78	2.79009447	151		.06140577	19	
14.80	2.72803069	171		.06533624	22		15.80	2.79132183	150		.06133048	18	
14.82	2.72933656	170		.06525101	22		15.82	2.79254769	150		.06125536	18	
14.84	2.73064073	170		.06516600	22		15.84	2.79377204	150		.06118043	18	
14.86	2.73194320	169		.06508121	22		15.86	2.79499491	149		.06110569	18	
14.88	2.73284398	169		.06499663	22		15.88	2.79621627	149		.06103112	18	
14.90	2.73454307	168		.06491228	22		15.90	2.79743625	149		.06095674	18	
14.92	2.73584047	168		.06482815	22		15.92	2.79865454	148		.06088254	18	
14.94	2.73713620	168		.06474423	22		15.94	2.79987145	148		.06080852	18	
14.96	2.73843024	167		.06466053	22		15.96	2.80108689	147		.06073468	18	
14.98	2.73972262	167		.06457705	22		15.98	2.80230084	147		.06066102	18	
15.00	2.74101333	166		.06449378	21		16.00	2.80351333	147		.06058753	18	

Interpolation Formula:

$$f(a + \theta \delta) = f_0 + \theta f_1 - \frac{\theta \phi}{6} \{ (\phi + 1) \delta^2 f_0 + (\theta + 1) \delta^2 f_1 \}$$

$$+ \frac{\theta \phi (\theta + 1) (\phi + 1)}{120} \{ (\phi + 2) \delta^4 f_0 + (\theta + 2) \delta^4 f_1 \} \text{ where } \theta + \phi = 1.$$

TABLES OF F(x) AND F(x)

x=16'00 to 18'00

x	F(x)	δ^1 -	F(x)	δ^2 +	x	F(x)	δ^3 -	F(x)	δ^4 +
16'00	2.80351333	147	.06058753	18	17'00	2.86233686	131	.05712733	15
16'02	2.80472435	146	.06051423	18	17'02	2.86347875	130	.05706215	15
16'04	2.80593390	146	.06044110	18	17'04	2.86461934	130	.05699712	15
16'06	2.80714199	146	.06036815	18	17'06	2.86575864	130	.05693224	15
16'08	2.80834863	146	.06029537	17	17'08	2.86689664	130	.05686750	15
16'10	2.80955381	145	.06022277	17	17'10	2.86803334	129	.05680291	15
16'12	2.81075754	145	.06015034	17	17'12	2.86916875	129	.05673847	15
16'14	2.81195982	144	.06007809	17	17'14	2.87030288	129	.05667418	15
16'16	2.81316066	144	.06000601	17	17'16	2.87143572	128	.05661003	15
16'18	2.81436006	144	.05993410	17	17'18	2.87256728	128	.05654602	14
16'20	2.81555803	143	.05986237	17	17'20	2.87369756	128	.05648216	14
16'22	2.81675456	143	.05979081	17	17'22	2.87482657	127	.05641845	14
16'24	2.81794966	143	.05971941	17	17'24	2.87595430	127	.05635488	14
16'26	2.81914334	142	.05964819	17	17'26	2.87708076	127	.05629145	14
16'28	2.82033559	142	.05957714	17	17'28	2.87820596	126	.05622816	14
16'30	2.82152642	142	.05950626	17	17'30	2.87932989	126	.05616502	14
16'32	2.82271584	141	.05943554	17	17'32	2.88045256	126	.05610201	14
16'34	2.82390385	141	.05936499	17	17'34	2.88157397	126	.05603915	14
16'36	2.82509044	141	.05929461	17	17'36	2.88269413	125	.05597643	14
16'38	2.82627563	140	.05922440	17	17'38	2.88381303	125	.05591385	14
16'40	2.82745942	140	.05915435	17	17'40	2.88493068	125	.05585141	14
16'42	2.82864181	140	.05908447	17	17'42	2.88604709	124	.05578911	14
16'44	2.82982280	139	.05901476	16	17'44	2.88716225	124	.05572694	14
16'46	2.83100240	139	.05894520	16	17'46	2.88827617	124	.05566492	14
16'48	2.83218061	139	.05887581	16	17'48	2.88938885	124	.05560303	14
16'50	2.83335743	138	.05880659	16	17'50	2.89050029	123	.05554128	14
16'52	2.83453287	138	.05873752	16	17'52	2.89161050	123	.05547967	14
16'54	2.83570693	138	.05866082	16	17'54	2.89271948	123	.05541819	14
16'56	2.83687962	137	.05859988	16	17'56	2.89382723	123	.05535685	14
16'58	2.83805093	137	.05853130	16	17'58	2.89493375	122	.05529565	14
16'60	2.83922087	137	.05846289	16	17'60	2.89603905	122	.05523458	13
16'62	2.84038945	136	.05839463	16	17'62	2.89714314	122	.05517365	13
16'64	2.84155666	136	.05832653	16	17'64	2.89824600	121	.05511285	13
16'66	2.84272251	136	.05825859	16	17'66	2.89934765	121	.05505218	13
16'68	2.84388700	135	.05819080	16	17'68	2.90044809	121	.05499165	13
16'70	2.84505014	135	.05812318	16	17'70	2.90154732	121	.05493125	13
16'72	2.84621193	135	.05805371	16	17'72	2.90264534	120	.05487098	13
16'74	2.84737237	134	.05798840	16	17'74	2.90374216	120	.05481084	13
16'76	2.84853147	134	.05792124	16	17'76	2.90483777	120	.05475084	13
16'78	2.84968922	134	.05785424	15	17'78	2.90593219	120	.05469097	13
16'80	2.85084564	134	.05778739	15	17'80	2.90702541	119	.05463123	13
16'82	2.85200072	133	.05772070	15	17'82	2.90811744	119	.05457161	13
16'84	2.85315447	133	.05765416	15	17'84	2.90920828	119	.05451213	13
16'86	2.85430689	133	.05758778	15	17'86	2.91029793	119	.05445278	13
16'88	2.85535798	132	.05752154	15	17'88	2.91138639	118	.05439356	13
16'90	2.85660775	132	.05745546	15	17'90	2.91247367	118	.05433446	13
16'92	2.85775620	132	.05738954	15	17'92	2.91355977	118	.05427550	13
16'94	2.85890333	131	.05732376	15	17'94	2.91464469	117	.05421666	13
16'96	2.86004915	131	.05725813	15	17'96	2.91572844	117	.05415795	13
16'98	2.86119366	131	.05719265	15	17'98	2.91681101	117	.05409936	13
17'00	2.86233686	131	.05712733	15	18'00	2.91789241	117	.05404091	13

Interpolation Formula:

$$f(a+0.02\theta) = f_0 + \theta f_1 - \frac{\theta\phi}{6} \{ (\phi+1) \delta^1 f_0 + (\theta+1) \delta^1 f_1 \}$$

$$+ \frac{\theta\phi(\theta+1)(\phi+1)}{120} \{ (\phi+2) \delta^2 f_0 + (\theta+2) \delta^2 f_1 \} \text{ where } \theta + \phi = 1.$$

TABLES OF $F(x)$ AND $\bar{F}(x)$

$x = 18.00$ to 20.00

x	$F(x)$	δ^1 -	$\bar{F}(x)$	δ^1 +	x	$F(x)$	δ^1 -	$\bar{F}(x)$	δ^1 +
18.00	2.91789241	117	.05404091	13	19.00	2.97052399	105	.05127082	11
18.02	2.91897265	117	.05398257	13	19.02	2.97154888	105	.05121831	11
18.04	2.92005172	116	.05392437	13	19.04	2.97257273	105	.05116591	11
18.06	2.92112962	116	.05386629	13	19.06	2.97359552	104	.05111362	11
18.08	2.922220637	116	.05380833	12	19.08	2.97461727	104	.05106143	11
18.10	2.92328196	115	.05375050	12	19.10	2.97563798	104	.05100935	11
18.12	2.92435639	115	.05369280	12	19.12	2.97665765	104	.05095738	11
18.14	2.92542967	115	.05363521	12	19.14	2.97767627	104	.05090551	11
18.16	2.92650180	115	.05357776	12	19.16	2.97869387	103	.05085374	11
18.18	2.92757278	115	.05352042	12	19.18	2.97971042	103	.05080208	10
18.20	2.92864262	114	.05346320	12	19.20	2.98072595	103	.05075053	10
18.22	2.92971131	114	.05340611	12	19.22	2.98174045	103	.05066908	10
18.24	2.93077886	114	.05334914	12	19.24	2.98275391	103	.05064774	10
18.26	2.93184528	114	.05329229	12	19.26	2.98376636	102	.05059650	10
18.28	2.93291056	113	.05323557	12	19.28	2.98477778	102	.05054536	10
18.30	2.93397470	113	.05317896	12	19.30	2.98578817	102	.05049432	10
18.32	2.93503771	113	.05312247	12	19.32	2.98679755	102	.05044339	10
18.34	2.93609960	113	.05306611	12	19.34	2.98780591	102	.05039256	10
18.36	2.93716036	112	.05300986	12	19.36	2.98881325	101	.05034184	10
18.38	2.93822000	112	.05295373	12	19.38	2.98981958	101	.05029121	10
18.40	2.93927851	112	.05289772	12	19.40	2.99082490	101	.05024069	10
18.42	2.94033591	112	.05284183	12	19.42	2.99182921	101	.05019027	10
18.44	2.94139218	111	.05278606	12	19.44	2.99283251	101	.05013995	10
18.46	2.94244735	111	.05273040	12	19.46	2.99383481	100	.05008973	10
18.48	2.94350140	111	.05267486	12	19.48	2.99483610	100	.05003961	10
18.50	2.94455434	111	.05261944	12	19.50	2.99583639	100	.04998959	10
18.52	2.94560618	111	.05256414	12	19.52	2.99683509	100	.04993967	10
18.54	2.94665691	110	.05250895	12	19.54	2.99783398	100	.04988985	10
18.56	2.94770654	110	.05245387	12	19.56	2.99883128	99	.04984013	10
18.58	2.94875507	110	.05239892	12	19.58	2.99982759	99	.04979051	10
18.60	2.94980250	110	.05234407	11	19.60	3.00082290	99	.04974099	10
18.62	2.95084083	109	.05228934	11	19.62	3.00181723	99	.04969157	10
18.64	2.95189407	109	.05223473	11	19.64	3.00281057	98	.04964224	10
18.66	2.95293822	109	.05218023	11	19.66	3.00380292	98	.04959301	10
18.68	2.95398128	109	.05212584	11	19.68	3.00479429	98	.04954388	10
18.70	2.95502325	108	.05207157	11	19.70	3.00578467	98	.04949485	10
18.72	2.95606414	108	.05201741	11	19.72	3.00677408	98	.04944591	10
18.74	2.95710395	108	.05196336	11	19.74	3.00776251	98	.04939707	10
18.76	2.95814268	108	.05190943	11	19.76	3.00874997	97	.04934833	10
18.78	2.95918033	108	.05185560	11	19.78	3.00973645	97	.04929968	10
18.80	2.96021690	107	.05180189	11	19.80	3.01072195	97	.04925113	10
18.82	2.96125240	107	.05174829	11	19.82	3.01170649	97	.04920267	10
18.84	2.96226684	107	.05169480	11	19.84	3.01269006	97	.04915431	9
18.86	2.96332020	107	.05164142	11	19.86	3.01367266	96	.04910605	9
18.88	2.96435249	106	.05158815	11	19.88	3.01465430	96	.04905788	9
18.90	2.96538372	106	.05153499	11	19.90	3.01563498	96	.04900980	9
18.92	2.96641389	106	.05148194	11	19.92	3.01661470	96	.04896182	9
18.94	2.96744300	106	.05142900	11	19.94	3.01759345	96	.04891393	9
18.96	2.96847105	106	.05137616	11	19.96	3.01857125	95	.04886613	9
18.98	2.96949805	105	.05132344	11	19.98	3.01954810	95	.04881843	9
19.00	2.97052399	105	.05127082	11	20.00	3.02052399	95	.04877082	9

Interpolation Formula:

$$f(\theta + \phi) = f_0 + \theta f_1 - \frac{\theta \phi}{6} \{(f_0 + 1) \delta^1 f_0 + (f_0 + 1) \delta^1 f_1\}$$

$$+ \frac{\theta \phi (\theta + 1)(\phi + 1)}{120} \{(f_0 + 2) \delta^1 f_0 + (f_0 + 2) \delta^1 f_1\} \text{ where } \theta + \phi = 1.$$

Reprinted by
Photo-offset by Bradford & Dickens
for the University Press
Cambridge

LECTURE SERIES (*continued*).

- | | |
|---|---|
| <p>V. The Problem of Practical Eugenics. By KARL PEARSON, F.R.S. Second Edition.</p> <p>VI. Nature and Nurture, the Problem of the Future. By KARL PEARSON, F.R.S. Second Edition.</p> <p>VII. The Academic Aspect of the Science of National Eugenics. By KARL PEARSON, F.R.S.</p> | <p>VIII. Tuberculosis, Heredity and Environment. By KARL PEARSON, F.R.S.</p> <p>IX. Darwinism, Medical Progress and Eugenics. The Cavendish Lecture, 1912. By KARL PEARSON, F.R.S.</p> <p>X. The Handicapping of the First-born. By KARL PEARSON, F.R.S. Price 2s. net.</p> |
|---|---|

The following work prepared in the Biometric Laboratory can be obtained as a Government Report from Messrs Wyman and Sons, Ltd.

The English Convict, A Statistical Study. By CHARLES GORING, M.D. Text. Price 9s.

Tables of Measurements (printed by Convict-Labour). Price 5s.

The English Convict. An Abridgement. By CHARLES GORING, M.D. With a preface by KARL PEARSON, F.R.S. Price 3s.

Biometric Laboratory Publications.

DRAPERS' COMPANY RESEARCH MEMOIRS.

Biometric Series.

- | | |
|---|---|
| <p>I. Mathematical Contributions to the Theory of Evolution.—XIII. On the Theory of Contingency and its Relation to Association and Normal Correlation. By KARL PEARSON, F.R.S. Price 4s. net.</p> <p>II. Mathematical Contributions to the Theory of Evolution.—XIV. On the Theory of Skew Correlation and Non-linear Regression. By KARL PEARSON, F.R.S. Price 5s. net.</p> <p>III. Mathematical Contributions to the Theory of Evolution.—XV. On the Mathematical Theory of Random Migration. By KARL PEARSON, F.R.S., with the assistance of JOHN BLAKEMAN, M.Sc. Price 5s. net.</p> <p>IV. Mathematical Contributions to the Theory of Evolution.—XVI. On Further Methods of Measuring Correlation. By KARL PEARSON, F.R.S. Price 4s. net.</p> <p>V. Mathematical Contributions to the Theory of Evolution.—XVII. On Homotyposis in the Animal Kingdom. A Cooperative Study. [In preparation</p> | <p>VI. Albinism in Man. By KARL PEARSON, E. NETTLESHIP, and C. H. USHER. Text, Part I, and Atlas, Part I. Price 85s. net.</p> <p>VII. Mathematical Contributions to the Theory of Evolution.—XVIII. On a Novel Method of Regarding the Association of two Variates classed solely in Alternative Categories. By KARL PEARSON, F.R.S. Price 4s. net.</p> <p>VIII. Albinism in Man. By KARL PEARSON, E. NETTLESHIP, and C. H. USHER. Text, Part II, and Atlas, Part II. Price 80s. net.</p> <p>IX. Albinism in Man. By KARL PEARSON, E. NETTLESHIP, and C. H. USHER. Text, Part IV, and Atlas, Part IV. Price 91s. net.</p> <p>X. A Monograph on the Long Bones of the English Skeleton. By KARL PEARSON, F.R.S., and JULIA BELL, M.A. Part I. Section I. <i>The Femur</i>. Text and Atlas of Plates. Price 80s. net.</p> <p>XI. A Monograph on the Long Bones of the English Skeleton. By KARL PEARSON, F.R.S., and JULIA BELL, M.A. Part I. Section II. <i>The Femur of the Primates</i>. Text and Atlas of Plates. Price 40s. net.</p> |
|---|---|

Studies in National Deterioration.

- | | |
|---|---|
| <p>I. On the Relation of Fertility in Man to Social Status, and on the changes in this Relation that have taken place in the last 50 years. By DAVID HERON, M.A., D.Sc. Price 6s. net. Sold only with complete sets.</p> <p>II. A First Study of the Statistics of Pulmonary Tuberculosis (Inheritance). By KARL PEARSON, F.R.S. Price 5s. net.</p> | <p>III. A Second Study of the Statistics of Pulmonary Tuberculosis, Marital Infection. By ERNEST G. POPE, revised by KARL PEARSON, F.R.S. With an Appendix on assortative Mating by ETHEL M. ELDERTON. Price 8s. net.</p> <p>IV. The Health of the School-Child in relation to its Mental Characters. By KARL PEARSON, F.R.S. [In preparation</p> |
|---|---|

Studies in National Deterioration (continued).

- V. On the Inheritance of the Diathesis of Phthisis and Insanity. A Statistical Study based upon the Family History of 1,500 Criminals. By CHARLES GORINE, M.D., B.Sc. Price 3s. net.
- VI. A Third Study of the Statistics of Pulmonary Tuberculosis. The Mortality of the Tuberculous and Sanatorium Treatment. By W. P. ELDERTON, F.I.A., and S. J. PEARY, A.I.A. Price 3s. net.
- VII. On the Intensity of Natural Selection in Man. (On the Relation of Darwinism to the Infantile Death-rate.) By E. C. SNOW, D.Sc. Price 3s. net.
- VIII. A Fourth Study of the Statistics of Pulmonary Tuberculosis: the Mortality of the Tuberculous: Sanatorium and Tuberculin Treatment. By W. PALIN ELDERTON, F.I.A., and SIDNEY J. PEARY, A.I.A. Price 3s. net.
- IX. A Statistical Study of Oral Temperatures in School Children with special reference to Parental, Environmental and Class Differences. By M. H. WILLIAMS, M.B., JULIA BELL, M.A., and KARL PEARSON, F.R.S. Price 6s. net.

Technical Series.

- I. On a Theory of the Stresses in Crane and Coupling Hooks with Experimental Comparison with Existing Theory. By E. S. ANDREWS, B.Sc. Eng., assisted by KARL PEARSON, F.R.S. Issued. Price 3s. net.
- II. On some Disregarded Points in the Stability of Masonry Dams. By L. W. ATCHERLEY, assisted by KARL PEARSON, F.R.S. Issued. Price 7s. net. Sold only with complete sets.
- III. On the Graphics of Metal Arches with special reference to the Relative Strength of Two-pivoted, Three-pivoted, and Built-in-Metal Arches. By L. W. ATCHERLEY and KARL PEARSON, F.R.S. Issued. Price 5s. net.
- IV. On Torsional Vibrations in Axles and Shafting. By KARL PEARSON, F.R.S. Issued. Price 6s. net.
- V. An Experimental Study of the Stresses in Masonry Dams. By KARL PEARSON, F.R.S., and A. F. CAMPBELL POLLARD, assisted by C. W. WHEELOCK, B.Sc. Eng., and L. F. RICHARDSON, B.A. Issued. Price 1s. net.
- VI. On a Practical Theory of Elliptic and Pseudo-elliptic Arches, with special reference to the ideal Masonry Arch. By KARL PEARSON, F.R.S., W. D. REYNOLDS, B.Sc. Eng., and W. F. STANTON, B.Sc. Eng. Issued. Price 4s. net.
- VII. On the Torsion resulting from Flexure in Prisms with Cross-Sections of Uni-axial Symmetry only. By ANDREW W. YOUNG, E. M. ELDERTON and KARL PEARSON, F.R.S. Issued. Price 7s. 6d. net.

Questions of the Day and of the Fray.

- I. The Influence of Parental Alcoholism on the Physique and Ability of the Offspring. A Reply to the Cambridge Economists. By KARL PEARSON, F.R.S. Price 1s. net.
- II. Mental Defect, Mal-Nutrition, and the Teacher's Appreciation of Intelligence. A Reply to Criticisms of the Memoir on 'The Influence of Defective Physique and Unfavourable Home Environment on the Intelligence of School Children.' By DAVID HERON, D.Sc. Price 1s. net.
- III. An Attempt to correct some of the Misstatements made by Sir VICTOR HORSLEY, F.R.S., F.R.C.S., and MARY D. STURGE, M.D., in their Criticisms of the Memoir: 'A First Study of the Influence of Parental Alcoholism,' &c. By KARL PEARSON, F.R.S. Price 1s. net.
- IV. The Fight against Tuberculosis and the Death-rate from Phthisis. By KARL PEARSON, F.R.S. Price 1s. net.
- V. Social Problems: Their Treatment, Past, Present and Future. By KARL PEARSON, F.R.S. Price 1s. net.
- VI. Eugenics and Public Health. Lecture to the York Congress of the Royal Sanitary Institute. By KARL PEARSON, F.R.S. Price 1s. net.
- VII. Mendelism and the Problem of Mental Defect. I. A Criticism of Recent American Work. By DAVID HERON, D.Sc. (Double Number.) Price 2s. net.
- VIII. Mendelism and the Problem of Mental Defect. II. The Continuity of Mental Defect. By KARL PEARSON, F.R.S., and GUSTAV A. JAEDERHOLM, Ph.D. Price 1s. net.
- IX. Mendelism and the Problem of Mental Defect. III. On the Graduated Character of Mental Defect, and on the need for standardizing Judgments as to the Grade of Social Inefficiency which shall involve Segregation. By KARL PEARSON, F.R.S. (Double Number.) Price 2s. net.

DEPARTMENT OF APPLIED STATISTICS
(COMPUTING SECTION)
UNIVERSITY OF LONDON, UNIVERSITY COLLEGE

TRACTS FOR COMPUTERS

EDITED BY KARL PEARSON, F.R.S.

No. VIII

Table of the Logarithms of the Complete Γ -Function
(for Arguments 2 to 1200, i.e. beyond Legendre's Range)

BY EGON S. PEARSON, B.A.,

*Assistant, Biometric Laboratory,
University of London*

CAMBRIDGE UNIVERSITY PRESS

C. F. CLAY, MANAGER

LONDON: FETTER LANE, E.C. 4

ALSO

H. K. LEWIS & CO., LTD., 136, Gower Street, London, W.C. 1

WHELDON & WESLEY, LTD., 28, Essex Street, London, W.C. 2

Bombay, Calcutta, Madras : Macmillan & Co., Limited

Tokyo : The Maruzen-Kabushiki-Kaisha

1922

Price Three Shillings and Ninepence net

The Cambridge University Press, Fetter Lane, London, E.C. 4, and their Agents, are now the sole Agents for the sale of the following publications of the Biometric and Galton Laboratories, University of London:

Eugenics Laboratory Publications

MEMOIR SERIES.

- I. The Inheritance of Ability. By EDGAR SCHUSTER, D.Sc., Formerly Galton Research Fellow, and ETHEL M. ELDERTON, Galton Scholar. Price 4s. net.
- II. A First Study of the Statistics of Insanity and the Inheritance of the Insane Diathesis. By DAVID HERON, D.Sc., Formerly Galton Research Fellow. Price 3s. net.
- III. The Promise of Youth and the Performance of Manhood. By EDGAR SCHUSTER, D.Sc., formerly Galton Research Fellow. Price 2s. 6d. net.
- IV. On the Measure of the Resemblance of First Cousins. By ETHEL M. ELDERTON, Galton Research Fellow, assisted by KARL PEARSON, F.R.S. Price 3s. 6d. net.
- V. A First Study of the Inheritance of Vision and of the Relative Influence of Heredity and Environment on Sight. By AMY BARRINGTON and KARL PEARSON, F.R.S. Price 4s. net.
- VI. Treasury of Human Inheritance (Pedigrees of physical, psychical, and pathological Characters in Man). Parts I and II (double part). (Diabetes insipidus, Split-Foot, Polydactylism, Brachydactylism, Tuberculosis, Deaf-Mutism, and Legal Ability.) Price 14s. net.
- VII. On the Relationship of Condition of the Teeth in Children to Factors of Health and Home Environment. By E. C. RHODES. Price 9s. net.
- VIII. The Influence of Unfavourable Home Environment and Defective Physique on the Intelligence of School Children. By DAVID HERON, M.A., D.Sc., Formerly Galton Research Fellow. Price 4s. net. Sold only with complete sets.
- IX. The Treasury of Human Inheritance (Pedigrees of physical, psychical, and pathological Characters in Man). Part III. (Angioneurotic Oedema, Hermaphroditism, Deaf-Mutism, Insanity, Commercial Ability.) Price 6s. net.
- X. The Influence of Parental Alcoholism on the Physique and Intelligence of the Offspring. By ETHEL M. ELDERTON, assisted by KARL PEARSON, Second Edition. Price 4s. net.
- XI. The Treasury of Human Inheritance (Pedigrees of physical, psychical, and pathological Characters in Man). Part IV. (Cleft Palate, Hare-Lip, Deaf-Mutism, and Congenital Cataract.) Price 10s. net.
- XII. The Treasury of Human Inheritance (Pedigrees of physical, psychical, and pathological Characters in Man). Parts V. and VI. (Haemophilia.) Price 15s. net.
- XIII. A Second Study of the Influence of Parental Alcoholism on the Physique and Intelligence of the Offspring. By KARL PEARSON, F.R.S. and ETHEL M. ELDERTON. Price 4s. net.
- XIV. A Preliminary Study of Extreme Alcoholism in Adults. By AMY BARRINGTON and KARL PEARSON, F.R.S., assisted by DAVID HERON, D.Sc. Price 4s. net.
- XV. The Treasury of Human Inheritance. Dwarfism, with 49 Plates of Illustrations and 8 Plates of Pedigrees. Price 15s. net.
- XVI. The Treasury of Human Inheritance. Prefatory matter and indices to Vol. I. With Frontispiece Portraits of Sir Francis Galton and Ancestry. Price 3s. net.
- XVII. A Second Study of Extreme Alcoholism in Adults. With special reference to the Home Office Inebriate Reformatory data. By DAVID HERON, D.Sc. Price 5s. net.
- XVIII. On the Correlation of Fertility with Social Value. A Cooperative Study. Price 6s. net.
- XIX—XX. Report on the English Birthrate. Part I. England, North of the Humber. By ETHEL M. ELDERTON, Galton Research Fellow. Price 9s. net.

LECTURE SERIES. Price 1s. net each (Nos. III, X, XI, XII, XIII excepted).

- I. The Scope and Importance to the State of the Science of National Eugenics. By KARL PEARSON, F.R.S. Third Edition.
- II. The Groundwork of Eugenics. By KARL PEARSON, F.R.S. Second Edition.
- III. The Relative Strength of Nurture and Nature. Much enlarged Second Edition. Part I. The Relative Strength of Nurture and Nature. (Second Edition revised.) By ETHEL M. ELDERTON. Part II. Some Recent Misinterpretations of the Problem of Nurture and Nature. (First Issue.) By KARL PEARSON, F.R.S. Price 2s. net.
- IV. On the Marriage of First Cousins. By ETHEL M. ELDERTON.
- V. The Problem of Practical Eugenics. By KARL PEARSON, F.R.S. Second Edition.
- VI. Nature and Nurture, the Problem of the Future. By KARL PEARSON, F.R.S. Second Edition.
- VII. The Academic Aspect of the Science of National Eugenics. By KARL PEARSON, F.R.S.
- VIII. Tuberculosis, Heredity and Environment. By KARL PEARSON, F.R.S.
- IX. Darwinism, Medical Progress and Eugenics. The Cavendish Lecture, 1912. By KARL PEARSON, F.R.S.

TRACTS FOR COMPUTERS
No. VIII

CONTENTS

	PAGE
I. Methods of Calculation	iii
II. Construction and Scope of the present Table	v
III. Illustrative Examples	vi
IV. The Derivatives of Log $\Gamma(p)$	viii
Table of the Logarithms of the Complete Γ -Function, Argument 2 to 1200 . .	1-16

THE COMPLETE Γ-FUNCTION

BY EGON S. PEARSON, B.A.

I. *Methods of Calculation.*

The publication of the Tables of the Incomplete Gamma Function*, or rather of the ratio

$$I_x(p) = \int_0^x e^{-z} z^{p-1} dz / \int_0^\infty e^{-z} z^{p-1} dz = \int_0^x e^{-z} z^{p-1} dz / \Gamma(p),$$

renders desirable the issue of a Table of the Complete Gamma Function in readily accessible form. In many statistical problems the value of $\Gamma(p)$ is required for high values of p , amounting perhaps to several hundreds, and in such cases it is practically essential to deal with $\log \Gamma(p)$; it is this function which is tabled below. The most important Tables of $\log \Gamma(p)$ that have been published are :

(i) That of Gauss, first issued in 1813† and to be found in his *Werke*, Band III. s. 161–162, Göttingen 1866; this Table gives to twenty places of decimals the value of $\log \Gamma(p)$ in the range 1·00 to 2·00 for an argument interval of 0·01;

(ii) That of Legendre originally published in Tom. II. (pp. 490–499) of his *Traité des Fonctions Elliptiques, avec des Tables pour en faciliter le calcul numérique*, Paris 1825; this Table is calculated to twelve places of decimals for the range 1·000 to 2·000 with an argument interval of 0·001. A facsimile reproduction has been issued as No. IV of the present series of Tracts for Computers.

The value of $\log \Gamma(p)$ for values of p lying outside the range of these two tables may be calculated by various methods :

(a) By successive use of the reduction relation

$$\Gamma(p) = (p - 1) \Gamma(p - 1),$$

} a laborious process if p is much above 2.

* Tables of the Incomplete Gamma Function; issued by His Majesty's Stationery Office, 1922.

† Disquisitiones Generales Circa Seriem Infinitam

$$1 + \frac{\alpha \cdot \beta}{1 \cdot \gamma} x + \frac{\alpha(\alpha+1) \beta(\beta+1)}{1 \cdot 2 \cdot \gamma(\gamma+1)} x^2 + \dots$$

THE COMPLETE Γ -FUNCTION

(b) By Stirling's asymptotic expansion

$$\begin{aligned}\text{Log}_e \Gamma(p) = & (p - \frac{1}{2}) \log_e p - p + \frac{1}{2} \log_e 2\pi \\ & + \frac{1}{12p} - \frac{1}{360p^2} + \frac{1}{1260p^3} - \frac{1}{1680p^4} + \frac{1}{1188p^5} - \dots\end{aligned}$$

(c) By Professor Forsyth's formula

$$\Gamma(p+1) = \sqrt{2\pi} \left\{ \frac{\sqrt{p^2 + p + \frac{1}{4}}}{e} \right\}^{p+\frac{1}{2}},$$

which may be used for calculation of $\text{Log } \Gamma(p+1)$ to 5 or 6 places of decimals.

(d) By Professor Pearson's formula*

$$\text{Log } \frac{\Gamma(p+1)}{p^p e^{-p}} = 0.399,0899 + \frac{1}{2} \log p + .080,929 \sin \frac{25^\circ 623}{p},$$

which is particularly convenient in many statistical problems where it is the ratio of $\Gamma(p+1)$ to $p^p e^{-p}$ that occurs.

(e) By interpolation in a Table of the Logarithms of factorials†.

These methods are none of them simple, and may be extremely laborious if a high degree of accuracy is required. It is hoped, therefore, that the computer's problem will be simplified by the issue of the present Table containing the values of $\text{Log } \Gamma(p)$ to ten places of decimals from $p = 2$ to $p = 1200$, together with central differences for purposes of interpolation‡.

* *Biometrika*, Vol. vi. pp. 118-119.

† As for example Degen's Table of the Logarithms of factorials up to 1200, calculated to eighteen decimal places. *Tabularum ad faciliorem et breviores probabilitatis computationem utilium Enneas*. Henviae MDCCXXXIV. The Logarithms of factorials up to 1000 to seven decimal places are also given in *Tables for Statisticians and Biometricalians*. Cambridge University Press.

‡ To make full use of the present Table, ten figure logarithms are of course required. These are unfortunately not readily accessible. Vega's *Thesaurus Logarithmorum completus*, Leipzig, 1794, is now a rare book; it also contains certain last figure errors. Andoyer, in the introduction to his *Nouvelles Tables Trigonometriques Fondamentales*, states that photozincographic reproductions of Vega's Tables were issued by the Instituto Geografico Militare at Florence in 1889, 1892 and 1910; the original errors are reproduced in these facsimile reprints. Duffield's ten figure Table calculated independently of Vega's, and issued for the U.S. Coast and Geodetic Survey, Washington, 1897, has been long out of print.

Briggs' Table (to fourteen figures) may be used, and there are several other tables going to more than ten figures, but their range is small and lengthy interpolation may be required in using them.

II. Construction and Scope of the present Table.

The Table has been constructed as follows :

(i) The values of $\text{Log } \Gamma(p)$ for the range $p = 2$ to $p = 70$ were obtained by method (a) above, by the successive addition of the logarithms of ordinary numbers to the logarithms of $\Gamma(p)$ (range $p = 1$ to $p = 2$). The work was first carried out starting from Legendre's twelve figure Table*, but as it was found that in certain cases this led to a unit error in the tenth place of a 4th or 6th difference, the results were checked by working to fifteen places of decimals from Gauss' Table, and finally cutting off to ten places. This portion of the Table is divided into two parts: from $p = 2.0$ to 5.0 , the argument interval is 0.1 , while from $p = 5.0$ to 70.0 it is 0.2 .

(ii) For the range $p = 70$ to $p = 1200$, $\text{Log } \Gamma(p)$ is given for every integral value of p ; the values of the function have been taken from Degen's Table of the Logarithms of factorials†, where of course $\text{Log}(p!) = \text{Log } \Gamma(p+1)$. The differences were worked out using twelve decimal places, and the last two figures then cut off, but here again when doubtful cases arose (i.e. when the 11th figure was nearly 5) it was necessary to examine the 13th or 14th figures.

The Table may of course be used to find values of the Logarithms of Factorials. To obtain from it values of $\text{Log } \Gamma(p)$, interpolation will in general be necessary, and the differences tabled are the second, fourth and sixth differences— δ^2 , δ^4 and δ^6 —which should be used in Everett's Central Difference Interpolation Formula‡:

$$\begin{aligned} z_\theta &= \phi z_0 + \theta z_1 - \frac{1}{6} \phi \theta \{(1+\phi) \delta^2 z_0 + (1+\theta) \delta^2 z_1\} \\ &\quad + \frac{1}{120} \phi \theta (1+\phi)(1+\theta) \{(2+\phi) \delta^4 z_0 + (2+\theta) \delta^4 z_1\} \\ &\quad - \frac{1}{5040} \phi \theta (1+\phi)(1+\theta)(2+\phi)(2+\theta) \{(3+\phi) \delta^6 z_0 + (3+\theta) \delta^6 z_1\} + \dots, \end{aligned}$$

where $z_0 = f(x_0)$, $z_1 = f(x_0 + h)$, $z_\theta = f(x_0 + \theta h)$,

h is the argument interval and θ and ϕ are two positive quantities such that $\theta + \phi = 1$.

If this formula be written

$$\begin{aligned} z_\theta &= \phi z_0 + \theta z_1 - [\epsilon_2(\phi) \delta^2 z_0 + \epsilon_2(\theta) \delta^2 z_1] + [\epsilon_4(\phi) \delta^4 z_0 + \epsilon_4(\theta) \delta^4 z_1] \\ &\quad - [\epsilon_6(\phi) \delta^6 z_0 + \epsilon_6(\theta) \delta^6 z_1] + \dots, \end{aligned}$$

* A number of last (i.e. 12th) figure errors have been found in Legendre's Table. In testing his values against those of Gauss (who goes to twenty figures), an error of a unit was found in twenty-three cases out of a hundred; the errors were both positive and negative.

† See footnote † to p. iv above.

‡ *Journal of the Institute of Actuaries*, Vol. xxxv, p. 452.

the functions ϵ_2 , ϵ_4 and ϵ_6 have been tabled for values of θ (and therefore of ϕ) lying between zero and unity by Mr A. J. Thompson in Tract No. V of this Series*. Using his Table the whole process of an interpolation can be carried out by a practised computer in one continuous operation on the machine. The functions are tabled to ten figures; if the value of $\log \Gamma(p)$ be required to the full ten places of decimals, it is advisable to take out ϵ_2 to eight figures, while for seven place accuracy in $\log \Gamma(p)$, only five figures of ϵ_2 need be used. For ϵ_4 less figures are actually needed, but if the operation is to be a continuous one on the machine, little is gained and mistakes may be introduced by taking out fewer figures than for ϵ_2 .

It may be stated as a rough guide, that when working with Everett's Formula it is unnecessary to use a 2nd difference under 4, a 4th difference under 20, or a 6th difference under 100 (where these differences correspond to the last figures of the tabled entries). Thus in working to ten decimal places, the 6th differences of $\log \Gamma(p)$ are only required within the range $p = 2$ to $p = 10$, while 4th differences become negligible at about $p = 800$. If working to seven decimal places only, 6th differences will not be required at all, and 4th differences only between $p = 2$ and $p = 10$, and again from $p = 70$ to $p = 80$. These rules will serve for practical purposes, although an error of a unit in the last place may occur in unfavourable circumstances; in fact it is obvious that in any process involving the addition of quantities cut off at a certain figure, this possibility cannot be eliminated altogether although the chance of the occurrence of a unit last figure error may be reduced by retaining differences below the limits given above.

III. Illustrative Examples.

Example 1.

To find $\log \Gamma(6.8234)$ to ten places of decimals. At this point of the Table the argument interval is 0.2; we find

$$\begin{array}{ll} z_0 = \log \Gamma(6.8) = 2.696\ 012\ 0302, & z_1 = \log \Gamma(7.0) = 2.857\ 332\ 4964, \\ \delta^2 z_0 & = 2\ 752\ 1435, \quad \delta^2 z_1 & = 2\ 667\ 7699, \\ \delta^4 z_0 & = 5\ 5003, \quad \delta^4 z_1 & = 5\ 0111, \\ \delta^6 z_0 & = 657, \quad \delta^6 z_1 & = 562. \\ \theta = \frac{.234}{2} = .117, & \phi = .883. \end{array}$$

$$\begin{array}{ll} \epsilon_2(\phi) = .03242\ 244, & \epsilon_3(\theta) = .01923\ 306, \\ \epsilon_4(\phi) = 522\ 052, & \epsilon_5(\theta) = 383\ 345, \\ \epsilon_6(\phi) = 102\ 177, & \epsilon_7(\theta) = 82\ 020. \end{array}$$

* *Tracts for Computers*, No. V. Cambridge University Press.

Hence we find, taking the terms separately,

$$\begin{aligned}
 \phi z_0 + \theta z_1 &= + 2\cdot714\ 886\ 5247(5) \\
 - [\epsilon_1(\phi) \delta^2 z_0 + \epsilon_1(\theta) \delta^2 z_1] &= - 140\ 5405(9) \\
 + [\epsilon_4(\phi) \delta^4 z_0 + \epsilon_4(\theta) \delta^4 z_1] &= + 479(2) \\
 - [\epsilon_6(\phi) \delta^6 z_0 + \epsilon_6(\theta) \delta^6 z_1] &= - 1(1) \\
 \text{Log } \Gamma(6\cdot8234) &= \underline{2\cdot714\ 746\ 0320}
 \end{aligned}$$

By the addition of the logarithms of 1·8234, 2·8234, 3·8234, 4·8234 and 5·8234 to the value of $\log \Gamma(1\cdot8234)$ interpolated from Legendre's Table, the same result was obtained*. Were Stirling's asymptotic expansion used, it would be necessary to include the term $\frac{1}{1188p^9}$ to be certain of tenth figure accuracy.

Example 2.

To find $\log \Gamma(691\cdot43)$ to ten places of decimals.

$$\begin{aligned}
 z_0 = \log \Gamma(691) &= 1660\cdot961\ 247\ 0260, & z_1 = \log \Gamma(692) &= 1663\cdot800\ 725\ 0734, \\
 \delta^2 z_0 &= 628\ 9566, & \delta^2 z_1 &= 628\ 0471, \\
 \delta^4 z_0 &= 26, & \delta^4 z_1 &= 26. \\
 \phi &= .57, & \theta &= .43. \\
 \phi z_0 + \theta z_1 &= 1662\cdot182\ 222\ 5863(8) \\
 - [\epsilon_1(\phi) \delta^2 z_0 + \epsilon_1(\theta) \delta^2 z_1] &= - 77\ 0255(0) \\
 + [\epsilon_4(\phi) \delta^4 z_0 + \epsilon_4(\theta) \delta^4 z_1] &= \underline{77\ 0255(0)} \\
 \text{Log } \Gamma(691\cdot43) &= \underline{1662\cdot182\ 145\ 5609}
 \end{aligned} \tag{6}$$

Example 3.

If θ contains more than three decimal places it becomes necessary to interpolate into Thompson's Table to obtain the values of the ϵ functions. This of course lengthens the process of computation, but if $\log \Gamma(p)$ is required to seven decimal places only, ϵ_1 need only be taken to five places and linear interpolation for its value is sufficient throughout the Table. The process is illustrated in the following example.

To find $\log \Gamma(72\cdot38365)$ to seven places of decimals.

$$\begin{aligned}
 z_0 = \log \Gamma(72) &= 101\cdot929\ 6634, & z_1 = \log \Gamma(73) &= 103\cdot786\ 9959, \\
 \delta^2 z_0 &= 6\ 0741, & \delta^2 z_1 &= 5\ 9904, \\
 \delta^4 z_0 &= 24, & \delta^4 z_1 &= 23.
 \end{aligned}$$

* The process is however lengthy, since for last figure accuracy it is necessary to work with logarithms to eleven places, and even using Briggs' Table interpolation may be necessary.

$$\phi = .61635, \quad \theta = .38365.$$

$$\epsilon_2(\phi) = .063709 \quad \epsilon_2(\theta) = .054470$$

$$\epsilon_2(\phi) = .063686 \quad \epsilon_2(\theta) = .054563$$

$$\Delta = - 23 \quad \Delta = + 93$$

Hence $\epsilon_2(\phi) = .06370, \quad \epsilon_2(\theta) = .05453,$
 $\epsilon_4(\phi) = .01153$ (at sight), $\epsilon_4(\theta) = .01050$ (at sight).

$$\phi z_0 + \theta z_1 = 102.642\ 2290(1)$$

$$- [\epsilon_2(\phi) \delta^2 z_0 + \epsilon_2(\theta) \delta^2 z_1] = - 7135(8)$$

$$[\epsilon_4(\phi) \delta^4 z_0 + \epsilon_4(\theta) \delta^4 z_1] = \underline{\hspace{10em}}$$

$$\text{Log } \Gamma(72.38365) = \underline{\hspace{10em}} 102.641\ 5155$$

IV. The Derivatives of $\text{Log } \Gamma(p)$.

It is also possible to use the present Table to calculate the values of the successive Derivatives of the Logarithm of the Gamma Function, or of

$$F(p) = \frac{d}{dp} \log_e \Gamma(1+p) = -\gamma + \sum_{n=1}^{\infty} \frac{p}{n(n+p)},$$

where $\gamma = 0.5772157\dots$, or Euler's Constant.

$$F(p) = \frac{d^2}{dp^2} \log_e \Gamma(1+p) = \sum_{n=1}^{\infty} \frac{1}{(n+p)^2},$$

$$\frac{d^3}{dp^3} \log_e \Gamma(1+p) = -2 \sum_{n=1}^{\infty} \frac{1}{(n+p)^3}, \text{ etc.}$$

Values of the first function, $\frac{d}{dp} \log_e \Gamma(1+p)$, have been given by Gauss* to eighteen decimal places for the range $p = 0$ to $p = 1$ with argument interval .01, and also by Prof. G. N. Watson† to thirteen decimal places for all integers and halves of odd integers from 0 to 100. *Tracts for Computers*, No. 1‡, contains Tables to eight decimal places of both $F(p)$ and $f(p)$, for the range $p = 0$ to $p = 20$, and with argument interval .02.

The value of all these functions can however be obtained by interpolation from the present Table, with the help of the following central difference interpolation formulae for the derivatives of $z_\theta = f(x_\theta + \theta h)$.

* *Werke*, Bd. III, S. 161, 162. Göttingen, 1866.

† *Report of British Association*, 1916, pp. 125 and 126.

‡ Cambridge University Press. The symbols F and f and the names Digamma and Trigamma Functions were there first suggested. $\frac{d^3}{dp^3} \log_e \Gamma(1+p)$ might be called the Tetragamma Function.

$$\begin{aligned}
 \text{(i)} \quad h \frac{dz_\theta}{dx} &= \phi \frac{z_1 - z_{-1}}{2} + \theta \frac{z_2 - z_0}{2} \\
 &- \left[\left\{ \frac{1}{2} \phi + \epsilon_2(\phi) \right\} \frac{\delta^2 z_1 - \delta^2 z_{-1}}{2} + \left\{ \frac{1}{2} \theta + \epsilon_2(\theta) \right\} \frac{\delta^2 z_2 - \delta^2 z_0}{2} \right] \\
 &+ \left[\left\{ \frac{1}{3!} \phi + \frac{1}{3!} \epsilon_2(\phi) + \epsilon_4(\phi) \right\} \frac{\delta^4 z_1 - \delta^4 z_{-1}}{2} + \left\{ \frac{1}{3!} \theta + \frac{1}{3!} \epsilon_2(\theta) + \epsilon_4(\theta) \right\} \frac{\delta^4 z_2 - \delta^4 z_0}{2} \right] \\
 &- \dots, \\
 \text{(ii)} \quad h^2 \frac{d^2 z}{dx^2} &= \phi \delta^2 z_0 + \theta \delta^2 z_1 - \left[\left\{ \frac{1}{12} \phi + \epsilon_2(\phi) \right\} \delta^4 z_0 + \left\{ \frac{1}{12} \theta + \epsilon_2(\theta) \right\} \delta^4 z_1 \right] \\
 &+ \left[\left\{ \frac{1}{60} \phi + \frac{1}{12} \epsilon_2(\phi) + \epsilon_4(\phi) \right\} \delta^6 z_0 + \left\{ \frac{1}{60} \theta + \frac{1}{12} \epsilon_2(\theta) + \epsilon_4(\theta) \right\} \delta^6 z_1 \right] \\
 &- \dots, \\
 \text{(iii)} \quad h^3 \frac{d^3 z}{dx^3} &= \phi \frac{\delta^2 z_1 - \delta^2 z_{-1}}{2} + \theta \frac{\delta^2 z_2 - \delta^2 z_0}{2} \\
 &- \left[\left\{ \frac{1}{4} \phi + \epsilon_2(\phi) \right\} \frac{\delta^4 z_1 - \delta^4 z_{-1}}{2} + \left\{ \frac{1}{4} \theta + \epsilon_2(\theta) \right\} \frac{\delta^4 z_2 - \delta^4 z_0}{2} \right] \\
 &+ \left[\left\{ \frac{1}{120} \phi + \frac{1}{4} \epsilon_2(\phi) + \epsilon_4(\phi) \right\} \frac{\delta^6 z_1 - \delta^6 z_{-1}}{2} + \left\{ \frac{1}{120} \theta + \frac{1}{4} \epsilon_2(\theta) + \epsilon_4(\theta) \right\} \frac{\delta^6 z_2 - \delta^6 z_0}{2} \right] \\
 &- \dots,
 \end{aligned}$$

where h is the argument interval, θ , ϕ , ϵ_2 , and ϵ_4 are the Everett coefficients referred to above, and

$$z_{-1} = f(x_0 - h); \quad z_0 = f(x_0); \quad z_1 = f(x_0 + h); \quad z_2 = f(x_0 + 2h).$$

The following rules provide a rough guide to the order of differences which can be neglected:

In (i) it is unnecessary to use the term containing the 4th differences if 5th differences are less than 6;

in (ii) it is unnecessary to use 6th differences less than 10;

in (iii) the term containing 6th differences is negligible if 7th differences are less than 4;

where the differences correspond to the last figures of the tabled entries.

It will be noted that if $\theta = 0$ and $\phi = 1$, or we require the value of a derivative of the function for a value of x at which the function is tabled, the equations (i), (ii) and (iii) reduce to much simpler forms, for in this case

$$\epsilon_2(\phi) = \epsilon_2(\theta) = 0, \quad \epsilon_4(\phi) = \epsilon_4(\theta) = 0.$$

Example.

To find $F(37.68) = \frac{dx}{dp^2} \log_{10} \Gamma(38.68) \times \log_e 10.$

Here $z_0 = \log \Gamma(38.6), \quad z_1 = \log \Gamma(38.8),$
 $\delta^2 z_0 = .000\ 455\ 9281, \quad \delta^2 z_1 = .000\ 453\ 5476,$
 $\delta^4 z_0 = \quad 251, \quad \delta^4 z_1 = \quad 247.$

The sixth difference will be less than 10 and is therefore negligible.

$$h = .2, \quad \phi = .6, \quad \theta = .4.$$

$$\epsilon_2(\phi) = .06400\ 00 \quad \epsilon_2(\theta) = .05600\ 00$$

$$\frac{1}{12}\phi = .05000\ 00 \quad \frac{1}{12}\theta = .03333\ 33$$

$$\underline{.11400\ 00} \quad \underline{.08933\ 33}$$

$$\phi \delta^2 z_0 + \theta \delta^2 z_1 = .000\ 454\ 9759(0)$$

$$- [(\frac{1}{12}\phi + \epsilon_2(\phi)) \delta^4 z_0 + (\frac{1}{12}\theta + \epsilon_2(\theta)) \delta^4 z_1] = - \underline{\quad \quad \quad 50(7)}$$

$$\underline{\quad \quad \quad .000\ 454\ 9708(3)}$$

Multiplying .000 454 97083 by $\log_e 10 (= 2.302\ 585\ 0930)$ and dividing by $h^2 (= .04)$ we have finally

$$F(37.68) = .0261\ 9023 \text{ to eight decimal places;}$$

this result agrees with that given by Miss Pairman as an example on p. 6 of the introduction to her Table*.

* See footnote to p. viii above.

TABLE OF THE LOGARITHMS OF THE COMPLETE
Γ-FUNCTION, ARGUMENTS 2 TO 1200

Complete Γ -Functions.

p	$\log \Gamma(p)$	δ^2	δ^4	δ^6	p
2.0	0.000 000 0000	2 302 7032	21 6033	9266	2.0
2.1	0.019 733 5591	2 637 0316	18 1288	6976	2.1
2.2	0.042 103 7499	2 489 4889	15 3520	5327	2.2
2.3	0.066 963 6296	2 367 2980	13 1078	4121	2.3
2.4	0.094 180 8071	2 238 2150	11 2757	3225	2.4
2.5	0.125 636 1997	2 130 4077	9 7662	2552	2.5
2.6	0.155 222 0001	2 032 5666	8 5118	2039	2.6
2.7	0.188 340 1671	1 942 8573	7 4614	1644	2.7
2.8	0.224 401 1713	1 860 7894	6 5764	1337	2.8
2.9	0.261 822 9450	1 786 2769	5 8231	1096	2.9
3.0	0.301 029 9957	1 715 6076	5 1804	905	3.0
3.1	0.341 952 6639	1 651 1186	4 6282	752	3.1
3.2	0.384 626 4307	1 591 2680	4 1513	629	3.2
3.3	0.428 691 4666	1 535 5486	3 7372	529	3.3
3.4	0.474 392 0489	1 485 5763	3 3760	448	3.4
3.5	0.521 676 2084	1 434 9801	3 0697	381	3.5
3.6	0.570 195 3481	1 389 4435	2 7814	326	3.6
3.7	0.620 203 9312	1 346 6883	2 5357	280	3.7
3.8	0.671 659 2027	1 306 4698	2 3179	241	3.8
3.9	0.724 220 9429	1 269 5672	2 1243	209	3.9
4.0	0.778 151 2804	1 232 7899	1 9515	182	4.0
4.1	0.833 314 3477	1 198 9640	1 7989	158	4.1
4.2	0.889 676 4090	1 166 9850	1 6581	139	4.2
4.3	0.947 206 4054	1 136 5641	1 5332	122	4.3
4.4	1.006 870 9688	1 107 7284	1 4205	107	4.4
4.5	1.066 644 2628	1 080 3092	1 3185	95	4.5
4.6	1.126 497 8488	1 054 2104	1 2260	84	4.6
4.7	1.186 406 6683	1 029 3376	1 1419	75	4.7
4.8	1.251 242 7995	1 006 6067	1 0658	67	4.8
4.9	1.315 285 5600	982 9411	9954	60	4.9
5.0	1.380 211 2417	961 2709	9316	53	5.0
5.0	1.380 211 2417	3 846 0153	14 9466	3457	5.0
5.2	1.512 926 6934	3 683 4852	18 1401	2791	5.2
5.4	1.649 323 6423	3 584 0963	11 6127	2273	5.4
5.6	1.789 285 8805	3 396 3180	10 3126	1867	5.6
5.8	1.932 584 0367	3 208 8632	9 1991	1544	5.8
6.0	2.079 181 3460	3 150 5876	8 2401	1286	6.0
6.2	2.228 929 0450	3 040 6621	7 4096	1078	6.2
6.4	2.381 717 4022	2 937 9463	6 8859	909	6.4
6.6	2.537 443 7075	2 842 0173	6 0661	770	6.6
6.8	2.695 012 0502	2 752 1435	5 6003	657	6.8
7.0	2.857 832 4964	2 667 7099	5 0111	562	7.0
7.2	3.021 320 7326	2 588 4075	4 5783	484	7.2
7.4	3.187 897 3761	2 513 6233	4 1938	418	7.4
7.6	3.356 987 6431	2 443 0329	3 9611	363	7.6
7.8	3.528 520 9429	2 376 2936	3 5447	316	7.8
8.0	3.702 430 5384	2 318 0990	3 2700	276	8.0
8.2	3.878 663 2290	2 253 1744	3 0228	243	8.2
8.4	4.057 129 0959	2 190 2726	2 8000	214	8.4
8.6	4.237 801 2354	2 142 1709	2 5985	189	8.6
8.8	4.420 616 5456	2 090 5675	2 4159	167	8.8
9.0	4.606 820 5234	2 041 5801	2 2500	145	9.0
9.2	4.792 467 0813	1 994 7427	2 0989	132	9.2
9.4	4.981 408 3819	1 950 0041	1 9610	118	9.4
9.6	5.172 299 0866	1 907 2266	1 8349	105	9.6
9.8	5.368 098 2178	1 866 2839	1 7195	95	9.8
10.0	5.569 763 0329	1 827 0607	1 6136	85	10.0

Tables of the Logarithms

P	$\log \Gamma(p)$	δ^2	δ^4
10·0	5·559 763 0329	1 827 0607	1 6155
10·2	5·756 254 9087	1 789 4510	1 5160
10·4	5·954 836 2365	1 753 5573	1 4262
10·6	6·154 570 9196	1 718 6897	1 3434
10·8	6·356 324 2936	1 685 3666	1 2668
11·0	6·559 763 0329	1 653 3082	1 1960
11·2	6·764 856 0805	1 622 4468	1 1303
11·4	6·971 569 5748	1 592 7157	1 0694
11·6	7·179 876 7849	1 564 0540	1 0127
11·8	7·389 748 0490	1 536 4050	9600
12·0	7·601 156 7180	1 509 7180	9109
12·2	7·814 078 1051	1 483 9579	8651
12·4	8·028 474 4262	1 459 0249	8223
12·6	8·244 334 7741	1 434 9342	7822
12·8	8·461 630 0563	1 411 6257	7448
13·0	8·680 336 9641	1 389 0619	7096
13·2	8·900 432 9338	1 367 2078	6767
13·4	9·121 896 1113	1 346 0304	6458
13·6	9·344 705 3192	1 325 4988	6167
13·8	9·568 840 0259	1 305 5838	5893
14·0	9·794 280 5164	1 286 2582	5636
14·2	10·021 006 8680	1 267 4961	5393
14·4	10·249 000 9097	1 249 2732	5164
14·6	10·478 244 2276	1 231 5668	4947
14·8	10·708 719 1123	1 214 3550	4743
15·0	10·940 408 3521	1 197 6176	4550
15·2	11·173 295 2094	1 181 3361	4367
15·4	11·407 363 4018	1 165 4892	4193
15·6	11·642 597 0834	1 150 0827	4029
15·8	11·878 990 8277	1 135 0391	3873
16·0	12·116 499 8111	1 120 4028	3725
16·2	12·356 158 7973	1 106 1391	3585
16·4	12·594 884 1228	1 092 2338	3462
16·6	12·836 721 6818	1 078 6738	3325
16·8	13·077 637 9147	1 065 4462	3204
17·0	13·320 619 5938	1 052 5390	3089
17·2	13·564 663 8119	1 039 9407	2979
17·4	13·809 727 9707	1 027 6403	2876
17·6	14·055 829 7698	1 015 6276	2775
17·8	14·302 947 1964	1 003 8922	2680
18·0	14·551 068 6162	992 4249	2590
18·2	14·800 182 3588	981 2185	2503
18·4	15·050 277 2190	970 2585	2420
18·6	15·301 342 4376	959 5424	2341
18·8	15·553 367 1987	949 0605	2265
19·0	15·805 841 0203	938 8050	2192
19·2	16·060 253 8468	928 7687	2123
19·4	16·315 096 0420	918 9447	2056
19·6	16·570 855 3818	909 8263	1992
19·8	16·827 525 0490	899 9071	1931
20·0	17·086 094 6212	890 6810	1872

P	$\log \Gamma(p)$	δ^2	δ^4
20·0	17·085 094 6212	890 6810	1872
20·2	17·343 554 8755	881 6422	1816
20·4	17·602 896 7719	872 7849	1762
20·6	17·863 111 4582	864 1038	1710
20·8	18·124 190 2382	855 6936	1660
21·0	18·386 124 6189	847 2494	1612
21·2	18·648 906 2449	839 0664	1568
21·4	18·912 528 9393	831 0398	1521
21·6	19·176 978 6738	823 1654	1478
21·8	19·442 253 5732	815 4398	1437
22·0	19·708 343 9116	807 8558	1397
22·2	19·976 242 1058	800 4126	1350
22·4	20·242 940 7127	793 1062	1322
22·6	20·511 432 4247	785 9301	1286
22·8	20·780 710 0668	778 8835	1252
23·0	21·050 766 5924	771 9622	1219
23·2	21·321 595 0803	765 1628	1187
23·4	21·593 188 7310	768 4821	1156
23·6	21·866 540 9659	761 9171	1127
23·8	22·138 644 9138	746 4647	1098
24·0	22·412 494 4285	739 1221	1070
24·2	22·687 083 0652	732 8866	1043
24·4	22·962 404 5694	726 7552	1017
24·6	23·238 452 8668	720 7256	992
24·8	23·515 221 8709	714 7953	968
25·0	23·792 705 6702	708 9617	944
25·2	24·070 898 4312	703 2226	922
25·4	24·349 794 4148	697 5756	900
25·6	24·629 387 9739	692 0186	878
25·8	24·909 673 5517	686 5494	858
26·0	25·189 645 6793	681 1660	838
26·2	25·472 298 9720	675 8663	818
26·4	25·764 628 1314	670 6485	799
26·6	26·057 627 9392	665 5105	781
26·8	26·321 293 2576	660 4508	763
27·0	26·606 619 0268	655 4673	746
27·2	26·890 600 2633	650 5585	730
27·4	27·176 282 0662	645 7227	714
27·6	27·462 509 5759	640 9582	698
27·8	27·749 428 0517	636 2635	682
28·0	28·036 982 7910	631 6371	665
28·2	28·325 169 1673	627 0774	654
28·4	28·613 982 6211	622 5831	640
28·6	28·905 418 6679	618 1628	626
28·8	29·193 472 8476	613 7551	613
29·0	29·484 140 8223	609 4786	600
29·2	29·776 418 2756	605 2322	588
29·4	30·067 300 9611	601 0445	575
29·6	30·359 784 6911	596 9143	564
29·8	30·652 868 3364	592 8406	552
30·0	30·946 538 8202	588 8220	541

of the Complete Γ -Functions.

p	$\text{Log } \Gamma(p)$	δ^2	δ^4	p	$\text{Log } \Gamma(p)$	δ^2	δ^4
30-0	30.946 538 8202	588 8220	541	40-0	46.309 585 0768	439 7703	225
30-2	31.240 801 1271	664 8576	530	40-2	46.629 126 3293	437 5550	222
30-4	31.526 648 2915	580 9462	520	40-4	46.949 105 1369	435 3820	219
30-6	31.831 076 4021	577 0867	509	40-6	47.269 519 3064	433 1908	215
30-8	32.127 081 5994	573 2782	499	40-8	47.590 366 6667	431 0412	212
31-0	32.423 660 0749	569 5196	490	41-0	47.911 545 0682	428 9128	209
31-2	32.720 808 0700	568 8100	480	41-2	48.238 352 3824	426 8053	206
31-4	33.018 621 8761	562 1484	471	41-4	48.556 486 5020	424 7184	203
31-6	33.316 797 9286	569 6339	462	41-6	48.878 045 3399	422 6618	200
31-8	33.615 622 3159	554 9655	453	41-8	49.201 026 8298	420 6053	197
32-0	33.915 021 7688	551 4425	444	42-0	49.524 428 9249	418 5785	194
32-2	34.214 962 6641	547 9839	436	42-2	49.848 249 5984	416 5711	192
32-4	34.515 451 5282	544 5289	428	42-4	50.172 486 8431	414 5828	189
32-6	34.816 484 9112	541 1367	420	42-6	50.497 138 6706	412 6135	186
32-8	35.118 069 4359	537 7968	412	42-8	50.822 203 1118	410 6628	184
33-0	35.420 171 7471	534 4776	405	43-0	51.147 678 2153	408 7304	181
33-2	35.722 818 5357	531 2090	397	43-2	51.473 562 0494	406 8181	178
33-4	36.025 906 5334	527 9802	390	43-4	51.799 852 6997	404 9197	176
33-6	36.329 702 8113	524 7905	383	43-6	52.126 548 2697	403 0409	173
33-8	36.633 933 2796	521 6390	376	43-8	52.453 646 8806	401 1794	171
34-0	36.938 885 6870	518 5262	370	44-0	52.781 146 6709	399 3351	169
34-2	37.243 956 6195	515 4483	363	44-2	53.109 045 7962	397 5076	166
34-4	37.549 743 0002	512 4077	357	44-4	53.437 342 4292	395 6968	164
34-6	37.856 041 7887	509 4028	350	44-6	53.766 034 7589	393 9024	162
34-8	38.162 849 9709	506 4320	344	44-8	54.005 120 9911	392 1242	160
35-0	38.470 164 6040	503 4974	338	45-0	54.424 599 3473	390 3620	158
35-2	38.777 982 7265	500 5959	333	45-2	54.754 468 0656	388 8155	156
35-4	39.086 301 4428	497 7274	327	45-4	55.084 726 3993	386 8846	153
35-6	39.395 117 8876	494 8917	321	45-6	55.415 369 6177	385 1691	151
35-8	39.704 429 2238	492 0881	316	45-8	55.746 399 0051	383 4687	149
36-0	40.014 232 6484	489 3161	311	46-0	56.077 811 8611	381 7832	148
36-2	40.324 625 3890	486 8782	305	46-2	56.409 606 5004	380 1125	146
36-4	40.635 304 7048	483 8649	300	46-4	56.741 781 2522	378 4564	144
36-6	40.946 567 8854	481 1844	295	46-6	57.074 334 4603	376 8146	142
36-8	41.258 812 2505	478 8338	290	46-8	57.407 264 4831	375 1870	140
37-0	41.570 635 1491	475 9118	286	47-0	57.740 569 6928	373 5734	138
37-2	41.883 283 9595	473 3186	281	47-2	58.074 248 4759	371 9736	136
37-4	42.196 406 0885	470 7584	277	47-4	58.408 299 2327	370 3875	135
37-6	42.510 048 9708	468 2160	272	47-6	58.742 720 3770	368 8148	133
37-8	42.824 160 0892	466 7067	268	47-8	59.077 810 3361	367 2555	131
38-0	43.138 736 8782	463 2222	263	48-0	59.412 867 8807	365 7092	130
38-2	43.453 776 8994	460 7651	259	48-2	59.749 190 4746	364 1760	128
38-4	43.769 277 6907	458 5338	255	48-4	60.084 077 5744	362 6556	126
38-6	44.086 236 8158	455 9281	251	48-6	60.420 327 3297	361 1477	125
38-8	44.401 651 8690	453 5470	247	48-8	60.756 938 2527	359 6623	123
39-0	44.718 520 4698	451 1917	243	49-0	61.093 908 7891	358 1693	122
39-2	45.035 840 2623	448 8802	240	49-2	61.451 237 8128	356 5985	120
39-4	45.353 608 9150	446 5627	236	49-4	61.768 922 9360	355 2397	119
39-6	45.671 824 1204	444 2688	232	49-6	62.106 963 5990	353 7928	117
39-8	46.990 453 5946	442 0081	229	49-8	62.445 358 0547	352 3576	116
40-0	46.309 585 0768	439 7703	225	50-0	62.794 104 8681	350 9341	115

Tables of the Logarithms

P	$\text{Log } \Gamma(p)$	δ^2	δ^4	P	$\text{Log } \Gamma(p)$	δ^2	δ^4
50·0	62·784 104 8681	350 9341	115	60·0	80·142 023 5990	291 9564	66
50·2	63·123 202 6166	349 5219	113	60·2	80·497 073 8290	290 9783	65
50·4	63·462 649 8850	348 1211	112	60·4	80·852 415 0373	290 0068	66
50·6	63·802 445 2765	346 7315	110	60·6	81·208 046 2624	289 0418	64
50·8	64·142 687 3975	345 3529	109	60·8	81·563 966 5094	288 0831	63
51·0	64·483 074 8725	343 9853	108	61·0	81·920 174 8494	287 1308	63
51·2	64·823 906 3327	342 6284	107	61·2	82·276 870 3208	286 1848	62
51·4	65·165 080 4214	341 2822	105	61·4	82·633 451 9759	285 2450	62
51·6	65·506 505 7923	339 9466	104	61·6	82·990 618 8766	284 3113	61
51·8	65·848 451 1009	338 6213	103	61·8	83·347 870 0886	283 3838	60
52·0	66·190 645 0486	337 3064	102	62·0	83·705 504 6844	282 4622	60
52·2	66·533 176 2937	336 0016	101	62·2	84·063 421 7424	281 5467	59
52·4	66·876 043 5404	334 7068	99	62·4	84·421 620 5471	280 6370	59
52·6	67·219 245 4939	333 4220	98	62·6	84·780 099 5888	279 7332	58
52·8	67·562 780 8695	332 1471	97	62·8	85·138 868 5637	278 8353	57
53·0	67·906 646 3922	330 8818	96	63·0	85·497 896 3739	277 9430	57
53·2	68·250 846 7967	329 6262	95	63·2	85·857 212 1271	277 0565	56
53·4	68·596 374 8274	328 3800	94	63·4	86·216 804 9368	276 1756	56
53·6	68·940 231 2381	327 1433	93	63·6	86·576 673 9220	275 3002	55
53·8	69·285 414 7921	326 9168	92	63·8	86·936 818 2075	274 4304	55
54·0	69·630 924 2618	324 6975	91	64·0	87·297 236 9234	273 5661	54
54·2	69·976 758 4290	323 4882	90	64·2	87·657 929 2054	272 7072	54
54·4	70·322 916 0844	322 2880	89	64·4	89·018 894 1946	271 8537	53
54·6	70·669 396 0278	321 0966	88	64·6	88·380 131 0376	271 0066	53
54·8	71·016 197 0677	319 9140	87	64·8	88·741 638 8862	270 1628	52
55·0	71·363 318 0216	318 7400	86	65·0	89·103 416 8973	269 3249	52
55·2	71·710 757 7155	317 5747	85	66·2	89·465 464 2334	268 4924	51
55·4	72·058 514 9841	316 4178	84	66·4	89·827 780 0620	267 6651	51
55·6	72·406 588 6705	315 2693	83	66·6	90·190 363 5556	266 8428	50
55·8	72·754 977 6262	314 1292	82	66·8	90·553 213 8920	266 0255	50
56·0	73·103 680 7111	312 9972	81	66·0	90·916 330 2540	265 2133	49
56·2	73·452 605 7933	311 8734	80	66·2	91·279 711 8292	264 4059	49
56·4	73·802 024 7489	310 7577	80	66·4	91·643 357 8103	263 6035	49
56·6	74·151 668 4621	309 6498	79	66·6	92·007 267 3950	262 8080	48
56·8	74·501 611 8252	308 5499	78	66·8	92·371 439 7857	262 0132	48
57·0	74·851 868 7381	307 4577	77	67·0	92·733 874 1895	261 2252	47
57·2	75·201 433 1088	306 3733	76	67·2	93·100 569 8186	260 4420	47
57·4	75·558 303 8528	305 2954	75	67·4	93·466 625 8897	259 6634	46
57·6	75·904 479 8933	304 2272	75	67·6	93·830 741 6242	258 8895	46
57·8	76·255 960 1609	303 1653	74	67·8	94·196 216 2481	258 1201	46
58·0	76·607 743 5938	302 1109	73	68·0	94·561 948 9922	257 3554	45
58·2	76·959 829 1376	301 0638	72	68·2	94·927 939 0917	256 5961	45
58·4	77·312 215 7462	300 0239	72	68·4	95·294 185 7862	255 8393	44
58·6	77·664 902 3767	298 9911	71	68·6	95·660 668 3201	255 0680	44
58·8	78·017 887 9993	297 9855	70	68·8	96·027 445 9420	254 3411	44
59·0	78·371 171 6874	296 9468	69	69·0	96·394 457 9049	253 5985	43
59·2	78·724 752 1223	295 9351	69	69·2	96·761 723 4663	252 8602	43
59·4	79·078 628 5923	294 9303	68	69·4	97·129 241 8880	252 1263	42
59·6	79·432 799 9927	293 9323	67	69·6	97·497 012 4368	251 8965	42
59·8	79·787 265 3264	292 9410	67	69·8	97·866 034 3902	250 6710	42
60·0	80·142 023 5990	291 9584	66	70·0	98·233 306 9957	249 9497	41

of the Complete Γ -Functions.

p	$\text{Log } \Gamma(p)$	δ^2	δ^4	p	$\text{Log } \Gamma(p)$	δ^2	δ^4
70	98.238 508 9957	6 248 9493	2 5882	120	196.746 212 6012	3 634 2847	5090
71	100.078 405 0357	6 160 3087	2 4796	121	198.825 393 8472	3 604 1243	4966
72	101.929 663 3844	6 074 1477	2 3770	122	200.908 179 2175	3 574 4604	4843
73	103.786 995 8808	5 990 3637	2 2799	123	202.994 539 0482	3 546 2808	4726
74	105.650 318 7410	5 908 8696	2 1881	124	205.084 444 1597	3 516 5737	4612
75	107.519 550 4607	5 829 5437	2 1012	125	207.177 866 8448	3 488 3278	4501
76	109.394 611 7241	5 752 3289	2 0188	126	209.274 775 8578	3 460 6321	4395
77	111.275 425 3164	5 677 1329	1 9406	127	211.375 146 4029	3 433 1758	4291
78	113.161 916 0416	5 603 8776	1 8665	128	213.478 950 1239	3 406 2497	4191
79	115.054 010 6442	5 532 4886	1 7960	129	215.588 160 0935	3 379 7407	4094
80	116.951 687 7355	5 462 8957	1 7291	130	217.696 749 8038	3 353 6420	4000
81	118.854 727 7225	5 395 0319	1 6684	131	219.810 693 1561	3 327 9433	3909
82	120.763 212 7414	5 328 8335	1 6049	132	221.927 964 4518	3 302 6356	3820
83	122.677 026 5939	5 264 2400	1 5472	133	224.048 538 3850	3 277 7098	3734
84	124.596 104 6861	5 201 1937	1 4923	134	226.172 390 0240	3 253 1674	3651
85	126.520 383 9722	5 139 6397	1 4399	135	228.299 494 8223	3 228 9701	3570
86	128.449 802 8979	5 079 5285	1 3900	136	230.429 828 5908	3 205 1399	3492
87	130.384 301 3492	5 020 8014	1 3423	137	232.563 367 4992	3 181 6688	3415
88	132.323 820 6018	4 963 4195	1 2968	138	234.700 088 0664	3 158 5102	3341
89	134.268 303 2739	4 907 3345	1 2533	139	236.839 967 1528	3 135 7139	3270
90	136.217 693 2806	4 862 5028	1 2118	140	238.982 981 9530	3 113 2384	3200
91	138.171 935 7900	4 798 8829	1 1721	141	241.129 109 9887	3 091 0770	3132
92	140.130 977 1823	4 746 4350	1 1340	142	243.278 329 1014	3 069 2317	3066
93	142.094 768 0097	4 695 1212	1 0977	143	245.430 617 4457	3 047 6931	3002
94	144.063 947 0582	4 644 9050	1 0628	144	247.586 953 4832	3 026 4546	2940
95	146.036 375 8118	4 595 7517	1 0294	145	249.744 315 9763	3 005 5101	2879
96	148.014 099 4171	4 547 6278	9974	146	251.905 683 9775	2 984 8535	2820
97	149.996 370 6502	4 500 5012	9667	147	254.070 036 8333	2 964 4790	2763
98	151.983 142 3844	4 454 3414	9373	148	256.237 354 1681	2 944 3806	2707
99	153.974 368 4601	4 409 1189	9090	149	258.407 616 8835	2 924 5630	2653
100	155.970 003 6547	4 364 8054	8819	150	260.580 802 1519	2 904 9906	2600
101	157.970 003 6547	4 321 3739	8558	151	262.766 893 4109	2 885 6882	2548
102	159.974 325 0285	4 278 7980	8308	152	264.936 970 3582	2 866 6407	2498
103	161.982 925 2003	4 237 0529	8067	153	267.117 713 9462	2 847 8429	2449
104	163.995 762 4250	4 196 1146	7835	154	269.302 405 3770	2 829 2900	2402
105	166.012 795 7643	4 156 9598	7612	155	271.489 926 0978	2 810 9773	2355
106	168.033 986 0633	4 116 5662	7398	156	273.680 257 7960	2 792 9002	2310
107	170.059 290 9286	4 077 9124	7192	157	275.873 382 3943	2 775 0541	2266
108	172.088 674 7063	4 039 9778	6993	158	278.069 282 0468	2 757 4346	2223
109	174.122 098 4618	4 002 7425	6801	159	280.267 939 1337	2 740 0374	2181
110	176.159 624 9597	3 966 1872	6616	160	282.469 336 2590	2 722 8585	2141
111	178.200 917 6449	3 930 2936	6438	161	284.673 456 2407	2 705 6934	2101
112	180.246 240 6237	3 895 0489	6267	162	286.880 282 1167	2 689 1385	2062
113	182.295 458 6463	3 860 4208	6101	163	289.089 797 1313	2 672 5899	2024
114	184.348 537 0898	3 826 4079	5941	164	291.301 084 7357	2 656 2436	1987
115	186.406 441 9411	3 792 9890	5787	165	293.516 828 5837	2 640 0962	1951
116	188.466 139 7815	3 760 1489	5688	166	295.734 312 5279	2 624 1439	1916
117	190.530 597 7707	3 727 8725	5494	167	297.954 420 6160	2 608 3831	1882
118	192.598 783 6326	3 696 1456	5366	168	300.177 157 0871	2 592 8106	1848
119	194.670 663 6398	3 664 9541	5220	169	302.402 446 3688	2 577 4229	1816
120	196.746 212 6012	3 634 2847	5090	170	304.530 333 0735	2 562 2160	1784

Tables of the Logarithms

P	$\log \Gamma(p)$	δ^2	δ^4	P	$\log \Gamma(p)$	δ^2	δ^4
170	304·630 335 0735	2 562 2168	1784	220	419·016 246 8613	1 978 5660	821
171	306·860 781 9948	2 547 1890	1753	221	421·358 669 5421	1 969 5929	810
172	309·093 778 1052	2 532 3365	1722	222	423·703 061 8158	1 960 7008	799
173	311·329 306 5521	2 517 6562	1692	223	426·049 414 7903	1 951 8886	789
174	313·567 252 6563	2 503 1452	1663	224	428·397 719 6533	1 943 1553	778
175	315·807 901 9035	2 488 8004	1635	225	430·747 967 6717	1 934 4998	768
176	318·050 939 9522	2 474 6191	1607	226	433·100 150 1898	1 925 9210	758
177	320·296 452 6200	2 460 5985	1580	227	435·454 258 6289	1 917 4180	748
178	322·544 425 8864	2 446 7359	1553	228	437·810 294 4861	1 908 9998	738
179	324·794 846 8887	2 433 0287	1527	229	440·168 219 3331	1 900 6353	728
180	327·047 698 9197	2 419 4741	1502	230	442·528 054 8154	1 892 3637	719
181	329·302 971 4248	2 406 0698	1477	231	444·889 782 6515	1 884 1439	709
182	331·560 649 9997	2 392 8131	1453	232	447·253 394 6314	1 876 0050	700
183	333·820 721 3876	2 379 7017	1429	233	449·618 882 6162	1 867 9361	691
184	336·083 172 4774	2 366 7333	1406	234	451·986 238 5373	1 859 9364	682
185	338·347 990 3004	2 353 9054	1383	235	454·355 454 3947	1 852 0049	674
186	340·615 162 0280	2 341 2158	1361	236	456·726 522 2570	1 844 1407	665
187	342·884 674 9730	2 328 6623	1330	237	459·099 434 2590	1 836 3430	657
188	345·156 616 5795	2 316 2427	1318	238	461·474 182 6059	1 828 6110	648
189	347·430 674 4268	2 303 9549	1297	239	463·850 759 5630	1 820 9439	640
190	349·707 156 2330	2 291 7968	1276	240	466·229 157 4639	1 813 3408	632
191	351·985 889 8339	2 279 7663	1256	241	468·609 368 7056	1 806 8009	624
192	354·236 923 2012	2 267 8615	1237	242	470·991 385 7482	1 798 3234	617
193	356·550 224 4299	2 256 0803	1218	243	473·375 201 1142	1 790 9076	609
194	358·835 781 7389	2 244 4209	1199	244	475·760 807 3878	1 783 5527	602
195	361·123 583 4688	2 232 8814	1181	245	478·148 197 2141	1 776 2580	594
196	363·413 618 0802	2 221 4600	1162	246	480·537 363 2985	1 769 0227	587
197	365·705 874 1515	2 210 1548	1145	247	482·928 298 4066	1 761 8462	580
198	368·000 340 3777	2 198 9641	1128	248	485·320 995 3589	1 754 7276	573
199	370·297 006 5680	2 187 8861	1111	249	487·716 447 0397	1 747 6663	566
200	372·596 858 6444	2 176 9193	1094	250	490·111 646 3868	1 740 6616	559
201	374·896 888 6400	2 166 0618	1078	251	492·509 586 3956	1 733 7128	553
202	377·200 084 6976	2 155 3120	1062	252	494·909 260 1169	1 726 8193	546
203	379·505 436 0669	2 144 6685	1046	253	497·310 660 6577	1 719 9804	540
204	381·812 932 1048	2 134 1295	1031	254	500·713 781 1789	1 713 1954	533
205	384·122 562 2722	2 123 8936	1016	255	502·118 614 8956	1 706 4638	527
206	386·434 316 1333	2 113 3503	1001	256	504·525 165 0760	1 699 7849	521
207	388·748 183 3537	2 103 1261	986	257	506·933 395 0413	1 693 1580	515
208	391·064 153 6991	2 092 9895	972	258	509·343 328 1646	1 686 5826	509
209	393·382 217 0341	2 082 9511	958	259	511·754 947 8706	1 680 0581	503
210	395·702 363 3202	2 073 0086	946	260	514·168 247 6346	1 673 5839	497
211	398·024 582 6140	2 063 1606	931	261	516·583 220 9826	1 667 1594	491
212	400·348 865 0702	2 053 4068	918	262	518·999 861 4900	1 660 7840	486
213	402·675 200 9312	2 043 7425	905	263	521·416 162 7813	1 654 4572	480
214	405·008 580 5346	2 034 1699	893	264	523·838 118 5298	1 648 1784	475
215	407·333 994 3080	2 024 8866	880	265	526·259 722 4566	1 641 9471	469
216	409·666 432 7679	2 015 2912	868	266	528·682 968 3306	1 635 7627	464
217	412·000 896 5190	2 005 0927	856	267	531·107 849 9672	1 629 6247	459
218	414·357 346 2629	1 996 7598	844	268	533·534 361 2286	1 623 5327	454
219	416·675 802 7465	1 987 6212	833	269	535·962 496 0226	1 617 4860	449
220	419·016 246 8613	1 978 5660	821	270	538·392 248 3026	1 611 4842	444

of the Complete Γ -Functions.

p	$\log \Gamma(p)$	δ^2	δ^4	p	$\log \Gamma(p)$	δ^2	δ^4
270	638-592 248 3026	1 611 4042	444	320	661-820 386 8958	1 369 2953	266
271	640-823 612 0668	1 606 5267	439	321	664-325 536 8742	1 356 0541	264
272	643-256 581 3576	1 599 6132	434	322	666-832 041 9066	1 350 8393	261
273	645-891 150 2617	1 593 7430	429	323	669-339 897 7783	1 346 6506	259
274	648-127 512 9097	1 587 9168	426	324	671-849 100 3006	1 342 4879	257
275	650-666 068 4715	1 582 1310	420	325	674-359 645 3108	1 338 3608	254
276	653-004 396 1654	1 576 3882	415	326	676-871 528 6718	1 334 2391	252
277	655-446 306 2474	1 570 6870	411	327	679-384 746 2718	1 330 1526	250
278	657-887 785 0165	1 565 0269	406	328	681-899 294 0245	1 326 0911	247
279	660-331 829 8124	1 559 4074	402	329	684-415 167 8682	1 322 0542	245
280	662-777 434 0157	1 553 8281	398	330	686-932 363 7682	1 318 0419	243
281	665-224 592 0470	1 548 2886	394	331	689-460 877 7060	1 314 0539	241
282	667-673 298 3669	1 542 7884	389	332	691-970 705 6998	1 310 0899	238
283	670-123 547 4752	1 537 3272	385	333	694-491 843 7835	1 306 1498	236
284	672-576 333 9108	1 531 9046	381	334	697-014 288 0170	1 302 2333	234
285	675-028 652 2508	1 526 6200	377	335	699-538 034 4838	1 298 3402	232
286	677-482 497 1108	1 521 1731	373	336	702-063 079 2909	1 294 4704	230
287	679-939 863 1439	1 515 8636	369	337	704-589 418 5683	1 290 6236	228
288	682-397 746 0407	1 510 6910	366	338	707-117 048 4691	1 286 7904	226
289	684-857 137 8284	1 505 3550	362	339	709-645 955 1694	1 282 9979	224
290	687-318 036 3712	1 500 1551	359	340	712-176 164 8676	1 279 2186	222
291	689-780 453 5891	1 494 0911	354	341	714-707 643 7847	1 276 4620	220
292	692-244 326 3581	1 489 8625	351	342	717-240 308 1636	1 271 7271	218
293	694-709 709 2095	1 484 7689	347	343	719-774 424 2697	1 268 0140	216
294	697-176 576 8299	1 479 7101	344	344	722-309 718 3897	1 264 3226	214
295	699-844 924 1603	1 474 6866	340	345	724-846 276 8323	1 260 6625	212
296	802-114 746 1783	1 469 6951	337	346	727-384 096 9274	1 257 0037	211
297	804-886 037 8873	1 464 7583	333	347	729-923 172 0262	1 253 3760	209
298	807-658 794 3367	1 459 8148	330	348	732-463 501 5010	1 249 7692	207
299	809-533 010 6007	1 454 9242	327	349	736-006 080 7449	1 246 1830	205
300	812-008 681 7891	1 450 0664	323	350	737-547 906 1719	1 242 6174	203
301	814-485 803 0438	1 448 2409	320	351	740-091 074 2162	1 239 0721	202
302	816-954 389 5394	1 440 4474	317	352	742-637 281 3327	1 235 5470	200
303	819-444 376 4823	1 435 6855	314	353	745-183 823 9962	1 232 0410	198
304	821-925 819 1108	1 430 9551	311	354	747-731 508 7016	1 228 6666	197
305	824-408 692 8944	1 426 2557	308	355	750-280 601 9636	1 226 0910	195
306	826-892 992 5338	1 421 8871	305	356	752-830 830 3166	1 221 6449	193
307	829-378 713 0603	1 416 9490	302	357	765-382 280 3146	1 218 2181	192
308	831-866 852 3357	1 412 3410	299	358	767-934 948 6307	1 214 8105	190
309	834-354 403 0522	1 407 7629	296	359	760-488 931 5574	1 211 4210	189
310	836-844 761 8317	1 403 2144	293	360	763-043 926 0660	1 208 0622	187
311	839-335 723 2268	1 398 6952	290	361	766-600 228 5067	1 204 7011	185
312	841-828 493 6145	1 394 2050	287	362	768-157 735 7086	1 201 3686	184
313	844-322 639 2086	1 389 7436	286	363	770-716 444 2792	1 198 0645	182
314	846-818 182 6461	1 385 3105	282	364	773-276 350 9042	1 194 7586	181
315	849-316 112 1942	1 380 9067	279	365	775-837 452 2878	1 191 4808	179
316	851-813 422 7480	1 378 5288	277	366	778-300 745 1523	1 188 2209	178
317	854-313 109 8306	1 372 1796	274	367	780-963 226 2377	1 184 9789	176
318	856-814 169 0928	1 367 8578	271	368	783-327 892 3019	1 181 7544	175
319	859-316 596 2128	1 363 6631	269	369	786-093 740 1206	1 178 5476	174
320	861-820 386 8968	1 359 2953	266	370	788-660 766 4868	1 175 3579	172

Tables of the Logarithms

<i>P</i>	<i>Log</i> $\Gamma(p)$	δ^2	δ^4	<i>P</i>	<i>Log</i> $\Gamma(p)$	δ^2	δ^4
370	788·660 766 4868	1 175 3579	172	420	918·448 571 0263	1 035 2674	118
371	791·228 968 2108	1 172 1855	171	421	921·071 820 3167	1 032 8054	117
372	793·798 342 1205	1 169 0303	169	422	923·696 102 4125	1 030 3551	116
373	796·368 885 0603	1 166 8919	168	423	926·321 414 8635	1 027 9164	115
374	798·940 593 8922	1 162 7704	167	424	928·947 755 2308	1 025 4892	114
375	801·513 465 4944	1 159 6655	165	425	931·575 121 0874	1 023 0735	114
376	804·087 496 7621	1 156 5772	164	426	934·203 510 0175	1 020 6691	113
377	806·642 684 6070	1 153 5053	163	427	936·832 919 6166	1 018 2759	112
378	809·239 025 9572	1 150 4406	161	428	939·463 347 4916	1 015 8940	111
379	811·816 517 7571	1 147 4101	160	429	942·094 791 2606	1 013 5232	110
380	814·395 156 9670	1 144 3866	159	430	944·727 248 5528	1 011 1634	110
381	816·974 940 5636	1 141 3791	158	431	947·360 717 0084	1 008 8146	109
382	819·556 866 5393	1 138 3872	156	432	949·995 194 2785	1 006 4767	108
383	822·137 928 9022	1 136 4111	155	433	952·630 678 0254	1 004 1495	107
384	824·721 127 6762	1 132 4504	154	434	955·267 165 9217	1 001 8332	107
385	827·305 458 9006	1 129 5061	153	435	957·904 655 6512	999 5274	106
386	829·890 919 6301	1 126 5752	152	436	960·543 144 9082	997 2323	105
387	832·477 506 9347	1 123 6603	150	437	963·182 631 3974	994 9477	104
388	835·065 217 8998	1 120 7606	149	438	965·823 112 8344	992 6735	104
389	837·654 049 6254	1 117 8767	148	439	968·464 586 9449	990 4097	103
390	840·243 999 2267	1 115 0057	147	440	971·107 061 4652	988 1562	102
391	842·835 083 8337	1 112 1504	146	441	973·750 504 1416	985 9130	102
392	845·427 240 5911	1 109 3096	145	442	976·394 942 7311	983 6799	101
393	848·020 526 6581	1 106 4834	144	443	979·040 366 0005	981 4560	100
394	850·614 919 2085	1 103 6716	143	444	981·686 768 7267	979 2439	100
395	853·210 415 4303	1 100 8738	141	445	984·334 151 6968	977 0409	99
396	855·807 012 5259	1 098 0903	140	446	986·982 511 7078	974 8477	98
397	858·404 707 7119	1 095 3208	139	447	989·631 846 5665	972 6644	98
398	861·003 498 2186	1 092 5653	138	448	992·282 154 0898	970 4909	97
399	863·603 381 2907	1 089 9236	137	449	994·933 432 1036	968 3270	96
400	866·204 364 1864	1 087 0956	136	450	997·585 678 4448	966 1728	96
401	868·806 414 1777	1 084 3813	135	451	1000·238 890 9584	964 0281	95
402	871·409 558 6503	1 081 6806	134	452	1002·893 067 5003	961 8929	94
403	874·013 784 6054	1 078 9931	133	453	1005·548 205 9351	959 7672	94
404	876·619 089 8496	1 076 5190	132	454	1008·204 304 1371	957 6508	93
405	879·225 471 0147	1 073 6581	131	455	1010·861 359 9900	956 5438	93
406	881·832 926 0379	1 071 0104	130	456	1013·819 371 3866	953 4460	92
407	884·441 452 0715	1 068 3756	129	457	1016·178 336 2293	951 3574	91
408	887·061 046 4807	1 065 7539	128	458	1018·838 252 4293	949 2779	91
409	889·661 706 6438	1 063 1449	127	459	1021·499 117 9074	947 2075	90
410	892·273 429 9518	1 060 5487	126	460	1024·160 930 5929	945 1461	90
411	894·886 213 8085	1 057 9652	126	461	1026·823 688 4246	943 0937	89
412	897·500 056 6304	1 056 3942	125	462	1029·487 389 3600	941 0502	88
413	900·114 962 8464	1 052 8356	124	463	1032·152 031 3255	939 0155	88
414	902·730 002 8981	1 050 2895	123	464	1034·817 612 3165	936 9895	87
415	905·347 903 2392	1 047 7556	122	465	1037·484 130 2971	934 9723	87
416	907·965 951 3369	1 046 2339	121	466	1040·151 583 2600	932 0638	86
417	910·686 044 6665	1 042 7243	120	467	1042·819 969 1667	930 0639	86
418	913·205 180 7215	1 040 2268	119	468	1045·489 286 0472	928 0725	85
419	915·826 357 0033	1 037 7412	119	469	1048·159 631 9003	926 0695	84
420	918·448 571 0263	1 035 2674	118	470	1050·830 704 7430	925 0152	84

of the Complete Γ -Functions.

p	$\text{Log } \Gamma(p)$	δ^2	δ^4	p	$\text{Log } \Gamma(p)$	δ^2	δ^4
470	1050·830 704 7430	925 0162	84	520	1185·629 765 9612	835 9868	62
471	1053·502 802 8010	923 0492	83	521	1188·246 769 3049	834 3797	62
472	1056·176 923 5081	921 0916	83	522	1190·962 607 0282	832 7797	61
473	1058·849 765 5067	919 1421	82	523	1193·680 277 5312	831 1869	61
474	1061·524 626 6475	917 2009	82	524	1196·398 779 2200	829 5981	61
475	1064·200 404 9891	915 2680	81	525	1199·118 110 5070	828 0164	60
476	1066·877 098 5988	913 3431	81	526	1201·838 269 8104	826 4407	60
477	1069·564 706 5515	911 4263	80	527	1204·559 255 5546	824 8711	60
478	1072·233 223 9308	909 5176	80	528	1207·281 066 1698	823 3073	59
479	1074·912 651 8271	907 6168	79	529	1210·003 700 0923	821 7495	59
480	1077·592 987 3405	905 7240	79	530	1212·727 165 7644	820 1976	59
481	1080·274 228 5779	903 8390	78	531	1215·451 431 6340	818 6815	58
482	1082·956 373 6543	901 9619	78	532	1218·176 526 1550	817 1112	58
483	1085·639 420 6925	900 0925	77	533	1220·902 437 7873	815 5767	58
484	1088·323 367 8233	898 2309	77	534	1223·629 164 9964	814 0480	57
485	1091·008 213 1849	896 3770	76	535	1226·366 706 2534	812 5250	57
486	1093·693 954 9235	894 5307	76	536	1229·089 060 0354	811 0077	57
487	1096·380 691 1928	892 6920	75	537	1231·814 224 8251	809 4960	56
488	1099·068 120 1540	890 8608	75	538	1234·544 199 1108	807 9900	56
489	1101·756 539 9760	889 0371	75	539	1237·274 981 3865	806 4895	56
490	1104·445 848 8351	887 2209	74	540	1240·006 570 1517	804 9946	55
491	1107·136 044 9152	885 4121	74	541	1242·738 963 9115	803 5053	55
492	1109·827 128 4073	883 8106	73	542	1245·472 161 1766	802 0214	55
493	1112·519 091 5101	881 8165	73	543	1248·206 160 4631	800 5431	54
494	1115·211 938 4293	880 0296	72	544	1250·940 960 2927	799 0701	54
495	1117·905 665 3783	878 2600	72	545	1253·676 559 1924	797 6026	54
496	1120·500 270 5772	876 4776	71	546	1256·412 955 6947	796 1404	54
497	1123·295 752 2537	874 7122	71	547	1259·150 148 3374	794 6836	53
498	1125·992 108 6424	872 9840	71	548	1261·888 135 6637	793 2322	53
499	1128·889 337 9852	871 2029	70	549	1264·626 916 2222	791 7860	53
500	1131·387 438 5308	869 4587	70	550	1267·366 488 5667	790 3450	52
501	1134·086 408 5351	867 7215	69	551	1270·106 851 2562	788 9094	52
502	1136·786 246 2610	865 9913	69	552	1272·848 002 8550	787 4789	52
503	1139·486 949 9781	864 2679	68	553	1275·589 941 9327	786 0636	52
504	1142·188 617 9632	862 5514	68	554	1278·332 667 0640	784 6334	51
505	1144·890 948 4996	860 8417	68	555	1281·076 176 8288	783 2184	51
506	1147·E4 259 8778	859 1387	67	556	1283·820 469 8119	781 8085	51
507	1150·298 390 3946	857 4425	67	557	1286·565 544 6035	780 4036	50
508	1153·003 398 3639	855 7530	66	558	1289·311 399 7987	779 0038	50
509	1155·709 262 0662	854 0701	66	559	1292·058 033 9976	777 6089	50
510	1158·415 979 8486	852 3938	66	560	1294·806 446 8056	776 2191	50
511	1161·123 560 0247	850 7240	65	561	1297·553 833 8325	774 8342	49
512	1163·831 970 9248	849 0608	65	562	1300·302 896 6937	773 4543	49
513	1166·541 240 8958	847 4041	65	563	1303·052 333 0093	772 0793	49
514	1169·251 368 2600	845 7639	64	564	1305·802 841 4042	770 7091	49
515	1171·962 321 3699	844 1100	64	565	1308·554 120 5081	769 3438	48
516	1174·874 128 5989	843 4726	63	566	1311·306 168 9560	767 9834	48
517	1177·386 778 3005	840 8416	63	567	1314·068 986 3871	766 6277	48
518	1180·100 268 8436	839 2167	63	568	1316·812 668 4460	765 2768	48
519	1182·814 698 8034	837 5981	62	569	1319·566 916 7818	763 9307	47
520	1185·629 765 9612	835 9858	62	570	1322·322 029 0481	762 5893	47

Tables of the Logarithms

p	$\log \Gamma(p)$	δ^2	δ^4	p	$\log \Gamma(p)$	δ^2	δ^4
570	1322·322 029 0481	762 5893	47	620	1461·023 221 1712	701 0406	37
571	1325·077 903 9038	761 2526	47	621	1463·815 612 8607	699 9107	36
572	1327·834 540 0121	759 9205	47	622	1466·608 704 4609	698 7845	36
573	1330·591 936 0409	768 5932	46	623	1469·402 494 8456	697 6620	36
574	1333·350 690 6628	757 2704	46	624	1472·198 982 8923	696 5430	36
575	1336·109 002 5652	755 9523	46	625	1474·992 167 4819	695 4277	36
576	1338·868 670 3999	754 6387	46	626	1477·788 047 4993	694 3150	35
577	1341·629 092 8833	753 3297	45	627	1480·584 621 8325	693 2076	35
578	1344·390 268 6965	752 0253	45	628	1483·381 889 3733	692 1029	35
579	1347·152 196 5349	750 7253	45	629	1486·179 849 0171	691 0017	35
580	1349·914 875 0986	749 4298	45	630	1488·978 499 6625	689 9040	35
581	1352·678 303 0922	748 1388	44	631	1491·777 840 2120	688 8008	35
582	1355·442 479 2246	746 8523	44	632	1494·577 869 5712	687 7100	34
583	1358·207 402 2092	745 5701	44	633	1497·378 586 6495	686 6317	34
584	1360·973 070 7640	744 2924	44	634	1500·179 990 3595	685 5479	34
585	1363·739 483 6111	743 0190	43	635	1502·982 079 6174	684 4674	34
586	1366·506 639 4772	741 7499	43	636	1505·784 853 3427	683 3904	34
587	1369·274 537 0932	740 4852	43	637	1508·588 210 4683	682 3167	34
588	1372·043 176 1946	739 2248	43	638	1511·392 449 8907	681 2464	34
589	1374·812 552 8205	737 9687	43	639	1514·197 270 5694	680 1794	33
590	1377·582 667 8153	736 7169	42	640	1517·002 771 4279	679 1158	33
591	1380·363 619 8270	735 4692	42	641	1519·808 951 4015	678 0556	33
592	1383·126 107 3079	734 2268	42	642	1522·615 809 4311	676 9986	33
593	1386·897 429 0146	732 9866	42	643	1525·423 344 4591	675 9449	33
594	1388·670 483 7079	731 7616	42	644	1528·231 555 4320	674 8944	33
595	1391·444 270 1529	730 5207	41	645	1531·040 441 2994	673 8473	32
596	1394·218 787 1186	729 2940	41	646	1533·850 001 0140	672 8034	32
597	1396·994 033 3784	728 0714	41	647	1536·660 233 5320	671 7627	32
598	1399·770 007 7095	726 8529	41	648	1539·471 137 8127	670 7252	32
599	1402·546 708 8935	725 6384	41	649	1542·282 712 8186	669 6909	32
600	1405·324 135 7159	724 4280	40	650	1545·094 957 6154	668 6598	32
601	1408·102 286 9663	723 2216	40	651	1547·907 870 8720	667 6319	32
602	1410·881 161 4383	722 0193	40	652	1550·721 451 8606	666 6072	31
603	1413·660 757 9295	720 8209	40	653	1553·536 699 4563	665 5856	31
604	1416·441 076 2417	719 6265	40	654	1556·350 612 6376	664 5670	31
605	1419·222 112 1803	718 4360	39	655	1559·166 190 3860	663 5517	31
606	1422·003 867 5550	717 2495	39	656	1561·982 431 6859	662 5394	31
607	1424·786 340 1791	716 0669	39	657	1564·799 335 5253	661 5302	31
608	1427·569 628 8702	714 8882	39	658	1567·616 900 8948	660 5241	31
609	1430·363 432 4496	713 7134	39	659	1570·435 126 7886	659 5210	30
610	1433·138 049 7421	712 5424	38	660	1573·254 012 2031	658 5209	30
611	1435·923 379 5771	711 3752	38	661	1576·073 556 1386	657 5239	30
612	1438·709 420 7874	710 2119	38	662	1578·893 757 5981	656 5300	30
613	1441·496 172 2005	709 0524	38	663	1581·714 615 6976	655 5390	30
614	1444·283 632 6840	707 8966	38	664	1584·536 129 1159	654 5510	30
615	1447·071 801 0582	706 7446	37	665	1587·358 297 1953	653 5669	30
616	1449·860 676 1709	705 5964	37	666	1590·181 118 8406	652 5839	29
617	1452·650 256 8831	704 4619	37	667	1593·004 593 0698	651 6047	29
618	1455·440 642 0471	703 3111	37	668	1596·828 718 9037	650 6286	29
619	1458·231 530 5222	702 1739	37	669	1598·653 495 3862	649 6653	29
620	1461·023 221 1712	701 0406	37	670	1591·478 921 4839	648 6849	29

p	$\text{Log } \Gamma(p)$	δ^2	δ^4	p	$\text{Log } \Gamma(p)$	δ^2	δ^4
670	1601·478 921 4839	648 6849	29	720	1743·657 844 4117	603 6060	23
671	1604·304 996 2866	647 7175	29	721	1745·415 176 9081	602 7683	23
672	1607·131 718 8068	646 7629	29	722	1749·273 112 1728	601 9329	23
673	1609·959 088 0798	645 7912	29	723	1752·131 649 3704	601 0997	23
674	1612·787 103 1441	644 8323	28	724	1754·990 787 6677	600 2689	23
675	1615·815 763 0406	643 8763	28	725	1757·850 526 2339	599 4404	23
676	1618·445 066 8134	642 9231	28	726	1760·710 864 2406	598 6141	23
677	1621·275 013 5094	641 9727	28	727	1763·571 800 8612	597 7002	23
678	1624·106 602 1781	641 0252	28	728	1766·433 335 2720	596 9685	23
679	1626·936 831 8719	640 0804	28	729	1769·295 466 6514	596 1490	22
680	1629·768 701 6462	639 1384	28	730	1772·168 194 1797	595 3318	22
681	1632·601 210 5589	638 1992	28	731	1775·021 517 0398	594 5168	22
682	1635·434 357 6708	637 2627	27	732	1777·885 434 4167	593 7041	22
683	1638·268 142 0455	636 3290	27	733	1780·749 045 4978	592 8936	22
684	1641·102 562 7492	635 3980	27	734	1783·615 049 4724	592 0853	22
685	1643·937 618 8509	634 4698	27	735	1786·480 746 6324	591 2792	22
686	1646·773 309 4224	633 5442	27	736	1789·347 032 8714	590 4753	22
687	1649·809 633 6381	632 6214	27	737	1792·213 910 6858	589 6735	22
688	1652·446 590 2752	631 7012	27	738	1795·081 378 1736	588 8740	22
689	1655·284 178 7134	630 7837	27	739	1797·949 434 5355	588 0766	22
690	1658·122 397 9363	629 8688	26	740	1800·818 078 9739	587 2813	21
691	1660·961 247 0260	628 9566	26	741	1803·687 310 6936	586 4882	21
692	1663·800 725 0734	628 0471	26	742	1806·557 128 9016	585 6973	21
693	1666·640 831 1679	627 1402	26	743	1809·427 532 8069	584 9065	21
694	1669·481 564 4025	626 2368	26	744	1812·298 521 6206	584 1218	21
695	1672·422 923 8729	625 3341	26	745	1815·170 094 6562	583 3372	21
696	1676·164 908 6776	624 4350	26	746	1818·042 250 8289	582 5547	21
697	1679·007 517 9171	623 5385	26	747	1820·914 089 6664	581 7743	21
698	1680·850 750 6952	622 6445	26	748	1823·798 310 2582	580 9960	21
699	1683·894 606 1179	621 7531	25	749	1826·662 211 8561	580 2198	21
700	1686·539 083 2936	620 8643	25	750	1829·536 693 6738	579 4457	21
701	1689·384 181 3336	619 9780	25	751	1832·411 754 9372	578 6736	21
702	1692·229 899 3516	619 0942	25	752	1835·287 394 8742	577 9036	20
703	1695·076 236 4637	618 2129	25	753	1838·165 612 7147	577 1356	20
704	1697·923 191 7887	617 3341	25	754	1841·040 407 6909	576 3697	20
705	1700·770 764 4479	616 4578	25	755	1843·917 779 0368	575 6068	20
706	1703·618 953 5649	615 5841	25	756	1846·795 725 9884	574 8439	20
707	1706·467 758 2659	614 7127	25	757	1849·674 247 7839	574 0840	20
708	1709·317 177 6797	613 8439	25	758	1852·553 343 6634	573 3261	20
709	1712·167 210 9374	612 9775	24	759	1855·433 012 8691	572 5703	20
710	1715·017 857 1726	612 1135	24	760	1858·313 264 6450	571 8164	20
711	1717·869 115 5213	611 2620	24	761	1861·194 048 2373	571 0646	20
712	1720·720 986 1220	610 3929	24	762	1864·076 462 8940	570 3146	20
713	1723·573 466 1187	609 6362	24	763	1866·957 407 8654	569 5666	20
714	1726·426 554 8456	608 6819	24	764	1869·839 932 4033	568 8206	20
715	1729·280 252 8673	607 8300	24	765	1872·725 025 7619	568 0766	19
716	1732·134 558 8991	606 9805	24	766	1875·606 687 1971	567 3345	19
717	1734·989 471 9214	606 1334	24	767	1878·490 915 9667	566 5943	19
718	1737·844 991 0771	606 2886	24	768	1881·375 711 3306	565 8561	19
719	1740·701 116 5213	604 4461	23	769	1884·261 072 6507	565 1198	19
720	1743·657 844 4117	603 8060	23	770	1887·146 998 8906	564 3854	19

Tables of the Logarithms

p	$\log \Gamma(p)$	δ^2	δ^4	p	$\log \Gamma(p)$	δ^2	δ^4
770	1887·146 998 8905	564 2854	19	820	2032·148 110 9376	529 9506	16
771	1890·033 489 6156	563 6529	19	821	2035·061 924 7000	529 3047	16
772	1892·920 543 9937	562 9223	19	822	2037·976 267 9471	528 6804	16
773	1895·808 161 2940	562 1936	19	823	2040·891 139 7646	528 0177	16
774	1898·696 340 7879	561 4668	19	824	2043·808 639 5998	527 3765	16
775	1901·585 081 7486	560 7418	19	825	2046·722 466 8115	526 7369	15
776	1904·474 383 4511	560 0188	19	826	2049·638 920 7601	526 0988	15
777	1907·364 245 1724	559 2975	19	827	2052·555 900 8074	525 4622	15
778	1910·254 666 1912	558 5782	18	828	2055·473 406 3170	524 8272	15
779	1913·145 645 7882	557 8607	18	829	2058·391 436 6537	524 1938	15
780	1916·037 183 2459	557 1450	18	830	2061·309 991 1843	523 5618	15
781	1918·929 277 8485	556 4312	18	831	2064·229 069 2767	522 9314	15
782	1921·821 928 8824	555 7192	18	832	2067·148 670 3005	522 3025	15
783	1924·715 135 6355	555 0090	18	833	2070·068 793 6267	521 6751	15
784	1927·608 897 3975	554 3006	18	834	2072·989 438 6282	521 0492	15
785	1930·503 213 4602	553 5941	18	835	2075·910 604 6788	520 4248	15
786	1933·398 083 1170	552 8893	18	836	2078·832 291 1543	519 8020	15
787	1936·293 505 6630	552 1863	18	837	2081·754 497 4317	519 1806	15
788	1939·189 480 3954	551 4851	18	838	2084·677 222 8897	518 5606	15
789	1942·086 006 6129	550 7857	18	839	2087·600 466 9083	517 9422	15
790	1944·983 063 6161	550 0881	18	840	2090·524 228 8692	517 3252	15
791	1947·880 710 7074	549 3922	18	841	2093·448 508 1552	516 7007	15
792	1950·778 887 1909	548 6981	18	842	2096·373 304 1510	516 0957	15
793	1953·677 612 3724	548 0057	17	843	2100·298 616 2425	515 4831	15
794	1956·576 885 5593	547 3151	17	844	2102·224 443 8171	514 8720	14
795	1959·476 706 0622	546 6262	17	845	2105·150 786 2638	514 2623	14
796	1962·377 073 1908	545 9301	17	846	2108·077 642 9727	513 6541	14
797	1965·277 986 2585	545 2537	17	847	2111·005 013 3358	513 0473	14
798	1968·179 444 5800	544 5700	17	848	2113·932 896 7461	512 4419	14
799	1971·081 447 4713	543 8880	17	849	2116·861 202 5984	511 8380	14
800	1973·983 994 2506	543 2077	17	850	2119·790 200 2886	511 2355	14
801	1976·887 084 2376	542 5291	17	851	2122·719 619 2143	510 6344	14
802	1979·790 716 7537	541 8522	17	852	2125·649 548 7744	510 0347	14
803	1982·694 891 1220	541 1770	17	853	2128·579 988 3692	509 4364	14
804	1985·599 606 6673	540 5035	17	854	2131·610 937 4003	508 8395	14
805	1988·504 862 7160	539 8316	17	855	2134·442 395 2710	508 2440	14
806	1991·410 659 5964	539 1614	17	856	2137·374 361 3857	507 6499	14
807	1994·316 993 6582	538 4929	17	857	2140·306 835 1504	507 0572	14
808	1997·223 867 1729	537 8261	16	858	2143·239 815 9723	506 4659	14
809	2000·131 278 5337	537 1608	16	859	2146·173 303 2602	505 8760	14
810	2003·039 227 9563	536 4973	16	860	2149·107 296 4240	505 2874	14
811	2006·047 712 0742	535 8353	16	861	2152·041 704 8753	504 7002	14
812	2009·856 732 9284	535 1750	16	862	2154·976 798 0267	504 1144	14
813	2011·766 288 9576	534 5164	16	863	2157·912 305 2926	503 5299	14
814	2014·676 379 6032	533 8593	16	864	2160·948 316 0883	502 9468	13
815	2017·587 003 9081	533 2039	16	865	2163·784 829 8307	502 3650	13
816	2020·498 161 5169	532 5600	16	866	2166·721 845 9382	501 7846	13
817	2023·409 851 6756	531 8978	16	867	2169·659 363 8302	501 2056	13
818	2026·322 073 7322	531 2471	16	868	2172·597 382 9277	500 6277	13
819	2029·234 827 0358	530 5981	16	869	2175·635 902 6529	500 0613	13
820	2032·148 110 9376	529 9506	16	870	2178·474 922 4293	499 4762	13

of the Complete Γ -Functions

13

p	$\text{Log } \Gamma(p)$	δ^2	δ^4	p	$\text{Log } \Gamma(p)$	δ^2	δ^4
870	2178-474 922 4293	499 4762	13	920	2326-051 113 1657	472 3160	11
871	2181-414 441 6819	498 9024	13	921	2329-014 900 9930	471 8029	11
872	2184-354 459 9370	498 3299	13	922	2331-979 160 6232	471 2909	11
873	2187-294 976 3219	497 7588	13	923	2334-943 891 5443	470 7800	11
874	2190-235 990 5656	497 1889	13	924	2337-909 093 2453	470 2702	11
875	2193-177 501 9982	496 6204	13	925	2340-874 765 2165	469 7615	11
876	2196-119 510 0512	496 0531	13	926	2343-840 906 9493	469 2539	11
877	2199-082 014 1574	495 4872	13	927	2346-807 617 9360	468 7475	11
878	2202-005 013 7508	494 9225	13	928	2349-774 597 6701	468 2421	11
879	2204-048 608 2667	494 5592	13	929	2352-742 145 6463	467 7378	11
880	2207-892 497 1418	493 7971	13	930	2355-710 161 3603	467 2346	11
881	2210-836 979 8189	493 2363	13	931	2358-678 644 3089	466 7324	11
882	2213-781 955 7223	492 6767	13	932	2361-647 598 9898	466 2314	11
883	2216-727 424 3075	492 1184	13	933	2364-617 009 9022	465 7314	11
884	2219-673 385 0110	491 5614	13	934	2367-586 891 5459	465 2325	11
885	2222-619 837 2760	491 0057	13	935	2370-567 238 4222	464 7346	11
886	2225-566 780 5467	490 4512	13	936	2373-528 050 0331	464 2379	11
887	2228-514 214 2686	489 8979	12	937	2376-499 325 8818	463 7421	11
888	2231-462 137 8885	489 3469	12	938	2379-471 066 4727	463 2475	11
889	2234-410 550 8542	488 7952	12	939	2382-443 268 3111	462 7639	11
890	2237-359 452 6152	488 2457	12	940	2385-415 933 9033	462 2613	10
891	2240-308 842 6219	487 6974	12	941	2388-389 061 7669	461 7698	10
892	2243-258 720 3259	487 1503	12	942	2391-362 661 3803	461 2794	10
893	2246-209 086 1803	486 6045	12	943	2394-336 702 2831	460 7899	10
894	2249-159 936 6392	486 0599	12	944	2397-311 213 9759	460 3016	10
895	2252-111 274 1580	485 5165	12	945	2400-286 185 9702	459 8142	10
896	2255-063 097 1933	484 9743	12	946	2403-261 617 7787	459 3279	10
897	2258-015 406 2029	484 4334	12	947	2406-237 508 9151	458 8426	10
898	2260-968 197 6460	483 8936	12	948	2409-213 868 8941	458 3683	10
899	2263-921 473 9826	483 3551	12	949	2412-190 667 2314	457 8751	10
900	2266-876 233 6744	482 8177	12	950	2415-167 933 4439	457 3929	10
901	2269-829 476 1838	482 2816	12	951	2418-145 657 0491	456 9116	10
902	2272-784 200 9748	481 7466	12	952	2421-123 837 5661	456 4314	10
903	2275-789 407 6123	481 2128	12	953	2424-102 474 5145	455 9523	10
904	2278-695 095 2626	480 6802	12	954	2427-081 567 4151	455 4741	10
905	2281-651 263 6931	480 1487	12	955	2430-061 115 7898	454 9969	10
906	2284-607 912 2723	479 6185	12	956	2433-041 119 1614	454 5207	10
907	2287-565 040 4700	479 0894	12	957	2436-021 577 0637	454 0455	10
908	2290-522 647 7571	478 5616	12	958	2439-002 488 9914	453 5713	10
909	2293-480 733 6056	478 0347	12	959	2441-983 854 5005	453 0981	10
910	2296-439 297 4888	477 5091	12	960	2444-965 673 1077	452 6259	10
911	2299-398 338 8811	476 9847	12	961	2447-947 944 3407	452 1646	10
912	2302-357 857 2681	476 4614	11	962	2450-930 667 7284	451 6844	10
913	2306-317 652 0964	476 9392	11	963	2453-913 842 8004	451 2161	10
914	2308-278 322 8740	475 4182	11	964	2456-897 469 0876	450 7468	10
915	2311-239 269 0697	474 8983	11	965	2459-881 546 1215	450 2794	10
916	2314-200 690 1638	474 8796	11	966	2462-866 073 4348	449 8131	10
917	2317-162 585 6374	473 8620	11	967	2465-851 050 5612	449 3477	10
918	2320-124 954 9731	473 3455	11	968	2468-836 477 0563	448 8832	10
919	2323-087 797 6543	472 8302	11	969	2471-822 352 3926	448 4197	10
920	2326-051 113 1657	472 5160	11	970	2474-808 676 1697	447 9572	10

Tables of the Logarithms

p	$\log \Gamma(p)$	δ^2	δ^4	p	$\log \Gamma(p)$	δ^2	δ^4
970	2474·808 676 1697	447 9572	10	1020	2624·686 628 9857	425 9878	8
971	2477·795 447 9039	447 4956	10	1021	2627·695 229 1575	425 5703	8
972	2480·782 667 1338	447 0350	9	1022	2630·704 254 8996	425 1537	8
973	2483·770 333 3988	446 5753	9	1023	2633·713 705 7954	424 7379	8
974	2486·758 446 2390	446 1166	9	1024	2636·723 581 4291	424 3229	8
975	2489·747 005 1959	445 6588	9	1025	2639·733 681 3867	423 9088	8
976	2492·736 009 8116	445 2020	9	1026	2642·744 605 2611	423 4954	8
977	2495·725 459 6293	444 7461	9	1027	2645·755 752 6119	423 0828	8
978	2498·715 354 1930	444 2911	9	1028	2648·767 323 0555	422 6711	8
979	2501·706 693 0478	443 8370	9	1029	2651·779 316 1701	422 2601	8
980	2504·696 475 7396	443 3839	9	1030	2654·791 731 5449	421 8499	8
981	2507·687 701 8153	442 9317	9	1031	2657·804 568 7606	421 4406	8
982	2510·679 370 8227	442 4804	9	1032	2660·817 827 4349	421 0320	8
983	2513·671 482 3105	442 0300	9	1033	2663·831 507 1322	420 6242	8
984	2516·664 036 8283	441 5806	9	1034	2666·845 607 4537	420 2172	8
985	2519·657 030 9267	441 1321	9	1035	2669·860 127 9925	419 8110	8
986	2522·650 467 1572	440 6844	9	1036	2672·875 068 3422	419 4056	8
987	2525·644 344 0722	440 2377	9	1037	2675·890 428 0977	419 0010	8
988	2528·638 661 2248	439 7919	9	1038	2678·906 206 8540	418 5971	8
989	2531·633 418 1694	439 3470	9	1039	2681·922 404 2076	418 1940	8
990	2534·628 614 4610	438 9030	9	1040	2684·939 019 7551	417 7917	8
991	2537·624 249 6566	438 4599	9	1041	2687·956 053 0944	417 3902	8
992	2540·620 323 3101	438 0177	9	1042	2690·973 503 8239	416 9895	8
993	2543·616 834 9822	437 5763	9	1043	2693·991 371 5429	416 5895	8
994	2546·613 784 2307	437 1359	9	1044	2697·009 655 8513	416 1902	8
995	2549·611 170 6151	436 6963	9	1045	2700·028 356 3500	415 7918	8
996	2552·608 993 6959	436 2577	9	1046	2703·047 472 6404	415 3941	8
997	2555·607 253 0343	435 8199	9	1047	2706·067 004 3260	414 9971	8
998	2558·605 948 1926	435 3830	9	1048	2709·086 951 0066	414 6010	8
999	2561·605 078 7339	434 9469	9	1049	2712·107 312 2893	414 2055	8
1000	2564·604 644 2221	434 5118	9	1050	2715·128 087 7775	413 8109	8
1001	2567·604 644 2221	434 0775	9	1051	2718·149 277 0766	413 4170	7
1002	2570·605 078 2996	433 5441	9	1052	2721·170 879 7926	413 0239	7
1003	2573·605 946 0211	433 2116	9	1053	2724·192 895 5324	412 6314	7
1004	2576·607 246 9642	432 7798	9	1054	2727·215 323 9036	412 2397	7
1005	2579·608 980 6670	432 3489	9	1055	2730·238 164 5145	411 8488	7
1006	2582·611 146 7287	431 9190	9	1056	2733·261 416 9741	411 4586	7
1007	2586·613 744 7094	431 4898	9	1057	2736·286 080 8923	411 0691	7
1008	2588·616 774 1800	431 0616	8	1058	2739·309 155 8796	410 6804	7
1009	2591·620 234 7121	430 6341	8	1059	2742·333 641 5473	410 2924	7
1010	2594·624 125 8783	430 2076	8	1060	2745·368 537 5074	409 9062	7
1011	2597·628 447 2521	429 7918	8	1061	2748·383 843 3727	409 5186	7
1012	2600·633 198 4077	429 3669	8	1062	2751·409 558 7566	409 1328	7
1013	2603·638 378 9202	428 9329	8	1063	2754·435 683 2733	408 7478	7
1014	2606·643 988 3686	428 5096	8	1064	2757·462 216 5378	408 3634	7
1015	2609·650 026 3206	428 0873	8	1065	2760·489 158 1658	407 9798	7
1016	2612·656 492 3628	427 6657	8	1066	2763·516 507 7736	407 5969	7
1017	2615·663 386 0708	427 2450	8	1067	2766·544 264 9783	407 2147	7
1018	2618·670 707 0237	426 8251	8	1068	2769·572 429 3977	406 8333	7
1019	2621·678 454 8017	426 4060	8	1069	2772·601 000 6604	406 4525	7
1020	2624·686 628 9857	426 9878	8	1070	2775·629 978 3856	406 0726	7

of the Complete Γ -Functions.

p	$\log \Gamma(p)$	δ^2	δ^4		p	$\log \Gamma(p)$	δ^2	δ^4
1070	2778·629 978 5556	406 0725	7		1120	2927·589 878 8954	387 9361	6
1071	2778·659 362 1333	405 6931	7		1121	2930·638 096 9181	387 5899	6
1072	2781·689 151 6041	405 3145	7		1122	2933·687 702 5306	387 2443	6
1073	2784·719 346 3895	404 9366	7		1123	2936·737 696 3876	386 8903	6
1074	2787·749 946 1114	404 5594	7		1124	2939·788 075 1438	386 5550	6
1075	2790·780 950 3928	404 1829	7		1125	2942·838 841 4551	386 2112	6
1076	2793·812 358 8570	403 8071	7		1126	2945·889 993 9775	385 8681	6
1077	2796·844 171 1284	403 4820	7		1127	2948·941 532 3680	385 5255	6
1078	2799·876 386 8317	403 0576	7		1128	2951·993 456 2841	385 1836	6
1079	2802·909 006 5925	402 6838	7		1129	2955·045 765 3837	384 8423	6
1080	2805·942 027 0372	402 3108	7		1130	2958·098 459 3256	384 5016	6
1081	2808·978 450 7927	401 9385	7		1131	2961·151 637 7691	384 1614	6
1082	2812·009 276 4866	401 5668	7		1132	2964·206 000 3741	383 8219	6
1083	2815·043 503 7474	401 1959	7		1133	2967·268 846 8009	383 4880	6
1084	2818·078 132 2040	400 8256	7		1134	2970·313 076 7108	383 1447	6
1085	2821·113 161 4862	400 4560	7		1135	2973·367 689 7653	382 8070	6
1086	2824·148 591 2244	400 0871	7		1136	2976·422 685 6269	382 4698	6
1087	2827·184 421 0497	399 7188	7		1137	2979·478 063 9592	382 1333	6
1088	2830·220 050 5938	399 3613	7		1138	2982·533 824 4229	381 7974	6
1089	2833·257 279 4891	398 9844	7		1139	2985·589 966 6850	381 4620	6
1090	2836·294 307 3689	398 6182	7		1140	2988·646 490 4091	381 1273	6
1091	2839·331 733 8668	398 2526	7		1141	2991·703 395 2604	380 7931	6
1092	2842·369 558 6174	397 8878	7		1142	2994·760 680 9048	380 4595	6
1093	2845·407 781 2558	397 6236	7		1143	2997·818 347 0087	380 1266	6
1094	2848·446 401 4177	397 1600	7		1144	3000·876 393 2391	379 7941	6
1095	2851·485 418 7397	396 7978	7		1145	3003·934 819 2636	379 4622	6
1096	2854·524 832 8689	396 4850	7		1146	3006·993 624 7502	379 1310	6
1097	2857·564 643 4131	396 0784	7		1147	3010·062 809 3679	378 8003	6
1098	2860·604 850 0406	395 7125	7		1148	3013·112 372 7858	378 4702	6
1099	2863·645 452 3807	395 3523	7		1149	3016·172 314 6738	378 1406	6
1100	2866·686 460 0732	394 9927	7		1150	3019·232 634 7026	377 8117	6
1101	2869·727 842 7683	394 6338	7		1151	3022·293 382 5429	377 4833	6
1102	2872·769 630 0773	394 2765	6		1152	3025·354 407 8666	377 1556	6
1103	2875·811 811 6718	393 9179	6		1153	3028·415 860 3456	376 8282	6
1104	2878·854 387 1843	393 5610	6		1154	3031·477 689 6529	376 5015	6
1105	2881·897 366 2576	393 2046	6		1155	3034·639 895 4617	376 1754	6
1106	2884·940 718 5357	392 8489	6		1156	3037·602 477 4459	376 8409	6
1107	2887·984 473 6626	392 4939	6		1157	3040·665 436 2800	375 6249	6
1108	2891·028 621 2835	392 1395	6		1158	3043·728 768 6390	375 2004	6
1109	2894·073 161 0439	391 7858	6		1159	3046·792 477 1984	374 8766	6
1110	2897·118 092 5901	391 4326	6		1160	3049·856 560 6343	374 5633	6
1111	2900·163 415 5688	391 0802	6		1161	3052·921 018 6236	374 2305	6
1112	2903·209 129 6278	390 7283	6		1162	3056·996 850 8433	373 9083	6
1113	2906·255 234 4150	390 3771	6		1163	3059·051 056 9714	373 5867	6
1114	2909·301 729 5794	390 0265	6		1164	3062·116 636 6861	373 2656	6
1115	2912·348 614 7702	389 6766	6		1165	3065·182 589 6664	372 9450	6
1116	2915·395 889 6376	389 3272	6		1166	3068·248 915 5918	372 6251	6
1117	2918·443 553 8322	388 9785	6		1167	3071·315 614 1422	372 3056	6
1118	2921·491 607 0063	388 6304	6		1168	3074·382 684 9982	371 9867	5
1119	2924·540 048 8089	388 2830	6		1169	3077·450 127 8410	371 6684	5
1120	2927·588 878 8954	387 9361	6		1170	3080·517 942 5522	371 3606	5

Complete Γ -Functions.

p	$\text{Log } \Gamma(p)$	δ^2	δ^4		p	$\text{Log } \Gamma(p)$	δ^2	δ^4
1170	3080·517 942 3522	371 3506	5		1186	3126·579 545 4049	366 6480	5
1171	3083·586 128 2139	371 0333	5		1186	3129·553 263 7653	366 3387	5
1172	3086·654 686 1090	370 7166	5		1187	3132·727 348 4443	366 0299	5
1173	3089·723 612 7207	370 4004	5		1188	3135·801 799 1632	365 7217	5
1174	3092·792 910 7328	370 0848	5		1189	3138·876 615 6089	365 4140	5
1175	3095·862 578 8297	369 7697	5		1190	3141·951 797 4585	365 1068	5
1176	3098·932 616 6963	369 4581	5		1191	3145·027 344 4199	364 8001	5
1177	3102·003 024 0180	369 1411	5		1192	3148·103 256 1814	364 4939	5
1178	3105·073 800 4809	368 8276	5		1193	3151·179 532 4368	364 1883	5
1179	3108·144 945 7713	368 5146	5		1194	3154·256 172 8805	363 8831	5
1180	3111·216 459 5764	368 2022	5		1195	3157·333 177 2072	363 5785	5
1181	3114·288 341 5837	367 8903	5		1196	3160·410 545 1125	363 2744	5
1182	3117·360 591 4813	367 5789	5		1197	3163·488 276 2922	362 9708	5
1183	3120·433 208 9579	367 2681	5		1198	3166·566 370 4426	362 6676	5
1184	3123·506 193 7026	366 9578	5		1199	3169·644 827 2606	362 3650	5
1185	3126·579 645 4049	366 6480	5		1200	3172·723 646 4437	362 0629	5

~~DEPARTMENT OF APPLIED STATISTICS
(COMPUTING SECTION)
UNIVERSITY OF LONDON, UNIVERSITY COLLEGE~~

TRACTS FOR COMPUTERS

EDITED BY KARL PEARSON, F.R.S.

No. IX

Log $\Gamma(x)$ from $x = 1$ to 50.9 by intervals of .01

By JOHN BROWNLEE, M.D., D.Sc.

CAMBRIDGE UNIVERSITY PRESS

C. F. CLAY, MANAGER

LONDON: FETTER LANE, E.C. 4

ALSO

H. K. LEWIS & CO., LTD., 136, Gower Street, London, W.C. 1

WHELDON & WESLEY, LTD., 2-4, Arthur Street, New Oxford Street, London, W.C. 2

Bombay, Calcutta, Madras : Macmillan & Co., Limited

Tokyo : The Maruzen-Kabushiki-Kaisha

1923

Five Shillings

The Cambridge University Press, Fetter Lane, London, E.C. 4, and their Agents, are now the sole Agents for the sale of the following publications of the Biometric and Galton Laboratories, University of London:

Eugenics Laboratory Publications

MEMOIR SERIES.

- I. The Inheritance of Ability. By EDGAR SCHUSTER, D.Sc., Formerly Galton Research Fellow, and ETHEL M. ELDERTON, Galton Scholar. Price 4s. net.
- II. A First Study of the Statistics of Insanity and the Inheritance of the Insane Diathesis. By DAVID HERON, D.Sc., Formerly Galton Research Fellow. Price 3s. net.
- III. The Promise of Youth and the Performance of Manhood. By EDGAR SCHUSTER, D.Sc., formerly Galton Research Fellow. Prices 2s. 6d. net.
- IV. On the Measure of the Resemblance of First Cousins. By ETHEL M. ELDERTON, Galton Research Fellow, assisted by KARL PEARSON, F.R.S. Price 3s. 6d. net.
- V. A First Study of the Inheritance of Vision and of the Relative Influence of Heredity and Environment on Sight. By AMY BARRINGTON and KARL PEARSON, F.R.S. Price 4s. net.
- VI. Treasury of Human Inheritance (Pedigrees of physical, psychical, and pathological Characters in Man). Parts I and II (double part). (Diabetes insipidus, Split-Foot, Polydactylism, Brachydactylism, Tuberculosis, Deaf-Mutism, and Legal Ability.) Price 14s. net.
- VII. On the Relationship of Condition of the Teeth in Children to Factors of Health and Home Environment. By E. C. RHODES. Price 9s. net.
- VIII. The Influence of Unfavourable Home Environment and Defective Physique on the Intelligence of School Children. By DAVID HERON, M.A., D.Sc., Formerly Galton Research Fellow. Price 4s. net. Sold only with complete sets.
- IX. The Treasury of Human Inheritance (Pedigrees of physical, psychical, and pathological Characters in Man). Part III. (Angioneurotic Oedema, Hermaphroditism, Deaf-Mutism, Insanity, Commercial Ability.) Price 6s. net.
- X. The Influence of Parental Alcoholism on the Physique and Intelligence of the Offspring. By ETHEL M. ELDERTON, assisted by KARL PEARSON. Second Edition. Price 4s. net.
- XI. The Treasury of Human Inheritance (Pedigrees of physical, psychical, and pathological Characters in Man). Part IV. (Cleft Palate, Hare-Lip, Deaf-Mutism, and Congenital Oatact.) Price 10s. net.
- XII. The Treasury of Human Inheritance (Pedigrees of physical, psychical, and pathological Characters in Man). Parts V. and VI. (Haemophilia.) Price 15s. net.
- XIII. A Second Study of the Influence of Parental Alcoholism on the Physique and Intelligence of the Offspring. By KARL PEARSON, F.R.S. and ETHEL M. ELDERTON. Price 4s. net.
- XIV. A Preliminary Study of Extreme Alcoholism in Adults. By AMY BARRINGTON and KARL PEARSON, F.R.S., assisted by DAVID HERON, D.Sc. Price 4s. net.
- XV. The Treasury of Human Inheritance: Dwarfism, with 49 Plates of Illustrations and 9 Plates of Pedigrees. Price 15s. net.
- XVI. The Treasury of Human Inheritance Prefatory matter and indices to Vol. I. With Frontispiece Portraits of Sir Francis Galton and Ancestry. Price 3s. net.
- XVII. A Second Study of Extreme Alcoholism in Adults. With special reference to the Home Office Inebriate Reformatory data. By DAVID HERON, D.Sc. Price 5s. net.
- XVIII. On the Correlation of Fertility with Social Value. A Cooperative Study. Price 6s. net.
- XIX—XX. Report on the English Birthrate. Part I, England, North of the Humber. By ETHEL M. ELDERTON, Galton Research Fellow. Price 9s. net.

LECTURE SERIES. Price 1s. net each (Nos. III, X, XI, XII, XIII excepted).

- I. The Scope and Importance to the State of the Science of National Eugenics. By KARL PEARSON, F.R.S. Third Edition.
- II. The Groundwork of Eugenics. By KARL PEARSON, F.R.S. Second Edition.
- III. The Relative Strength of Nurture and Nature. Much enlarged Second Edition. Part I. The Relative Strength of Nurture and Nature. (Second Edition revised.) By ETHEL M. ELDERTON. Part II. Some Recent Misinterpretations of the Problem of Nurture and Nature. (First Issue.) By KARL PEARSON, F.R.S. Price 1s. net.
- IV. On the Marriage of First Cousins. By ETHEL M. ELDERTON.
- V. The Problem of Practical Eugenics. By KARL PEARSON, F.R.S. Second Edition.
- VI. Nature and Nurture, the Problem of the Future. By KARL PEARSON, F.R.S. Second Edition.
- VII. The Academic Aspect of the Science of National Eugenics. By KARL PEARSON, F.R.S.
- VIII. Tuberculosis, Heredity and Environment. By KARL PEARSON, F.R.S.
- IV. Darwinism, Medical Progress and Eugenics. The Sandys Lecture, 1912. By KARL PEARSON, F.R.S.

9 NOV 1913

S. I. S. Lib.

1224

PREFATORY NOTE

THE following table, due to Dr John Brownlee's initiative, rounds off the work of this series of *Tracts* on the Γ -function. It will enable the computer to obtain somewhat more easily (but to 7 instead of 10 figures) the value of the Γ -function for values of the argument lying between 1 and 50·9.

K. P.

The following Table of $\log \Gamma(x)$ gives the values to seven figures for values of x from unity to fifty-one. The compact form of this Table is rendered possible by the introduction of formulae for interpolating by means of central differences. Though the first differences are of six figures, from the beginning of the table to the end, the fourth difference is zero. The method of construction has been as follows. The values of $\log \Gamma(x)$ were taken to ten places of decimals from the facsimile of *Legendre's* tables published lately by Professor Pearson in the Tracts for Computers Series. The subsequent values were obtained by adding on a Burroughs' Adding Machine the logarithms of the appropriate numbers as given by Vega, in the *Thesaurus Logarithmorum Completus*, and the consecutive additions were carried on to the limit of the table. The final figures were then checked by the ordinary *Euler-Maclaurin* formula for $\log \Gamma(x)$. It was found in every case, in spite of the fact that fifty odd consecutive additions had been made, that at least eight figures of the results were correct, while in a number of cases the ninth was also accurate.

The whole of the work was carried out under the supervision of Mr W. T. Russell, chief statistical clerk to the National Institute for Medical Research, who himself checked all the differences. The whole credit for the table is thus his.

JOHN BROWNLEE.

NATIONAL INSTITUTE FOR MEDICAL RESEARCH.
Feb. 1st, 1923.

TABLE
OF
LOG $\Gamma(x)$ FROM $x = 1$ TO 50.9 BY INTERVALS OF .01

	0		1		2		3		4	
1.0	0.0000000	714	9.9975287	704	9.9951279	694	9.9927964	684	9.9905334	675
1.1	9.9783467	622	9.9765313	615	9.9747834	607	9.9730962	599	9.9714689	592
1.2	9.9629225	550	9.9616946	544	9.9605212	538	9.9594015	532	9.9583350	526
1.3	9.9530203	493	9.9523100	487	9.9516485	482	9.9510353	477	9.9504698	473
1.4	9.9480528	445	9.9478084	441	9.9476081	437	9.9474515	433	9.9473382	429
1.5	9.9475449	406	9.9477237	402	9.9479426	399	9.9482015	394	9.9484998	392
1.6	9.9511020	373	9.9516680	370	9.9522710	367	9.9529107	364	9.9535867	361
1.7	9.9583912	344	9.9593141	342	9.9602712	339	9.9612022	337	9.9622869	334
1.8	9.9691287	320	9.9703823	318	9.9716678	316	9.9729848	313	9.9743331	311
1.9	9.9830693	299	9.9846311	297	9.9862226	295	9.9878436	293	9.9894938	291
2.0	.0000000	280	.0018501	278	.0037280	277	.0056336	274	.0075667	273
2.1	.0197334	264	.0218543	263	.0240014	260	.0261746	259	.0283737	257
2.2	.0421038	249	.0444800	247	.0468810	246	.0493066	245	.0517567	243
2.3	.0669636	236	.0695813	234	.0722225	233	.0748869	232	.0775746	231
2.4	.0941808	224	.0970275	223	.0998964	222	.1027875	220	.1057007	219
2.5	.1236362	213	.1267006	212	.1297862	211	.1328929	210	.1360206	209
2.6	.1552220	203	.1584939	202	.1617860	201	.1650983	200	.1684306	200
2.7	.1888402	194	.1923102	193	.1957997	193	.1993083	192	.2028362	191
2.8	.2244012	186	.2280609	185	.2317392	184	.2354359	184	.2391510	183
2.9	.2618229	178	.2656645	178	.2695238	177	.2734009	176	.2772956	176
3.0	.3010300	172	.3050462	171	.3090794	170	.3131297	170	.3171969	169
3.1	.3419527	165	.3461368	164	.3503373	164	.3545542	163	.3587875	163
3.2	.3845264	159	.3888723	159	.3932340	158	.3976115	157	.4020047	157
3.3	.4288915	154	.4331933	153	.4377105	152	.4422428	152	.4467904	151
3.4	.4743920	148	.4790445	148	.4837118	147	.4883938	147	.4930905	146
3.5	.5215762	143	.5263743	143	.5311867	143	.5360134	142	.5408543	142
3.6	.5701953	139	.5751344	138	.5800873	138	.5850540	138	.5900345	137
3.7	.6202039	135	.6252795	134	.6303686	134	.6354710	133	.6405867	133
3.8	.6715592	131	.6767672	130	.6819883	130	.6872223	129	.6924693	129
3.9	.7242209	127	.7295575	126	.7349067	126	.7402685	126	.7450429	125
4.0	.7781513	123	.7836127	123	.7890864	123	.7945723	122	.8000705	122
4.1	.8333143	120	.8388971	120	.8444919	119	.8500986	119	.8557171	119
4.2	.8896764	117	.8953773	116	.9010898	116	.9068140	116	.9125497	115
4.3	.9472054	114	.9530213	113	.9588485	113	.9646871	113	.9705369	112
4.4	1.0058710	111	1.0117989	110	1.0177379	110	1.0236879	110	1.0296489	110
4.5	1.0656443	108	1.0716814	108	1.0777294	107	1.0837881	107	1.0898575	107
4.6	1.1264978	105	1.1326416	105	1.1387959	105	1.1449607	105	1.1511359	104
4.7	1.1884057	103	1.1946535	103	1.2009115	102	1.2071708	102	1.2134583	102
4.8	1.2513428	101	1.2576922	100	1.2640516	100	1.2704211	100	1.2768005	100
4.9	1.3152856	98	1.3217343	98	1.3281928	98	1.3346611	98	1.3411391	97
5.0	1.3802112	96	1.3867570	96	1.3933124	96	1.3998774	95	1.4064519	95
5.1	1.4460982	94	1.4527390	94	1.4593891	94	1.4660486	93	1.4727175	93
5.2	1.5129257	92	1.5196594	92	1.5264023	92	1.5331544	91	1.5399156	91
5.3	1.5806739	90	1.5874980	90	1.5943323	90	1.6011750	90	1.6080266	89
5.4	1.6493236	88	1.6562375	88	1.6631602	88	1.6700916	88	1.6770319	88
5.5	1.7188568	87	1.7258580	86	1.7328678	86	1.7398863	86	1.7469134	86
5.6	1.7892557	85	1.7963425	85	1.8034379	85	1.8105416	84	1.8176539	84
5.7	1.8605035	83	1.8676744	83	1.8748535	83	1.8820410	83	1.8892367	83
5.8	1.9325840	82	1.9398373	82	1.9470987	81	1.9543682	81	1.9616459	81
5.9	2.0054816	80	2.0128157	80	2.0201579	80	2.0275080	80	2.0348661	80
6.0	2.0791812	79	2.0865948	79	2.0940161	78	2.1014453	78	2.1088824	78

5	6	7	8	9	
9·9883379	666	9·9862089	656	9·9841455	648
9·9699007	584	9·9683910	577	9·9669390	570
9·9573211	520	9·9563592	514	9·9554487	509
9·9499515	468	9·9494800	463	9·9490549	459
9·9472677	425	9·9472397	421	9·9472539	417
9·9488374	389	9·9492139	386	9·9496289	382
9·9542989	358	9·9550468	355	9·9558303	353
9·9633451	332	9·9644364	329	9·9655606	327
9·9757126	309	9·9771230	307	9·9785640	305
9·9911732	289	9·9928815	287	9·9946185	285
·0095272	272	·0115147	270	·0135293	268
·0305985	256	·0328490	255	·0351248	253
·0542311	242	·0567297	242	·0592524	239
·0802853	230	·0830190	228	·0857755	227
·1086357	218	·1115926	217	·1145712	216
·1391691	208	·1423385	207	·1455286	206
·1717828	199	·1751549	198	·1785648	197
·2063831	190	·2099490	189	·2135339	188
·2428843	182	·2466359	181	·2504056	181
·2812078	175	·2851375	174	·2890847	174
·3212810	168	·3253820	168	·3294906	167
·3630370	162	·3673027	161	·3715846	161
·4004136	156	·4108382	156	·4152783	155
·4513531	151	·4559310	150	·4605238	150
·4978018	146	·5025277	145	·5072681	145
·5457093	141	·5505785	141	·5554617	140
·5950287	137	·6000366	136	·6050581	136
·6457158	133	·6508381	132	·6560137	132
·6977292	129	·7030019	128	·7082875	128
·7510298	125	·7564292	125	·7618411	124
·8055809	122	·8111034	121	·8166380	121
·8613476	118	·8669898	118	·8726438	118
·9182970	115	·9240558	115	·9298260	115
·9763980	112	·9822702	112	·9881537	112
·1·0356209	109	·1·0416038	109	·1·0475976	109
·1·0959377	107	·1·1020285	106	·1·1081299	106
·1·1573216	104	·1·1635176	104	·1·1697241	104
·1·2197471	102	·1·2260460	101	·1·2323550	101
·1·2831899	99	·1·2895893	99	·1·2959985	99
·1·3476269	97	·1·3541244	97	·1·3606316	97
·1·4130359	95	·1·4196294	95	·1·4262324	95
·1·4793956	93	·1·4860831	93	·1·4927799	93
·1·5466859	91	·1·5534654	91	·1·5602539	91
·1·6148872	89	·1·6217567	89	·1·6286351	89
·1·6830809	87	·1·6909387	87	·1·6979051	87
·1·7539491	86	·1·7609933	86	·1·7680461	85
·1·8247745	84	·1·8319036	84	·1·8390410	84
·1·8964407	82	·1·9036529	82	·1·9108734	82
·1·9689317	81	·1·9762255	81	·1·9835275	81
·2·0422321	79	·2·0496061	79	·2·0569880	79
·2·1163273	78	·2·1237799	78	·2·1312404	78
				·2·1387086	78
				·2·1461846	78

	0	1	2	3	4					
6.0	2.0791812	79	2.0865948	79	2.0940161	78	2.1014453	78	2.1088824	78
6.1	2.1536684	77	2.1611599	77	2.1686591	77	2.1761660	77	2.1836806	77
6.2	2.2289290	76	2.2364971	76	2.2440728	76	2.2516560	76	2.2592469	75
6.3	2.3049497	75	2.3125931	75	2.3202439	74	2.3279022	74	2.3355679	74
6.4	2.3817174	73	2.3894348	73	2.3971595	73	2.4048915	73	2.4126308	73
6.5	2.4592195	72	2.4670096	72	2.4748069	72	2.4826114	72	2.4904232	72
6.6	2.5374437	71	2.5453054	71	2.5531742	71	2.5610500	71	2.5689330	71
6.7	2.6163784	70	2.6243105	70	2.6322495	70	2.6401956	70	2.6481486	69
6.8	2.6960120	69	2.7040134	69	2.7120217	69	2.7200368	68	2.7280587	68
6.9	2.7763336	68	2.7844032	68	2.7924796	68	2.8005627	67	2.8086525	67
7.0	2.8573325	67	2.8654692	67	2.8736126	66	2.8817627	66	2.8899193	66
7.1	2.9389982	66	2.9472011	66	2.9554105	65	2.9636265	65	2.9718490	65
7.2	3.0213207	65	3.0295887	65	3.0378632	65	3.0461441	64	3.0544314	64
7.3	3.1042903	64	3.1126225	64	3.1209610	64	3.1293059	63	3.1376571	63
7.4	3.1878974	63	3.1962928	63	3.2046945	63	3.2131024	63	3.2215167	62
7.5	3.2721328	62	3.2805906	62	3.2890545	62	3.2975246	62	3.3060009	62
7.6	3.3569876	61	3.3655069	61	3.3740322	61	3.3825636	61	3.3911011	61
7.7	3.4424532	60	3.4510330	60	3.4596188	60	3.4682106	60	3.4768085	60
7.8	3.5285209	59	3.5371605	59	3.5458060	59	3.5544575	59	3.5631148	59
7.9	3.6151827	59	3.6238813	59	3.6325857	58	3.6412959	58	3.6500120	58
8.0	3.7024305	58	3.7111872	58	3.7199497	58	3.7287180	58	3.7374920	58
8.1	3.7902566	57	3.7990707	57	3.8078905	57	3.8167160	57	3.8255472	57
8.2	3.8786532	56	3.8875240	56	3.8964004	56	3.9052824	56	3.9141700	56
8.3	3.9676131	56	3.9765398	56	3.9854721	55	3.9944099	55	4.0033532	55
8.4	4.0571291	55	4.0661110	55	4.0750948	55	4.0840913	55	4.0930896	55
8.5	4.1471941	54	4.1562305	54	4.1652724	54	4.1743196	54	4.1833723	54
8.6	4.2378012	54	4.2468915	53	4.2559871	53	4.2650881	53	4.2741944	53
8.7	4.3289439	53	4.3380874	53	4.3472361	53	4.3563901	53	4.3655494	53
8.8	4.4206155	52	4.4298116	52	4.4390128	52	4.4482192	52	4.4574309	52
8.9	4.5128098	52	4.5220578	52	4.5313108	52	4.5405691	51	4.5498325	51
9.0	4.6055205	51	4.6148198	51	4.6241241	51	4.6334335	51	4.6427480	51
9.1	4.6987416	50	4.7080015	50	4.7174465	50	4.7268065	50	4.7361716	50
9.2	4.7924671	50	4.8018672	50	4.8112722	50	4.8206822	50	4.8300972	50
9.3	4.8866912	49	4.8961409	49	4.9055954	49	4.9150549	49	4.9245192	49
9.4	4.9814084	49	4.9900070	49	5.0004105	49	5.0099188	49	5.0194320	49
9.5	5.0766130	48	5.0861601	48	5.0957119	48	5.1052686	48	5.1148301	48
9.6	5.1722997	48	5.1818947	48	5.1914944	48	5.2010989	48	5.2107082	47
9.7	5.2684632	47	5.2781055	47	5.2877526	47	5.2974044	47	5.3070609	47
9.8	5.3565092	47	5.3747875	47	5.3844814	47	5.3941799	47	5.4038832	46
9.9	5.4621998	46	5.4719355	46	5.4816757	46	5.4914205	46	5.5011700	46
10.0	5.5597630	46	5.5695446	46	5.5793306	46	5.5891213	46	5.5989165	45
10.1	5.6577830	45	5.6676099	45	5.6774414	45	5.6872773	45	5.6971178	45
10.2	5.7562549	45	5.7661268	45	5.7760031	45	5.7858839	45	5.7957692	45
10.3	5.8551742	44	5.8650905	44	5.8750113	44	5.8849365	44	5.8948661	44
10.4	5.9545302	44	5.9644966	44	5.9744614	44	5.9844305	44	5.9944040	44
10.5	6.0543366	43	6.0643406	43	6.0743489	43	6.0843615	43	6.0943785	43
10.6	6.1545709	43	6.1646181	43	6.1746695	43	6.1847252	43	6.1947852	43
10.7	6.2552349	43	6.2653247	43	6.2754189	42	6.2855172	42	6.2956198	42
10.8	6.3563243	42	6.3664565	42	6.3765929	42	6.3867335	42	6.3968783	42
10.9	6.4578350	42	6.4680091	42	6.4781874	42	6.4883698	42	6.4985504	42
11.0	6.5597630	41	6.5699786	41	6.5801984	41	6.5904222	41	6.6006502	41

$x=6.0$ to 11.0 LOG $\Gamma(x)$ FROM $x=1.0$ TO $x=50.9$ BY 0.1

7

5	6	7	8	9	
2.1163273	78	2.1237799	78	2.1312404	78
2.1912029	77	2.1987328	77	2.2062704	76
2.2668452	75	2.2744511	75	2.2820645	75
2.3432410	74	2.3509215	74	2.3586094	74
2.4203774	73	2.4281313	73	2.4358925	73
2.4982421	72	2.5060683	72	2.5139013	71
2.5768230	70	2.5847200	70	2.5926241	70
2.6561085	69	2.6640754	69	2.6720492	69
2.7360875	68	2.7441231	68	2.7521656	68
2.8167491	67	2.8248524	67	2.8329624	67
2.8980826	66	2.9062526	66	2.9144291	66
2.9800780	65	2.9883135	65	2.9965556	65
3.0627252	64	3.0710254	64	3.0793320	64
3.1460147	63	3.1543786	63	3.1627489	63
3.2299371	62	3.2383638	62	3.2467967	62
3.3144834	62	3.3229719	61	3.3314667	61
3.3996446	61	3.4081942	61	3.4167499	60
3.4854123	60	3.4940221	60	3.5026379	60
3.5717781	59	3.5804473	59	3.5891223	59
3.6587339	58	3.6674616	58	3.6761951	58
3.7462718	57	3.7550573	57	3.7638485	57
3.8343840	57	3.8432266	57	3.8520748	57
3.9230632	56	3.9319621	56	3.9408665	56
4.0123021	55	4.0212564	55	4.0302163	55
4.1020934	55	4.1111026	54	4.1201173	54
4.1924303	54	4.2014937	54	4.2105626	54
4.2833060	53	4.2924230	53	4.3015453	53
4.3747140	53	4.3838838	53	4.3930589	52
4.4666477	52	4.4758698	52	4.4850970	52
4.5591010	51	4.5683747	51	4.5776535	51
4.6520676	51	4.6613923	51	4.6707220	51
4.7455416	50	4.7549167	50	4.7642968	50
4.8395172	50	4.8489421	50	4.8583720	49
4.9339885	49	4.9434627	49	4.9529418	49
5.0289501	48	5.0384730	48	5.0480008	48
5.1243964	48	5.1339675	48	5.1435434	48
5.2203221	47	5.2299409	47	5.2395044	47
5.3167221	47	5.3263879	47	5.3300585	47
5.4135910	46	5.4233035	46	5.4330207	46
5.5109240	46	5.5206827	46	5.5304459	46
5.6087162	45	5.6185205	45	5.6283293	45
5.7069627	45	5.7168122	45	5.7266661	45
5.8056589	45	5.8155531	44	5.8254517	44
5.9048001	44	5.9147386	44	5.9246814	44
6.0043819	44	6.0143641	44	6.0243507	44
6.1043998	43	6.1144254	43	6.1244553	43
6.2048495	43	6.2149180	43	6.2249908	43
6.3057267	42	6.3158377	42	6.3259530	42
6.4070272	42	6.4171804	42	6.4273378	42
6.5087471	42	6.5189420	41	6.5291411	41
6.6108823	41	6.6211185	41	6.6313588	41
				6.6416032	41
				6.6518517	41
				6.6611100	41

LOG $\Gamma(x)$, FROM $x = 1.0$ TO $x = 50.9$ BY .01 $x = 11.0$ to 16.0

	0	1	2	3	4	
11.0	6.5597630	41	6.5699786	41	6.5801984	41
11.1	6.6621043	41	6.6723611	41	6.6826219	41
11.2	6.7648551	41	6.7751525	41	6.7854540	40
11.3	6.8680114	40	6.8783492	40	6.8886910	40
11.4	6.9715696	40	6.9819474	40	6.9923291	40
11.5	7.0755259	39	7.0859433	39	7.0903646	39
11.6	7.1798768	39	7.1903334	39	7.2007940	39
11.7	7.2846187	39	7.2951142	39	7.3056136	39
11.8	7.3897480	38	7.4002822	38	7.4108201	38
11.9	7.4952615	38	7.5058339	38	7.5164100	38
12.0	7.6011557	38	7.6117660	38	7.6223800	38
12.1	7.7074273	37	7.7180751	37	7.7287267	37
12.2	7.8140731	37	7.8247581	37	7.8354469	37
12.3	7.9210898	37	7.9318118	37	7.9425374	37
12.4	8.0284744	36	8.0392330	36	8.0499952	36
12.5	8.1362237	36	8.1470186	36	8.1578171	36
12.6	8.2443348	36	8.2551657	36	8.2660001	36
12.7	8.3528045	36	8.3636711	36	8.3745413	36
12.8	8.46116301	35	8.4725321	35	8.4834376	35
12.9	8.5708085	35	8.5817456	35	8.5926863	35
13.0	8.6803370	35	8.6913090	35	8.7022844	35
13.1	8.7902127	34	8.8012193	34	8.8122293	34
13.2	8.9004329	34	8.9114738	34	8.9225181	34
13.3	9.0109950	34	9.0220699	34	9.0331481	34
13.4	9.1218961	34	9.1330048	34	9.1441168	34
13.5	9.2331338	33	9.2442759	33	9.2554214	33
13.6	9.3447053	33	9.3558807	33	9.3670595	33
13.7	9.4566082	33	9.4678167	33	9.4790284	33
13.8	9.5688400	33	9.5800812	33	9.5913256	33
13.9	9.6813982	32	9.6926719	32	9.7039488	32
14.0	9.7942803	32	9.8055863	32	9.8168954	32
14.1	9.9074840	32	9.9188220	32	9.9301631	32
14.2	10.0210069	32	10.0323766	32	10.0437495	32
14.3	10.1348466	31	10.1462479	31	10.1576524	31
14.4	10.2490009	31	10.2604336	31	10.2718693	31
14.5	10.3634675	31	10.3749313	31	10.3863981	31
14.6	10.4782442	31	10.4897389	31	10.5012366	31
14.7	10.5933288	31	10.6048541	31	10.6163825	31
14.8	10.7087191	30	10.7202749	30	10.7318337	30
14.9	10.8244130	30	10.8359990	30	10.8475880	30
15.0	10.9404084	30	10.9520244	30	10.9636434	30
15.1	11.0567031	30	11.0683490	30	11.0799978	30
15.2	11.1732952	30	11.1849707	30	11.1966491	29
15.3	11.2901826	29	11.3018875	29	11.3135954	29
15.4	11.4073634	29	11.4190975	29	11.4308346	29
15.5	11.5248355	29	11.5365987	29	11.5483647	29
15.6	11.6425971	29	11.6543891	29	11.6661840	29
15.7	11.7606461	29	11.7724668	29	11.7842903	29
15.8	11.8789808	28	11.8908299	28	11.9026819	28
15.9	11.9975993	28	12.0094766	28	12.0213568	28
16.0	12.1164996	28	12.1284051	28	12.1403134	28

5	6	7	8	9	
6.6108823	41	6.6211185	41	6.6313588	41
6.7134288	41	6.7237059	41	6.7339871	41
6.8163828	40	6.8267004	40	6.8370221	40
6.9197405	40	6.9300083	40	6.9404602	40
7.0234982	40	7.0338958	40	7.0442974	40
7.1276523	39	7.1380893	39	7.1485303	39
7.2321991	39	7.2426752	39	7.2531553	39
7.3371351	39	7.3476500	39	7.3581687	39
7.4424570	38	7.4530103	38	7.4635674	38
7.5481612	38	7.5587526	38	7.5693477	38
7.6542446	38	7.6648736	38	7.6755064	38
7.7607036	37	7.7713701	37	7.7820403	37
7.8675353	37	7.8782388	37	7.8889461	37
7.9747364	37	7.9854767	37	7.9962206	37
8.0823037	36	8.0930804	36	8.1038608	36
8.1902342	36	8.2010472	36	8.2118637	36
8.2985250	36	8.3093738	36	8.3202261	36
8.4071730	35	8.4180573	35	8.4289452	35
8.5161753	35	8.5270949	35	8.5308181	35
8.6255291	35	8.6364837	35	8.6474418	35
8.7332316	35	8.7462209	35	8.7572137	35
8.8452799	34	8.8563037	34	8.8673309	34
8.9556714	34	8.9667293	34	8.9777906	34
9.0664033	34	9.0774951	34	9.0885903	34
9.1774730	34	9.1885985	33	9.1997273	33
9.2888780	33	9.3000368	33	9.3111989	33
9.4006155	33	9.4111805	33	9.4230027	33
9.5126832	33	9.5239080	33	9.5351361	33
9.6250785	33	9.6363359	33	9.6475966	32
9.7377989	32	9.7490887	32	9.7603818	32
9.8508421	32	9.8621641	32	9.8734893	32
9.9642057	32	9.9755596	32	9.9869166	32
10.0778873	32	10.0892728	32	10.1006615	32
10.1918846	31	10.2033016	31	10.2147217	31
10.3061953	31	10.3176435	31	10.3290949	31
10.4208173	31	10.4322965	31	10.4437768	31
10.5357482	31	10.5472582	31	10.5587712	31
10.6509859	30	10.6625264	30	10.6740701	30
10.7665282	30	10.7780991	30	10.7896731	30
10.8823731	30	10.8939742	30	10.9055782	30
10.9985184	30	11.0101494	30	11.0217834	30
11.1149621	30	11.1266228	30	11.1382865	30
11.2317021	29	11.2433924	29	11.2550855	29
11.3487365	29	11.3604560	29	11.3721785	29
11.4600632	29	11.4778118	29	11.4895634	29
11.5836802	29	11.5954579	29	11.6072383	29
11.7015858	29	11.7133921	29	11.7252014	29
11.8197779	28	11.8316128	28	11.8434505	28
11.9382547	28	11.9501180	28	11.9619840	28
12.0570143	28	12.0689058	28	12.0808000	28
12.1760549	28	12.1879744	28	12.1998966	28
		12.2118216	28	12.2237495	28

LOG $\Gamma(x)$ FROM $x = 1.0$ TO $x = 50.9$ BY .01 $x = 16.0$ to 21.0

	0	1	2	3	4					
16.0	12.1164996	28	12.1284051	28	12.1403133	28	12.1522244	28	12.1641383	28
16.1	12.2356801	28	12.2476134	28	12.2595496	28	12.2714885	28	12.2834303	28
16.2	12.3551388	28	12.3670999	28	12.3790838	28	12.3910304	28	12.4029998	28
16.3	12.4748741	27	12.4868627	27	12.4988542	27	12.5108483	27	12.5228452	27
16.4	12.5948841	27	12.6069002	27	12.6189190	27	12.6309405	27	12.6429647	27
16.5	12.7151672	27	12.7272105	27	12.7392565	27	12.7513052	27	12.7633565	27
16.6	12.8357217	27	12.8477930	27	12.8598650	27	12.8719407	27	12.8840191	27
16.7	12.9565458	27	12.9686430	27	12.9807428	27	12.9928454	27	13.0049506	27
16.8	13.0776379	27	13.0897618	27	13.1018884	27	13.1140176	27	13.1261494	27
16.9	13.1989964	26	13.2111468	26	13.2232999	26	13.2354556	26	13.2476140	26
17.0	13.3206196	26	13.3327964	26	13.3449759	26	13.3571579	26	13.3693426	26
17.1	13.4425059	26	13.4547090	26	13.4669146	26	13.4791229	26	13.4913338	26
17.2	13.5646538	26	13.5768829	26	13.5891146	26	13.6013489	26	13.6135858	26
17.3	13.6870617	26	13.6993167	26	13.7115743	26	13.7238345	26	13.7360973	26
17.4	13.8097280	26	13.8220088	26	13.8342921	26	13.8465780	26	13.8588665	26
17.5	13.9326512	26	13.9449576	26	13.9572665	26	13.9695780	25	13.9818920	25
17.6	14.0558298	25	14.0681616	25	14.0804960	25	14.0928329	25	14.1051724	25
17.7	14.1792623	25	14.1916194	25	14.2039791	25	14.2163413	25	14.2287060	25
17.8	14.3029472	25	14.3153295	25	14.3277143	25	14.3401017	25	14.3524915	25
17.9	14.4268831	25	14.4392904	25	14.4517003	25	14.4641126	25	14.4765274	25
18.0	14.5510685	25	14.5635007	25	14.5759354	25	14.5883726	25	14.6008122	25
18.1	14.6755020	25	14.6879590	25	14.7004184	25	14.7128803	25	14.7253446	25
18.2	14.8001823	25	14.8126638	25	14.8251478	25	14.8376342	24	14.8501231	24
18.3	14.9251078	24	14.9376138	24	14.9501222	24	14.9626331	24	14.9751464	24
18.4	15.0502772	24	15.0628075	24	15.0753493	24	15.0878754	24	15.1004130	24
18.5	15.1756892	24	15.1882437	24	15.2008006	24	15.2133599	24	15.2259216	24
18.6	15.3013424	24	15.3139210	24	15.3265019	24	15.3390852	24	15.3516710	24
18.7	15.4272355	24	15.4398380	24	15.4524428	24	15.4650500	24	15.4776596	24
18.8	15.5533672	24	15.5659934	24	15.5786220	24	15.5912530	24	15.6038864	24
18.9	15.6797361	24	15.6923860	24	15.7050383	24	15.7170929	24	15.7303498	24
19.0	15.8063410	23	15.8190144	23	15.8316902	23	15.8443683	23	15.8570488	23
19.1	15.9331806	23	15.9458774	23	15.9585766	23	15.9712781	23	15.9839819	23
19.2	16.0602536	23	16.0729737	23	16.0856962	23	16.0984209	23	16.1111479	23
19.3	16.1875589	23	16.2003021	23	16.2130477	23	16.2257955	23	16.2385457	23
19.4	16.3150950	23	16.3278613	23	16.3406299	23	16.3534007	23	16.3661739	23
19.5	16.4428610	23	16.4556501	23	16.4684416	23	16.4812353	23	16.4940314	23
19.6	16.5708554	23	16.5836673	23	16.5964816	23	16.6092981	23	16.6221169	23
19.7	16.6990771	23	16.7119118	23	16.7247487	23	16.7375878	23	16.7504292	23
19.8	16.8275250	23	16.8403822	22	16.8532417	22	16.8661033	22	16.8789673	22
19.9	16.9561979	22	16.9690775	22	16.9819594	22	16.9948435	22	17.0077298	22
20.0	17.0850946	22	17.0979966	22	17.1109007	22	17.1238071	22	17.1367157	22
20.1	17.2142140	22	17.2271381	22	17.2400645	22	17.2529930	22	17.2659238	22
20.2	17.3435549	22	17.3565011	22	17.3694495	22	17.3824002	22	17.3953530	22
20.3	17.4731162	22	17.4860844	22	17.4990548	22	17.5120274	22	17.5250022	22
20.4	17.6028968	22	17.6158869	22	17.6288791	22	17.6418735	22	17.6548702	22
20.5	17.7328956	22	17.7459074	22	17.7589214	22	17.7719376	22	17.7849559	22
20.6	17.8631115	22	17.8761449	22	17.8891806	22	17.9032184	22	17.9152584	22
20.7	17.9935434	21	18.0065984	21	18.0196556	21	18.0327149	21	18.0457764	21
20.8	18.1241902	21	18.1372667	21	18.1503453	21	18.1634261	21	18.1765089	21
20.9	18.2550510	21	18.2681488	21	18.2812487	21	18.2943508	21	18.3074550	21
21.0	18.3861246	21	18.3992436	21	18.4123648	21	18.4254881	21	18.4386134	21

x=16.0 to 21.0 LOG $\Gamma(x)$ FROM x=1.0 TO x=50.9 BY .01

11

5	6	7	8	9	
12.1760549	28	12.1879744	28	12.1998966	28
12.2953747	28	12.3073220	28	12.3192721	28
12.4149720	28	12.4266469	28	12.4389246	28
12.5348449	27	12.5468472	27	12.5588524	27
12.6549917	27	12.6670213	27	12.6790537	27
12.7754106	27	12.7874674	27	12.7995270	27
12.8961001	27	12.9081839	27	12.9202703	27
13.0170585	27	13.0291690	27	13.0412822	27
13.1382840	27	13.1504211	27	13.1625610	27
13.2597750	26	13.2719386	26	13.2841049	26
13.3875300	26	13.3937199	26	13.4059125	26
13.5035473	26	13.5157634	26	13.5279821	26
13.6252853	26	13.6380674	26	13.6503121	26
13.7483626	26	13.7606305	26	13.7729010	26
13.8711576	26	13.8834512	26	13.8957473	26
13.9942086	25	14.0065278	25	14.0188495	25
14.1175144	25	14.1298589	25	14.1422059	25
14.2410733	25	14.2534430	25	14.2658153	25
14.3648839	25	14.3772787	25	14.3896761	25
14.4889447	25	14.5013045	25	14.5137868	25
14.6132544	25	14.6256989	25	14.6381460	25
14.7378114	25	14.7502807	25	14.7627524	25
14.8626144	24	14.8751082	24	14.8876044	24
14.9876621	24	15.0001803	24	15.0127009	24
15.1129530	24	15.1254954	24	15.1380402	24
15.2384858	24	15.2510523	24	15.2636212	24
15.3642591	24	15.3768496	24	15.3894425	24
15.4902716	24	15.5028860	24	15.5155027	24
15.6165221	24	15.6291602	24	15.6418006	24
15.7430092	24	15.7556708	24	15.7683349	24
15.8697316	23	15.8824167	23	15.8951042	23
15.9966880	23	16.0093965	23	16.0221073	23
16.1238773	23	16.1360090	23	16.1493430	23
16.2512982	23	16.2640529	23	16.2768100	23
16.3789494	23	16.3917271	23	16.4045071	23
16.5088297	23	16.5190303	23	16.5324331	23
16.6349379	23	16.6477612	23	16.6605868	23
16.7632729	23	16.7761188	23	16.7889670	23
16.8918334	22	16.9047019	22	16.9175725	22
17.0206184	22	17.0335092	22	17.0464022	22
17.1406265	22	17.1625396	22	17.1754549	22
17.2788568	22	17.2917920	22	17.3047294	22
17.4083080	22	17.4212053	22	17.4342247	22
17.5379791	22	17.5500583	22	17.5639396	22
17.6678690	22	17.6808069	22	17.6938731	22
17.7979764	22	17.8100991	22	17.8240240	22
17.9283005	22	17.9413447	22	17.9543912	22
18.0588400	21	18.0719058	21	18.0849737	21
18.1805940	21	18.2026811	21	18.2157704	21
18.3205613	21	18.3336697	21	18.3467802	21
18.4517409	21	18.4648705	21	18.4780022	21
				18.4911361	21
				18.5042720	21
				21	21.0

LOG $\Gamma(x)$ FROM $x = 1\cdot 0$ TO $x = 50\cdot 9$ BY $\cdot 01$ $x = 21\cdot 0$ to $26\cdot 0$

	0	1	2	3	4
21·0	18·3861246	21	18·3992436	21	18·4123648
21·1	18·5174100	21	18·5305502	21	18·5436925
21·2	18·6489062	21	18·6620674	21	18·6752307
21·3	18·7806122	21	18·7937943	21	18·8069785
21·4	18·9125269	21	18·9257299	21	18·9389348
21·5	19·0446494	21	19·0578731	21	19·0710088
21·6	19·1769787	21	19·1902229	21	19·2034692
21·7	19·3095137	20	19·3227785	20	19·3360453
21·8	19·4422536	20	19·4555388	20	19·4688260
21·9	19·5751973	20	19·5885028	20	19·6018104
22·0	19·7083439	20	19·7216697	20	19·7349975
22·1	19·8416925	20	19·8550384	20	19·8683864
22·2	19·9752421	20	19·9886081	20	20·0019761
22·3	20·1089918	20	20·1223778	20	20·1357657
22·4	20·2429407	20	20·2563465	20	20·2697543
22·5	20·370879	20	20·3905135	20	20·4039410
22·6	20·5114324	20	20·5248777	20	20·5383249
22·7	20·6459734	20	20·6594383	20	20·6729052
22·8	20·7807101	19	20·7941945	19	20·8076808
22·9	20·9156414	19	20·9291452	19	20·9426510
23·0	21·0507666	19	21·0642897	19	21·0778148
23·1	21·1860848	19	21·1996272	19	21·2131715
23·2	21·3215951	19	21·3351566	19	21·3487201
23·3	21·4572967	19	21·4708773	19	21·4844599
23·4	21·5931887	19	21·6067884	19	21·6203899
23·5	21·7292704	19	21·7428890	19	21·7565094
23·6	21·8655409	19	21·8791783	19	21·8928175
23·7	22·0019993	19	22·0156555	19	22·0293135
23·8	22·1386449	19	22·1523197	19	22·1659964
23·9	22·2754769	19	22·2891703	19	22·3028656
24·0	22·4124944	18	22·4262064	18	22·4399201
24·1	22·5496697	18	22·5634271	18	22·5771593
24·2	22·6870831	18	22·7008318	18	22·7145823
24·3	22·8246526	18	22·8384196	18	22·8521884
24·4	22·9624046	18	22·9761898	18	22·9899768
24·5	23·1003383	18	23·1141416	18	23·1279467
24·6	23·2384529	18	23·2522743	18	23·2660974
24·7	23·3767477	18	23·3905870	18	23·4044282
24·8	23·5152219	18	23·5290791	18	23·5429382
24·9	23·6538748	18	23·6677499	18	23·6816268
25·0	23·7927057	18	23·8065985	18	23·8204931
25·1	23·9317138	18	23·9456243	18	23·9595366
25·2	24·0708984	18	24·0848266	18	24·0987565
25·3	24·2102589	18	24·2242046	18	24·2381520
25·4	24·3497944	17	24·3637576	17	24·3777225
25·5	24·4895043	17	24·5034849	17	24·5174672
25·6	24·6293880	17	24·6433859	17	24·6573855
25·7	24·7694446	17	24·7834598	17	24·7974766
25·8	24·9096736	17	24·9237059	17	24·9377400
25·9	25·0500741	17	25·0641236	17	25·0781748
26·0	25·1906457	17	25·2047122	17	25·2187804

5	6	7	8	9	
18.4517409	21	18.4648705	21	18.4780022	21
18.5831319	21	18.5962825	21	18.6094353	21
18.7147331	21	18.7279047	21	18.7410785	21
18.8465435	21	18.8597361	21	18.8729307	21
18.9785623	21	18.9917756	21	19.0049909	21
19.1107883	21	19.1240222	21	19.1372582	21
19.2432205	21	19.2564751	21	19.2697317	21
19.3758581	20	19.3891331	20	19.4024102	20
19.5087000	20	19.5219954	20	19.5352928	20
19.6417453	20	19.6550610	20	19.6683787	20
19.7749930	20	19.7883289	20	19.8016668	20
19.9084422	20	19.9217982	20	19.9351562	20
20.0420920	20	20.0554680	20	20.0688459	20
20.1759414	20	20.1893373	20	20.2027352	20
20.3099896	20	20.3234053	20	20.3368230	20
20.4442355	20	20.4576710	20	20.4711084	20
20.5786784	20	20.5921335	20	20.6055906	20
20.7133174	20	20.7267920	20	20.7402686	20
20.8481515	19	20.8616456	19	20.8751416	19
20.9831798	19	20.9966933	19	21.0102087	19
21.1184016	19	21.1319344	19	21.1454691	19
21.2538160	19	21.2673680	19	21.2809219	19
21.3894220	19	21.4029031	19	21.4165662	19
21.5252190	19	21.5388091	19	21.5524012	19
21.6612059	19	21.6748150	19	21.6884260	19
21.7973821	19	21.8110101	19	21.8246400	19
21.9337466	19	21.9473934	19	21.9620421	19
22.0702988	19	22.0839643	19	22.0976316	19
22.2070377	19	22.2207218	19	22.2344078	19
22.3439625	19	22.3576652	19	22.3713697	19
22.4810725	18	22.4947937	18	22.5085167	18
22.6183670	18	22.6321065	18	22.6458479	18
22.7558450	18	22.7696029	18	22.7833625	18
22.8935058	18	22.9072819	18	22.9210599	18
23.0313488	18	23.0451430	18	23.0589391	18
23.1693730	18	23.1831854	18	23.1969995	18
23.3075778	18	23.3214082	18	23.3352403	18
23.4459624	18	23.4598107	18	23.4736608	18
23.5845260	18	23.5983922	18	23.6122602	18
23.7232680	18	23.7371520	18	23.7510378	18
23.8621876	18	23.8760893	18	23.8899928	18
24.0012841	18	24.0152034	18	24.0291245	18
24.1405507	18	24.1544936	18	24.1684323	18
24.2800048	17	24.2939592	17	24.3079154	17
24.4196276	17	24.4335995	17	24.4475731	17
24.5594245	17	24.5734137	17	24.5874047	17
24.6993947	17	24.7134012	17	24.7274095	17
24.8395376	17	24.8535613	17	24.8675868	17
24.9798524	17	24.9938933	17	25.0079360	17
25.1203386	17	25.1343906	17	25.1484563	17
25.2609953	17	25.2750704	17	25.2891471	17
				25.3032256	17
				25.3173057	17
				26.0	

LOG $\Gamma(x)$ FROM $x = 1.0$ TO $x = 50.9$ BY .01 $x = 26.0$ to 31.0

	0	1	2	3	4					
26.0	25.1906457	17	25.2047122	17	25.2187804	17	25.2328504	17	25.2469220	17
26.1	25.3313875	17	25.3454710	17	25.3595563	17	25.3736432	17	25.3877318	17
26.2	25.4722990	17	25.4863994	17	25.5005016	17	25.5146054	17	25.5287109	17
26.3	25.6133794	17	25.6274967	17	25.6416157	17	25.6557364	17	25.6698587	17
26.4	25.7546281	17	25.7687622	17	25.7828980	17	25.79790355	17	25.8111746	17
26.5	25.8960445	17	25.9101954	17	25.9243479	17	25.9385020	17	25.9526579	17
26.6	26.0376279	17	26.0517954	17	26.0659646	17	26.0801354	17	26.0943079	17
26.7	26.1793777	17	26.1935618	17	26.2077476	17	26.2219350	17	26.2361241	17
26.8	26.3212933	17	26.3354939	17	26.3496962	17	26.3639001	16	26.3781057	16
26.9	26.4633739	16	26.4775910	16	26.4918098	16	26.5060302	16	26.5202522	16
27.0	26.6056190	16	26.6198526	16	26.6340877	16	26.6483245	16	26.6625630	16
27.1	26.7480280	16	26.7622779	16	26.7765294	16	26.7907826	16	26.8050374	16
27.2	26.8906003	16	26.9048664	16	26.9191342	16	26.9334037	16	26.9476747	16
27.3	27.0333351	16	27.0476176	16	27.0619016	16	27.0761872	16	27.0904745	16
27.4	27.1762321	16	27.1905306	16	27.2048308	16	27.2191326	16	27.2334361	16
27.5	27.3192904	16	27.3336051	16	27.3479214	16	27.3622393	16	27.3765588	16
27.6	27.4625096	16	27.4768403	16	27.4911727	16	27.5055066	16	27.5198421	16
27.7	27.6058890	16	27.6202357	16	27.6345840	16	27.6489340	16	27.6632855	16
27.8	27.7494281	16	27.7637907	16	27.7781550	16	27.7925208	16	27.8068882	16
27.9	27.8931262	16	27.9075047	16	27.9218848	16	27.9362665	16	27.9506498	16
28.0	28.0369828	16	28.0513771	16	28.0657731	16	28.0801706	16	28.0945697	16
28.1	28.1809973	16	28.1954074	16	28.2098191	16	28.2242324	16	28.2386472	16
28.2	28.3251692	16	28.3395950	16	28.3540224	16	28.3684513	16	28.3828818	16
28.3	28.4694978	16	28.4839393	16	28.4983823	16	28.5128269	16	28.5272730	16
28.4	28.6139826	16	28.6284397	16	28.6428983	16	28.6573584	16	28.6718202	16
28.5	28.7586231	16	28.7730957	16	28.7875698	16	28.8020455	15	28.8165227	15
28.6	28.9034187	15	28.9179067	15	28.9323963	15	28.9468875	15	28.9613802	15
28.7	29.0483688	15	29.0628722	15	29.0773773	15	29.0918838	15	29.1063919	15
28.8	29.1934728	15	29.2079917	15	29.2225121	15	29.2370340	15	29.2515575	15
28.9	29.3387304	15	29.3532646	15	29.3678003	15	29.3833375	15	29.3968762	15
29.0	29.4841408	15	29.4986693	15	29.5132412	15	29.5277937	15	29.5423477	15
29.1	29.6297036	15	29.6442683	15	29.6588344	15	29.6734021	15	29.6879713	15
29.2	29.7754183	15	29.7899081	15	29.8045794	15	29.8191622	15	29.8337465	15
29.3	29.9212842	15	29.9358791	15	29.9504755	15	29.9650734	15	29.9796729	15
29.4	30.0673010	15	30.0819109	15	30.0965224	15	30.1111353	15	30.1257498	15
29.5	30.2134680	15	30.2280929	15	30.2427193	15	30.2573473	15	30.2719767	15
29.6	30.3597847	15	30.3744246	15	30.3896660	15	30.4037088	15	30.4183532	15
29.7	30.5062507	15	30.5209054	15	30.5355617	15	30.5502195	15	30.5648787	15
29.8	30.6528653	15	30.6675350	15	30.6822061	15	30.6968787	15	30.7115527	15
29.9	30.7996282	15	30.8143126	15	30.8289985	15	30.8436859	15	30.8583748	15
30.1	30.9465388	15	30.9612380	15	30.9759386	15	30.9906407	15	31.0053443	15
30.2	31.0935966	15	31.1083105	15	31.1230258	15	31.1377426	15	31.1524608	15
30.3	31.2408011	15	31.2555296	15	31.2702596	15	31.2849910	15	31.2997239	15
30.4	31.381518	15	31.4028949	15	31.4170395	15	31.4323855	15	31.4471330	15
30.5	31.5356483	15	31.5504059	15	31.5651650	15	31.5799256	15	31.5946876	15
30.6	31.6832900	14	31.6980621	14	31.7128357	14	31.7276107	14	31.7423872	14
30.7	31.8310764	14	31.8458630	14	31.8606510	14	31.8754405	14	31.8902314	14
30.8	31.9790071	14	31.9938081	14	32.0086105	14	32.0234144	14	32.0382197	14
30.9	32.1276816	14	32.1418969	14	32.1567137	14	32.1715319	14	32.1863516	14
31.0	32.2752994	14	32.2901291	14	32.3049601	14	32.3197926	14	32.3346266	14
31.1	32.4236601	14	32.4385040	14	32.4533493	14	32.4681961	14	32.4830442	14

5	6	7	8	9	
25.2609953	17	25.2750704	17	25.2891471	17
25.4018221	17	25.4159141	17	25.4300078	17
25.5428181	17	25.5569270	17	25.5710376	17
25.6839828	17	25.6981085	17	25.7122359	17
25.8253154	17	25.8394579	17	25.8536020	17
25.9668154	17	25.9809746	17	25.9951354	17
26.1084821	17	26.1226579	17	26.1368354	17
26.2503148	17	26.2645072	17	26.2787012	17
26.3923130	16	26.4065219	16	26.4207324	16
26.5344759	16	26.5487013	16	26.5629283	16
26.6768031	16	26.6910448	16	26.7052882	16
26.8192938	16	26.8335518	16	26.8478115	16
26.9619474	16	26.9762217	16	26.9904976	16
27.1047634	16	27.1190539	16	27.1333460	16
27.2477411	16	27.2620477	16	27.2763560	16
27.3908799	16	27.4052626	16	27.4195270	16
27.5341793	16	27.5485180	16	27.5628584	16
27.6776386	16	27.6919933	16	27.7063496	16
27.8212573	16	27.8356279	16	27.8500001	16
27.9650347	16	27.9794212	16	27.9938092	16
28.1089703	16	28.1233726	16	28.1377764	16
28.2530636	16	28.2674816	16	28.2819011	16
28.3973139	16	28.4117476	16	28.4261828	16
28.5417207	16	28.5561700	16	28.5706208	16
28.6862834	16	28.7007483	16	28.7152146	16
28.8310015	15	28.8454819	15	28.8599637	15
28.9758744	15	28.9903702	15	29.0048675	15
29.1209016	15	29.1354128	15	29.1499255	15
29.2660825	15	29.2806090	15	29.2951370	15
29.4114165	15	29.4259583	15	29.4405017	15
29.5569032	15	29.5714603	15	29.5860188	15
29.7025420	15	29.7171142	15	29.7316880	15
29.8483324	15	29.8629197	15	29.8775086	15
29.9942738	15	30.0088702	15	30.0234801	15
30.1403697	15	30.1549832	15	30.1660201	15
30.2866076	15	30.3012401	15	30.3158740	15
30.4329991	15	30.4476464	15	30.4622952	15
30.5795394	15	30.5942017	15	30.6088653	15
30.7262283	15	30.7409053	15	30.7555838	15
30.8730651	15	30.8877569	15	30.9024502	15
31.0200494	15	31.0347559	15	31.0494639	15
31.1671806	15	31.1819018	15	31.1966244	15
31.3144582	15	31.3291940	15	31.3439313	15
31.4618819	15	31.4766323	15	31.4913841	15
31.6094510	15	31.6242159	15	31.6389822	15
31.7571051	14	31.7719445	14	31.7867253	14
31.9050237	14	31.9198175	14	31.9346128	14
32.0530264	14	32.0678346	14	32.0826442	14
32.2011726	14	32.2159951	14	32.2308190	14
32.3494619	14	32.3642987	14	32.3791369	14
32.4978938	14	32.5127448	14	32.5275973	14

LOG $\Gamma(x)$ FROM $x = 1.0$ TO $x = 50.9$ BY .01 $x = 31.0$ to 36.0

	0		1		2		3		4	
31.0	32.4236601	14	32.4385040	14	32.4533493	14	32.4681961	14	32.4830442	14
31.1	32.5721631	14	32.5870212	14	32.6018808	14	32.6167417	14	32.6316041	14
31.2	32.7208081	14	32.7356804	14	32.7505541	14	32.7654292	14	32.7803057	14
31.3	32.8695945	14	32.8844809	14	32.8993687	14	32.9142579	14	32.9291485	14
31.4	33.0185219	14	33.0334224	14	33.0483242	14	33.0632275	14	33.0781322	14
31.5	33.1675898	14	33.1825043	14	33.1974202	14	33.2123375	14	33.2272562	14
31.6	33.3167978	14	33.3317263	14	33.3466562	14	33.3615875	14	33.3765202	14
31.7	33.4661455	14	33.4810879	14	33.4960317	14	33.5109769	14	33.5259235	14
31.8	33.6156323	14	33.6305886	14	33.6455463	14	33.6605054	14	33.6754659	14
31.9	33.7652579	14	33.7802281	14	33.7951996	14	33.8101726	14	33.8251469	14
32.0	33.9150218	14	33.9300057	14	33.9449911	14	33.9599778	14	33.9749659	14
32.1	34.0649235	14	34.0799212	14	34.0949204	14	34.1099208	14	34.1249227	14
32.2	34.2149627	14	34.2299741	14	34.2449869	14	34.2600011	14	34.2750167	14
32.3	34.3651388	14	34.3801639	14	34.3951904	14	34.4102183	14	34.4252475	14
32.4	34.5154515	14	34.5304903	14	34.5455304	14	34.5605719	14	34.5756147	14
32.5	34.6659004	14	34.6809527	14	34.6960064	14	34.7110615	14	34.7261179	14
32.6	34.8164849	14	34.8315508	14	34.8466181	14	34.8616867	14	34.8767566	14
32.7	34.9672047	13	34.9822841	13	34.9973649	13	35.0124470	13	35.0275305	13
32.8	35.1180594	13	35.1331523	13	35.1482465	13	35.1633421	13	35.1784390	13
32.9	35.2690486	13	35.2841549	13	35.2992625	13	35.3143715	13	35.3294818	13
33.0	35.4201717	13	35.4352914	13	35.4504124	13	35.4655348	13	35.4806585	13
33.1	35.5714285	13	35.5865615	13	35.6016959	13	35.6168316	13	35.6319686	13
33.2	35.7228185	13	35.7379648	13	35.7531125	13	35.7682615	13	35.7834117	13
33.3	35.8743413	13	35.8895009	13	35.9046618	13	35.9198240	13	35.9349876	13
33.4	36.0259965	13	36.0411693	13	36.0563434	13	36.0715189	13	36.0866956	13
33.5	36.1777837	13	36.1929697	13	36.2081570	13	36.2233456	13	36.2385355	13
33.6	36.3297025	13	36.3449016	13	36.3601020	13	36.3753037	13	36.3905068	13
33.7	36.4817525	13	36.4969647	13	36.5121782	13	36.5273930	13	36.5426091	13
33.8	36.6339333	13	36.6491585	13	36.6643851	13	36.6796130	13	36.6948421	13
33.9	36.7862445	13	36.8014828	13	36.8167223	13	36.8319632	13	36.8472054	13
34.0	36.9386857	13	36.9539369	13	36.9691895	13	36.9844433	13	36.9996985	13
34.1	37.0912565	13	37.1065207	13	37.1217862	13	37.1370530	13	37.1523211	13
34.2	37.2439566	13	37.2592337	13	37.2745121	13	37.2897918	13	37.3050728	13
34.3	37.3967856	13	37.41120755	13	37.4273668	13	37.4426593	13	37.4579531	13
34.4	37.5497430	13	37.5650458	13	37.5803499	13	37.5956552	13	37.6109619	13
34.5	37.7028285	13	37.7181441	13	37.7334610	13	37.7487791	13	37.7640985	13
34.6	37.8560418	13	37.8713701	13	37.8866997	13	37.9020306	13	37.9173628	13
34.7	38.0093824	13	38.0247234	13	38.0400658	13	38.0554094	13	38.0707542	13
34.8	38.1628500	13	38.1782037	13	38.1935587	13	38.2089150	13	38.2242725	13
34.9	38.3164442	13	38.3318105	13	38.3471782	13	38.3625471	13	38.3779172	13
35.0	38.4701646	13	38.4855436	13	38.5009238	13	38.5163053	13	38.5316880	13
35.1	38.6240109	13	38.6394024	13	38.6547952	13	38.6701893	13	38.6855846	13
35.2	38.7779827	13	38.7933868	13	38.8087921	13	38.8241987	13	38.8396065	13
35.3	38.9320797	12	38.9474963	12	38.9629141	12	38.9783331	12	38.9937534	12
35.4	39.0863014	12	39.1017305	12	39.1171607	12	39.1325922	12	39.1480250	12
35.5	39.2406476	12	39.2560891	12	39.2715318	12	39.2869757	12	39.3024209	12
35.6	39.3951179	12	39.4105717	12	39.4260268	12	39.4414831	12	39.4569407	12
35.7	39.5497119	12	39.5651781	12	39.5806455	12	39.5961141	12	39.6115840	12
35.8	39.7044292	12	39.7199077	12	39.7353875	12	39.7508684	12	39.7663566	12
35.9	39.8592696	12	39.8747604	12	39.8902524	12	39.9057456	12	39.9212401	12
36.0	40.0142326	12	40.0297357	12	40.0452399	12	40.0607454	12	40.0762521	12

5	6	7	8	9	
32·4978938	14	32·5127448	14	32·5275973	14
32·6464679	14	32·6613331	14	32·6761997	14
32·7951836	14	32·8100630	14	32·8249437	14
32·9440406	14	32·9589340	14	32·9738289	14
33·0930383	14	33·1079458	14	33·1228547	14
33·2421763	14	33·2570978	14	33·2720207	14
33·3914542	14	33·4063897	14	33·4213265	14
33·5408715	14	33·5558209	14	33·5707717	14
33·6904278	14	33·7053910	14	33·7203557	14
33·8401226	14	33·8550997	14	33·8700781	14
33·9899554	14	34·0049463	14	34·0199385	14
34·1399259	14	34·1549305	14	34·1699365	14
34·2900336	14	34·3050519	14	34·3200716	14
34·4402781	14	34·4553101	14	34·4703434	14
34·5906590	14	34·6057045	14	34·6207514	14
34·7411757	14	34·7502348	14	34·7712053	14
34·8918279	14	34·9069006	14	34·9219746	14
35·0426153	13	35·0577014	13	35·0727889	13
35·1935372	13	35·2086368	13	35·2237377	13
35·3445934	13	35·3597064	13	35·3748207	13
35·4957835	13	35·5109098	13	35·5260375	13
35·6471069	13	35·6622466	13	35·6773876	13
35·7985634	13	35·8137163	13	35·8288706	13
35·9501524	13	35·9633186	13	35·9804861	13
36·1018737	13	36·1170530	13	36·1322337	13
36·2537267	13	36·2689192	13	36·2841131	13
36·4057111	13	36·4209168	13	36·4361237	13
36·5578266	13	36·5730453	13	36·5882053	13
36·7100726	13	36·7253044	13	36·7405374	13
36·8624489	13	36·8776936	13	36·8929397	13
37·0149549	13	37·0302127	13	37·0454717	13
37·1675904	13	37·1828611	13	37·1981330	13
37·3203550	13	37·3356386	13	37·3509234	13
37·4732482	13	37·4885446	13	37·5038423	13
37·6262698	13	37·6415790	13	37·6568894	13
37·7794192	13	37·7947412	13	37·8100644	13
37·9326962	13	37·9480309	13	37·9633569	13
38·0861003	13	38·1014477	13	38·1167964	13
38·2396313	13	38·2549913	13	38·2703526	13
38·3932886	13	38·4086613	13	38·4240352	13
38·5470720	13	38·5624573	13	38·5778438	13
38·7009812	13	38·7163790	13	38·7317780	13
38·8550156	13	38·8704259	12	38·8858375	12
39·0091750	12	39·0245978	12	39·0400218	12
39·1034590	12	39·1788942	12	39·1943307	12
39·3178673	12	39·3333149	12	39·3487638	12
39·4723994	12	39·4878595	12	39·5033207	12
39·6270551	12	39·6425275	12	39·6580010	12
39·7818341	12	39·7973187	12	39·8128046	12
39·9367358	12	39·9522327	12	39·9677309	12
40·0917601	12	40·1072692	12	40·1227796	12
				40·1382912	12
				40·1538040	12
				36·0	

	0	1	2	3	4	
36.0	40.0142326	I2	40.0297357	I2	40.0452399	I2
36.1	40.1693180	I2	40.1848333	I2	40.2003498	I2
36.2	40.3245254	I2	40.3400528	I2	40.3555815	I2
36.3	40.4798544	I2	40.4953940	I2	40.5109348	I2
36.4	40.6353047	I2	40.6508564	I2	40.6664093	I2
36.5	40.7908760	I2	40.8064397	I2	40.8220047	I2
36.6	40.9465679	I2	40.9621437	I2	40.9777207	I2
36.7	41.1023801	I2	41.1179679	I2	41.1335569	I2
36.8	41.2583123	I2	41.2739121	I2	41.2895131	I2
36.9	41.4143640	I2	41.4299758	I2	41.4455887	I2
37.0	41.5705351	I2	41.5861588	I2	41.6017837	I2
37.1	41.7268252	I2	41.7424608	I2	41.7580975	I2
37.2	41.8832340	I2	41.8988813	I2	41.9145299	I2
37.3	42.0397610	I2	42.0554202	I2	42.0701086	I2
37.4	42.1964061	I2	42.2120771	I2	42.2277492	I2
37.5	42.3531688	I2	42.3688516	I2	42.3845355	I2
37.6	42.5100490	I2	42.5257434	I2	42.5414391	I2
37.7	42.6670462	I2	42.6827523	I2	42.6984596	I2
37.8	42.8241601	I2	42.8398779	I2	42.8555968	I2
37.9	42.9813904	I2	42.9971198	I2	43.0128504	I2
38.0	43.1387369	I2	43.1544779	I2	43.1702201	I2
38.1	43.2961991	I2	43.3119517	I2	43.3277055	I2
38.2	43.4537769	I2	43.4695410	I2	43.4853063	I2
38.3	43.6114699	I1	43.6272455	I1	43.6430222	I1
38.4	43.7692777	I1	43.7850648	I1	43.8008530	I1
38.5	43.9272001	I1	43.9429986	I1	43.9587983	I1
38.6	44.0852368	I1	44.1010468	I1	44.1168578	I1
38.7	44.2433875	I1	44.2592088	I1	44.2750313	I1
38.8	44.4016519	I1	44.4174845	I1	44.4333184	I1
38.9	44.5600296	I1	44.5758736	I1	44.5917188	I1
39.0	44.7185205	I1	44.7343758	I1	44.7502322	I1
39.1	44.8771241	I1	44.8929907	I1	44.9088584	I1
39.2	45.0358403	I1	45.0517181	I1	45.0675970	I1
39.3	45.1946686	I1	45.21105576	I1	45.22064477	I1
39.4	45.3536089	I1	45.3695091	I1	45.3854104	I1
39.5	45.5126608	I1	45.5285722	I1	45.5444846	I1
39.6	45.6718241	I1	45.6877466	I1	45.7036701	I1
39.7	45.8310985	I1	45.8470320	I1	45.8629666	I1
39.8	45.9904836	I1	46.0064282	I1	46.0223739	I1
39.9	46.1499792	I1	46.1659349	I1	46.1818916	I1
40.0	46.3095851	I1	46.3255517	I1	46.3415194	I1
40.1	46.4693009	I1	46.4852785	I1	46.5012572	I1
40.2	46.6291263	I1	46.6451149	I1	46.6611046	I1
40.3	46.7890612	I1	46.8050007	I1	46.8210612	I1
40.4	46.9491051	I1	46.9651155	I1	46.9811270	I1
40.5	47.1092579	I1	47.1252792	I1	47.1413015	I1
40.6	47.2695193	I1	47.2855514	I1	47.3015846	I1
40.7	47.4298890	I1	47.4459319	I1	47.4619759	I1
40.8	47.5903667	I1	47.6064204	I1	47.6224751	I1
40.9	47.7509521	I1	47.7670166	I1	47.7830821	I1
41.0	47.9116451	I1	47.9277203	I1	47.9437965	I1

5		6		7		8		9		
40.0917601	I2	40.1072692	I2	40.1227796	I2	40.1382912	I2	40.1538040	I2	36.0
40.2469065	I2	40.2624278	I2	40.2779504	I2	40.2934742	I2	40.3089992	I2	36.1
40.4021747	I2	40.4177082	I2	40.4332429	I2	40.4467789	I2	40.4643160	I2	36.2
40.5575644	I2	40.5731100	I2	40.5886569	I2	40.6042050	I2	40.6197542	I2	36.3
40.7130752	I2	40.7286330	I2	40.7441919	I2	40.7597521	I2	40.7753134	I2	36.4
40.8687069	I2	40.8842767	I2	40.8998477	I2	40.9154199	I2	40.9309933	I2	36.5
41.0244590	I2	41.0400408	I2	41.0556238	I2	41.0712080	I2	41.0867935	I2	36.6
41.1803312	I2	41.1959250	I2	41.2115200	I2	41.2271162	I2	41.2427136	I2	36.7
41.3363232	I2	41.3519290	I2	41.3675360	I2	41.3831441	I2	41.3987535	I2	36.8
41.4924347	I2	41.5080524	I2	41.5236713	I2	41.5392914	I2	41.5549127	I2	36.9
41.6486653	I2	41.6642949	I2	41.6799257	I2	41.6955577	I2	41.7111909	I2	37.0
41.8050148	I2	41.8200503	I2	41.8362989	I2	41.8519427	I2	41.8675878	I2	37.1
41.9614827	I2	41.9771360	I2	41.9927905	I2	42.0084462	I2	42.0241030	I2	37.2
42.1180688	I2	42.1337339	I2	42.1494002	I2	42.1650677	I2	42.1807363	I2	37.3
42.2747728	I2	42.2904496	I2	42.3061277	I2	42.3218069	I2	42.3374873	I2	37.4
42.4315943	I2	42.4472829	I2	42.4629726	I2	42.4786636	I2	42.4943557	I2	37.5
42.5885329	I2	42.6042333	I2	42.6199347	I2	42.6356374	I2	42.6513472	I2	37.6
42.7455885	I2	42.7613005	I2	42.7770137	I2	42.7927280	I2	42.8084434	I2	37.7
42.9027607	I2	42.9184843	I2	42.9342091	I2	42.9499350	I2	42.9656621	I2	37.8
43.0600491	I2	43.0757944	I2	43.0915208	I2	43.1072583	I2	43.1229970	I2	37.9
43.2174535	I2	43.2332004	I2	43.2489483	I2	43.2646974	I2	43.2804477	I2	38.0
43.3749736	I2	43.3907320	I2	43.4064915	I2	43.4222521	I2	43.4380139	I2	38.1
43.5326090	I2	43.5483789	I2	43.5641499	I2	43.5799221	I1	43.5956954	I1	38.2
43.6903594	I1	43.7061408	I2	43.7219233	I1	43.7377069	I1	43.7534917	I1	38.3
43.8482246	I1	43.8640174	I1	43.8798114	I1	43.8956065	I1	43.9114027	I1	38.4
44.0062042	I1	44.0220084	I1	44.0378138	I1	44.0536203	I1	44.0694280	I1	38.5
44.1642979	I1	44.1811136	I1	44.1959303	I1	44.2117483	I1	44.2275673	I1	38.6
44.3225055	I1	44.3383325	I1	44.3541606	I1	44.3699899	I1	44.3858203	I1	38.7
44.4808266	I1	44.4966049	I1	44.5125044	I1	44.5283450	I1	44.5441868	I1	38.8
44.6392609	I1	44.6551106	I1	44.6709614	I1	44.6868133	I1	44.7026663	I1	38.9
44.7978082	I1	44.8136691	I1	44.8295312	I1	44.8453944	I1	44.8612587	I1	39.0
44.9564681	I1	44.9723403	I1	44.9882136	I1	45.0040880	I1	45.0199636	I1	39.1
45.1152404	I1	45.1311238	I1	45.1470084	I1	45.1628940	I1	45.1787808	I1	39.2
45.2741248	I1	45.2900194	I1	45.3059151	I1	45.3218119	I1	45.3377099	I1	39.3
45.4331209	I1	45.4490267	I1	45.4649336	I1	45.4808415	I1	45.4967506	I1	39.4
45.5922286	I1	45.6081455	I1	45.6240635	I1	45.6399826	I1	45.6559928	I1	39.5
45.7514474	I1	45.7673754	I1	45.7833045	I1	45.7992347	I1	45.8151660	I1	39.6
45.9107722	I1	45.9267163	I1	45.9426564	I1	45.9585977	I1	45.9745401	I1	39.7
46.0702176	I1	46.0861677	I1	46.1021190	I1	46.1180713	I1	46.1340247	I1	39.8
46.2297684	I1	46.2457295	I1	46.2616918	I1	46.2776551	I1	46.2936195	I1	39.9
46.3894292	I1	46.4054014	I1	46.4213746	I1	46.4373489	I1	46.4533244	I1	40.0
46.5491999	I1	46.5651830	I1	46.5811672	I1	46.5971525	I1	46.6131389	I1	40.1
46.7090801	I1	46.7250741	I1	46.7410693	I1	46.7570655	I1	46.7730628	I1	40.2
46.8690695	I1	46.8850745	I1	46.9010805	I1	46.9170876	I1	46.9330958	I1	40.3
47.0201679	I1	47.0451838	I1	47.0612007	I1	47.0772187	I1	47.0933378	I1	40.4
47.1893751	I1	47.2054017	I1	47.2214295	I1	47.2374584	I1	47.2534883	I1	40.5
47.3496906	I1	47.3657281	I1	47.3817667	I1	47.3978064	I1	47.4138471	I1	40.6
47.5101143	I1	47.5261626	I1	47.5422120	I1	47.5582625	I1	47.5743140	I1	40.7
47.6706459	I1	47.6867050	I1	47.7027652	I1	47.7188264	I1	47.7348887	I1	40.8
47.8312852	I1	47.8473550	I1	47.8634259	I1	47.8794979	I1	47.8955709	I1	40.9
47.9920378	I1	48.0081123	I1	48.0241939	I1	48.0402766	I1	48.0563604	I1	41.0

LOG $\Gamma(x)$ FROM $x = 1.0$ TO $x = 50.9$ BY .01 $x=41.0$ to 46.0

	0	1	2	3	4					
41.0	47.9116451	II	47.9277203	II	47.9437965	II	47.9598739	II	47.9759523	II
41.1	48.0724452	II	48.0885311	II	48.1046181	II	48.1207062	II	48.1367953	II
41.2	48.2333524	II	48.2494490	II	48.2655466	II	48.2816453	II	48.2977451	II
41.3	48.3943062	II	48.4104735	II	48.4265818	II	48.4426911	II	48.4588016	II
41.4	48.5554865	II	48.5716044	II	48.5877233	II	48.6038433	II	48.6199644	II
41.5	48.7167130	II	48.7328414	II	48.7489710	II	48.7651016	II	48.7812332	II
41.6	48.8780453	II	48.8941844	II	48.9103245	II	48.9264657	II	48.9426079	II
41.7	49.0394834	II	49.0550330	II	49.0717836	II	49.0879354	II	49.1040881	II
41.8	49.2010268	II	49.2171870	II	49.2333481	II	49.2495104	II	49.2656737	II
41.9	49.3626754	IO	49.3788461	IO	49.3950177	IO	49.4111905	IO	49.4273643	IO
42.0	49.5244289	IO	49.5406100	IO	49.5567922	IO	49.5729754	IO	49.5891596	IO
42.1	49.6862871	IO	49.7024786	IO	49.7186712	IO	49.7348649	IO	49.7510596	IO
42.2	49.8482496	IO	49.8644516	IO	49.8806546	IO	49.8968587	IO	49.9130638	IO
42.3	50.0103163	IO	50.0265287	IO	50.0427421	IO	50.0589565	IO	50.0751720	IO
42.4	50.1724868	IO	50.1887096	IO	50.2049334	IO	50.2211582	IO	50.2373841	IO
42.5	50.3347611	IO	50.3509942	IO	50.3672283	IO	50.3834635	IO	50.3996997	IO
42.6	50.4971387	IO	50.5133821	IO	50.5206266	IO	50.5458721	IO	50.5621186	IO
42.7	50.6596194	IO	50.6758732	IO	50.6921279	IO	50.7083837	IO	50.7246406	IO
42.8	50.8222031	IO	50.8384671	IO	50.8547322	IO	50.8709982	IO	50.8872653	IO
42.9	50.9848895	IO	51.0011637	IO	51.0174390	IO	51.0337153	IO	51.0499927	IO
43.0	51.1476782	IO	51.1639627	IO	51.1802482	IO	51.1965348	IO	51.2128223	IO
43.1	51.3105692	IO	51.3268639	IO	51.3431596	IO	51.3594563	IO	51.3757541	IO
43.2	51.4735620	IO	51.4898669	IO	51.5061728	IO	51.5224798	IO	51.5387877	IO
43.3	51.6366566	IO	51.6529717	IO	51.6692877	IO	51.6856048	IO	51.7019229	IO
43.4	51.7998527	IO	51.8161779	IO	51.8325041	IO	51.8488313	IO	51.8651595	IO
43.5	51.9631500	IO	51.9794853	IO	51.9958216	IO	52.0121589	IO	52.0284972	IO
43.6	52.1265483	IO	52.1428936	IO	52.1592400	IO	52.1755874	IO	52.1919358	IO
43.7	52.2900473	IO	52.3064027	IO	52.3227592	IO	52.3391166	IO	52.3554751	IO
43.8	52.4536469	IO	52.4700124	IO	52.4863788	IO	52.5027463	IO	52.5191148	IO
43.9	52.6173407	IO	52.6337222	IO	52.6500987	IO	52.6664762	IO	52.6828547	IO
44.0	52.7811467	IO	52.7975322	IO	52.8139186	IO	52.8303061	IO	52.8466946	IO
44.1	52.9450464	IO	52.9614419	IO	52.9778383	IO	52.9942358	IO	53.0106342	IO
44.2	53.1090458	IO	53.1254512	IO	53.1418576	IO	53.1582650	IO	53.1746734	IO
44.3	53.2731445	IO	53.2895599	IO	53.3059762	IO	53.3223935	IO	53.3388118	IO
44.4	53.4373424	IO	53.4537677	IO	53.4701939	IO	53.4866211	IO	53.5030493	IO
44.5	53.6016392	IO	53.6180744	IO	53.6345105	IO	53.6509475	IO	53.6673856	IO
44.6	53.7660348	IO	53.7824797	IO	53.7989257	IO	53.8153726	IO	53.8318206	IO
44.7	53.9305287	IO	53.9460836	IO	53.9634393	IO	53.9798961	IO	53.9963539	IO
44.8	54.0951210	IO	54.11115856	IO	54.1280512	IO	54.1445178	IO	54.1609853	IO
44.9	54.2598113	IO	54.2762857	IO	54.2927611	IO	54.3092374	IO	54.3257148	IO
45.0	54.4245993	IO	54.4410835	IO	54.4575687	IO	54.4740548	IO	54.4905419	IO
45.1	54.5894850	IO	54.6059789	IO	54.6224738	IO	54.6389697	IO	54.6554666	IO
45.2	54.7544681	IO	54.7709717	IO	54.7874763	IO	54.8039819	IO	54.8204885	IO
45.3	54.9195483	IO	54.9360616	IO	54.9525759	IO	54.9690912	IO	54.9856075	IO
45.4	55.0847254	IO	55.1012484	IO	55.1177724	IO	55.1342974	IO	55.1508233	IO
45.5	55.2499993	IO	55.2665320	IO	55.2830656	IO	55.2996002	IO	55.3161358	IO
45.6	55.4153666	IO	55.4319120	IO	55.4484553	IO	55.4649995	IO	55.4815447	IO
45.7	55.5808363	IO	55.5973882	IO	55.6139411	IO	55.6304950	IO	55.6470498	IO
45.8	55.7463990	IO	55.7629606	IO	55.7795231	IO	55.7960865	IO	55.8126510	IO
45.9	55.9120576	IO	55.9286287	IO	55.9452008	IO	55.9617738	IO	55.9783478	IO
46.0	56.0778119	IO	56.0943925	IO	56.1109742	IO	56.1275568	IO	56.1441403	IO

5	6	7	8	9	
47·9920318	II	48·0081123	II	48·0241939	II
48·1528855	II	48·1689767	II	48·1850690	II
48·3138460	II	48·3299479	II	48·3460509	II
48·4749131	II	48·4910256	II	48·5071393	II
48·6360865	II	48·6522097	II	48·6683339	II
48·7973659	II	48·8134997	II	48·8296345	II
48·9587512	II	48·9748955	II	48·9910409	II
49·1202419	II	49·1363968	II	49·1525527	II
49·2818380	II	49·2980034	II	49·3141698	II
49·4435391	IO	49·4597150	IO	49·4758919	IO
49·6053449	IO	49·6215313	IO	49·6377187	IO
49·7672553	IO	49·7834521	IO	49·7996499	IO
49·9202699	IO	49·9454771	IO	49·9616854	IO
50·0913886	IO	50·1070062	IO	50·1238248	IO
50·2536110	IO	50·2698390	IO	50·2860679	IO
50·4159370	IO	50·4321752	IO	50·4484145	IO
50·5783662	IO	50·5946148	IO	50·6108644	IO
50·7408984	IO	50·7571573	IO	50·7734172	IO
50·9035335	IO	50·9198026	IO	50·9360728	IO
51·0662710	IO	51·0825504	IO	51·0988308	IO
51·2291109	IO	51·2454005	IO	51·2616612	IO
51·3920529	IO	51·4083527	IO	51·4246535	IO
51·5550966	IO	51·5714066	IO	51·5877176	IO
51·7182420	IO	51·7345621	IO	51·7508832	IO
51·8814887	IO	51·8978189	IO	51·9141502	IO
52·0448365	IO	52·0611769	IO	52·0775182	IO
52·2082852	IO	52·2246356	IO	52·2409870	IO
52·3718345	IO	52·3881950	IO	52·4045565	IO
52·5354843	IO	52·5518548	IO	52·5682263	IO
52·6992342	IO	52·7156147	IO	52·7319962	IO
52·8630841	IO	52·8794746	IO	52·8958660	IO
53·0270337	IO	53·0434341	IO	53·0598355	IO
53·1910828	IO	53·2074931	IO	53·2239045	IO
53·3552311	IO	53·3710514	IO	53·3880727	IO
53·519475	IO	53·5359087	IO	53·5523398	IO
53·6838247	IO	53·7002647	IO	53·7167058	IO
53·8482695	IO	53·8647194	IO	53·8811702	IO
54·0128126	IO	54·0292723	IO	54·0457330	IO
54·1774539	IO	54·1939234	IO	54·2103939	IO
54·3421931	IO	54·3580724	IO	54·3751527	IO
54·5070300	IO	54·5235191	IO	54·5400091	IO
54·6719644	IO	54·6884632	IO	54·7049629	IO
54·8369980	IO	54·8535045	IO	54·8700140	IO
55·0021247	IO	55·0186429	IO	55·0351621	IO
55·1673503	IO	55·1838781	IO	55·2004070	IO
55·3326724	IO	55·3492099	IO	55·3657484	IO
55·4980909	IO	55·5146381	IO	55·5311862	IO
55·6636056	IO	55·6801624	IO	55·6967201	IO
55·8292163	IO	55·8457827	IO	55·8623500	IO
55·9949228	IO	56·0114987	IO	56·0280756	IO
56·1607248	IO	56·1773102	IO	56·1938966	IO
				56·2104840	IO
				56·2270723	IO
				56·246·0	

	0	1	2	3	4
46.0	56.0778119	10	56.0943925	10	56.1109742
46.1	56.2436616	10	56.2602518	10	56.2768429
46.2	56.4096065	10	56.4262062	9	56.4428069
46.3	56.5756465	9	56.5922557	9	56.6088658
46.4	56.7417813	9	56.7583999	9	56.7750196
46.5	56.9080107	9	56.9246388	9	56.9412679
46.6	57.0743345	9	57.0909720	9	57.1076105
46.7	57.2407525	9	57.2573994	9	57.2740474
46.8	57.4072645	9	57.4239208	9	57.4405781
46.9	57.5738703	9	57.5905360	9	57.6072027
47.0	57.7405697	9	57.7572448	9	57.7739208
47.1	57.9073625	9	57.9240469	9	57.9407322
47.2	58.0742485	9	58.0909422	9	58.1076368
47.3	58.2412275	9	58.2579305	9	58.2746344
47.4	58.4082992	9	58.4250115	9	58.4417247
47.5	58.5754636	9	58.5921851	9	58.6089076
47.6	58.7427204	9	58.7594511	9	58.7761828
47.7	58.9100604	9	58.9268093	9	58.9435502
47.8	59.0775103	9	59.0942595	9	59.1110096
47.9	59.2450431	9	59.2618015	9	59.2785607
48.0	59.4126676	9	59.4294350	9	59.4462034
48.1	59.5803834	9	59.5971600	9	59.6139375
48.2	59.7481905	9	59.7649762	9	59.7817628
48.3	59.9160886	9	59.9328834	9	59.9496791
48.4	60.0840776	9	60.1008815	9	60.1176863
48.5	60.2521572	9	60.2689702	9	60.2857840
48.6	60.4203273	9	60.4371493	9	60.4539722
48.7	60.585877	9	60.6054187	9	60.6222506
48.8	60.7569382	9	60.7737782	9	60.7906191
48.9	60.9253786	9	60.9422276	9	60.9590775
49.0	61.0939088	9	61.1107667	9	61.1276256
49.1	61.2625285	9	61.2793954	9	61.2962631
49.2	61.4312375	9	61.4481133	9	61.4649900
49.3	61.6000357	9	61.6160204	9	61.6338061
49.4	61.7689229	9	61.7858165	9	61.8027110
49.5	61.9378990	9	61.9548014	9	61.9717048
49.6	62.1069636	9	62.1238749	9	62.1407871
49.7	62.2761167	9	62.2930369	9	62.3099579
49.8	62.4453581	9	62.4622870	9	62.4792169
49.9	62.6146875	9	62.6316253	9	62.6485640
50.0	62.7841049	9	62.8010514	9	62.8179989
50.1	62.9536100	9	62.9705653	9	62.9875215
50.2	63.1232026	9	62.1401667	9	63.1571316
50.3	63.2928826	9	63.3098555	9	63.3268291
50.4	63.4626499	9	63.4796314	9	63.4966138
50.5	63.6325042	9	63.6494944	9	63.6664854
50.6	63.8024453	9	63.8194442	9	63.8364439
50.7	63.9724731	9	63.9894806	9	64.0064890
50.8	64.1425874	9	64.1596036	9	64.1766206
50.9	64.3127881	9	64.3298129	9	64.3468385

$x=46.0$ to 50.9 LOG $\Gamma(x)$ FROM $x=1.0$ TO $x=50.9$ BY .01 23

5	6	7	8	9	
56-1607248	10 56-1773102	10 56-1938966	10 56-2104840	10 56-2270723	10 46.0
56-3266221	10 56-3432171	10 56-3598130	10 56-3764099	10 56-3930077	10 46.1
56-4926146	9 56-5092191	9 56-5258245	9 56-5424309	9 56-5590382	9 46.2
56-6587020	9 56-6753160	9 56-6919309	9 56-7085467	9 56-7251635	9 46.3
56-8248841	9 56-8415076	9 56-8581319	9 56-8747572	9 56-8913835	9 46.4
56-9911608	9 57-0077936	9 57-0244274	9 57-0410622	9 57-0579978	9 46.5
57-1575317	9 57-1741740	9 57-1908172	9 57-2074613	9 57-2241064	9 46.6
57-3239967	9 57-3406484	9 57-3573010	9 57-3739546	9 57-3906091	9 46.7
57-4905557	9 57-5072167	9 57-5238787	9 57-5405416	9 57-5572055	9 46.8
57-6572083	9 57-6738787	9 57-6905591	9 57-7072223	9 57-7238955	9 46.9
57-8239544	9 57-8406342	9 57-8573149	9 57-8739965	9 57-8906790	9 47.0
57-9907938	9 58-0074829	9 58-0241729	9 58-0408638	9 58-0575557	9 47.1
58-1577264	9 58-1744247	9 58-1911240	9 58-2078242	9 58-2245254	9 47.2
58-3247518	9 58-3414594	9 58-3581680	9 58-3748775	9 58-3915879	9 47.3
58-4978699	9 58-5083868	9 58-5253046	9 58-5420233	9 58-5587430	9 47.4
58-6590805	9 58-6758066	9 58-6925337	9 58-7092616	9 58-7259905	9 47.5
58-8203838	9 58-8431187	9 58-8598550	9 58-8765922	9 58-8933303	9 47.6
58-9937784	9 59-0105229	9 59-0272684	9 59-0440148	9 59-0607621	9 47.7
59-1612653	9 59-1780190	9 59-1947737	9 59-2115292	9 59-2282857	9 47.8
59-3288439	9 59-3456068	9 59-3623706	9 59-3791353	9 59-3959010	9 47.9
59-4965141	9 59-5132861	9 59-5300591	9 59-5468329	9 59-5636077	9 48.0
59-6642755	9 59-6810567	9 59-6978388	9 59-7146218	9 59-7314057	9 48.1
59-8321282	9 59-8489184	9 59-8657096	9 59-8825017	9 59-8992947	9 48.2
60-0000717	9 60-0168711	9 60-0336714	9 60-0504725	9 60-0672746	9 48.3
60-1681061	9 60-1849145	9 60-2017238	9 60-2185340	9 60-2333452	9 48.4
60-3302310	9 60-3530484	9 60-3698668	9 60-3866863	9 60-4035063	9 48.5
60-5044463	9 60-5212727	9 60-5381001	9 60-5549284	9 60-5717576	9 48.6
60-6727517	9 60-6895872	9 60-7064236	9 60-7232609	9 60-7400991	9 48.7
60-8411472	9 60-8579917	9 60-8748371	9 60-8916834	9 60-9085306	9 48.8
61-0096325	9 61-0264860	9 61-0433493	9 61-0601956	9 61-0770517	9 48.9
61-1782074	9 61-1950699	9 61-2119332	9 61-2287974	9 61-2456625	9 49.0
61-3468718	9 61-3637432	9 61-3806154	9 61-3974886	9 61-4143626	9 49.1
61-5156255	9 61-5325058	9 61-5493869	9 61-5662690	9 61-5831519	9 49.2
61-6844682	9 61-7013574	9 61-7182474	9 61-7351384	9 61-7520302	9 49.3
61-8533999	9 61-8702979	9 61-8871968	9 61-9040967	9 61-9209974	9 49.4
62-0224202	9 62-0393271	9 62-0562349	9 62-0731436	9 62-0900532	9 49.5
62-1915291	9 62-2084449	9 62-2253615	9 62-2422790	9 62-2591974	9 49.6
62-3607264	9 62-3770509	9 62-3945764	9 62-4115027	9 62-4284300	9 49.7
62-5300118	9 62-5469452	9 62-5638794	9 62-5808146	9 62-5977506	9 49.8
62-6993852	9 62-7163274	9 62-7332704	9 62-7502144	9 62-7671592	9 49.9
62-8688465	9 62-8857974	9 62-9027492	9 62-9197019	9 62-9366555	9 50.0
63-0383954	9 63-0553551	9 63-0723156	9 63-0892771	9 63-1062394	9 50.1
63-2080317	9 63-2250002	9 63-2419695	9 63-2589397	9 63-2759107	9 50.2
63-3777554	9 63-3947325	9 63-4117106	9 63-4286895	9 63-4456692	9 50.3
63-5475062	9 63-6645520	9 63-5815387	9 63-5985263	9 63-6155148	9 50.4
63-7174639	9 63-7344584	9 63-7514538	9 63-7684501	9 63-7854473	9 50.5
63-8874484	9 63-9044516	9 63-9214556	9 63-9384606	9 63-9554664	9 50.6
64-0575194	9 64-0745313	9 64-0915440	9 64-1085576	9 64-1255721	9 50.7
64-2276769	9 64-2440974	9 64-2617188	9 64-2787410	9 64-2957641	9 50.8
64-3979207	9 64-4149498	9 64-4319798	9 64-4490106	9 64-4660423	9 50.9

CAMBRIDGE : PRINTED BY
THE SYNDICS OF THE PRESS
AT THE UNIVERSITY PRESS

LECTURE SERIES (*continued*).

- | | |
|--|---|
| X. The Handicapping of the First-born. By KARL PEARSON, F.R.S. Price 2s. net. | XII. The Function of Science in the Modern State. (New Issue.) By KARL PEARSON, F.R.S. Price 2s. net. |
| XI. National Life from the Standpoint of Science. (Third Issue.) By KARL PEARSON, F.R.S. Price 1s. 6d. net. | XIII. Side Lights on the Evolution of Man. By KARL PEARSON, F.R.S. Price 3s. net. |
| Note-worthy Families. By FRANCIS GALTON, F.R.S. and EDGAR SCHUSTER. (<i>Reissue</i> .) Price 9s. net.
Life History Album. By FRANCIS GALTON, F.R.S. <i>Second Edition.</i> (New issue.) Price 7s. 6d. net. | |

The following works prepared in the Biometric Laboratory can be obtained as Government Publications from H.M. Stationery Office or through any Bookseller.

- The English Convict, A Statistical Study. By CHARLES GORING, M.D. Text. Price 9s.
 Tables of Measurements (printed by Convict-Labour). Price 5s.
- The English Convict. An Abridgement. By CHARLES GORING, M.D. With a preface by KARL PEARSON, F.R.S. Price 8s.
- Tables of the Incomplete Γ -Function. Prepared by the Computing Staff, Biometric Laboratory, and edited with an Introduction by KARL PEARSON, F.R.S. Price £2. 2s.

Biometric Laboratory Publications.

DRAPERS' COMPANY RESEARCH MEMOIRS.

Biometric Series.

- I. Mathematical Contributions to the Theory of Evolution.—XIII. On the Theory of Contingency and its Relation to Association and Normal Correlation. By KARL PEARSON, F.R.S. Price 4s. net.
- II. Mathematical Contributions to the Theory of Evolution.—XIV. On the Theory of Skew Correlation and Non-linear Regression. By KARL PEARSON, F.R.S. Price 5s. net.
- III. Mathematical Contributions to the Theory of Evolution.—XV. On the Mathematical Theory of Random Migration. By KARL PEARSON, F.R.S., with the assistance of JOHN BLAKEMAN, M.Sc. Price 5s. net.
- IV. Mathematical Contributions to the Theory of Evolution.—XVI. On Further Methods of Measuring Correlation. By KARL PEARSON, F.R.S. Price 4s. net.
- V. Mathematical Contributions to the Theory of Evolution.—XVII. On Homotyposis in the Animal Kingdom. A Cooperative Study. [In preparation]
- VI. Albinism in Man. By KARL PEARSON, E. NETTLESHIP, and C. H. USHER. Text, Part I, and Atlas, Part I. Price 30s. net.
- VII. Mathematical Contributions to the Theory of Evolution.—XVIII. On a Novel Method of Regarding the Association of two Variates classed solely in Alternative Categories. By KARL PEARSON, F.R.S. Price 4s. net.
- VIII. Albinism in Man. By KARL PEARSON, E. NETTLESHIP, and C. H. USHER. Text, Part II, and Atlas, Part II. Price 30s. net.
- IX. Albinism in Man. By KARL PEARSON, E. NETTLESHIP, and C. H. USHER. Text, Part IV, and Atlas, Part IV. Price 21s. net.
- X. A Monograph on the Long Bones of the English Skeleton. By KARL PEARSON, F.R.S., and JULIA BELL, M.A. Part I. Section I. *The Femur.* Text and Atlas of Plates. Price 30s. net.
- XI. A Monograph on the Long Bones of the English Skeleton. By KARL PEARSON, F.R.S., and JULIA BELL, M.A. Part I. Section II. *The Femur of the Primates.* Text and Atlas of Plates. Price 40s. net.
- XII. On the Sesamoids of the Knee-Joint. By KARL PEARSON, F.R.S., and ADELAIDE G. DAVIN, B.Sc. (Reprinted from *Biometrika*.) Text and 37 Plates. Price 30s. net.

Studies in National Deterioration.

- I. On the Relation of Fertility in Man to Social Status, and on the changes in this Relation that have taken place in the last 50 years. By DAVID HERON, M.A., D.Sc. Price 6s. net. Sold only with complete sets.
- II. A First Study of the Statistics of Pulmonary Tuberculosis (Inheritance). By KARL PEARSON, F.R.S. Price 3s. net. Sold only with complete sets.
- III. A Second Study of the Statistics of Pulmonary Tuberculosis. Marital Infection. By ERNST G. POPE, revised by KARL PEARSON, F.R.S. With an Appendix on Assortative Mating by ETHELM. RUMSTON. Price 3s. net.
- IV. The Health of the School-Child in relation to its Mental Characters. By KARL PEARSON, F.R.S. [In preparation.]
- V. On the Inheritance of the Diathesis of Phthisis and Insanity. A Statistical Study based upon the Family History of 1,500 Criminals. By CHARLES GORING, M.D., B.Sc. Price 3s. net.
- VI. A Third Study of the Statistics of Pulmonary Tuberculosis. The Mortality of the Tuberculous and Sanatorium Treatment. By W. P. ELDERSON, F.I.A., and S. J. PERRY, A.I.A. Price 3s. net.

Studies in National Deterioration (continued).

- VII. On the Intensity of Natural Selection in Man. (On the Relation of Darwinism to the Infantile Death-rate.) By E. G. SNOW, D.Sc. Price 8s. net.

- VIII. A Fourth Study of the Statistics of Pulmonary Tuberculosis: the Mortality of the Tuberculous: Sanatorium and Tuberulin Treatment. By

W. PALIN ELDERTON, F.I.A., and SIDNEY J. PEABY, A.I.A. Price 8s. net.

- IX. A Statistical Study of Oral Temperatures in School Children with special reference to Parental, Environmental and Class Differences. By M. H. WILLIAMS, M.B., JULIA BELL, M.A., and KARL PEARSON, F.R.S. Price 8s. net.

Technical Series.

- I. On a Theory of the Stresses in Crane and Coupling Hooks with Experimental Comparison with Existing Theory. By E. S. ANDREWS, B.Sc. Eng., assisted by KARL PEARSON, F.R.S. Issued. Price 8s. net.

- II. On some Disregarded Points in the Stability of Masonry Dams. By L. W. ATCHERLEY, assisted by KARL PEARSON, F.R.S. Issued. Price 7s. net. Sold only with complete sets.

- III. On the Graphics of Metal Arches with special reference to the Relative Strength of Two-pivoted, Three-pivoted and Built-in-Metal Arches. By L. W. ATCHERLEY and KARL PEARSON, F.R.S. Issued. Price 5s. net.

- IV. On Torsional Vibrations in Axles and Shafting. By KARL PEARSON, F.R.S. Issued. Price 8s. net.

- V. An Experimental Study of the Stresses in Masonry Dams. By KARL PEARSON, F.R.S., and A. F. CAMPBELL POLLARD, assisted by C. W. WHITEN, B.Sc. Eng., and L. F. RICHARDSON, B.A. Issued. Price 7s. net.

- VI. On a Practical Theory of Elliptic and Pseudo-elliptic Arches, with special reference to the ideal Masonry Arch. By KARL PEARSON, F.R.S., W. D. REYNOLDS, B.Sc. Eng., and W. F. STANTON, B.Sc. Eng. Issued. Price 4s. net.

- VII. On the Torsion resulting from Flexure in Prisms with Cross-Sections of Uni-axial Symmetry only. By ANDREW W. YOUNG, E. M. ELDERTON and KARL PEARSON, F.R.S. Issued. Price 7s. 6d. net.

Questions of the Day and of the Day.

- I. The Influence of Parental Alcoholism on the Physique and Ability of the Offspring. A Reply to the Cambridge Economists. By KARL PEARSON, F.R.S. Price 1s. net.

- II. Mental Defect, Mal-Nutrition, and the Teacher's Appreciation of Intelligence. A Reply to Critics of the Memoir on 'The Influence of Defective Physique and Unfavourable Home Environment on the Intelligence of School Children.' By DAVID HERON, D.Sc. Price 1s. net.

- III. An Attempt to correct some of the Misstatements made by Sir VICTOR HORESLEY, F.R.S., F.R.C.S., and MARY D. STRUBZEE, M.D., in their Criticisms of the Memoir: 'A First Study of the Influence of Parental Alcoholism,' &c. By KARL PEARSON, F.R.S. Price 1s. net.

- IV. The Fight against Tuberculosis and the Death-rate from Phthisis. By KARL PEARSON, F.R.S. [Out of print.]

- V. Social Problems: Their Treatment, Past, Present and Future. By KARL PEARSON, F.R.S. Price 1s. net.

- VI. Eugenics and Public Health. Lecture to the York Congress of the Royal Sanitary Institute. By KARL PEARSON, F.R.S. Price 1s. net.

- VII. Mendelism and the Problem of Mental Defect. I. A Criticism of Recent American Work. By DAVID HERON, D.Sc. (Double Number.) Price 2s. net.

- VIII. Mendelism and the Problem of Mental Defect. II. The Continuity of Mental Defect. By KARL PEARSON, F.R.S., and GUSTAV A. JAEDERHOLM, Ph.D. Price 1s. net.

- IX. Mendelism and the Problem of Mental Defect. III. On the Graduated Character of Mental Defect, and on the need for standardizing Judgments as to the Grade of Social Inefficiency which shall involve Segregation. By KARL PEARSON, F.R.S. (Double Number.) Price 2s. net.

- X. The Science of Man; Its Present Needs and Future Prospects. Being the Address to Section H, British Association, 1920. By KARL PEARSON, F.R.S. Price 1s. 6d. net.

Tracts for Computers.

- I. The Digamma and Trigamma Functions (to assist the summation of series in products of inverse linear factors). By ELEANOR PAIRMAN, M.A. Price 8s. net.

- II. On the Construction of Tables and on Interpolation. Part I. Uni-variate Tables. By KARL PEARSON, F.R.S. Price 8s. 9d. net.

- III. On the Construction of Tables and on Interpolation. Part II. Bi-variate Tables. By KARL PEARSON, F.R.S. Price 8s. 9d. net.

- IV. Facsimile Reissue of Legendre's Γ -Function Tables. Price 8s. 9d. net.

- V. Table of the Coefficients of Everett's Central-Difference Interpolation Formula. By A. J. THOMPSON, B.Sc. Price 8s. 9d. net.

- VI. Smoothing. By E. C. RHODES, B.A. Price 8s. 9d. net.

- VII. On the Evaluation of the Incomplete Γ -Function. By H. E. SOPER, M.A. Price 8s. 9d. net.

- VIII. Table of the Logarithms of the Complete Γ -Function, for Arguments 2 to 1200, i.e. beyond Legendre's Range. By ECON S. PEARSON, B.A. Price 8s. 9d. net.

- IX. Log $\Gamma(x)$ from $x = 1$ to 50·9 by intervals of ·01. By JOHN BROWNLER, M.D., D.Sc. Price 8s. 9d. net.