# BRITISH RAILWAY OPERATION

T. BERNARD HARE



# BRITISH RAILWAY OPERATION

### RΥ

### T. BERNARD HARE, M.Inst.T.

Principal, L.N.E.R. All-Line Operating School, Darlington
Written in 1927, whilst Asst. District Superintendent, London and
North Eastern Railway, Hull

#### WITH FOREWORD BY

Sir RALPH L. WEDGWOOD, C.B., C.M.G. Chief General Manager, London and North Eastern Railway

FOURTH EDITION

PUBLISHED BY
MODERN TRANSPORT PUBLISHING CO. LTD.
NORMAN HOUSE, 105/109, STRAND, LONDON, W.C.2
1946

MADE AND PRINTED IN GREAT BRITAIN AT GAINSBOROUGH PRESS, ST. ALBANS, BY PISHER, EMIGHT & CO., LTD.

### CONTENTS

		•						PAGE
	FOREWORD—By	Sir	Ralpl	L.	Wed	gwood	Ι,	
	C.B., C.M.G.	1	•	•	•	•	•	7
	PREFACE		•		•	•	•	9
	Introduction .				•		•	11
EAPTER					70.7		•	
I.	SIGNALLING		•	•	•	• .	•	13
II.	TERMINALS—PAS	SENG	er an	D Goo	ds St	ATION	S	23
III.	Marshalling Ya	RDS					•	48
IV.	ROLLING STOCK		•				•	54
V.	Passenger Serv	ICES	•	٠,				70
VI.	FREIGHT SERVICE	£S.				•.		81
VII.	THE WORKING OF	SHII	MENT	Мин	ral T	RAFFI	C	91
III.	TRAIN AND TRAF	FIC (	Conte	ROLS	•			103
IX.	ELECTRIFICATION							116
X.	THE UNDERGROU	ND ]	Railw	AYS				121
XI.	STATISTICS OF O	PERA	TION					129
XII.	ORGANISATION .					•		135
	INDEX							147

### FOREWORD

IT is often said that Railway Operating, like Politics, is not a Science; and the statement is true. That, however, is no reason why it should not be the object of systematic study, and this book is intended as a contribution towards such a study.

The publication in book form of Mr. Hare's articles on Railway Operation which have appeared in Modern Transport is an encouraging sign, and for two reasons. It indicates the increasing desire on the part of the rising generation of railwaymen to prepare themselves by reading and study for the operating problems which they will later be called upon to face in practice, and it indicates also an increasing readiness on the part of the present generation of practising railwaymen to rationalise and generalise their operations and to substitute, so far as may be, a statement of principles for mere rule of thumb. Both these tendencies are to be welcomed.

Mr. Hare's book is not by any means the first text-book on Railway Operation; it is none the less a useful contribution to our educational material. We may study Railway Operation from many points of view, but the material is too diverse and too changing to lend itself to any final treatment. The most that can be hoped for is that in limited fields certain general rules and principles may be outlined.

Since there can be no such thing as an orthodox creed in Railway Operation, the field is clear for a variety

of text-books, each of which will throw its own light on the subject according to the writer's method or practical experience, and, so far as I know, Mr. Hare's is the first book published in this country which comes from the hand of a practising railwayman. This is a feature which gives special value to the publication. I believe that it will be found to be of real use to the Railway Student, and that not only for the information it imparts but also for the varied lines of thought which it suggests.

R. L. WEDGWOOD.

King's Cross Station, N.1. 16th March, 1927.

### PREFACE

THE very kind reception which the contents of this volume received when published in the form of weekly articles in MODERN TRANSPORT, and the many enquiries which have been made as to the intention to republish them in book form, have led to a decision to do so.

Limitations of space and the necessity for avoiding the use of diagrams and illustrations, if the cost is to be such that the selling price may be within the reach of the average student, have resulted in a good deal of matter being omitted which, from other points of view, it might have been regarded as desirable to include. Within these limits, the aim has been to provide a general outline on which the study of the subject may be based. It is for this reason that an endeavour has been made to discover and discuss the principles underlying the various practices which together may be described as Railway Operation, rather than to describe the practices of individual companies.

After rather more than twenty years' service with the same company, it is not easy to avoid a tendency to be prejudiced either for or against the methods employed by that company, though an effort has been made to overcome this. The reader is, therefore, recommended to examine any statement which may appear to be tinged with such prejudice even more critically than the others.

In conclusion, I must express my thanks to Sir Ralph L. Wedgwood, C.B., C.M.G., for the honour he

has conferred upon the writer by contributing the Foreword to this book, and to Messrs. G. Davidson. C.B.E., and C. M. Jenkin Jones, Divisional General Manager and Superintendent respectively of the North Eastern area of the London and North Eastern Railway, for their kind permission to write it. I am also indebted to Professor Hallsworth, M.A., of Durham University, on whose suggestion the work was undertaken, and to Mr. R. H. Nicholls, C.B.E., Superintendent of the Line, Great Western Railway, and Mr. I. Thornton. Superintendent of the London Underground Railways, for their kindness in granting facilities for obtaining a knowledge of certain phases of the work on their respective lines, whilst I acknowledge the help of my railway colleagues of all ranks and grades, from whom, consciously or unconsciously, I have accumulated that knowledge which is summed up in the word "experience." on which the statements in the book are based. My grateful thanks must also be tendered to Miss C. E. Taylor, who, by devoting her hours for leisure or recreation to the somewhat uninteresting business of typing the MS, and the notes of the lectures on which the MS, is based, made possible a task which would otherwise have been impossible in the amount of time available for their preparation. T. B. H.

### INTRODUCTION

IT is very difficult to say exactly what should be the logical order of the different subjects which come under the general heading of railway operation. The whole thing is so interwoven that a knowledge of certain subjects which, from some points of view, should come late in the syllabus is desirable when discussing points which naturally have to be dealt with earlier. In other instances, the converse is the case. The sequence followed has, therefore, been adopted as one which is, on the whole, judged to be the most convenient for a thorough appreciation of all the points involved.

The business of working a railway is, in many respects, unique. This is unfortunate from the point of view of the student, since it is probably true that the easiest way of grasping a new subject is to compare it with something with which one is already familiar. In some degree, certain aspects of railway work may be compared with the business of the manufacturer, others with that of the wholesaler, and still others with that of the retailer of commodities. One essential difference is that transport is rather a service than an article! Turning to those concerns which provide a service, we can. to some extent, compare the service the railway gives with that given by a doctor, a barrister, or a banker. In no case, however, can we carry any such comparison very far. This point will be developed when dealing with the question of "Organisation." Confining ourselves to operating, it may be helpful, as an ideal to keep

before us, to regard a railway as one complete machine, so arranged that, while the different parts work at differing speeds, the processes are, in turn, completed at such a rate that the whole works in complete harmony and the desired results are obtained in the most economical way.

### INDEX

•					PAGE
Acceleration of trains			• •		116
Accidents. Value of controls in			••		108
Adhesive force of locomotives					116
Advance luggage	• •		••	••	30
" signals					14
Advantages of controls				10	j, IOĆ
" " underground railw	avs		••		121
Alternative hump, Use of	•••		••	••	52
America—				+	•
Individual supervision of veh	icle m	oveme	nt in		63
Marshalling yard speed tests				••	52
Organisation in			• •		145
Pooling of coal at port in				• •	101
Sale of coal by analysis in	••	•••			101
Analysis of statistics of operation				•••	131
, work at hump yard				• • • • • • • • • • • • • • • • • • • •	53
Area of controls	••	•••	• • • • • • • • • • • • • • • • • • • •	•••	103
Arrangement of block sections			•••	• • • • • • • • • • • • • • • • • • • •	14
Articulated rolling stock	•••	,••	::	•••	55
		••		••	78
August Ala annu Pour	• •	• •	••		89
Automatic couplings	••	••		13, 20	
" signalling " ticket issuing machine	••	••			, 123 122
train control	23	• •	••	*of	128
Axleboxes on freight rolling stock	Eff	ct on t	rain er	المصراة	, 120
Ranking engines				com c	,, 88 88
Banking engines Bay" platforms	••	••	••	•••	4, 25
Benches at goods sheds	••	••	• •		
	••	• •			6, 41
Block sections. Arrangement of			.15, 0	7, 116	, 125 16
" " Effect of varying				••	
" Use of graphs wh			η <b>g</b>		15
, Telegraph system Signals es	ا مناسب	4	• •	••	14
		l lor	••	••	18
Boards. Control		• •	• •	• •	109
Booked freight trains. Advantage	≈ 01	••	••	•••	90
Booking offices	• •	••	••		4, 25
,, on underground railway	78	••	••	••	122
	• •	• •	••	••	88
Branch line passenger services	• •		••	••	77
Bulk capacity of freight vehicles		• •	• •	••	55
Burrowing junctions	. • •		٠٠ .	••	121
Capacity of line. Effect of signalli	rug suc	1 train	speeds		
of passenger station	••	••	••	••	25
of vehicles	••	• •	••	• • 55	, 100
Carted luggage	• •	••	••	••	30
Carriage roster. The	••	••	••	••	67
"sidings	••	••	••	• •	27

			148	3				
								PA
	age workin			• • •		28, 65	, 76, 7	3, :
	ring unit.				ht and	d passe	nger	
Cent	alisation o	f operatin	g funci	tions		• • •		:
Choic	æ of unit f	or statistic	cs of o	peration	١.,			
Class	ification of	coal by a	nalysis			.,		:
	» i »	traffic				• •		
Clear	ing of carr	iages						
"Clos	ed" station	as						
Coacl	ning rolling	stock. I	esign (	of	• •		5	4.
Coal	traffic. Sh	ipment			••	• • •		7,
		" The		of at por				
"Coa	sting" reco				wave			
Colle	sting" reco ction of tic nercial dep	kets	4016101					
Come	nercial dep	artment	The	••			••	
Com	non owners	hip of mi	noral w	ra done	••			Q
	JUL OWNER	f railway o	owned	uooge n			9	٠,
"Con	,, user of centrated"				•		-	))
	ruction of				• •	• •	• •	
					••	• •	• •	
Conti	nuous brak					• •	• •	
ا بــــــــــــــــــــــــــــــــــــ	, serv	ice given l	Dy elec	tric eng	ınes	• •	• •	
Contr	ól diagram	boards	• •		• •	• •	• •	
` "	or passer	nger train	s	• •	• •	• •	• •	
>>		g stock		• •	• •	• •	57	
_ ;;		Jndergrou				• •	• •	1
	ols at good		• • •		• •	• •	• •	
	ols. Train		C				104	, 1
Cost.	Compariso	on between	n passe	nger an	d frei	ght tra	ffic	
>>	of electrica	.l equipme	ent	• •	• •	• •		1
13	,, electric	power	• •	• •	• •			1
,,	, signals	••				• •		
Coupl	ings, loose.	Effect of	n freigl	nt train	speed	of	8	3,
Crane	s				ī.,		3	
Critici	sm of worl	k of contro	oller				`	1
Daily	diagrams					• •		1
	rs of contr	ol						1
	ended mar							
	Man's hand				• •			1
	eration of t		1				••	I
	s" at good			.,	••			_
	tion of con		• • •	• • •				I
	nd for rolli		Effect					•
	y of traffic					.,		1
							• •	1
	tmental sy				TIC.		••	
	ture siding		••		• •	••	• •	
	of goods		••	••	••	• •	• •	
		เมากร				• •	• •	
,,	23 31	,			••			
"	", passeng	ger station	18	• •			••	
» »	" passeng " rolling ppment of	zer station stock	15	• •	::			:

149							
				PAGE			
Diagrams in signal boxes. Illumin			• •	21, 123			
Difficulties of underground railwa	ys. Spec	ial	• •	., 122			
Dimensions of freight vehicles, Si	tandard		• •	56			
"Direct" loading of goods traffic			• •	37, 42			
Disadvantages of electrification			• •	119			
Distance of colliery from port. E	ffect on v	workin	g of	93			
Distant signal. The				17			
Divisional system of organisation			• •	145			
Division of traffic functions. The				137, 140			
Electric barrows				30, 32, 36			
" cranes				40			
engines				53, 116			
Electrification			80	, 116, 124			
Emergency arrangements on unde	rground			127			
Empty mileage. Effect of total st	ock of v			., 58			
"Empty wagon" loads Engineer. The		• •		82			
Engineer The			• •	136			
Engine power. Effect of controls	Off.			107			
shed			• •	27			
,, shed working				76, 80, 90			
committees		• •		143			
Escalators on underground railwa	**	• •	••	122			
Evolution of railway organisation	ys	• •	• •	135, 146			
eignelling		-	••				
,, ,, signalling Examination of tickets		• •	••	13			
Excursion trains. Stock for	••	• •	••	31			
	••	• •	• •	63			
Fines for delays to rolling stock	••	• •	••				
Fixed cranes	••	• •	• •	38, 39			
,, signals. Development of	••	••	• •	14			
Flat yards Flying junctions	• •	• •	• •	49, 51			
Forwarded traffic	• •	• •	• •	121			
Forwarded traffic Four position signals Freight rolling stock	• •	• •	35,	36, 37, 41			
Four position signals	• •	• •	• •	19			
Freight rolling stock	••.	• •	• •	54			
" " " Common use		• •	••	68			
, services	**	• •	• •	81,117			
n traffic. Receipts per ton-	mile	• •	• •	70			
,, train loads ,, ,, speeds	• •	••	• •	., 81			
" " speeds			• •	82			
, working. Supervisi			• •	111, 132			
Frequency of passenger services			• •	71			
"Frolich" rail brake. The		• •		52			
Functions of a railway	• •		• •	140			
Functions of a railway			• •	14, 17, 18			
Gauge. Effect on canacity of yell	icle			55			
,, steam locomot	ive			116			
Ocherat manager, the				135			
Geographical conditions affecting	mineral	traffic		ng 93			
,, diagram boards				111			
Goods manager. The	••	••		136			
¥ - : : · · · · · · · · · · · · · · · · ·			-	-			

						PAGI
Goods sheds. Design of ,, Working of ,, stations ,, yards	••	• •	• •	• •	• •	3.5
", ", Working of	• •	• •		• •	• •	. 41
" stations	••	• •	• •	• •		38
" yards			. •	••		38
Graments. Effect of on po	sition	of mar	shallin	g yard:	s	51
,, in marshalling y	ning of	f freigh	it train	ıs		87
,, in marshalling y	ards	••	• •	••	••	51, 52
,, Superiority of e	electric	engin	es tor	negotia	ating	115
Use of on under					• •	121
Graphs showing consumpti					• •	126
" Use of when arrang	ging bl	ock sec	ctions		• •	15
,, ,, in controls ,, ,, when prepa	:-	• •	٠٠ .	•••	••	111
" " when prepa	ring e	ngine,	guard	s, and	car-	
Gravitation yards	king	• •	• •		• •	77
Gravitation yards	• •	••	• •	• •	• •	51
Guards working			• •	• •	• •	28, 76
Halts	• • • • • • • • • • • • • • • • • • • •	• •	• •	• •	• •	23
Handling of coal at storage	signus	ζS	••	••	• •	101
Headway	• •	• •	• •	• •	• •	14
", clocks	• •	• •	••	• •		126
High capacity mineral wag	ons	• •	• •	• •	• •	100
Home signal. The Human aspect in relation t	• •	•;	••	• •	• •	17, 18
Human aspect in relation t	o type	ot mo	tave po	wer	• •	118
Hump yards		••	••.	• •	••	52
Hump yards	gnai bo	xes	•• .	. • •	.,2	21, 123
Y 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					• •	63
Indicator boards. Use of a	t good	s static	ons	••	• •	42
Industrial coal	passe	nger si	auons	• •	• •	29
Industrial coal	••	••	•• 1	• •	••	90
inner nome signais	• •	• •	••	• •	• •	17
Interval services Island platform. The	• •	• •	••	••	••	74
Island platform. The	··		onger s	بمامنياني		24, 25
Journey time, Effect of on	type	n hees	CHECK !	<b>уе</b> шсте:		66
Journey time slips	• •	• •	• •	••	••	46
Landsale coal Lengths of block sections	••			••	• • •	
		••	••	• •		16, 17
Less-than-wagon-load traffi Lifts on underground railw		• •	••	••		43, 48 122
Line capacity. Effect of	ays	a bloo	l- anati	on lon	etha	122
and train speeds on	vat ym	g Dioc.	# SCCII	оп кп	6 v.	6 10.
and train speeds on Loads of freight trains Location of coal field in rela	••	• •	••		U, 110	9, 124 81 88
Location of coal field in rela	ation t	o mari	eoto	••	•••	93
marchalling roa	auon i	o mare			••	48, 49
,, ,, marshalling yar Locomotive coal. Wagons	for	••	••	• • • • • • • • • • • • • • • • • • • •	• • •	
Loop lines on underground	railwa:	wa	• •	••		121
I nagage Handling of	101140	,,		• • •		29, 30
Luggage. Handling of Registration of Maintenance of signals. Co	••	••	••	••		29, 30
Maintenance of signals Co	st of	••				17
Marshalling yards		••	<i>:</i> :	48	. 40. 4	51, 8í
vard costs	••					

131				PAGE
Marshalling yards. Effect of braked rolling	nø sta	r k		89
			• • •	88
Maximum freight train loads Mechanical apparatus		32, 34,		
hall be a set amount and a	::	J-1 J+1	JJ, J~	50
engineer The		• • • • • • • • • • • • • • • • • • • •		136
merchant wagon owner. The				100
Methods of compiling statistics of operati				, 132
Mineral manager. The				136
Traffic. The working of shipmen	ŧ	• •	••	91
, wagons. High capacity	•		• • •	100
Minimum wagon load			••	43
Ministry of Transport Act, 1919	• •	••		132
Moral effect of statistics of operation	• •	• • • • • • • • • • • • • • • • • • • •	• • •	132
Objects of signalling				14
"Open" system for shipment coal. The	::			94
Operating department. The	••	••		138
, functions. Centralisation of	• •	• • • • • • • • • • • • • • • • • • • •		143
^ .	• •			, 135
Dada landman ha		• •	/9	114
" nd manda abada an abada	••	• •		42
of management atation atal	• •	••	••	
Outer home signals	••	••	••	33 18
Outer home signals	••		••	
Overhead cranes	• •	••	••	39
Parcels office. The	• •	••		6, 27
" traffic. Working of	• •	••	••	32
	• •	••	••	32
Passengers	• •	• •	29, 3	
Passenger stations	••	• •	• •	23
" Organisation of staff a		• •	••	33
	• •	• •	• •	28
,, Working of	• •	••	••	28
" superintendent. The	••	••	* *	136
" traffic. Relative importance of		••	• •	70
" traffic on underground railways		••	• •	121
, trains. Control of		••	• •	105
" Reporting of	••	• •	• •	73
, train services	64, 7º	0, 120,	122,	120
vehicles	• •	• •	••	64
Passimeter. The	••	• •	••	122
Petrol-electric cranes	• •	• •	• •	38
		••	25	
	• •	23, 24,		
Platform working	2	6, 28, 2	29, 79,	
Points. Power working of in marshalling	yards	• •	• •	50
Poleing yards	• •	• •	••	52
Pooling of coal at ports	• •	• •	••	102
" private mineral wagons	• •	••	• •	98
Position of signals	••	• •	 10, 27,	18
rower arguming	• •	1	10, 27,	123
Private wagon. The	• •	• •		96

							PAGE
Private wagon	, ownership	p. Ef	fect on (	capacit	y of		101
Punctuality.	Freight trai	ns	• •	• •	• •		133
	Passenger t	rains	• •			73, 74	, 133
Rail coach. Th	ne Sentinel-	Camn	nell		• •		78
Railways Act,	1921. Con	npilati	ion of st	atistics	٠	• •	132
31 33	" Effe	ect on	signalli	ng	• •		13
Receipts per to	,,,	,, ,,	organis	sation			146
Receipts per to	n-mile		• •			• •	70
Received trami	С				3	15, 36, 3	7, 41
Reception sidir	ıgs			• •	• •	4	
Reception sidir Recording bloc	k					• •	19
Reduction of the	rain sets						65
Refreshment ro						., 2	
Regulation of Regulation 5	luggage						30
Regulation 5 .							18
Relative impor	tance of pa	ssenge	er and f	reight t	traffic		70
Release system	for shipme	nt co	al	·.		94	, 102
Relief sidings .							88
Reporting of pa	assenger tra	ins					73
Road competiti	ion						78
cranes .				••		3	
Road competition, cranes . , wagons .			• • •			4.	
Roadways at go	oods station	ns .	•••			• •	<b>36</b>
					••		54
,, ,, c	ontrol	• • •	•••	• • • • • • • • • • • • • • • • • • • •	•••		57
Roster. The ca	rriage	• • •	•••	•••	•••		67
Rulley park. T	he		• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •			37
Running superi	ntendent	The	•••			::	141
Rush hour traff						• • • • • • • • • • • • • • • • • • • •	126
Safety appliance					~.	•••	127
Saving of wagon					1	::	99
Semi-automatic	eignalling	оошь	. 136111	uate or		20,	
Semi-automatic	eight train		••	• •	••		85
Sentinel-Camme				••	••	• •	78
Shipment miner				• •	••	• •	91
					••	• •	96
Shunting costs. necks			c wagon		••	• •	50
Donne	nger	••	••	••	••	29	
		••	• •	••	••		
Signalling	· · ·	••	* *	••	••		
	matic	• •	***	••	• •	13, 20,	
" Powe		••	• •	••	••	20,	
,, Semi-	automatic ssenger stat		••	• •	• •	20,	
				••	••	• •	27
	derground			• •	••		123
Signalmen. Effe				• •	••		104
Signals		• •	• •	••	. • •	• •	16
Situation of stat		••	• •	• •	•••	• •	23
Size of control a			••	• •	••		113
Skids. Use of in		uds		••	• •	••	53
							43

						PAGE
Sorting sidings			• •			49
Special trains. Stock for				•'•		67
Special vehicles						56
Speed of passenger trains	• •	• •				74
,, ,, freight trains			• •			82
" " shipment of coal.	Effec	t of hig	h capa	city w	agons	
on		••.	• •	• •		100
", ", trains. Effect on	line c	apacity	of	••		16, 85
Standage lines at goods sta	tions	• •	.,	• •	37,	38, 41
Standardisation of vehicles	• •		. • •		• •	<b>5</b> 6
Standards of comparison to		istics o	i opera	ation	• •	130
Starting signals	• •	• •	• •	• •	• •	17
Stations. Goods	• •	• •	• •	• •	• •	38
, Passenger	• •	••	• •	• •	• •	23
,, Situation of	• •	• •	••	••	• •	23
Station working. Goods		• •	• •	• •	• •	41
Passenge		• •	••	• •	• •	28
Statistics. Goods stations		• •	• •	• •	••	46
of operation	••	••	• •	• •	••	129
"Staying power" of electric	engu	ies	••	••	••	118
Steam engine. Comparison					••	116
Steel. Use of for rolling sto	XCK biodbo				**	55
Stephenson, Mr. W. T., on Storage of mineral traffic	mign c					100
,, ,, traffic in goods s		• •	••	••		4, 101
~ · · · · · · · · · · · · · · · · · · ·		• •	• •	••	• •	35 126
Subsidiary tranship station		• •	••	••	••	
Suburban lines. Signalling		• •	••	••	12	44
		• •	••	••		15, 79 6, 122
Superintendent of the line.			••	••	791	136
Supervision of goods statio			•••	• • • • • • • • • • • • • • • • • • • •		46, 47
, rolling stock						62
,, train working			•			112
Tail lights. Use of as signa	ls	•••	•••			13
Tank engines. Use of for si					•	80
Tare weight of rolling stock		••		••	••	55
Telephone arrangements in		ols			• •	109
		rgroun		ays		127
Terminal difficulties with m	ineral	traffic		٠		92
,, passenger stations	5				24, 2	6, 104
Tests of tranship working			• •		• •	45
Three-position signals Through carriages	• •					19
Through carriages			• •			72
" passenger stations	••		••		• •	24
working of passen			• •	••	• •	72
Ticket collection and exami			• •	••	••	30
, examination on und		ind rail	ways	• •	• •	122
Time diagram boards	• •	••	• •	••	• •	110
"-interval system.	••	• •	••	••		14
Timing of passenger trains	••	••	• •		• •	75

•					PAGE
Ton-miles per engine hour					82
"-mile statistics			• •		133
Tonnage loads for freight trains				• • •	0
Track circuit. The	• •				20, 28
Tractive force of locomotives					116
Traffic controls	•••	••		4, 107	
" functions. The division o	f the				7, 140
	. 6110		••		141
	ilware		••		126
m	Liways		• •	••	
· ·	••	• •	••	• •	43
CO. C. C. C. C. A. C. Tu.	• •	••	••		33
	••	• •	10	4, 106	
,, crew. The	• •	• •	••	• •	77
" describer	٠٠.	• •	••	• •	123
" engines. Use of for shunting			r static	ons	29
" load. The average freight			• •		133
Training schools on underground	railway	7S		• •	128
Travelling cranes	• •		,	• •	40
" ticket inspectors	• •				32
Traversers at passenger stations	٠.,		• •		26
Types of control diagram boards					110
• • • •					51
Underground Railways. The					121
Unit. Choice of for statistics of o					130
Van sidings					27
Vehicles	• •				54
Wagon control	••			• •	57
" load. The minimum	••	••	••	٠. ،	3, 44
,, 10ad. 110 minimum	••	••	••	4	43
Wagon-miles. Cost of	•••	••	••	• •	43 84
	• •	• •	••	***	
,, per engine-hour	••	• •	••		, 133
Wagons. Mineral			••	9	2, 95
Wagon user. Influence of train se	ervice o	n	••	••	84
Waiting rooms	••	• •	••	2	4, 25
Warehouses	• •	• •	• •	••	33
Washing of carriages		••	• •	• •	65
Water troughs	• •	• •	••	• •	76
Weather. Effect of on engine load		• •	• •	• •	, 82
" " " " marshallin	g yard	workin	g	• •	52
,, ,, shipment	nineral	traffic			94
small pass	enger u	nits			79
,, Value of control in adv	erse				108
Weight canacity of freight vehicle	.9				55
of rolling stock					54
Working time table. The Underg	round I	Railway			125
					-

### INDEX TO ADVERTISEMENTS

					FAUE
"Modern Transport"		••	••	 	i,
North British Locomotive	e Co., 1	imited		 	ii.
A. G. Wild & Co., Limite	d			 	iii.
W. R. Sykes Interlocking	& Sign	nal Co.	••	 	iv.
Drewry Car Co., Limited		• •		 	v.
Westinghouse Brake & Si	ignal C	o., Limi	ted	 vi.	to ix.
Railway Signal Co. Limit	ted				¥.



"THE TIMES" OF THE TRANSPORT WORLD

EVERY FRIDAY

PRICE 3d.

ANNUAL SUBSCRIPTION, POST FREE:
Great Britain 15s., Overseas 20s.

A weekly illustrated newspaper dealing with transport in all its phases—RAIL, ROAD, INLAND WATER-WAYS, SEA and AIR—in all parts of the world.

## THE MODERN TRANSPORT BOOK DEPARTMENT

specialises in transport literature and text books.

NORMAN HOUSE, 105/9, STRAND, LONDON, W.C.2.


### NORTH BRITISH LOCOMOTIVE Co., LTD.,

ADMINISTRATION BUILDING, 110, FLEMINGTON STREET,

TELEGRAMS:
"LOCO", GLASGOW

**GLASGQW** 

TELEGRAMS: HYPAR, SOWEST, LONDON



ONE OF SIXTY CLASS 15F. LOCOMOTIVES FOR SOUTH AFRICAN RAILWAYS

TOTAL OUTPUT EXCEEDS 25,500 LOCOMOTIVES

London Office: 82, Victoria Street, Westminster, S.W.I

#:

# "What sort of a journey did you have?"

A routine question at the moment, but one which ere long will be superfluous.


Rapid headway is being made in the replacement and reconditioning of coaches in the four groups.

With the very wide range of rolling stock equipment which we produce, our contribution towards the improvement in passenger comfort is substantial.



Rolling Stock Equipment

# W. R. SYKES INTERLOCKING SIGNAL CO., LTD.




Railway Signalling and General Engineers

26 VOLTAIRE RD., CLAPHAM, LONDON, S.W.4

Telephone: MACaulay 3451/2/3

### DREWRY



### DIESEL-MECHANICAL

# RAIL CARS POWER BOGIES LOCOMOTIVES

WITH MULTIPLE-SPEED EPICYCLIC TRANSMISSION
OVER 27,000 H.P. IN SERVICE ALL OVER THE WORLD

THE DREWRY CAR COMPANY, LTD.
RIVER PLATE HOUSE, 10/11 FINSBURY CIRCUS,
LONDON, E.C.2 ENGLAND

**CITY 2237** 

"INNEAL-LONDON"



1////////

# **₩ESTINGHOUSE**SIGNALLING

keeps trains on the move

The maintenance of a busy schedule depends largely on the speed at which routes can be set up. Westinghouse Signalling includes many types of proved efficiency providing an operational speed which cannot be equalled by other systems.



/////////

# Modern Developments in Railway Signalling



### SYSTEMS

keep pace with modern developments in railway traffic requirements

Two of the new systems now available are

### CODED TRACK CIRCUITS

the principal features of which are a high train shunt, immunity from stray current interference, and considerable saving of line wires in multi-aspect signalling.

and

## CAB SIGNALLING

in which the coded track circuit is employed to provide a very efficient Cab Signalling System suitable for multi-aspect indications.

WESTINGHOUSE BRAKE & SIGNAL CO., LTD.

# Modern Developments in Railway Braking



### **BRAKES**

keep pace with modern developments in railway traffic requirements

ALL STEEL CONSTRUCTION pioneered by Westinghouse saves considerable dead weight



# "PRESTALL" All-steel lever type VACUUM BRAKE CYLINDERS

which require no massive levers, rocking shafts, or suspension brackets. This reduction in weight, together with the lightness of the "Prestall" all-steel construction of the cylinder itself can save as much as a quarter of a ton on each vehicle.

### "COMPRESTALL"

All-Steel AIR BRAKE CYLINDERS

in which saving of 50% dead weight is not their only advantage. Increased strength and lighter weight of parts to be handled reduce maintenance costs appreciably.



### 

## More modern developments in Railway Braking for

### SPEEDING UP BRAKE APPLICATION

## THE ELECTRO-PNEUMATIC BRAKE for intensive electric traction services

This powerful and instantaneous braking is the natural complement to the rapid acceleration now possible with modern stock, and the two together make possible a shortening of station stops, higher speeds and decrease of headway.

## THE Q.S.A. VALVE for quick service application of vacuum brakes

improves considerably the overall braking efficiency so that the brakes at the rear end of the train are applied much quicker. Impressive reductions in stopping times and distances are the results.

These are only four of the many types of apparatus made for all classes of vehicles by



WESTINGHOUSE BRAKE & SIGNAL CO., LTD.

