# BIOMETRICAL GENETICS

## by K. MATHER

## **METHUEN: LONDON**

Genetics has concerned itself largely with the study by the Mendelian method of sharp differences, as between tall and dwarf peas or coloured and albino rabbits. Yet much of the variation we see around us is not of this kind. It is continuous, the individuals making a series which grades imperceptibly from one extreme to the other. as with stature in man. We have known since Galton's time that this continuous variation is partly heritable, and indeed it is to a large extent the raw material of evolution and of plant and animal breeding. Continuous variation cannot be analysed by the Mendelian method, but Dr. Mather shows how it can nevertheless be demonstrated that the controlling genes are carried in the nucleus, so showing segregation and linkage in just the same way as the genes of Mendelian genetics. Upon this basis he proceeds to develop a biometrical method by which continuous variation can be analysed and understood, and its behaviour predicted. In so doing he is led to discuss the new meanings which many of the familiar genetical concepts take on, when used in this wider field.

CAT. NO. 5106/U

18s. net

**BIOMETRICAL GENETICS** 

By the same Author

#### THE MEASUREMENT OF LINKAGE IN HEREDITY

#### STATISTICAL ANALYSIS IN BIOLOGY

THE ELEMENTS OF GENETICS (with C. D. DARLINGTON)

> ESSAYS ON GENETICS (with C. D. DARLINGTON)

## BIOMETRICAL GENETICS THE STUDY OF CONTINUOUS VARIATION

### K. MATHER

D.Sc., Ph.D. Head of the Genetics Department John Innes Horticultural Institution, London

WITH SIXTEEN DIAGRAMS



METHUEN & CO. LTD. LONDON

#### First published in 1949

#### CATALOGUE NO. 5106/U

#### THIS BOOK IS PRODUCED IN COMPLETE CONFORMITY WITH THE AUTHORIZED ECONOMY STANDARDS

#### PRINTED IN GREAT BRITAIN

To R. A. FISHER Statistician and Geneticist

#### PREFACE

THE PROPERTIES of continuous variation are basic to the theory of evolution and to the practice of plant and animal improvement. Yet the genetical study of continuous variation has lagged far behind that of discontinuous variation.

The reason for this situation is basically methodological. Mendel gave us not merely his principles of heredity, but also a method of experiment by which these principles could be tested over a wider range of living species, and extended into the elaborate genetical theory of today. The power of this tool is well attested by the speed with which genetics has grown. In less than fifty years, it has not only developed a theoretical structure which is unique in the biological sciences, but has established a union with nuclear cytology so close that the two have become virtually a single science offering us a new approach to problems so diverse as those of evolution, development, disease, cellular chemistry and human welfare. Much of this progress would have been impossible and all would have been slower without the Mendelian method of recognizing and using unit differences in the genetic materials.

These great achievements should not, however, blind us to the limitations inherent in the method itself. It depends for its success on the ability to assign the individuals to classes whose clear phenotypic distinctions reveal the underlying genetic differences. A certain amount of overlap of the phenotypic classes can be accommodated by the use of genetical devices; but where the variation in phenotype is fully continuous in its frequency distribution, so that no such classes can be defined, the method cannot be used. A different approach is required, one based on the use of measurement rather than frequency.

The first steps were taken nearly forty years ago, when the theory of cumulative factors or multifactorial inheritance, as it was variously called, was formulated. The full implications of this theory have, however, only gradually become realized. In the same way the special types of experiment and statistical analysis necessary for the study of continuous variation have only gradually become available. Nevertheless, though slow, progress has been real and we are now in a position to see not merely how continuous variation can be explained genetically, but also how experiments can be conducted enabling us to understand and to measure the special genetical quantities in terms of which continuous variation can be analysed and its behaviour in some measure predicted.

The present book does not aim at covering the whole literature of the subject. I have concentrated attention rather on trying to show the kind of evidence upon which the genetical theory of continuous variation is based, to bring out the special problems which it raises, to see how the familiar genetical concepts must be adapted to their new use, and to outline an analytical approach which can help us to understand our experimental results, particularly those which can be obtained from plant material. In doing so I have assumed some knowledge of genetics and statistics. To have done otherwise would have made the text unnecessarily long, for this information can be gained from a variety of other sources.

The data with which I have had to work have been limited by the paucity of experiments adequate in both scope and description and I have therefore been unable to try out the methods, which are described, in as wide a variety of circumstances as could have been wished. These methods are in no sense exclusive or final; indeed their limitations require no stressing. But improvements can be brought about only as more and better experiments are undertaken; and such experiments cannot be planned until we have explored the scope and limitations of those we already have. Improvement of experiment, refinement of analysis and development of theory must be simultaneous and progressive.

Among the experiments upon which I have been able to draw none has been more instructive than that on ear conformation in barley, hitherto unpublished. This experiment was made in collaboration with Dr. Ursula Philip, now of the Department of Zoology, King's College, Newcastle-on-Tyne, and I wish to express my indebtedness to her for allowing its results to be published in this way.

April 1947

К. М.

#### CONTENTS

| CRAPTER  | PAGE  |
|--|-------|
| 1 THE GENETICAL FOUNDATION                               |       |
| 1. Biometry and Genetics                                 | 1     |
| 2. Polygenic Segregation and Linkage                     | 5     |
| 3. Polygenes and Major Genes                             | 15    |
| 2 CHARACTERS   |       |
| 4. Phenotype and Genotype                                | 23    |
| 5. Genetic Analysis and Somatic Analysis                 | -26   |
| 6.* The Combination of Characters                        | 31    |
| 3 SCALES   |       |
| 7. The Principles of Scaling                             | 38    |
| 8. The Criteria of Scaling                               | 40    |
| 9. Some Examples of Scaling Tests                        | 44    |
| 10. Transformation and Residual Interaction              | 49    |
| 4 THE COMPONENTS OF VARIATION                            |       |
| 11. Dominance and Potence                                | 52    |
| 12. Variation in F <sub>s</sub> and F <sub>s</sub>       | 54    |
| 13. Partitioning the Variation of F, and its Derivatives | 58    |
| 14. Backcrosses  | 68    |
| 15. Randomly Breeding Populations                        | 72    |
| 5 LINKAGE  |       |
| 16. The Effect of Linkage                                | 82    |
| 17. The Test of Linkage                                  | 92    |
| 18.* Coupling in Barley                                  | 97    |
| 6 THE NUMBER OF EFFECTIVE FACTORS                        |       |
| 19. The Sources of Estimates                             | 102   |
| 20. The Process of Estimation                            | 108   |
| 21.* Prediction in the Presence of Linkage               | 115   |
| 22. The Speed of Advance under Selection                 | 119   |
| 7 RESULTS AND CONCEPTS -                                 |       |
| 23. Experiments in Biometrical Genetics                  | 126   |
| 24. Dominance and Interaction                            | 136   |
| 25. The Effective Factor                                 | · 143 |
| GLOSSARY OF SYMBOLS                                      | 153   |
| REFERENCES   | 156   |
| INDEX  | 159   |
| * In collaboration with Dr. U. Philip.                   |       |
|  |       |

#### REFERENCES

BATESON, W. (1909) Mendel's Principles of Heredity. University Press, Cambridge

BEADLE, G. W. (1945) Biochemical Genetics. Chem. Rev., 37, 15-96

- CHAPMAN, A. B. (1946) Genetic and non-genetic sources of variation in the weight response of the immature rat ovary to a gonadotrophic hormone. *Genetics*, **31**, 494–507
- CHARLES, D. R., and GOODWIN, R. H. (1943) An estimate of the minimum number of genes differentiating two species of golden-rod with respect to their morphological characters. *Amer. Nat.*, 77, 53-69
- CHARLES, D. R., and SMITH, H. H. (1939) Distinguishing between two types of gene action in quantitative inheritance. *Genetics*, 24, 34-48
- CULBERTSON, J. O. (1942) Inheritance of factors influencing sucrose percentage in *Beta vulgaris*. J. Agr. Res., 64, 153-71
- DARLINGTON, C. D. (1939) Evolution of Genetic Systems. University Press, Cambridge
- DARLINGTON, C. D., and LA COUR, L. F. (1941) The detection of inert genes. J. Hered., 32, 115-21
- DARLINGTON, C. D., and MATHER, K. (1948) The Elements of Genetics. Allen and Unwin, London
- DARLINGTON, C. D., and THOMAS, P. T. (1941) Morbid mitosis and the activity of inert chromosomes in Sorghum. Proc. Roy. Soc. B., 130, 127-50
- EAST, E. M. (1915) Studies on size inheritance in Nicotiana. Genetics, 1, 164-76
- EMERSON, R. A., and EAST, E. M. (1913) The inheritance of quantitative characters in maize. Bull. Agric. Exp. Sta., Nebraska. Res. Bull. 2
- FISHER, R. A. (1918) The correlation between relatives on the supposition of Mendelian inheritance. *Trans. Roy. Soc. Edin.*, **52**, 399–433
- FISHER, R. A. (1930) The Genetical Theory of Natural Selection. Clarendon Press, Oxford
- FISHER, R. A. (1936) The use of multiple measurements in taxonomic problems. Ann. Eugenics, 7, 179–88
- FISHER, R. A. (1938) The statistical use of multiple measurements. Ann. Eugenics, 8, 376–86
- FISHER, R. A. (1946) Statistical Methods for Research Workers. 10th Edn. Oliver and Boyd, Edinburgh
- FISHER, R. A., IMMER, F. R., and TEDIN, O. (1932) The genetical interpretation of statistics of the third degree in the study of quantitative inheritance. *Genetics*, **17**, 107-24
- FLORELL, v. (1924) Studies on the inheritance of earliness in wheat. J. Agr. Res., 29, 333-47
- FREEMAN, G. F. (1919) The heredity of quantitative characters in wheat. Genetics, 4, 1-93
- GALTON, F. (1889) Natural Inheritance. Macmillan, London

- GOODWIN, B. H. (1944) The inheritance of flowering time in a short-day species, Solidago sempervirens L. Genetics, 29, 503-19
- GEUNEBERG, H. (1938) An analysis of the 'pleiotropic' effects of a new lethal mutation in the rat (*Mus norvegicus*). Proc. Roy. Soc. B., 125, 123-43
- HARLAND, S. C. (1936) The genetical conception of the species. Biol. Revs., 11, 83-112
- HOSHINO, Y. (1915) On the inheritance of flowering time in peas and rice. J. Coll. Agric. Tohoku Imp. Univ. Sapporo, 6, 229-88
- JOHANNSEN, W. (1909) Elemente der exakten Erblichkeitslehre. Fischer, Jena
- JONES, D. F. (1945) Heterosis resulting from degenerative changes. Genetics, 30, 527-42
- LAWBENCE, W. J. C., and SCOTT-MONCRIEFF, B. (1935) The genetics and chemistry of flower colour in *Dahlia*: a new theory of specific pigmentation. J. Genet., 30, 155-226
- LEAKE, H. M. (1911) Studies in Indian cotton. J. Genet., 1, 205-72
- LUSH, J. L. (1943) Animal Breeding Plans. 2nd Edn. Iowa State College Press, Ames

MACARTHUR, J. W., and BUTLER, L. (1938) Size inheritance and geometric growth processes in the tomato fruit. *Genetics*, 23, 253-68

- MATHER, K. (1941) Variation and selection of polygenic characters. J. Genet., 41, 159-93
- MATHER, K. (1942) The balance of polygenic combinations. J. Genet., 43, 309-36
- MATHER, K. (1943a) Polygenic inheritance and natural selection. *Biol. Revs.*, 18, 32-64
- MATHER, K. (1943b) Statistical Analysis in Biology. Methuen, London.
- MATHER, K. (1944) The genetical activity of heterochromatin. Proc. Roy. Soc. B., 132, 308-32
- MATHER, K. (1946a) Dominance and heterosis. Amer. Nat., 80, 91-6
- MATHER, K. (1946b) Genes. Sci. J.R. Coll. Sci., 16, 63-71
- MATHER, K., and BARTON-WRIGHT, E. C. (1946) Nicotinic acid in sugary and starchy maize. Nature, 157, 109
- MATHER, K., and EDWARDS, P. M. J. (1943) Specific differences in Petunia—III. Flower colour and genetic isolation. J. Genet., 45, 243-60
- MATHER, K., and HARBISON, B. J. (1948) 'The manifold effect of selection. *Heredity*. (In the press)
- MATHER, K., and WIGAN, L. G. (1942) The selection of invisible mutations. Proc. Roy. Soc. B., 131, 50-64
- MENDEL, G. (1865) Experiments in plant hybridization. Translation in Bateson (1909)
- NILSSON-EHLE, H. (1909) Kreuzungsuntersuchungen an Hafer und Weizen. Lund
- ÖSTERGBEN, G. (1947) Heterochromatic B-chromosomes in Anthoxanthum. Hereditas, 33, 261–96
- PANSE, v. G. (1940a) The application of genetics to plant breeding—II. The inheritance of quantitative characters and plant breeding. J. Genet., 40, 283-302

- PANSE, V. G. (1940b) A statistical study of quantitative inheritance. Ann. Eugen., 10, 76-105
- POWERS, L. (1941) Inheritance of quantitative characters in crosses involving two species of Lycopersicon. J. Agr. Res., 63, 149-74
- POWERS, L. (1942) The nature of the series of environmental variances and the estimation of the genetic variances and the geometric means in crosses involving species of Lycopersicon. Genetics, 27, 561-75
- QUISENBERRY, K. S. (1926) Correlated inheritance of quantitative and qualitative characters in oats. Bull. Agric. Exp. Sta., West Virginia, 202
- RASMUSSON, J. M. (1933) A contribution to the theory of quantitative character inheritance. *Hereditas*, 18, 245-61
- RASMUSSON, J. M. (1935) Studies on the inheritance of quantitative characters in *Pisum*—I. Preliminary note on the genetics of flowering. *Hereditas*, 20, 161-80
- SAX, K. (1923) The association of size differences with seed-coat pattern and pigmentation in *Phaseolus vulgaris*. Genetics, 8, 552-60
- SEREBROVSKY, A. S. (1928) An analysis of the inheritance of quantitative transgressive characters. Z.I.A.V., 48, 229-43
- SMITH, H. F. (1936) A discriminant function for plant selection. Ann. Eugenics, 7, 240-50
- SMITH, H. H. (1937) The relations between genes affecting size and colour in certain species of Nicotiana. Genetics, 22, 361-75
- STRAUSS, F. S., and GOWEN, J. (1943) Heterosis: its mechanism in terms of chromosome units in egg production of *Drosophila* melanogaster. Genetics, 28, 93
- 'STUDENT' (1934) A calculation of the minimum number of genes in Winter's selection experiment. Ann. Eugenics, 6, 77-82
- SVÄRDSON, G. (1944) Polygenic inheritance in Lebistes. Arkiv. f. Zool., 36A, 1-9
- THOMPSON, W. P. (1918) The inheritance of the length of the flowering and ripening periods in wheat. *Trans. Roy. Soc. Can.* (Ser. 3), 12, 69-87
- WARREN, D. C. (1924) Inheritance of egg size in Drosophila melanogaster. Genetics, 9, 41-69
- WIGAN, L. G. (1944) Balance and potence in natural populations. J. Genet., 46, 150–60
- WIGAN, L. G. (1948) Distribution of polygenic activity in the X chromosome of *Drosophila melanogaster*. (In preparation)
- WIGAN, L. G., and MATHER, K. (1942) Correlated response to the selection of polygenic characters. Ann. Eugenics, 11, 354-64
- WRIGHT, S. (1934a) An analysis of variability in number of digits in an inbred strain of guinea pigs. *Genetics*, **19**, 506–36
- WRIGHT, S. (1934b) The results of crosses between inbred strains of guinea pigs, differing in number of digits. *Genetics*, 19, 537-51
- WBIGHT, S. (1935) The analysis of variance and the correlation between relatives with respect to deviations from an optimum. J. Genet., 30, 243-56

#### INDEX

Antirrhinum, 126, 127, 131, 132, 147 Avena (v. oats)

backcross, 11, 42, 50, 63, 68 et seq., 72, 105, 131, 134, 136 barley, 24, 33 et seq., 41, 72, 97 et seq., 115 et seq., 126, 127, 130, 131, 133, 134, 142, 143, 147, 148 Barton Wright, 18 Bateson, 138, 139 Beadle, 25, 28 beans, 3, 7, 8 beet (Beta), 127, 129 **Biometricians and Mendelians**, 2 biparental progeny, 56, 57, 66, 72, 80, 130, 131, 132, 134, 136 breeding: - behaviour, 30, 31 plant ---, 26 plant and animal ---, 18 - tests, 3, 23, 24 Butler, 50 chaetae, 9 et seq., 16, 18, 19, 20, 23, 66, 67, 95, 127, 142, 150, 152 Chapman, 136 characters, 23 et seq. sub-, 28 et seq. super-, 31, 36 Charles, 103 chiasma, 113, 114, 124, 147, 148 chromosome(s), 112, 124, 144, 146, 147, 151 recombinant ---, 8 tester -, 9 et seq. X and Y ---, 20, 67 clones, 43, 73 c-matrix, 61, 64, 65, 68, 93, 95, 96, 98, 129, 130 components of variation, 52 et seq. D, 56, 57, 60 et seq., 72 et seq., 84 et seq., 92 et seq., 98 et seq., 102 et seq., 129 et seq., 137, 140 et seq., 147, 148 E, 56, 60 et seq., 72, 73, 93 et seq., 98 et seq., 102, 126, 129

components of variation-contd. H, 56, 57, 58, 60 et seq., 72 et seq., 84, 87, 89, 90, 92 et seq., 98 et seq., 102 et seq., 129 et seq., 137. 140 et seq., 147, 148 corolla, 6, 47, 64 et seq., 69, 70, 95, 110, 127 correlated response, 12 et seq., 152 correlation, 5, 74, 78, 130, 131 marital —, 78, 79  $r_{P/O}$  (parent/offspring), 78 r<sub>S/S</sub> (full sibs), 78 cotton, 24, 121, 128 coupling, 83, 88, 92, 100, 101, 115, 125, 132, 150 covariance, 56, 82  $W_{F2/F3}$ , 55, 56, 65, 84, 90, 92 et seq., 97 et seq. WF2/RIP, 56, 67 et seq., 81, 85, 96, 130  $W_{1B/2B}$  (backcrosses), 71, 131  $W_{P/O}$  (parent/offspring), 76 W<sub>S/S</sub> (full sibs), 77. - of half sibs, 78 crossing-over, 12, 20, 21, 124 Culbertson, 126, 127 cytoplasmic inheritance, 15

Darlington, 20, 113, 114 Darwin, 2 Darwinian fitness, 17 degrees of freedom, 62, 63, 66, 68, 94, 95, 96, 99, 101, 131 de Vries, 2 diallel crossing, 79 et seq. discriminant function, 32 et seq., 97, 98 dominance, 17, 41, 43, 52 et seq., 56, 57, 58, 63, 66, 69, 70, 101, 120,

121, 124, 130, 136 et seq., 151 super-, 54, 143, 151

Drosophila, 9 et seq., 13 et seq., 18 et seq., 23, 24, 66, 67, 95, 96, 108, 126, 127, 130, 131, 132, 142, 145, 147, 150

#### INDEX

ear conformation, 33 et seq., 41, 97 et seq., 126, 127, 143 ear diameter, 127 East, 3, 4, 5, 6, 126, 127, 129 Edwardes, 47 effective factor(s), 108, 113, 114, 116, 143 et seq. number of ---, 102 et seq., 132, 143, 148, 149 k, 53, 102 et seq., 134 K<sub>1</sub>, 103 et seq., 129, 132, 133, 143 K2, 104 et seq., 129, 132 et seq., 143 Emerson, 5, 126, 127, 129 environment, 23, 40 error: estimate of ---, 128 — mean square, 94, 101 sampling ---, 42, 81, 109, 120, 129, 130, 131, 133 - variance, 50, 57, 132 euchromatin, 19, 21 evolutionary change, 2 experimental design, 79, 81, 126-36 F1, 5, 42, 43, 48, 50, 53, 54, 68 et seq., 73, 98, 126, 135, 136, 142 F<sub>2</sub>, 6, 7, 8, 11, 42, 48, 50, 54 et seq.,

63, 72, 73, 97, 98, 102, 116, 117, 119 et seq., 128, 129, 130, 135, 136, 145, 148 F3, 7, 42, 50, 54 et seq., 63, 72, 73, 97, 98, 102, 110, 116, 117, 121, 122, 126, 128 et seq., 131, 133, 134, 148 F<sub>4</sub>, 73, 92, 105, 148 fall ratio, 116, 117, 118 fertility, 13 et seq., 20, 43, 150 fish, 13 Fisher, 4, 5, 32, 33, 37, 50, 52, 55, 57, 61, 74, 78, 79, 108, 109, 121, 134, 140 Florell, 128 flower colour, 24, 28 flower number, 127 flowering time, 8, 9, 128 Freeman, 128 Fritillaria, 147 fruit weight, 46, 50, 69 fungi, 147

Galton, 1, 2 genetic analysis, 26 et seq. genotype, 2, 4, 23 et seq., 40, 43, 47, 57 Goodwin, 103, 128, 129 Gossypium (v. cotton) Gowen, 16, 142 grain length, 49, 58 et seq., 94, 108, 127 Grüneberg, 25 Harland, 24 harmonic mean, 58, 64, 109, 110, 115, 133 Harrison, 13, 14, 150 heterochromatin, 19, 20, 21 heterosis, 16, 46, 54, 101, 118, 119, 141, 142, 143 Hordeum (v. barley) Hoshino, 128 Immer, 50, 52, 55, 57, 134 inbred lines, 5, 27, 74, 119 interaction, 41, 49 et seq., 57, 74, 90, 95, 99, 100, 128, 131, 132, 136 et seq., 143 interference, 90, 116, 117 internode length, 127 isodirectional distribution, 53, 103, 105, 115 Johannsen, 3, 23 Jones, 142, 151 La Cour, 20 Leake, 128 least squares equations, 60 et seq., 93 Lee, 78 linkage, 5 et seq., 29, 43, 57, 82 et seq., 102, 106, 107, 113, 114, 115 et seq., 120, 124, 125, 129, 131, 132, 147, 148, 149 loculus number, 44 et seq. Lush, 74, 136 MacArthur, 50 maize, 5, 16, 18, 24, 127, 129, 133, 134, 147, 151 major genes, 7, 15 et seq., 23, 26 et seq., 146, 152

man, 1, 2, 5, 39, 78, 79 marker genes, 10, 26 maternal progeny, 56, 57, 80 Mather, 9, 10, 12, 13, 14, 16, 17, 18, 20, 22, 37, 47, 48, 49, 54, 66, 67, 68, 97, 114, 125, 127, 138, 145, 149, 150 mean, 39, 43, 50, 53, 55, 82, 97 Mecostethus, 147 Mendel, 1, 2, 38, 137 mitosis. 20 multiple factor hypothesis, 4, 5 multiple regression, 32, 61 mutation, 20, 22, 34, 145, 149, 150, 151 Nicotiana, 5, 6, 69, 70 nicotinic acid, 18, 19, 24 Nilsson-Ehle, 3, 27 normal curve, 1 nuclear genes, 5 number of genes, 16, 102, 111, 143 oats, 3, 49, 58 et seq., 72, 92 et seq., 108 et seq., 115, 127, 128, 130, 133, 134, 142, 147 opposition, 84, 92, 104 Oryza, 128 Östergren, 20 Panse, 104, 120 et seq. parent(s), 48, 68 et seq., 98, 126, 128. 135, 136, 142 mid-, 43, 49, 53, 54, 55, 69, 70, 83, 104, 106, 108, 110 Pearson, 1, 2, 78 peas, 8, 9, 38, 128, 137 Petunia, 47, 48, 64 et seq., 95, 108, 110 et seq., 126, 127, 128, 131, 132, 133, 143, 147 Phaseolus (v. beans) phenotype, 2, 4, 16 et seq., 23 et seq., 40, 43, 144 Philip, 31, 97, 115, 126, 127 Pisum (v. peas) ۰. plant height, 127 pleiotropy, 8, 18, 19, 22, 24, 25, 29, 107, 151, 152 polygenes, 7, 12, 15 et seq., 23, 26, 50, 145, 146, 149, 151

polygenic combinations, 12, 13, 18, 124, 125, 151 - systems, 5 et seq., 15 et seq., 23, 24, 27, 29, 51 polyploids, 17 population, 73, 74, 81 randomly breeding -s, 72 et seq. wild --- s. 17 potence, 52 et seq. Powers. 39, 44, 46, 50, 69 Primula, 25 progeny testing, 81 Quisenberry, 49, 58, 59, 61 et seq., 92, 109, 126, 127, 128 randomization, 126, 132, 136 randomized blocks, 97, 135 Rasmusson, 8, 9, 16, 128 rats. 25 reciprocal crosses, 5, 15 recombination, 9, 12, 83 et seq., 107, 114, 115, 125, 144 et seq., 150 — index, 113, 147 reinforcement, 84, 92, 142 replication, 126, 130, 131, 132, 136 repulsion, 84, 88, 92, 97, 106, 110, 115, 125, 132, 150 row number, 127 Sax, 7 scaling, 38 et seq., 73, 74, 82, 98, 100, 128, 138 et seq. criteria of -, 40 et seq. second-degree statistics, 52, 58, 82

seed breadth, 127

segregation, 5 et seq.

selection, 12, 13, 17, 18, 22, 106, 107, 119, 122

natural —, 17, 18, 125

selective advance, 115, 119 et seq., 131

— advantage, 17

— fertilization, 48

— limits, 106, 107, 110, 115, 118, 124, 125, 149

Serebrovsky, 103

Smith, HL F., 30, 31, 32

Smith, H. H., 69, 70

Solidago, 128

#### 162

#### INDEX

somatic analysis, 26 et seq. standard deviation, 16 standard error, 42, 45, 63, 66, 68, 101 Strauss, 16, 142 'Student', 16 sugar percentage, 127 sums of cross products, 40, 77 sums of squares, 40, 55 Svärdson, 13

- Tedin, 50, 52, 55, 57, 134
- third-degree statistics, 52, 57, 58, 64 Thomas, 20 Thompson, 128 tobacco (v. Nicotiana) tomatoes, 44 et seq., 50, 69
- transformations, 39, 44, 49 et seq., 140
- Triticum (v. wheat)<sub>i</sub>
- true breeding lines, 5, 43, 52, 72, 106
- variance, 16, 39, 43, 48, 56, 63, 82  $V_{F2}$ , 55, 56, 59 et seq., 65, 69, 70, 81, 83, 87, 90, 92 et seq., 97 et seq., 124
  - $V_{\overline{F3}}$ , 55 et seq., 65, 84, 90, 92 et seq., 97 et seq., 136

variance-contd.  $\overline{V}_{F3}$ , 55 et seq., 65, 84, 87, 90, 92 et seq., 97 et seq., 104, 108, 110, 115, 133  $V_{VF3}$ , 104, 108, 110, 115, 133 V<sub>BIP</sub>, 67 et seq., 81, 85, 96, 136 *V*<sub>β(P</sub>, 56, 67 et seq., 95 V<sub>MAT</sub>, 56, 81  $\overline{V}_{MAT}$ , 56, 81 V<sub>1B</sub>, 69 et seq., 86, 87  $V_{\overline{2B}}, 71$  $\overline{V}_{2B}$ , 70, 71, 86, 87  $_{H}\overline{V}_{2B}$ , 105  $_{H}V_{V2B}$ , 105 variation-heritable, 3, 23, 34, 52, 74, 79, 102, 108, 129, 130 - non-heritable, 2, 3, 16, 23, 27, 34, 43, 47, 52, 54, 56, 74, 78, 79, 102, 108, 109, 129, 130 viability, 43, 48 Warren, 9 weighting, 60, 101 wheat, 3, 30, 31, 32, 72, 128 Wigan, 13, 21, 54, 142, 149 Wright, 74, 103, 140

yield, 28, 30, 31, 32

Zea (v. maize)

## A GENERAL TEXTBOOK OF ENTOMOLOGY

#### by

A. D. IMMS, D.Sc., F.R.S.

Sixth Edition

With over 600 Illustrations.

42s. net

## PHOTOSYNTHESIS

#### by

E. C. C. BALY, F.R.S.

Emeritus Professor of Chemistry in the University of Liverpool

With 24 Diagrams. 15s. net "An intriguing and compelling book." Biology.

## THE PRINCIPLES OF INSECT PHYSIOLOGY

by

V. B. WIGGLESWORTH M.A., M.D., F.R.S. Reader in Entomology in the University of Cambridge With 316 Illustrations. 30s. net

### AN

## INTRODUCTION TO THE PRINCIPLES OF PLANT PHYSIOLOGY

by

#### W. STILES, F.R.S.

Professor of Botany, University of Birmingham Illustrated. 30s. net

#### MONOGRAPHS ON BIOLOGICAL SUBJECTS

General Editors : G. R. DE BEER, D.Sc., F.R.S. and MICHAEL ABERCROMBIE

F'cap. 8vo.

lllustrated

Social Behaviour in Insects. By A. D. IMMS, D.Sc., F.R.S.

Mendelism and Evolution. By E. B. FORD, M.A., D.Sc., F.R.S.

- Respiration in Plants. By W. STILES, M.A., Sc.D., F.R.S., and W. LEACH, M.Sc., Ph.D.
- Sex Determination. By F. A. E. CREW, M.D., D.Sc., Ph.D.
- The Senses of Insects. By H. ELTRINGHAM, M.A., D.Sc., F.R.S.

Plant Ecology. By W. LEACH, M.Sc., Ph.D.

Cytological Technique. By J. R. BAKER, M.A., D.Phil.

Mimicry and its Genetic Aspect. By G. D. HALE CARPENTER, M.B.E., D.M., and E. B. FORD.

The Ecology of Animals. By CHARLES ELTON, M.A.

Plant Chimaeras and Graft Hybrids. By W. NEILSON JONES, M.A.

Tissue Culture. By E. N. WILLMER, M.A.

Insect Physiology. By V. B. WIGGLESWORTH, M.A., M.D., F.R.S.

Plant Viruses. By KENNETH M. SMITH, D.Sc., Ph.D.

Nematodes Parasitic in Animals. By G. LAPAGE, D.Sc.

The Chromosomes. By M. J. D. WHITE, M.Sc.

The Measurement of Linkage in Heredity. By K. MATHER, Ph.D.

Palaeozoic Fishes. By J. A. MOY-THOMAS, M.A.

The Metabolism of Fat. By IDA SMEDLEY MACLEAN, M.A., D.Sc., F.I.C.