

Air Publication 1269B

1st EDITION, 1946

AIR MINISTRY

HANDBOOK
of
PREVENTIVE
MEDICINE

HIS MAJESTY'S STATIONERY OFFICE.
1947

Price 7s. 6d. net

Air Publication 1269B
1st EDITION, 1946

AIR MINISTRY

HANDBOOK
of
PREVENTIVE
MEDICINE

CROWN COPYRIGHT RESERVED

LONDON: HIS MAJESTY'S STATIONERY OFFICE

1947

Price 7s. 6d. net

Issued for the information and guidance of all
concerned.

J. H. Barnes

By Command of the Air Council

AIR MINISTRY
Published 1947

FOREWORD

The aim of preventive medicine is to preserve and improve health by the interception or removal of all factors which may exert an adverse influence on individual well-being.

In the Royal Air Force emphasis is placed on the ultimate responsibility of commanders for the health of their men. An equally great responsibility rests on medical officers to advise their commanders of the measures necessary to protect the personnel under their care, as far as possible, against communicable disease and any defects of habit or environment which may impair their vitality, as well as measures to improve their efficiency even beyond what is accepted as normal.

It is of the utmost importance not only that loss of man hours through sickness should be kept to a minimum, but that all personnel on duty should be at the peak of their efficiency. That outmoded word *debility* has a real meaning when applied to an individual whose physical and mental vigour has been sapped by sub-clinical malaria or a diet lacking in vitamin B.

In all wars disease has been responsible for many more admissions to hospital than has enemy action. In Macedonia, during the war of 1914-1918, 27 cases of disease, chiefly malaria, were admitted to hospital for every wounded patient; while in East Africa, where dysentery was the principal foe, the ratio was as high as 33 to 1. The Serbian Army was defeated by typhus, not by the Bulgars. In 1943 the incidence of malaria in certain islands in the South West Pacific rose to 80 per 1,000 a week (over 4,000 per 1,000 per annum), while a similar incidence for dysentery was encountered in parts of Burma.

Medical recommendations may clash with strategical and tactical considerations and may therefore be impossible to fulfil. The ruthless removal of a native village from the outskirts of a military camp, however desirable from the view point of the hygienist, may have to be renounced for political reasons. The only suitable ground for a landing strip may be alongside a malarial marsh. Compromise is often inevitable. It may not be possible to ensure an absolute minimum of avoidable disease, but the most strenuous efforts must always be made to reduce ill-health, and sub-health, to the lowest possible level, by applying the principles of preventive medicine which are set out in this publication.

H. E. WHITTINGHAM,
Director-General of Medical Services,
Royal Air Force.

February, 1946.

CONTENTS

	<i>Foreword</i>	
<i>Chapter</i>	<i>Subject</i>	<i>Page</i>
I—PERSONAL HYGIENE	1-5
II—WATER	7-21
III—FOOD AND NUTRITION	22-38
IV—ENVIRONMENT	39-110
Section I	Climatology	39-54
,, II	Pathological effects of great heat	54-67
,, III	Pathological effects of extreme cold	67-70
,, IV	Buildings	70-80
,, V	Clothing	80-85
,, VI	Heating	86-88
,, VII	Lighting	88-98
,, VIII	Ventilation	99-103
,, IX	Hygiene and sanitation of tented camps	103-106
,, X	Industrial hazards	106-110
V—CONSERVANCY	111-147
Section I	Sewage disposal works	111-120
,, II	Field sanitary appliances—urinals	121-126
,, III	Field sanitary appliances—latrines	127-134
,, IV	Disposal of sullage water	135-138
,, V	Refuse disposal in the field	139-147
VI—COMMUNICABLE DISEASES	148-191
Section I	Control, general measures	148-149
,, II	Control of the droplet infections	149-155
,, III	Control of individual diseases	156-191
VII—DISINFECTION AND DISINFESTATION	192-205
Section I	Disinfection	192-198
,, II	Disinfestation	198-200
,, III	DDT	200-205
,, IV	Other insecticides and repellents	205
<i>Index</i>	206-213

INDEX TO ILLUSTRATIONS AND TABLES

<i>Subject</i>		<i>Page</i>
Buildings :		
Chimney flashings	Fig. 10	74-75
Cookhouse, 1,000 men, layout	Table X	79
Damp courses, hollow walls	Fig. 8	72
Damp courses, solid walls	Fig. 9	73
Climate :		
Basic scale of corrected effective (or effective) temperature	Fig. 7	62
Climate map	Fig. 5	53
Relative humidity table	Table VII	51
Normal scale of corrected effective (or effective) temperature	Fig. 6	60
Temperature - humidity records at selected places on the globe.	Table VI	42-49
Clothing :		
Cold climate scale	Table XI	81
For special occupations	Table XII	84-85
Communicable diseases :		
Droplet infections—incubation and isolation periods	Table XXIV	151
Louse—life cycle	Fig. 38	185
Mosquitoes	Fig. 36	169
Schistosomiasis	Fig. 37	179
Dental :		
Tooth brushing	Fig. 1	vi
Diet :		
Balanced diet	Table III	34
Calories—daily requirements	Table II	34
Foodstuffs—nutritive value of	Table I	30-31
Minerals—daily requirements	Table IV	34
Vitamins—daily requirements	Table IV	34
Disinfectors :		
Improvised box-type, steam	Fig. 39	193
Portable, large, Type B	Fig. 40	194
Portable, small, Type B	Fig. 41	195
Table of steam temperature variations according to pressure .. .	Table XXV	196
Disinfestation :		
DDT—solvents	Table XXVI	204
DDT—useful data	Table XXVII	205


<i>Subject</i>		<i>Page</i>
Food Handling :		
Period of exclusion from food handling after apparent cure	Table V	.. 37
Incinerators :		
Bailleul	Fig. 29	.. 143
Beehive	Fig. 30	.. 144
Cairn	Fig. 35	.. 147
Corrugated iron, portable	Fig. 33	.. 147
Horsfall destructor	Fig. 28	.. 141
Inclined plane	Fig. 34	.. 144
Open circular	Fig. 31	.. 145
Open square	Fig. 32	.. 145
Latrines :		
Bored hole	Fig. 24	.. 132
Deep trench	Fig. 23	.. 129
Pail	Fig. 25	.. 133
Shallow trench	Fig. 22	.. 129
Lighting :		
Coefficient of utilization	Table XVII	.. 97
Lamp spacing	Table XIV	.. 94
Lighting fixtures, design	Fig. 12	.. 92
Light reflection, factors	Table XVI	.. 96
Lumen ratings, electric discharge lamps	Table XIX	.. 98
Lumen ratings, gas filled lamps .. .	Table XVIII	.. 98
Natural lighting, sky angle	Fig. 11	.. 90
Room lighting index	Table XV	.. 95
Standards of illumination	Table XIII	.. 91
Refuse :		
Common means of disposal in the field	Table XXIII	.. 146
Sewage :		
Activated sludge (Simplex process) .. .	Fig. 16	.. 118
Horizontal-flow tanks	Fig. 14	.. 112
Sedimentation tank and filter, upward flow	Fig. 15	.. 115
Septic tank	Fig. 17	.. 119-120
Sullage :		
Cold water grease trap	Fig. 27	.. 136
Tents :		
Daily airing	Fig. 13	.. 104
Types and capacity	Table XXII	.. 104

v


	<i>Subject</i>		<i>Page</i>
Urinals :			
Funnel	Fig. 18	.. 122-123
Oil drum	Fig. 20	.. 124
Petrol drum	Fig. 21	.. 126
Soakage pit	Fig. 18	.. 123
Trough	Fig. 19	.. 124
Ventilation :			
Fans, extractor—running speeds and output	Table XXI	.. 101
Natural ventilation—scales	Table XX	.. 100
Tents	Fig. 13	.. 104
Water :			
Basic requirements—guide	Table VIII	.. 57
Metafilter purifying apparatus	Fig. 3 10
Sources of supply	Fig. 2 6
Sweat loss in pints per hour	Table IX.	.. 58
Two-bottle method of purification	Fig. 4 14

FIG. 1

UPPER




Position 1




Position 2

LOWER



Position 1



Position 2



Position 3

TOOTH BRUSHING

	<i>Page</i>		<i>Page</i>
Accident precautions ..	108-109	Carbohydrate, daily minimum ..	23
Acclimatization ..	56-57	Carbon dioxide, content of air ..	99
Activated sludge process ..	118	Carotene ..	23
Adenylic acid ..	25	Carriers 36-37, 156, 157, 158, 159, 160, 161, 166, 178	
Aedes aegypti ..	77, 158, 169, 190	Castellani's paint ..	4
albopictus ..	158	Centipedes ..	203
index ..	190	Central heating ..	78
Aerial disinfection ..	153	by hot air ..	88
Aerosols ..	153	by hot water ..	88
Aertrycke ..	163	by steam ..	88
Air brick ..	100	Cerebro-spinal fever ..	151, 152, 156
conditioning ..	65-66, 101	Chancroid ..	156-157
movement, comfort level	59, 61, 86	Cheese ..	23
velocities ..	61	Chemical preservatives permissible in U.K. in food ..	36
Alibour water ..	3	Chemoprophylaxis ..	148, 155, 156-191
Aneurin ..	24	Chicken pox ..	157
Angus' opening figure ..	150	Chimney flashings ..	74, 75
Anthrax present in meat ..	35	Chlorides, test and urinary ..	67
Anti-amaryl measures ..	190-191	Chlorine in diet ..	23
catarrhal vaccine ..	155	Chlorotex test ..	17
scurvy vitamin ..	25	Cholera ..	37, 158
Antimony from enamelware ..	102	Civilization and climate ..	39
Anti-tetanic serum ..	70	Climates, classification of ..	50
Arid desert area, camps in ..	67	cold ..	54
Arthropods ..	184, 198, 204	ideal ..	41
Artificial cultivation, desert ..		sub-tropical ..	52
camps lighting ..	67	temperate ..	54
Ascorbic acid ..	25-26	tropical ..	50-53
Ashes, disposal ..	146	world map ..	53
Atebrin ..	168	Climatology—terms ..	50
Athletic contests, diet requirements ..	29	Closed circulation system ..	101
Atmospheric comfort ..	99	Closure assembly places ..	150
Attenuated virus ..	155, 190	Clothing, cold weather ..	80, 81
Bactericidal mists ..	153	discarding for comfort ..	65, 81
Bailleul incinerator ..	146	effective materials in dry and ..	
Baking ..	26	humid heat ..	55-56
Balanced diet components ..	22, 34	flying ..	82
Barehead ..	56	gas-proof ..	83
Barracks—design ..	77-78	hot weather ..	81-82
Bathing, prohibition of ..	167, 180	in hot environment ..	53-56
Batman—hygiene ..	37	louse-proof ..	83
Bed bugs ..	203	mite-proof ..	83
Beehive incinerator ..	146	mosquito-proof ..	82
Beri-beri ..	24	personal—risks on sharing ..	5
Bites—risk ..	168, 174, 175, 177, 186-188, 190	special occupations ..	83-84
Blanket oiling ..	154	Cobalt in diet ..	23
Bleeding gums ..	27	Cockroaches ..	203
Body temperature ..	54	Cold climates, range ..	54
Botulism ..	164	extreme—pathological effects ..	
Bread—examination of ..	35	of ..	66-70
Brynje clothing ..	69	variation from normal diet ..	
Bubonic plague ..	172	required ..	29
Buildings, construction ..	70, 76-77	water grease traps ..	135-139
design ..	77-80	Comfort zones, effective temperatures ..	61
heating ..	87-88	Common cold ..	151, 155
insulation ..	65	Communicable diseases, control ..	148-191
lay out ..	71	Conduction heating ..	87
lighting ..	71	Conservancy ..	104-105, 111-147
siting ..	70-71	Construction ..	76-77
Burial of refuse ..	140	Contacts, quarantine of ..	148, 150, 158, 159, 171, 172, 174, 186, 188, 189, 190
Burns, protection against ..	82	Control of individual diseases ..	
Bush shirt ..	82	outbreaks, action ..	156-191
Cairn incinerator ..	146	Convection heating ..	87
Calcium in diet ..	23	Cookhouses—design ..	77-78
Calorie requirements ..	34	hygiene ..	36
Camp siting in hot environment ..	67, 170-171, 188	Cooking processes ..	28
Camps, tented ..	71, 103-106		

	Page		Page
Cooks, hygiene of ..	36-38	Electrical heating ..	88
Cooling requirements ..	86	Ellsworth Huntington ..	39
Cooper's pane ..	100	Enteric carriers ..	38
Copper in diet ..	23	fever ..	38, 161-162
in water ..	9	Environment ..	39-110
Cox type vaccines ..	186	Epidemics—control ..	148-155
Culicinae ..	169	Epidermophytosis ..	3
Current disinfection ..	148	Epistaxis ..	27
Curtilage ..	71	Equatorial rainfall ..	41
Cyclonic activity—effects ..	40	Escape kit ..	82
Damp cleaning ..	154	Evaporating pans ..	138
Dampness (buildings) ..	76	Evaporation of sullage ..	138
Daylight factor protractor ..	90	Exercise in hot climates ..	66
DBP ..	205	open air ..	150, 156
DDT ..	200-205	Extractor fans ..	101
insect control by ..	159, 170, 177, 202-204	Fabrics, notes on ..	55-56, 68-69
precautions in use ..	204	Face masks ..	152
preparations ..	201-202	Factories Act, 1937—cubic space allowance ..	102
solubility ..	204	Factories (Standards of Light- ing) Regulations, 1941 ..	92
toxicity ..	201	Faeces—disposal ..	140
useful data ..	205	Famine ..	149
Dehumidifying ..	76	Fans extractor ..	65, 101
Dehydrated vegetables ..	26	running speeds ..	101
Dehydration ..	37, 58	velocities, removal of solid particles ..	102
Dengue ..	158-159	Fat—daily minimum ..	22-23
Dermatophytes ..	4	Fatigue ..	109
Dermatophytosis ..	3	Feeding utensils—sterilization ..	153
Diarrhoea ..	38, 64, 163	Field latrines ..	127-134
Diet ..	22-34	Fish—examination ..	35
alterations required by vary- ing conditions ..	29	Flap valves ..	100
and resistance to disease ..	155	Fleas ..	203
balanced ..	34	Flexner bacillus ..	160
components of adequate ..	27-28	Floorsprays ..	103
energy value for R.A.F. and W.A.A.F. ..	27	Fluorescent lighting ..	91
for athletic contests ..	29	Flyproofing ..	78, 106, 128, 134, 161
cold climates ..	29	Food composition ..	30-33
hot climates ..	29, 66	handlers—hygiene ..	38-38, 184
mental work ..	29	periods of exclusion after apparent cure ..	37
muscular work ..	29	Poisoning ..	162-163
Dietary requirements ..	27-29	botulism ..	164
Dining halls ..	80	non-specific bacterial ..	162-163
Diphtheria ..	151, 154, 159-160	Salmonellosis ..	163-164
Disinfectants ..	197	staphylococcus ..	163
Disinfection ..	153, 192-198	various other sources ..	162
Disinfestation ..	198-200	preservatives permitted in U.K. ..	36
Domestic services (buildings) ..	71	serving of ..	28
Dried foodstuffs ..	26	Foods, prepared, precautions ..	163
Droplet infections—control ..	149-155	Foodstuffs—examination ..	35-36
quarantine periods ..	150	Footbaths ..	5
Dust—control ..	153-154	Foot candles ..	88
dispersal ..	153-154	Formaldehyde ..	162, 197
extraction ..	100, 102	Formalin ..	197
Dusting powder ..	1, 5	Freon ..	67
Dysentery, amoebic ..	37, 38, 160	Fresh air per person ..	99
bacillary ..	160-161	Frostbite ..	67-70
Dysuria ..	64	aetiology ..	67-68
Eating utensils, sterilization ..	152	pathology ..	67-70
Effective temperature ..	60, 62	prevention ..	68-69
Eggs—examination ..	35	treatment ..	69-70
		Frying ..	26
		Funnel urinal ..	121-124

	<i>Page</i>		<i>Page</i>
Gaertner ..	163	Illumination—	
Gametocyte ..	168-170	coefficient of utilization ..	97
Gammexane ..	205	daylight factor ..	90
Garbage—disposal		fluorescent ..	91
feeding to pigs, warning ..	36-183	foot candles ..	91
Gargling—inadvisable		full moon ..	89
instances ..	152, 166, 174, 178	industrial ..	89
Genitian violet ..	4	lamp spacing ..	94
German measles ..	164-165	lumen ratings (gas-filled	
Germicidal smokes ..	153	lamps) ..	98
Glare ..	89	(electric discharge lamps) ..	98
Goutre ..	23	lux values ..	89
Gonorrhoea ..	165	photo-electric control ..	90
Grease traps ..	78, 135, 137, 138	quality ..	89-92
Green vegetables ..	23	reflection factors ..	96
Haemolytic streptococcus ..	177	room index ..	95
Haemophilia ..	27	sky angle ..	99
Hair ..	25	standards ..	91
Heat—acclimatization to		summer sun ..	89
clinical effects ..	55-57	tone values ..	89
cramps ..	63-64	Immersion foot ..	67-70
exhaustion ..	64	Immunization 148, 155, 158, 159,	
hyperpyrexia ..	64	162, 171, 172, 174, 186, 187, 190	
insulation ..	65	danger ..	177-178
intolerance ..	57	indiscriminate active ..	154
physiological principles ..	54	infants ..	159, 189
prickly ..	5, 64	passive ..	154, 159
prophylaxis ..	64-67	Schick testing ..	159
protection against building ..	76-77	specific 154, 155, 158, 159, 162,	
reaction to ..	54-58, 63-64	171, 172, 186, 187, 190	
stroke centres ..	67	value doubtful 154, 155, 161,	
Heating:		166, 172, 174, 187, 188	
of buildings ..	86, 87-88	Impetigo ..	3
Hepatitis—acute infective ..	166-167	Incentive ..	107
Herpes zoster ..	157	Incineration ..	105, 139-140
Herring bone drainage ..	138	Incinerators—	
Horrocks' test ..	15-17	Bailleul ..	142
Horseflesh ..	35	beehive ..	142
Horsfall destructor ..	142	cairn ..	146
Hot climate—acclimatization		characteristics of good ..	140
diet ..	66	Horsfall ..	142
educative measures ..	66	inclined plane ..	146
environment—		open types ..	142
air movement ..	86	portable ..	142
camp siting ..	67	Incubation periods, droplet in-	
clothing ..	55-56	fections ..	151
discomfort level ..	61	Indalone ..	205
marching in ..	57	Industrial ..	106-110
pathological effects ..	54-57	accident precautions ..	108-109
prophylaxis ..	64-67	bench height ..	109
reinforcement—natural ..		breaches discipline ..	106
body cooling ..	64, 65	clothing ..	80, 83, 84-85
rest and leave ..	66	hours of work ..	107-108
variation of normal diet ..		medical officers' duties ..	106
required ..	66	posture ..	108
Hours of work—		principles of health—	
hot environment ..	63, 66	seats, women workers ..	109
industry ..	107-108	toxic hazards ..	109
Houseflies ..	263	welfare ..	109, 150
Humidity—		Infections, specific ..	1-5
absolute ..	50	Infestations, specific ..	1-5
effects of ..	40-41	Influenza ..	154, 166
relative ..	50, 51	virus vaccine ..	155
technical terms ..	49	Inoculation ..	154-155
Humus tank ..	113	Insecticides ..	200
Hygienist's responsibility ..	39	Insect vectors, control ..	148, 198
Hyperpyrexia ..	64	Insulation of buildings (tropics) ..	65
Ice cream ..	162	Inter-Allied Food Commission ..	
Ictero-haemorrhagic spiro-		(fat minimum) ..	23
chaetosis ..	167	Intestinal worm infections ..	37

	Page		Page
Iodine in diet ..	23	Louvred clerestories ..	106
Iron in diet ..	23	Lucerne ..	27
in water ..	9	Lumen ..	93
Irrigated garden area (camps in) ..	67	Lux ..	88
Isolation periods ..	148		
Isotherm ..	50, 181		
I.T.V. ..	181		
Japanese river fever ..	187	M3349 and 4888 ..	170
Jaundice ..	166-167	Magnesium in diet ..	23
acute, catarrhal ..	166-167	Malaria ..	168-171
haemorrhagic ..	167	causative factor in hyper- ..	
Kata thermometer ..	59	pyrexia ..	64
Khus khus tatties ..	65	control ..	170-171
Kieselguhr ..	11, 15	Malnutrition ..	149, 155
Kitchens—design ..	80	Manganese in diet ..	23
hygiene ..	36	Manure—disposal ..	146
Klebs Loeffler bacillus ..	159	Margarine, reinforced ..	26
Lactation, failure ..	25	Marsh, F ..	63, 64
Lamp spacing ..	94	Mass chemoprophylaxis not ..	
Lancefield's Group ..	152	advised ..	155
Lathyrism ..	162	miniature radiography ..	184
Latrines ..	127-134	Maximum and minimum ther- ..	
bored hole ..	131-132	mometer ..	59
construction—general prin- ..		Measles ..	151, 155, 171
ples ..	128	Meat—examination ..	35
container types ..	127	Medical observation in hot ..	
deep trench ..	130-131	environment ..	66-67
emptying ..	139	Medicated hair oil ..	2
excavated types ..	127	Mediterranean rainfall ..	41
number of users ..	127	Meningitis, meningococcal ..	156
Otway pit ..	134	Mental work diet requirements ..	29
pail ..	133-134	Mepacrine—suppressive dosage ..	168
shallow trench ..	128-130	Merchant Shipping Act, 1926 ..	
Lead in water ..	9	(cubic space allowance) ..	103
Leave from hot environments ..	66	Messes—design ..	77-78
Lighting ..	88-93	hygiene ..	36
artificial ..	91	Metafilter ..	10
buildings ..	89-90	Milk-borne infection ..	163
coefficient of utilization ..	97	Mineral waters ..	162
daylight ..	90	Minerals—in diet ..	23
design ..	92	requirements, daily ..	23, 34
fluorescent ..	91	Missenden's dry resultant ther- ..	
foot candles ..	91	mometer ..	59
formula, use of ..	93	Mites ..	203
index, rooms ..	95	Monsoon ..	41
industrial ..	89	Mosquitoes ..	168, 169, 170, 202-203
natural ..	61, 89-90	Mosquito-proofing ..	77, 170
quality ..	89-92	Mumps ..	181, 171-172
reflection factors ..	96	Muscular work, diet require- ..	
spacing of lamps ..	94	ments ..	29
standards ..	91		
Liver disease ..	27	Nasal douching and spraying ..	152
Louse 1-2, 175-176, 185, 186, ..	198, 203	when inadvisable ..	152
Local warmth, when to avoid ..	application ..	swabbing ..	152
	69-70	Natural body cooling, reinforce- ..	
		ment of ..	65
		Neisseria gonorrhoeae ..	165
		meningitidis ..	156
		Nematode worm ..	182
		Net residential densities ..	61
		Nicotinamide ..	25
		Nicotinic acid ..	24
		Night vision ..	24
		Night work ..	108
		Nits ..	1
		Nose-bleeding ..	27

	<i>Page</i>		<i>Page</i>
Notifiable diseases—			
Botulism .. .	164	Panthothenic acid .. .	25
Cerebro-spinal fever .. .	156	Paprika .. .	28
Chancroid .. .	156-157	Paratyphoid fever .. .	37
Chicken pox .. .	157	Paris green .. .	170
Cholera .. .	158	Pasteurization .. .	160, 162, 178, 189
Dengue .. .	158-159	Patio .. .	77
Diphtheria .. .	159-160	Pediculosis .. .	1
Dysentery .. .	160-161	Pellagra .. .	24
Enteric fever .. .	161-162	Penicillin .. .	3
bact. proven .. .	162	Perceptible draught .. .	56
clinical .. .	162	Percolating filters .. .	113
Food poisoning .. .	162-164	Perimeter of an airfield, definition .. .	191
salmonellosis .. .	163-164	Personal hygiene .. .	1-5, 152
staphylococcus .. .	163	Persons per acre .. .	71
Gonorrhoea .. .	165	Phlebotomus fever .. .	176-177
Influenza .. .	166	papatasii .. .	177
Jaundice, acute catarrhal haemorrhagic .. .	166-167	Phosphorus in diet .. .	23
Malaria .. .	167	Pig farm hygiene .. .	183
Measles .. .	171	Pitot tube .. .	59
Mumps .. .	171-172	Plague .. .	77, 151, 172-173
Phlebotomus fever .. .	176-177	Plasmodium falciparum .. .	168
Plague .. .	172-173	malariae .. .	168
Pneumonia .. .	173	ovale .. .	168
acute influenzal .. .	166	vivax .. .	168
Polioencephalitis .. .	173-174	Plate waste .. .	28
Poliomylitis .. .	173-174	Plenum system, ventilation .. .	101-102
Rabies .. .	174-175	Plummer-Vinson syndrome .. .	25
Relapsing fever .. .	175-176	Pneumonia .. .	166, 173
Sandfly fever .. .	176-177	Pneumonic plague .. .	151-172
Scarlet fever .. .	177-178	Poisoning, detoxicating agent .. .	173-174
Schistosomiasis .. .	178-180	Polioencephalitis .. .	151, 152, 173-174
Smallpox .. .	180-182	Poliomyelitis .. .	151, 173-174
Syphilis .. .	182	Pork—cooking warning .. .	182-183
Trichinosis .. .	182-183	Posture .. .	106
Tuberculosis .. .	183-184	Potassium in diet .. .	23
Typhus .. .	184-188	Potatoes .. .	28
murine .. .	186-187	Preservatives, food .. .	162
scrub .. .	187	illegal in U.K. .. .	162
tick .. .	187	permitted in U.K. .. .	36
Undulant fever .. .	188-189	Preserved food—examination .. .	35-36
Weil's disease .. .	187	Pressure fans .. .	101-102
Whooping cough .. .	189	Prickly heat .. .	51
Yellow fever .. .	190-191	Protein, daily minimum .. .	22
Nutrition .. .	149	Protection of sick attendants .. .	172
Nutritive components of food-stuffs .. .	31-34		
Observation .. .	148		
Open braziers .. .	87		
fireplace .. .	89		
Opening figure .. .	150	Quarantine .. .	148, 150, 158, 159,
Oral prophylaxis, when moderate .. .		171, 172, 174, 180, 186, 189, 190	
Ornithodoros .. .	176	periods, droplet infections .. .	150
Otway pit .. .	134	Quinacrine 168
Overcrowding .. .	150	Quinine 170
OX 2 .. .	187		
OX 19 .. .	186, 187	Rabies .. .	174-175
OXK .. .	187	Radiant heat sources 87
Oxygen, when to give .. .	70	Rainfall, types 41
		Rash (in scarlet fever) 177
Paints (British standard colours for ready-mixed) .. .	96	Rats .. .	77, 163, 164, 167, 173
Paludrine .. .	170	Rectal temperature danger level .. .	54
		Reflection factors 96

	<i>Page</i>		<i>Page</i>
Refrigerants ..	67	Six-One-Two (612) ..	205
Refuse disposal ..	139-147	Six's thermometer ..	59
burial ..	140	Six-Six-Six (666) ..	205
dry ..	139-140, 146	Size of lamp unit, estimation ..	92
liquid ..	146	Skin injuries, minor ..	55
swill ..	146	temperature ..	54
Relapsing fever ..	175-176	Sky angle ..	98
Remustered on medical grounds ..	37	Sling psychrometer ..	59
Repellents ..	205	Slouch hat ..	56
Repetitive work ..	108	Smallpox ..	180-181
Rest, in hot environment	Soakage pits ..	123, 138, 157
pauses ..	66	Sodium in diet ..	23
Re-vaccination—technique ..	181	Solar radiation thermometer ..	59
Riboflavin ..	24	Sonné ..	160
Rickettsia types ..	184	Sore throat, streptococcal ..	177
Rocky Mountain spotted fever ..	187	Space allowance standards, R.A.F. ..	103
Root gutters ..	77	in workrooms ..	103
Room lighting index ..	95	Spiders ..	203
Rooms, hot climates ..	77	Spinach ..	23
Rubella ..	151	Spitting ..	1, 152, 184, 188
Rutgers 612 ..	205	Spot cooling ..	66
Salads ..	26	Spotted fever ..	156
Salmonellosis ..	163-164	Staggered beds ..	149, 150
Salt depletion ..	58, 63	Staphylococcus food poisoning ..	163
' Eat more '	66	Steam disinfection ..	192
requirements in hot environments ..	58	Steaming (cooking) ..	26
Sandfly fever ..	176-177	Sterilization, eating and drinking	
Sausages—cooking warning ..	183	utensils ..	153
Scabies ..	2-3	food, milk, water ..	148
Scariatinia ..	177	Stewing ..	26
Scarlet fever ..	151, 152, 154, 177-178	Stokers' cramp ..	63
Schick testing ..	159	Storms, effect of ..	40
Schistosomiasis ..	178-180	Stripping to waist ..	65
Scorpions ..	203	Sub-tropical climates ..	52
Scrub typhus ..	167-188	Sub-tropics, definition ..	52
Scurvy ..	26	Sullage ..	135-138
Sedimentation tanks—		chemical precipitation ..	137
horizontal flow ..	113	cold water grease traps ..	135-137
upward flow ..	114	disposal effluents ..	138
Segregation ..	148	evaporation ..	138
Septic tanks ..	119-120	grease and soap separation ..	135
Sewage—amount per head per day ..	111	strainer traps ..	135
analyses interpretation ..	116-117	Sulphadiazine ..	156
composition ..	111	Sulphaguanidine ..	161
disposal works ..	111-113	Sulphanilamides ..	156
effluent-analysis ..	116-117	Sulphathiazole ..	156, 161
field test ..	117	Sulphonamide intolerance ..	25, 155
humus tank ..	46	Sulphonamides ..	155
management R.A.F. sewage works ..	113	Sulphur in diet ..	23
percolating filters ..	115-116	Sun helmet ..	56
principles of purification ..	113	Surveillance, definition ..	148
screening chamber ..	113	Swabbing when no value ..	154, 178
sedimentation tanks ..	113-116	Sweat—cessation of ..	58
sources ..	111	evaporation ..	58
standard pattern, variations in ..	117-119	loss, rates production ..	58
Shellfish ..	162	Swill bins ..	28
Sheringham valve ..	99	feeding to pigs, warning ..	183
Shiga bacillus ..	160	Syphilis ..	182
Silica dust risk ..	110		
Simplex process ..	118	T.A.B.C... ..	162
		T.A.F. ..	154
		Tsutsugamushi fever ..	187
		Teeth ..	vi
		Temperate climate, definition ..	
		rainfall ..	41

	Page		Page
Temperature—comfort	86	Vacuum heating, steam	88
effective scales	60-62	Vegetables, large-scale cooking	28
effects of	49	Venereal disease—	
measurement	86	chancre	156-157
monthly mean, selected places	86	early treatment	165, 182
of prognostic significance	42-49	gonorrhoea	165
optimal, for mental and		in food handlers	38
physical effort	61	prevention	182
requirements in buildings	86	syphilis	182
technical terms	59	Ventilation	99-103, 149-150
Temporary camps, lay-out	71	artificial	100-102
Tented camps	103-106	assessment of adequacy	102-103
Terminal disinfection	148	combined exhaust and	
		pressure systems	102
Teratans	70	exhaust systems	78, 100
Thermal environment, assessment		extractor cowl	100
ment	59-63	fanless exhaust ducts	100
Thermometers, various	59	flap valves	100
Thiamine	24	individual needs	149
Threshold of vision	88	louvered clerestories	100
Thyroxine	23	natural	99-100
Ticks	176, 203	opening figure	150
Tinea	3-4	pressure systems	101-102
Tinned food, examination	35-36	warmth as aid to	100
Tobin's tube	99	window supply gravity	
Toilet paper	128, 139	exhaust	101
Topee	56	Verandahs	76-77
Toxic hazards in industry, pre-cautions	109	Vernon globe thermometer	59
Trade preparations, toxicity	119	Vi agglutination	161
Trematode worms	178	Vibrio comma	158
Trench foot	67-70	Vision at night	24
Trench latrine	128-130	Visual purple	24
Trench urinal for 250 men	121	Visual threshold	88
Treponema pallidum	182	Vitamins—	
Trichinosis	182-183	Daily requirements,	34
Tropical climates	50-52	A signs of deficiency	23
rainfall	41	sources	24
Tropics, dry	52	B factors of	24
humid	52	sources	24
true, definition	50	B ₁ components	25
Trough urinal	125	results of deficiency	25
Tuberculosis, non-pulmonary	184	B complex	24-25
pulmonary	183-184	C deficiency effects	25-26
Typhoid carriers	37	destruction factors	26
Typhus	184-188	properties	26
flea-borne	184-186	sources	25-26
louse-borne	184	D action	26-27
mite-borne	188	deficiency effects	26
tick-borne	187	sources	27
		E effects	27
Ultra-violet light	91, 153, 155	sources	27
Undulant fever	37, 188-189	K action	27
Urinals	121-126	effects	27
disposal contents	125	sources	27
field	121-126	P	26
funnel	121-124		
pail	125	Walls	72, 73, 76
shallow trench	121	War chemicals in water	9
trough	125	Washing-up after meals	153
Urinary chlorides, test for	67	Water	6, 21
Urine, pollution subsoil	121	analysis	18
production per day	121	bact examination	18
		balance in hot environment	57
Vaccination	180-182	basic needs at varying mean	
of calves (experimental)	189	temperatures	57
reactions	181	boiling of	9
requirements for R.A.F. and		casual supplies precautions	19
W.A.A.F.	180-181	chemical analysis	19
		chloramination	12
		chlorination	11-12
		Chlorotex test	17

<i>Page</i>	<i>Page</i>
Water—(cont.)	
contaminated supplies, action	15, 18-19
daily requirements 7
dechlorination 12-13
'Drink more' 66
field supplies, action 13-15
filtration 9
Horrocks' test 15-17
impurities 9
mobile water carts 15, 106
M.O.'s responsibility 7, 17
new stations, permanent supplies 19
permanent stations, supplies 13
permanent water supplies 17-18
purification 9
quantities required 7
samples for analysis 17
Schistosomes in 15
sedimentation 9
sources of supply 6, 7-8
sterilization by chlorine 11-12
sterilizing tablets 13-15
superchlorination 12-13
supplies required daily per head at an R.A.F. unit 7
technique of sampling 19-21
tests for free chlorine 13
treatment in field 13-15
Weather manifestations, effect on health 40
Weil's disease 167
Weil Felix reaction 186, 187
Welders' goggles 106
Welfare of industrial workers	110
rainfall 41
West coasts of continents,	
Wet and dry bulb thermometers	59
Whitewashing 76
Whitfield's ointment 5
Whooping cough 151, 155, 189
Windows—	
clerestory 100
design 89
in hot climates 77
Wire screening 170
Woodwork in buildings in hot climates 77
Working hours 63
Work places, heating 86
lighting 88-98
ventilation 99-103
Xenopsylla cheopsis 186
X-ray mass miniature 184
Yeast 25, 28
Yellow fever 190-191
immunization 190
Zinc in water 9

LONDON

PRINTED AND PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE

To be purchased directly from H.M. STATIONERY OFFICE at the following addresses:

York House, Kingsway, London, W.C.2; 13a Castle Street, Edinburgh 2;

39-41 King Street, Manchester 2; 1 St. Andrew's Crescent, Cardiff;

80 Chichester Street, Belfast;

or through any bookseller

1947

Price 7s. 6d. net