

Progress
in Solving
Farm Problems
of Illinois

Report for
1947-48

University of Illinois
Agricultural Experiment Station

Progress in Solving Farm Problems of Illinois

Report of the 61st Year of the
Illinois Agricultural Experiment Station

July 1, 1947 — June 30, 1948

By **H. P. RUSK, Director**

URBANA, ILLINOIS 1950

LETTER OF TRANSMITTAL

Urbana, January, 1950

To the President:

I submit herewith for your use, and for transmission to the Board of Trustees, the Governor, and other officers as you may wish, a report of the work of the Agricultural Experiment Station of the University of Illinois for the year ending June 30, 1948.

Respectfully submitted,

A handwritten signature in black ink, appearing to read "H. P. Rusk". The signature is written in a cursive, flowing style with a large initial "H".

Director

CONTENTS

| | PAGE |
|---|------|
| AGRONOMY INVESTIGATIONS | 7 |
| LIVESTOCK INVESTIGATIONS..... | 44 |
| INVESTIGATIONS AT DIXON SPRINGS STATION..... | 72 |
| DAIRY PRODUCTION INVESTIGATIONS..... | 82 |
| INVESTIGATIONS IN FOOD TECHNOLOGY..... | 94 |
| VETERINARY MEDICINE INVESTIGATIONS..... | 102 |
| ENTOMOLOGY INVESTIGATIONS | 110 |
| INVESTIGATIONS IN AGRICULTURAL ECONOMICS..... | 124 |
| INVESTIGATIONS IN AGRICULTURAL ENGINEERING..... | 149 |
| FORESTRY INVESTIGATIONS..... | 162 |
| HORTICULTURAL INVESTIGATIONS..... | 170 |
| HOME ECONOMICS INVESTIGATIONS..... | 188 |
| PUBLICATIONS..... | 198 |
| ORGANIZATION | 206 |
| INCOME AND EXPENDITURES FOR 1947-48..... | 214 |
| SUBJECT INDEX..... | 215 |

Reports for the different departments were prepared under the supervision of the following representatives: C. M. WOODWORTH, Agronomy; L. E. CARD, Animal Science; W. G. KAMMLADE, Dixon Springs; W. B. NEVENS, Dairy; P. H. TRACY, Food Technology; JESSE SAMPSON, Veterinary Medicine; G. C. DECKER, Entomology; R. W. BARTLETT, Agricultural Economics; D. G. CARTER, Agricultural Engineering; R. W. LORENZ, Forestry; M. B. LINN, Horticulture; and HARRIET BARTO, Home Economics.

SUBJECT INDEX

| | PAGE |
|---|----------|
| Accounts | |
| family | 195 |
| farm | 135-139 |
| Acetonemia in cows..... | 107 |
| Alfalfa | |
| chemical composition..... | 12 |
| drying tests..... | 153 |
| Ranger, at Dixon Springs..... | 74 |
| reaction to bacterial wilt..... | 22 |
| Alfalfa meal for weanling pigs..... | 68 |
| Aluminum for farm buildings..... | 149 |
| Amino acids | |
| choline | 54 |
| for growing and adult animals..... | 44 |
| in cheese curing..... | 97 |
| interrelation with vitamins..... | 54 |
| lysine | 44 |
| tryptophan | 54, 55 |
| Antibiotics | 178 |
| Apple scab..... | 173, 177 |
| Apples | |
| hormone sprays..... | 181 |
| marketing | 128 |
| nitrogen applications..... | 181 |
| problems associated with DDT..... | 117 |
| scab controlled by fungicides..... | 177 |
| scab resistance of seedlings..... | 173 |
| spray schedules..... | 117 |
| spray-service warnings..... | 177 |
| waxes | 182 |
| Argentine black rape..... | 37 |
| Ash-alkalinity test of dry buttermilk..... | 96 |
| Atwater factors, can result in errors..... | 46 |
| Aviators, high protein meals contraindicated..... | 46 |
| Bacterial spot on peach | |
| effect of spraying..... | 176 |
| new technics used to study..... | 175 |
| Barley, variety tests..... | 43 |
| Beef | |
| fat content varies with cut and grade..... | 46 |
| riboflavin and thiamine in cooked roasts..... | 193 |
| yield from carcass depends on grade..... | 71 |
| BHC (benzene hexachloride) | |
| gladiolus thrips..... | 119 |
| grasshoppers | 115 |
| hog mange and lice..... | 122 |
| plum curculio on peaches..... | 118 |
| sweet-clover weevil..... | 116 |
| Birdsfoot trefoil | |
| adaptation | 23 |
| evaluation at Dixon Springs..... | 74 |
| inoculation of..... | 20 |
| Blood sugar in baby pigs..... | 108 |
| Bromegrass, variety tests..... | 40 |
| Buttermilk, dry, test for neutralizer..... | 96 |
| Cabbage worms..... | 117 |
| Calcium studies with growing girls..... | 188 |
| Caramels, quality of condensed milk in..... | 95 |
| Carnations, watering and fertilizing..... | 170, 171 |

| | PAGE |
|---|------------|
| Castor plants..... | 35 |
| Catfacing of peaches..... | 119 |
| Cattle | |
| beef | |
| distribution of feeders..... | 132 |
| economical finish for steers..... | 59 |
| effect of pasture on gains and quality..... | 60 |
| gains on legume-grass pastures..... | 76 |
| methods of managing..... | 79 |
| time and travel records..... | 159 |
| yield from carcass depends on grade..... | 71 |
| clinical ketosis (acetonemia)..... | 107 |
| dairy | |
| barns..... | 158 |
| blood pressure, measurement of..... | 91 |
| Brown Swiss milk, composition of..... | 82 |
| effect of soil fertilization on nutritive value of feeds..... | 84 |
| grain-feeding intensity determined..... | 82, 83 |
| grass-legume pastures..... | 87, 88, 89 |
| hyperkeratosis in..... | 105 |
| ketosis in..... | 92 |
| silage, sweet-Sudan grass and soybean..... | 88 |
| thyroprotein, effects of..... | 90 |
| time studies in feed consumption..... | 93 |
| leptospirosis..... | 106 |
| Cheese | |
| change in amino acids in curing..... | 97 |
| fat, changed by <i>Oospora lactis</i> | 98 |
| mold growth in packaged cheddar..... | 98 |
| Chickens <i>see</i> Poultry | |
| Chlordane | |
| alfalfa and red clover..... | 110 |
| grasshoppers..... | 115 |
| new insecticide..... | 123 |
| plum curculio on peaches..... | 118 |
| sweet-clover weevil..... | 116 |
| Chloromycetin..... | 178 |
| Chrysanthemums | |
| breeding studies..... | 172 |
| insects on..... | 119 |
| Clinical ketosis (acetonemia)..... | 107 |
| Clover | |
| new species evaluated at Dixon Springs..... | 74 |
| red | |
| chemical composition..... | 12 |
| variety tests..... | 21 |
| Cobalt for clinical ketosis..... | 107 |
| Codling moths..... | 117 |
| Compound # 118, new insecticide..... | 123 |
| Condensed milk in caramels..... | 95 |
| Conservation practices, effect on earnings..... | 142 |
| Conservation programs, capital requirements..... | 147 |
| Copper in ice-cream materials..... | 96 |
| Corn | |
| field | |
| cost and income per acre..... | 142 |
| cribs adapted..... | 155 |
| drier..... | 154 |
| ear rot..... | 31 |
| grains vary in protein..... | 17 |
| harvestability..... | 28 |

| | PAGE |
|--|------------|
| Corn, field (continued) | |
| high and low oil strains..... | 24, 26 |
| high and low protein strains..... | 24, 26 |
| high-moisture ear corn dried..... | 154 |
| hybrids tested..... | 27, 28, 32 |
| insecticides for..... | 113 |
| planting dates..... | 32 |
| poor soil, effect of..... | 48 |
| selecting ears in breeding..... | 27 |
| silage, hybrids tested..... | 93 |
| stalk rot..... | 30 |
| 2,4-D used on..... | 38 |
| sweet | |
| icing to maintain quality..... | 127 |
| injuries to seed..... | 186 |
| insecticides for..... | 112 |
| new varieties..... | 184 |
| Corn borers | |
| biological considerations..... | 110 |
| insecticides for..... | 112, 113 |
| parasites..... | 114 |
| Cream, frozen, oxidized flavor in..... | 97 |
| Cribs, corn, adapted for drying..... | 155 |
| Cucumbers, new varieties..... | 184 |
| Dairy cattle <i>see</i> Cattle, dairy | |
| DDBACC for fence posts..... | 165 |
| DDT | |
| alfalfa and red clover..... | 110 |
| apple sprays..... | 117 |
| cabbage..... | 117 |
| canning corn..... | 112 |
| dairy herds..... | 120 |
| field corn..... | 113 |
| gladiolus thrips..... | 119 |
| horse parasites..... | 109 |
| household pests..... | 122 |
| Hubbard squash..... | 116 |
| onions..... | 116 |
| peach catfacing..... | 119 |
| potatoes..... | 183 |
| sprayer built..... | 149 |
| stored-grain insects..... | 115 |
| sweet-clover weevil..... | 116 |
| Diet | |
| can increase tolerance to climatic stress..... | 45 |
| fuel value estimated..... | 46 |
| synthetic milk for calves..... | 50 |
| Diplodia stalk rot..... | 30 |
| Diseases | |
| animal | |
| veterinary research..... | 102-109 |
| <i>see also</i> Cattle, Poultry, etc. | |
| plant <i>see</i> individual crops | |
| Dixon Springs forest studies..... | 164 |
| Dixon Springs Station..... | 72- 81 |
| Drying | |
| adapting cribs for..... | 155 |
| baled alfalfa hay..... | 153 |
| hay..... | 89 |
| heating equipment used..... | 156 |
| high-moisture ear corn..... | 154 |

| | PAGE |
|--|----------|
| Earnings, farm | |
| effect of conservation practices..... | 142 |
| for different enterprises..... | 141 |
| from farm to farm..... | 139 |
| Eggs | |
| inheritance of size..... | 65 |
| marketing..... | 125 |
| Employment, farmers doing nonfarm work..... | 143 |
| Emulsifiers for ice cream..... | 94 |
| Farm buildings | |
| basic farmhouse..... | 161 |
| cribs..... | 154 |
| dairy barns..... | 158 |
| milkhouse..... | 158 |
| Farm-business accounts..... | 135-139 |
| Farm-family accounts..... | 195 |
| Farm-family living..... | 197 |
| Farm policies..... | 124 |
| Farming-type areas, income in..... | 137, 138 |
| Feeds, nutritive value affected by soil fertilization..... | 84 |
| Fence posts..... | 165-168 |
| Fertilizers | |
| amounts needed in Illinois..... | 11 |
| reduce loss of organic matter..... | 11 |
| Fescue, Alta, evaluation at Dixon Springs..... | 74 |
| Field bindweed, treated with 2,4-D..... | 39 |
| Flies, controlled by DDT..... | 121 |
| Food | |
| frozen, studies in..... | 191 |
| frozen-food lockers..... | 131 |
| increase in consumption..... | 129 |
| processing industries..... | 130 |
| sausage, frozen..... | 70 |
| technology studies..... | 94-101 |
| Food-composition tables..... | 46- 48 |
| Forest investigations..... | 162-169 |
| Forest survey..... | 165 |
| Formaldehyde fumigation for Newcastle disease..... | 103 |
| 4-H memorial camp for forest investigations..... | 162 |
| Fowl cholera in turkeys..... | 105 |
| Frozen food | |
| cooked and prepared dishes..... | 192 |
| fruits and vegetables..... | 192 |
| locker plants..... | 131 |
| sausage wrapped in various materials..... | 70 |
| Fruit <i>see</i> Apples, Peaches, etc. | |
| Gardenias, bud drop..... | 172 |
| Gastro-enteritis of swine..... | 107 |
| Gibberella stalk rot..... | 30 |
| Glabriolus thrips..... | 119 |
| Goats, milk..... | 84 |
| Grain, water and truck transportation..... | 133 |
| Grain-feeding intensity for dairy cattle..... | 82, 83 |
| Grapes, varieties grown..... | 183 |
| Grasshoppers | |
| BHC for..... | 115 |
| chlordane for..... | 115 |
| on alfalfa and red clover..... | 110 |
| Guar..... | 37 |

INDEX

| | PAGE |
|---|----------|
| Hay, crop driers for..... | 89 |
| Hogs <i>see</i> Swine | |
| Home, investment in different areas of..... | 197 |
| Hormone sprays on apples..... | 181 |
| Horses, strongylid parasite..... | 109 |
| Hyperkeratosis..... | 105 |
| Hypoglycemia..... | 108 |
| Ice cream | |
| emulsifiers in..... | 94 |
| iron and copper in..... | 96 |
| pasteurization temperatures..... | 101 |
| Income | |
| cash, varies..... | 135 |
| effect of high prices..... | 137 |
| reinvested as new capital..... | 140 |
| Inheritance, patterns of descent..... | 147 |
| Insecticides | |
| chrysanthemums..... | 119 |
| corn borers..... | 112, 113 |
| grasshoppers..... | 115 |
| hog mange and lice..... | 122 |
| household pests..... | 122 |
| new..... | 122 |
| peaches..... | 119 |
| poultry pests..... | 122 |
| stored-grain insects..... | 115 |
| <i>See also</i> BHC, Chlordane, DDT, Parathion, Ryania, Sodium selenate, TEPP | |
| Iodinated protein in feeds..... | 56 |
| Iron in ice-cream materials..... | 96 |
| Ketosis, clinical | 107 |
| Ketosis in dairy cattle..... | 92 |
| Labor costs in 1947 | 141 |
| Ladino clover | |
| cattle on mixture..... | 76 |
| chemical composition..... | 12 |
| gains by sheep on..... | 40 |
| Lake Decatur, silting of..... | 9 |
| Lambs <i>see</i> Sheep | |
| Land prices 1945-1948..... | 146 |
| Leafhoppers on alfalfa and red clover..... | 110 |
| Leasing practices near Chicago..... | 145 |
| Legumes, chemical composition of..... | 12 |
| <i>see also</i> individual legume crops | |
| Leptospirosis in cattle..... | 106 |
| Lespedeza, chemical composition..... | 12 |
| Lipase production in different media..... | 86 |
| Lockers for frozen foods..... | 131 |
| Lutheran church, rural programs..... | 135 |
| Lysine, biological values of..... | 44 |
| Marketing | |
| apples..... | 128 |
| eggs..... | 125 |
| milk..... | 128 |
| potatoes..... | 127 |
| soybean products..... | 130 |
| soybeans..... | 124 |
| strawberries..... | 128 |
| sweet corn..... | 127 |

| | PAGE |
|---|------|
| Metabolism | |
| relationship between amino acids and vitamins..... | 55 |
| stimulated by iodinated proteins..... | 56 |
| Milk | |
| Brown Swiss, composition of..... | 82 |
| condensed, in caramels..... | 95 |
| distribution costs..... | 128 |
| dried, stale flavor in..... | 98 |
| grain-feeding intensity for production of..... | 82 |
| methods of pricing..... | 129 |
| nutritive value affected by soil fertilization..... | 84 |
| oxygen content..... | 99 |
| phosphatase activity in..... | 95 |
| production increased by fly control..... | 120 |
| sampling methods..... | 99 |
| skim milk, effect on action of alkydimethylbenzylammonium chloride... | 86 |
| Minerals, lost in sweat..... | 45 |
| Morrow plots, lessons from..... | 13 |
| nutritive value of corn on..... | 49 |
| Mung beans..... | 37 |
| Newcastle disease | |
| formaldehyde fumigation for..... | 103 |
| methods of detecting..... | 102 |
| vaccine for..... | 103 |
| 9-20F (antibiotic)..... | 178 |
| Nitrogen | |
| effect on protein in corn..... | 17 |
| effectiveness varies..... | 15 |
| improves yield of soybeans..... | 19 |
| on apples..... | 181 |
| on carnations..... | 171 |
| residual effects..... | 16 |
| Nutrition | |
| amino-acid studies..... | 44 |
| calcium needs of growing girls..... | 188 |
| low-protein diets for adults..... | 189 |
| Oats | |
| costs and income per acre..... | 142 |
| improved strain distributed..... | 23 |
| spring varieties tested..... | 42 |
| Onion thrips..... | 116 |
| Onions, new hybrids..... | 184 |
| Organic matter | |
| absorbed by soil clays..... | 7 |
| losses reduced by legumes..... | 11 |
| Ownership of land..... | 146 |
| Oxidized flavor in frozen cream..... | 97 |
| Oxygen content of milk..... | 99 |
| Paint, galvanized roofing..... | 149 |
| Parasites | |
| on corn borers..... | 114 |
| reduced by DDT..... | 118 |
| Parathion | |
| cabbage..... | 117 |
| canning corn..... | 112 |
| greenhouse..... | 173 |
| Hubbard squash..... | 116 |
| new insecticide..... | 123 |
| two-spotted mite..... | 120 |

INDEX

| | PAGE |
|--|------------|
| Pasteurizers, home..... | 100 |
| Pasteurizing ice-cream mixes..... | 101 |
| Pasture | |
| effect on gains and quality of beef..... | 60 |
| grass-legumes for dairy cattle..... | 87 |
| studies at Dixon Springs..... | 73- 78 |
| sweet Sudan-soybeans for dairy cattle..... | 89 |
| Peaches | |
| bacterial spot..... | 175 |
| brown rot..... | 174, 177 |
| catfacing..... | 119 |
| insect control on..... | 118 |
| root and crown rot..... | 176 |
| shipping containers..... | 127 |
| sugar content..... | 180 |
| Pentachlorophenol for fence posts..... | 165 |
| Perilla..... | 36 |
| Phlox breeding studies..... | 173 |
| Phosphatase activity in milk..... | 95 |
| Phosphorus | |
| effect on protein in corn..... | 17 |
| on carnations..... | 171 |
| on tomatoes..... | 186 |
| Pigs <i>see</i> Swine | |
| Pituitary gland | |
| removed from pigs..... | 108 |
| removed from rats and chickens..... | 63 |
| Plum curculio..... | 118 |
| Potash on carnations..... | 171 |
| Potatoes | |
| DDT on..... | 183 |
| early harvesting..... | 183 |
| marketing of..... | 127 |
| Poultry | |
| blood supply in chicken ovary..... | 62 |
| egg size..... | 65 |
| insect pests..... | 122 |
| pullorum..... | 60, 63, 64 |
| shaker gene in chickens..... | 62 |
| turkey diseases..... | 104, 105 |
| X-rays change blood-cell count in chicks..... | 64 |
| Prices | |
| effect on income..... | 137 |
| eggs..... | 125 |
| farm land..... | 146 |
| farm products..... | 128 |
| milk..... | 129 |
| rose during 1947..... | 139 |
| soybeans..... | 124 |
| Protein | |
| adults adjust to low intakes..... | 189 |
| amount in corn can be controlled..... | 17 |
| in growing and adult animals..... | 44 |
| increased in soybeans..... | 19 |
| iodinated in feed..... | 56 |
| varies in corn grains..... | 17 |
| Pullorum disease | |
| effect of formaldehyde fumigation..... | 104 |
| good rations, effect of..... | 60 |
| relation to body temperature of chicks..... | 63 |
| tolerance of organism to sodium sulfamerazine..... | 64 |

| | PAGE |
|---|----------|
| Quaternary ammonium compounds..... | 86 |
| Rabbits, feeding experiments..... | 84 |
| Raspberries, sugar content..... | 180 |
| Red-banded leaf rollers..... | 118 |
| Red clover <i>see</i> Clover, red | |
| Riboflavin | |
| for growing pigs..... | 51 |
| for weanling pigs..... | 67 |
| in cooked beef..... | 193 |
| in cooked vegetables..... | 193 |
| Roses | |
| growing of..... | 170-171 |
| mites..... | 120 |
| Rural organizations..... | 133 |
| Rust preventives..... | 152 |
| Ryania on canning corn..... | 112 |
| Safflower..... | 37 |
| San Jose scale..... | 119 |
| Sausage, frozen, wrapping materials for..... | 69 |
| Savings of rural families..... | 195 |
| Schools, curricula..... | 134 |
| Separator, cream..... | 100 |
| Sesame..... | 36 |
| Sheep | |
| breeding studies..... | 81 |
| distribution of feeder lambs..... | 132 |
| ewes given added vitamin D..... | 58 |
| gains on Ladino clover..... | 40 |
| iodinated protein fed to ewes..... | 57 |
| sulfur in lamb feed..... | 58 |
| Silage | |
| corn hybrids tested..... | 93 |
| sweet Sudan-soybean for dairy cattle..... | 88 |
| Sinnissippi Forest..... | 162 |
| Slaughter plants, small..... | 131 |
| Smut treatment for wheat..... | 24 |
| Snapdragons, growing of..... | 170, 172 |
| Sodium selenate for chrysanthemums..... | 119 |
| Soil | |
| deposited in Lake Decatur..... | 9 |
| poor soil may produce poor feed corn..... | 48 |
| productivity influenced by depth of surface soil..... | 7 |
| surface runoff..... | 8 |
| survey..... | 7 |
| treatments affect pastures..... | 75 |
| Soil conservation at Dixon Springs..... | 72-74 |
| Soil fertilization, effect on nutritive values..... | 84 |
| Soil-testing laboratories..... | 11 |
| Sorghums, varieties tested..... | 37 |
| Soy flour in pastry and cakes..... | 193 |
| Soybeans | |
| cooking studies..... | 195 |
| costs and income per acre..... | 142 |
| diseases..... | 34 |
| market for products..... | 130 |
| price variations..... | 124 |
| protein increased..... | 19 |
| raw, not rich in B vitamins..... | 48 |
| related to clover failures..... | 19 |
| storage..... | 157 |
| variety tests..... | 33 |

| | PAGE |
|---|----------|
| Sprays | |
| against grasshoppers..... | 115 |
| methods on field corn..... | 113 |
| methods on sweet corn..... | 112 |
| Squash, Hubbard..... | 116 |
| Sterility in female swine..... | 69 |
| Strawberries | |
| frozen | 191 |
| marketing | 128 |
| new seedlings..... | 182 |
| sugar content..... | 180 |
| yellows | 176 |
| Streptomycin | 178, 179 |
| Strip cropping | 74 |
| Strip mines, cause tax problems..... | 146 |
| Strongylid larvae in horses..... | 109 |
| Sulfamerazine | |
| for fowl cholera..... | 105 |
| sodium, pullorum organism tolerant to..... | 64 |
| Sulfur in feed for lambs..... | 58 |
| Sunflowers | 35 |
| Sweat | 45 |
| Sweet-clover weevil..... | 116 |
| Sweet corn <i>see</i> Corn, sweet | |
| Swine | |
| B vitamins for..... | 67 |
| blood sugar in baby pigs..... | 108 |
| corn and soybean meal for pigs..... | 66 |
| gastro-enteritis | 107 |
| growing pigs need riboflavin..... | 51 |
| hog lice..... | 122 |
| hog mange..... | 122 |
| hypoglycemia | 108 |
| new color character in Hampshires..... | 65 |
| pig tissues analyzed for B vitamins..... | 56 |
| pituitary gland removed..... | 108 |
| practical sources of B vitamins..... | 68 |
| reproductive failures in female swine..... | 69 |
| riboflavin supplements for weanling pigs..... | 67 |
| supplements fed..... | 66 |
| supplements for brood sows..... | 68 |
| thiouracil fed..... | 66 |
| Synthetic-milk diet | |
| for calves..... | 50 |
| for growing pigs..... | 52 |
| Taxes, problems with strip mines..... | 146 |
| TEPP (tetraethyl pyrophosphate) | |
| for two-spotted mites..... | 120 |
| in greenhouse..... | 173 |
| new insecticide..... | 123 |
| Thiamine in cooked beef..... | 193 |
| Thiouracil in pig rations..... | 66 |
| Thrips on gladiolus..... | 119 |
| Thyroprotein, dairy cattle affected by..... | 90 |
| Time studies | |
| dairy cattle feed consumption..... | 92 |
| feeding beef cattle..... | 159 |
| handling feeder cattle..... | 141 |
| Timothy, new varieties tested at Dixon Springs..... | 74 |
| Tobacco-mosaic virus | 178 |

| | PAGE |
|--|----------|
| Tomatoes | |
| artificial ripening..... | 185 |
| color..... | 184, 185 |
| early blight on..... | 177 |
| new varieties..... | 184 |
| phosphorus applications..... | 186 |
| Tractors | |
| increasing efficiency through adjustments and repairs..... | 150 |
| time needed for different operations..... | 151 |
| Trade centers for farmers..... | 134 |
| Transportation of grain..... | 133 |
| Turkeys | |
| fowl cholera..... | 105 |
| new respiratory disease..... | 104 |
| 2,4-D | |
| against certain pathogenic fungi..... | 39 |
| on corn..... | 38 |
| on field bindweed..... | 39 |
| Ultrasonic waves..... | 99 |
| Vegetables | |
| new varieties..... | 184, 185 |
| <i>see also</i> individual vegetables..... | |
| Veneer-container industry..... | 168 |
| Vitamins | |
| amino acids changed to..... | 55 |
| B vitamins in pig rations..... | 67 |
| B vitamins in pig tissues..... | 56 |
| calf requires B vitamins..... | 50 |
| in cooked and frozen vegetables..... | 192, 193 |
| interrelated with other nutrients..... | 54 |
| needed by growing pigs..... | 52 |
| riboflavin for weanling pigs..... | 67 |
| soybeans not rich in B vitamins..... | 48 |
| vitamin D in sheep rations..... | 58 |
| Watering methods for greenhouse crops..... | 170 |
| Wax on apples..... | 182 |
| Weeds | |
| controlled with 2,4-D..... | 38 |
| mowing on pasture..... | 75 |
| Wheat | |
| spring, variety tests..... | 42 |
| winter | |
| evaluation tests..... | 41 |
| Royal distributed..... | 24 |
| smut treatment..... | 24 |
| Whey byproduct, fortified dried for weanling pigs..... | 68 |
| White pine, thinning studies..... | 163 |
| X disease (hyperkeratosis)..... | 105 |
| X-rays, changed blood-cell counts in chicks..... | 64 |
| Yellow trefoil, evaluation at Dixon Springs..... | 74 |
| Yellows of strawberries..... | 176 |
| Yields, crop, declined in 1947..... | 140 |