VITAMIN REQUIREMENT OF HUMAN ADULT

By F. M. Hume Etc.

### PRIVY COUNCIL

## MEDICAL RESEARCH COUNCIL SPECIAL REPORT SERIES No. 264

# VITAMIN A REQUIREMENT OF HUMAN ADULTS

AN EXPERIMENTAL STUDY OF VITAMIN A DEPRIVATION IN MAN

A Report of the Vitamin A Sub-Committee of the Accessory Food Factors Committee

(Compiled by E. M. HUME and H. A. KREBS)

LONDON: HIS MAJESTY'S STATIONERY OFFICE
1949

Universal Decimal Classification 612-392-013

### MEDICAL RESEARCH COUNCIL

The Rt. Hon. LORD BALFOUR OF BURLEIGH, D.L. (Chairman)

Sir WILLIAM GOODENOUGH, BART., D.L. (Treasurer)

Group-Captain C. A. B. WILCOCK, O.B.E., A.F.C., M.P.

Professor J. R. LEARMONTH, C.B.E., Ch.M., F.R.C.S.F.

A. N. DRURY, C.B.E., M.D., F.R.S.

Professor J. C. SPENCE, M.C., M.D., F.R.C.P.

Professor P. A. Buxton, C.M.G., M.R.C.S., F.R.S.

Professor Sir Alexander Fleming, M.B., F.R.C.S., F.R.C.P., F.R.S.

Professor C. A. LOVATT EVANS, D.Sc., F.R.C.P., F.R.S.

Professor R. A. Peters, M.C., M.D., F.R.S.

Professor J. H. GADDUM, Sc.D., M.R.C.S., F.R.S.

Professor H. P. Himsworth, M.D., F.R.C.P.

Sir Edward Mellanby, G.B.E., K.C.B., M.D., Sc.D., F.R.C.P., F.R.S. (Secretary)

### VITAMIN A SUB-COMMITTEE OF THE ACCESSORY FOOD FACTORS COMMITTEE\*

Sir EDWARD MELLANBY, G.B.E., K.C.B., M.D., Sc.D., F.R.C.P., F.R.S. (Chairman)

Miss K. H. COWARD, D.Sc.

S. K. Kon, D.Sc., Ph.D.

T. Moore, D.Sc., Ph.D.

Professor R. A. MORTON, D.Sc., Ph.D.

Miss E. M. Hume, M.A. (Secretary)

<sup>\*</sup> This Committee is appointed by the Medical Research Council jointly with the Lister Institute of Preventive Medicine.

### PREFACE

One of the surprises of the early months of war was the revelation of a disconcerting prevalence of scabies among the inhabitants of our larger cities. As a result, towards the end of 1940, the Ministry of Health approved proposals for an experimental study of the natural history and mode of transmission of the disease. The programme had as its central feature a plan for the deliberate introduction of the infestation among a small community of volunteers, upon whom it would be possible to make day-to-day observations over a long period, and for this purpose it was decided to seek the cooperation of conscientious objectors to military service, The scabies investigation, which was initiated and directed by Dr. Kenneth Mellanby, proved a success and the "Sorby Research Institute," as the converted villa in Sheffield where it took place was renamed, became the home of a series of experiments in human biology, which continued, at first under the Ministry of Health and then from the spring of 1942 under the Medical Research Council, for the next five years.

The study described in the present Report was made in response to a request from the Ministry of Food for information on the adult requirement of vitamin A or its precursor, carotene, and was planned and controlled by a team of workers, of which the nucleus was formed by members of the Vitamin A Sub-Committee of the Accessory Food Factors Committee. The investigation was made on volunteer conscientious objectors at the Sorby Research Institute, twenty men and three women, mostly between the ages of 20 and 30, cooperating in it. War conditions made it doubtful how long the inquiry could be continued, and for this and other reasons it was considered necessary to start the volunteers on the experimental diet with no preliminary period of observation. The plan adopted was to give sixteen of them a diet virtually devoid of vitamin A and carotene until unmistakable signs of deficiency appeared, and then to determine what dose of vitamin A or carotene was needed to ensure recovery to normal. The remaining seven volunteers served as positive controls, receiving the same diet as the main group, but with a prophylactic supplement of either vitamin A or carotene from various sources. The experiment began in July, 1942, and was expected to be complete in six to eight months.

In fact it lasted two years and even at the end not all the original expectations had been realized. After eight months of deprivation there was still no discernible change in the volunteers beyond a lowering of the blood carotenoids; this, though useless as a criterion of depletion, was at least evidence to the sceptical that the diet was not being evaded. Gradually there began to appear a drop in the vitamin A level of the plasma and a deterioration in the capacity for dark adaptation, the two changes that proved to be the only reliable criteria of depletion. By these criteria no more than three men could be judged "unmistakably" deficient and hence suitable for therapeutic tests, although several of the volunteers persisted with the diet for more than 18 months and one for over two years. No other unequivocal signs of deficiency were found in any of the sixteen deprived subjects at any time during the whole course of the experiment. Such abnormalities as follicular hyperkeratosis, conjunctival degenerations or undue fatigue—all commonly associated or thought to be associated with

3

vitamin A deficiency—were either absent or equally present in the deprived and the non-deprived or present in the same subjects both before and after depletion. Two cases of tuberculosis occurred among the volunteers but it was not possible to determine whether their occurrence during the experimental period was more than a coincidence.

The prolonged delay before the onset of nutritional changes, their sparse incidence and undramatic character aroused in the investigators a feeling of surprise which is in itself a measure of the novelty and value of the results achieved. It is clear that vitamin A deficiency is much less easily or rapidly induced in hitherto well-fed adults than has previously been supposed. This is a conclusion of practical importance, but it must not be overlooked that the scope of the present investigation was restricted and that its results are not applicable to the needs of children, pregnant or nursing mothers, or the chronically undernourished.

It is the negative conclusions of the experiment and a sense of the complexity inseparable from all such studies on human beings that are the dominant impressions left by a reading of this Report. The positive findings were too scanty to justify a precise estimate of the requirement of vitamin A or carotene, and the tentative recommendations subsequently made by the Sub-Committee allow a generous margin of safety and do not conflict with previous authoritative opinion. Emphasis is laid on the wide differences in the availability of carotene from various sources and the consequent undesirability of fixing any single figure for the carotene requirement.

Much of the interest of this long and elaborate investigation is to be found in the detailed descriptions of experimental technique and apparatus, and of the modifications and improvements introduced as a result of experience. Among the new developments may be mentioned Livingston's method of rod scotometry, which promises to provide a sensitive gauge of impaired night vision.

The volunteers were free to abandon this experiment whenever they chose. That they preferred to persevere month after month with the insipid monotony of their diet and the disagreeable routine of clinical and laboratory examinations is no small tribute to their tenacity and public spirit.

MEDICAL RESEARCH COUNCIL, 38 Old Queen Street, Westminster, London, S.W.1.

16th November 1948.

### **CONTENTS**

			Page
INTRODUCTION	•		7
Organization of the Research Team			9
Acknowledgments	••		10
•		••	
L-CONCISE ACCOUNT OF THE EXPERIMENT	• •		11
A.—General Plan			- 11
B.—Effects of the Vitamin A Deficient Diet			12
Criteria of deficiency	•••	١.	13
C.—Therapeutic Tests with Vitamin A and Caro	tene .		24
Vitamin A		• • •	24
Carotene	••		26
Summary of the effects of dosing			28
D.—Prophylactic Tests with Vitamin A and Card	otene		29
Vitamin A	• •		29
Carotene	• • •	• •	31
E.—Requirement of Vitamin A and Carotene	• •		39
Requirement in terms of vitamin A	•••		40
	••.,		41
Requirement of carotene in relation to its	availal	ollity	43
from different sources Effect of tocopherol or other stabilizers on t	ha car	· ·	. 42
		/IE/IE	43
requirement : Amount of β-carotene equivalent to vitamin	Ä	•••	43
Discussion of the literature	•••	• • •	44
II.—ELABORATION OF SPECIAL ASPECTS			46
F.—Measurements with the Adaptometer of Craik		٠.	46
Final rod threshold			46
Cone-rod transition time			46
G.—Comparison of Wald's and Craik's Adapton	ıeters		46
H.—Time Required for Maximum Dark Adaptat	ion		47
I.—" Seasonal" Changes in the Final Rod Thres	hold		50
J.—Rod Scotometry			54
Procedure			54
Effects of the deficient diet	• •		56
Effects of dosing	• •	• •	57
Conclusion	••	• •	58
K.—Effect of Consumption of Alcohol on Capacit	y for I	Dark	••
Adaptation and Plasma Values for Vitamin A		. • •	58
L.—An Examination of the Vitamin A Reserves in	a the I	iver	
of a Sample of the Population of Great Britain	1, Mad		43
T. Moore with the Assistance of A. C. Coo	per	•••	62
M.—A Study of the Normal Value for the Vitan	nin A	and	
Carotenoid Content of Human Blood Plasma	., Mad		65
T. Moore and Z. A. Leitner	• • •	• •	
N.—Is Carotene Synthesized in the Human Gut?	· • •	• •	71

				•		
I.—DETA	AILS OF THE EV	/IDENCE		~·		
0	Particulars and Ma	anagement of	the Vo	lunteer	s	
P.—	Diet		`			
, - '	Composition of				••	
	Adequacy of the		• • •	` · • •		
	Vitamin A poten		sal diet			
	Supplements of	vitamin A an	d carote	ene		
Q.—	Methods Used for	the Estimat	ion of	Vitami	n A, 7	[otal
-	Carotenoids and C	Carotene				
	Blood plasma			••		
	Faeces			,		
	Foodstuffs		,	• • •		• •
R.—	Measurement of the	he Capacity f	or Darl	k Adap	tation	
	Meaning and cha		f the dar	k adapi	tation (	curve
	Adaptometer of		• •	• •		• •
	Adaptometer of		• •		• •	
•	Technique of roo	•		• •	• •	• • •
S.—]	Particulars of Med			• •	• • •	• •
	Enlargement and					
	Summary of the					
	the slit-lamp e					
	Summary of the	-		•	audion	-
	measurements		 D. D			47 -
	Summary of the					
	psychological s	•				
	Statistical Report					
	Vitamin A and To			ne Bio	od Pla	sma,
	by J. O. Irwin			•••	• • •	
U.—	Monthly Average	Bodyweight f	or Each	i Volun	teer (7	able)
ENERAL	. SUMMARY	•• ••	• •			
EFEREN	CES					
	· · · · · · · · · · · · · · · · · · ·	••	• •	• •	• •	• •

#### REFERENCES

ABELS, J. C., GORHAM, A. T., PACK, G. T., and RHOADS, C. P. (1941) J. clin. Invest., 20, 749.

ANDERSON, R. K., and MILAM, D. F. (1945) J. Nutrit., 30, 11.

BERLINER, M. L. (1942) Amer. J. Ophthal., 25, 302.

BERLINER, M. L. (1943) Biomicroscopy of the Eye. Hamish Hamilton, London.

BOOHER, L. E. (1938) J. Amer. med. Ass., 110, 1920.

BOOHER, L. E., and Callison, E. C. (1939) J. Nutrit., 18, 459.

BOOHER, L. E., CALLISON, E. C., and HEWSTON, E. M. (1939) J. Nutrit., 17, 317.

BOOTH, V. H. (1945) J. Soc. chem. Ind., Lond., 64, 162.

Brenner, S., and Roberts, L. J. (1942) Federation Proc., 1, 188.

Brenner, S., and Roberts, L. J. (1943) Arch. intern. Med., 71, 474.

Callison, E. C., and Orent-Keiles, E. (1947) J. Nutrit., 34, 153.

CHEVALLIER, A. (1945) Personal communication.

CHEVALLIER, A., and MANUEL, S. (1941). Trav. Soc. Chim. biol., 23, 1203.

Clausen, S. W., Baum, W. S., McCoord, A. B., Rydeen, J. O., and Breese, B. B. (1940) *Science*, 91, 318.

CLAUSEN, S. W., BAUM, W. S., McCOORD, A. B., RYDEEN, J. O., and BREESE, B. B. (1942) J. Nutrit.; 24, 1.

Clausen, S. W., Breese, B. B., Baum, W. S., McCoord, A. B., and Rydeen, J. O. (1941) Science, 93, 21.

CLAUSEN, S. W., and McCoord, A. B. (1938) J. Pediat., 13, 635.

DANN, W. J., and Evelyn, K. A. (1938) Biochem. J., 32, 1008.

DAVIES, A. W. (1933) Biochem. J., 27, 1770.

DAVIES, A. W., and Moore, T. (1935) Biochem. J., 29, 147.

Davies, A. W., and Moore, T. (1941) Nature, Lond., 147, 794.

Dow, D. J., and Steven, D. M. (1941) J. Physiol., 100, 256.

EEKELEN, M. VAN (1931) Acta brev. neerl. Physiol., 1, 3.

EEKELEN, M. VAN, and EMMERIE, A. (1935) Acta brev. neerl. Physiol., 4, 171.

EEKELEN, M. VAN, EMMERIE, A., and WOLFF, L. K. (1937) Z. Vitaminforsch., 6, 150.

EEKELEN, M. van, and Pannevis, W. (1938) Nature, Lond., 141, 203.

EEKELEN, M. VAN, PANNEVIS, W., and ENGEL, C. (1938) Ned. Tijdschr. Geneesk., 2, 2641.

ELLISON, J. R., and Moore, T. (1937) Biochem. J., 31, 165.

Eriksen, B., and Höygaard, A. (1941) Klin. Wschr., 20, 200.

FERGUSON, W. J. W. (1944) Lancet, i, 431.

Frankau, I. M. (1943) Brit. med. J., ii, 601.

GILLAM, A. E., HENRY, K. M., and Kon, S. K. (1937) Milk and Nutrition. Nat. Inst. Res. Dairying, Reading.

GOUVEA, H. DE (1883) V. Graefes Arch. Ophthal., 29, 83.

GRAB, W., and Moll, T. (1939) Klin. Wschr., 18, 563.

GUERRANT, N. B., VANICH, M. G., and DUTCHER, R. A. (1945) Industr. Engng Chem., 37, 1240.

GUGGENHEIM, K. (1944) Biochem. J., 38, 260.

HAAS, J. H. DE, and MEULEMANS, O. (1938) Meded. Dienst Volksgezondh. Ned.-Ind., 27, 492.

HECHT, S. (1937) Physiol. Rev., 17, 239.

HECHT, S., HAIG, C., and CHASE, A. M. (1937) J. gen. Physiol., 20, 831.

HECHT, S., and MANDELBAUM, J. (1939) J. Amer. med. Ass., 112, 1910.

HECHT, S., and MANDELBAUM, J. (1940) Amer. J. Physiol., 130, 651.

HECHT. S., and SHLAER, S. (1938) J. opt. Soc. Amer., 28, 269.

HEYMANN, W. (1936) Amer. J. Dis. Child., 51, 273.

HIGHMAN, S. E. (1944) S. Afr. J. Med. Sci., 9, 69.

Носн, Н. (1943) Віоснет. Л., 37, 425.

HUME, E. M. (1939) Nature, Lond., 143, 22.

Hume, E. M. (1943) Nature, Lond., 151, 535. Kernohan, G. (1939) Science, 90, 623.

Kimble, M. S. (1939) J. Lab. clin. Med., 24, 1055.

KRUSE, H. D. (1941) Milbank mem. Fd quart. Bull., 19, 207.

LEAGUE OF NATIONS: TECHNICAL COMMISSION ON NUTRITION (1938)Ouart, Bull. Hlth Org. L. o. N., 7, 461.

LINDQVIST, T. (1938) Stüdien über das Vitamin A beim Menschen. Dissertation, Upsala. Acta med. scand., 98, Suppl. 97.

LIVINGSTON, P. C. (1944) Lancet, ii, 33.

McCance, R. A. (1933) Spec. Rep. Ser. Med. Res. Coun., Lond., No. 187.

McCance, R. A., and Lawrence, R. D. (1929) Spec. Rep. Ser. Med. Res. Coun., Lond., No. 135.

McCrudden, F. H. (1911) J. biol. Chem., 10, 187.

MACRAE, T. F., HENRY, K. M., and KON, S. K. (1943) Biochem. J., 37, 225.

MANDELBAUM, J. (1941) Reprint with additions from Arch. Ophthal., *N.Y.*, **26**, 203.

MANN, T. B. (1944) Analyst, 69, 34.

MEDICAL RESEARCH COUNCIL (1945a) Nutritive Values of Wartime Foods. War. Mem. No. 14, H.M.S.O.

MEDICAL RESEARCH COUNCIL (1945b) Food Yeast: A Survey of its Nutritive Value. War. Mem. No. 16, H.M.S.O.

MEDICAL RESEARCH COUNCIL: ALCOHOL COMMITTEE (1938)Alcohol; its Action on the Human Organism. H.M.S.O.

MEDICAL RESEARCH COUNCIL: VITAMIN A SUB-COMMITTEE AND ASSOCIATES (1945) Nature, Lond., 156, 11.

MELLANBY, K. (1943) Scabies. Oxford University Press.

MELLANBY, K. (1944) Brit. med. J., i, 689.

Mellanby, K. (1945) Human Guinea Pigs. London: Gollancz.

Menken, J. G. (1934) Over het Gehalte aan Vitamine-A en Carotinoïden in het Bloedserum van den Mensch en in de Moedermelk. Dissertation, Utrecht. Maandschr. Kindergeneesk., 4, 22.

Moore, L. A. (1940) Industr. Engng Chem., Anal. Ed., 12, 726.

MOORE, T. (1937) Biochem. J., 31, 155. MOORE, T. (1943) Biochem. J., 37, 112.

MURRILL, W. A., HORTON, P. B., LEIBERMANN, E., and NEWBURGH, L. H. (1941) J. clin. Invest., 20, 395.

NATIONAL RESEARCH COUNCIL: COMMITTEE ON FOOD AND NUTRITION (1941) J. Amer. med. Ass., 116, 2601.

NATIONAL RESEARCH COUNCIL: COMMITTEE ON FOOD AND NUTRITION (1945) Reprint and Circular Series No. 122. Recommended Dietary Allowances. Revised 1945.

NYLUND. C. E., and WITH, T. K. (1942) Vitamine u. Hormone, 2, 125.

PETERS, J. P., and VAN SLYKE, D. D. (1932) Quantitative Clinical Chemistry. Baillière, Tindall and Cox, London.

PETT, L. B. (1939) J. Lab. clin. Med., 25, 149.

PETT, L. B. (1940) Science, 92, 63.

POPPER, H., and STEIGMANN, F. (1943) J. Amer. med. Ass., 123, 1108.

ROBERTSON, G. W. (1941) Personal communication.

SCHEUNERT, A. (1947) Personal communication.

SHERMAN, H. C., CAMPBELL, H. L., UDILJAK, M., and YARMOLINSKY, H. (1945) Proc. nat. Acad. Sci., Wash., 31, 107.

SLOAN, L. L. (1939) Arch. Ophthal., 22, 233. SLOAN, L. L. (1947) Amer. J. Ophthal., 30, 705.

SNELL, E. E., and STRONG, F. M. (1939) Industr. Engng Chem., Anal. Ed., 11, 346.

SNELL, E. E., and WRIGHT, L. B. (1941) J. biol. Chem., 139, 675.

SOBIN, B., and STAHLY, G. L. (1942) J. Bact., 44, 265.

STANNUS, H. S. (1945) Proc. R. Soc. Med., 38, 337.

STEFFENS, L. F., BAIR, H. L., and SHEARD, C. (1939) Proc. Mayo Clin., 14, 698 (quoted by Mandelbaum, 1941).

STEVEN, D. M. (1943) Trans. Ophthal. Soc. U.K., 62, 259.

STEVEN, D., and WALD, G. (1941) J. Nutrit., 21, 461.

STILES, W. (1944) Brit. J. Ophthal., 28, 629; Proc. phys. Soc., 56, 329.

THOMPSON, S. Y. (1942) Chem. Ind., 61, 170.

VEEN, A. G. VAN, and LANZING, J. C. (1937) Verh. Akad. Wet., Amst., **40,** No. 9.

VIRTANEN, A. I., and KREULA, M. (1941) Hoppe-Seyl. Z., 270, 141.

WAGNER, K. H. (1940) Hoppe-Seyl. Z., 264, 153.

WAGNER, K. H. (1947) Personal communication.

WALD, G. (1941) J. opt. Soc. Amer., 31, 235.

WALD, G., BROUHA, L., and JOHNSON, R. E. (1942) Amer. J. Physiol., **137.** 551.

WALD, G., CARROLL, W. R., and SCIARRA, D. (1941) Science, 94, 95.

WALD, G., JEGHERS, H., and ARMINIO, J. (1938) Amer. J. Physiol., 123, 732.

WENDT, H. (1935) Klin. Wschr., 14, 9.

WIDDOWSON, E. M., and McCance, R. A. (1943) Lancet, i, 230.

WILLSTAEDT, H., and WITH, T. K. (1939) Z. Vitaminforsch., 9, 212.

WITH T. K. (1940) Thesis, Copenhagen. Einar Munksgaard.

WITH, T. K. (1941) Vitamine u. Hormone, 1, 443.

WITH, T. K. (1942) Vitamine u. Hormone, 4, 43. WOLFF, L. K. (1936) Schweiz. med. Wschr., 66, 979.

YARBROUGH, M. E., and DANN, W. J. (1941) J. Nutrit., 22, 597.

YUDKIN, J., ROBERTSON, G. W., and YUDKIN, S. (1943) Lancet, ii, 10.

YUDKIN, S. (1941a) Lancet, ii, 787.

YUDKIN, S. (1941b) Biochem. J., 35, 551.

ZEBEN, W. VAN (1945) Over de Resorptie van Carotine bij den Mensch. Thesis, Utrecht. Drukkerij Fa. Schotanus and Jens.

ZECHMEISTER, L. (1944) Chem. Rev., 34, 267.