

[Frontispiece.



PLATE I.—THE EDGE OF THE MANJHA.

A NATURALIST IN HINDUSTAN

BY THE SAME AUTHOR

A NATURALIST IN HIMALAYA

Demy 8vo. Illustrated. 18s. net

“Dr Hingston’s observations are patient and fascinating, and his narrative is vivid and convincing.”—*Times*.

“Constantly reminds one of the brilliancy of Fabre and the plodding perseverance of Darwin.”—*Manchester Guardian*.

“It is difficult to conceive of a writer on this topic making his subject more real and living than Major Hingston has succeeded in doing.”—*Science Progress*.

“Fabre has shown us the fascination of insect life, and Major R. W. G. Hingston is very little behind that great naturalist in intimacy of observation and descriptive power.”—*Liverpool Daily Post*.

A NATURALIST IN HINDUSTAN

R. W. G. HINGSTON, M.C., M.B.

FELLOW OF THE ROYAL GEOGRAPHICAL AND ZOOLOGICAL SOCIETIES

MAJOR, INDIAN MEDICAL SERVICE

Author of "A Naturalist in Himalaya"

WITH PLATES AND TEXT FIGURES

LONDON

H. F. & G. WITHERBY

326 HIGH HOLBORN, W.C.

1923



Manufactured in Great Britain

PREFACE

THIS volume is a record of Natural History relating to animal life. It is a collection of varied observations and experiments made during hours of occasional leisure at a station in the Indian plains. They have been gathered at intervals as opportunity offered, and have all been gleaned from one small patch of jungle in the secluded district of Fyzabad.

My first chapter describes the jungle itself ; it is merely a brief and passing notice, but it will serve to introduce the reader to the scene. The next six chapters record my observations on ants. I have selected four conspicuous species and have entered with detail into the economy of their lives. In the one I have discussed the organisation of the commune, the instincts on which its work depends, and the senses which guide it in its daily toil. Two others have supplied material for a comparison in behaviour, have disclosed how the communicating instinct has originated and the line along which it has evolved. In the fourth I have dwelt mainly on the cattle-tending instinct, that most interesting habit possessed by the species of constructing an elaborate variety of shed for the protection of those insects which supply it with juice. I then pass to four chapters of observations on spiders. First I consider those natal chambers which I found constructed on the blades of grass ; one chapter describes their graceful architecture, the other discusses a series of experiments made on the instincts of the architects themselves. I then come to the manufacture of an exquisite snare ; it is in a sense a modification of the circular pattern, but is constructed of an infinitely more delicate texture and shaped in the form of a hemispherical dome. I then pass to a second of still finer workmanship, since

the architect not only spreads her apron, but has also the power of twisting her filaments into innumerable spiral springs. The next three chapters deal with the dung-rolling beetles, and chiefly consist of a series of experiments made to elucidate the nature of the instincts employed in the performance of their peculiar work. Lastly I will describe the onset of the rains and the wealth of life that adorns the jungle at the burst of the south-west monsoon.

The few photographs should serve to illustrate the subjects discussed, and the sketches will make clear the appearance of those species whose habits and instincts come under review. I am glad to have this opportunity of thanking Miss Tassart, who has given me so freely of her artistic skill, and Mr Bainbrigge Fletcher, the Imperial Entomologist in India, to whose kindness in entomological matters I owe much.

I trust that my record may interest others who observe and investigate Nature's ways. I have tried to make it plain and simple, and have endeavoured to describe the living story in language intelligible to all. I have had little help from other records. I merely write what Nature shows me, and any omissions and errors are my own. The pages that follow are an earnest effort to interpret Nature's work, an attempt to penetrate her endless problems and disclose the truth which she reveals.

R. W. G. H.

CONTENTS

CHAPTER I

	PAGE
THE MANJHA	15
District of Fyzabad—Natural Features—Gogra River—Features of the Manjha—Dry Season—Effects of Monsoon—Animal Life—Half-wild Cattle—Bird Life—Features of River—Animal Life on River—Manjha by Night	

CHAPTER II

THE INDIAN BLACK ANT—GENERAL HABITS	24
Distribution—Types of Workers—Characters of Ant—Location of Formicary—Collection of Food—Ant-Cattle—Attention to Cattle—Attack on Cattle—Types of Cattle—Relation between Ants and Cattle—Ants appropriate Sheds—Distension with Juice—Transfer of Food—Enemies—Ejection of Poison—Treatment of Dead and Wounded—Cannibalism—Behaviour in Storm—Escape from Floods—Recreation—Sexual Forms	

CHAPTER III

THE INDIAN BLACK ANT—SPECIAL HABITS	45
Duties of smaller and larger Workers—Mode of Excavation—Value of Soldiers—Special Senses—Faculty of Communication—Summoning of Troop—Transfer of Information—Dispatch of Parties—Leadership of Troop—Successive Troops—Recognition of Route—Sense of Direction—Guidance by Scent—All Ants differ—Contrast with <i>Phidole</i>	

CHAPTER IV

THE INDIAN BLACK ANT—DIRECTIVE SENSE	61
Ability to find its Way—Experiments with Sticks—Sense of Smell and Sense of Direction—Observations bearing on Directive Sense—Experiments with Rotating Stick—Influence of Direction more powerful than Scent—Memory for Location—Experiments on Memory for Location—Summary of Experiments—Conclusion	

CHAPTER V

	PAGE
THE EVOLUTION OF INSTINCT	71
The Ashy and Silky Camponotus—Their Habits contrasted with those of the Black Ant—Haunts—Protection of Nest—Mode of Excavation—Food—Comparison of Castes—Relation of Castes to Duties of Nest—Reason of Enormous Heads of Soldiers—Evolution of Communicating Instinct—Association of Tineid Larvæ with Ants	

CHAPTER VI

THE BYRE-BUILDING ANTS—HERDING OF CATTLE	95
Distribution—Appearance—General Habits—Architecture of Byres—Employment of Larvæ—Worker on Special Task—Expenditure of Silk—Larvæ spin for General Good—Characters and Constituents of Byre—Lining of Byre—Seasonal Changes—Varieties of Cattle—Their Excretions—Care of Cattle—Value of Cattle—Driving of Cattle—Escape of Cattle—Byre a Breeding Chamber—Experiments on Byre	

CHAPTER VII

THE BYRE-BUILDING ANTS—GENERAL HABITS	115
Nature of Food—Feeding One Another—Characters of Formicary—Mode of Excavation—Posting of Sentinels—Interior Economy of Nest—Cause and Manner of Migration—Seeking Refuge in Byres—Constructing Arboreal Nests—Appropriation of other Nests—Final Survey of Work—The Law of the Commune	

CHAPTER VIII

ARCHITECTURAL SPIDERS AND THEIR COCOONS	130
Varieties of Chambers—The Tunnel Chamber—The Triangular Chamber—The Quadrangular Chamber—The Sheathed Chamber—Maternal Instinct—The Strapped Triangular Chamber—The Chamber of Many Blades—The Chamber in the Flower—Structure of Cocoon—Protective Resemblance—Maternal Affection—Temporary Shelters—Summary of Architecture	

CHAPTER IX

EXPERIMENTS AND OBSERVATIONS ON ARCHITECTURAL SPIDERS	153
Experiments on Chamber—Experiments on Eggs and Brood—Instinct of Maternity—Experiments on Interchanging Spiders—Fixity of Instinct—Enemies of Nests—Attack of Ichneumon—Enemies of Young—Departure of Young—End of Chamber	

CONTENTS

11

CHAPTER X

	PAGE
THE DOME-BUILDING SPIDER	170
Winter on the Manjha—The Spider and her Snare—Characters of Spider—Haunts—Advantages of Communal Life—Mode of Escape—Time of Architecture—Commencement of Snare—Construction of Labyrinth—Appearance of Labyrinth—Laying of Radii—Fixation of Spiral—Appearance of Dome—Estimation of Industry—Contrast with <i>Araneus</i> —Conclusion	

CHAPTER XI

THE OPERATION OF THE FLAIL	189
Home of Spider—Characters of Spider—Difficulties of Observation—Architecture of Tube—Mechanism of Flail—Comparison with Human Implement—Shaping of Tube—Characters of Tube—Architecture of Snare—Characters of Snare—Lines converted into Springs—Mechanism of Springs—Mode of Entanglement of Prey—Structure of Flail—Capture of Prey—Variety of Victims—Conclusion	

CHAPTER XII

THE DUNG-BURYING BEETLES	209
Scavengers of the East—Scarabs as Scavengers—Characters of <i>Onthophagus</i> —General Habits—Mode of Excavation—Experiments on Instinct—Special Senses—Experiments on Pressure Sense—Appreciation of Dimensions in Space—Inflexibility of Instinct—Object of Limitation to the Vertical Line	

CHAPTER XIII

THE DUNG-ROLLING BEETLES—GENERAL HABITS	230
Characters of <i>Gymnopleurus</i> —Habits—Rivalry at Patch of Dung—Manufacture of Pellet—Contests—Rolling of Pellet—Surmounting of Obstacles—Burial of Pellet—Sense of Ownership—Exchange of Beetles—Robbery of Pellet—Evolution of Instinct	

CHAPTER XIV

THE DUNG-ROLLING BEETLES—EXPERIMENTS	248
Experiments on Shape of Pellet—On the Geometrical Organs—On the Rolling Instinct—Female, the Initiator—Experiments on the Rhythm of Instinct—On the Functions of the Legs—Injuries in Nature—Special Senses—Appreciation of Directions in Space—Sense of Direction—Value of Directive Sense—Experiments on Directive Sense—Inexplicability of Directive Sense	

CHAPTER XV

THE SOUTH-WEST MONSOON	275
Signs of Approach—Preliminary Showers—Burst of Monsoon—Rainless Intervals—Bird Life—Music of the Rains—Activities of Ants—Of Beetles—Of Orthoptera—Of Termites—Of Butterflies and Moths—Of Spiders and other Forms—Nocturnal Visitors to the Light—Battle of Life—Conclusion	

LIST OF ILLUSTRATIONS

PLATE	Facing Page
I. The Edge of the Manjha	Frontispiece
II. The Indian Black Ant (<i>Camponotus Compressus</i>)	26
II. The Byre-Building Ant (<i>Polyrhachis Simplex</i>)	26
III. Black Ant attending on <i>Monophlebus</i> Bug	30
IV. Byre of the <i>Polyrhachis Simplex</i>	104
V. Arboreal Nest of the <i>Polyrhachis Simplex</i>	124
VI. Chambers of Architectural Spiders—(1) Tunnel; (2) Triangular; (3) Open Spiral; (4) Closed Spiral; (5) Quadrangular	132
VII. Chambers of Architectural Spiders—(1) Sheathed; (2) Strapped Triangular, front and side views; (3) Chamber of Many Blades	140
VIII. <i>Cyrtophora Citricola</i> , Förskal, and Snare	172
IX. Snare of the <i>Stegodyphus</i>	192
X. <i>Gymnopleurus Miliaris</i>	252
X. <i>Onthophagus Capella</i>	252
X. <i>Gymnopleurus</i> rolling Pellet	252

INDEX

A

- Acantholepsis*, description of, 283
 Animal life, 20, 21, 23
 Ant (refer to individual species of);
 social organisation of, 128, 129
Anthia, description of, 282
Aphides, tended by *Polyrhachis*,
 106; excretions of, 108, 109
Aquila, 210
Araneus nauticus, construction of
 labyrinth, 181-187; routine, 228
Argioid, builds tunnel chamber,
 132; probable builder of tri-
 angular chamber, 133; sheathed
 chamber, 137
Aschistocoris brevicornis, yield food
 to black ant, 33
Attidæ, build chamber in flower,
 144; maternal affection of, 145;
 care of eggs, 175

B

- BETTERIES** (refer to individual species
 of)
Belostoma, 289
 Birds, 21, 171, 281, 282
Boselaphus tragocamelus, 20
 Butterflies, directive sense of, 273

C

- Camponotus compressus*, appearance
 of, 24; varieties of workers, 25;
 characteristics of soldiers, 25;
 peculiarities of sexual forms, 25;
 nature of formicary, 26; in-
 stincts of female, 26; nature of
 food, 27-37; manner of obtain-
 ing food, 27-37; *Coccida* as
 source of food supply, 28, 29, 30;
 coccid attacked by soldier, 31;
 other cattle cultivated for food,
 32, 33, 34; activities of smaller
 workers, 35; method of feeding

each other, 36, 37; enemies of,
 37; formic acid ejected by, 38,
 39; funereal habits, 39; can-
 nibalism among, 40; behaviour
 during monsoon season, 40, 41,
 42; evacuation of nests, 41, 42,
 43; care of sexual forms, 43, 44;
 communal life, 44; nourishment
 conveyed by smaller workers,
 45; division of labour, 46;
 duties of soldiers, 46; excava-
 tion by workers-minor, 47, 48,
 49; sense of smell, 49; sense of
 taste, 49; sense of hearing, 50;
 faculty of vision, 50; communi-
 cation of information, 50-54;
 leadership amongst, 55, 56; di-
 rective sense, 57-70; means of
 communicating news, 59; com-
 parison with *Phidole*, 59, 60;
 able to find its way, 61; experi-
 ments to test directive sense,
 62-69; memory for places, 70;
 contrasted with *C. paria* and *C.*
sericeus, 73-79; reason for large
 heads of soldiers, 80

Camponotus dolendus, helplessness
 of sexual forms, 44

Camponotus paria, appearance of,
 71; contrasted with *C. sericeus*,
 72; situation of nest, 72;
 construction of formicary, 73;
 contrasted with *C. compressus*,
 73-79; powers of defence, 74;
 mode of excavation, 75; divi-
 sion of labour, 76; sources of
 food supply, 76, 77; character-
 istics of soldiers and workers, 78,
 79; methods of communication,
 83-87; association with *Hypo-*
phrictis moth, 92-94

Camponotus sericeus, appearance of,
 72; contrasted with *C. paria*,
 72; situation of nest, 72; con-
 struction of formicary, 73;
 contrasted with *C. compressus*,
 73-79; powers of defence, 74;
 sources of food supply, 76, 77;

- Camponotus sericeus*—cont.
 characteristics of soldiers and workers, 79; methods of communication, 82, 83
Cantharis, simulating death, 283
Carabid, description of, 281
Catopsilia, 285
 Cattle on the manjha, 20
Cercopidæ, yield food to black ant, 33
Cervus duvauceli, habits of, 20
Cicada, 284
Cincindela, description of, 282, 283, 285
Clavia puncta, relations with *Camponotus compressus*, 33
Clubionid, builds chamber in flower, 146; peculiarities of, 146, 147; stubborn defence of cocoon, 147, 148; contrasted with *Attid*, 148
Coccidæ, yield food to black ant, 28, 31

D

- Danais*, 170
Delias, 285
 Division of labour amongst *Camponotus compressus*, 46; *Camponotus paria*, 76; *Gymnopleurus miliaris*, 237-244

E

- Epeira*, 172, 286
Eumenes, tunnel built by, 138; treatment of pellet, 228

F

- FABRE, experiments with scarabs, 255, 256
Fulgoridæ, yield food to black ants, 32
 Fyzabad, district of, 13, 14

G

- Geomitridæ*, 285
 Gogra River, features of, 16, 17, 21, 22
Gymnopleurus cyaneus, description of, 232
Gymnopleurus miliaris, general appearance and habits, 230, 231; faculty of scent, 232; competition with other species, 232, 233; making the pellets, 233, 234; repelling attacks, 235, 236; method of transporting pellet, 237-239;

mode of excavation, 239, 240; sense of ownership, 241-243; contrasted with *Lycosa*, 242; marital relations, 243, 244; robbery of pellet, 245, 246; evolution of instinct, 246, 247; experiments on shaping pellets, 248, 249; appreciation of geometrical form, 249-252; organs of measurement, 252-254; initiative of female, 255; experiments bearing on behaviour, 255, 256; experiments on directive sense, 257-260; limit of ingenuity, 261, 262; mentality and psychology, 262; force of rolling and digging instincts, 263, 264; importance of legs in rolling pellet, 265, 266; mutilations of insects, 267; special senses, 268; contrasted with *Onthophagus*, 269, 270; purpose of fixed direction, 271, 274

H

- HARVESTING ants, directive sense of, 273
Hippasa, 194
Hister, 211
Holochlora, protective colouring of, 283
 Honey-ant of Mexico, habits of, 117
 Hornets, directive sense of, 273
Hypolimnas bolina, habits of, 233, 285
Hypophrictis, moth, 89; description of larvæ cases, 90; description of larvæ, 91; mode of progression, 91; association with *C. paria*, 92-94

I

- INSTINCT, in ants, 71-94, 128, 129; in spiders, 156; in beetles, 216, 229, 246, 263

L

- Lecanium hesperidum*, food for black ants, 32
 Locusts, directive sense of, 273
Lycosa, treatment of eggs, 175; construction of pellet, 242; comparison with *Gymnopleurus*, 242

M

- MANJHA, soil of, 17; cultivation of, 18; effects of monsoon in, 19; autumn in, 18; birds of, 20, 22, 23; animal life of, 20, 21, 22, 23; winter in, 170, 171
- Melanitis*, 285
- Membracidae*, food for black ants, 32
- Messor*, funereal habits of, 39; defence of nest, 47; sense of smell, 49; lack of directive sense, 61; behaviour during monsoon, 281
- Migration of ants, 41, 42, 122, 123
- Monsoon, south-west, signs of approach, 275-279; progress of monsoon, 279-281; effect on bird life, 281, 282; emergence of insects, 282-291; destruction of insect life, 290
- Mylabris*, description of, 283
- Myriapods*, 286
- Myrmecocystus*, funereal habits of, 39; slight sense of smell, 49; contrasted with *Polyrhachis*, 122; behaviour during monsoon, 281

N

- Necrophori*, 211; comparison with *Onthophagi*, 218
- Nitidularia*, 211
- Noctuidæ*, 285

O

- Onthophagus bifasciatus*, description of, 232
- Onthophagus capella*, appearance of, 213; general habits, 214; methods of excavation, 214-216; experiments bearing on instinct, 217-220; sense of smell, 221; faculty of appreciating pressure, 221-225; experiments bearing on sense of direction, 225-227; Nature's reason for keeping to vertical line, 228, 229
- Onthophagus pactolus*, description of, 232
- Oxyrhachis tarandus*, tended by *Polyrhachis simplex*, 107; excretions of, 107, 108

P

- Papilio aristolochiæ*, 287
- Papilio demoleus*, 287
- Papilio nomius*, 287
- Papilio polytes*, 287
- Phalops divisus*, 232; habits of, 246
- Phidole*, defence of nest, 47; means of communicating news, 59, 81; comparison with *Camponotus*, 59, 60; perfection of communicative sense, 88, 89
- Phora*, 211
- Polyrhachis simplex*, sheds built by, 35; appearance of, 95, 96; general habits of, 96; sense of vision, 96; byres built by, 97, 98; larvæ used in architecture, 98-102; method of construction of byre, 103-105; lining the byre, 105, 106; cattle cultivated for food, 106-114; experiments showing care of cattle, 112-114; varieties of food, 115, 116; method of feeding one another, 116, 117; structure of main formicary, 117-119; workers' care of young, 120; migration, 121-123; arboreal nests, 124-126; appropriating birds' nests, 124, 125; organisation of communal life, 127-129

R

- RED ant contrasted with black ant, 32

S

- Saccharum arundinaceum*, 130, 143
- Sandy soil of manjha, 17, 18, 19
- Sasaram, description of, 189, 190
- Scarabæidæ*, scavengers of the East, 211, 212
- Scavengers, Nature's, in the East, 209-211
- Schizodactylus*, 284
- Senses, special, of Indian black ant, 49, 64; of dung-burying beetles, 221; of dung-rolling beetles, 268
- Sepsis*, 211
- Sima*, defence of nest, 47
- Sparassus lamarkii*, description of, 142; builds chamber of many blades, 142; care of eggs, 175

Sparassus lutescens, builds open spiral chamber, 134; closed spiral chamber, 135

Sphex, tunnel built by, 138

Sphingidæ, 285

Spiders (refer to individual species of); social organisation of, 173, 174

Spiders, architectural, varieties of chambers built by, 131; tunnel chamber, 132; triangular chamber, 132; open spiral chamber, 134; closed spiral chamber, 135; quadrangular chamber, 136; sheathed chamber, 137; maternal love, 138; strapped triangular chamber, 139-141; chamber of many blades, 141; chamber in the flower, 143-149; temporary shelters, 149; summary of architecture, 150-152; experiments on chamber, 153-155; experiments with eggs, 155, 156; experiments with young, 156-159; indifference to substitution of eggs or young, 155-159; experiments in transferring spider from nest to nest, 159-162; fixity of instinct, 162-164; enemies of nest, 164; attacks of ichneumon wasp, 165, 166; enemies of young, 166; emergence of young, 167, 168

Spiders, dome-building (*Cyrtophora citricola*), congregate in large communities, 171-173; character of web, 172; appearance of, 172, 173; protective methods, 175; care of eggs, 175; methods of escape, 176; snaring prey, 176; character of architecture, 177;

foundations of snare, 178, 179; appearance of labyrinth, 180; contrasted with *Araneus nauticus*, 181-187; radii and spiral, 181-187; appearance of dome, 188

Stegodyphus pacificus, constructs conical tunnel, 189; general appearance of, 191; difficulty of observation, 192; architecture of tube, 193; employment of flail, 193, 194; mechanism of flail, 195; walls of tube, 196; architecture of snare, 197-199; construction of springs, 200, 201; capture of prey, 202; structure of flail, 203; manner of attack, 204-206; nature of captures, 206, 207

Sus cristatus, habits of, 20

T

TEMPERATURE of the manjha, 275-278

Terras, 170, 287

Termites, directive sense of, 273; behaviour during monsoon, 286

Tridactylinae, 171

Trox, habits of, 232, 235, 246

U

Ulobarus ceniculatus weaves a circular snare, 175

Y

Ypthima, 285