

Notations in Annexes:-

<u>Notation used in the thesis</u>	<u>Notation used in equation solver</u>
b'	b
b	k
\bar{c}_h	r
\bar{c}_f	s
\bar{b}	m
τ	t

Annexure

Annex 3.1

Equation $((2*a*s*t^2-r*t^2)*(-2*s*t-2*r*t)/9*b)+2*((a-2*s*t^2+r*t^2)*(-4*s*t+2*r*t))/9*b=0$ solved for t

solution 1

$$t = -\sqrt{2} \sqrt{\frac{as}{3s^2-2rs+r^2}}$$

[Edit expression](#)

solution 2

$$t = \sqrt{2} \sqrt{\frac{as}{3s^2-2rs+r^2}}$$

[Edit expression](#)

solution 3

$$t = 0$$

[Edit expression](#)

[Direct link to this page](#)

Annex 3.2

Equation (((a-2*r*t^2+s*t^2)^2)/9*k)-3*((2*a*r*t^2-r^2*t^4)/8*b)=0 solved for t

solution 1

$$t = -\sqrt{3^{(3/2)}a\sqrt{-16b^2k^2r^2s+24b^2k^2r^2+27b^2r^2}}/(8^2k^2s^2-32k^2r^2s+32k^2r^2+27b^2r^2)-8^2a^2k^2s/(8^2k^2s^2-32k^2r^2s+32k^2r^2+27b^2r^2)+16^2a^2k^2r/(8^2k^2s^2-32k^2r^2s+32k^2r^2+27b^2r^2)$$

$$t = -\sqrt{\frac{3^{(3/2)}a\sqrt{-16b^2k^2r^2s+24b^2k^2r^2+27b^2r^2}}{8^2k^2s^2-32k^2r^2s+32k^2r^2+27b^2r^2}} - \frac{8aks}{8^2k^2s^2-32k^2r^2s+32k^2r^2+27b^2r^2} + \frac{16akr}{8^2k^2s^2-32k^2r^2s+32k^2r^2+27b^2r^2} + \frac{27abr}{8^2k^2s^2-32k^2r^2s+32k^2r^2+27b^2r^2}$$

[Edit expression](#)

solution 2

$$t = \sqrt{3^{(3/2)}a\sqrt{-16b^2k^2r^2s+24b^2k^2r^2+27b^2r^2}}/(8^2k^2s^2-32k^2r^2s+32k^2r^2+27b^2r^2)-8^2a^2k^2s/(8^2k^2s^2-32k^2r^2s+32k^2r^2+27b^2r^2)+16^2a^2k^2r/(8^2k^2s^2-32k^2r^2s+32k^2r^2+27b^2r^2)+27^2a^2b^2r/(8^2k^2s^2-32k^2r^2s+32k^2r^2+27b^2r^2)$$

$$t = \sqrt{\frac{3^{(3/2)}a\sqrt{-16b^2k^2r^2s+24b^2k^2r^2+27b^2r^2}}{8^2k^2s^2-32k^2r^2s+32k^2r^2+27b^2r^2}} - \frac{8aks}{8^2k^2s^2-32k^2r^2s+32k^2r^2+27b^2r^2} + \frac{16akr}{8^2k^2s^2-32k^2r^2s+32k^2r^2+27b^2r^2} + \frac{27abr}{8^2k^2s^2-32k^2r^2s+32k^2r^2+27b^2r^2}$$

[Edit expression](#)

solution 3

$$t = -\sqrt{-3^{(3/2)}a\sqrt{-16b^2k^2r^2s+24b^2k^2r^2+27b^2r^2}}/(8^2k^2s^2-32k^2r^2s+32k^2r^2+27b^2r^2)-8^2a^2k^2s/(8^2k^2s^2-32k^2r^2s+32k^2r^2+27b^2r^2)+16^2a^2k^2r/(8^2k^2s^2-32k^2r^2s+32k^2r^2+27b^2r^2)$$

$$t = \sqrt{-3^{(3/2)}a\sqrt{-16b^2k^2r^2s+24b^2k^2r^2+27b^2r^2}}/(8^2k^2s^2-32k^2r^2s+32k^2r^2+27b^2r^2)-8^2a^2k^2s/(8^2k^2s^2-32k^2r^2s+32k^2r^2+27b^2r^2)+16^2a^2k^2r/(8^2k^2s^2-32k^2r^2s+32k^2r^2+27b^2r^2)+27^2a^2b^2r/(8^2k^2s^2-32k^2r^2s+32k^2r^2+27b^2r^2)$$

$$t = \sqrt{-\frac{3^{(3/2)}a\sqrt{-16b^2k^2r^2s+24b^2k^2r^2+27b^2r^2}}{8^2k^2s^2-32k^2r^2s+32k^2r^2+27b^2r^2}} - \frac{8aks}{8^2k^2s^2-32k^2r^2s+32k^2r^2+27b^2r^2} + \frac{16akr}{8^2k^2s^2-32k^2r^2s+32k^2r^2+27b^2r^2} + \frac{27abr}{8^2k^2s^2-32k^2r^2s+32k^2r^2+27b^2r^2}$$

[Edit expression](#)

[Direct link to this page](#)

Annex 4.1

Equation $((2*a-s*t^2-r*t^2)*(-2*s*t-2*r*t)/9*b)+2*((a-2*s*t^2+r*t^2)*(-4*s*t+2*r*t))/9*b + (2*m*t*(2*a-s*t^2-r*t^2)/3*b)+((m*t^2-d)*(-2*s*t+2*r*t))/3*b=0$ solved for t

solution 1

$$t = -\sqrt{-\frac{ds}{3s^2-2rs-2ms+r^2-2mr} + \frac{2as}{3s^2-2rs-2ms+r^2-2mr} - \frac{dr}{3s^2-2rs-2ms+r^2-2mr} - \frac{2am}{3s^2-2rs-2ms+r^2-2mr}}$$

[Edit expression](#)

solution 2

$$t = \sqrt{-\frac{ds}{3s^2-2rs-2ms+r^2-2mr} + \frac{2as}{3s^2-2rs-2ms+r^2-2mr} - \frac{dr}{3s^2-2rs-2ms+r^2-2mr} - \frac{2am}{3s^2-2rs-2ms+r^2-2mr}}$$

[Edit expression](#)

solution 3

$$t = 0$$

[Edit expression](#)

[Direct link to this page](#)

Annex 4.2

Equation $2*(a-2*r*t^2+s*t^2)*(2*s*t-4*r*t)/9*b-3*(a-r*t^2)*r*t/2*b-r*t*(m*t^2-d)/b-r*t^2*(m*t)/b=0$ solved for t

[solution 1](#)

$t = -\sqrt{-\frac{8 a b^2 s}{8 b^2 s^2-32 b^2 r s+59 b^2 r^2-36 m r}-\frac{18 d r}{8 b^2 s^2-32 b^2 r s+59 b^2 r^2-36 m r}+\frac{43 a b^2 r}{8 b^2 s^2-32 b^2 r s+59 b^2 r^2-36 m r})}$

[Edit expression](#)
[solution 2](#)

$t = \sqrt{-\frac{8 a b^2 s}{8 b^2 s^2-32 b^2 r s+59 b^2 r^2-36 m r}-\frac{18 d r}{8 b^2 s^2-32 b^2 r s+59 b^2 r^2-36 m r}+\frac{43 a b^2 r}{8 b^2 s^2-32 b^2 r s+59 b^2 r^2-36 m r})}$

[Edit expression](#)
[solution 3](#)

t = 0

[Edit expression](#)
[Direct link to this page](#)

Annex 4.3

HOME | MATH | DOCUMENTS | HISTORY

Equation $2*(a-2*r*t^2+s*t^2)*(2*s*t-4*r*t)/9*b-3*(a-r*t^2)*r*t/2*b-r*t*(m*t^2-d)/b-r*t^2*(m*t)/b+(m*t^2-d)*(2*s*t-4*r*t)/3*b+2*(m*t)*(a-2*r*t^2+s*t^2)/3*b=0$ solved for t

solution 1

$$t = -\frac{\sqrt{\frac{12 b^2 ds}{8 s^2-32 r s+24 m s+59 r^2-48 m r} - \frac{8 a b^2 s}{8 s^2-32 r s+24 m s+59 r^2-48 m r} - \frac{24 b^2 dr}{8 s^2-32 r s+24 m s+59 r^2-48 m r} + \frac{18 dr}{8 s^2-32 r s+24 m s+59 r^2-48 m r} + \frac{43 a b^2 r}{8 s^2-32 r s+24 m s+59 r^2-48 m r} - \frac{12 a b^2 m}{8 s^2-32 r s+24 m s+59 r^2-48 m r}}}{b}$$

[Edit expression](#)

solution 2

$$t = \sqrt{\frac{12 b^2 ds}{8 s^2-32 r s+24 m s+59 r^2-48 m r} - \frac{8 a b^2 s}{8 s^2-32 r s+24 m s+59 r^2-48 m r} - \frac{24 b^2 dr}{8 s^2-32 r s+24 m s+59 r^2-48 m r} + \frac{18 dr}{8 s^2-32 r s+24 m s+59 r^2-48 m r} + \frac{43 a b^2 r}{8 s^2-32 r s+24 m s+59 r^2-48 m r} - \frac{12 a b^2 m}{8 s^2-32 r s+24 m s+59 r^2-48 m r}}$$

[Edit expression](#)

solution 3

t = 0

Annex 4.4

Equation $((2^*a-s*t^2-r*t^2)*(-2*s*t-2*r*t)/9*b)+2*((a-2*s*t^2+r*t^2)*(-4*s*t+2*r*t)/9*b)+(2*m*t*(2*a-s*t^2-r*t^2)/3*b)+((m*t^2-d)*(-2*s*t+2*r*t))/3*b=0$ solved for t

solution 1

$$t = -\sqrt{-\frac{ds}{3s^2-2rs-2ms+r^2-2mr} + \frac{2as}{3s^2-2rs-2ms+r^2-2mr} - \frac{dr}{3s^2-2rs-2ms+r^2-2mr} - \frac{2am}{3s^2-2rs-2ms+r^2-2mr}}$$

[Edit expression](#)

solution 2

$$t = \sqrt{-\frac{ds}{3s^2-2rs-2ms+r^2-2mr} + \frac{2as}{3s^2-2rs-2ms+r^2-2mr} - \frac{dr}{3s^2-2rs-2ms+r^2-2mr} - \frac{2am}{3s^2-2rs-2ms+r^2-2mr}}$$

[Edit expression](#)

solution 3

$$t = 0$$

[Edit expression](#)

[Direct link to this page](#)