GOVERNMENT OF INDIA CENTRAL WATER & POWER COMMISSION

CWIN RESEARCH STATION POONA

ANNUAL REPORT (TECHNICAL) 1950



RESEARCH PUBLICATION No. 16

Director:
D. V. JOGLEKAR, B.E.

PUBLISHED BY THE MANAGER OF PUBLICATIONS, I. PRINTED BY THE GOVERNMENT OF INDIA, PRESS, CALCU. 1952

CENTRAL WATERPOWER, IRRIGATION AND NAVIGATION RESEARCH STATION

RESEARCH PUBLICATIONS*

Publicati	on Title	3	Prio	
No.		Rs.	۸.	Р.
1	Annual Report for 1937-38	7	8	0
2	Annual Report for 1938-39	7	8	0
3	Note on Gibb Modules, 1941	3	0.	0
4	Annual Report for 1939-40	7	8	0
5.	Annual Report (Technical) for 1940-41 with INDEX for 1937-41	7	8.	0
6	Annual Report (Technical) for 1941-42	7	8	0
' 7	Annual Report (Technical) for 1942-43	7	8	0
8	Annual Report (Technical) for 1943	7	8	0
9	Annual Report (Technical) for 1944 with INDEX for 1940-44	7	8	0
10	Annual Report (Technical) for 1945 with INDEX for 1937-45	25	0	0
11	Annual Report (Technical) for 1946	7	8	0
12	Annual Report (Technical) for 1947 with INDEX for 1943-47	25	0	0
13	The second of th	16	8	0
14	Annual Report (Technical) for 1948 with INDEX for 1944-48	10	0	Ú
15	Annual Report (Technical) for 1949 with INDEX for 1945-49	21	4	0

Available from the Manager of Publications, Delhi or Agents and the High Commissioner for India, India House, Aldwych, London, W. C. 2.

GOVERNMENT OF INDIA CENTRAL WATER & POWER COMMISSION

CWIN RESEARCH STATION POONA

ANNUAL REPORT (TECHNICAL) 1950



RESEARCH PUBLICATION No. 16

Director:
D. V. JOGLEKAR, B.E.

Published by the Manager of Publications, Delhi. Printed by the Government of India Press, Calcutta, India, 1953.

CENTRAL WATER AND POWER COMMISSION

- Chairman A. N. Khosla, B.A. (Hons.) (Pb.), C.E. (Roorkee), M.A.Soc.C.E., M.I.E. (India), I.S.E.
- Member (Waterways, Irrigation and Navigation) Man Singh, B.A. (Alld.), B.Sc. (Engg.) (Glas.), C.P.E. (Glas.), M.I.E. (India), I.S.E.
- Member (Hydro-Electric) S. A. GADKARY, B.E. (Bom.), M.I.E.E. (Lond.), C.P.E. (Tech.) (Glas.), M.I.E. (India), A.M.I.S.E.
- Member (Designs) KANWAR SAIN, C.E. (Roorkee), M.Am.Soc.C.E., M.Am. C.Inst., M.I.E. (India), I.S.E.

CENTRAL WATERPOWER, IRRIGATION AND NAVIGATION RESEARCH STATION AT POONA AND KHADAKVASLA

Director-D. V. Joglekar, B.E.

Deputy Directors-

- 1. R. C. Hoon, M.Sc., Ph.D. (At Hirakud)
- 2. B. S. Talwani, P.S.E.I., C.E. (Roorkee), A.M.I.E. (India) (From 7-10-50)

RIVER AND CANAL HYDRAULICS SECTION

Chief Research Officer-I. C. Dos M. Pais Cuddou, Ph.D. (B.M.M.), B.Sc. (Bombay), B.E. (Civil Engg.) (Bom.), M.I.Struct.E., A.M.A.S.C.E. (From 6-11-50)

Research Officer-S. T. Ghotankar, M.Sc.

Asstt. Research Officers-

- S. N. Mulekar, B.Sc. (Mech. & Elec.)
- S. V. Chitale, B.E.
 - P. K. Kulkarni, B.Sc. (Mech. & Elec.)
 - G. T. Wadekar, B.E.
 - V. N. Nagaraja, B.E. (Up to 3-5-50)
 - S. D. Phansalkar, B.E.

Extra Asstt. Director-K. R. Datye, B.E. (Up to 31-8-50)

Research Assistants-

- P. M. Damle, B.Sc.
- S. D. L. Luthra, B.Sc., A.M.I.S.E.
- K. T. Sundara Raja Iyengar, B.E. (Civil Engg.) (From 2-11-50)
- A. R. Srinivasa Murthy, B.E. (Civil Engg.) (From 2-11-50)
- V. D. Kulkarni, B.E. (Civil Engg.) (From 13-11-50)
- K. Chandra Shekaraiah, B.E. (Civil Engg.) (From 2-11-50) V. Badri Nath, B.E. (Civil Engg.) (From 13-11-50)

NAVIGATION SECTION

Research Officer-C. V. Gole, B.E. (On study leave)

SOIL AND SOIL MECHANICS SECTION

Chief Research Officer-B. C. Deb, M.Sc., D.Sc. (Dacca), Ph.D. (London)

Research Officer-M. N. Venkatesan, B.E. (Hons.) (Under training at Sambalpur)

Research Assistants-

- T. K. Subramanyan, M.Sc.
- R. S. Chellam, M.Sc. (Up to 31-8-50)
- S. Varadrajan, M.Sc. (From 11-10-50)

CHEMISTRY SECTION

Asstt. Research Officer-S. C. Barai, M.Sc. (From 2-11-50. Prior to this date he was working on Kosi Project at Biratnagar)

Research Assistants-

- M. R. Vinayaka, M.Sc. (Agri.)
- S. P. Chadha, M.Sc. (From 26-9-50)

Tara Singh, M.Sc. (Agri.) (Working in C. W. & P. C., New Delhi, in Rajasthan Project)

MATHEMATICS SECTION

Research Officer-Ram Ballabh, M.Sc., Ph.D. (Up to 31-10-50)

Asstt. Research Officer-A. S. Apte, M.A.

Research Assistant-Baldev Kumar, M.A.

STATISTICS SECTION

Research Officer-G. M. Panchang, B.A. (Hons.), M.Sc. (Lond.)

Asstt. Research Officer-M. K. Ganguli, M.Sc.

Research Assistant-R. Rangarajan, M.A.

PHYSICS SECTION

Chief Research Officer-Gurdas Ram, M.Sc., Ph.D.

Research Officer-S. L. Banerjee, M.Sc., D.Sc.

Asstt. Research Officers-

B. Pant, M.Sc., A.Inst.P. S. K. Guha, M.Sc.

Research Assistants— V. Venkateswarlu, M.Sc.

G. V. Rao, M.Sc. (From 5-10-50) M. Gopal Rao, M.Sc. (From 6-11-50)

HYDRAULIC MACHINERY SECTION

Research Officer-S. K. Roy, D.Phil. (From 12-6-50)

CONTENTS

	_	. .											•				PAGE
	roductory		by Sh	ri A. I	N. Kh	osla	•	•	•	•	•	•		• `	•	٠	1
Int	roduction	•	•	•	•	•	•	•	•	•	•	•		•	•	•	3
	S	ECTI	ON A-	-THE	ORY	AND	PRA	CTICI	E OF	MOD	EL È	XPE	RIN	ŒN	TS		
1.	THEORY		-														
	(v) <i>Tid</i>	al mo	dels														
	(1)	Scale	ratios	of the	e Cocl	in H	arbour	mod	el for	repro	ducin	g silt	ing		•	•	6
2.	PRACTIC					(.	2 _				J.1	د .	4 . 4		1		
	(iv) <i>Lin</i> (2)		r belov		-			-		-		-					7
	٠,		Katju			_								,			7
	. ,		ning t				-		road	bridg	e nea	ır B	alia	nta,	Orise	3 8 .	7
	٠,,		ention					_		_							8
1																	
1.	River (Oxmp	OT.		SECTI	ON B	—HY	DRAI	TLIC	WOR	KS	•					
Σ.	(ii) Riv			Work	s												
	(6)	Trair	ing of	the N	Tarbac	la riv	er at I	Вгоас	h (B.	B. &	C. I. 1	Railv	vay)				9
,	*(7)		a rive ameh	r mo	del fo	or th	e pro	posed	com	ıb in ed •	road	an	d ra	il bı	ridge	at	10
	*(8)		l brid amund				ıtami- e	Goda	vari •	river	at •		Mam •	uru	.(Ne	ar	14
	(9)		ributio nedaba				ween t	wo bi	ranch	es of t	he Bl	ada:	ri	ver	(Dis	tt.	15
3.	Dams an	d We	IRS														
	(ii) Des	ign															
	*(10) Vib	ration	of dar	ns—t	heir f	ree pe	riods		٠	•	•	٠		•	•	18
	(11) Dev	relopm	ent of	expe	rimen	tal me	thod	of s	tress a	nalys	es	•		•	•	20
	(12) Mal	hi Cana	ıl Pro	ject	•	•	•	•	٠	•	•	•		•	•	24
	(iv) .For				C	L	.1 M.	411		Tn	.::.		L 11/1.	ь: т): "l. .		
	*(15		elicatio eir site		Geor	·nysic	·	·	•	Tuves	rifarcio		r DIS	MII I	· ick-1		28
4.	Hydraul	LIC ST	RUCTU	RES O	N PER	MEAB	LE FO	UNDA'	TIONS	,							
,			ctional							•			•				31
5.	Dam app	URTE	NANCE	3													
	(iii) Cos	nduits	and P	enstoc	ks												
	*(15	-a) C	avitati	on-fre	e desi	gn of	the H	iraku	d Da	m Slu	ices, I	1ode	l No	. 1			32
	*(15	-b) C	avitati	on-fre	e desi	gn of	the H	iraku	d Da	m Slu	ices, I	\mathbf{fode}	l No	. 2			36
	(16		relopm roach 1										ra.	вув	temat	tic	39
6.	SPILLWA	X 8															
	(17) Rei	modelli	ing of	the D	imna	Nala	over-	flow v	weir, 1	nain i	Spill	way			•	42
	*(18		the Sy ocess in								vo-din	ens	iona •	l rel	axati •	on •	47
						•		(v)						•			
								-									

1	PAG
(19) Design of a chute spillway for Dharma Storage Reservoir (Bombay)	. 49
(20) Experiments for Dissipation of Energy below the Proposed Vaitarna Dan Spillway	1 . 49
*(21) Model and prototype conformity in Ganesh Iyer's volute siphons a Hirebhasgar	t . 53
*(22) Limitations of volute siphons	. 55
(23) Hirebhasgar siphon model experiments	. 58
9. Excluders and Ejectors	
*(24) Sand exclusion from Ye-U canal taking off at the Kano Headwork across the Mu river—Union of Burma	s . 59
10. Canal Falls	
*(25) Designs for canal falls	62
SECTION D-HYDROLOGY	
1. Rainfall Run-off	
(i) Measurement of Rainfall	•
(26) Accurate Estimation of a Catchment's mean Rainfall—Data of Damoda Basin	65
(ii) Measurement of Run-off	
(27) Run-off Estimates by Khosla Formula	69
SECTION E—SOIL SCIENCE AND SOIL MECHANICS	
3. Soil Chemistry	
(ii) Soil Survey and Analysis	
*(28) A Study on the Dispersion of black cotton and calcareous soils	72
(iii) Classification of soils	
(29) A proposed classification of laterite and red soils	74
SECTION H-NAVIGATION PRACTICE	
3. Training and control of tidal rivers	
(30) Tidal Model of the Hooghly Estuary	76
(31) Automatic Tide Reproducing Mechanism for the Hooghly Model .	78
4. Docks and Harbours	
*(32) Reduction of "Range" in the Madras Harbour	82
(33) Wave-generating machine for the Madras Harbour model	88
*(34) Reducing silting in Cochin Harbour	89
SECTION J-MISCELLANEOUS	
4. Masonry buildings and materials	
(35) A simple porosity meter	98
INDEX to Annual Reports for 1946 to 1950	

APPENDIX I

Description of the Apparatus

The porosity meter developed at the Research Station consists of a glass U-tube (shown in Fig. 159) the two limbs A and B of which are of equal internal diameter. The U-tube is fixed vertically, to a wooden stand, and the two limbs are kept as close as possible. The tube A is connected through a T-stopcock, to a cylindrical glass container C with a volume of about 170 c.c. This glass container can be made air tight by means of a sliding glass lid and vacuum grease. The tube B is connected to a 100 c.c. burrette D, graduated up to 0·1 c.c. Mercury is introduced in the U-tube and the burrette. The mercury levels in these tubes can be adjusted by means of two mercury reservoirs, E and F which can be slided up and down on sliding wooden bases.

Fig. 195

Working Principle

This porosity meter is essentially a volumenometer, applying the principle of Boyle's Law. It consists of two parts, A and C forming one connected air-volume unit, B and D forming the other connected air-volume unit. The specimen S is introduced into the container and the air-volume of the other unit is adjusted by mercury in the burrette. The volume of mercury which must be introduced in the burrette when the specimen is placed in the container C in order to maintain the equality of the air-volume in the two volume units gives the volume of the specimen, the air volume in the two units being first adjusted to be same with no specimen in the container.

First, the volume of the specimen S is determined with its surface pores untreated, and then with the specimen lightly wax-coated, so that the surface pores are closed. The difference in volume of these two burrette readings gives the volume of connected air space contained in the specimen.

To start with, the container C being empty, the tube D is filled to a trial level with mercury. The vacuum stopcocks 1 and 2 are open, while the reservoir F is raised until mercury rises to a suitable level G in the limbs A and B. The stopcocks are then closed. The mercury reservoir F is now lowered until mercury level falls to a suitable level G in the U-tube. If the free air-space in the burrette side of the apparatus up to the point G be equal to that on the container side, the mercury level in the limbs A and B will remain the same on any lowering of the reservoir F. If, however, the air-volumes in the two parts of the instrument are different to start with (at atmospheric pressure) the mercury levels in A and B will be different on any lowering of the reservoir F. If so found, the mercury reservoir F is next raised to its original position G, the stopcocks are opened and the mercury adjusted in the burrette until on closing the stopcocks and lowering the reservoir to G, the levels in the limbs A and B remain equal; this can be accomplished quickly in a few trials. The reading of mercury level in the burrette (the mean of three independent observations) is taken as the zero reading of the apparatus. This remains quite constant. Let it be V_0 c.c. say.

The specimen S is next placed in the glass container and closed air tight by means of the glass lid with vacuum grease. The process is then repeated, and the mercury level in the burrette adjusted until on lowering the reservoir, mercury remains at equal level in both the limbs A and B. The reading of mercury level in the burrette is then taken. Let it be V_1 c.c.

The volume of the specimen with the pores open to atmosphere is $(V_0 - V_1)$ c.c. This gives the volume of the solid material in the specimen.

The specimen is then removed from the container and a thin coating of wax is given to the specimen, by immersing it for a very short period in molten wax. After cooling, the specimen is again introduced into the container and the burrette reading taken as V_2 c.c.

The volume of the specimen waxed= $(V_0 - V_2)$ c.c. \therefore The volume of void space = $(V_1 - V_2)$ c.c.

Porosity =
$$\frac{\text{Void space in the specimen}}{\text{External volume of the specimen}} = \frac{(V_1 - V_2)}{(V_0 - V_2)}$$
and the percentage porosity = $\frac{(V_1 - V_2)}{(V_0 - V_2)} \times 100$

A small correction is made for the volume of the thin wax coating depending on the standard size of the samples used for porosity determinations.

INDEX To subjects, contained in Annual Reports (Technical) for 1946 to 1950. (Numbers refer to pages in the Reports for the respective years.)

	1946	1947	1948	1949	1950
A Abrasion, of sand			17		
Assertion of Culture Day	` 137	••			
_	5	••	••		••
" upstream and downstream of the groyne Afflux upstream		••	••	107	••
•	25	••	••		••
,, at Luni river railway bridge	53	••	••	••	••
Air sand meter, analysis by	••	26	••	••	••
Alexandra Bridge, damage to		65	••	••	••
Anglo India Jute Mill, foreshore of	42	••	••		••
Apron, design of	24	65	••	28, 73	••
" Falling, characteristics of	129	••	••	•••	
Aquadag	••	••	••	••	81
Aqueducts, fluming of	123	••	••	••	• •.
Attrition in channels	115	••	••	••	**
Auranga river, erosion in	-	51	••	••	••
В					
Baffle, falls	-		••	201	63
Bank, guide	13, 15	122	••	91, 141	••
Barrage, Lloyd, Sukkur sand control at	126, 137				
Barrage Lower Sind, design of	98, 110	116, 134	79		
Bennihalla, Bridge across	••			155	
Bhadar river, distribution of waters of	••		••		15
Bhagirathi river, erosion in	••		30		
Bhandardara, Waste weir at			95	325	
Birla Jute Mill, erosion at			57	••	
Bonnet and Lemoen, (scale ratio) method of		••	••		6
Bridge, Alexandra, design of		65			
" attack on abutment of		••		155	••
,, piers, protection of		•	52		
mentactive mangures for	128	52			•••
" rail-cum-road, across Yamuna		••	48		
reil cum-road over Ganga		203			10
mailway across Ramaganga	6	••			
Coutomi Godonori		•••	•••		14
<i>"</i>	37			108, 335	•
,, waterway, through Broad-crested weir, design of	86		•••		••
Bund, guide	13, 15	122	••	91, 141	••
Bunds, causes of breaches in	133				••
C	200	••	••	••	•
		19			
	••		••	••	
Cavitation free designs	••	••	••	••	32, 36
Chenab river, Alexandra Bridge over	••	. 65	••	••	••
Chute spillway for Dharma Storage reservoir .	. ••	••	••	••	49
Cochin Harbour Model	••	91	••	425	6, 89
Coefficient for mean velocity conversion	••	••	12	••	••
" of discharge, notch and weir type falls .	••	23	••	••	• •
" of transmission of sand	94	••	••	••	
Culverts, road	. 37	••	••	••	••
Cutch, reclamation of the Rann of	••	••	••	352	
" water supply to	••	219	••	••	• •
					15

	1946	1947	1948	1949	1950
D					•
Damodar Basin, mean rainfall of					65
Damodar river, floods in	133	• • •	:		
Deformeter technique					24
Dehri, on Son Anicut	. 127				
Delhi Gate, Pumping Station at	60	••		•••	
Dharma storage reservoir					49
Dimna Nala Spillway, Remodelling of		••	116	288	42
Dispersion of soils	••	••		•••	72
Dissipation of energy, below flumed falls		167			
Voitama Suilleau	••		104	216	19
Distribution of Bhadar river waters	· · · · · · · · · · · · · · · · · · ·		•••	••	15
Divergence from regime	135	,			
Dowleshwaram Anicut				111	••
	••	•	••	*111	••
E	•••				
Effluent, sewage	123	••	••	••	••
Erosion, at Birla Jute Mills	••	••	57	••	••
" in Auranga river	••	. 51	••	•	••
" in Bhagirathi river	••	••	3 0	•••	••
" in Narbada	••	·••	51	**	••
, in Tapi	••	•• ,	••	21, 39	••
" upstream and downstream of a tree groyne	5	••	••	••	••
Excluders and exclusion of saud	98, 110, 127	177, 179	79.	• • •	59
. •					
Falling apron, characteristics of	129	••	••	118	••
Falls, canal, designs for	• ••	••	••		62
Falls, coefficient of discharge in		23	••		
" flumed, dissipation of energy below .		167	••	299	
Flood control	132, 133	54			••
Flood protection, redistribution of sand load	44	35	27		••
Flow in channels	85 , 134	••	••	••	••
Flume, standing wave	86	••	••	••	•••
Fluming of aqueducts	122		•••	••	••
Free periods of dams	••	••	••	••	18
Frictional forces in wet sands		••	B-4	212	31
Fringe constant	••		••	189	
Froude's Law		••			6
_			•••	•••	•
G					•
Ganesh Iyer's Volute Siphons, coefficient	. ••	••	25	••	53
Ganga, protection of Hardinge Bridge across .	128	••		••	• •
, rail-cum-road bridge across		203		•••	10
" submarine cables across	••	••	148	••	
Ganga, training of	••	46	29	17, 65	
Gautami-Godavari, road bridge across			٠	108	14
Gelatine models	••	••		188	
Gibb Module, for controlled irrigation	122			••	••
Glacis Type Fall	••	••	••	••	63
Godavari, protection of railway piers on	••	••	52	108	••
Godavari right and left bank head regulators .	122	••	••	••	••
Groynes, tree, training of rivers with	5, 66, 67 72, 78, 79 81, 83, 140	٠	••	33, 57	••
Guide bank, bund and wall	13, 15	122	61	195 141	
	(ii)		91	, 135, 141	. ••
	(4)	•			

				194	8 1947	1948	1949	1950
H								
Hardinge Bridge, protection of				128				
High coefficient weir	•	•	•	86, 141	••	••	••	24, 42, 47
775-1-175		•	•	00, 141		••		32, 36
Hirebhasgar, Ganesh Iyer's Volu		:	•	••	••		•••	53, 58
Historical account of the Research	-	•	•	120			••	••
Hooghly river, tidal action in		•	•	38	83	58, 63, 73	368, 401	76, 78
" " training the .				42, 130		57	••	
Hydro-electric works, Radhanage		•	•	·		93		
•		•	•	••	••	83	••	••
I						•		
Indus, training the	• •	•	•	17	••	••	••	••
Indus catchment, precipitational	variations	•	•		6	**	••	••
Indus, Lower Sind Barrage on	• •	•	•	98, 127	••	••	••	••
,, water to Cutch State		•	•		219	••	••	••
Islands, artificial, for training rive	ers .	•	•	40, 53 105, 110	} 83	••	••	, ••
1								
Jamshedpur, water supply schem	е.	•	•	•••	187	116	••	••
Jawai river, design of a flume for	• •	•	•	86	••	••	••	••
Jamna, rail-oum-road bridge acro	68 .	•	٠	••	••	48	••	••
" training of the .	• •	•	٠	. 60	••	6-6		••
" water supplies, present ar	nd future	•	•	138	••	••	••	••
. K					,			
Kalyanipura tank, weir level of						113		••
Katjuri river, protection of bank					43	25		7
,, ,, redistribution of sar	d .			44	35	27		
Khara river, minimum waterway	for .			37				
Khari catchment, rainfall in						-	851	
Khosla formula, for run-off .		•	•			-		69
Koilsagar dam, spillway for .				••		110	••	00
Kosi Dam, Central Spillway Proje	ot .			••		••	257	
" rapid westerly movement of		٠.		132	••	••		
Kotri barrage, design, etc				98, 110	116, 134	79		
Kshipra river, training of		. ,			47	31		
Kuakhai river, protecting bank of				••	39	48		7
•							-	•
. L								
Lamoen and Bonnet, scale ratio n	nethod of	•	•	••	-	••	••	6
Land drainage	• •	•	٠	121	••	••	••	••
Lloyd barrage	• •	•	•	17, 22, 123	61, 177, 179	• ••	••	••
Lock span, in Sind design .	• •	•	•	••	191	**	. ••	••
Lower Sind barrage	• •	٠	•	98, 110	116, 134	79	-	••
Luni river, training of .	• •	•	•	52	34	••		••
. Ve Ma								
Madras Harbour, range in .							416	82,88
Mahanadi Anicut at Jobra, Orissa				••		••	•••	7
Mahanadi, Preventing scour in				. 5, 27	. 34			•
,, redistribution of sand lo	ad .			44	35	27		••
Mahi canal project				• .:	-			••
Mahi Weir Site, geophysical invest	igation et			,	-	-	••	24
Malaprabha river, training of		•	•		· ••	••	:.	- 28
Metapraona irror, training or	• •	•	•			••	••	••
•				(iii)				

15 A

						1946	1947	1948	1949	1950
. M	[—con	td.					`	,		
Meanders						6, 131			••	•
Mean velocity, coefficient i	or						• .:	12	••	• •
Meshwa canal project .						·:	·:	143		
Mithapur, silting of salt w	ater at					··	•	68		
Mithrao canal, control of a	and	•		:		• 127	••	••	••	
Model and prototype confe	ormit y	:				·	••	••		53
Model scale ratios .	•	•	•	•	•	76, 107, 110	47, 58, 102	63	••	6
Mekameh, road and rail b	ridge a	t		٠.		, ••,		••	••	10
Mokameh, submarine cable	es at						••	148	••	
Mud banks at Cochin Harl	our'					••	112	••		••
Mu river, Ye-U canal acros	19.	4 *		•						59
••	N			٠.						
Narbada, erosion in							٠٠	51		9
Nira, L.B. canal				•		122				•
N. W. Canal flattening the	slope					* 8 5			••	••
		•	•	-	-				••	••
	0									
Overflow spillway .	•	•	•	•	•	••	••	116	216,	••
									288 🖍	
	P									
Periyar river, discharge an	d silt	conter	ıts	•	•	••	105	••	••	• ••
Permeable foundations	•	•	•	•	•		••	••	210	••
Permeable tree groynes	٠	•	•	•	٠.	79	••		••	••
Photo-elasticity in soil me	chanic	s, in s	tress	analy	sis	••	••	••	188 208	20
Pier(s)						14, 129,		52	135	
110(0)	•	•	•	•	•	140	••	02	100	••
Piles to enable accretion a	nd silti	ing				. 39	••	• ••		••
Polariscope	•	: -				٠	•			20
Porosity meter			•	• •			••			98
Precipitational variations,	Indus	catch	ment	• ·			6		••	20
Puri, sand meter analysis	b у .	•	•	• •	٠		. 26	••	••	
Purna river, protection of	bank		•	•	•		••	49	46	
	R								•	1
Radhanagri dam and Hydr	ro-elect	tric W	orks					. 93	339	
Radihalla, bridge across	•					••			155	••
Rainfall, estimation and fro	equenc	y					. 7	••	351	65
" runoff						131	19	7	.,	69
Raingauge Station Maps					٠.	162		••		••
Rajahmundry, railway bri	dge at					• .:	••	52	108	
Ramganga river, bridge ac	8801					6	••		••	
Range in Madras Harbour	• .					••	••		416	82
Reclamation						••	••	66	352	••
Regime, divergence from						135	••			
Relaxation, process and de	velopn	nent o	f				·		••	39, 47
Road culverts						37	••	••		•
Run-off, rainfall						131	19	7		69
Rupnarain, protection of b	anks			•		78, 130				
Ryve's formula, run-off							19		••	··
	8									
Sagi river, minimum water	way fo	r				37	••	••		
Sakri river project .						′ · .	199	••		
Sand, attrition rate of .		•		•		115		••	••	
Sand control						125	••		••	
						(iv)			•	••
						,				

		1946	1947	1948	1949	1950
,					i	
S—contd.						
Sand excluders and exclusion	•	98, 110 127	177. 179}	79	••	••
Sand meters, analysis by		••	26	••	••	••
Sand, redistribution of load		44	35	27	••	••
Sand, wet frictional forces in		••	••	••	212	••
Sand, wind tunnel classifier for		••	28	••	•••	••
Scale ratios, model	•	76, 107 110	47, 58 102	••	••	6
Scour, at Mahanadi Anicut		5, 27	34	••		7
design for, in Sind		110	61	••		••
" downstream of rigid structures		114	67	••		••
" in the Indus		17		••	••	••
" maximum depth of		140	••	••	187	••
" protection from	•	91, 129, 132	165	••	21, 187	••
Sewage for irrigation		123	••	••	••	••
Silting in Cochin Harbour	•	••		•••	••	88
" of channels	•	132	••	••	••	•••
Siphon for Bhandardara Weir	٠	••	••	95	325	••
" Ganesh Iyer's	•	••	••	••	••	57, 53, 55, 58
" Spillways, co-efficient of discharge .	•	141	-	••	•	-
" " Koilsagar project	•	••	-	110	-	-
" " limitation of models	•	4.9	-	25	••	••
" " scour below	•	91	165	••		-
Soil classification	•	121	••	••	-	74
" dispersion of	•		••	••	••	72
" mechanics and photoelasticity	. •	• ••	• ••	• ••	188	••
" surveys in Sind .	٠	123	•••	• -	••	••
Son at Dehri, Aniout on	•	127	••	••	••	••
Spillway, Dimna Nala	٠	••	••	116	288	•••
" dissipation of energy below .	•	••	••	104	216	••
, for Dharma storage reservoir .	•		••	••	••	49
" Vaitarna Dam	•	••		110		49
Spillways	•	. ••	••	110	257	••
Splitters, use of	٠	••	34	••	233	50
Spurs, attracting and repelling	•	86, 122		••	27, 187	••
Standing wave flume	•		•••	•••	••	••
Stress Analysis, experimental methods of	•	••	••	••	**	20
Stress patterns	•	••	••	.148	188	••
Submarine cables across Ganges	•	••	••	,145	••	••
Sukkur barrage	•	17, 22, 123	61, 177, 179	••	••	••
Sukri river, waterway for	•	37	••	••	••	••
Surat Water Works, damage to	•	••	•	••	21	8
Sutlej river at Samasta	٠	68	••	••	. ••	••
T						•
Tansa dam, automatic gates, Torque		••	153	107	_	
Tapti, erosion and scour in		••	••		₩	8
Tapti, training the		••	54	37	21, 39	•
Tidal action in Cochin Harbour		••	91			••
Tandly siver		38, 42	83	58	368	76
Waters training the		125	••			
" HAROIS CLARING CO.		(v)				••
		,				

				1946	1947	1948	3 1949	1950
T—contd.								50
Tide-generating apparatus, Automatic	-	•	•	••	••	73	••	78
Tides, resolution into components	•	•	•	••	••	••	401	••
Tortuosity	•	•,	•	69	••	••	••	••
Tractive force formula		•	•	110	••	••	••	••
Training Auranga river	•	• .	•	••,	51	••	• • •	••
,, Ganga at Garhmukteswar	• ,	•	•	••	••	29	17, 65	••
" " " Kanpur	• .	•	•	40.700	46		. ••	••
" Hooghly	•	• •	•	42, 130	• ••	57	••	• ••
" Indus	•	•	•	17 60 '	•••	•••	••	••
,, Jumna	•	•	•		49	••	••	 7
" Katjuri at Khannagar .		•		••	43	**.	7	
,, Khari at Raipur	•	•	•	••	47	31		••
,, Kshipra at Ujjain Kuakhai river		•		•	39	43	••	7
T!	• •	•		52			2-9	•
Marian Maria Alan	•			5	bro .	••	••	••
Narbada	•				•	·••	••	9
Dupparein with tree mornes		٠			•	••	••	
,, ivupnaram, with the groynes	•	•		78, 79, 130	• ••	••.		-
" Sutlej at Samasta				68	••	••	••	••
" Tapti at Surat		•		••	54	37	••*	••
" tidal waters		· •	•	125	·	••	••	**
" Watrak at Kaira	. ,	•		64	•••		••	••
Transmission co-efficient, of sand .		•		94	• ••	••	••	••
Tree groynes		· . •	See u	ider groyn	69.			
Tube wells	• •	•		94		-	••	
Turbulence • • •		•		38	83	•	•••	••
ប								
•		•						
Uplift pressures, under structures		•		••	••	-	210	••
`▼								
Vaitarna Catchment, run-off from		_	•			7		
" Spillway				·		104	216	49
Vanes to exclude sand				101		•	40	
Vent approaches, design of				37	••	••		••
Vibration of dams					••	••	••	18
Volute Siphons						25		53, 55,]
•			•				-	58
w		•			*			
					159	or 110		
Waste weir, gates	•	•		107	153	95, 113	325	••
Water Supply Scheme	• •	• 		137 37	187, 219	14, 116	***	••
Waterway through bridges	•	•		64	•••	••	135, 335	•• ·
Watrak river, training of	• •	•			••	••	••	**
Wave-recording apparatus	• •	•		••	••	77	••	88
Weeds, eradication of		•		124	••		••	•• .
Weir, design of				86, 141	••	•• ′	257, 288	94 49
11 the stronger v	•	•			••	•••	avi, 400	24, 42
Y					_			. •
Yamuna, rail-cum-road bridge .					••,	48		••
Yamuna Canal, Sand exclusion of.				••	••	••	•	59
MGIPC-S1-5 CW & PC-14-11-53-4	50.							-
			(vi))				

List of Agents in India from whom Government of India Publications are available.

English Book Depot, Taj Road. National Book House, Jeomandi. Wadhwa & Co., Raja Mandi.

Chandra Kant Chiman Lal Vors, Gandhi Rosd. Indradhanu Book House Ltd., Mission Rosd, Bhadra. New Order Book Co., Ellis Bridge.

Banthiya & Co., Ltd., Station Road.

AKOLA-

Bakshi, Mr. M. G.

LLAHABAD-

Central Book Depot, 44, Johnston Ganj, Kitabistan, 17-A, City Road, Law Book Co., Poet Box No. 4, Allert Road, Ram Narain Lal, 1, Bank Road, Supdt., Ptg. & Stationery, U. P. University Book Agongy (of Lahore), Post Box No. 63. Wheeler & Co., Messrs. A. H.

· AT.WAR....

Jaina General Stores, Bazaza Bazar.

AMBALA CANTT .--

English Book Depot.

Peoples' Book Shop, Court Road. Sikh Publishing House Ltd., Court Road.

BANARAS-

Banaras Book Corporation, University Road, P. O. Lanka. Students Friends, University Gate. *Hindi Pustak Agency.

BANGALORE-

Book Emporium, Messrs. S. S., 118, G. H. Extension, Basavangudi P. O. Vichara Sahitya Ltd., Balepet

Agarwal Bros., Bara Bazar. Sahitya Niketan, Pulkazi.

BARÓDA-

Good Companions.

BIKANER-

Goyal & Co.

BOMBAY-

Clifton & Co., P.O. Box No. 6753, Sion, Bombay-22.
Co-Operators' Book Depot, 9, Bakehouse Lane, Fort.
Ourrent Book House, Hornby Road.
Dut & Co., P.O. Box No. 6014, Parel.
Lakhani Book Depot, Bombay-4.
National Information & Publications Ltd., National House.
New Book Co., Kitab Mahal, 188-90, Hornby Road.
Popular Book Depot, Grant Road.
Supdt., Government Printing & Stationery, Queens Road.
Sydenham College, Co-Operative Stores Ltd., 90, Hornby
Road. Road.

Taraporevala Sons & Co., Messrs. D. B.

Taraporevals Sons & Co., Messrs. D. B. Thacker & Co., Ltd. Tripathi & Co., Messrs. N. M., Princess Street, Kalvadebi

Road. Wheeler & Co., Messrs. A. H.

CALCUTTA-

Chatterjee & C., 'A', Bacha Ram Chatterjee Lane.
*Hindi Pustak Agency, 203, Harrison Road.
Hindu Library, 69-A, Bala Ram De Street.
Lahiri & Co., Ltd., Messra, S. K.
Newman Co., Ltd., Messra, S. W.

CALCUTTA-contd.

R. Cambray & Co., Ltd., Kent House, P33, Mission Row EXCUSSION.

ROY Choudhury & Co., Messrs. N. M., 72, Harrison Road.

Sarkar & Sons. Ltd., Messrs. S. C., 1/1/1 O, College Square.

Standard Law Book Society, 41, Beltala Road, Bhowaniana P. pur P. O. Thacker, Spink & Co. (1933), Ltd.

CHAMBA.

Chamba Stationery Mart.

CHANDAUSI-

Mr. Madan Mohan

CUTTACK- .

Press Officer, Orissa Scoretariat.

DEHRA DUN-

Jugal Kishore & Co.

Atma Ram & Sons, Publishers, etc., Kashmere Gate.
Bahri Brothers, 188, Lajpat Rai Markot.
Federal Law Dopot, Kashmere Gate.
Hindi Pustak Agency.
Imperial Publishing Co., 3, Faiz Bazar, Darya Ganj.
Indian Army Book Dopot, 3, Darya Ganj.
Jaina & Bros., Messra. J. M., Mori Gate.
M. Gulab Singh & Sons.
Metropolitan Book Co., Delhi Gato.
N. O. Kansil & Co., Model Basti, Lano No. 3.
New Stationery House, Subzimandi.
Technical & Commercial Book Depot, Students Park,
Kashmere Gate. Kashmere Gate.
Youngman & Co. (Regd.), Egerton Road.

FEROZEPUR-

English Book Depot.

GORAKHPUR-

Halohal Sahitya Mandir.

Jain & Bros., Messrs. M. B., Sardfa Road. Mr. P. T. Sathe, Law Books Dealer.

HYDERABAD (DECCAN)- .

Hyderabad Book Depot.

INDORE-

Students and Studies, Sanyogitaganj.

JAIPUR CITY-

Garg Book Co., Tripola Bazar. Vani Mandir, Sawai Mansingh Highway.

JAMMU (TAWI)-

Krishna General Stores, Raghunath Bazar.

JHANSI-

Bhatia Book Depot, Sadar Bazar. English Book Depot.

JODHPUR-

Kitab Ghar, Sojati Gate. Mr. Dwarkadas Rathi.

JULLUNDUR CITY-

Excelsior Book Depot, Baz Baharwala.

KANPUR-

Advani & Co., The Mall. Sahitya Niketan. Universal Book Stall, The Mall.

KOLHAPITR-

Maharashtra Grantha Bhandar.

List of Agents in India from whom Government of India Publications are available-contd.

LUCKNOW-

J. Ray & Sons (India) Ltd., Hazaratgang.
Law Book Agency, 29-A, Kachery Road.
New Oxford Book Co., Jehangirabad Palace.
Universal Publisher Ltd., Plaza Building, Hazarat Ganj.
Upper India Publishing House, Ltd., Literature Palace,
Aminuddaula Park.

LUDHIANA~

Lyall Book Depot. Mr. Dharam Prakash, B.Sc., Banjiman Road.

MADRAS-

Devine Trading Co., 22, Namashivaya Mudali Street, Triplicane. Higgin bothams. Higginbothams.
K. Krishnamurthy, Mount Road.
Prasidency Book Supplies, 8-C, Pycrofts Road, Opp. Victoria Hostel, Triplicane.
Supdt., Government Press, Mount Road.
Varadachary & Co., Messrs. P.

MANGALORE-

U. R. Shenoy & Sons, Car Street.

MEERUT CANTT .-

Mr. Dharam Prakash, B.Sc.

MEERUT CITY-

Prakash Educations Stores, Near Tehsil. University Book Depot, Near Tehsil.

MYSORE-

J. Nanumal & Sons, Lansdowne Buildings.

Supdt., Government Printing. Central Provinces.

NEW DELHI-

Amrit Book Co., Connaught Circus.
Bhavnani & Sous, Connaught Place.
Bodh Raj Marwah, Shop No. 65, Pussa Road, Market,
Karol Bagh.
Clifton & Co., Original Road, Karol Bagh.
Empire Book Depot, 278, Aliganj, Lodi Road.
English Book Store, G-Block, Connaught Circus.
Faqir Chand Marwah & Sons, No. 1-A, Regal Building,
Connaught Circus.
Harikishan Das Bedi, R. S., 22, Annexe Ferozeshah Road.
J. Ray & Sous (India), Ltd., 2, Regal Building,
Jain Book Agency, Connaught Place.
Jayona Book Depot, Chapparwala Kuan, Karol Bagh.
Oxford Book & Stationery Coy., Scindia House.
Kam Krishna & Sons (of Labore), 13/13, Connaught Place.
Saraswati Book Depot, 15, Lady Hardinge Road.
Sikh Publishing House Ltd., 7-C, Connaught Place.

Jainco, Booksellers etc., Bazar Shaha Nashin.

PATNA-

Sohan Singh & Sons, Pirmohani, P.O. Kadm Kuan. Supdt., Government Printing, Bihar, P.O. Gulzar

Hindi Pustak Agency.
 Lakshmi Trading Co., Padri-ki-Haveli.
 Raghunath Parshad & Sons.

Deccan Book Stall, Fergusson College Road.
Express Book Service, East Street.
International Book Service, Deccan Gymkhana.

PUDUKKOTTAI-

P. N. Swaminathan Sivam & Co., Perumal Vilse

RAJKOT-

Mohan Lai Dosabhai Shah.

RANCHI-

Ideal Book Store, Near Paristhan Theatre, Main Re

ROORKEE-

Cambridge Book Depot.

SHILLONG-

Supdt., Assam Secretariat Press.

SIMLA-

J. Ray & Sons (India), Ltd. Azad Kitab Mahal, Stall No. 13. Minerva Book Shop, Regal Cinema Building. Sunder Das & Sons, 141, Lower Bazar.

SIROHI-

National Trading Co.

SURAT-

Shree Gajan Pustakalya, Tower Road.

TRICHINOPOLY FORT-

Krishana Swami & Co., Messra. S., Teppakulam.

TRIVANDRUM-

International Book House, 33, Valia Chalai.

UDAIPUR-

Mewar Book Depot.

UJJAIN-

Manakchand Book Depot, Patni Bazar.

Venkatasubban, Mr. S., Law Booksellers.

^{*} For Hindi Publications only.