

THE NATIONAL SAMPLE SURVEY

SEVENTEENTH ROUND
SEPTEMBER 1961—JULY, 1962

NUMBER 129

REPORT ON PILOT ENQUIRY ON MORBIDITY



सत्यमेव जयते

Issued by

THE CABINET SECRETARIAT : GOVERNMENT OF INDIA

PRINTED BY THE MANAGER GOVERNMENT OF INDIA PRESS NASIK AND
PUBLISHED BY THE MANAGER OF PUBLICATIONS CIVIL LINES DELHI-6
1968

Price : (Inland) Rs. 10.00 (Foreign) 23s. 4d. or \$3 60 cents.

ACKNOWLEDGEMENT

1. The report was finalised by Nitai Chandra Das and N. C. Paramanik. M. S. Murthy and S. Basu Roy were associated in the work relating to the preparation of the report.
2. Supervision of computing, punching and machine tabulation was entrusted to S. S. Bose, N. Dey, S. Palit, A. K. Chowdhury, R. Ray, S. N. Das, B. L. Banerjee and F. M. Rao.
3. The design of the survey was prepared by the Indian Statistical Institute.
4. The primary data were collected by the Directorate of the National Sample Survey, Government of India, in all the States except West Bengal and Bombay City in Maharashtra State where the Indian Statistical Institute collected the relevant data.

CONTENTS

CHAPTER		PAGE
ONE	General	1
TWO	Concepts and definitions	2
THREE	Summary of findings	3
FOUR	Self and Proxy-Respondents	5
FIVE	Probes and disabilities	9
SIX	Incidence and Prevalence Rates	17
APPENDIX		
1	List and presentation of detailed tables	21
2	Sample Design and estimation procedure	78
3	Instructions to investigators	79
4	Facsimile of the Schedule of Investigation	86

INDEX TO TABLES IN THE TEXT

CHAPTER FOUR

Table (4.1) :	Percentage distribution of population by sex, age-group, type of respondent and sub-sample : all-India rural households, NSS 17th round	5
Table (4.2) :	Percentage distribution of population by sex, age-group, type of respondent and sub-sample : all-India urban households, NSS 17th round	6
Table (4.3) :	Percentage distribution of self-and proxy-respondents reporting sickness or injury and no sickness or injury by age-group and sub-sample: all-India rural households, NSS 17th round	7
Table (4.4) :	Percentage distribution of self-and proxy-respondents reporting sickness or injury and no sickness or injury by age-group and sub-sample : all-India urban households, NSS 17th round	7
Table (4.5) :	Number of impaired persons per 100,000 persons by age-group and sub-sample for the rural and urban sectors : all-India households, NSS 17th round	8

CHAPTER FIVE

Table (5.1) :	Percentage distribution of spells of sickness by categories of sickness, sub-sample and sector : all-India households, NSS 17th round	10
Table (5.2) :	Percentage distribution of spells by categories of sickness, duration of sickness and sub-sample : all-India rural households, NSS 17th round	11
Table (5.3) :	Percentage distribution of spells by categories of sickness duration of sickness and sub-sample : all-India urban households, NSS 17th round	11
Table (5.4) :	Percentage distribution of spells of sickness by type of probe and respondent and sub-sample : all-India rural households, NSS 17th round	12
Table (5.5) :	Percentage distribution of spells of sickness by type of probe and respondent and sub-sample : all-India urban households, NSS 17th round	12
Table (5.6) :	Percentage distribution of spells by type of probe, respondent and disability and sub-sample : all-India rural households, NSS 17th round	2
Table (5.7) :	Percentage distribution of spells by type of probe, respondent and disability and sub-sample : all-India urban households, NSS 17th round	13
Table (5.8) :	Percentage distribution of spells of self-and proxy-respondents by type of probe, education of respondent and sub-sample : all-India rural households, NSS 17th round	13
Table (5.9) :	Percentage distribution of spells of self-and proxy-respondents by type of probe, education of respondent and sub-sample : all-India urban households, NSS 17th round	14
Table (5.10) :	Percentage distribution of spells of self-and proxy-respondents by type of probe cause of sickness and sub-sample : all-India rural households, NSS 17th round	14
Table (5.11) :	Percentage distribution of spells of self-and proxy respondents by type of probe, cause of sickness and sub-sample : all-India urban households, NSS 17th round	15

CHAPTER SIX

Table (6.1) :	Incidence rate by respondent and sub-sample for different weeks prior to survey : all-India rural and urban households, NSS 17th round	17
Table (6.2) :	Prevalence rate by respondent and sub-sample for different weeks prior to survey : all-India rural and urban households, NSS 17th round	18
Table (6.3) :	Incidence rate by type of disability and respondent and sub-sample for different weeks prior to survey : all-India rural households, NSS 17th round	18
Table (6.4) :	Incidence rate by type of disability and respondent and sub-sample for different weeks prior to survey : all-India urban households, NSS 17th round	19
Table (6.5) :	Prevalence rate by type of disability and respondent and sub-sample for different weeks prior to survey : all-India rural households, NSS 17th round	19
Table (6.6) :	Prevalence rate by type of disability and respondent and sub-sample for different weeks prior to survey : all-India urban households, NSS 17th round	20