



GHORA NIDAN

EDITED BY

LATE SRIJUT TARINI CHARAN BHATTACHARJEE

0¥

TEZPUR

PUBLISHED UNDER THE ORDERS OF THE GOVERNMENT OF ASSAM

SHILLONG PRINTED AT THE ASSAM GOVERNMENT PRESS 1932

Price Re. 1.6.]

[Price 2s.

٢.

Agents for the sale of Books published by the Assam Government.

Agente in india.

(1) Measra. Thacker, Spink & Co., Calcutta.	(10) The City Book Company, Post Box Ne. 383, Madras
(s) Meers W. Newmae & Co., Calcutta.	(11) The Standard Literature Co., Ltd., 13-1, Old Court House Street, Calcutta.
(3) Meesre. S. K. Lahiri & Co., Calcutta.	(12) The Standard Book Stall, Karachi.
(4) Mesars. R. Cambray & Co., 6 and 8/2, Hastings Street, Calcutta.	(13) Mosara, Karaadaa, Naraadaa & Soas of Surat.
(S) Babu Hari Ram Dhar, B.A., Popular Library, Dacca.	(14) The Proprietor, New Kitapkhana, Poona.
(6) Messrs. D. B. Taraporevala Sons & Co., 103, Meadow Street, Fort, Post Box No. 187, Bombay.	(15) The Association Press Calcutta.
(7) The Iadian School Supply Depôt, 309, Bow Basar Street, Calcutta.	(16) Messra, Butterworth & Co. (Iadia), Li- mited, Hastings Street, Calcutta, Post Boz Ne. 2.
(8) Mesers, Rai M. C. Sarkar Bahadur & Sons, 90-2A, Harrison Road, Calcutta.	• • • •
(9) Messes. Students & Co., Cooch Hihar.	(17) The Director, The Book Company, Limited, Booksellers and Stationers 4/4A, College Square, Calcutta.
ASSAM GOVERNMENT PUBLICATIONS ARE FROM THE OFFICE OF THE HIGE COM- BOOR-SHLER.	OFTALWARLE IN GREAT BRITAIN DIRFCT RESOLONGE FOR INDIA OF THROUGH ANY

SHILLONG : PRINTED BT THE SUPERINTENDENT, ASSAN GOVERNMENT PRIME-

PREFACE.

In June last when I attempted for the first time to read "Ghora Nidan" as it is, after having received a copy from the Kamarupa Anusandhan Samiti through Pandit Hemchandra Goswami, I found myself quite at sea with regard to its vocabulary, much of which is unknown and obsolete, and the text all jumbled up together, and the stops are so misplaced that they served only to render the confusion worse confounded. The puthi contains 40 leaves of thick brown and unpolished paper, 38 of which are written on both the sides, and the rest on one side only. The leaves are all uniform in size, $11\frac{1}{3}$ inches in length and 4 inches in breadth. Almost all the pages contain 7 lines each in old Assamese script. The first two lines at the beginning are so effaced that they are practically unreadable, while the second leaf is missing.

It is said that the *puthi* was found with an Assamese Brahmin gentleman of Nowgong district where his grandfather for certain reasons went to settle on the boundary of Darrang and Kamrup.

Unfortunately the *puthi* bears no name of the author. In course of my travels in the Mangaldai Subdivision in connection with the reading of the puthi I came across several copies of Ghora-Nidan which differ a great deal so far as their style and composition are concerned. There is only one puthi, with the Goswami of Kulbil Satra in Kamrup, which is exactly the same with only slight variations here and there. probably due to clerical mistakes. The incomplete text of the puthi I copied was redeemed to a great extent with the help of the second manuscript. lt contains only about a dozen of Sanskrit words. Some of the important words which are Greek at present to almost all the Assamese are even now used in some localities of Mangaldai. The method, style and treatment of the subject are so peculiar that it can be recognised at a glance that it is not a translation from other Sanskrit treatises. Unlike any other medical treatise in Sanskrit which is commonly met in other parts of India this treatise has no mention either of spices or herbs which are rare in Assam. It is striking to note that the custom of weaving the author's name into the text of a literary composition has not here been adhered to, nor does it contain any prologue or epilogue or invocation either in the beginning or at the end of the *putki*. I am therefore naturally inclined to believe that the *putki* embodies a compilation based on experiences of horses acquired specially in the Mangaldai Subdivision which has long since been the main gate for horse-import from Bhutan. The grounds deduced from the reading of this *putki* go a great length to deny the authorship of Sagarkhosi, the writer of "Aswakarnaryudha" who is supposed to be the author of 'Ghora Nidan' by some Assamese writers.

As to the date of its compilation no trace can be found in the body of the book. It is certain that in this treatise there is no trace of the influence exercised by the Vaisnavi writers over the literature of Assam. Its style and diction are plain and homely, and resemble more faithfully those of the Buranjis of Assam than other literary productions. As such it can naturally be regarded as a piece of work compiled sometime during the administration of the Ahoms from whom the idea of recording important experiences has been borrowed; besides the horse was an important factor in the civil and military functions of the state, and had a special department under a Ghora-Barua.

Obviously, on the grounds stated above it cannot also be held that this treatise has any connection with the Sanskrit treatises *Ascanaydakam* by Srimat Mohasant Jaydatta, son of Vijay Latta, which is now being translated into English and published as a serial in the quarterly Indian Veterinary Journal from Madras nor with *Aswachikichitam* attributed to Nakula, the fourth Pandava, who is described in the 'Mahabharata' as a veterinary expert of immense reputation.

This *puthi* therefore seems to me to be a product of experience acquired independently in Assam with reference to horses trained and domiciled in the land aud will, 1 hope, be a valuable supplement to those Sanskrit treatises named above, and specially to "Haya-Lakshana-Sara" which contains valuable contributions from Salihotra, Nakula and King Bhojo who are reported to be great authorities on horsemanship.

The *puthi* may broadly be divided into two parts, one dealing with the classes, colour and characteristics of ponies, and the other with diseases, their general symptoms and treatment. It is very interesting to note that unlike any other medical treatise in Assamese this *puthi* contains no symptoms of diseases except in very few cases. It is also interesting to note that no mention has been made in regard to a dose of medicine which according to the Garura-Puran is from 8 to 144 tolas. I should like also to add here in this connection that equal quantities of ingredients should be taken so as to make the required dose where measurements of the different ingredients have not been specifically mentioned.

The classification of the *puthi* is not systematic; I have however tried my best to impart a system to it purposely, for the convenience of readers without effecting any change in composition or attempting any correction in the spelling except in very few cases where there is a chance of misunderstanding the sense.

For clear elucidation of the technical terms this puthi badly wants a glossary. I found two puthis with Goswami of Kulbil Satra, namely "Ghorar Lakshana" and "Ghotoka Ratna" besides the one mentioned above, the latter of which for all purposes can be used as a supplement to this puthi. But for the "Ghorar Lakshana" nearly 50 technical words used in "Ghora Nidan" would have remained inexplicable.

I travelled in many places and consulted the Ahom translator Rai Sahib G. C. Barua and many leading gentlemen of the province, but these were unable to help.

I am fully aware I have not been able to do justice to the subject as I would like to do, and I hope there should be some allowance made for this maiden attempt in my old age. I shall consider that my labour in this direction to be amply rewarded when a better qualified man comes forward to take up the subject to make further research into it. As the effort had to be made against many olds I feel mistakes have crept in here and there, and I shall be glad to mend them if reasonable suggestions come forward from any quarter in Assam.

My thanks are due to Srijut Padmakanta Goswami of Kulbil Satra, Kamrup, who has rendered me great help by lending me his *puthis* on the subject.

[November 1927.]

TARINICHABAN BHATTACHARJEE.

(iv)

TABLE OF CONTENTS.

Introduction	•••	***	•••	-	vii—viii

-

•

.

PART I.

. .

The horse, kinds and chara	8U8	1	
Colours and what they denote			6
Points of the horse	•••	•••	18
Vices and their cure	•••	•••	26
Instructions to the rider	•••	•••	3 0

PART II.

Diseases, their symptoms and treatment			82	
Glossary	•••	•••		93 -107

INTRODUCTORY.

Srijut Tarini Charan Bhattacharyya, the editor and translator of Ghora-nidan, died at Gauhati on December-15th, 1927, while he was enjoying his well-earned pension after having served the Government as Sub-Deputy Collector. The book kept him busy for more than a year. He had to plod on with the text bristling with obsolete technical terms, identify the species of horses and antidotes mentioned and find out their-English equivalents. Besides, the manuscripts were in many places undecipherable; and the first-hand experts whom he app roached for elucidation of a difficult text had no special acquaintance with the equestrian science preserved in the treatise Ghora-nidan. Under these circumstances the preparation of a correct text and itsrendering in English constituted in themselves a work of tremendous labour; and what the author has achieved. in this unpioneered field during such a short time reflects credit on his energy and tenacity. Perfection. in such a venture is not a matter of one but of several generations. Ghora-nidan and the more artistic. erudite and laborious sister treatise on elephants Hastividyarnava are valuable contributions to the veterinary science of the Assamese people, and both the bookswere, in all likelihood, compiled under the commission of the state for us, as staff manuals by officers and menemployed by the Ahom Government under the Ghorachowa Barua and Hati-Barua, heads of the departments of horses and elephants respectively; and as far as Hasti-vidyarnava is concerned we know positively that it was compiled in 1734 by one Sukumar Kaith under the orders of Queen Madamvika, consort regnant of King Siva Singha, 1714-1744, while the illustrations were supplied by two court painters Dilbar and Dasoi. Their use was naturally extended to private owners and professional dealers. These two representative treatises reveal the richness and variety of the Assamese pharmacopœia, and their literary value consists in the preservation of a very large number of expressions now thrown into disuse.

It is regrettable that the author could not give the book the benefit of his final revision which he proposed to do before submitting it to Government. In November 1927 Mr. Bhattacharyya and myself were constantly engaged in revising the translation, but he died before this part of the work was completed. I returned a part of the manuscript which was with me to his brother at Tezpur, Srijut Kalicharan Bhattacharyya, B.L., who prepared the press-copy and submitted it to Government in May 1928. The proofs have been corrected by Srijut Kalicharan Bhattacharyya. They have been further revised. Mr. A. H. W. Bentinck, C.I.E, I.C.S., M.A., F.R.G.S., Honorary Provincial Director of the Department of Historical and Antiquarian Studies, Assam, has gone through the English portion. and corrections and alterations have in many places been considerable. Mr. A. O. Dutta, M.Sc., Lecturer in Botany in the Cotton College, has kindly revised the botanical terms. I have revised the Assamese text.

It is hoped that the publication of this book will lead to the unearthing of similar treasures and the stimulation of interest in the cultural legacies which old Assam has made to the new.

COTTON COLLEGE, 7

S. K. BHUYAN. Honorary Assistant Director, December 9, 1931.] Historical and Antiquarian Studies, Assam.

viii

GHORA NIDAN.

2

ঘোৰা নিদান।

প্রথম পটল।

ঘোৰাৰ জাত আৰু লকণ।

টাটুকৰ তিনি ছাতি, তুৰুকিৰ তিনি ছাতি। টাটুকৰ লক্ষণ |

টাঙ্গনৰ বুকু বহল ডিঙ্গি ডাঙ্গৰ, তাঞ্চিৰ বুকু চেপ ডিঙ্গি সৰু টাটুৰুৰ ভাল ; আচোৱাৰি হলে বিচাৰি পাৰ।

তুৰুকি টাঙ্গন্ৰ লুক্তণ।

কঠন সক হই 'চক্ষু সৰু ইব, মুখ দীঘল হব, 'তৰি 'আঠু উলিব' হব, ডিলি দীঘল ডাঙ্গৰ হব, দপনা বহল হব, বৰণ একেবৰণ হব, পথৰা বা আনৰে হক, তেনেহলে ঘোৰা উত্তম হই । লানা বহল হব, গাৰ সেন্ধা দীঘল হব, পোৰবটো দীঘল হব, নেম্বো সোৰু হব জদি, তেবে তুৰুকিৰ কি কব লাগে বিচাৰ কৰি পাব ।

কন্তাৰ লক্ষণ।

জনি আগুলা কুটুলা, মুৰত জনি জোৰ চকৰ থাকে তাৰো মন ৰয়া, দাগ কৰকৰিকৈ থাকিলে সি চঁক হই। সকলো গা কলিয়া থাকে তাৰ মন ৰয়া, জি আচোৱাৰি হই বিচাৰি পাৰ। জনি মনিয়াৰ হট, বৃ্ত্বিটো টান হৰ লাগে মনক নিয়ম কৰিব লাগে, ঘোৰাত উঠি বিচাৰ কৰিব, ইয়াক বৃ্ত্বিমস্ত হলেহে জানিব।

GHORA NIDAN.

(A HAND-BOOK ON THE DISEASES OF THE HORSE AND THEIR REMEDIES.)

PART I.

KINDS AND CHARACTERISTICS OF THE HORSE.

The Tatuk (Bhutan pony) and the Turuki (Turki pony) have each three varieties.

TATUK.

A wide chest and a large neck in a Tangon (male), and a narrow chest and a slender neck in a Taji (mare) are best in a Tatuk. An Achowari will look for althese.

POINTS OF A TURUKI TANGAN. (Male Turki pony.)

Short ears, small eyes, long muzzle, stout legs and knees, long and thick necks, broad quarters or buttocks uniform in colour, whether in a Pakhara (a spotted horse) or other indicate a good horse. If the trunk of the horse is broad, the frame of the body, and the croup long and the size of the tail small or thin, nothing more need be said of that Turuki (*i.e.*, the pony is a very good one).

POINTS OF A KANYA. (Mare.)

If the forehand is short and there is a pair of whorls on the forehead, the disposition of such a mare is not good; one which is continually grinding its teeth is given to shying. One having the entire body black is also not of a good temper. An Achowari will look for these points.

An expert should have his mind strong and under control, he should also try the horse by having a ride upon it. Only the intelligent expert will discover what he wants to know.

ভাল ঘোৰা চিনিবৰ উপায়।

ধোৰাৰ চাৰিউ মেৰে ছৰিব, চকু জনি প্ৰচাৰ কৰে কান ধিয় নকৰে ৰন্ন ঘোৰা। তাৰ উপৰত উঠি মাৰিধৰি চাব, ভাৰ তাত ৰিচাৰি চাব, ধৰি মাৰি চাবে জি লেতেৰা কৰে সি আৰু লেতেৰা কৰিব, নকৰিব হেন এনে হই জনি কিণ হই, পুষ্ট হলে নগাও কৰিব, জন্বি পুষ্ট হলে লেতেৰা নতৰে প্ৰধান পাই পলমেহে ঘটে।

খোৰা চিনিবৰ কথা।

খোৰাটো ছৰকৈ ফুৰাব, ঘামিলে সমান মাটিত ৰাখিব, নিৰহকৈ ধৰি থাকিব একদণ্ডমান, জেইটো সক হল সেইটো খোৰা। অদি তেও নাপাই ছথোজ বা চাৰি খোজ গলে লাহি লই এগৰিয়াউকৈ ফুৰাই চাব, আৰু ৰেৰিয়া পাকে ঘুৰাই চাব বকুনা পিঠিৰ কালে গিদৰ সিমনিলৈ, জেই ফালে মাল হেচি খবে, দেই ফালে মাহেক তিনি পক্ষতে খোৰাই, টান হতিয়াকৈ ফুৰালে সেই দিনাই খোৰাই। অদি এফালে আগিলা ঠৰাদি থাকে নেডাঙ্গে বা দম্বৰা থাই সেই ফালে খোৰা, সেইটো ছখ পোৱা খোৰা। আৰু সালভে মাহদি চাব, জদি ছয়োটা আগিলা, খন্ধতে টানি আফালে ভালে, জিটে লাহে লাহে গুৱিৰ পাৰে দেইটো মলিয়া, তাকে শুই উঠাতে চাব, জেইফালে ভৰম্বি উঠিৰ পাৰে ভাল, নোৱৰা ফালে বয়া।

ককালৰ বলাবল পৰীক্ষাৰ উপায়।

ৰুদি হেগনি ধৰি হুৰে, মাৰিলে ধৰিলে নচলে, অগপ হুৰালে কানকোত যাযে তাৰ ককালত বল নাই, ৰুদি গণা নামোতে পোনে জাৰ নোৱাৰে তাৰো বল নাই। নিতাস্ত জাৰ নোৱাৰে ছদি, ৰোজত বোৰ নপৰে তাৰ বল নাই।

HOW TO TELL A GOOD PONY.

Walk round the pony; if it opens its eyes but does not erect its ears, it is a bad pony. Examine it by mounting it and giving it a cut; if it behaves badly it will behave the more so hereafter. If it is in poor condition it may not do so, but will be found later on that when it gets plump again that it will behave badly like any other.

HOW TO TEST A PONY FOR LAMENESS.

Take out the animal to a long walk till it perspires, then hold it firm on level ground for about one Danda (24 minutes), the side on which one testicle is contracted, it will limp on that side. If however it is not detected, make it move two or four steps down a slope holding a string round its neck, and move it round leftwise to the line joining the anus and the scrotum, i.e., its entire length. It limps within a month and a half, on the side on which it walks pressing the scrotum; or if it is made to walk roughly it limps on that day. If it keeps a foreleg unmoved or unlifted or stumbles, it is lame on that side, but this is due to some hurt. Examine it also by placing some pulses before it in the stable, if it plants both the forelegs forcibly in the same position, then they are all right. If a leg is moved slowly a little above the ground it is defective. Try it again when it rises from lying down; the side upon which it puts its weight is good, and the side on which it cannot do so is bad.

HOW TO TEST THE STRENGTH OF THE LOINS.

If it breathes quick and hard while walking or will not move even on being beaten, and sweat comes out im the ear after a short walk, it is void of strength. If one cannot go straight down a slope, it has also no strength. If one cannot walk at all, or its footprints of the hind feet do not reach up to those of the fore it has no strength in the loin.

কপটিয়া আৰু এগনিয়া ঘোৰা চিনিৰৰ লক্ষণ।

ডাঙ্গৰ আঠুৱে, নেঞ্জে, মুৰে, ছাতৰ মুঠি এফালে বাধজৰি নিয়ৰে মৰি হুৰাব, জদি মুৰটো ডাঙ্গি এফলিয়াকৈ ছুৰে বি কপটিয়া এগলিয়া।

অন্ত ডাঙ্গৰ সৰু চিনিৰৰ উপায়।

দ্বেই ফাগে অন্ত সৰু সেই ফালে এক আঙ্গুল আৰু আঙ্গুল চুট ৰাউন্তে বিচাৰ কৰিব। ৰুতোৰ সালোৰে থাকোতে চিনিৰ নোৱাৰি;ভাগৰাই ফুৰাই চাৰ, ৰেই ফালে সৰু সেই ফালে চুটি।

ঘোষাৰ বৰ্ণ।

a1 ---

গুরু, বা গুরুবা বা স্বাত গুরিলা।

ৰকা বা জাত বকা।

কলিয়া---জাত কলিয়া, ৰোৰা কলিয়া, ভোষোৰা কলিয়া, মাট কলিয়া, চকোষা কলিয়া, ৰঙ্গৰাই কলিয়া, বেঙ্গনা কলিয়া, কাবা কলিয়া

পথৰা—বাউলা পথৰা, ৰধ পথৰা, ৰাম্ৰা শৰবা, ভেকু পথৰা, কুছুৰ পথৰা, কপহি: পথৰা, জুলাম পথৰা, ৰাম পথৰা, চাৰ্বা পথৰা, ডহা পথৰা।

চিলিমি বা চিলমিল—চিলিমি গুৰিলা, মটিয়া চিলিমি, ভোবোৰা চিলিমি, ছাই চিলিমি, লেগাও চিলিমি (লেৰাওজাও) চলোৱা চিলিমি, হহা চিলিমি, ফুলাম চিলিমি, নবা বা লঠা চিলিমি, মলধা বা দগ্যা চিলিমি, ডহা চিলিমি, ছাবুৱা চিলিমি, চেপা চিলিমি।

हेलो-हान वा हावि हेलो, बाकि हेलो, कानि हेलो, हेलो भवा।

দৰ্ব্য'—তাম দৰ্য্যা, সোন দ্ব্যা, বাৰ দৰ্য্যা, দল্পা দৰ্য্যা, সেত দৰ্য্যা, ভহা দৰ্য্যা, তেল দৰ্য্যা, দৰ্ব্যা পৰবা ।

খিৰাঙ্গ-ধিৰাঙ্গ বঙ্গতৰ, খিৰাঙ্গ ভদৰা।

HOW TO TEST FOR HYPOCRISY AND WAYWARDNESS.

If it has large knees, tail and head, and if it walks with its head raised and turning its cheek aside, it is a hypocrite and unreliable.

HOW TO TEST A LARGE OB A SMALL TESTICLE.

The smaller testicle is shorter by one Angul (the breadth of a finger) or a half. If it cannot be detected in the stable, it should be tested by taking it out for a walk.

COLOUR OF HORSES.

Colours :---

Sukla (white) or Jat sukila.

Ranga (bay) or Jat ran ga.

- Kalia(black)—Jat kalia, Ghora kalia, Bhomora kalia, Mati kalia, Chokoa kalia, Rangrai kalia, Bengena kalia, and Kaba kalia.
- Pakhara (dappled)—Baula pakhara, Bog pakhara, Bamuna pakhara, Keku pakhara, Kukur pakhara, Rupohi pakhara, Phulam pakhara, Bagb pakhara, Chabua pakhara and Daha, pakhara.
- Chilimi or Chilmil Chilimi sukila, Matia chilimi Bhobara chilimi, Chai chilimi, Lekao chilimi (Lejaojao), Chokoa chilimi, Hoha chilimi, Phulam chilimi, Nora or Lotha chilimi, Dagadha or Dagdha chilimi, Daha chilimi, Chabua chilimi and Dhepa chilimi.
- Talau—Chali or Chari talau, Rangi talau, Kali talau and talau pakhara.
- Darya (chestnut) Tam darya, Son darya, Bagh darya, Dagdha darya, Set darya, Doha darya, Tel darya and darya pakhara.

Khirang-Khirang Rangbhar and Khirang Bhadara.

দেওচৰাই 📭

ভদৰা---ভদৰা ছাল তুনি, কলিয়া ভদৰা।

ওলিক (তুলিক)—তুলিক পথবা ।

আবিৰণধ বা আৰম্ব ৰা আবনণ, বা আবৰছ বা আক্ৰস---গুকিলা আবনণ, ছাল/আবলগ, কলিয়া আবলগ, আবৰছ তুলিঙ্গ, আবলৰ পথৰা।

কুমিত---চকোৱা কুমিত, কুমিত ৰঙ্গা, কুমিত কলিয়া, নৰাকুষিত। চন্দৰা বা চন্দ্ৰা-চন্দৰা কলিয়া।

তাম বা তাম—তামচন্দৰা।

হুগুৰুৱা ।

ত্বক্ষ'আহনিয়া।

তুকাম—তুকাম তেলিয়া।

তিষ্ণা--ৰঙ্গা তিছৰা।

তিলক চন্দন।

ডাঙ্গকাচি--ৰঙ্গা ডাঙ্গকাচি, কলা ডাঙ্গকাচি ।

বৰ্ণ অনুসাৰে লক্ষণ।

ন্ধাত কলিয়া ভাল।

ঘোৰা কলিয়া হব কপালঙ ফোট থাকিব মুৰতো চক্ৰ থাকিব তেবে ভাল।

ভোমোৰা ৰুণিয়া হলে চেণেং অৰ্থাৎ মনত ৭ং হই, তোমোৰা কৃণিয়া হব নোম্বোৰ কাল হই মাধৰি চুলি কাল হৰ তাৰ মন গুদ্ব।

মাটি কলিয়া লক্ষণেৰে হে লব।

চকোৱা কলিয়া চাই হে লব।

ৰংৰাই কলিয়া ভাল ।

Deocharai-

Bhadara-Bhadara-chal-tuni and Kalia bhadara.

Tuling-Tuling pakhara.

Abilakh or Ablaksha or Ablakh or Abrach or Abrush-Sukila ablakh, Chal ablakh, Kolia ablakh, Abrach tuling and ablakh hakhara.

Kumit – Chakoa Kumit, Kumit ranga, Kumit kalia and Nara kumit.

Chandara or Chandra-Chandara kulia.

Tamu or Tam-Tam Chandara.

Hudumuwa—

Krishna Ahania-

Tukam—Tukam telia.

Tiphaa-R anga tiphara.

Tilok chandan-

Dangkachi-

CHARACTERS ACCORDING TO COLOURS.

A Jat Kalia is good.

A Ghora kalia is good if it has a star in the forehead, and a whorl on the head.

A Bhomora kalia is ill-tempered but if it has its hair and crest black, it is trustworthy.

A Mati kalia may be taken at sight.

A Chakoa kalia may be accepted on the first glance.

A Rangrai kalia is good.

পথৰা |

শগুৰাৰ কণা সৰহ হলে বগা, পৃথৰা সৰহ হলে ভাগ। পৃথৰা যদি বলা কাচিত হই তাতো কথা থাকে। বেই কি পথৰা নহক, পথৰাৰ ভাগ ৰহা হবে তাগ, সেতা হলে বয়া। পথৰাৰ জদি কণা পোম চাকি ভকিলা গোম বাঢ়ি গজে তাৰে মন টটাটিলা হই। পথৰাৰ নাকৰ ফোট বহল ধৰ সি আগলৈ মান্নহ খোৱা হই। পথৰাৰ টিহাত ফোট হলে খং ৰং নহই, যদি তেও কৰি থাকে সালত সিন্ত মানুহ খাই। কোৰত বদি ফোট থাকে সি গোচৰকা হই, ঘোৰাটো যদি সিওৰ মন চলা হই সেই ঘোৰাটো চেলেং। ফোট যদি বোই পৰে, তুল্লা ওঠত পথৰা থাকে সি আগহলাত ধাকুৰে পাচলৈ এৰে। ৰাম চক্ষু যদি উসসা হই তাক ৰাইতে ৰাখিৰ পাৰে। পথৰা হই ডহা হৰ সিও কি নকৰিৰ। কাণ পথৰা হলে হুই হই।

বগ পথৰা হলে ভাল, কিঞ্চিৎ চক্স।

বামনা পথৰা হলে ভাল তাৰে কান পথৰা, টোটোলা ওলেৰে', ঠেক ডাঙ্গৰ এনে হলে পাচলৈ অনাৰি কৰে।

কেন্তু পথৰাও ভাগ। কুকুৰ পথৰা বয়া লক্ষণেৰে হলে ৰুপহি পথৰা ভাগ। ফুলাম পথৰাও ভাগ। বাব পথৰাও বগা। চাবুৱা পথৰা টাকি, সেয়ে বামুনা হগে ভাগ।

যদি ডহা পথৰা হয় ভাতো কথা থাকে, কিন্তু পলমেহে হই গোহা শাইতে বিচাৰি পাব।

A Pakhara with many black spots is not good, but with many spots is good. A pakhara, if without much red, should be noted. Red skin of any pakhara is acceptable, but not the white or brown. If the growth of the white hair of a pakhara overshadows that of the black, the pony is a wicked onc. If a pakhara has a broad star upon its nose it will turn out a biter sooner or later. If it has a star on its thigh it is neither illtempered nor friendly. But if it still shows either mood at the stable it will be a biter. If it has a star on its side, the large tendons on the back of the hind legs above the knees red, and the temper uncertain, the pakhara is vicious. If it has a blaze and spotted lips it runs in the front first, but afterwards falls back. If its left eye is prominent the horseman may accept it. If the eyes of a pakhara are brown then what may it not do? One with spotted ears is wicked.

A Bog pakhara is good but a little shy.

A Bamona pakhara is good ; but it becomes troublesome when old if its ears are black, gullet hanging, and legs large.

A Keku pakhara is good.

A Kukur pakhara is bad.

A Rupahi pakhara, if its markings are good, is good.

A Phulam pakhara is good.

A Bagh pakhara is bad.

A Chabua pakhara is fretful, but if of the Bamuna kind it is good.

A Doha pakhara is to be noted, but its disposition will be found out later on by its rider. চিলিমি মুথ কলা, অন্ত কলা, আঠু কলা এনে হলে চলিমিৰ তাল, সেয়ে পোৰা হলে বয়া। চিলিমিৰ কান নীৰ্ঘ হব, পাও দীঘল হব সনৌৰে ভাল। মুৰ ছুটি হলেও বয়া, জোঙ্গা হলেও বয়া। ঠেঙ্গ ডাঙ্গৰ বয়া, শাণ চঙ্গুত বয়া। চিলিমিৰ নাকত ফোট হলে বয়া, কোখত ফোট হলে তাল, পিঠিত ফোট হলেও তাল, টিকাত ফোট হলে টাকি হব, মাছ-:লঙ্গুৰিয়াকৈ টিকাত ফোট হলেও টাকি হব।

শুকিলা চিলিমি ভাল ।

ছাই চিলিমি বয়া।

কথাৰে হলে লেকাই চিলিমি ভান।

হহা চিলিমি ভাল।

কুণাম চিলিমি ভাল।

লঠা চিলিমি ভাল।

দগধা চিলিমি বয়া।

ডহা চিলিমি হলে জাত কথা থাকে।

চাবুৱা চিলিমি ৰয়া।

টলো।

লক্ষণেৰে হলে চালি টলৌ ভাগ। টলৌ পথৰা হলে তাত কথা থাকে, মনত কপট, ৰাউতে বিচাৰি পাৰ।

দর্য্য।

দৰ্গ্যাৰ নাকত ফোট হলে বয়া, কান পথৰা হব দিও কি নকৰিব। দৰ্য্যা ৰদি ডহা হই তেবে বেয়া হই।

দৰ্য্যাতামু তেলিয়াৰ নাকলৈ চুছিমৰাকৈ ফোট বলে এনেটো ঘোৰাৰ মন বয়া। Black muzzle, scrotum and knees in a chilimi are good, but they are not good if they are only partly black. Long ears and legs in a chilimi are good in all cases. Short or pointed muzzle is bad. Large legs and scrpent eyes are bad. A star on the nose is bad. A star on the side is good, a star on the back is also good. A star on the thigh indicates bad temper, a spot like the fins of fish at the thigh also indicates the same.

A Sukila chilimi is good.

A Chai chilimi is bad.

A Lekai chilimi is reputed to be good.

A Haha chilimi is good.

A Phulam chilimi is good.

A Lotha chilimi is good.

A Dogodha chilimi is ominous.

A Doha chilimi is to be noted.

A Chabua chilimi is bad.

TALAU.

A Chali talau with good markings is good.

A Talau pakhara is to be noted ; it is a hypocrite as its rider will find.

DARYA.

A star or blaze on the nose of a Darya is bad, and if the ears are spotted, what it will not do ? A Darya with brown eyes is bad.

A Darya Tamu Telia, if it has a blaze pointed towards its nose, is not of a good disposion. গোন দুখ্যা ভাল (

বাৰ দৰ্য্যা, দগধা দৰ্য্যা হয়ে। বরা।

সোন দর্যাতকৈ সেত দর্যা ভাল।

থিৰাঙ্গ।

থিৰাগতৰং, থিৰাগৰ কোট যদি সোঁহাউলৈ চালে তাতো কথা ৰাকে।

থিৰাঙ্গ ৰন্ধভৰৰ নাকলৈ চুছি মৰাকৈ কোট বলে এনেটো ঘোৰাৰ মন ৰয়া।

থিৰাঙ্গ ওদৰাৰ হুই চন্দু ডহা তাল, এক চন্দু ডহা তাল, উঠা ফালে হলে, ৰাউতে ৰাখিৰ পাৰে।

দেওচৰাই ।

দেওচৰাই বয়া।

ভদৰা।

কলিয়া ভদৰা হলে তাতো কথা পাকে, সি বয়া, এঠেমৰ ৰেখা হলে বাৰু হই। ঠেন্ন ডানন হলে বয়া।

তুলিঙ্গ।

তুলিঙ্গ পথৰা ভাল নহৰ।

আবলখ ৷

আবলথ অতি ভাল। শুকিলা আবলৰ ভাল। ছাল আবলৰ ভাল। ফলিয়া আবলৰ বয়া। আবলৰ পথবা পাম কৰাবলৈ টান, লমপেৰে হলে ভাল। A Son Darya is good.

A Bagh Darya and a Dagadha Darya are both bad

A Set Darya is better than a Son Darya.

KHIRANG.

A Khiring is of a shallow or fickle mind; one with a star inclined to the right is to be noted.

A Khirang Ranghhar with a blaze pointed towards its nose is not of a good disposition.

A Khirang Bhadara with both the eyes brown is good; with one such eye it is also good, if the eye is on the side on which you mount, and it may be accepted by the Horseman.

DEOCHARAI.

A deocharai is bad.

BHADARA.

A kalia Bhadara is to be noted, *i.e.*, it is bad. It is fair if it has a line mark on one leg, it is bad if its legs are large or stout.

TULING.

A Tuling Pakhara is not good.

ABLAKH.

An Ablakh is very good.

A Sukila Ablakh is good.

A Chal Ablakh is good.

A Kalia Ablakh is bad.

An Ablakh Pakhara can be hardly taught to trot; one may be good with good markings.

কু'মত ।

ক্ষিতৰ ফুট জদি ন'কত থ'কে, ক গালতো থাকে তাৰ মন উপুখণ হই। কুমিত ডহা হলে সি হয়', ঠেঙ্গ ডাঙ্গৰ হলে বয়', ঠেঙ্গত ৰেখা থাকিলে সিও বয়া।

চকোৱা কুমিত তৰং।

নৰা কুমিত ভাগ।

ি খুত কণা কুমিতৰ নাকলৈ চুছিমৰাকৈ ফোট বলে এনেটো খোৰাৰ মন বয়া। কালি কুমিতৰ কিছু আপাহ নাই, গা পেট উৰুৰো গাম কৰাবলৈ টান, যদি মলাও চুটি বেঙ্গেটিও চুটি ভেঙ্গাও হই সদৌৰে ভৰ ধৰে।

চন্দৰা বাচন্দ্রা।

চন্দৰা কলিয়া ভাল।

হুহুমুৱা লক্ষণেৰে হলে তুহুমুৱাও ভাল ।

কৃষ্ণ আহনিয়া।

লকণেৰে হলে ভাগ।

তুকাম।

তুকাম ডেলিয়া তবং।

তিহ্নৰা।

তিফৰা, ৰঙ্গা তিফৰা ছয়ো টটাটিগা।

তুকাষ তিহ্বৰাৰ নাকলৈ চুছি ষ্বাকৈ ফোট বলে ব্যা।

তিলক চন্দন।

নন্ব, তাৰ চ'ক।

KUMIT.

A Kumit is of a fickle mind, if it has stars on the nose and forehead. It is bad if its eyes are brown. One with stout legs is bad, and with a line on the leg is also bad.

A chokoa kumit is fickle minded.

A Norakumit, is good.

An entire kolakumit is not of a good mind, if it has a star or blaze pointed to the end of the nose.

A. kalikumit has no affection, it is difficult to be taught to trot even with a free body and belly; one with short hoofs and fetlocks can take heavy weights, though bent under it.

CHANDARA_OR_CHANDRA.

A chandara kolia is good.

Hudumuwa—A. Hudumuwa is also good, if it has good markings.

KRISHNA AHONIA.

A Krishna Ahonia with good markings is good.

TUKAM.

A Tukam Telia is fickle.

TIPHARA,

A Tiphara, and a Ranga Tiphara are both wicked.

A Tukam Tiphara is bad, if it has a blaze extending to, its nose.

TILOK CHANDAN.

A Tilok Chandan shies, and should not be accepted.

ধাঙ্গকাচি।

ৰুণা ভাৰ কাচি বৰা।

থকা ডালকাচি লক্ষণেৰে হলে যেনেকি নহক, কান পথৰা চন্দু উপৰে কাপ ৰয়া।

· .

শাৰীৰিক অবয়বৰ বিভিন্ন গঠন আৰু লক্ষণ।

পত্নমুৱা ছুটিমুৱা এনে বন্না। সদৌ ঘোৰাৰে মুখ অধিকে ফটা হলে মুখ টান, অৱ ফটা হলে দৰম হই, নিয়মে হলে ভাল। নাকৰ পাহিৰ বলা জোলা_বন্না নিয়মে হলে ভাল, নাগা সৰু মন ভাল।

কান দীৰ্ঘ সদৌৰে ভাল। সৰু কানে মন টান। দীখন কানে মন পাতন। ডাঙ্গৰ হলে মন ঢিনা। সৰু হব ছুটি হব বদি সেয়ে জোলা হব, টটাটিঙ্গাবেহে ঘৰ হই।

ছন্নো চক্ষু বদি ডগা হন্ন সি উত্তম হই। শাপ চক্ষু বন্না, চকুৰ পিৰিকতি পাতল, কেতো চক্ষু ৰকা সোমোৱা চক্ষু যোপৰ চক্ষু এনে হলে বন্না। আচোৱাৰি ওপৰ চকুৱা হলে চক্ থাই তাত কথা থাকে।

গাল লোলা এনে বয়

ডিক্সি চিঞা_হলে নলব, চিঞা ওলোমা ডিক্সি হলে বয়া, ওলোম পেট হলে মাঠ হই।

হালমছিয়া কৰতি পিঠিয়া ঘোৰা হলে টাকিহর, আলী পুখুৰিয়া হলে গাৰ কৰাবলৈ টান তেও লব।

কটি ওলোমা এনে বরা।

DANGKACHI.

A Kolia Dangkachi is bad.

A Rang: Dangkachi if with good characteristics may be excepted. It is bad if the ears are spotted and there is a zebra mark above the eyes.

THE PARTS OF BODY, AND WHAT THEY INDICATE.

A muddy coloured or short muzzle is bad. A mouth opening long is hard, one opening short is soft, and one with a normal opening is good.

Pointed tip of a nose is bad, to be good it should be neither too much pointed nor blunt. A small nose indicates a good disposition.

Long ears are always good. Small ears indicate a strong mind, long ears a fickle mind, and large ears a weak mind. If the pony have small and short ears, and pointed at the same time the animal is only fit for a knave.

It is good if both the eyes of a pony are brown. Serpent eyes are bad. A horse with white and sticky discharges from the corners of eyes, thin edges of the eyelids, and red, sunken or prominent eyes is bad. A riding pony with prominent eyes may be noted, it is given to shying.

Fleshy or hanging cheeks are bad.

A pony with a thin or narrow neck should not be accepted; a narrow but fleshy neck is bad.

One with a hanging or pot belly is dull.

Roach backed and razor backed ponies are cunning and wicked, a hollow-backed one can hardly be taught the trot; however it may be accepted.

One with a fleshy or hanging loin is bad.

পোকৰ ছুটি হলে কথা থাকে, স্ফুটি বোকৰিয়া হব তললৈ অন্ন ৰোজা হব ভাল, জদি তলিও জোলা হই দি ৰাউতকে গাব দিকাই। অন্তৰে পোক-ৰৰ ছাল পথৰা হলে দলোৰে বয়া, টোপোহা লেজ সদৌৰে বয়া, টিকাৰ সমাবে লেজৰ ঠাৰি হলে যন্ন, টিকাৰ পৰা এলেজৰ ঠাৰি বোৰ হলে যয়া। লেজৰ কুৰা ভাগৰ হব সেৱে টকা হব বয়া। পাৰ লেজুৰিয়া হলেও ৰয়া।

ঠেগ ডাঙ্গৰ হলে ফুটি থাই, ডাগৰ ধৰে, অনাৰি হই।

পাও দীঘল সনৌৰে ডাগঁ: পাথৰিৰ চুকি ঠেম্বৰ তলে ৰয়া কেৰেয়া বই সামাজ হই-।

পাছপিৰাৰ তনিয়া বহুল হলে পোকৰ দীদল বহা।

দোবনা ওলমাহলে নলব, বেগ্ৰা থাম কৰে, চক ধৰে, গৰ যাৰে, জিৰ থাই, পালে মাহুহ খাই, দাবনা ওলমা সদৌৰে বহা ।

ি জিউৰ তলা বহল হলে মন চেদেলা হই, জনি অগু এটি ডাম্বৰ হই দি সোগাতে মিচাতে থোৰাই।। জেই ফালে অগু মক দেই জালে এক আছুল আদ আলুল চুটি ৰাউতে বিচাৰ কৰি পাব'।

গান্ধ কলা হলে বয়া।

ূ গুকিলা মন্নাত কৰা শিৰ হবে ভাষ। বেঙ্গেতিয়াৰ লোম মগ্যলৈ বাঢ়িলে বয়া। গান্ধ থুবা হলে ৰয়া। বি খোৰাৰ আগনি ধুবা গুৰুত্বে সি বয়া।

'বোৰাৰ'গা মদলি সৰিয়নি পোন'হলে পাম 'কৰাবলৈ টান ।

পাছলা থিয় হলে টিকা জোকাইৰ ৷

আগমুনি বোৰা হলে সি আগ বা পাচ একানত এপাহ পাই।

A short group is to be noted, a short croup but a little pointed towards the lower extremity is good; if the base is also pointed it would teach its rider how to trot, *i.e.*, such a pony is unmanageable. A spotted skin inside the anus is always bad.

A big tail is bad to all. If the stalk of the tail is on the same level with the buttock it is ominous; or if the stalk goes straight from the buttock, it is also bad. A short but big tail is bad. A tail like that of an ass is also bad.

A pony with stout legs stumbles is soon tired, and becomes troublesome. Long legs are good for all purposes. If long hair grows on the legs it makes the animal peevish and inferior.

If the base of the quarter is broad, the croup is long and hence bad.

Do not take one with fleshy and hanging quarters it is prone to offensive sweat, it shies, runs away, is timid, and bites when possible. A fleshy buttock is always bad.

A broad scrotum is an indication of peevishness. If a testicle is large the pony limps with or without reasons. A smaller testicle is shorter by one or half an Angul, a horseman will find it.

If the splint bones on both sides of the knees are like those of an ass they are bad.

Black lines on white hoofs are good. It is bad, if hair of the fetlocks touches the hoofs. Hoofs like those of an ass are bad. The pony of which the hoofs give way without cause is bad.

It is difficult to teach the trot to a pony if its body and barrel are straight.

If the hind part of a pony is high, it shakes its buttocks. One with a heavy forehand gets attachment at early or old age. মুখৰ ডাৰি তিনি আকৃল চাৰি আকৃল নিয়ম, তাতকৈ জৰি উপৰে বাঢ়ে টটাটিক্ষা, তলে বাঢ়িলে মাঠ।

বোদোৰা মাথৰি সদৌৰে বয়া, মাথৰি কণা পেপ থুপিয়া হলেও বয়া, টিকনি মাথৰি কুটুলা হলে বয়া, ডাঙ্গৰো হলে বয়া, চিয়া চোৰোকাও বয়া। বোৰোৰা-দি থিয় হই থাকে সদৌৰে বয়া। ৰাউত বয়া হলে ঘাট তাক নলৰ, ৰটিয়া বোৰা সৰ্ব্বত্ৰে বয়া।

চাৰি ঠেন্বত লোম, কানত লোম সদৌৰে বয়া।

গা একে বৰণিয়া হলে ৰূপাণত ফোট হলে ভাল। গা একে বৰণিয়াহলে ঠেন্দ চাৰিখন শুক্লা হলে দিও বয়া।

স্বাভাবিক চিন আৰু লক্ষণ।

চকৰ—গ্রোহ্ণালে গালত চকৰ হলে ৰাউতক উবাৰে। তাল চকৰ তালুত হলে ভাল, চক্ষুৰ মাজত হলে টটাটিলা, চক্ষুৰ নাৰ হলে লব। টি কনিৰ তলে তিনি চকৰ হলে ভাল, কানৰ তলে চকৰ হলে মুৰ ৰোকাৰে, উঠা ফালে হলে ৰাউতে ৰাখিব পাৰে, মাথৰিৰ তলে হুয়োহালে ডিলিত চকৰ হলে বয়া, উঠা ফালে হলে ৰাউতে ৰাখিব পাৰে। দাপনাত চকৰ হলে ৰয়া। ডিলিৰ তলে আবৰ্ত্ত হলে ভাল, এনে হলে লগ, সেয়ে লামাৰৰ্ত্ত হলে বয়া। চকৰ বিকট হই মন পাতল।

ছেলাউৰি।

দাবনাৰ পৰা ভিঙ্গিৰ তলে ছেলাটাৰ ডথৰাডৰৰিকৈ ছেতি ভৰৰ থাকে ভেতিটা ৰাউত উবাৰে। গালত ছেলাউৰি হলে বয়া। চক্ষৰ তলৰ পৰা ছেলাউৰি গুপৰলৈ গলে বন্ধা, দাবনাৰ পৰা ওপৰলৈ গলেও বন্ধা, চিকৰ পৰা A three to four Anguls long beard in a pony is usual; the excess growth indicates craftiness, and a shorter growth indicates dullness.

Short mane is bad in all cases. Black and dense mane is bad, short, or thick or patchy mane is bad. Short and standing mane is bad always. If the line of the crest of a pony is bad, the animal is inferior and should not be taken. A pony with matted hair is bad for all purposes.

Thick hair on all the four legs and ears is bad in all cases.

A pony with a uniform colour of the body and a star in the forehead is a good one. If the colour of the body is uniform and all the legs are white it is bad.

NATURAL MARKS AND THEIR INDICATIONS.

Whorl.

Whorls on both the cheeks bring ruin to the rider and his family. A mark like pair of whorls at the crown of the head is good, a pair between the eyes indicates wickedness they may be ignored, however, if they are below the eyes. Three whorls below the wither is good. A pony with a whorl below the eye shakes its head. A rider may however accept it, if the whorl is on the side by which one mounts. If there is whorl on both sides of the neck below the mane a rider may accept it if there is one on the near side. A whorl on the buttook is bad. A whorl below the neck is good, a pony with such a whorl may be accepted; but if such a whorl begins from the left it is bad. An ugly whorl indicates a fickle mind.

CHELAURI.—(Ridge of hair.)

If a pony has ridges of hair between neck and buttock, for every one it will destroy its rider. A line of hair in the cheek is bad. It is bad if such a line runs upward from beneath the eye, or from the buttock. টিকলৈ ছেলাউৰি গলে ভালা। ছেলাউৰি বিষ্ণা হই কল গাতলা।

. .

লোমধাৰ-ছই গালে লোমধাৰ হলে মুখলটপটাই, আঠুৰ পৰা টাবলৈ লোমধাৰ হলে চক ধৰে, পেটৰ কোখৰ পৰা লোমধাৰ বন্ধা। লোমধাৰ বিভট হই মন পাতল।

লোমখটকা—কানত গালত লোমখটকা হলে ৰাউত্তৰ মুৰপাই, মান পুৰণি হলে লব। ডিন্বিৰ তলে ঘটকা হলে ভান, এনে হলে লব। সেন্নে বাধাৰস্ত হলে বয়া। গাত লোময়টকা হলে ভান, উঠা ফালে হলে আৰু ভাল।

মন---মন কথিয়া হলে তাল, পথলিমা হলে বয়া'।

দাঁতৰ'কথা।

দ্বাত নভগাৰ সিৰণ ভগাৰ সিৰণ নাই। আধাৰৰ দস্ত থাৰি থাকে, নকৈ ভগাৰ থাৰি নাই। দাঁততো পানী কতো ভগাৰো ধৰে নভগাৰো ধৰে। নভগা দাঁতৰ মান্ধত কণা হুট। A line of hair from the groin to the wither is good. If ugly, it indicates a fickle mind.

LOM DHAR.—(Line of hair grown like a centipede.)

If it has centipede-like lines of hair on both the cheeks, its mouth is unsteady. One with a centipede from the knee to the hoof it is easily frightened. A Lom Dhar from the side of the belly is bad. An ugly line is an indication of a fickle mind.

LOM GHATIKA.—(Hairy protuberance.)

One with Lom Ghatikas in the ears and cheeks ruins the rider, however it may be accepted if it is old A Ghatika below the neck is good, and one with such a Ghatika may be accepted. If a (Hatika begins from the right, it is bad. A Lom Ghatika on the body is good; it is the more so if it is on the side by which one mounts.

DISPOSITION.

The disposition is good when it conforms with that of the rider, it is bad when it is opposed to it.

.

- (

TEETH.

A temporary, or a milk tooth has a Siral (a distinctive mark) while a permanent one has not. A milk tooth has a depression which is not found with a permanent one. Some permanent and some temporary teeth may have brown watery marks. A milk tooth has a black spot at its top.

কুম্বভাব আৰু তাৰ প্ৰতিকাৰ।

. . .

ঘোৰাৰ যদি গুলিয়া ধৰে ঢিল গালে টান কৰি ধৰিব, যদি নমৰে ঢিল গালে ভৰি দিব, যদি তেও নেৰে ঘা লগাৰ, ঘা ওকালে গেৰু বান্ধিব, তেও বদি নেৰে মুৰ গুৰু হই পাঁচ ঠেলত বান্ধিব ইকাঅৰ গালত লগাৰ। যদি এগুলিয়া নমৰে এফালে লগাব, যদি ছয়োফালে হই ছয়োফালে লগাব।

ষ্ণি মুথ জোফণা কৰে, হিয়াৰ যান্ধ কৰি বহিব ৰাম্বহৰিত নিবহ কৰি থালি ধৰিব, মুখ যদি মলিয়। হেনে থাকে নগ নোপোৱাকৈ কিছু টাৰি দিব, মুখ চাউনি নমায় দিব, নগ নগৰ । যদি মুখ গধুৰ হই আন কৰি বা গগাব হাতত সৰহ কৰি জনাব। যদি মুখ মুকলি থাকে হায়োফনি নমায় দিব, মুখ চাউনি নমায় দি হিয়াৰ বান্ধ চুটি কৰিব, বামগৰিত থৰো নথৰিব, খোৰ কৰি গব, কৈছুৰি থাকে যদি ব্যায়জৰি গুটিকৈ অনাৰ তেৰে চঙ্গ তাগিল, মুদি গোপেৰে থাকে, তাক ভালন কঠিন, মুখ যেগিৰ নোৱৰাকৈ খোটগৰি লগাব, চাবনি ঠেক কৰিব হাত জুৰি কৰিব এতেকে এৰিব। বদি মুখ মুকলি কৰি আই তাক বোকনিৰ কনাৰি ঠেক কৰিব তেৰে মুখ অপাই, তাৰ হিয়াৰ বান্ধ জুৰি খাৰ্বৰ, হাজতো বান্ধি ধৰিব। জাৰ দলনা মুকলি কৰি ছুকুৰে, তাত হছকি বহিব, হাজতো আনাৰ। জাৰ আগুলাই থাকে তাত নগৰ। গগাব, তেগ যদি নেৰে টাবত পাঞ্চলৰি মেৰাৰ টান কৰি পাচে এবে, নেৰে যদি আগুলা অন্তৰ নহই মুখত বা লগাব তেৰে অন্ন দিনে বাক হই। যদি কোচোৱা হই তাৰ তলচাৰ তলত কুমলিয়া বাহৰ চেকনি একহালৈমান মোতোকাই দিব হাততো জনাই জাব এতেকে মুকলি ছৰ।

26

VICES AND THEIR CURE.

If a horse persists in going with its head to one side, slacken the rein and then pull tight; if that fails attach a cord; if that is not enough make an incision and when it has healed tie a knot over it; if even that does not cure and the animal is hard-mouthed, run a cord from that side to the opposite hind-leg. If it turns on one side only, fasten the cord on that side, and if it does the same right and left, fasten the cord on both sides.

If a horse shakes its mouth, sit erect on the line of the girth pressing with your thighs the flanks of the animal, and hold the rein firmly. If the mouth is tender pull the rein lightly without touching the oheekbone, and let the bit hang loose.

If the mouth is hard make a slight wound, and make use of your hands so that the animal feels them.

If the mouth is open, lower down the string round the muzzle and the bit as well, tighten the girth, and hold the rein lightly, and keep the animal under your control.

If the animal bends its body, hold the rein tightly, it will come round.

Obstinacy is not easy to cure; use a string round the mouth so that it cannot open it, shorten the bit, hold the rein tightly, and it will give up the habit.

If it goes with its mouth open draw in the ring round the muzzle, and the mouth will be closed, tighten the girth also, and hold the rein firmly.

If it does not walk with its buttocks open, shift your seat a little toward the croup and let the animal feel your hands. If it has the same defect in the forearms, apply rings round the knees, if it persists twist tightly five strings round the hoofs, and even after this if it does not give up the habit fully, make an incision in the mouth, and it wil come round soon. ৰি জগকা দি থাকে তাত ৰাঘজৰিত সম্হ কৰি ধৰিব, বৰিষণত ভূৰাৰ, সালতো মুখত জৰি আৰি ধৈব, এতেকে মন ভাল হই।

চঁক হলে ৰাতি স্থাৰ, একাঠু পানীত স্থাৰ, ভাগ হল যদি মন চঁক খহিল।

ঁ ধৰি জুটি ধাই জাই তাত কথা আছে, ঘিলা লগাব, পানীত স্থৰাব, খুৰাৰ ধাৰ কাটিব।

বদি আগুলা আফালে তাত আগলৈ হালি বহিব মুগু পেলাৰ ভূৰাই উঠিব।

কেকোৰ। থাকে হাত ৰোগত হুৰাৰ, ডেঢ়ি কৰি বহিৰ। যদি মুৰকো ৰোষৰা কৰে, তাত হাত নিৰহ কৰিব, হিয়াৰ বান্ধ ভূৰি ধৰিৰ।

ৰদি আগুনা ৰেকা কৰে তাৰ টাবত জৰি মেৰাৰ, হাততো সৰহ দিব।

ইদি নেজ বেঙ্কা কৰে।ডেঢ়ি কৰি বহিব, যদি নেজ নেমেলে তাৰ তলচাৰ তলত কঠিৰ মাৰো পাৰি বহিব।

ধদি টিকা জোকাৰি থাকে তাৰ আগুলাত থিগা লগাব, চাত ডালি বুকু মেলি ছহকি বহিব তেৰে টিকা জোকৰা গুচে।

আগুণা খৰ হই দীঘল হবে যদি আগুলাৰ তলে বিলা লগাব, হাততো চিগহা দিব। পাছলা যদি খৰ হই তাতো ঘিগা লগাব, যদি খুৰ্নিৱা হই হাততো জনাব। If the body remains contracted put a coil of 5 or 20 green bamboo shoots below the numnah and let the animal feel your hands, this will set the body right.

If the pony is gloomy the rein should be held tightly and the animal should be walked in the rain, and a cord should be applied to its mouth even at the stable; this will put the animal in a proper frame of mind.

If it shies take it out to walk at night, and through knee-deep water, it will be cured.

If it stumbles attend to it, apply ghila, take it out to walk in water, and clip the edges of the hoofs.

If it plunges with its forefeet, ride leaning forward.

If the head is drooped ride the janimal only occasionally.

If it cringes make it walk in a circle, using your hands, and sit a little inclined to one side.

If it shakes its head, sit erect pressing down the flanks and hold the rein tightly.

If it bends the forehand, twist strings round the hoofs and make the animal feel your hands.

If it carries its tail to one side, sit slightly over.

If it does not stretch out the tail use a circular seat of timber beneath the numnah.

If it shakes the rump make use of ghila in the forearms, and sit opening your chest and stretching out your hands and shifting to the rear, this will remove the vice.

If it overstrides in front use Ghila (shoe) beneath the forefeet, and use whip in your hands; if it overreaches behind use ghila under the feet too, if the steps are in a circle use your hands. ংগাৰাৰ মন বুজন টান, হাতত সৰহ দিব, মন টুটা হলে মেলি মাহ লখাব তেবে মন বাঢ়ে, ৰদি মন বঢ়া থাকে, তাৰ হিয়াৰ বান্ধ চুটা কৰিব, হাততো সৰহ কৰিব জিৰাই উঠিব।

বদি গাম নধৰি থাকে হুটাৱে হুফালে ধৰি পাচতো ভকাৰ, বাইতে উঠিৰ উপৰত, মুখত বা লগাব, হুদিন খই উলিয়াব, হাততো অল্প কৰি জনাব, তেও যদি নমৰে বেঙা কৰি ধাৰব, সালত থাকোতে পৰা জৰি ডালি দিব, যদিচ কলন্ত কাটি নাজাই তাৰ এক ঠেন্বত থিবা লগাব এক ফালে মুখত জৰি দিব।

যদি মঠ ধাৰ থোৰাই থাকে, তেৰে একে ঠেকতে বিগা; গগাৰ, তেও যদি লেৰে সি ঠেগৰ খুবাৰ ধাৰ চেপি কাটিৰ।

ষদি ধকধকিয়া ধৰে, তেৱে হাত ডাঙ্গি জনাৰ, নগৰা লগাৰ।

্ৰক খুজিয়াত যদি হেলেপনি থাকে, ছাওত সৰহ দিব, 'ৰিয়াৰ বান্ধ ছুটি কৰিব, জিবাই উঠিব।

খদি পাছুলা ঠাৰাদি থাকে বিলা লগাৰ।

নেদেখাকৈ ৰখা যি কথা আছে ভাবে ৰও-" নেদেযাকৈ ৰখা কথা " (অৰ্থাং ৰাউতলৈ উদদেশ)।

আগুলাৰ পৰা পাছুলালৈ জুখিব, মাজভাপে বৰিব, বঢ়া ধনি জাগুলৈ হানি বহিব, ধনি টুটা হই পাছলৈ হানি বৰিব। টান আহনে ৰৰিব, টিনা লণাব, পোনে উঠি থাকিব, পাচ কচলাদি বহিব, পাছলৈ হানি উঠি থাকিব, চালে টিপাতে ৰই আগুলা ধনি দীঘল কৰি পেলাই পাছুলাত ধৰি পোনাই নলপাত ৰান্ধিব, ছুটি কৰি পেলাৰ। ভেই দিকিলৈ খোৰা ঢাল খাই, সেই দিকিলৈ টান কৰি বহিব, এতেকে এৰে। It is difficult to read the mind of a pony, so use your hands always. If it is dispirited loose it and let it graze and it will regain its spirit; if the animal is of high spirit, shorten the girth, use your hands sparingly and rest it between rides.

If it does not trot well two men will hold it on two sides, one will drive from behind, rider will mount, make an incision in the mouth, take out every two days and make use your hands sparingly. If the habit is not rectified keep it in a bending position and fasten its cord to the roof of the stable. If the defect is not yet removed use ghila on one side and the cord on the other.

If the animal limps obstinately, use a ghila in the defective leg, if it does not give up the habit yet, cut the edge of the hoof as far as possible.

If it groans raise your hands and make it feel, and apply the Nagara ring.

If it shakes the body in a walk, use your hands lightly, shorten the girth and ride occusionally.

If it is unwilling to move the hind legs, use the ghila.

A FEW INSTRUCTIONS TO THE RIDER :---

Even when there is no indication let me say something, i.e., a few instructions or hints to the rider.

Measure from the joint of the forelegs to the joint of the hind-legs and take your seat in the middle. If the saddle is shifted towards the rear bend your body the opposite way and if towards the front bend your body to the rear. Sit always firmly and make the animal move easily and sit straight with weight on the buttocks leaning slightly backward so that it stops at a pressure when desired. If it overstrides in front tie strings round the hocks and the steps will be shortened. Lean towards the side to which the horse is moving. Sit firm and all will be well.

দ্বিতীয় পটল।

>। অমূর্ত্তক ব্যাধি।

লক্ষণ—বোৰায় নাথাই, উঠি পৰি থাকে, তাকে অমূৰ্ত্তক ব্যাধি ৰোণে। উবধ--->। আছু এসেৰ সমানে থুবাৰ। ২। জালুক পিপনী ছুইকো বাটী এঁবা গাখিৰত মিহলাই থুআৰ তথা নাস। আৰৈ চাউল পিপনী কচু তিনিকো সমকৰি লই গৰুৰ স্বতত দিজাব, জুৰ কৰি মুত্ৰৰ বাট চ দিৰ তথা ব্যাধি নাগ।

২। আখৈয়া ব্যাধি।

ঁ লক্ষণ-জিউ দাৰিৰ মুৰত আধৈ ঠেনা হই উফ্**ৰি পৰে তাকে আ**ধৈৱা বোলে।

ঔষধ-মানিমুনি তিনিৰো ৰস লই তেলোত মাৰি পাৰোৱা পাথিছি য়াচ য়াচ কৰি দিব নাস।

৩। ঘোৰা আৰিক হই খোৰোয়া।

শুৰখ---ডোম চোৰাতৰ পৰা পাত ৭, বচৰ পাট ৭, হাৰ পুহুচা, নগৰোৰা স্বাকে খুন্দি কাপোৰেৰে বান্ধিৰ।

৪। আরাঁ।

ৰোৰাৰ আৱঁ৷ তানুত হই খাহ নাথাই। ষ্ঠযখ—আৱাঁ বিন্ধি লোন ঘদিব তেৰে তাল হই।

PART II.

DISEASES, THEIR GENERAL SYMPTOMS AND TREATMENTS.

1. AMURTAK BYADHI.

General Symptoms—The animal refuses food and is continually lying down and getting up again.

Medicines :---1. Give internally one seer of poppy seeds in three equal doses a day.

2. Give internally powdered long pepper and black pepper in equal quantities in milk.

3. Boil in cow's ghee rice, arum and long pepper in equal parts and apply the same in the urethra when cold. This will put an end to the disease.

2. AKHOIYA BYADHI.

General Symptoms—Eruptions like parched paddy at the end of the genital organ.

Medicines :----Squeeze out juice of both kinds of Manimuni, boil the same in mustard oil and apply externally with a feather of the pigeon.

3. ARIK-HOI-KHOROWA.

General Symptoms—Limping with the body bent.

Medicine.—Bandage the affected part with the paste made of 7 ripe leaves of Chorat, 7 leaves of Boch, Harghurrucha, and Naljora.

4. AWAN.

General Symptoms-Swelling like a polypus in the palate, for which the animal cannot eat.

Medicine :- Puncture and rub with common salt.

৫। বর্ণমূল।

লগণ-কাণৰ গুৰিত উৰহি হোৱা যা।

ঔষধ—টেমেনা পাত, এবা পাত হুটকো তপত ই বান্ধিৰ সেব তেৰে ভাল হট।

৬। কাচোৱা ব্যাধি।

লক্ষ্ণ---তলপেত ফিন্ধি আহে, বুৰত থামা দি ফিঁকে তাকে কাচোৱা ব্যাধি থোলে।

ঔষধ—>। জতৰনাগাৰ দক্ষিণৰ চাল বস্বলা লোনেৰে পুৱাব, সিতাৰে সেৰ্কিৰ কাডোৱা ব্যাৰি নাগ।

২। চেন্সৰ চাল, ছোতৰমাণাৰ চাল, বাধনগাৰ চাল, মধুঞ্চগৰ দিশা, চুণ, আগান্ম, কলৰ পানি দি ঘটি লিপি দিব নাস।

৭। কাই বা কাস।

লক্ষণ—ঘোৰা কাহে জন্ধি তাকে কাস বোগে।

۰.

উষধ—বোৰাৰ কাছ ৬৫চ -> । এৰামুগ, তিতামুল (চিতামুল), আকনৰ মুল, ৫০ টুৰী, ধনিগা, জনি, জ্বগজা, চান্দ, কালজীৰা, থিন্দ, দৈঁন্নৰ, সঁৰাকো চুৰ্ব কৰিব খুৱাৰ।

২। অ:কনৰ পাত সাতোটা পাতত দি লোন সৰ্যে খুয়া হলে কাস ব্যাধি নাগ।

৩। অথবা বন নহৰু পুৰি নিয়ৰত দি লেনেৰে খুৱাৰ তথা নাস।

দা কুৰকুৰিয়া ব্যাধি।

ু লক্ষণ---পেটে মাতে কেৰমেৰাই সুৰডাঙ্গি ছৰে ঘাই পানি নাৰাই উঠিলে থুমাই তাকে গেলে কুৰকুৰিয়া থ্যাধি।

5. KARNAMUL.

General Symptoms—Swelling at the foot of the ear causing sores.

Medicine—Foment with Temena leaves and Castor leaves heated over fire, also bandage with the same

6, KACHOWA BYADHI.

General Symptoms – Hard swellings on the breast or abdomen.

Medicines—1. Squeeze out juice of Jatormola and give internally with common salt, and foment with the refuse of the bark.

2. Apply externally the paste made of the following things :---barks of Chong, Jatormala, Baghnala, root of Papaya, lime soot and juice squeezed out of the plantain sheath.

7. KAH (COUGH).

Medicine—Powder and mix the following, and give internally—1. Roots of castor plant, Chita, Akon and Keturi, Joni, Sulfa chand, Kaljira and rock salt.

2. Give internally 7 leaves of Akon rolled in a green plantain leaf and roasted within blazing charcoal with salt.

3. Give a Bon-Nohoru, roasted and kept outside the house on the previous night, with salt.

8. KURKURIA BYADHI.

General Symptoms—Rumbling and rolling of the stomach, cessation from food and drink, uplifted head and inability to remain standing.

٩.

ঔষধ---সৰু মানিমুনি, বৰ মানিমুনি, জাবেসেৰি, ভোটছবৰি, আৰু পঞ্চজলি, মাথি পঞ্চটা, জাবিৰাঙ্গ, ৰছৰ সন্থকে বটি বঙ্গলা লোনেৰে খুৱাৰ পানি হপতাছ খুৱাৰ এতেতে ব্যাধি নাস।

৯। কুয়নগা।

ঔষধ--কৃষনলাৰ দাক পুনিখুতৰিয়াৰ দিশা, ছই পেতিৱা ৱেৰাৰ দিশা, মাথেকিথোকাৰ সিপা, তেজমায়াৰ চাল, আনা আ'কে দিলে গাঁগ।

১০। খুৰা ওকৰা।

লক্ষণ---ঘোৰাৰ কুমলিয়া ক্ষুৰ অনেক ঠাইত ছবিলে থোৱাৰ ধৰে, উজ্তি মালে চিগি জাই তাৰ ঔষধ।

ঔষধ—মাটত খৰি দি জুই জানিব মাটি ডপত হলে ছুই গুচাৰ খুবা তপতাই মাটত দিব ঘোৰা থি। কৰি ধৰ জুৰ হলে গুচাৰ এইৰূপে তিলি দিন তপতাৰ মহুৱাপাত ঘহিব নিতে এতেকে ভাগ হব।

১১। খুৰাৰ পোক।

ঔষধ—ঘোৰাৰ খুৰাত পোক লাগে যদি তগু পানিৰে ধুৱাই চেপি পুঞ্জ ; পানি গুচাব ৰাহৰ গজালিৰ কুমলিয়া আগ আনি বট লোন নিহলাই ৰটিয়াই দিব পোক মৰে ৰুতো সৰে।

১২। খোৰা।

ঘোৰা যদি খোৰাই তাৰ ঔষধ।

ঊষধ—মহৰ গোৰৰ, লোন, হাগধি, পানি থোলঘোলিয়াকৈ সিন্ধাৰ থোৰ। ৰদন্ত বান্ধিন পৰেক ছয়দণ্ড হলে দিব এতেকে ভাল হয়। Medicine - Mix into a paste the following and give internally; give also a drink of hot water thereafter : -- Saru Manimuni, Bar Manimuni, Jabeiseri, Bhot Dubori, Jabrang, garlic, 5 slices of ginger, 5 flies and salt.

9. KRYANALA.

Medicine-Apply the paste made of young Khuturia-young castor plant having 2 leaves only, root of Mathokthoka, bark of Tejmoia and ginger.

10. KHURA OPHORA.

General Symptoms—The hoof breaks away being made brittle by a long journey or from stumbling on rough ground.

Medicine-Light a fire on the ground, remove ashes and fuel and when the earth is hot make the horse to stand on it till the earth is cold; continue it three days. Also rub the hoof daily with Mahua leaves.

11. KHURAR POK.

General Symptoms—Sore and maggots in the hoof.

Medicine—Remove pus first, clean and wash the sore with tapid water, dry it with a piece of dry cloth, and put in the paste of the top of bamboo sprouts mixed up with salt, maggots will fall off or die thereby.

12. KHORA.

General Symptoms-Limping or lameness.

Medicines—Boil some buffalo dung with salt, turmeric and water, then apply the hot paste over the affected part keeping the horse in the sunshine for some two hours.

্তৃত। গগলা ব্যাধি।

লক্ষণ---গাত চকাঃকি দেই ৰাহা ফিকি সোথ নামে পানীয়োৱা হয়াৰ ফিকি হাগধিয়া পানী টোপে টোপে ৰয়ে তাক গগণা ব্যাধি বোলে, তাৰে দাক ----

চনকিচুৰ বগা, কলাবাৰ, কোমোৰা-ঠাৰিৰ চাই, পলুমেলা থোকৰ পোৰা চাই সবাকো কল গাচৰ পানী দি মিহলাই বাজে লিপি দিব ভিতৰি কিছু খুৱাৰ দায়।

১৪। গৰ্ভৰোগ নাস (সমন্ত)।

· ·

১। কুকুৰাকনি ৩টা, তথান মগুমাহ পাচ টকা ইয়াকে বটি গুরাৰ সমন্ত বোগ ব্যাধি নান।

২। জগরাথ ভিতাৰ গুটি আদ পোৱা, লোন এতোলা, হালধি গুৰি ছতোলা, লাই গুটিৰ গুৰ আদ পোৱা স্বাকো মিহলাই খান মাহৰ লগত থ্যাৰ গভৰোগ আগু নাস হয়।

১৫। গর্ভনষ্ট নোহেরো।

মকৰাজালত বহা জন্ধক জালে সহিতে মালভোগ ৰপাত ভৰাই খুৱালে এতেকে গৰ্ভ নষ্ট নোৰে।

১৬। গৰ্ভহাৰা।

লক্ষণ-পেট মাতি ধলধলায় তাকে গৰ্ভহাৰা বুলি। ওদ্য ঔষধ-

১। 'সিজুৰ আগ তিনটা পুৰিব ৰাহৰ গাচৰ কটিডাঙ্গা পিপৰাৰ ৰাথা পানীত খচিব সিজুৰ ৰস তাতে দিব বঙ্গণা লোনেৰে খুয়াৰ গৰ্ভহাৰা শুচে।

13. GAGALA.

General Symptoms—Flat circular eruptions on the body, swelling of the urethra and the genital organ, with yellow and watery discharges from the latter in drops.

Medicine—Apply externally and internally the paste made up of the following :---

Sheaths of Chona Kachu, plantain tree, stems of pumpkin creeper, bunches of the straw with the aid of which young silk worms are spread upon the tree, and the juice squeezed out of the sheath of plantain tree.

14. GARBHA BYADHI (OR ALL SORTS OF BOWEL COM-PLAINTS).

Medicines—Give internally for some time 3 fowl eggs with 5 tolas of magu much, in a dose. Or, 2 seeds of Jagannath Tita $\frac{1}{2}$ powa, salt 1 tola, turmeric 2 tolas, lai guti $\frac{1}{2}$ powa, all powdered and mixed with some paddy or pulses.

ter alagina del constructione de la construction de la construction de la construction de la construction de la

15. GAR BHA NASTA NOHOWA OR PREVENTION OF ABORT-10N.

Medicine—Put in a bird or fly found dead hanging in a cobweb within a ripe plantain, and make the mare swallow it.

16. GARBHA HARA (BOWEL DISEASES AND BUMBLING).

Medicine—I. Crush with the hands in water a nest of Kotidanga Pipra, found on bamboo trees, add some salt, the juice squeezed out of some Siju leaves to it, and give the mixture internally.

; .

1.1.1

২। কাতি মহিয়া কণাক্ষাৰৰ ৰাবনি, বচ, বিৰাহক, অধকিয়', মৰান আখা, 'ৰনশৰৰ দিপা, নিলকঠ, লোন সহাকে বট ঘোষাক খুহাৰ গৰ্ভহাৰা নাস।

১৭। গাত ঘা।

..ছোৰাৰ গাত মা লাগে জৰি ফুৰদৰ পাত আনি চাই কৰি মোৰাৰ গাৱত দিব ।

১৮। গোচাৰা।

লকণ –গোচাকা হলে জিহ্বাৰ তণত হবে চালৰ ভিতৰে বৰি থেন হয়। -

শ্ববধ--->। লোনেৰে টুপলি কৰি সেৱ।

্হ। লো তপতাই পুৰিব তবে গুচে।

১৯। গোবকরা হাশনি।

দৰৰ--তিয়হজালি কুনৰ আলু, বৰাছনি, কঠণ্ডাৰ চাল, অৰ্জুনৰ চাল, সোন কাঞ্চি কুনৰ মূল সবাৰে ৰস লই বাহৰ চুলাত ভৰাই পুৰি খুয়াৰ গোবকৰা হাগৰি নাস।

২০। গ্রহনি।

🐘 ঘোষাৰ গ্ৰহনি হলে তাৰ ঊষধ 🛶

· · · · · · · · ·

১ বাহুক তিতা, নিগত্নঠ, তেসৰি ভটৰ গুৰি, শিশৰি, মৌসৰালি সৰাকে বটি পুৰাৰ পেটৰ বিৰ গ্ৰহনি গুচে।

ঁই। বেলওগ, মুথা, শতমূল, মানতি ফুলৰ মূল সবাকো একত্ৰ কৰি বটি খুবাৰ। 2. Mix up well in a mortar the following and give internally :--

Roots of Bach, Barahak, Bansath, Nilkantha, Moranada, salt and the liquid soda made from ashes of plantain trees burnt in the month of Kartik

17. GAT-GHA (SORES OR SCABLES IN THE BODY).

Medicine—Rub or dust over with the ashes of the leaves of phurad the affected parts.

18. GO-CHAKA.

General Symptoms—Formation of pill-like balls under the skin beneath the tongue.

Medicine—Foment with fried salt, or burn the affected part with a hot iron.

19. GOBORUWA HAGONI.

General Symptoms—Diarrhœa with loose stools like cowdung.

Medicine—Take out juice of the following, mix well and give internally heating over the fire in a bamboo phial :---

> Roots of Fiahjali phool, Borahuda, Sonkanchiphool, and bark of Kathanda, and Arjun trees.

20. GRAHONI (DYSENTERY).

Medicine—Give internally—1. Bahak, Nilkantha, seed of Bhesori, Singari and Moihali (Mousarali) mixed up in a mortar and made into a paste.

2. Dry wood apple, Mutha, Shatmul, and roots of Malatiphul mixed up in a morter and made into a pasto; or ৩। দ্বানিমৰ চাল, ত্ৰিফলা, ত্ৰিকট ুসমভাগে গুৰি কৰিৰ পুৰনি গুৰ মিহ-লাই এক পিগু কৰি খুৱাৰ।

২১। ঘোৰা ঘোৰনি ব্যাধি।

লক্ষণ---আগ দপনাত মুখ পৰে আকৌ থুৰে আকৌ ঘুৰে তাকে থোৰা যোৰনি ব্যাধি বোলে। তগ্য ঔষধ---

দৰব--->। স্বতৰৰ চকাৰ এক ডোধৰি, নেঠাপাকৰি এডোধৰি, ডেলশালৰ লাৰনি, কুহিয়াৰ শালৰ পাকৰি, উবা লতাইৰ পাৰোৱা বাহৰ আগ সবাকে একত্ৰে নগৰ চুঙ্গাতকৈ ডিন্বিত আৰি দিব ঘুৰনি ব্যাধি নাস।

২। মালভোগ কলৰ পচলা পুৰি খুয়াব মুৰত ভৰন দিব।

২২। ঘোৰা টাঙ্গন ব্যাধি।

লক্ষণ---এক ভৰি থোৰাই ভাদি তাকে ঘোৰা টাঙ্গন থাৰি বোলে।

দৰব--তিনটা বেত গন্ধাণি প্ৰৰিব, তেজমুইৰ সিন্ধা, দোষ চোৰখৰ সিন্ধা, ভোটজালুক তিনিকো একত্ৰ কৰি বঙ্গলা লোনেৰে ধুয়াৰ বোৰা টাঙ্গন ব্যাধি নাস। অথবা লাইতকন, নাঙ্গল ভঙ্গাৰ সিপা, তেজমুইৰ সিপা, গুনৰাজ, হাগ-দেগুৰাৰ গু, উইৰ মাটি সবাকে একত্ৰ কৰি ধুন্দি টেকেলিত ভৰাব। গুনৰাজ, ক্বাভাটুৰি, বাঙৰাজ ভিনিকো ধুন্দি টুপলিকৈ টেকেলি মুখত দি তপতাই সেন্দ দিব ঘোৰা টাঙ্গন ব্যাধি নাগ। 3. Powders of the rind of pomegranate, Trifala and Trikatu, mix equal quantities and add old Gur to it.

21. GHORA GHURANI BYADHI.

General Symptoms—Frequently touches with the muzzle the buttock of the forearms and moves round.

Medicine—Put the following in a bamboo or reed tube, and suspend the same closing its mouth, with a string to the neck :—

- 1. A piece from the spinning wheel, a piece from the pinion of gun, a piece from the rod used in an oil mill for turning the mustard in it, a piece from the pinion of the sugarcane press, a piece from top of the reel for winding thread and a piece from the top of a pigeon's nest.
- 2. Give some roasted sprouts of malbhog plantain tree to eat, and apply some of its paste to the crown of the head.

22. GHORA TANGAN.

General Symptoms—Lameness of one foot.

Medicine—Give internally the paste made of the following :--

3 top of rattan or cane (after being burnt and sheaths removed), roots of Tezmaya and Dome Chorath, Chilli and salt.

2. Thrash on a stone slab the following, and boil them with water in a long necked pot; when the vapour will rise, put into the mouth some thrashed Gunraj, Kawa bhaturi and Batraj wrapped in a piece of cloth, and foment the affected part with it :---

> Laitarun, roots of Nagalbhanga and Tezmaya, earth of ant hill and dung of Haga dandera.

২৩। ঘোষাৰাক।

২৪। ঘোৰাশলথা।

नक्र - লাল বই, সেহাই, টলবল কৰি হুৰে।

ঔষধ—মুগা গাছৰ থুটি, নাগজাঠি শিলাত পিদি খুৱাৰ খোৰাশলথা নাম।

২৫। চকু কণা।

চকু কণা হই জদি তাৰ দাৰ ---

ঔষধ।---> সৈন্ধৰ গোন, ছাঙ্গেৰি, গাঠিমন, স্লাইম্বন ৰটি ধুবা কৰি খুৱাইলে আৰু চকুত দিলে কণা গুচে।

২। লাইগুটি, চুলিমৰা মকৰা, ভোট জালুক গৰাকে ডেৱাই নলৰ চুম্বাত ভৰি চকুত ফুন্ধি দিব কণা গুচে।

২৬। চকুৰাজ।

লক্ষণ---- ঘোৰাৰ চকুৰাজ হলে চলি থাকে মাহ পানি নাগাই।

ঔষধ--নগাপান নপাত, পিপলী নটা, এদিন অস্তৰে পুৰা পুৰা পুৰাৰ কিছু তপত পানি খুবাৰ তেৰে বোৰা ভাল হই। 23. GHORA BAK (I.E., POSSESSION BY AN EVIL SPIRIT)

General Symptoms—Unsteadiness with the head lifted up.

Medicine-Suspend to the neck the following in an endi coccon :---

Roots of Kulabori and Machpara, head of a Garuifish, a Singari, a little musk, and a little Ganthion.

24. GHORA SALAKHA (ANTHRAX).

General Symptoms—Unsteadiness, panting and salivation.

Medicine — Take out pastes of the Naga spear tree and pegs used in the tree wherein muga silk is reared rubbing against some stone, and administer the same internally.

25. CHAKUKONA (BLINDNESS).

Medicine-1. Powder the following mix them up, then give some of it to eat, and dust some into the eye:-

- 1. Rock salt, Ganthion, Changeritenga and nutmeg.
- 2. Put in a tube the fine powders of the following and blow into the eyes :---
- Laigooti, Chulimora Makara (a kind of spider that dies on a touch) and chilli. (These things are to be charred over fire before they are powdered.)

26. CHAKURAJ.

General Symptoms—Aversion from food and drink, shaking of the body as if with terror.

Medicine – Give 9 leaves of Naga Pan and 9 long peppers to eat every alternate morning for some time, followed by a hot drink.

২৭। চালুকা।

গৃক্ষণ—ঘোৰা কাহিৰ ঘাষণানি নাকে যয় তাকে চাগুকা ব্যাধি ৰোলে । ঔষধ—যোৱা আগুৰ পাঁত, নেচকুৰিৰ আগ, মৌশবালিৰ আগ, ভাগৰ আগ সবাকো পাঁতত দি বিহুগা সোনেৰে খুৱাৰ । চাগুকা ব্যাৰি নাঁগ। অথবা

ৰামকৰ ৭টা, আমৃগথি ৭টা, বনজৰাৰ গিপা ভিনিকো বটি বল্পা লোগেৰে খুৱাৰ তথা নাস।

২৮। চিকন বা গাৱণু হোৱা।

>। আন্ধনি এক টেকেলি আনি বোৰাৰ আগত পুতিৰ। যুখ চাৰি আঙ্গুল ওগায় থাকিব একপথ পানি চুব নিতে, পুৱা একোযুথি কৰি থুৱাৰ নিতে তেবে বোৰা চিকন হই।

২। তেল একপোৱা, বৰবেঙ্গেনা এগেৰ মাহৰ লগত পুৱাৰ চিকন হই।

০। বাচনি তিতা, বেতগাল ৩টা পুৰিব, তেজমুইৰ নিশা, নাগণ ভাৰাৰ মুল, গোৰথচৈৰ সিশা, বৰ উলুৰ সিশা, চিচিৰিখাৰ নিশ', বনজৰাৰ সিশা, ভূই-কোমোৰাৰ আলু, গুনৰাল, নহৰু, বননহৰু, পিয়াল, কাগজিৰা, তোগজনী, সৌলা, ধনিয়া, ঘোৰাজনী, গুৱামৌৰী, চোবলি, জাবৰজ এমুঠা সৰাকে ৰটি ধাত্ত-মাস সমে হাৰিত ভৰাই উহাৰ পাছে ছপৰিয়া পুৱা গধুলা তিনি ৰোজকৈ লোনেৰে সানি পুৱাৰ ঘোৰা চিকন হট।

৪। গৃহুল বাধৰক একগুছি পৰা পানেৰে অক্ত কৰি খুৱাৰ বোৰা দিৰৰ হই।

27. CHALUKA.

General Symptoms—Aversion to food and drink and profuse running from the nose.

Medicine—Roll the following in a green plantain leaf, place it in fire for some time, then take out the content and give some to eat adding a little salt to it :--

- 1. Leaves of Moa alu and twigs of Nechkuri, Moihoali and bhang.
- 2. Give internally 7 Ramkolas, 7 Amlakhis, roots of Banjara and salt together in a paste.

28. CHIKON OR GAWANTAHOWA (MEDICINES FOR THE GROWTH OF BODY AND STRENGTH, OR A GENERAL TONIC).

Medicine-1. Get one pot of Ajani, bury it in the ground in the stable so that 4 anguls of the mouth of the pot remain above the ground, and the urine passed by the horse that falls into the pot. Keep the pot in position for a fortnight, then give a handful of the Ajani to the horse every morning.

2. Give the animal to eat a quarter seer of mustard oil, one seer of big sized brinjal and some pulses.

3. Give thrice daily the following medicine to eat after being threshed on a stone and boil with some paddy or pulses and adding some salt to them :---

> Bachonitita, top of the cane burnt and cleaned, roots of Tezmaya, Nangalbhanga, Gorokhchoi, Barulu, Chichiringa, Banjara, Bhuikomora, Goonraj, Garlic, Bon-nohoru, onion, Bhogjoni, Kaljira, Soula, Coriander seed, Ghorajani, aniseed, Choroli and Jabrang.

4. Give 20 leaves of betel (pan) with all spices to eat for some days.

৫। ডোলা বাঙ্গন পুৰি বঙ্গলা লোনেৰে ধুছাৰ ছোৰা চিকন হই।

৬। কোমোৰা পুৰি লোনেৰে খুৱাৰ ঘোৰা চিকন হই।

৭। কুকুৰা কনি এটা, কলা যুতুৰাৰ গুটি ৩ ডোলা, গুনৰাৰ ৩ ঢোলা, টচৰ মুগ ইয়াকে খুৱালে চিকৰ হই বান্ধ লয়।

৮ । মাহ এসেৰ, কুকুৰা এটা, নহক ছটা, পিয়াজ পাচোটা, জাবৰঙ্গ এয়ুঠি, তেজপাত এষ্ঠি আকে ৰান্ধি পোন দি ধুৱাব, আৰু (৮ক) মাহ এসেৰ, লাগ-মাছৰ চনা, হালধিৰ ৰস, পিয়াজ, হালিম, আধা, লোন, খনিধানেৰে উহুৱা খুৱাৰ তেজ ৰল গাৱ বাঢ়ে ।

২৯। চেৰনি। ।

ঔষধ—বোৰাই চেৰিয়ালে ৰঠাল পাত ৭টা দিউ মিহলাই খুৱাৰ দেকিৰ চেৰনি গুচে। অথবা কলিয়া বৰাৰ চাউল, অউৰ বাৰল হুইকো ভালি গুৰি কৰি সুৰনি লালিৰে মিঠাই সান্ধি খুৱাৰ চেৰনি গুছে।

৩০। জহৰবাত।

লক্ষণ---বোৰা কাম্পে থাৰ নপাৰে যাম ৰই মুথ ওকাই চকু ৰগা •ই •াহে দেৰ দিনতে মৰে। পিয়াহ ধৰে সেহনি ধৰে পেট গিৰগিৰাই মুখে বিজ্ঞান আহে।

্ >। জালুক আদপোৱা, আদা আদসেৰ থুন্দি পিঠাগুৰিৰে লাক ৰান্ধি খুৱাৰ।

২। কাজি থাৰ আৰগেৰ, মগুমাৰৰ গুৰি আদাদেৰ, শুমগা হতোলা পুৰি চাই কৰি লব ; বাফিং হতোলা, ভিলৰ ভেল দেৰ পোৱা, এতোলা লক্ষী, এতোলা 5. Give some Bholabangena (roasted) with salt daily.

6. Give a roasted pumpkin with some salt to eat daily.

7. Powder the following, mix them well with a fowl cgg and give to the pony to eat for some days :--

Seeds of black Dhotura 3 tolas, Gunraj 3 tolas and roots of Jhor-mul 3 tolas.

8. Cook and give to eat daily for some time, one seer Mati mah, one fowl, 5 onions, 2 garlic, one handful of Jabrang, one handful of Casia or bay leaf and salt, and (8a) mati mah one seer, some spawn of salfish, juice of turmeric, Onion, Garlic, Cress, Ginger and Baruidhan.

29. CHERONI (DIARRHEA).

Medicine-Give internally 7 leaves of jack tree with some cow's ghee and foment the stomach with the same; or give-Koliabara rice, and bark of an tree cleaned and powdered, together with old molasses.

30. JOHORBAT.

General Symptoms—Perspiration, shivering, inability to eat, dry and slimy mouth, red eyes, cough, thirst, hard breathing, rumbling of the stomach, etc. If prompt steps are not taken the animal affected with the disease dies within a day and a half.

Try the following medicines internally or externally as directed below :---

- Black pepper ¹/₂ powa, ginger ¹/₂ seer, and some powdered rice mixed up well and made into balls to be given internally.
- 2. Kajikha $\frac{1}{2}$ seer, powdered magumah $\frac{1}{2}$ seer Borax (having burnt) 2 tolas opium 2

বিলক্ষী, কুচিলা ভিন তোলা সৰাকো ৰটি একত্ৰ কৰি তোলা প্ৰমাণে বৰি কৰিৰ গধুলি গধুলি খুৱাৰ জহৰ বাত ৰোগ নাস।

(ডাঃৰেও আৰু জ্বাৰকালিত পুৱাৰ বৌদ্ৰত ইখুৱ.ৰ তবে একো বাাৰি নহই।)

ও। ভাতুৰিৰ পেটা, ভতৰমাগাৰ চাল, পুৰনি কোমোৰাৰ বুকা আৰে ৰস হালি দি খুৱাৰ গাৰত ঘদিব ভতৰবাত হাধি নাস হৈবো।

৩ (ক)। জদি হুগুচে খোৰাৰ চাৰি ভৰিৰ চাৰি ডথৰি কাট লব, মাহু-ইৰ চুলি, জোৰ গুৱাৰ বাকলি, মহুয়ৰ কুন্তুন আকে নগৰ চুঙ্গাত ভৰাই জুই নগাই নাকে মুথে খোৱা দিলে এতেকে নাস।

৪। ছাতি বিগা, মাকৰি দিগা, চেৰফাল, তোটৰ থাৰু, ৰত্মাবনি এটা, কুমাৰনিৰ বাহ, ৰাহলি থোষা আঠিয়া কলৰ বাকলি, মৌৰাচক্ৰ, নাণিকলৰ ধাকল প্ৰিৰ বলা কৰিব কাহৰ বাটিত পেলাৰ দেই পানী থুৱাই দিৰ জহৰবতে ব্যাধি নাম।

ে। কলাক্ষাৰ, তামাখুপাত, আৰৈ চাইল, ভোট জালুস, নহৰ, পিয়াস,
সবাকে বটি খুৱাৰ জহৰ ৰাত নাস তাৰ পাছে পোৰা উধানৰ মাট স্থৰনাই গাত
মূদিৰ ব্যাধি নাস।

ঁও। লাই ঙটি, পটাৰ গুটি, কলাৰচু, ভোট আনুক সংকে ৰটি ধুৱাৰ।

50

tolas, sesamum oil $1\frac{1}{2}$ powa, Lakshi 1 tola, Bilakshi 1 tola and Kuchila 3 tolas; made into a fine paste and then into pills about one tola in weight each, to be given every evening.

- N. B.—No disease can overtake if it is given in the winter and cloudy days.
 - 3. Root of katuri, bark of jatarmala, soft inner part of old pumpkin, juice squeezed out of old pumpkin and molasses all mixed and made into a paste to be given internally.
- If it is not cured use the medicine below :---
- 3(a). Place in a bamboo or reed tube opened at both the ends 4 pieces from the 4 hoofs of the animal, peel of old betel-nut preserved for use by burying it under the ground, hair of man and some old thatching straw, set fire at one end and blow it with your mouth and apply the smoke coming out by the other end to the nose and muzzle of the animal.
 - 4. Burn the following into redness, throw them into water in a cup of bell metal, and then give the water for a drink :---
 - Jatighila, makorighila, cherfal Bhotar kharu, Raghunarni-kota, nest of mason wasp, rind of athia kola eaten on the tree by the flying fox, flowery top of the peaccck's tail and rind of coccanut.
 - 5. Give internally the following :---
 - Ashes of the plantain tree, leaf of tobacco, rice of unboiled paddy, chilli, garlic and onion, all mixed and made into a paste.
 - 6. Laigooti, jute seed, stem of black arum and chilli in a paste.

Rub the body with the earth taken from an earthen support for a cooking vessel, and made into fine powder.

৩১। খণ্ড জহৰবাত।

লঙ্গ-ডাইৰি কুৰে চেঁচাই গা থানি জাই আকে অভদংৰবাত বোলে।

ঔষধ—নেওতৰাৰ আলু, বতা গৰানি, নলৰ গন্ধানি, তৰাৰ পৰালি, যাথৰি ধিগাৰ সাগ, হাইঠাৰ বাকলি আকে বটি ধুৱানে যাধি নান ।

৩২। উভতি ভোঁহ জহৰণাত।

যকণ —পেট ফিকি ওফলি ধৰে, দাত চোবাই, মুথে কোমোৰাৰ কেন ওগাই ভাকে উভতি ভোঁহ বহৰবাত বোলে।

ঔষধ –চালৰ গুদা, পুৰণি আমঠু, পুৰণি হুকুতা, নিষ্তিতা, গচতিয়াৰ পাত, তিনি পিঠি মইনাগিৰি ধানৰ চাউল সবাকে হুধুয়াই গুৰা,কৰি ধুবাৰ নাস।

৩৩। থোৰা জহৰবাত।

লকণ-থোৰা জহৰৰাত হলে পোৰা একঠেম তিনঠেন পাৰে।

ওঁবধ-বিংলাল, আগৰা, কলাকাৰ, ভোট জালুকৰ গুৰি, কঠালৰ আলু, চেহামোৰ সবাকে বট খুহালে নাগ।

৩৪। চৌৰাঙ্গি জহৰবাত।

শক্ষণ-চাৰি ঠেব নাপাৰে ঠৰ হই থাকে।

ঔষধ—কগাই ৰাধৰ, তেত্বময়াৰ ছাল, মৰান আদা, ভোটবাহানা, ৰাহকা ঠাৰিৰ চাই স্বাকো পাত ঘদিব নাগ ।

৩৫। জনাজহৰবাত।

ঔষধ-ধেপে) ভিতা, চান্দো ভিগা, ভাবো ভিতা, ইছৰ মুগ নঙটা বাধৰ দি ৰান্ধি খুৱাৰ নাগ।

31. JAHABBAT-ANDA.

General Symptoms-Unsteadiness, constant neighing and shaking.

Medicine-Make into a paste the following and give internally :---

Roots of Deotora, sprouts of Bota, Nal, and Tara, the core or the white inner part of Makori-Ghila, and the rind of soap nut.

32. JAHARBAT-UBHOTIBHONH.

General Symptoms--Swelling of the belly, grinding of teeth and foaming from the mouth.

Medicine—Powder the following, mix them up, and give internally :--

Old and used thatching grass, stones of mango seeds (old) old, jute leaves leaves of mahanim, leaves of Pachatia and moinagiri rice, thrice as much as may be held on the back of the palm of a hand.

33. JAHARBAT-KHOBA.

General Symptoms-Lameness of one foot.

Medicine-Give internally the paste made of Bihalangi, Agara chilly, chengamar, root of jack tree and ashes of plantain tree.

31. JAHARBAT-CHOWRANGI.

General Symptoms-Stiffness of the forefeet and inability to stand on them.

Medicine—Rub well the legs with the following powdered and mixed together :--

Gunpowder, bark of Tezmaya, moranada, Bhot-Bargana and ashes of the stem of Bahak.

35. JAHARBAT-JAMA.

Medicine-Give internally the paste made of Thepoutita, Chando-tita, Bhado-tita, Jhar-mul, and 9 spices.

৬৬। দালিমা জহৰবাত।

লক্ষা—ভৰি হাত আচাৰে গা থামে হামিয়াৱৈ থাত পানী নাথাই আকে দালিমা জহৰবাত বালে।

ঔষধ—দালিমৰ পাত, ভেটুৰা, বগা ছটুকি, কাঙ্গলগোঁৰী, হালধি সবাকো ৰটি খুৱাৰ নাস।

৩৭। পানিয়া জহৰথাত।

লক্ষণ-পৰে উঠে মুখে পানী আহে আকে পানিয়া জহৰধাত বোলে।

ঔষধ---সক মানিমুনি, বৰ মানিমুনি, জােেলেৰি, নৰ'সজ্যৰ আগ, ভেৰাই-শতা, ভোট জালুক, আগৰাৰ সিপা সবাকে ৰট গোন সানি ধুৱাৰ নাস।

৩৮। সিণা জহৰবাত।

লক্ষণ—গাৱ নচলে এফাপাই ভাৰ হাত ঠৰিহা দেই লেন্দ্ৰ পাতলে চাটে মাৰে তাকে সিৰা কৃষ্ণবাত বোলে।

ঔষণ—পকা পান, আদা, ভেদাই লগাৰ আগ, ডোমচকুৱাৰ গাঠি পাচোটা ইয়াকে বটি খুৱাৰ নাগ।

৩৯। হিহিনিয়া জহৰবাত।

ৰক্ষণ---গাঁৱ ৰুপে মুৰে টুপিনাগ্বে হিংনি কৰে তাকে হিংনিয়া জ্বহৰাত বোগে।

ঔষধ--->। হৰিশঙ্কৰ চাল, নিলকণ্ঠ, আৰক্চান্দ, তেজমাথা, ভোট জালুক ইয়াকে বটি থুবাৰ নাম।

২। তাৰতাগ, কাঁকত পাত, চুলিমৰা মকৰা, ভোট আলুক, প্ৰয়টোপ, বামিৰ মুৰা, চুপা বাছলিৰ তেজ, ছয়ো নাকে ধোৱাৰ নাস।

8•। জন্মা।

ৰ লক্ষণ—ঘোষাৰ যি ঠাইত মাংস বাঢ়ে তেজ ৰহি থাকে ভাকে জন্মা ৰোগ বোগে।

36. JAHARBAT-DALIMA.

General Symptoms—Throwing about the feet, perspiration, sweating, yawning, and abstention from food and drink.

Medicine—Give internally the paste of the leaves of Pomegranate, Jetuka and Phutuka, turmeric, and Kajal-Gouri.

37. JAHARBAT-PANIA.

General Symptoms--The animal continually lies down and gets up with watery discharge from the mouth.

Medicine-Give internally the paste of - Saru and Bar-manimuni, Jabeiseri, Narsingha, Bhedai-lota, roots of agara, salt and chilli.

38. JAHARBAT-SIRA.

General Symptoms—Stiffness of the feet, occasional wagging of the tail, unwillingness to move, quick breathing and panting.

Medicine—Give in a paste the following internally :-

Ripo betel leaf, ginger, Bhedai lota and 5 knots of Dom-Dhakua.

39. JAHARBAT-HIHINIA.

General Symptoms-Shivering, drowsiness with a drooping head, and difficult breathing.

1. Medicine-Give internally the barks of Hari-Sankar, Nilkantha, Arakchand, Tejmaya and Chilli.

2. Blow the smoke of the following burnt in a tube opened at both the ends into the nostrils of the animal.

Tartag, Chulimora-Mokora, Chilly, globe fish, blood of the bat and head of the Bami fish.

40. JAKSHMA.

General Symptoms-Swelling and bleeding from different parts of the body.

ঔষধ- প্ৰৰণি গুৰ ব্যাধিৰ ওপৰত শিপি দিব চাঠ কৰি। পাচে লোহ তপন্তাই গুৰুৰ ওপৰত দিব গুৰ পৰি মন্ত্ৰা পুৰিব তেৰে গুচে।

৪১। জালিমৰা বা কোনামৰা।

লমণ-বোৰাই কান মুৰ পেলাই থাকে।

ঔষধ-- আদ পোৱা আলুক, নগাপান এটা ছুইকো ধুৱাৰ কোনামৰা ভচে।

৪২। জালোৱা।

লক্ষণ—আঠুৰ মুলত টেমেনা বান্ধে দ্বৰি তাক ব্যালোৱা ৰোগ ৰোগে। উষধ—নৰনিৰে চিৰ দি কলাই ধাৰ লিপি দিব, ধুহূৰাৰ পাঁৱত ত্বত বিগলাই ৰান্ধিৰ । হিং স্কমাই দিব ।

৪৩। জিকিৰি ব্যাধি।

লক্ষা-প্ৰদাৱত পুত্ৰ জাই উঠিলে খুমাই তাকে বোগে জিকিৰি। ঔষধ-জিকাৰ গুট পাচটা, হাবিকাকিৰলৰ গুট পাচটা, দেও ৰেৰে গুটি পচটা সবাকে বটি খুৱাব, গাঁৱত ঘটিৰ জিকিৰি ন্যাৰি নাম।

88 I **পোৰা জিকিৰি I**

ঊষধ—শতমুলৰ দিপা, ভেটকুল, পুৰিকুহিয়াৰ নিষুটেলা ছয়ো ৰদ, পৰা মাঠিয়া কলৰ গোট গুচাই মাৱা গাথিৰে সবাকো মিগলাই খুৱাৰ নাস। Mediciae—Plaster thickly some Gur over the affected parts, and then burn it placing upon it a piece of red hot iron, the disease will thus be burnt and cured.

41. JALIMORA OR KONAMORA.

General Symptoms-Drowsiness with the head and ears dropped down.

Medicine-Give internally one Naga pan, etc. (100 leaves) with half a powa of black pepper thrashed and mixed together.

42. JALOWA.

General Symptoms-Tumour at the base of the knee

Medicine-1. Give an incision over the affected parts with a Narni and then rub there some gunpowder.

2. Bandage the affected part with leaves of Dhatura plastered over with some ghee. Also put in some assafætida in the incision.

43. JIRIRI.

General Symptoms—Passing pus with the urine. Medicine—Give internally the powder of the following, and rub also the body with the same :—

Five seeds of Jika, 5 of Hathikorola and five of Dhuthura.

44. JIKIRA-PORA.

General Symptoms—Pain and burning sensation in the urethra, while passing urine.

Medicine—Give the following in a paste, mixed with some milk, root of satmul, flower of water lily, lime juice, juice of puri sugarcane and ripe athia plantain cleared of its seeds.

8c । জোৰা ব্যাধি। (Fever ?)

ঘোৰাৰ জোৰা ব্যাধিয়ে ধৰি থাকে জাৰ গলিত ঘৰো ভিতৰত বাছিব ৰতাহ নেপাই হেন কৰিব বেঢ়ি জুই জানিব গায়ৰ ঘাষ ওলালে গুচাৰ। পাচে গাৱৰ ঘাম গায়ত মাৰ গলে ঘৰোৰ পৰা উলিয়াৰ এইকপে তিন দিন দিব। পাচে গুৰ এসেব, ভাঙ্গ এপোৱা, মোগা ফল এটা তিনিকো একত্ৰ কৰি খুন্দি খুৱাৰ তিন দিন পুৱা গধুলি ফুৰাব, পাচে মুখত দানা দিৰ ঘাহ দিৱ তিন দিন হলে কিছু কিছু মাহ দিব তেবে কোৰা ব্যাধি নাগ।

৪৬। টান গু।

ঔষধ—>। সিয়াআতকপ আদ পোৱা, জালুক এপোৱা, নোন আদ সেব, তেল দিব একত্ৰ কৰি সিজাৰ মাহেৰে লগ কৰি খুৱাৰ।

২। পিঠাগুৰি এপোৱা, ৰালধি গুৰি আৰু পোৱা, আলাক্ষু গুৰি আৰ পোৱা, গুৰ আৰু পোৱা সবাকে লগ কৰি খুৱাৰ।

৪৭। টান পোৱা।

উষধ—উইৰ মাটি, বনৰিয়া মহৰ গোবৰ, আকন পাত তিনিকো সিন্ধাৰ ঘোৰা টান পোৱাতে দিব ছাটেৰে কুছমিয়া কৰি ভাল হই।

৪৮। টোটোলা ব্যাধি।

লক্ষণ—মুখে লাল বই মুৰ ঘামে টুটলি ফিঙ্কে তাকে টোটোলা ব্যাৰি বোলে ৷

গুষধ—১। তেজোমায়াৰ দক্ষিণৰ চাল, বনকচূৰ আলু, মৌগৰালি, জ্বাবৰপ, জ্বাকে বটি বঙ্গলা লোনেৰে খুৱাৰ তপ্ত পানি খুৱাৰ তেৰে নাস।

45. JORA-BYADHI.

Medicine—Place the animal under a walled shed in the winter so that it is not affected by the outside air, light up fire around it, when it perspires wipe it dry, then take it out, give one seer of gur, one powa of Bhang and one radish, all thrashed and mixed up to eat. Take out the animal thereafter in the morning and evening for walks for 3 days, and give the usual food of grain or grass after it. Pulses may be given after the 3 days.

46. TAN-GU.

General Symptoms—constipation and hard stool.

Medicine—Boil together Sia atrup $\frac{1}{2}$ powe, black pepper 1 powe, salt and $\frac{1}{2}$ seer mustard oil, and give the same to eat with some pulses.

2. Give internally the following mixed together :---

Powdered rice 1 powa, powdered turmeric $\frac{1}{2}$ powa, soot $\frac{1}{2}$ powa, and gur $\frac{1}{2}$ powa.

47. TAN POWA (HURTS AND WOUNDS).

Medicines—Apply over the affected part the following after boiling together, when it gets a little cold :—

Earth of the white ant hill, dung of buffalo and leaves of Akan.

48. TOTOLA BYADHI.

General Symptoms-Salivation, perspiration of the head, and swelling of the throat or pharynx.

Medicines—1. Give internally the paste made of the bark of Tezamaya taken out from the south, tuber of wild arum, Moiha-ali, Jabrang and salt, followed by a hot drink. ২। চামৰ তাঁক, বিহ চেকিয়াৰ সিপা, ডিঙ্গৰি প্লাটৰ সিপা তিনিকো ৰট ৰঙ্গলা লোনেৰে থুৱাব তেৰে নাস।

৪৯। তালুক ব্যাধি।

লক্ষণ--- খাহ থাব নৰে লাল ৰছে ভাকে বোলে তালুক ব্যাধি।

ঔষধ---কৰাই গচৰ দক্ষিণৰ চাল, সঙ্গলা ছাগ, তাপপত্ৰ হন্তাগ, দৰপ এতাগ, জলকিয়া, বাঙ্গন সবাকে বটি বঙ্গলা লোনে:ৰ খুৱাৰ।

৫০। তেজখোৱা।

- ঔষধ-পুৰণি কপাহৰ তুলা লাই গুটি সমে বটি দিব।

৫১। (তঙ্গসাৰ।

•

ঔষধ—বটাৰ সিয়া ৯ ভাগ, তৰাৰ সিধা ৯ ভাগ, লৰা ভিতাৰ সিয়া ৯ ভাগ, সৰশিঙ্গা পণ্ডৰ চোঞ্চ, পকা পান সহিতে বটি খুবাব এতেকে তেজসাৰ নাস।

৫২। ছদ ফুটা।

ঔষধ-পাৰিম্বাতৰ গুটি, তেৰমায়াৰ চাল, জালকভিৰ দিপা, হাচুন্দি, ভৰি-তলুৱাৰ চাল আকে দিলে নাস।

৫৩। ধুপুনি ব্যাধি।

ল পা-পুৱা ছপৰিয়া খুপিৰ তাক ধুপুনি ব্যাধি বোলে ৷

2. Give internally the following things in a paste :--

Chamar-Taru, roots of Bihdhekia and roots of Dingaikheti.

49. TALUK BYADHI.

General Symptoms-Salivation and cessation from chewing grass.

Medicines—Bark of koroi tree taken from the south 7, bark of Songla tree 1 leaf of fan palm 2, Chilli, brinjal and common salt, all thrashed and mixed together.

50. TEZ-KHOA (BLOOD PURIFIER).

Medicine.—Bandage the affected parts with the powder of Lai guti, and Cotton wool.

51. TEZ SAR.

Medicine-Make the following into a paste and give for a dose :--

Root of Bota 9 pieces, root of tara 9 pieces, root of lora Tita 9 pieces, Scraps from the horn of Sor-Polu (buffalo deer) and ripe piper betel.

52. DUD PHUTA.

Medicine-Apply externally the paste made of the following :--

Seeds of Parijat phul, bark of Tejamaya, root of Jalukati Hachuti, and skin from the palm of a foot.

53. DHUPUNI BYADHI.

General Symptoms—Panting in the morning and noon.

ঔষধ—>) মৌগৰালিৰ অ'গ, ভাসৰ আগ পাতত দি ৰঙ্গলা লোনেৰে পুৰাগে ধুপুনি ব্যাধি নাগ।

২। লাইগুটি বটি পানি মিহলাই মুৰৰ পৰা গা তিয়'ৰ আধানি পানিত ধুৱাৰ ধুপুনি ব্যাধি নাগ ।

৫৪। নাকতোৰ ব্যাধি।

লক্ষ্য--বোৰা বোৰবোৰাই মূৰ ডাঙ্গি কুৰে তাকে নাকতোৰ ব্যাৰি বেগলে।

ঔষধ—আনচোকোৰা, হাইঠাৰ বাকল, নাৰুডেওনাৰ চাল স্বাঙে একত্ত কৰি কাপৰ বান্ধি নাকত দিলে নাকতোৰ ৰ্যাধি নাস

৫৫। নিততি পাও মঙ্গলি 1

লক্ষণ-চাৰি ভৰি চোচোৰ:ই তত নোহোৱা হই।

ঔষধ—তামাধুৰ সিপা পাত, মিচামাছ, পানিপৰুৰা, বাটৰ চাউল সৰংকে বটি গাত ঘদিব নাস।

৫৬। পথশ্রম।

ত্তবধ-পৃষষ্ঠ দিৰ দুল, ত্বত, চেনি একত কৰি খুৱ'লে পথ সম নাগ।

৫৭। পদ্মনলা।

লক্ষণ—জিউদাৰিয়েদি তেজ বই তাকে পদ্মনগা বোগে। ঔষধ—আঠিয়া কলৰ বাকলি, পহুণৰ চকা, কঠালৰ ডিগা তিনিকো হট তেলেৰে লেপি দিলে পদ্মনলা নাস। Medicine-1. Roast some twigs of mausar ali and Bhung after being rolled in some green leaves, and give to eat with salt.

2. Rub well the body with powdered Lai-guti mixed with water and then wash the animal from head to foot in knee-deep water.

54. NAKTOR.

General Symptoms.—Snorting and walking with the head uplift.

Medicine-Draw into the nose the powder made of the following :--

Amchokora or Amchengla, rind of soap nut and bark of Nak Deona, wrapped in a piece of thin cloth.

55. NITOTI-PAO-MANGALI.

General Symptoms—Lameness of four feet with restlessness.

Medicine—Rub the affected parts and the body with the powder made of the following :---

Root and leaf of tobacco, shrimps, Pani paroowa and rice fallen at the ghat.

56. PATHASHRAM (FATIGUE DUE TO A JOURNEY).

Medicine— Give internally powdered roots of pryangu with equal quantity of ghee.

57. PADMANALA.

General Symptoms-Bleeding from the penis.

Medicine—Apply externally the paste made of the following things with oil :---

Rind of Athia-Kola, spike of the jack seeds, and seed vessel of the lotus.

৫৮। পানিলেঙ্গ।

লক্ষণ-নাকে মুথে পানি ওলাই তাকে পানিলেম বোলে।

ঔষধ—তেজযুঁইৰ সিণা, নাজলভাঙ্গাৰ সিপা, পুনিৰ গাঠি তিনিৰো ৰট খুৱালে পানিলেঙ্গ নাস ।

৫৯। পিঠিৰ ঘা।

ঔষধ— ১। ঘোৰাৰ পিঠিত দা লাগে যদি ঘাত ন্থত লিপি দি**ৱ তেৰে ভাল** হই।

২। কেচু পুৰি চাই কৰি দিব ঘা গুকাই।

৬০। পেট কামোৰণি।

লক্ষণ--- ঘোষাৰ পেট কামোৰণি হলে মাটিত পৰি ধগৰা-বগৰি কৰে নেজ কেৰ-মেৰ কৰে পেট উসহে।

ঔষধ— ১। আছনি আদ পোৱা, লোন চাৰি টকা, জালুক ২ তোলা, নিঠা-গুৰি এসেৰ লাক বান্ধি ধুৱাবতেৰে নাস।

২। পেতে মাতে আৰু কামোৰে যদি জাবেসেৰি, বৰুণৰ ছাল, গণি পিপনিৰ ছাল সবাকে বটি থুবালে পেটৰ মাত কামোৰ গুচে।

৩। আদা আৰু পোৱা, জালুক আৰু পোৱা, লোন আৰু পোৱা, মানিমুনি আৰু পোৱা, ধুত্ৰা গুটিৰ এটকা গুৰি লব সবাকো বটি পুৰাৰ পেটকামোৰৰি গুচে।

৬১। পোক মৰা ঘা শুকুৱা।

ত্তবধ-মছুৰ মাহ ডেৱাই ভাৰি কৰি ঘাত দিব তেবে থা তৰাই।

58. PANI-LENG.

General Symptoms-Watery discharge from the mouth and nose.

Medicine—Give the following internally in a paste :---

Root of Tejmaya, root of Nangalbhanga and Punir gathi.

59. PITHIR GHA (BACK SORE).

Medicine-1. Apply ghee to the sore.

2. Dust over the sore with the ashes of earth worms and the sore is cured.

60. PET-KAMORONI.

General Symptoms—Colic or painful gripe of the stomach rolling over the ground, twisting of the tail and flatulency.

Medicine-1. Make into balls the following things powdered and mixed, and then make swallow :---

Powdered rice 1 seer, Ajani ½ powa, Black pepper 2 tolas and salt 4 tolas.

2. When there is a rumbling of the stomach with the pain, give the following medicine :---

Bark of Barun, Jabeseri and bark of Hathipipoli.

3. Mix and make a paste of the following and give internally :--

Ginger ½ powa, black pepper ½ powa, salt ½ powa, Manimuni ½ powa and powder of Dhatura seed 1 tola.

61. POK MORA AND GHA SUKUWA (HEALING OF SORE ON THE BODY AND DESTRUCTION OF MAGGOTS).

Medicines—Dust over the sore with Mashur-Mah charred and powdered.

৬২। ফান্দনিয়া ব্যাধি।

লক্ষণ—বিচি ওলমি জাই তাকে ফান্দনিয়া ব্যাধি বোলে । ওঁষধ—সঙ্গলা ৰত্মলাৰ আগ সিন্দুৰিয়া বৰলৰ বাহা পুৰি ছেনাবাঁধৰ ছইকো বটিব শামুকৰ পানি দি লিপি দিব ফান্দনিয়া ব্যাধি নাস ।

৬০। বৰ ৰোগ।

লক্ষণ--বোৰাৰ গাঁত ডিমৰু হেন হই থা লাগে তাক বৰ ৰোগ বোলে।

ঔষ্য--ছুসনা থাৰ এতোগা, হিঙ্গুল এতোগা, বৈৰ এতোগা, স্বৰগা এতোগা, আদাৰ বসত বটি জালুক প্ৰমাণ বৰি বাটিৰ গধুলি পুৱা একো বৰি থুবাব তেবে নাগ।

৬৪। চোৰাঙ্গি বাত।

লক্ষণ—চাৰি ভৰি থোৰাই চৌৰাঙ্গি বাত বোলে। ঔষা—বোৰা টাঙ্গনৰ দৰবেই দৰৰ সেই দেকে সেক।

৬৫। জিঞ্জিনিয়া বাত।

শঙ্গণ---ঠেন্নৰ গান্তি ফিকে খোন্স চোচোৰাই তিনি বোন্স মানক লগি।

ঔষয়--->। জ্বালুক্তিৰ ঠাৰা, গোন্ধবিৰিনাৰ পাতে ঠাৰে, তাৰণুহুচা, গুটি-মানিৰ ফুলৰ শিপা সবাকে বাটি খুৱাব।

২। বাজে নিপা দাৰ-কপাহৰ গোট, পচা কলৰ মধা, তুদ তিনিকো গাঠিত বান্ধিব নাস।

৩। জত বাধৰ আছে মানে সবাকো লব আৰু কলাৰাৰ ,মাহডালি সহিতে বান্ধি খুহাব নাস ।

62. PHANDONIA BYADHI.

General Symptoms—Swelling of the scrotum.

Medicine—Apply externally the following in a paste, twigs of the parasitic plant growing on the Songla tree, Saltpetre, ashes of the nest of red wasps, and snail water.

63. BAR-ROG.

General Symptoms-Sores like figs in the body.

Medicines — Take Chusanakhar 1 tola, Cimabar 1 tola, catechew 1 tola, borax 1 tola, powder and mix them with the juice squeczed out of thrashed ginger, then make into a paste and prepare pills of the size of a black pepper and dry. Give internally one of the pills morning and evening.

64. BAT-CHOWRONGI.

General Symptoms - Lameness of four feet.

Medicines-Treatments same as those of Ghoratangon Byadhi.

65. BAT-JINJINIA.

General Symptoms—Swelling of the pasterns and dragging of the feet for a few steps while walking.

Medicine-1. Make a paste of the following and give internally :---

Stems of Jalukoti, stem and leaf of Lemon grass, Har Ghunucha, and another root of Gutimali phul.

2. Bandage the affected joints with the following :----

Cotton seed, core of the rotton plantain tree and chaff of paddy.

3. Cook and give to eat some split Mati mah with all the spices and ashes of plantain tree.

৬১। জুতি থাত।

গক্ষণ-পুৱা হলে খোৰাই চুপৰিয়া হলে পাতলি থাকে তাংক জুটি ৰাত বোলে।

ঔষধ—তেজমাৰাৰ শিপা, নাঙ্গগাৰ সিপা, ইহৰমূলৰ দিপা, বেডগাৰ, তোট জালুক সবাকে ৰট বঙ্গগা লোনেৰে খুবালে স্কুটি ৰাত্ত নাগ।

৬৭। ভবিৰ বাত।

ঔষধ—ধুত্ৰাৰ ৰম আদপোৱা, আকন পাতৰ ৰস আদপোৱা, পচতিয়াৰ ৰস আদপোৱা, আমহি এতোলা, এৰাঠেল আদসেৰ, সবাকো একত্ৰ কৰি ৰোৰাৰ গাঁৱত ঘহিব বতাহ নলগাৰ মাহৰ লগত খুৱাৰ ভৰি-বাত গুচে।

৬৮। বাত ব্যাধি--(সমস্ত)।

ঔষধ—>। বহি লতাৰ কোমল পাত, শিঙ্গেৰি কটা হিন্ন সহিতে বটি নক্সি ছিয়া দি লিপি দিলে সমস্ত বাত গুচে ।

২। গোলমৰিচ হুতোলা, গুণৰাজ ভিন তোলা, কণা লোন এতোলা খুৱাৰ নাস।

৬৯। বিযালি।

ন্তব্যধ—জন্ত বাধৰ আচে মানে আনির ভেদাই লতাৰ দিগা সবাকো ৰট ধুৱাব নাস ।

৭০। বেথক ৰোগ।

লকণ-খুৰাৰ উপৰে মেৰুগু হেন হই উসহে তাকে বেণক বোগ বলে।

ঔষধ—মাটি মাহৰ গুৰি পানি মিহলাই পিঠা হেন কৰি তপতাই ধুখুবা পাতত বান্ধিব তবে তাল হয়।

66. BAT-JUTEE.

General Symptoms-Lameness which increases in morning.

Medicines—Give internally roots of Nangalbhanga and iharmul, top of cane, root of Tejmaya, Chilli and salt made into a paste.

67. BAT BHORI.

General Symptoms-Rheumatism of the foot.

Medicine-Squeeze out and take half a powa each of juice of ginger, leaf of Dhatura, leaf of Akan and leaf of Pachotia, mix them with one tola of the powder of unripe dry mango fruit, and rub the affected part with the same; give also some of it with some paddy or pulses to eat. Exposure prohibited.

68. CURES FOR ALL SORTS OF BAT OR RHEUMATISM.

Medicine-1. Make an incision first on the affected part, and apply on it the paste made of soft green leaves of Borhilota, thorns of Singari, and Assafætida. 2. Give internally the paste made of one tola of black pepper, 3 tolas of Ganraj, and one tola of black rock salt.

69. BISHALL.

General Symptoms—Body wasting daily with aversion to food and drink.

Medicine-Give internally the juice of Bhedai-lota with all the spices.

70. BETHAK.

General Symptoms-Tumour above the hoof.

Médicine-Bandage with hot paste of Matimah and Dhatura leaf.

9>1 atta 1

গুৰধ---সোন্দা পথৰা, থাজুৰি, যোটৰ মাস, বনমালাৰ দিন্ধা, তেঙ্কমায়ৰ সিপা সবাকে ৰটি খুৱালে ব্যাধি নাস।

৭২। ভোকোলা বা ভেকোলা।

ঔষধন্দে)। জালু হতি পাত, মৰঙ্গি আৰা, শিমলু-কটা ৩ টা, মন্দাৰ ৩ টা, জাবৰাঙ্গ, ভোট জালুহু, থছৱা ভেকুলিৰ চাই সবাকো লোন দি বটি ধুৱাৰ ভোকোলা নাগ।

২। ঘূমকৰ আগ, তেজমায়াৰ চাগ, চনাহোৰ পেটা, ভোট জালুফ, কণা বাংগলি পৰি চাই গৰাকো ধুবাৰ নাগ।

৭৩। কাকুয়া ভেকোলা।

ওঁথধ-->। জাবৰাঙ্গ, তেজমায়াৰ চাল, নহন, পিয়াজ সবাকো বটি পুৱাৰ নাগ।

২। কলা বাকলিৰ চাই, নাৰিকলৰ ঠাকনিৰ চাই, কঠাল ডিলাৰ চ'ই, ভলুকা বাহৰ ঢকুৱা পোৰা চাই, ৰহুৱা ভেকেলিৰ চাই স্বাকো খুৱাৰ নাস।

৭৪। কুয়া ভোকোলা।

লক্ষণ—মুখত ঘাহ গরাই 🗋

ঔষধ—১। অৰ্জ্বনৰ চাল, ঔৰ মৰা চাল, আহতৰ মৰা চাল, চিনাজোক, কনোৱাৰ হাৰ, মৰা মকৰা, জালুক সাতোটা সবাকো গুৰি কৰি চৰুত তেল ৰহাই তাতে মাৰি হুৱৰিৰ আগে দি মুখত দিব ভিতৰৰ সবাকে খুৱাৰ নাগ।

২। গাগিনিৰ ৰাহ সাভোটা আনিৰ আঠোটা জালুক ভিনিকো (হুইকো) বটি খুবাৰ তবে গুচে।

71. BYADHI (BOILS).

Medicine—Give internally the following in a paste :----Sondapoira, date, pca, root of Bonmala and root of Tejmaya.

72. BHOKOLA OR BHEKOLA.

Medicine-Prepare a paste of the following and give internally :---

- Leaf of Jalukoti, Moran-ada, thorns of Simolu and Mandar (3 of each in number) Jabrang, Chilli and a Khohua-Bhekuli (burnt and powdered).
- 2. Twigs of Ghumoru, Tejmaya, tubes of Chonah chilli and ashes of plantain tree in a paste.

73. BHOKOLA KAKOOIYA.

Melicine—Give internally a paste made of the following :---

- 1. Bark of Tejamuya, Jabrang, onion and garlic.
- 2. Ashes of the rind of ripe Athia Kola, bunch of Coccoanut, spike of the jack fruit, sheath of Bhaluka bamboo and Khohua Bhekuli.

74. BHEKOLA KOOYIA.

General Symptoms-Giving of offensive smell during rumination.

Med cine—1. Boil the following things in mustard oil until they are charred, and apply the oil with a bunch of Dubari grass, in the mouth and give some of it internally :—

- Bark of Arjun tree, dead and dry barks of Ou and Ahont tree, Chinajok, bone of Konua, dead spider and black pepper 7 in number.
- 2. Give internally 7 nests of Mantis and 8 black pepper.

৩। ঘোৰাৰ ফান্দ হগছ আনি পৰাৰ চাবনি ঘৰি বাহন কৰি জুই স্থমাই নিৰ এবেগেত ওলোৱা গুচে।

৪। বাহি চাই ঘোৰাৰ মৃত্ৰ আনি তপতাৰ হাতত বি চাৰ পানি হেন হগে।
 তাক বান্ধিৰ ভেবে ৰোগ গুচে।

৭৫। যোৰা ভোকোলা।

উষধ—মৰাণ আদা, কঠণ্ডাৰ চাল, আগৰাৰ সিপা, নিলৰণ্ঠ তিতা, চাৰে। তিতা, জাবেদেৰি সব্যকো বটি থুৱাৰ নাস।

৭৬। গৰিয়া ভোকোলা ।.

লক্ষণ---দ্ৰাতচোৰাই মুখত ফেন ধৰে।

2

শ্ৰষধ—নহৰু, পিয়াজ, নিলকণ্ঠ, হৰিশহৰ সবাকো বটি গৰৈ মাছৰ পেটত অনুযাই পুৰি কটা বাচি লোন সানি খুৱাৰ নান।

৭৭। চৌৰাঙ্গি ভোকোলা।

গুষধ—ভেনাইলতাৰ আগ, নৰসিঙ্গ, ছই মানিম্বনি, খুমৰু হাগ, ৫০কাৰোৰ, তোট জালুক লোন দি ধুৱালে নাস।

৭৮। জিমা ভোকোলা।

লক্ষণ--জুমাদি থাকে পানি ঘাস নাথাই।

গুষধ—হৰিশঙ্কৰৰ চাগ, পকা পান, ডোমচউকাৰ গাঁঠি সৰাকো বটি ধুৰাগে নাস 3. Twist two hairs taken from the tail of the horse, rub them well with soap, and put them into the fire after an invocation keeping about one Bigot (half of a cubit) outside it.

4. Boil some urine of the horse collected the previous day, boil it, and put a bandage (of some cloth) soaked in it when it gets cold, round the muzzle.

75. BHOKOLA-KHORA.

Medicine-Give internally the following made into a paste :--

Moran Ada, bark of Kathanda, root of. Agara, Nilkantha-tita, Chando-tita and Jabeseri.

76. BHOKOLA GARIA.

General Symptoms—Foaming from the mouth and grinding of the teeth.

Medicine—Put in the stomach of a Garoi fish a paste made of Onion, Garlic, Nilkantha and Harisankar, roast it, remove the bones and give with some salt to eat.

77. BHOKOLA CHOWRANGI.

Medicine—Give internally the paste of the soft twigs of Bhedai lata, Narasingh, Bar and Soru Manimuni, Ghumaru and Chengamas with salt and chilli.

78. BHOKOLA JIMA.

General Symptoms—Drowsiness and aversion to food and drink.

Medicine—Give internally the paste of Harisankar (bark), ripe betel leaves, and knots of Domdhakuwa.

৭৯। ঠৰিহা বা হা ভোকোলা।

শক্ষণ--- মুখ ঠৰিহা দেই ঘাস পাৰি নাথাই।

ন্তইয়ধ—>। আগৰাৰ সিপা, মঞ্চ গাঁচৰ চাল, আলান্থু, তামাখুৰ পাত, ষধাৰ সবাব্বে বটি খুৱালে নাস।

২। ডালুকতি, জাবৰাঙ্গ, তেম্বমারা, নাঙ্গণভাঙ্গা, গুনৰাঞ্চ, হোলপেটা, পিয়াত সবাকো থুৱবে ; আৰু

৩। গোবৰ স্নঠ', পুৰৈ ঠাৰি এই হ'ৰো চাই খুন্ৰ গুৰি এই সবাংহা গান্ত ধদিব নাস।

৮০। ডিঙ্গবিয়া ভোকোলা।

লক্ষণ-পেট ফিকে চাল টানি ধৰে।

ওঁষণ---মৰান আদা, ছালধি, কান্দলগৌৰি, আৰম্যদা স্বাকো বটি খুৱাবো নাগ।

৮১। ঢাকা ভোকোলা।

লকণ-পেট ফিকে ঘ'স পানি নাথাই।

ঔষধ—নাঙ্গলতাঙ্গা, তেওমায়া, বেনিজৰা, গুনৰ'লে, চেগমৰা, জাৰবাঙ্গ, মহক, পিয়'জ সবাকে বটি খুবাৰ নাস।

৮২। দ্বদ ছোকোলা।

লক্ষণ-চানা নিপিয়ে মুখত তাপ।

৮৩। বাৰ্নিয়া বা পোৰনিয়া ভোহোলা।

লক্ষণ--- বিহ্বাত গোট গোট কৈ রোগাই ৰস নাই জিজা আগ পোৰে।

79. BHOKOLA-THORIHA OR BHOKOLA HA.

General Symptoms—Inability to open the mouth or to eat.

Medicine—Give internally the paste made of :-

- 1. Root of Agaru, bark of Maj, leaves of tobaccosoot and Saltpetre.
- 2. Barks of Jalukati, Tejmaya, Nangalbhanga, Gunraj olpeta and onion.
- 3. Rub the body with ashes of dry cowdung, stcm of Puroi, and the dust given out by Ghun.

80. BHOKOLA DINGIRIA.

General Symptoms—Flatulence or swelling of the stomach with stretching of the skin.

Medicine—Give internally Maran Ada, Am Ada, Kajal-Gouri and turmeric.

81. BHOKOLA DHOKA.

General Symptoms-Swelling of the stomach and inability to eat and drink.

Medicine—Give internally the paste of Nangalbhanga, Tejmaya, Bonjora, Chengamor, Gunraj, garlic, and onion.

82. BHOKOLA DUD.

General Symptoms—Heat in the mouth of young ones and inability to suck.

Medicine-Give internally the paste of soft twigs of Ghimaru and ashes of the stone of hogplum and hair of man.

83. BHOROLA-BARONIA (OR PORONIA).

General Symptoms—Dryness of the tonguc with eruptions and burning of its tip or ezd. ঔষধ--- খিউ ছটকাক এশবাৰ ধোবা সিন্দুৰ লাউৰ তথুনা বুকুৰ চাল লাউৰ ফুল সবাকো ৰটি খুয়াব নাস।

৮৪। মইনা ভোকোলা।

ঔষধ—বোনফোফৰ স্থাগ, জাবেদেৰি, গুনলতাৰ যাগ, গুৰিমা কঠালৰ মিহু, কুকুৰাৰ ডিমা সবাকে বটি খুৱাৰ নাগ।

৮৫। হুখনা ভোকোলা।

লক্ষণ---গা ন্থৰ্থাই কাছে।

ঔধধ—কান্নিৰ পাত জুইত দিব বোন নহক পুৰিব জেন্দতিঃহৰ যাগ, আহৰুয়া চম্পাৰ য়াগ ছইকো জুই দি সবাকে বোন নি ধুয়াৰ নাগ।

৮৬। হিহিনিয়া ভোকোলা।

ঔষধ —১। তেজমাগ, বনজৰা, শিলিধা, অমৰা চাল গোই, চান্দো-ভাদো পাচ তোলা, যথাৰ ভিতেৰি থুৱালে নাদ। তাৰপাচে ৪দাগৰ দক্ষিণৰ চাল দিপা থুন্দি গাত ভৰণ দিব।

২। লাইৰ গোট, পটাৰ গোট, কলা কচুৰ মুৰা, ভোট জ্বালুৰ সবাৰে ৰট খুহাৰ নাস।

৩। তেজমান্বাৰ চাল, ভোট জালুক, জাৰণাঙ্গ, লাই গুট, পটাৰ গোট, গৰু ধুৱা বান্ধনা, চেম্বামোৰ, কঠালৰ মুচি, সগা, ধুনিমা, চোৰনি, কালজীৰা, নহক, পিন্নাজ সবাকে বেলেগাই থব কিচু কিচু কৰি লোন দি লিখা ক্ৰমে এটা এটাকৈ খুৱাব হিংহনিয়া ভোকোনা নাস। Medicine-Give internally 6 tolas of ghee washed with water 100 times mixed with some vermilion, powders made of the dry core of the bottle gourd and its flower.

84. BHOKOLA MOINA.

Medicine—Give internally twigs of Bonphoo, Jabeseri, Gunlota, minu of Guria Kothal and fowl's egg in a paste.

85. BHOKOLA-SUKHONA.

General Symptoms-Cough and wasting of the body day by day.

Medicine-Roll the following in some green leaves and roast, then trke them out, mix some salt and give internally :---

> Leaf of Kanni, Bon-nohoru, twigs of Jengtiyah, and Aharua Champa.

86. BHEROLA HIHINIA (ASTHMA).

Medicine—Give internally the paste of Tejmaya, Bonjora, Silikha, bark and seed of hogplum, Chando Bhado and 5 tolas of saltpeire, then make a cold application to the body with paste of the bark and root of olal and pomegranate.

2. Give internally Laiguti, Jute seel, chilli and the top of the tube of black arum in a paste.

3. Collect separately, and give in order with some salt, the following internally :---

Bark of Tejmaya, chilli, Jabrang, Laiguti, Jute seed, the dry brinjal used for pelting at the cattle after washing and bathing them on the Chait Bihu day, Chongamor, green jack fruit, Soula, Coriander seed, Charoli, Kaljira, onion and garlic.

৮৭। ভোক নলগা।

ঔষধ---বনশথ পুৰি চাই এতোলা লব স্বয়গা জুইত জুলাই এমহা লব হালধি এতোগা তিনিকো একত্ত কৰি মাহৰ বা ধানৰ লগত ধুয়াৰ।

৮৮। মৰকুচিয়া ব্যাধি।

ঔষধ—দালিমৰ ৰঘুমনা, মৰঙ্গ আবা, কুকুৰাৰ আল, ৰঘুনাথ বিহ, গন্ধকলাই কুন্নহৰ দাত, শাথিনী সাপৰ হাৰ, ৰহনা গাচৰ চাল, প্ৰথম গৰ্ভ হোৱা ভূমুনাৰ কুন্তল সবাকে তামৰ মাননিতকৈ আৰি দিব, মৰকুচিয়াদি সমস্ত ব্যাধি গুল্চ। আগে মাকক দিব পাচে চানাক দিব।

৮৯। মৰিশ্র।

ঁ লক্ষণ--বোৰাৰ গাত থত হলে চান জাই থড়ুয়াই ত'কে মৰিশ্ৰ ৰোগ বোলে।

গুৰধ---আৰু আদসেৰ চৰুত বহাই উপৰে দাফৰ মাৰি পৰি তাৰ চাই এতোলা লব চাল জমাত দিব উপৰে ব্যেকা দিপি দিব পাচে শুখাশে ধুৰ এইৰূপে তিনদিন দিব তৰে গুচে।

৯ । মামৰসি বা মামৰহি।

লক্ষণ---গাৰ চাল জাই লোম বৰ্জ্বিত হই ঘদিলে ধুগা উৰাই কণ্ডুতি কৰে 'ঘোৰা মামৰ্যনি বোলে।

ঔষধ—>। ঘোৰালেজিয়াৰ খাৰ, পাতিদৈয়াৰ খাৰ, পাচোটা তেলপেৰা থোমাৰ খাৰ, কেচা থলিহৈ সবাকে একত্ৰে মাৰি ধুয়াইগে এতেকে ঘোৰাৰ মামৰদি নাদ।

87. BHOK NALAGA (LOSS OF APPETITE).

Give internally ashes of Bon-Sath 1 tola, parched barax $\frac{1}{4}$ tola, turmeric powder 1 tola, with some paddy or pulses.

88. MARKUCHIA BYADHI (POSSESSION BY THE EVIL SPIRIT MARKUCHIA; IT BRINGS BARRENNESS TO A WOMAN OR FEMALE ANIMAL).

Medicine—Suspend the following in a copper tube after having the ends closed to the neck of the pony :--

> Any plant grown on the pomegranate tree, Moran Ada, Cock's Spur, Raghunath Bih, musk, teeth of wolf, bone of Sakhini Sap, bark of Rohona tree, hair of a fish-woman who has first conceived. After delivery suspend the tube to the neck of the young one, taking it off from the neck of its mother.

89. MARISHRA.

General Symptoms—Boils and pimples with itching and fall of hair.

Medicine—Put half a seer of poppy seed in an earthen pot close tightly its mouth, and place it on the fire until the seed is charred. Powder it then and dust some of it over the disease and cover with some mud. Wash it off when it gets dry, and continue 3 days.

90. MAMOROSHI OR MAMOROHI.

General Symptoms—Itching, fall of hair, giving way of skin like dust on rubbing.

Medicine—1. Wash the body after rubbing it with mixed ashes of Ghoralejia, Matrush, 5 cane small baskets for holding mustard for pressing in a country press, and raw oil cake. ২। কেৰেৰাজ, হংগৰাঙ্গ, ভৃঙ্গৰাজ, বাতৰাজ, শগুনৰ পাৰি সবাকো পুৰি চাই কেচা থলিহৈৰে ধুমাই কানিৰ টুপলি কৰি টিকিলাই দিব।

৩। খুয়োরা দাক-পিশনীৰ ঠাৰা, গোৰখচৈ, মৰস্ব আদা, নহক, পিয়াজ, জাবৰাঙ্গ, মাহডালি একঠা, পিপলী একমুঠা, জালুক একমুঠা, লোন এমুঠা সবাকে ৰান্ধি খুয়ালে মামৰসি নাস।

8। আঠিয়া কলৰ বাকলি প্ৰৰি এৰি তেলেৰে মসিব, থলিছৈ সৈতে গা ধুয়াই ঘদিব এতেকে ঘোৰাৰ মাফৰসি নাস।

৫। আলগতে খুন্দিব পুৰনা মাটিমাহৰ একডোন ডালি কাণ্ডিমহিয়া কলা-ধাৰনিৰে ৰান্ধি ৰৌন্দত্ত হুদিব পাচে ধুয়াই আনিব এতেকে মাম্বসি গুচে।

৯২। মুদ্রা বোগ।

লক্ষণ—আঠুৰ ছয়োজালে মেৰুণ্ডা হেন হই তাকে মুদ্ৰা ৰোগ থোলে। ঔষধ– ফালি পুজপানি উদিয়াব ছালকুঞৰিৰ পাত পাতত নিৰ থিউ মিহলাই তাৰে ব'ন্ধিব। ধুখুৰাৰ পাত এৰা পাত ছই পাতেৰে বান্ধিৰ তেবে ভাল হই।

৯২। মুকাৰ। •

লক্ষণ-প্ৰসাব কৰিব নোয়াৰিলে মুদ্গৰ বোলে।

ঊষধ---লথৰ আগ ৭টা, বনৰথৰ আগ ৭টা, হেলচিৰ আগ ৭টা, বদগ লোনেৰে খুয়াব মুলাৰ নাগ। যদি পেচাপৰ বাটবন্ধ হই ঘেৰেৰে চুলি চাধনি তিয়াই পেচাপৰ বাটেস্কমুয়াই দিব। 2. Dust over the affected parts with the mixed ashes of Keheraj, Hansharaj, Bhimraj and Batraj, after getting the body washed after a rub with some raw oilcake.

3. Give internally the following after having them boiled together in some water: --

Stem of long pepper, Gorokhachoi, Maranada, garlic, onion, Jabrang, split Matimah $\frac{1}{2}$ seer, a handful of long pepper, a handful of black pepper, and a handful of salt.

4. Rub the body with oil cake and wash, and then rub it with ashes of the rind of Athia Kola mixed with some castor oil.

5. Clean under light strokes of the pestle in a Dhenki (country husking machine) one Done (5 seers) of split Matimah, boil it with the liquid soda prepared from the ashes of the plantain tree burnt in the month of Kati, and then rub the body well with the preparation having the pony held under the sunshine. Wash the body well after some time.

91. MUDRA.

General Symptoms—Swellings like tumours on both sides of the knee.

Medicine—Draw out pus, if any, after an incision, clean it and bandage over it some roasted leaves of Chalkunari with some ghee or with some roasted leaves of Dhatura and castor plant.

92. MUDGAR.

General Symptoms—Obstruction to the passing of the urine.

Medicine—Give internally 7 twigs of Bon-Sath, 7 twigs of Helochi, and some salt in a paste.

When the urethra is closed pass through the passage some horse-hair rubbed with some soap.

৯৩। ঢাকা মুদগৰ।

ঔষধ— ঢেগা ডুম্ক চাল, বকুগঙ্গলৰ চাল, গাঠিমন, কাৰ্কবাল্যাতৰ পানি, ঢেকিথুৰাৰ মুৰত দি চাৰ তিনটা মাৰিব ভাতে যিথানি ৰই স্বাকো ধোণাই বট থুয়াব নাগ।

;

৯৪। মৌবিচনিয়া।

লক্ষণ---যোৰাৰ বিচি ফিঙ্গি ওলখে তাকে মৌৰিচনিন্না বোলে। ঔষধ---মৌৰিচনি পুৰিব মাটি ফুৰুহ' চাই কৰিব কেঠালৰ ডিলা চাই কৰিব হিলৈমাৰা বাথৰ চাৰিকো শানি মিদলাই ঘসি ধুৱাৰ খুৱ ব তাতে মৌৰিচনিন্না নাগ।

৯৫। ৰক্তসাৰ।

লক্ষণ---গুহু ভূমিয়ে যদি তেজ বই তাকে ৰ ক্তিগাৰ বোলে।

ঔষধ---মৌদবালিৰ আগ, পুৰণি ভাঙ্গৰ পাত পাতত দি এঙ্গলা লোনেৰে খুয়ালে ৰজিদাৰ নাদ।

৯৬। ৰসভৰ ব্যাধি।

ালকণ—গাঁৱত যদি ভোবৰ-ভোবৰি ফিঙ্কে তাকে ৰসভৰ ঝাৰি বে লে।

ঔষধ—>। ভলুকা বাহৰ গান্ধ ৰটি কাজিৰে মিসলাই খুয়ালে ৰসভৰ ব্যাধিৰ নাগ। অথবা

২। ভলুকা বাংৰ থোৰ নলগজালি লোনেৰে বটি ৰুয়ালে তথা নাগ।

93. MUDGAR-DHAKA.

General Symptoms—Obstruction in the passing of urine causing a swelling of the belly.

Medicine—Place the following into the Khubali (a stone or wooden block with a hole in the centre for receiving grains for husking or cleaning with a Dhenki), give 3 strokes with the pestle and take only that which remains in the Khubali to be pasted and given to the sufferer.

Barks of Dhepa Dimoru and Bokul trees, Gathion, and the water of the crab hole.

94. MAUBICHANIA.

General Symptoms—Swelling of the scrotum.

Medicines—Burn and powder honeycomb, Matiphuruha, spike of the jack fruit, mix them with gunpowder and prepare a paste with water; then rub the scrotum with the paste and wash.

95. RAKTA-SAR.

General Symptoms—Bleeding from the anus.

Medicines—Give internally roasted twigs of Moiha Al and leaves of old Bhang with salt.

96. RASBHOR BYADHI.

General Symptoms—Swellings in patches in the body.

Medicine-Make paste of the sprout of Bhaluka bamboo and give the same internally with sour gruel of rice.

2. Give internally the paste of the unopened leaves of Ibhaluka bamboo and sprouts of Nal with salt.

৯৭। ৰহফুটা।

লক্ষণ--গাত গুটী গুটীকৈ ওলে বা ধা।

ঔষধ--->। এতোলা তেল, এতোনা চূণ ছইকো তপতাই দিব ব। ফুটা খচে।

২। দিয়া আতৰুপ আদপোৱা, জালুক এপোয়া লোন আদপোৱা, ডেন দিব একত্ৰ কৰি সিজাৰ মাহোৰ লগ কৰি ধুবাৰ।

৩। পিঠাগুৰি এপোৱা, হালদি গুৰি আদপোৱা, আলান্দু গুৰি আদপোৱা, গুৰ আদপোৱা সবাকে লগ কৰি ধুয়াব।

৯৮। ৰাজপিৰা।

লক্ষণ----(গুৰনিয়াকৈ চকলা বান্ধি হোৱা খা)।

ওঁষধ--জতৰমাগাৰ চাল, দেওকাদ্ৰাৰ আলু, পক্ষা পান, দলৰ পাত ঠাৰা মিঠে দি বটি দিব নাস।

৯৯। অৱা ৰাজপিৰা।

লক্ষণ--- ব্লেঁখোলৰ ঠেনা গাৱে মুখে ভৰি:ৰ হবে। ঔষধ---বোনয়ন্নাৰ পাত চালু, বোনপুৰই, কুকুৰস্বতা, সৰুবৰিয়াল, চাউল, ধোৱাৰ পাত, বনক্পাহিৰ য়াগে পাতে সবাকে ৰট লিপি দিবো ধুয়াৰ নাস।

১০০। কাচোৱা ৰাজপিৰা।

লক্ষণ---কাচোৱা ব্যাধিৰ দৰে সকলো গাএ ভৰিএ হয়ে। ঔষধ---চনাকচু বগা, কলাধাৰ, খহুখহিয়া লতাৰ পাত, কদমৰ পৰা পাত সবাকে বটি লিপি দিব নাদ। General Symptoms-Pimples all over the body, but scattered, and one at a place.

Medicine-1. Rub the body with one tola of lime and one tola of mustard oil boiled together.

2. Boil Siatarup $\frac{1}{2}$ powa, Black pepper 1 powa, Salt $\frac{1}{2}$ seer in mustard oil, and give the same to eat with pulses.

3. Give internally rice powder 1 powa, turmeric powder $\frac{1}{2}$ powa, Soots $\frac{1}{2}$ powa and Gur $\frac{1}{2}$ powa, mixed together.

98, RAJ-PIRA.

General Symptoms—Eruption of pimples in circular patches over the body.

Medicine—Apply externally the paste of the following :—

Bark of Jatarmala, root of Deokadra, Dal grass, ripe betel leaf, and Gur.

99. RAJPIRA AWA.

General Symptoms—Eruptions like the sheath of an Au tenga on the body and mouth.

Medicine—Apply externally and internally the paste made of the following :--

Bark and leaf of Bon-Au, Bon-Puroi, Kukursuta and Saru Barial, and twig of Bonkopahee.

100. RAJPIRA KACHOWA.

General Symptoms-Swellings and eruptions in patches in the body and feet.

Medicine—Apply externally the paste made of the sheath of Chonakachu, ashes of the sheath of plantain tree, leaf of Khohkhohia-Lota, and ripe leaf of Kadam tree.

১০১। সিন্দুৰিয়া ৰাজপিৰা।

গক্ৰ-গা মুখ তৰি সবাতে ৰঙ্গা পৰি হয়।

ঔষধ—>। পানি পোতনি, কঠকহা, ডোষচতুহাৰ ভূল, জাবেদেৰিৰ হাগ, ৰধাৰ, সিন্দুৰ সবাকো ২টি লিপি দিৰ।

২। লাউবাধাৰ চাল, পুৰণি শিলিখা, আমগৰি, আমঠু, চাগল ভিতাৰ চাল, চাগৰ গুদা সবাকো ৰট লিপি দিব নাগ।

১০২। শঙ্কৰ ব্যাৰি।

লকৰ--- বহি বোৰাৰ গা উৎসি থাকে তাকে শহৰ ব্যাৰি বোলে।

ঔষৰ-- যুখুৰা পাত, থালোন হইকো একত্ৰ কৰি বান্ধিৰ ও থুৱাৰ **শঙ**া ব্যাধি নাগ।

১০৩। শলিলা ৰোগ।

লক্ষণ---বোৰাৰ চাৰিউ ভৰিৰ লোষ গুচে ৰছুৱাই ধাঞে ভা*ফে স*থিলা ৰোগ বুলি।

ঁ ঔষৰ—জেতৃকা পাত, কুহিয়াৰৰ ৰম, হালধি, পেচা সৰিয়হ তেলেৰে বিহ-গাই সেই ঠাইত দিব তেৰে নাশ।

১০৪। শিয়াল গলা।

লক্ণ-- ছই গান; ফিঙ্কে তাকে শিয়ান গনা ব্যাধি বোলে।

গুৰধ--দ্বিগতিৰ দক্ষিণৰ চাল, পিয়াৰ চাৰ্লা আলু, হানধী আলু, ৰঠাগঙট ভাকে ৰট ৰঙ্গনা লোনেৰে ধুবাৰ, সিটাৰে টুপনি কৰি সেকিৰ আৰু গালত দেপি দিব লিয়াল গলা ব্যাধি নাস।

১০৫। সর্পৰ দকে।

উষধ—নিগৰুঠ, কনিবিহ চাল গোট, আনাপাগতোলা চুন, ৰৱনাৰ ভিতা, শুমুনি লতা আৰু মুখৰ দেশেৰে ৰটি ধিৰ।

101. RAJPIRA-SINDURIA.

General Symptoms—Eruption in patches of red pimples all over the body from head to hoof.

Medicine—Apply externally the paste made of – Panipotoni, Kothorua, flower of Domdhokua, soft twigs of Jabeseri, saltpetre, and vermilion, or

2. Bark of Laubandha, Old Silikha, Old Amlakhi, stone of mango, bark of Chagol-tita, dust or powder of old thatching straw.

102. SHANKAR BYADHI

General Symptoms—Swelling of the body.

Medicine—Apply internally and externally the paste of Khaloon, and leaf of Dhatura.

103. SHOLILA-ROG.

General Symptoms—Itching and falling off of the hair from the legs.

Medicine—Apply the juice squeezed out of Jetuka, sugarcane, and turmeric mixed with mustard oil.

104. SHIALGOLA.

General Symptoms.—Inflammation of the cheeks.

Medicine—Take out juice of the following, mix them, and administer internally, also plaster over, and foment the inflammation with the refuse.

Bark of Dighloti taken from the south, Siarchand aloo, haldha aloo and seed of jack fruit.

105. SORPAR DARU-(MEDICINE FOR SNAKE BITE).

Medicine-Make a fine paste with your saliva of the following, and apply on the affected part :--

Nilkantha-Tita, root and bark of Konibih, unslaked or quick lime, Kalpanath Tita and Gumuni Lota.

১০৬। সৰ্ব্ব ৰোগ নাগ।

উষধ-->। গাৰিৰ একলহ, গুৰ একলহ, ভাঙগুৰি এসেৰ, তিনিকো পাৰি লাক কৰিব, একইশ দিন খেৰোক খুৱাৰ সৰ্বযোগ নাদ চই গা চই।

২ । নিতে এটা বৰালি মাছ দিগাৰ, চৰিয়া এটাত কাইট ওচাই কেচা তেল এপোৱা মিহলাই খুৱাৰ সৰ ৰোগ গুচে ৷

৩। নগাপান নগাত, ভখন মৰিচৰ গুৰি হতোলা মাহেকত পুৱাৰ।

৪। ধান্য, মান, কুকুৰা সহিত্যে সকলো বাধৰ দি ৰান্ধি একৈশ দিন খুৱালে মহা বেগৱন্ত হই সকলো ব্যাধি গুচে।

৫ । মাকত গুটি আদপোৱা, তৰগ্ন কৰমৰ চাল আদপোৱা, অলকিয়া আদপোৱা, লোন পাচ টকা, লঙ্কা হুটকা, সবাকে বটি ঘোষাক খুৱাব, সমস্ত ব্যাধি নাগ i

৬। পিপলী চাৰি তোলা, ধনিষা চাৰিতোলা, অনি চাৰি তোলা, বনজনি চাৰি তোলা, হালধি চাৰি তোলা, গোকিৰ কটা চাৰি তোলা, গুৰ চাৰি টকা, বচ হতোলা, চেনি হতোলা, হিঙ্গ হুতোগা, ভটিয়া লোন চাৰি তোলা, উজনিয়া লোন চাৰি তোলা, নিমৰ চাৰি তোলা, পোৰো লালতি চাৰি তোলা, বিৰিসগুতি চাৰি তোলা, পনাশ-চাৰি তোলা, পবাকো মিহলাই হাৰিত ভৰাই মুৰ বান্ধি ধানৰ ভিত্তৰত আঠ দিন পুতি ধৰ নিতে আঠতোলা প্ৰণনে ঘোৰাক খুৱালে মকলো বাত গুচে; সাফৰ লৰ'ও ভাল হয়; পেট উসহি থাকে পেটত বিৰ পেলু সমন্তে গুচি গাব পুঠ হয়ে তথ্যৰল খুৱাৰ পাছে।

88

106. SORBO-ROG-NASH-(IMPROVEMENT OF GENERAL HEALTH WITH CURE OF ALL DISEASES).

Medicine-Give internally.

1. One pot of milk (about 4 seers), one pot of gur (about 4 seers), and one seer of powdered Bhang, all boiled together and given in 21 days in equal doses.

2. One Barali fish boiled and cleaned of all the bones mixed with one powa of mustard oil to be given daily.

3. Naga Pan 9 leaves and chilli powder 2 tolas to be given daily, for a month.

4. One fowl cooked or boiled with some paddy and pulses with all the spices to be given daily for 21 days. This improves the speed also.

5. Seed of makot $\frac{1}{2}$ powa, bark of Torua kodom $\frac{1}{2}$ powa, chilli $\frac{1}{2}$ powa, salt 5 tolas, and Lonka 2 tolas to be made into a paste and given internally each day.

6. Put the following in an earthen pot, close tightly the mouth and bury it in a heap of paddy for 8 days then take it out, and give 8 tolas of its content daily to eat.

Long pepper 4 tolas, Chitta 4 tolas, coriander seed 4 tolas, Jani 4 tolas, Banjoni 4 tolas, turmeric 4 tolas, Gokhur Kanta 4 tolas, Gur 4 tolas, Orris 2 tolas, sugar 2 tolas, Assafœtida 2 tolas, Bhutan salt 4 tolas, Ujonia salt 4 tolas, common salt 4 tolas, Parolalati 4 tolas, Barongguti 4 tolas and Pilas seed 4 tolas.

N. B.—The above medicine is administered for the improvement of general health by the cure of diseases specially of the bowels including costiveness, flatulence gripes, worms, all kinds of rheumatism and sprain.

90

১০৭। সিলপট ব্যাধি।

ঔষধ—আমঠ, শিলিখা, ৰাতুল চলন, আতি চন্দন, বৰ্গপৰা পিলৰ পানি, নাগৰঙ্খ, তেজমুই, ৰঙা কাঠমুলা, তেজপাত সবাকে একত্ৰ কৰি ৰটি লেপি দিব দিলপট ব্যাধি নাস।

১০৮। সেহালি ব্যাধি।

লক্ষণ---ৰাতি দিনে ধুপিৰ তাকে সেহালি ব্যাধি বোলে।

ঔষধ—> । অমৰা, মাটিমাহ ছইকো উষয়াই ৭টি ৰঙালি লোনেৰে কালি মিগলাই থুৱাব।

ন্থ। ধুন্থুলি পুৰিব কয়াৰ আলু ছইকো বটি বঙালি লোনেৰে খুয়াৰ সেহালি ব্যাধি নাগ।

'১০১। হাৰা ৰোগ বা হাবা ৰোগ।

লক্ষণ--কলাহুল বদি ' উৎহি উঠে "তাক হাবা ৰোগ বোলে।

ঔষধ--->। কাচোৰ হাৰ জুইত তপতাই দেৰিৰ।

২। ছালকুৰঁৰী ন্বতত মিশ্ৰ কৰি তপত কৰি বান্ধিৰ তৰে হাবা ৰোগ গুচে।

107. SILPOT.

General Symptoms-Swelling at the root of the penis.

Medicine—Plaster over the affected part with the paste of Shilikha, Stone of mango fruit, red sandal, white sandal, Nagargu, Tejmaya, Red mushroom, bayleaf, and the water washing a thunderbolt.

108. SEHALI.

General Symptoms—Panting day and night.

•

Medicine—Give some mati mah and hogplum boiled together adding salt and sour gruel of rice to eat.

2. Make a paste of roasted Dhunduli and tubers of Konya with some salt and give internally.

109. HARA-ROG.

General Symptoms—Swelling of the shins.

Medicine—Foment the swelling with a bone of tortoise heated over fire.

2. Bandage with chalkunwari and ghee heated over fire.

THE END.

91

GLOSSARY.

.

A

Ablakh	•••	A horse having the skin of its body and muzzle of different colours.
Ablakh Pakhara	•••	A horse having the skin of its body and muzzle of the colour mixed with black and white and the coat (hair) also of mixed colours.
Ablakh Tuling	•••.	An ablakh mixed with tuling, or an ablakh having greater portion of the skin of its body white.
Achowari	•••	A riding pony. An expert rider of the pony who knows about the strength, intelligence and gait of the pony.
Agula		The forepart of a pony.
Agora	***	Xanthium spinosum or, Urena lobata.
Ahont	•••	Pipal tree ; Ficus religiosa.
Ahouroowa .	•••	Michelia Champaca-
Champa.		
Ajoni		Ptychotis. Carum Copticum.
Akon	•••	Swallow-wort. Calotropis gigan- tea.
Al	•••	Spur.
Amada		Mango Ginger. Curcuma ama- da.
Amchengela or Amchokara	• • • •	× .
Amlokhi	•••	Phyllanthus Emblica.
Angul		A finger's breadth, $\frac{1}{24}$ of a cubit
Arjun		Terminalia Arjuna.
Arokchand		- AT CONTRACT & C. Y. J. NATION
	•••	Indian Dillania fruit of
Autenga		Indica Dillenia, fruit of.

		94.
•		В
Bachoni-tita,	•••	, ,
Bagh-darya	•••	A pony of Son-darya variety with spots on the body.
Baghnola		
Bagh Nakhora	•••	A daraya Pakhara pony having zebra stripes above the eyes, and white spots on the ear.
Bagh-Pakhora	•••	A Darya Pakhora pony having zebra stripes above the eyes, and white spots on the ear.
Bahok		Adhatoda Vasica.
Bamuna Pakhora	***	A spotted pony with a blaze from the 'forehead down to the chin.
Batraj	•••	Ficus Bengalensis.
Bhado-tita	•••	-
Bholukabanhor- gaj.	••••	Sprouts of Bholukabanh (a kind of big-sized bamboo used for posts and other strong work).
Bhang		Cannabis sativa.
Bhedali-lota	•••	Pæderia fotida.
Bheshorigooli or }	•••	Seed of Solanum Indicum.
Bhet	•••	Water lily. Nymphæa Lotus.
Bhodorachat-tuni	•••	This is another name of the pony called Ablakh Tuling.
Bhog-jira	•••	Cuminum Cyminum.
	•••	The same as joni. Carum copti- cum.
	•••	A big kind of brinjalBarban- gana.
Bhomora kolia	•••	A beetle-black pony.
Bhot bangana	•••	A small kind of wild and bitter egg plant.

Bhot Dubari Bhotor kharu	(ber	
Bhringraj		Wedelia calendulacea.
Bhunyi-komora		Ipomœa paniculata.
Bihdhekia		A kind of fern.
Bihlangi or)		Polygonum Sp.
Bihlongoni 5	•••	rorygonum sp.
Bilokhi	•••	
Biring gooti	**6	Embelia Ribes.
Boch	***	Acorus Calamus.
Bog-Pakhara		A horse having its muzzle, scrotum or knees of blackish brown colour.
Bokul		Mimusops Elengi.
Banjani		Ocimum gratissimum?
Banjora	•••	A kind of wild citron.
Banar Banua- Kachu.	•••	Wild arum. Colocasia antiquo- rum.
Benmola	•••	Aglaia Roxburghiana.
Ban noharu		Wild garlic. Urginea Indica.
Ban au	•••	Dillenia Sp.
Ban Phauf	•••	Leucas linifolia.
Ban Purai	•••	Basella rubra.
Bansath		Achyranthes aspera.
Barahak		
Barahuda	•••	<i>,</i>
Baralimach		A kind of big fish without scales.
Barhilota	•••	
Barmanimuni		Hydrocotyle asiatica.
Barnidhan	•••	A kind of paddy, the rice of which is genrally used for preparation of country cakes.
Barlilu	•••	A kind of thatching grass with broad blades.

A .		96
Barun		Cratæva religiosa.
Bata	•••	A kind of coarse grass used for thatching and walling pur- poses.
		O
Chabua Chilimi	•••	A Chaichilimi pony with white spots.
Chagal-tita	•••	
Chai chilimi	•••	A pony with a colour like that of the straw of the paddy.
Chal Ablakh		A pony with its muzzle black and the coat and the skin mixed with black and white.
Chali-Tolou	•••	A Set Darya pony having it. muzzle, tail, knees and hair black.
Chalkunwari	•••	
Chamar-taru	•••	
Chand		
Chandu-tita	•••	
Changeri tenga	•••	Wood-sorrel. Oxalis cornicul- ata.
Chelauri	•••	An eyebrow, or a line of hair growing like an eyebrow.
Chengamor	•••	A kind of wild arum plant with small thorns on the stem of the leaves and of sour taste used occasionally as vegetable.
Chichiringa	•••	
Chilimi	•••	A horse with its muzzle, knees and the scrotum black.
Chinajok		A leech of the plain.
Chipoha	•••	A whip.
Chita	•••	Plumbago zeylanica.

Choi Chokoa Chilimi	•••	Piper chaba. A pony with its eyes, mane and the edges of the ear black, neck and abdomen pale black and the hair or coating mixed with red and white.
Chokoa Kumit	•••	A pony of the Nora Kumit kind when it is not brilliantly red.
Chakar	•••	A whorl.
Chandora or Chandra	4 4,8	A lime-like white pony.
Chonakochu	•••	An arum, the leaves of which are very big and may be used as umbrellas in rain. Arum Indicum.
Chonahor Peta	•••	Tuber of chonah, a kind of small arum plant.
Chongorchal	•••	Bark of Machilus odoratissima.
Chorat or Dom- Chorath.	•••	Laportea crenulata.
Choroli	•••	Pimpinella involucrata.
· .		D
Dabla or Dapona		Buttock, quarter of a pony.
Dal	•••	A water weed with leaves, ears and seeds like those of the paddy.
Dankachi	•••	A black or red spotted pony having spots of different colours down to the knees.
Deocharai	•••	A pony having the armpit, ab- domen, mane, muzzle, and the tail of reddish brown colour.
Deokadra		
Deotora	•••	Andropogon serratus.
÷		· · · · · · · · · · · · · · · · · · ·

×

Dhepa Dimoru or Hati Dimaru Dhokdhoria	}	A kind of large fig.
Dhunduli	•••	Snake gourd. Trichosanthes an-
Dhutura Dighloti. Dingarikhati—	•••	guina. Thorn apple. Datura fastuosa.
Dogodha or Dogo Chilimi.	Iha	A pony having the colour of its body as black as that of a black arum plant, and having the hair of its muzzle, knees and belly of a blackish brown colour.
Dogdha Darya	•••	A Bagh Darya pony having the hair of its knees dead black and patches of blackish brown colour on the body.
Dom Dhokuwa or Damdeuka	}	Impatiens Balsamina.
		F
Fulam Chilimi	•••	A pony of Sukila Chilimi kind with black spots.
Fulam Pakhara	•••	A white pony with black spots on the abdomen.
Fulod	•••	
Futuka	•••	A-plant with white or blue flowers growing generally on high land.
		high innut
e "		-
Gauthion	•••	G
Gauthion Ghila (Jati)	•••	-
	•••• •••	G A round and flat seed of a creeper used specially by children as marbles. Entada

Ghora-joni or Joni	Pimpinella Involucrata?
Ghoralejia	
<u> </u>	
Ghumaroa or }	
Ghun	A small destructive insect that lives in bamboo or timber.
Goakhur kota	
Gobarsuthi Gorokh Choi,	Dry cowdung.
Gumunilata	Ophiorrhiza Mungos.
Gun lota	
Gunraj	
Gur	Raw sugar.
Guriakothalor Minu	, -
Gutimali	Jasminum Sambac.
	П
Hachuti	Dregea volubilis.
Toldho Ala	Dregea volubilis. A kind of wild yam.
	6
Haldha Alu	6
Haldha Alu Hancharaj	A kind of wild yam.
Haldha Alu Hancharaj Harghurrucha	A kind of wild yam. Vitis quadrangularis.
Haldha Alu Hancharaj Harghurrucha Hathikorola	A kind of wild yam. Vitis quadrangularis. Momordica Charantia.
Haldha Alu Hancharaj Harghurrucha Hathikorola Hathipipoli Helochi Hogaganderar gu	A kind of wild yam. Vitis quadrangularis. Momordica Charantia. Seindapsus officinalis. Enhydra fluotuans.
Haldha Alu Hancharaj Harghurrucha Hathikorola Hathipipoli Helochi	A kind of wild yam. Vitis quadrangularis. Momordica Charantia. Scindapsus officinalis. Enhydra fluctuans. A pony with the skin of its body, muzzle and the star
Haldha Alu Hancharaj Harghurrucha Hathikorola Hathipipoli Helochi Hogaganderar gu Hoha chilimi	A kind of wild yam. Vitis quadrangularis. Momordica Charantia. Scindapsus officinalis. Enhydra fluctuans. : A pony with the skin of its body, muzzle and the star white, and the hair of the body of ash colour with white
Haldha Alu Hancharaj Harghurrucha Hathikorola Hathipipoli Helochi Hogaganderar gu Hoha chilimi	A kind of wild yam. Vitis quadrangularis. Momordica Charantia. Scindapsus officinalis. Enhydra fluctuans. A pony with the skin of its body, muzzle and the star white, and the hair of the body of ash colour with white patches here and there.
Haldha Alu Hancharaj Harghurrucha Hathikorola Hathipipoli Helochi Hogaganderar gu Hoha chilimi	A kind of wild yam. Vitis quadrangularis. Momordica Charantia. Scindapsus officinalis. Enhydra fluctuans. : A pony with the skin of its body, muzzle and the star white, and the hair of the body of ash colour with white

99

•

Ι

Ihor mul

... Aristelochia indica.

J

Jabeiseri or Laijabori

ampoisoir or maria	DOLL	
Jabrang	•••	A kind of aromatic fruit brought by the Bhutias. Crocus sativus.
Jagannath-tita.		
Jalukati	•••	Piper aurantiacum.
Jani	•••	See Ghorajoni.
Jatarmala		· · · · ·
Jatighila	•••	See Ghila.
Jatkolia	•••	A pony having the colour of a ripe blackberry.
Jengtiyonh or Jengtihun	}	
Jetuka	•••	Lawsonia Alba. Indian henna.
Jika		Luffa acutangula.
Jira or Bhogjira	•••	Cumin seed. Cuminum Cymin- um.

K

Kaba kalia

Kajal-gouri

. -

Kalia or Kalia tolon

- ... A pony having its body mixed of white and yellow colours, *i.e.*, almond colour, and the armpits and buttocks mixed with pale blue.
 - A pony with its body and the muzzle of the purple colour like a brinjal, and the abdomen and buttocks white.
- ... A kind of fragrant katuri, Curcuma Aromatica.

101

.

both the ears black and knees and buttocks part so. Keturi or Katuri Curcuma Zedoaria. Khalun Soda prepared from the a of Sat, a kind of aqu plant. Khirang A dazzling coloured pony the Tukam variety. Khoh Khohia lota A creeper with rough le and which causes a bur sensation on touch. Khohuwa Bhekuli A kind of frog with a ro body and which always se a dark place such as corner of a house, etc., to I Khutaria Amarantus spinosus Kodom Anthocephalus Cadamba. Kalia Ablakh A pony having the skin and hair of the body mixed white and black, and the of the muzzle and the k black as burnt. Kalia Bora Chaul Rice of a paddy called H Bora ; <i>i.e.</i> , a Bora of black kind. Kanuwa Crane. Kanya Cyperus rotundas ? Karoi	Kaljira	Nigella Sativa.
 Keku Pakhora A white pony with one both the ears black and knees and buttocks part so. Keturi or Katuri Curcums Zedoaria. Khalun Soda prepared from the a of Sat, a kind of aquiplant. Khirang A dazzling coloured pony the Tukam variety. Khoh Khohia lota A creeper with rough leand which causes a bur sensation on touch. Khohuwa Bhekuli A kind of frog with a rebody and which always sea dark place such as corner of a house, etc., to I Khutaria A marantus spinosus. Kodom Anthocephalus Cadamba. Kalia Ablakh A pony having the skin and hair of the body mixed white and black, and the of the muzzle and the k black as burnt. Kalia Bora Chaul Rice of a paddy called H Bora; <i>i.e.</i>, a Bora of black kind. Kanuwa Croton Tiglium. Kanuwa Cryperus rotundas ? Karoi 	Kalamegh	Andrographis paniculata.
both the ears black and knees and buttocks part so. Keturi or Katuri Curcums Zedoaria. Khalun Soda prepared from the a of Sat, a kind of aqu plant. Khirang A dazzling coloured pony the Tukam variety. Khoh Khohia lota A creeper with rough le and which causes a bur sensation on touch. Khohuwa Bhekuli A kind of frog with a re body and which always se a dark place such as corner of a house, etc., to b Khutaria Amarantus spinosus. Kodom Anthocephalus Cadamba. Kalia Ablakh A pony having the skin and hair of the body mixed white and black, and the of the muzzle and the k black as burnt. Kalia Bora Chaul Rice of a paddy called H Bora; <i>i.e.</i> , a Bora of black kind. Kanuwa Crane. Kanya Cyperus rotundas ? Karoi	Keheraj	Eclipta alba.
 Keturi or Katuri Curcuma Zedoaria. Khalun Soda prepared from the a of Sat, a kind of aquiplant. Khirang A dazzling coloured pony the Tukam variety. Khoh Khohia lota A creeper with rough leand which causes a bur sensation on touch. Khohuwa Bhekuli A kind of frog with a rebody and which always sea a dark place such as corner of a house, etc., to I Khutaria Amarantus spinosus. Kodom Anthocephalus Cadamba. Kalia Ablakh A pony having the skin and hair of the body mixed white and black, and the of the muzzle and the k black as burnt. Kalia Bora Chaul Rice of a paddy called H Bora; <i>i.e.</i>, a Bora of black kind. Kanuwa Crane. Kanya Cyperus rotundas ? Karoi 	Keku Pakhora	A white pony with one o both the ears black and th knees and buttocks partiall
of Sat, a kind of aqu plant. Khirang A dazzling coloured pony the Tukam variety. Khoh Khohia lota A creeper with rough le and which causes a bur sensation on touch. Khohuwa Bhekuli A kind of frog with a ra body and which always se a dark place such as corner of a house, etc., to I Khutaria Amarantus spinosus Kodom Anthocephalus Cadamba. Kalia Ablakh A pony having the skin and hair of the body mixed white and black, and the of the muzzle and the k black as burnt. Kalia Bora Chaul Rice of a paddy called H Bora; <i>i.e.</i> , a Bora of black kind. Kanuwa Orane. Kanya Cyperus rotundas ? Karoi	Keturi or Katuri	
 Khirang A dazzling coloured pony the Tukam variety. Khoh Khohia lota A creeper with rough leand which causes a bur sensation on touch. Khohuwa Bhekuli A kind of frog with a robody and which always sea a dark place such as corner of a house, etc., to body and which always sea a dark place such as corner of a house, etc., to body and which always sea a dark place such as corner of a house, etc., to body and which always sea a dark place such as corner of a house, etc., to body and which always sea a dark place such as corner of a house, etc., to body and which always sea a dark place such as corner of a house, etc., to body and which always sea a dark place such as corner of a house, etc., to body and which always sea a dark place such as corner of a house, etc., to body and which always sea a dark place such as corner of a house, etc., to body and which always sea a dark place such as corner of a house, etc., to body and which always sea a dark place such as corner of a house, etc., to body and which always sea a dark place such as corner of a house, etc., to body and which always sea a dark place such as corner of a house, etc., to body and which always a sea a dark place such as corner of a house, etc., to body and which always a body and which a	Khalun	Soda prepared from the ashe of Sat, a kind of aquati plant.
and which causes a bur sensation on touch. Khohuwa Bhekuli A kind of frog with a ra body and which always se a dark place such as corner of a house, etc., to b Khutaria Amarantus spinosus. Kodom Anthocephalus Cadamba. Kalia Ablakh A pony having the skin and hair of the body mixed white and black, and the of the muzzle and the k black as burnt. Kalia Bora Chaul Rice of a paddy called K Bora ; <i>i.e.</i> , a Bora of black kind. Kanuwa Crane. Kanya Cyperus rotundas ? Karoi	Khirang	A dazzling coloured pony c
 Khohuwa Bhekuli A kind of frog with a redbody and which always sea a dark place such as corner of a house, etc., to body and which always sea a dark place such as corner of a house, etc., to be a dark place such as corner of a house, etc., to be a dark place such as corner of a house, etc., to be a dark place such as corner of a house, etc., to be a dark place such as beached white and be a beached white and be a beached as burnt. Kalia Bora Chaul Rice of a paddy called Beached beached	Khoh Khohia lota	A creeper with rough leave and which causes a burnin
 Kodom Anthocephalus Cadamba. Kalia Ablakh A pony having the skin and hair of the body mixed white and black, and the of the muzzle and the k black as burnt. Kalia Bora Chaul Rice of a paddy called H Bora; <i>i.e.</i>, a Bora of black kind. Kanibih Croton Tiglium. Kanuwa Crane. Kanya Cyperus rotundas ? Karoi 	• ·	A kind of frog with a roug body and which always select a dark place such as th corner of a house, etc., to live
 Kalia Ablakh A pony having the skin and hair of the body mixed white and black, and the of the muzzle and the k black as burnt. Kalia Bora Chaul Rice of a paddy called H Bora; <i>i.e.</i>, a Bora of black kind. Kanibih Croton Tiglium. Kanuwa Orane. Kanya Cyperus rotundas ? Karoi 		=
hair of the body mixed white and black, and the of the muzzle and the k black as burnt. Kalia Bora Chaul Rice of a paddy called H Bora ; <i>i.e.</i> , a Bora of black kind. Kanibih Croton Tiglium. Kanuwa Orane. Kanya Cyperus rotundas ? Karoi		Anthocephalus Cadamba.
Bora ; <i>i.e.</i> , a Bora of black kind. Kanibih Croton Tiglium. Kanuwa Orane. Kanya Cyperus rotundas ? Karoi	Kalia Ablakh	A pony having the skin and the hair of the body mixed of white and black, and the hai of the muzzle and the knew black as burnt.
KanuwaCrane.KanyaCyperus rotundas ?Karoi	Kalia Bora Chaul	Bora; i.e., a Bora of th
KanuwaCrane.KanyaCyperus rotundas ?Karoi	Kanibih	•
Karoi	Kanuwa	. –
Karoi	Kanya	Cyperus rotundas ?
-	•	
The second secon	Kathanda	A plant with white flowe generally growing in shade.

	Albizzia procera.	•••	Katharuwa
and which	An ant whose hinder always turned up a selects clumps of ba preparing its nest.	• • • •	Katdianga-pipora
	Citrullus colocynthis.		Kawa bhaturi
k a black	A spotted pony havin centre of ils back mark like a saddle.	•••	Krisha ahonia
a.	Strychnos Nux-vomica		Kuchila
ly spotted e mane of	A pony with its bod like the sky and the mixed colcurs,	•••	Kukur Pakhora
	Blumen lacera.		Kukursuta
			Kulabori
ia (a fish), and the	A pony with the bod colour of a kuch sbaped like an eel) hoofs, legs, tail and black.	•••	Kumit
	A black horse with red in the muzzle star.	•••	Kumit kolia
	L		
resembles	Seed of a vegetable ca sica rugosa which in every way a mus	•••	Laiguti
	A kind of spice.	•••	Laitorun Lakhi.
		}	Laubandha, or Chika-maroli
of hair like	A projecting growth the pat ghoti.	•••	Lumghotika
a line like	A growth of hair in a a centipede.	•••	Lumdhar
a. ly spo e man dy of hia (a), and l the n dashes le and alled I n resen stard p	 mark like a saddle. Strychnos Nux-vomica A pony with its bod like the sky and the mired colcurs. Blumer lacera. A pony with the bod colour of a kuchi sbaped like an eel) hoofs, legs, tail and black. A black horse with red in the muzzle star. L Seed of a vegetable ca sica rugosa which in every way a mus A kind of spice. A projecting growth the pat ghoti. A growth of hair in a 		Kukur Pakhora Kukursuta Kulabori Kumit Kumit kolia Laiguti Laitorun Lakhi. Laubandha, or Chika-maroli Lumghotika

103

		103
Lonka	•••	A kind of very fine wild chilly which is very hot.
Lora tita		A kind of plant with small round and bitter fruits used now and then as vegetable. Solanum verbascifolium.
		М .
Machpara		
Makorighila Makot.	•••	Ste under ghila.
Malbhogkolar Ì la.	Pacho-	Sprout of malbhog kela, a plant- ain tree the fruits of which are the best of all the plant- ains.
Malotiphul	•••	Aganosma Caryophyllata.
Manimuni	•••	Hydrocotyle Asiatica.
Mathokthoka	•••	A kind of plant like the Chita, the soft twigs of which are sometimes taken with other vegetables.
Mathori	•••	Mane of the pony.
Matiphuruha	•••	A kind of plant with only a few circular leaves grow- ing attached to the ground and bearing only a few fruits which when ripe become red and sweet and are eaten by the children.
Natikolia	•••	An earth coloured pony.
Matimah or M lai.	atika-	Phaseolus radiatus.
Moa alu	•••	Dioscorea aculeata.
Machurmah	•••	Lens esculenta.
Magumah	•••	Phaseolus Mungo.
Mahanim	•••	Azadirachta Indica.

Mohuapat		Leaf of Bassia latifolia.
Moinagiri Chaul	•••	Rice of a paddy called Moina- giri.
Moj	•••	Albizzia lucida.
Moran Ada	•••	A kind of ginger which is of blackish colour inside and hotter than the ordinary ginger.
Motia Chilimi	•••	A white pony mixed with green colour.
Mousarali or Moiha Ali.		
Mukhchauni	•••	Part of the bridle ?
Mutha		
		N ,
Nagar Gu	•••	A hard and black piece of earth just like ccal found several feet below the surface of the earth or sometimes in the river, the paste of which is very cold and applied to a burning sore.
Nakdewna-	•••	A plant with leaves similar to those of Sesamum but larger in size.
Nakh		Corner of the muzzle.
Nal	, 	An aquatic recd. Phragmites Karka.
Naljora	•••	A kind of Nal tree, joints of which can be separated with a slight pull and replaced.
Nangalbhanga.		
Nechkuri	•••	Mulberry. Morus indica.
Nekai Chilimi		A sukila chilimi pony with a black star on the forehead.

Nilkantha tita	•••	A kind of bitter creeper with leaves like those of Piper betel or pan.
Naga pan	•••	A kind of piper betel brought by the Nagas used with nuts like ordinary pan or piper betel.
Nora chilimi	•••	A pony with the colour of the stalk of the paddy.
Nora kunil	•••	A pony with a dazzling red colour.
Norni	•••	A barber's tool for clipping nails
Norosingha	•••	Murraya Koenigii.
		0
Oal	•••	Arum campanulatum.
Odal	•••	Cord ⁱ a myxa.
Oparchokuwa	•••	One having projecting eyes, or having the sight upwards.
· , ·		P
Pachula	•••	Hinder part of the pony.
Pani paruwa	•••	A tortoise shaped aquatic insect that moves without rest on the surface of water in a tank, pond, etc.
Panipotoni		A kind of vegetable creeper.
Parijat phul	•••	Canna Indica.
Pachatia	•••	Vitex Negundo.
Palas	•••	Butea frondosa.
Porolaloti, or	Potol	Trichosanthes dioica.
Pryongusti, or Pryongu.	•	Aglaia roxburghiana.
Punirganthi	•••	Knot of the duck weed, or Lemna paucicostata.

· ·		R
Rahaut		An expert rider of the pony, a horseman.
Ramkola	•••	Trait of a kind of dwarf plant- ain tree with a white taper- ing trunk, used for gardening only.
Ranga Tolou	***	A kali or kolia tolau with red hair round the ears.
Rant	•••	The line of the crest of a pony.
Roghunarnikota Bojaroni Kuint Raghunath Bih.	or	
Rahana. Rongrai Kolia		A black pony with a reddish
Rougiai Roua	•••	lustre.
Rupohi Pokhora		A pony with black thighs and circular black marks on the ears.
		8
Set Darya	•••	A pony as white as cotton wool.
Sankhini Sanp	·#• #	A kind of short and small snake with golden colour, and taken to be very dangerous.
Satmul		Asparagus racemosus.
Siarchand Alu		A kind of wild yam.
Silikha		Terminalia chebula.
Simol u	•••	Silk cotton tree. Bombax malabaricum.
Singori	• ••	Trapa bispinosa.

ukila Ablakh ... A pony having white and black patches on the skin of its body, and similar dots on the skin of muzzle, and the hair white.

R

Sukils Chilimi	•••	A pony with the skin and the muzzle black, and the häir white.
Sulpha or Sonla Sia Atorup		Peucedanim Sowa.
Siju		Euphorhia nerifolia.
San Darya	•••	A pony with the colour of yellow pat silk or that of the petals of ketki flower.
Sandaparia		
Sangla.		
Sankanchi Phul.		
Saru Barial	•••	'Sida rhombifolia.
Saru manimuni		Hydroentyle rotundifolia.
1, <i>1</i> , 1		T '
Talau	•••	A pony with the hair white but mixed with yellow.
Tangon		A male horse.
Tamu	9 90	A black pony having lustre of red in its star, armpits and abdomen.
Tartag	•••	
Tatuk	499	A small Bhutia or country pony.
Tipho ra	•••	A pony with the colour mixed with black and white or with red or white.
Tiphora Pokhora	-841	.A.spotted fiphora.
		A Tiphora with a blaze from its forehead downward.
Tukam	•••	A pony with dark black colour.
Tuling		A white pony with a black
U		head.

•
Stem, stalk.
Alpinia Allughas.
Acacia Farnesiana.
A mare.
Leaf of tobacco (Nicotiana Tabacum).
Leaf of fan-palm (Borassus Flabelliformis).
A fragrant white flower of a plant like the 'tara.'
Pony imported from Turkistan.
A male Turki pony.
Cotton wool.
Chaff of paddy or some other grain.
Bay leaf. Cinnamomum Tamala.
The rod used for turning up and down mustard in an oil press.
A mixture of black pepper, long pepper and dry ginger.
A mixture of the three myroba- lans used as a medicine.
Hollow backed.
•••
U

Ujania lon

and the second second

.... A rock salt formerly brought from the hills of Upper Assam.

SHILLONG : Printed and published by the Suprintendent, Assam Government Press. (C.I.V.D.) No. 1-500-19-12-1932.